

CHAPTER 4. CHEMICAL AND PHYSICAL INFORMATION

4.1 CHEMICAL IDENTITY

Information regarding the chemical identity of perfluoroalkyls is located in Table 4-1. This information includes synonyms, chemical formulas and structures, and identification numbers. The perfluoroalkyls discussed in this profile exist as linear and branched isomers depending upon the method of production (see Chapter 5) and the reported values for the physical-chemical properties are typically reflective of the mixtures rather than a single specific isomer.

4.2 PHYSICAL AND CHEMICAL PROPERTIES

Information regarding the physical and chemical properties of perfluoroalkyls is located in Table 4-2.

Perfluoroalkyl compounds are very stable, owing to the strength of the carbon-fluorine bonds, the presence of the three electron pairs surrounding each fluorine atom, and the shielding of the carbon atoms by the fluorine atoms (3M 1999; Kissa 2001; Schultz et al. 2003). Perfluoroalkyl carboxylates and sulfonates are resistant to direct photolysis and reaction with acids, bases, oxidants, and reductants (3M 2000; EPA 2008a; OECD 2002, 2006a, 2007; Schultz et al. 2003).




APFO was shown to decompose starting at 196°C (Krusic and Roe 2004) and PFOA was shown to decompose rapidly in the presence of crushed borosilicate glass at 307°C (Krusic et al. 2005).

1-H perfluoroheptane and perfluoroheptene are noted degradation products.

Perfluoroalkyl carboxylates and sulfonates consist of a perfluorocarbon tail that is both hydrophobic and oleophobic and a charged end that is hydrophilic (3M 1999; de Vos et al. 2008; Kissa 2001; Schultz et al. 2003). This combination of hydrophobic and oleophobic characteristics makes these substances very useful as surfactants. The ability of these substances to repel oil, fat, and water has resulted in their use in surface protectants (Kissa 2001). Their ability to reduce the surface tension of aqueous systems to <20 mN/m has resulted in their use as wetting agents (Kissa 2001). Neutral or uncharged perfluoroalkyls or very long chain constituents are expected to form separate layers when mixed with hydrocarbons and water. Conversely, charged species, salts, and ionized species at relevant pH (i.e., PFOS, PFOA, PFHpA, PFNA) and short-chain species (i.e., PFBA, PFBS) have relatively good solubility in water and alcohol.




4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-1. Chemical Identity of Perfluoroalkyls

Characteristic	Information		
Chemical name	Perfluorooctanoic acid	Ammonium perfluorooctanoate	Perfluorobutyric acid
Synonym(s)	PFOA; pentadecafluoro-1-octanoic acid; pentadecafluoro-n-octanoic acid; pentadecafluorooctanoic acid; perfluorocaprylic acid; perfluorooctanoic acid; perfluoroheptanecarboxylic acid; octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-	APFO; ammonium pentadecafluorooctanoate; octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-ammonium salt (1:1)	PFBA; heptafluoro-1-butanoic acid; heptafluorobutanoic acid; heptafluorobutyric acid; perfluorobutanoic acid; perfluorobutyric acid; perfluoropropanecarboxylic acid; 2,2,3,3,4,4,4-heptafluorobutanoic acid
Registered trade name(s)	No data	No data	No data
Chemical formula	$C_8HF_{15}O_2$	$C_8H_4F_{15}NO_2$	$C_4HF_7O_2$
Chemical structure			
CAS Registry Number	335-67-1	3825-26-1	375-22-4




4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-1. Chemical Identity of Perfluoroalkyls

Characteristic	Information		
Chemical name	Perfluorohexanoic acid	Perfluoroheptanoic acid	Perfluorononanoic acid
Synonym(s)	PFHxA; undecafluoro-1-hexanoic acid; hexanoic acid, 2,2,3,3,4,4,5,5,6,6,6-undecafluoro-	PFHpA; perfluoro-n-heptanoic acid; tridecafluoro-1-heptanoic acid; heptanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,7-tridecafluoro-	PFNA; perfluoro-n-nonanoic acid; perfluorononan-1-oic acid; hepta-decafluoro-nonanoic acid; nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-
Registered trade name(s)	No data	No data	No data
Chemical formula	C ₆ HF ₁₁ O ₂	C ₇ HF ₁₃ O ₂	C ₉ HF ₁₇ O ₂
Chemical structure			
CAS Registry Number	307-24-4	375-85-9	375-95-1




4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-1. Chemical Identity of Perfluoroalkyls

Characteristic	Information		
Chemical name	Perfluorodecanoic acid	Perfluoroundecanoic acid	Perfluorododecanoic acid
Synonym(s)	PFDA; PFDeA; Ndfda; nonadecafluoro-n-decanoic acid; nonadecafluorodecanoic acid; perfluoro-n-decanoic acid; decanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-nonadecafluoro-	PFUA; perfluoro-n-undecanoic acid; hencosafluoroundecanoic acid; 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11-heneicosfluoroundecanoic acid	PFDoA; tricosfluorododecanoic acid; dodecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-tricosfluoro-
Registered trade name(s)	No data	No data	No data
Chemical formula	C ₁₀ HF ₁₉ O ₂	C ₁₁ HF ₂₁ O ₂	C ₁₂ HF ₂₃ O ₂
Chemical structure			
CAS Registry Number	335-76-2	2058-94-8	307-55-1




4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-1. Chemical Identity of Perfluoroalkyls

Characteristic	Information		
Chemical name	Perfluorooctane sulfonic acid	Perfluorohexane sulfonic acid	Perfluorobutane sulfonic acid
Synonym(s)	PFOS; 1-perfluorooctanesulfonic acid; heptadecafluoro-1-octanesulfonic acid; heptadecafluorooctan-1-sulphonic acid; perfluorooctane sulfonate; perfluorooctylsulfonic acid; 1-octane-sulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-	PFHxS; perfluorohexane-1-sulphonic acid; 1-hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-; 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-hexane-1-sulfonic	PFBuS; 1-perfluorobutanesulfonic acid; nonafluoro-1-butanesulfonic acid; nonafluorobutanesulfonic acid; pentyl perfluorobutanoate; 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanesulfonic acid; 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonic acid; 1-butanesulfonic acid, nonafluoro- (6Cl,7Cl,8Cl)
Registered trade name(s)	No data	No data	No data
Chemical formula	$C_8HF_{17}O_3S$	$C_6HF_{13}O_3S$	$C_4HF_9O_3S$
Chemical structure			
CAS Registry Number	1763-23-1	355-46-4	375-73-5

4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-1. Chemical Identity of Perfluoroalkyls

Characteristic	Information		
Chemical name	Perflurooctanesulfonamide	2-(N-methyl-perfluorooctane sulfonamide) acetic acid	2-(N-ethyl-perfluorooctane sulfonamide) acetic acid
Synonym(s)	PFOSA; perfluorooctylsulfonamide; perfluorooctanesulfonic acid amide; heptadecafluorooctanesulphonamide; 1-octanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8-heptadecafluoro-	Me-PFOSA-AcOH	Et-PFOSA-AcOH
Registered trade name(s)	No data	No data	No data
Chemical formula	$C_8H_2F_{17}NO_2S$	$C_{11}H_6F_{17}NO_4S$	$C_{12}H_8F_{17}NO_4S$
Chemical structure			
CAS Registry Number	754-91-6	2355-31-9	2991-50-6

CAS = Chemical Abstracts Services

Sources: Calafat et al. 2007a, 2007b; CAS 2008; ChemIDplus 2008, 2017; RTECS 2008

4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-2. Physical and Chemical Properties of Perfluoroalkyls

Property	PFOA	APFO	PFBA	PFHxA
Molecular weight	414.069 ^a	431.1 ^b	214.039 ^a	314.06 ^c
Color	No data	No data	No data	No data
Physical state	Solid ^d	Solid ^b	Liquid ^a	No data
Melting point	54.3°C ^a	Decomposition starts above 105°C ^b	-17.5°C ^a	No data
Boiling point	188°C ^a	No data	121°C ^a	168°C at 742 mm Hg ^e
Density at 20°C	1.8 g/cm ^{3f}	No data	1.651 g/cm ^{3a}	1.789 ^e
Odor	No data	No data	No data	No data
Odor threshold:				
Water	No data	No data	No data	No data
Air	No data	No data	No data	No data
Solubility:				
Water	9.5x10 ³ mg/L at 25°C ^g	>500 g/L ^b	2.14x10 ⁵ mg/L at 25°C ^h	15,700 mg/L ⁱ
Organic solvents	No data	No data	Soluble in ethanol and toluene; insoluble in petroleum ether ^a	No data
Partition coefficients:				
Log K _{ow}	Not applicable ^j	No data	Not applicable ^j	Not applicable ^j
K _{oc}	17–230 ^k	No data	No data	No data
pKa	3.8 ^l	No data	0.08 (estimated) ^m	-0.16 ⁱ
Vapor pressure	0.017 mm Hg at 20°C (extrapolated); 0.962 mm Hg at 59.25°C (measured) ⁿ	0.0081 Pa at 20°C ^b	44 mm Hg at 56°C ^g	No data
Henry's law constant	0.362 Pa·m ³ /mol ^h	No data	1.24 Pa·m ³ /mol ^h	No data
Autoignition temperature	Not applicable ^o	No data	Not applicable ^o	Not applicable ^o
Flashpoint	Not applicable ^o	No data	Not applicable ^o	Not applicable ^o
Flammability limits	Not applicable ^o	No data	Not applicable ^o	Not applicable ^o
Conversion factors	1 ppm=17.21 mg/m ³ ; 1 mg/m ³ =0.058 ppm ^p	1 ppm=17.63 mg/m ³ ; 1 mg/m ³ =0.06 ppm ^p	1 ppm=8.90 mg/m ³ ; 1 mg/m ³ =0.11 ppm ^p	1 ppm=12.84 mg/m ³ ; 1 mg/m ³ =0.08 ppm ^p
Explosive limits	Not applicable ^o	Not applicable ^o	Not applicable ^o	Not applicable ^o

4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-2. Physical and Chemical Properties of Perfluoroalkyls

Property	PFHpA	PFNA	PFDeA	PFUA
Molecular weight	364.06 ^e	464.08 ^c	514.084 ^a	564.085 ^d
Color	No data	No data	No data	No data
Physical state	No data	No data	No data	No data
Melting point	24–30°C ^f	No data	No data	97.9–100.3°C ^f
Boiling point	175°C at 742 mm Hg ^g	No data	219°C	No data
Density at 20°C	No data	No data	No data	No data
Odor	No data	No data	No data	No data
Odor threshold:				
Water	No data	No data	No data	No data
Air	No data	No data	No data	No data
Solubility:				
Water	4.37x10 ⁵ mg/L at 25°C ^h	No data	No data	No data
Organic solvents	No data	No data	No data	No data
Partition coefficients:				
Log K _{ow}	Not applicable ⁱ	Not applicable ⁱ	Not applicable ⁱ	Not applicable ⁱ
K _{oc}	No data	No data	No data	No data
pKa	-0.15 (estimated) ^m	-0.17 (estimated) ^m	-0.17 (estimated) ^m	-0.17 (estimated) ^m
Vapor pressure	4.6 mm Hg at 25 °C ^h	4.83x10 ⁻³ mm Hg at 20°C (extrapolated); 8.4 mm Hg at 99.63°C (measured) ⁿ	7.62x10 ⁻⁴ mm Hg at 20°C (extrapolated); 23.5 mm Hg at 129.56°C (measured) ^s	3.44x10 ⁻⁴ mm Hg at 20°C (extrapolated); 4.62 mm Hg at 112.04°C (measured) ^s
Henry's law constant at 25°C	0.573 Pa·m ³ /mol ^h	No data	No data	No data
Autoignition temperature	Not applicable ^o	Not applicable ^o	Not applicable ^o	Not applicable ^o
Flashpoint	Not applicable ^o	Not applicable ^o	Not applicable ^o	Not applicable ^o
Flammability limits	Not applicable ^o	Not applicable ^o	Not applicable ^o	Not applicable ^o
Conversion factors	1 ppm=15.14 mg/m ³ ; 1 mg/m ³ =0.07 ppm ^p	1 ppm=19.29 mg/m ³ ; 1 mg/m ³ =0.05 ppm ^p	1 ppm=21.37 mg/m ³ ; 1 mg/m ³ =0.05 ppm ^p	1 ppm=23.45 mg/m ³ ; 1 mg/m ³ =0.04 ppm ^p
Explosive limits	Not applicable ^o	Not applicable ^o	Not applicable ^o	Not applicable ^o

4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-2. Physical and Chemical Properties of Perfluoroalkyls

Property	PFD _o A	PFOS	PFH _x S	PFBuS
Molecular weight	614.1 ^c	500.03 ^c	400.12 ^c	300.1 ^c
Color	No data	No data	No data	No data
Physical state	No data	No data	No data	No data
Melting point	No data	≥400°C (potassium salt) ^s	No data	No data
Boiling point	No data	No data	No data	No data
Density at 20°C	No data	No data	No data	No data
Odor	No data	No data	No data	No data
Odor threshold:				
Water	No data	No data	No data	No data
Air	No data	No data	No data	No data
Solubility:				
Water	No data	570 mg/L (potassium salt in pure water) ^s	No data	No data
Organic solvents	No data	No data	No data	No data
Partition coefficients:				
Log K _{ow}	Not applicable ⁱ	Not applicable ⁱ	Not applicable ⁱ	Not applicable ⁱ
K _{oc}	No data	No data	No data	No data
pKa	-0.17 (estimated) ^m	0.14 (estimated) ^m	0.14 (estimated) ^m	0.14 (estimated) ^m
Vapor pressure	5.11x10 ⁻⁶⁰ mm Hg at 20°C (extrapolated) ^s	2.48x10 ⁻⁶ mm Hg at 20°C (potassium salt) ^d	No data	No data
Henry's law constant at 25°C	No data	No data	No data	No data
Autoignition temperature	Not applicable ^o	Not applicable ^o	Not applicable ^o	Not applicable ^o
Flashpoint	Not applicable ^o	Not applicable ^o	Not applicable ^o	Not applicable ^o
Flammability limits	Not applicable ^o	Not applicable ^o	Not applicable ^o	Not applicable ^o
Conversion factors	1 ppm=25.53 mg/m ³ ; 1 mg/m ³ =0.04 ppm ^p	1 ppm=20.79 mg/m ³ ; 1 mg/m ³ =0.05 ppm ^p	1 ppm=16.63 mg/m ³ ; 1 mg/m ³ =0.06 ppm ^p	1 ppm=12.48 mg/m ³ ; 1 mg/m ³ =0.08 ppm ^p
Explosive limits	Not applicable ^o	Not applicable ^o	Not applicable ^o	Not applicable ^o

4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-2. Physical and Chemical Properties of Perfluoroalkyls

Property	PFOSA	Me-PFOSA-AcOH	Et-PFOSA-AcOH
Molecular weight	499.15 ^e	571.21 (from structure)	585.24 ^e
Color	No data	No data	No data
Physical state	No data	No data	No data
Melting point	No data	No data	No data
Boiling point	No data	No data	No data
Density at 20°C	No data	No data	No data
Odor	No data	No data	No data
Odor threshold:			
Water	No data	No data	No data
Air	No data	No data	No data
Solubility:			
Water	No data	No data	No data
Organic solvents	No data	No data	No data
Partition coefficients:			
Log K _{ow}	Not applicable ⁱ	Not applicable ^j	Not applicable ⁱ
K _{oc}	No data	No data	No data
pKa	6.24 (estimated) ^m	3.92 (estimated) ^m	3.92 (estimated) ^m
Vapor pressure	No data	No data	No data
Henry's law constant	No data	No data	No data
Autoignition temperature	Not applicable ^o	Not applicable ^o	Not applicable ^o
Flashpoint	Not applicable ^o	Not applicable ^o	Not applicable ^o
Flammability limits	Not applicable ^o	Not applicable ^o	Not applicable ^o

4. CHEMICAL AND PHYSICAL INFORMATION

Table 4-2. Physical and Chemical Properties of Perfluoroalkyls

Property	PFOSA	Me-PFOSA-AcOH	Et-PFOSA-AcOH
Conversion factors	1 ppm=20.75 mg/m ³ ; 1 mg/m ³ =0.05 ppm ^p	1 ppm=23.75 mg/m ³ ; 1 mg/m ³ =0.04 ppm ^p	1 ppm=24.33 mg/m ³ ; 1 mg/m ³ =0.04 ppm ^p
Explosive limits	Not applicable ^o	Not applicable ^o	Not applicable ^o

^aLide 2005.^bEPA 2014.^cEPA 2008c.^d3M 2008c.^eSavu 1994a.^fKroschwitz and Howe-Grant 1994.^gKauck and Diesslin 1951.^hKwan 2001.ⁱZhao et al. 2014.^jThe log K_{ow} is not measureable since these substances are expected to form multiple layers in an octanol-water mixture (3M 1999, 2008c; EPA 2005a).^kPrevedouros et al. 2006.^lBurns et al. 2008.^mSPARC 2008.ⁿKaiser et al. 2005.^oPerfluorocarboxylates and perfluorosulfonates are nonflammable (3M 1999, Kissa 2001, OECD 2007). However, they readily degrade via incineration (Krusic and Roe 2004; Krusic et al. 2005; Yamada et al. 2005).^pCalculated using molecular weight.^qChemID Plus 2008.^rKunleda and Shinoda 1976.^s3M 2000.

Et-PFOSA-AcOH = 2-(N-ethyl-perfluorooctane sulfonamide) acetic acid; Me-PFOSA-AcOH = 2-(N-methyl-perfluorooctane sulfonamide) acetic acid; PFBA = perfluorobutyric acid; PFBuS = perfluorobutane sulfonic acid; PFDeA = perfluorodecanoic acid; PFDoA = perfluorododecanoic acid; PFHpA = perfluoroheptanoic acid; PFHxA = perfluorohexanoic acid; PFHxS = perfluorohexane sulfonic acid; PFNA = perfluorononanoic acid; PFOA = perfluorooctanoic acid; PFOS = perfluorooctane sulfonic acid; PFOSA = perfluorooctane sulfonamide; PFUA = perfluoroundecanoic acid

4. CHEMICAL AND PHYSICAL INFORMATION

Both the potential to form separate layers when mixed with hydrocarbons and water and the propensity for charged or ionized perfluoroalkyls to concentrate at interfaces make the measurement of the n-octanol water partition coefficient impractical (3M 1999; EPA 2005a).

With the exception of PFOSA, estimated pKa values for the perfluoroalkyls listed in Table 4-2 range from -0.17 to 3.92 (SPARC 2008). This pKa range indicates that these substances will exist in anion form when in contact with water at environmental and physiologically relevant pHs. An estimated pKa of 6.24 indicates that PFOSA will exist as both the anion and the neutral species (SPARC 2008).

Perfluoroalkyl salts, such as APFO, will form the corresponding anions when dissolved in water. Prevedouros et al. (2006) reported a Krafft point of 22°C and critical micelle concentration of 3.7×10^3 mg/L for the perfluorooctanoate anion (PFO). At temperatures above the Krafft point, the solubility of PFO is expected to increase abruptly due to the formation of micelles.

Vapor pressures at 25°C were extrapolated for PFOA, PFNA, PFDeA, PFUA, and PFDoA using Antoine coefficients. Experimental vapor pressures were as follows: 0.962–724 mm Hg (59.25–190.80°C) for PFOA; 8.40–750 mm Hg (99.63–203.12°C) for PFNA; 23.5–750 mm Hg (129.56–218.88°C) for PFDeA; 4.62–750 mm Hg (112.04–237.65°C) for PFUA; and 6.42–750 mm Hg (127.58–247.36°C) for PFDoA (Kaiser et al. 2005).