

CHAPTER 8. REFERENCES

- Abdo KM, Grumbein S, Chou BJ, et al. 2001. Toxicity and carcinogenicity study in F344 rats following 2 years of whole-body exposure to naphthalene vapors. *Inhal Toxicol* 13(10):931-950.
<https://doi.org/10.1080/089583701752378179>.
- Adkins B, Van Stee EW, Simmons JE, et al. 1986. Oncogenic response of strain A/J mice to inhaled chemicals. *J Toxicol Environ Health* 17(2-3):311-322.
<https://doi.org/10.1080/15287398609530825>.
- Agarry SE, Oghenejoboh KM. 2015. Enhanced aerobic biodegradation of naphthalene in soil: kinetic modelling and half-life study. *Int J Environ Bioremediat Biodegrad* 3(2):48-53.
<https://doi.org/10.12691/ijebb-3-2-2>.
- Agarwal P, Anand M, Chakraborty P, et al. 2022. Placental levels of polycyclic aromatic hydrocarbons (PAHs) and their association with birth weight of infants. *Drug Chem Toxicol* 45(2):868-877.
<https://doi.org/10.1080/01480545.2020.1783285>.
- Ahmad R, Amir SH, Khan SA. 2019. Naphthalene mothballs poisoning leading to intravascular hemolysis: A case report. *J Emerg Med* 58(1):e1-e3.
<https://doi.org/10.1016/j.jemermed.2019.09.047>.
- Akash S, Sivaprakash B, Rajamohan N, et al. 2023. Biotransformation as a tool for remediation of polycyclic aromatic hydrocarbons from polluted environment - review on toxicity and treatment technologies. *Environ Pollut* 318:120923. <https://doi.org/10.1016/j.envpol.2022.120923>.
- Aktay G, Cengiz G, Söylemezoglu T. 2000. Protective effect of nitrendipine on naphthalene-induced oxidative stress. *J Fac Pharm Gazi* 17(1):19-24. <https://doi.org/10.1023/A:1010946517651>.
- Alalaiwe A, Lin YK, Lin CH, et al. 2020. The absorption of polycyclic aromatic hydrocarbons into the skin to elicit cutaneous inflammation: The establishment of structure-permeation and in silico-in vitro-in vivo relationships. *Chemosphere* 255:126955.
<https://doi.org/10.1016/j.chemosphere.2020.126955>.
- Ambre J, Ruo TI, Smith-Coggins R. 1986. Mothball composition: Three simple tests for distinguishing paradichlorobenzene from naphthalene. *Ann Emerg Med* 15:724-726.
[https://doi.org/10.1016/S0196-0644\(86\)80434-6](https://doi.org/10.1016/S0196-0644(86)80434-6).
- Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl Toxicol* 3(6):272-290. <https://doi.org/10.1002/jat.2550030603>.
- Anand V, Venkatesan DK, Pugazhentham T, et al. 2023. Methemoglobinemia secondary to a traditional healing practice using mothballs: A need of pediatric vigilance. *Cureus* 15(6):e41192.
<https://doi.org/10.7759/cureus.41192>.
- Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- Angu Bala Ganesh KSV, Soman S, Reginald SR, et al. 2024. Ultrastructural changes of synapses in the hippocampus of Sprague Dawley rat brain following exposure to naphthalene balls. *J Pharm Bioallied Sci* 16(Suppl 2):S1522-s1525. https://doi.org/10.4103/jpbs.jpbs_1184_23.
- Anzulewicz JA, Dick HJ, Chiarulli EE. 1959. Transplacental naphthalene poisoning. *Am J Obstet Gynecol* 78:519-521. [https://doi.org/10.1016/0002-9378\(59\)90522-8](https://doi.org/10.1016/0002-9378(59)90522-8).
- Aoshiba K, Tsuji T, Itoh M, et al. 2014. A murine model of airway fibrosis induced by repeated naphthalene exposure. *Exp Toxicol Pathol* 66(4):169-177.
<https://doi.org/10.1016/j.etp.2014.01.001>.
- Arfaeinia H, Dobaradaran S, Mahmoodi M, et al. 2022. Urinary profile of PAHs and related compounds in women working in beauty salons. *Sci Total Environ* 851(Pt 2):158281.
<https://doi.org/10.1016/j.scitotenv.2022.158281>.

8. REFERENCES

- Arfsten DP, Davenport R, Schaeffer DJ. 1994. Reversion of bioluminescent bacteria (Mutatox) to their luminescent state upon exposure to organic compounds, munitions, and metal salts. *Biomed Environ Sci* 7:144-149.
- Ari A. 2020. A comprehensive study on gas and particle emissions from laser printers: Chemical composition and health risk assessment. *Atmos Pollut Res* 11(2):269-282. <https://doi.org/10.1016/j.apr.2019.10.013>.
- Asada S, Sasaki K, Tanaka N, et al. 2005. Detection of initiating as well as promoting activity of chemicals by a novel cell transformation assay using v-Ha-ras-transfected BALB/c 3T3 cells (Bhas 42 cells). *Mutat Res* 588(1):7-21. <https://doi.org/10.1016/j.mrgentox.2005.07.011>.
- Aslam R, Sharif F, Baqar M, et al. 2023. Association of human cohorts exposed to blood and urinary biomarkers of PAHs with adult asthma in a South Asian metropolitan city. *Environ Sci Pollut Res Int* 30(13):35945-35957. <https://doi.org/10.1007/s11356-022-24445-z>.
- Atkinson R, Aschmann SM, Pitts JN. 1984. Kinetics of the reactions of naphthalene and biphenyl with OH radicals and with O₃ at 294 ± 1 K. *Environ Sci Technol* 18:110-113. <https://doi.org/10.1021/es00120a012>.
- Atkinson R, Arey J, Zielinska B, et al. 1987. Kinetics and products of the gas-phase reactions of OH radicals and N₂O₅ with naphthalene and biphenyl. *Environ Sci Technol* 21:1014-1022. <https://doi.org/10.1021/es50001a017>.
- Atkinson JJ, Toennies HM, Holmbeck K, et al. 2007. Membrane type 1 matrix metalloproteinase is necessary for distal airway epithelial repair and keratinocyte growth factor receptor expression after acute injury. *Am J Physiol Lung Cell Mol Physiol* 293(3):L600-L610. <https://doi.org/10.1152/ajplung.00028.2007>.
- ATSDR. 1989. Decision guide for identifying substance- specific data needs related to toxicological profiles; Notice. *Fed Reg* 54(174):37617-37634. <https://www.loc.gov/item/fr054174/>. October 10, 2024.
- ATSDR. 2006. Health consultation: Brewer Brothers Petroleum Bulk Plant Cardwell, Dunklin County, Missouri. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/HAC/pha/BrewerBrothersPetroleumBulkPlant/BrewerBrothersHC093006.pdf>. September 7, 2023.
- ATSDR. 2007a. Health consultation: Laugh and Learn Daycare Ashville, Pickaway County, Ohio. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/HAC/pha/LaughandLearnDaycare/LaughAndLearnDaycareHC061807.pdf>. September 7, 2023.
- ATSDR. 2007b. Health consultation follow-up on J.H. Baxter health assessment based on new air monitoring data Eugene, Oregon EPA facility ID: ORD009032400. Atlanta, GA: Agency for Toxic Substances and Disease Registry. https://www.oregon.gov/oha/PH/HEALTHYENVIRONMENTS/TRACKINGASSESSMENT/ENVIRONMENTALHEALTHASSESSMENT/Documents/nweugene_finalhc_july2008.pdf. December 30, 2022.
- ATSDR. 2008. Health consultation: Schuylkill Haven MGP Site, Schuylkill Haven, Schuylkill County, Pennsylvania, EPA Facility ID: PAD981104870. Atlanta, GA: Agency for Toxic Substances and Disease Registry. https://www.atsdr.cdc.gov/HAC/pha/SchuylkillHavenMGPSite/Schuylkill_Haven_MGP_Site%20HC%209-30-2008.pdf. September 7, 2023.
- ATSDR. 2022a. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/SPL/resources>. June 8, 2023.
- ATSDR. 2022b. Sanders2015 HLCs used in SHOWER Model v3 and PHAST. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- ATSDR. 2024. Toxicological profile for creosote. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.cdc.gov/TSP/ToxProfiles/ToxProfiles.aspx?id=66&tid=18>. February 12, 2025.

8. REFERENCES

- Ayala DC, Morin D, Buckpitt AR. 2015. Simultaneous quantification of multiple urinary naphthalene metabolites by liquid chromatography tandem mass spectrometry. *PLoS One* 10(4):e0121937. <https://doi.org/10.1371/journal.pone.0121937>.
- Azzolina NA, Kreitinger JP, Skorobogatov Y, et al. 2016. Background concentrations of PAHs and metals in surface and subsurface soils collected throughout Manhattan, New York. *Environ Forensics* 17(4):294-310. <https://doi.org/10.1080/15275922.2016.1230905>.
- Back S, Masser AE, Rutqvist LE, et al. 2023. Harmful and potentially harmful constituents (PHHCs) in two novel nicotine pouch products in comparison with regular smokeless tobacco products and pharmaceutical nicotine replacement therapy products (NRTs). *BMC Chem* 17(1):9. <https://doi.org/10.1186/s13065-023-00918-1>.
- Baek K, Kim M, Kwak K. 2021. Exposure to diesel engine exhausts and increase of urinary 8-hydroxy-2'-deoxyguanosine among male tank maintenance workers in the Republic of Korea Army. *Ind Health* 59(6):403-414. <https://doi.org/10.2486/indhealth.2021-0022>.
- Bagchi D, Bagchi M, Balmoori J, et al. 1998. Induction of oxidative stress and DNA damage by chronic administration of naphthalene to rats. *Res Commun Mol Pathol Pharmacol* 101(3):249-257.
- Bagchi D, Balmoori J, Bagchi M, et al. 2000. Role of p53 tumor suppressor gene in the toxicity of TCDD, endrin, naphthalene, and chromium (VI) in liver and brain tissues of mice. *Free Radic Biol Med* 28(6):895-903. [https://doi.org/10.1016/S0891-5849\(00\)00173-8](https://doi.org/10.1016/S0891-5849(00)00173-8).
- Bagchi D, Balmoori J, Bagchi M, et al. 2002. Comparative effect of TCDD, endrin, naphthalene and chromium (VI) on oxidative stress and tissue damage in the liver and brain tissues of mice. *Toxicology* 175:73-82. [https://doi.org/10.1016/S0300-483X\(02\)00062-8](https://doi.org/10.1016/S0300-483X(02)00062-8).
- Bakali U, Baum JLR, Louzado-Feliciano P, et al. 2024. Characterization of fire investigators' polycyclic aromatic hydrocarbon exposures using silicone wristbands. *Ecotoxicol Environ Saf* 278:116349. <https://doi.org/10.1016/j.ecoenv.2024.116349>.
- Bakke J, Struble C, Gustafsson JA, et al. 1985. Catabolism of premercapturic acid pathway metabolites of naphthalene to naphthols and methylthio-containing metabolites in rats. *Proc Natl Acad Sci USA* 82:668-671. <https://doi.org/10.1073/pnas.82.3.668>.
- Baldwin AK, Corsi SR, Stefaniak OM, et al. 2022. Risk-based prioritization of organic chemicals and locations of ecological concern in sediment from Great Lakes tributaries. *Environ Toxicol Chem* 41(4):1016-1041. <https://doi.org/10.1002/etc.5286>.
- Banerjee S, Baughman GL. 1991. Bioconcentration factors and lipid solubility. *Environ Sci Technol* 25:536-539. <https://doi.org/10.1021/es00015a024>.
- Bao ZZ, Lu SQ, Wang G, et al. 2023a. Adsorption of 2-hydroxynaphthalene, naphthalene, phenanthrene, and pyrene by polyvinyl chloride microplastics in water and their bioaccessibility under in vitro human gastrointestinal system. *Sci Total Environ* 871:162157. <https://doi.org/10.1016/j.scitotenv.2023.162157>.
- Bao ZZ, Lu SQ, Wang G, et al. 2023b. Supplemental material: Adsorption of 2-hydroxynaphthalene, naphthalene, phenanthrene, and pyrene by polyvinyl chloride microplastics in water and their bioaccessibility under in vitro human gastrointestinal system. *Sci Total Environ* 871 <https://doi.org/10.1016/j.scitotenv.2023.162157>.
- Barbee GC. 1994. Fate of chlorinated aliphatic hydrocarbons in the vadose zone and ground water. *Ground Water Monit Remed* 14:129-140. <https://doi.org/10.1111/j.1745-6592.1994.tb00098.x>.
- Barfknecht TR, Naismith RW, Matthews RJ. 1985. Rat hepatocyte primary culture/DNA repair test: naphthalene. Texaco, Inc. Submitted to U.S. Environmental Protection Agency under section 8D. OTS0513638. 86-870000560. PH 311-TX-008-85. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513638.xhtml>. April 19, 2023.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486. [https://doi.org/10.1016/0273-2300\(88\)90047-5](https://doi.org/10.1016/0273-2300(88)90047-5).
- Barnes NM, Damare SR, Bhatawadekar VC, et al. 2023. Degradation of crude oil-associated polycyclic aromatic hydrocarbons by marine-derived fungi. *3 Biotech* 13(10):335. <https://doi.org/10.1007/s13205-023-03753-2>.

8. REFERENCES

- Baxter CS, Hoffman JD, Knipp MJ, et al. 2014. Exposure of firefighters to particulates and polycyclic aromatic hydrocarbons. *J Occup Environ Hyg* 11(7):D85-91.
<https://doi.org/10.1080/15459624.2014.890286>.
- Bender ME, Huggett RJ. 1989. Polynuclear aromatic hydrocarbon residues in shellfish: Species variations and apparent intraspecific differences. In: Kaiser HE, ed. Comparative aspects of tumor development. Dordrecht, Netherlands: Kluwer Academic Publishers, 226-234.
- Benson WH, Dorough HW. 1984. Comparative ester hydrolysis of carbaryl and ethiofencarb in four mammalian species. *Pestic Biochem Physiol* 21:199-206. [https://doi.org/10.1016/0048-3575\(84\)90055-5](https://doi.org/10.1016/0048-3575(84)90055-5).
- Berry MR, Johnson LS, Jones JW, et al. 1997. Dietary characterizations in a study of human exposure in the lower Rio Grande valley: I. Foods and beverages. *Environ Int* 23(5):675-692.
[https://doi.org/10.1016/S0160-4120\(97\)00069-X](https://doi.org/10.1016/S0160-4120(97)00069-X).
- Bieniek G. 1994. The presence of 1-naphthol in the urine of industrial workers exposed to naphthalene. *Occup Environ Med* 51(5):357-359. <https://doi.org/10.1136/oem.51.5.357>.
- Bieniek G, Łusiak A. 2012. Occupational exposure to aromatic hydrocarbons and polycyclic aromatic hydrocarbons at a coke plant. *Ann Occup Hyg* 56(7):796-807.
<https://doi.org/10.1093/annhyg/mes016>.
- Birman I, Alexander M. 1996. Effect of viscosity of nonaqueous-phase liquids (NAPLs) on biodegradation of NAPL constituents. *Environ Toxicol Chem* 15(10):1683-1686.
<https://doi.org/10.1002/etc.5620151005>.
- Bock KW, Van Ackeren G, Lorch F, et al. 1976. Metabolism of naphthalene to naphthalene dihydrodiol glucuronide in isolated hepatocytes and in liver microsomes. *Biochem Pharmacol* 25(21):2351-2356. [https://doi.org/10.1016/0006-2952\(76\)90027-7](https://doi.org/10.1016/0006-2952(76)90027-7).
- Bock KW, von Clausbruch UC, Winne D. 1979. Absorption and metabolism of naphthalene and benzo[a]pyrene in the rat jejunum in situ. *Med Biol* 57:262-264.
- Bogdanffy MS, Sarangapani R, Plowchalk DR, et al. 1999. A biologically based risk assessment for vinyl acetate-induced cancer and noncancer inhalation toxicity. *Toxicol Sci* 51(1):19-35.
<https://doi.org/10.1093/toxsci/51.1.19>.
- Borujeni ET, Yaghmaian K, Naddafi K, et al. 2022. Identification and determination of the volatile organics of third-hand smoke from different cigarettes and clothing fabrics. *J Environ Health Sci Eng* 20(1):53-63. <https://doi.org/10.1007/s40201-021-00755-1>.
- Bos RP, Theuws JL, Jongeneelen FJ, et al. 1988. Mutagenicity of bi-, tri- and tetra-cyclic aromatic hydrocarbons in the "taped-plate assay" and in the conventional *Salmonella* mutagenicity assay. *Mutat Res* 204:203-206. [https://doi.org/10.1016/0165-1218\(88\)90090-0](https://doi.org/10.1016/0165-1218(88)90090-0).
- Breger RK, Franklin RB, Lech JJ. 1981. Metabolism of 2-methylnaphthalene to isomeric dihydrodiols by hepatic microsomes of rat and rainbow trout. *Drug Metab Dispos* 9(2):88-93.
- Breger RK, Novak RF, Franklin RB, et al. 1983. Further structural analysis of rat liver microsomal metabolites of 2-methylnaphthalene. *Drug Metab Dispos* 11(4):319-323.
- Bregman R. 1954. Mothball poisoning. A case presentation. *Clin Proc Child Hosp Dist Columbia* 9:1-5.
- Brown KW, Donnelly KC. 1988. An estimation of risk associated with the organic constituents of hazardous and municipal waste landfill leachates. *Haz Waste Haz Mater* 5(1):1-30.
<https://doi.org/10.1089/hwm.1988.5.1>.
- Brown RP, Delp MD, Lindstedt SL, et al. 1997. Physiological parameter values for physiologically based pharmacokinetic models. *Toxicol Ind Health* 13(4):407-484.
<https://doi.org/10.1177/074823379701300401>.
- Brusseau ML. 1991. Cooperative sorption of organic chemicals in systems composed of low organic carbon aquifer materials. *Environ Sci Technol* 25:1747-1752. <https://doi.org/10.1021/es00022a011>.
- Buchholz BA, Haack KW, Sporty JL, et al. 2010. Free flow electrophoresis separation and AMS quantitation of C-naphthalene-protein adducts. *Nucl Instrum Methods Phys Res B* 268(7-8):1324-1327. <https://doi.org/10.1016/j.nimb.2009.10.164>.

8. REFERENCES

- Buchholz BA, Carratt SA, Kuhn EA, et al. 2019. Naphthalene DNA adduct formation and tolerance in the lung. *Nucl Instrum Methods Phys Res B* 438:119-123.
<https://doi.org/10.1016/j.nimb.2018.07.004>.
- Buckpitt AR, Bahnsen LS. 1986. Naphthalene metabolism by human lung microsomal enzymes. *Toxicology* 41:333-341. [https://doi.org/10.1016/0300-483X\(86\)90186-1](https://doi.org/10.1016/0300-483X(86)90186-1).
- Buckpitt AR, Franklin RB. 1989. Relationship of naphthalene and 2-methylnaphthalene metabolism to pulmonary bronchiolar epithelial cell necrosis. *Pharmacol Ther* 41:393-410.
[https://doi.org/10.1016/0163-7258\(89\)90116-2](https://doi.org/10.1016/0163-7258(89)90116-2).
- Buckpitt AR, Buonarati M, Avey LB, et al. 1992. Relationship of cytochrome P450 activity to cell cytotoxicity. II. Comparison of stereo-selectivity of naphthalene epoxidation in lung and nasal mucosa of mouse, hamster, rat and Rhesus monkey. *J Pharmacol Exp Ther* 261(1):364-372.
- Buckpitt A, Chang A, Weir A, et al. 1995. Relationship of cytochrome P450 activity to cell cytotoxicity. IV. Metabolism of naphthalene and naphthalene oxide in microdissected airways from mice, rats, and hamsters. *Molecular Pharmacol* 47:74-81.
- Buckpitt A, Boland B, Isbell M, et al. 2002. Naphthalene-induced respiratory tract toxicity: Metabolic mechanisms of toxicity. *Drug Metab Rev* 34(4):791-820. <https://doi.org/10.1081/DMR-120015694>.
- Buckpitt A, Morin D, Murphy S, et al. 2013. Kinetics of naphthalene metabolism in target and non-target tissues of rodents and in nasal and airway microsomes from the Rhesus monkey. *Toxicol Appl Pharmacol* 270(2):97-105. <https://doi.org/10.1016/j.taap.2013.04.006>.
- Buratti M, Campo L, Fustinoni S, et al. 2007. Application of ultraviolet spectrophotometry to estimate occupational exposure to airborne polycyclic aromatic compounds in asphalt pavers. *J Occup Environ Hyg* 4(6):412-419. <https://doi.org/10.1080/15459620701337817>.
- Bush A, Pabary R. 2020. Pulmonary alveolarproteinosis in children. *Breathe* 16(2):200001.
<https://doi.org/10.1183/20734735.0001-2020>.
- Bushnik T, Wong SL, Holloway AC, et al. 2020. Association of urinary polycyclic aromatic hydrocarbons and obesity in children aged 3-18: Canadian Health Measures Survey 2009-2015. *J Dev Orig Health Dis* 11(6):623-631. <https://doi.org/10.1017/s2040174419000825>.
- Bysshe SE. 1982. Bioconcentration factor in aquatic organisms. In: Lyman WJ, ed. *Handbook of chemical property estimation methods*. New York, NY: McGraw Hill, 5.1-5.30.
- Cakmak S, Dales RE, Liu L, et al. 2014. Residential exposure to volatile organic compounds and lung function: results from a population-based cross-sectional survey. *Environ Pollut* 194:145-151.
<https://doi.org/10.1016/j.envpol.2014.07.020>.
- Calabrese EJ. 1986. Ecogenetics: Historical foundation and current status. *J Occup Med* 28:1096-1102.
- Campbell JL, Andersen ME, Clewell HJ. 2014. A hybrid CFD-PBPK model for naphthalene in rat and human with IVIVE for nasal tissue metabolism and cross-species dosimetry. *Inhal Toxicol* 26(6):333-344. <https://doi.org/10.3109/08958378.2014.896059>.
- Caron-Beaudoin E, Whyte KP, Bouchard MF, et al. 2022. Volatile organic compounds (VOCs) in indoor air and tap water samples in residences of pregnant women living in an area of unconventional natural gas operations: Findings from the EXPERIVA study. *Sci Total Environ* 805:150242. <https://doi.org/10.1016/j.scitotenv.2021.150242>.
- Carratt SA, Morin D, Buckpitt AR, et al. 2016. Naphthalene cytotoxicity in microsomal epoxide hydrolase deficient mice. *Toxicol Lett* 246:35-41. <https://doi.org/10.1016/j.toxlet.2016.01.019>.
- Carratt SA, Hartog M, Buchholz BA, et al. 2019a. Naphthalene genotoxicity: DNA adducts in primate and mouse airway explants. *Toxicol Lett* 305:103-109. <https://doi.org/10.1016/j.toxlet.2019.01.009>.
- Carratt SA, Kovalchuk N, Ding X, et al. 2019b. Metabolism and lung toxicity of inhaled naphthalene: Effects of postnatal age and sex. *Toxicol Sci* 170(2):536-548. <https://doi.org/10.1093/toxsci/kfz100>.
- CDC. 2017. Biomonitoring summary: polycyclic aromatic hydrocarbons overview. Centers for Disease Control and Prevention.
https://www.cdc.gov/biomonitoring/Naphthalene_BiomonitoringSummary.html. January 20, 2023.

8. REFERENCES

- CDC. 2023. Biomonitoring data tables for environmental chemicals: [1- and 2-hydroxynaphthalene]. Centers for Disease Control and Prevention. https://www.cdc.gov/exposurereport/data_tables.html. January 20, 2023.
- Chao YC, Gibson RL, Nylander-French LA. 2005. Dermal exposure to jet fuel (JP-8) in US Air Force personnel. *Ann Occup Hyg* 49(7):639-645. <https://doi.org/10.1093/annhyg/mei021>.
- Chao YC, Kupper LL, Serdar B, et al. 2006. Dermal exposure to jet fuel JP-8 significantly contributes to the production of urinary naphthols in fuel-cell maintenance workers. *Environ Health Perspect* 114(2):182-185. <https://doi.org/10.1289/ehp.8288>.
- Charles SM, Batterman SA, Jia C. 2007. Composition and emissions of VOCs in main- and side-stream smoke of research cigarettes. *Atmos Environ* 41(26):5371-5384. <https://doi.org/10.1016/j.atmosenv.2007.02.020>.
- Chen Y, Yi L, Yan G, et al. 2010a. α -Lipoic acid alters post-translational modifications and protects the chaperone activity of lens α -crystallin in naphthalene-induced cataract. *Curr Eye Res* 35(7):620-630. <https://doi.org/10.3109/02713681003768211>.
- Chen Y, Yi L, Yan GQ, et al. 2010b. Decreased chaperone activity of α -crystallins in naphthalene-induced cataract possibly results from C-terminal truncation. *J Int Med Res* 38(3):1016-1028. <https://doi.org/10.1177/147323001003800328>.
- Chen Y, Jiang YX, Yi L, et al. 2012. Excessive milk intake as a risk factor, probably associated with oxidative stress, in experimental naphthalene-initiated cataract in rats. *Ophthalmic Res* 47(2):87-97. <https://doi.org/10.1159/000330504>.
- Chen YY, Kao TW, Wang CC, et al. 2019. Exposure to polycyclic aromatic hydrocarbons and risk of disability among an elderly population. *Environ Sci Pollut Res Int* 26(11):10719-10726. <https://doi.org/10.1007/s11356-019-04498-3>.
- Chen Q, Wang F, Yang H, et al. 2021. Exposure to fine particulate matter-bound polycyclic aromatic hydrocarbons, male semen quality, and reproductive hormones: The MARCXS study. *Environ Pollut* 280:116883. <https://doi.org/10.1016/j.envpol.2021.116883>.
- Cherry N, Galarneau JM, Kinniburgh D, et al. 2021. Exposure and absorption of PAHs in wildland firefighters: A field study with pilot interventions. *Ann Work Expo Health* 65(2):148-161. <https://doi.org/10.1093/annweh/wxa064>.
- Childers JW, Witherspoon CL, Smith LB, et al. 2000. Real-time and integrated measurement of potential human exposure to particle-bound polycyclic aromatic hydrocarbons (PAHs) from aircraft exhaust. *Environ Health Perspect* 108(9):853-862. <https://doi.org/10.1289/ehp.00108853>.
- Cho TM, Rose RL, Hodgson E. 2006. In vitro metabolism of naphthalene by human liver microsomal cytochrome P450 enzymes. *Drug Metab Dispos* 34(1):176-183. <https://doi.org/10.1124/dmd.105.005785>.
- Cho M, Chichester C, Morin D, et al. 1994a. Covalent interactions of reactive naphthalene metabolites with proteins. *J Pharmacol Exp Ther* 269(2):881-889.
- Cho M, Jedrychowski R, Hammock B, et al. 1994b. Reactive metabolite binding to hemoglobin and albumin. *Fundam Appl Toxicol* 22:26-33. <https://doi.org/10.1093/toxsci/22.1.26>.
- Choi JW, Kim M, Song G, et al. 2023. Toxicokinetic analyses of naphthalene, fluorene, phenanthrene, and pyrene in humans after single oral administration. *Sci Total Environ* 870:161899. <https://doi.org/10.1016/j.scitotenv.2023.161899>.
- Chopra S, Ridley L, Murphy WR, et al. 2019. Quantitative analysis of polycyclic aromatic hydrocarbons at part per billion levels in fish oil by headspace solid-phase microextraction and gas chromatography-mass spectrometry (HS-SPME-GC-MS). *J Chromatogr Sci* 57(1):87-92. <https://doi.org/10.1093/chromsci/bmy086>.
- Chuang JC, Mack GA, Kuhlman MR, et al. 1991. Polycyclic aromatic hydrocarbons and their derivatives in indoor and outdoor air in an eight-home study. *Atmos Environ* 25B(3):369-380. [https://doi.org/10.1016/0957-1272\(91\)90008-3](https://doi.org/10.1016/0957-1272(91)90008-3).

8. REFERENCES

- Chuang JC, Callahan PJ, Menton RG, et al. 1995. Monitoring methods for polycyclic aromatic hydrocarbons and their distribution in house dust and track-in soil. *Environ Sci Technol* 29:494-500. <https://doi.org/10.1021/es00002a027>.
- Chuang JC, Callahan PJ, Lyu CW, et al. 1999. Polycyclic aromatic hydrocarbon exposures of children in low-income families. *J Exp Anal Environ Epidemiol* 9(2):85-98. <https://doi.org/10.1038/sj.jea.7500003>.
- Chusid E, Fried CT. 1955. Acute hemolytic anemia due to naphthalene ingestion. *AMA Am J Dis Child* 89:612-614. <https://doi.org/10.1001/archpedi.1955.02050110726019>.
- Cichocki JA, Smith GJ, Mendoza R, et al. 2014. Sex differences in the acute nasal antioxidant/antielectrophilic response of the rat to inhaled naphthalene. *Toxicol Sci* 139(1):234-244. <https://doi.org/10.1093/toxsci/kfu031>.
- Cilluffo G, Ferrante G, Murgia N, et al. 2022. Effects of polycyclic aromatic hydrocarbons on lung function in children with asthma: A mediation analysis. *Int J Environ Res Public Health* 19(3):1826. <https://doi.org/10.3390/ijerph19031826>.
- Clark JD, Serdar B, Lee DJ, et al. 2012. Exposure to polycyclic aromatic hydrocarbons and serum inflammatory markers of cardiovascular disease. *Environ Res* 117:132-137. <https://doi.org/10.1016/j.envres.2012.04.012>.
- Clewell HJ. 1995. The application of physiologically based pharmacokinetic modeling in human health risk assessment of hazardous substances. *Toxicol Lett* 79(1-3):207-217. [https://doi.org/10.1016/0378-4274\(95\)03372-r](https://doi.org/10.1016/0378-4274(95)03372-r).
- Clewell HJ, Efremenko A, Campbell JL, et al. 2014. Transcriptional responses in the rat nasal epithelium following subchronic inhalation of naphthalene vapor. *Toxicol Appl Pharmacol* 280(1):78-85. <https://doi.org/10.1016/j.taap.2014.06.015>.
- Collin G, Hoke H, Greim H. 2012. Naphthalene and hydronaphthalenes. In: Ullmann's encyclopedia of industrial chemistry. Vol. 23. Weinheim: Wiley-VCH Verlag GmbH & Co. KGaA, 661-670. https://doi.org/10.1002/14356007.a17_001.pub2.
- Connor TH, Thiess JC, Hanna HA, et al. 1985. Genotoxicity of organic chemicals frequently found in the air of mobile homes. *Toxicol Lett* 25:33-40. [https://doi.org/10.1016/0378-4274\(85\)90097-9](https://doi.org/10.1016/0378-4274(85)90097-9).
- Cripps GC. 1992. Baseline levels of hydrocarbons in seawater of the Southern Ocean: Natural variability and regional patterns. *Mar Pollut Bull* 24(2):109-114. [https://doi.org/10.1016/0025-326X\(92\)90739-S](https://doi.org/10.1016/0025-326X(92)90739-S).
- Danish EPA. 2015. Survey of naphthalene (CAS 91-20-3). Danish Environmental Protection Agency. Environmental project no. 1721. <https://www2.mst.dk/Udgiv/publications/2015/06/978-87-93352-34-6.pdf>. January 12, 2023.
- Darios M, Daoud A, Dawara A. 2020. Study the effect of alcoholic flaxseed extract on naphthalene-induced hemolytic anemia in Syrian hamster. *Chem Res J* 5(1):47-55.
- Davey NG, Fitzpatrick CT, Etzkorn JM, et al. 2014. Measurement of spatial and temporal variation in volatile hazardous air pollutants in Tacoma, Washington, using a mobile membrane introduction mass spectrometry (MIMS) system. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 49(11):1199-1208. <https://doi.org/10.1080/10934529.2014.910014>.
- Dawson JP, Thayer WW, Desforges JF. 1958. Acute hemolytic anemia in the newborn infant due to naphthalene poisoning: Report of two cases, with investigations into the mechanism of the disease. *Blood* 13(12):1113-1125. <https://doi.org/10.1182/blood.V13.12.1113.1113>.
- de Pinho JV, Lopes AP, de Almeida Rodrigues P, et al. 2023. Food safety concerns on polycyclic aromatic hydrocarbon contamination in fish products from estuarine bays throughout the American continent. *Sci Total Environ* 858(Pt 2):159930. <https://doi.org/10.1016/j.scitotenv.2022.159930>.
- Dean BS, Lopez G, Krenzelok EP. 1992. Environmentally-induced methemoglobinemia in an infant. *Clin Toxicol* 30(1):127-133. <https://doi.org/10.3109/15563659208994453>.
- Dehghani S, Fararouei M, Rafiee A, et al. 2022. Prenatal exposure to polycyclic aromatic hydrocarbons and effects on neonatal anthropometric indices and thyroid-stimulating hormone in a Middle Eastern population. *Chemosphere* 286(Pt 1):131605. <https://doi.org/10.1016/j.chemosphere.2021.131605>.

8. REFERENCES

- Dela Cruz M, Khalid MM, Mostafa A, et al. 2019. Hemolytic crisis following naphthalene mothball ingestion in a 21-month-old patient with glucose-6-phosphate dehydrogenase (G6PD) deficiency. *Case Rep Pediatr* 2019:1092575. <https://doi.org/10.1155/2019/1092575>.
- Delgado-Rodriquez A, Ortiz-Marttelo R, Graf U, et al. 1995. Genotoxic activity of environmentally important polycyclic aromatic hydrocarbons and their nitro derivatives in the wing spot test of *Drosophila melanogaster*. *Mutat Res* 341:235-247. [https://doi.org/10.1016/0165-1218\(95\)90095-0](https://doi.org/10.1016/0165-1218(95)90095-0).
- DeStefano-Shields C, Morin D, Buckpitt A. 2010. Formation of covalently bound protein adducts from the cytotoxicant naphthalene in nasal epithelium: species comparisons. *Environ Health Perspect* 118(5):647-652. <https://doi.org/10.1289/ehp.0901333>.
- Dhar K, Panneerselvan L, Subashchandrabose SR, et al. 2023. Anaerobic degradation of naphthalene and pyrene by sulfate-reducing cultures enriched from former manufactured gas plant soil. *Microb Ecol* 86(1):271-281. <https://doi.org/10.1007/s00248-022-02042-4>.
- Djomo JE, Ferrier V, Gauthier L, et al. 1995. Amphibian micronucleus test in vivo: Evaluation of the genotoxicity of some major polycyclic aromatic hydrocarbons found in a crude oil. *Mutagenesis* 10(3):223-226. <https://doi.org/10.1093/mutage/10.3.223>.
- Dobaradaran S, Schmidt TC, Lorenzo-Parodi N, et al. 2019. Cigarette butts: An overlooked source of PAHs in the environment? *Environ Pollut* 249:932-939. <https://doi.org/10.1016/j.envpol.2019.03.097>.
- Dodd DE, Gross EA, Miller RA, et al. 2010. Nasal olfactory epithelial lesions in F344 and SD rats following 1- and 5-day inhalation exposure to naphthalene vapor. *Int J Toxicol* 29(2):175-184. <https://doi.org/10.1177/1091581809357955>.
- Dodd DE, Wong BA, Gross EA, et al. 2012. Nasal epithelial lesions in F344 rats following a 90-day inhalation exposure to naphthalene. *Inhal Toxicol* 24(1):70-79. <https://doi.org/10.3109/08958378.2011.636086>.
- DOE. 2024a. Protective action criteria (PAC) based on AEGLs, ERPGs, or TEELs. U.S. Department of Energy. <https://edms3.energy.gov/pac/TeelDocs>. September 13, 2024.
- DOE. 2024b. Definition of PACs (AEGLs, ERPGs or TEELs). U.S. Department of Energy. <https://edms3.energy.gov/pac/TeelDef>. September 13, 2024.
- Doherty MD, Cohen GM, Smith MT. 1984. Mechanisms of toxic injury to isolated hepatocytes by 1-naphthol. *Biochem Pharmacol* 33(4):543-549. [https://doi.org/10.1016/0006-2952\(84\)90305-8](https://doi.org/10.1016/0006-2952(84)90305-8).
- Durant ND, Wilson LP, Bouwer EJ. 1994. Screening for natural subsurface biotransformation of polycyclic aromatic hydrocarbons at a former manufactured gas plant. In: Hinchee RE, Leeson A, Semprini L, et al., eds. *Bioremediation of chlorinated and polycyclic aromatic hydrocarbon compounds*. Boca Raton: CRC Press, Inc., 457-461.
- Dusautoir R, Zarcone G, Verrielle M, et al. 2021. Comparison of the chemical composition of aerosols from heated tobacco products, electronic cigarettes and tobacco cigarettes and their toxic impacts on the human bronchial epithelial BEAS-2B cells. *J Hazard Mater* 401:123417. <https://doi.org/10.1016/j.jhazmat.2020.123417>.
- Eastmond DA, Booth GM, Lee ML. 1984. Toxicity, accumulation, and elimination of polycyclic aromatic sulfur heterocycles in *Daphnia magna*. *Arch Environ Contam* 13:105-111. <https://doi.org/10.1007/BF01055652>.
- Easton MDL, Luszniak D, Von der Geest E. 2002. Preliminary examination of contaminant loadings in farmed salmon, wild salmon and commercial salmon feed. *Chemosphere* 46(7):1053-1074. [https://doi.org/10.1016/S0045-6535\(01\)00136-9](https://doi.org/10.1016/S0045-6535(01)00136-9).
- Egeghy PP, Hauf-Cabalo L, Gibson R, et al. 2003. Benzene and naphthalene in air and breath as indicators of exposure to jet fuel. *Occup Environ Med* 60(12):969-976. <https://doi.org/10.1136/oem.60.12.969>.
- Ehrlich GG, Goerlitz DF, Godsy EM, et al. 1982. Degradation of phenolic contaminants in ground water by anaerobic bacteria: St. Louis Park, Minnesota. *Ground Water* 20(6):703-710. <https://doi.org/10.1111/j.1745-6584.1982.tb01390.x>.

8. REFERENCES

- Eisele GR. 1985. Naphthalene distribution in tissues of laying pullets, swine, and dairy cattle. *Bull Environ Contam Toxicol* 34:549-556.
- Ekambaram S, Chandan Kumar KM, Mahalingam V. 2017. Acute kidney injury: A rare complication of mothball (Naphthalene) poisoning. *Saudi J Kidney Dis Transpl* 28(6):1412-1415. <https://doi.org/10.4103/1319-2442.220858>.
- Ellickson KM, McMahon CM, Herbrandson C, et al. 2017. Analysis of polycyclic aromatic hydrocarbons (PAHs) in air using passive sampling calibrated with active measurements. *Environ Pollut* 231(Pt 1):487-496. <https://doi.org/10.1016/j.envpol.2017.08.049>.
- El-Masri HA, Mumtaz MM, Yushak ML. 2004. Application of physiologically-based pharmacokinetic modeling to investigate the toxicological interaction between chlorpyrifos and parathion in the rat. *Environ Toxicol Pharmacol* 16(1-2):57-71. <https://doi.org/10.1016/j.etap.2003.10.002>.
- Emi Y, Konishi Y. 1985. Endogenous lipid pneumonia in female B6C3F1 mice. In: Jones TC, Mohr U, Hunt RD, eds. *Respiratory system*. Berlin, Germany: Springer, 166-168. https://doi.org/10.1007/978-3-642-96846-4_25.
- EPA. 1982. Exposure and risk assessment for benzo(a)pyrene and other polycyclic aromatic hydrocarbons. Volume 2: Naphthalene. Washington, DC: U.S. Environmental Protection Agency. PB85222560. EPA440485020V2. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB85222560.xhtml>. April 18, 2023.
- EPA. 1986a. Guidelines for the health risk assessment of chemical mixtures. U.S. Environmental Protection Agency. Fed Reg 51(185):34014-34025. <https://www.loc.gov/item/fr051185/>. October 10, 2024.
- EPA. 1986b. Broad scan analysis of the FY82 national human adipose tissue survey specimens. Volume I: Executive summary. Washington, DC: U.S. Environmental Protection Agency. EPA560586035. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000HPAT.txt>. February 9, 2023.
- EPA. 1987. Summary review of health effects associated with naphthalene: Health issue assessment. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB88172374. EPA600887055F. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001GTV.txt>. April 19, 2023.
- EPA. 1988. Health effects assessment for naphthalene. Cincinnati, OH: U.S. Environmental Protection Agency. PB90142464. EPA600889094. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB90142464.xhtml>. April 19, 2023.
- EPA. 1989a. Land disposal restrictions for second third scheduled wastes; proposed rule. U.S. Environmental Protection Agency. Fed Reg 54(7):1056-1119.
- EPA. 1989b. Characteristics of pilot and full-scale hazardous waste incinerator ash. Cincinnati, OH: U.S. Environmental Protection Agency. PB90134396. EPA600D89232. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB90134396.xhtml>. April 19, 2023.
- EPA. 1991. Indoor air-assessment; indoor air concentrations of environmental carcinogens. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600890042. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001J0D.txt>. April 19, 2023.
- EPA. 1994. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. U.S. Environmental Protection Agency. EPA600890066F. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001K4C.txt>. April 19, 2023.
- EPA. 1996. Exposure factors handbook. Washington, DC: U.S. Environmental Protection Agency. EPA600889043. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30001I91.txt>. April 19, 2023.
- EPA. 1998. Toxicological review of naphthalene (CAS No. 91-20-3). In support of summary information on the Integrated Risk Information System (IRIS). U.S. Environmental Protection Agency. PB99137358. EPA635R98010. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB99137358.xhtml>. April 19, 2023.
- EPA. 2002. Health effects support document for naphthalene: External review draft. Alexandria, VA: U.S. Environmental Protection Agency. EPA822R02031. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20003JAW.txt>. April 19, 2023.

8. REFERENCES

- EPA. 2003. Toxicological review of 2-methylnaphthalene (CAS No. 91-57-6) U.S. Environmental Protection Agency. EPA635R03010. <http://www.epa.gov/iris>. May 9, 2022.
- EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. EPA260B05001. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100EI4V.txt>. December 4, 2024.
- EPA. 2007a. Method 8272: Parent and alkyl polycyclic aromatics in sediment pore water by solid-phase microextraction and gas chromatography/mass spectrometry in selected ion monitoring mode. U.S. Environmental Protection Agency. <https://www.epa.gov/sites/default/files/2015-12/documents/8272.pdf>. May 9, 2022.
- EPA. 2007b. Provisional peer-reviewed toxicity values for 2-methylnaphthalene. Cincinnati, OH: U.S. Environmental Protection Agency. EPA690R07022F. <https://cfpub.epa.gov/ncea/pprtv/recordisplay.cfm?deid=338998>. May 9, 2022.
- EPA. 2008. Provisional peer-reviewed toxicity values for 1-methylnaphthalene. Cincinnati, OH: U.S. Environmental Protection Agency. EPA690R08017F. <https://cfpub.epa.gov/ncea/pprtv/recordisplay.cfm?deid=338997>. May 9, 2022.
- EPA. 2009. Method 524.3, V.1: Measurement of purgeable organic compounds in water by capillary column gas chromatography/mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency. EPA815B09009. https://www.nemi.gov/methods/method_summary/10417/. November 21, 2023.
- EPA. 2012. Data evaluation record: Naphthalene, immunotoxicity study in mice [MRID 48792701]. U.S. Environmental Protection Agency. <https://www.regulations.gov/document/EPA-HQ-OPP-2016-0113-0025>. January 20, 2023.
- EPA. 2016. Vapor intrusion screening level calculator. U.S. Environmental Protection Agency. <https://www.epa.gov/vaporintrusion>. October 9, 2024.
- EPA. 2017a. Hazardous air pollutants. U.S. Environmental Protection Agency. 42 U.S.C. 7412. <https://www.govinfo.gov/app/details/USCODE-2011-title42/USCODE-2011-title42-chap85-subchapI-partA-sec7412>. December 15, 2022.
- EPA. 2017b. National emission inventory (NEI) data. U.S. Environmental Protection Agency. <https://www.epa.gov/air-emissions-inventories/2017-national-emissions-inventory-nei-data>. October 20, 2022.
- EPA. 2018a. 2018 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA822S12001. <https://www.epa.gov/sites/production/files/2018-03/documents/dwtable2018.pdf>. July 25, 2018.
- EPA. 2018b. Naphthalene. Human health risk assessment in support of registration review. Washington, DC: U.S. Environmental Protection Agency. D440842. <https://www.regulations.gov/document/EPA-HQ-OPP-2016-0113-0018>. May 11, 2022.
- EPA. 2018c. Compiled AEGL values. U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2018-08/documents/compiled_aegls_update_27jul2018.pdf. April 12, 2020.
- EPA. 2020. 2017 NEI data. U.S. Environmental Protection Agency. <https://www.epa.gov/air-emissions-inventories/2017-national-emissions-inventory-nei-data>. January 15, 2023.
- EPA. 2022a. 2020 CDR data. U.S. Environmental Protection Agency. <https://www.epa.gov/chemical-data-reporting/access-cdr-data#2020>. October 26, 2022.
- EPA. 2022b. Annual summary data: Naphthalene, 1-methylnaphthalene, and 2-methylnaphthalene. Air data: Air quality data collected at outdoor monitors across the US. U.S. Environmental Protection Agency. <https://www.epa.gov/outdoor-air-quality-data>. April 19, 2023.
- EPA. 2022c. Derivation of an acute reference concentration for inhalation exposure to naphthalene. Washington, DC: U.S. Environmental Protection Agency. EPA600R21292. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P1015I0I.txt>. April 19, 2023.

8. REFERENCES

- EPA. 2022d. Toxic chemical release inventory reporting forms and instructions: Revised 2021 version. U.S. Environmental Protection Agency. EPA740B22002. https://ordspub.epa.gov/ords/guideme_ext/guideme_ext/guideme/file/ry_2021_rf1.pdf. August 22, 2023.
- EPA. 2023a. Chemical name: naphthalene. U.S. Environmental Protection Agency. https://ordspub.epa.gov/ords/pesticides/f?p=113:6:::::P6_XCHEMICAL_ID:3014. January 1, 2023.
- EPA. 2023b. Air monitoring and sampling data: East Palestine, Ohio Train Derailment. U.S. Environmental Protection Agency. <https://www.epa.gov/east-palestine-oh-train-derailment/air-monitoring-and-sampling-data>. September 5, 2023.
- EPA. 2023c. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141. <https://www.govinfo.gov/content/pkg/CFR-2023-title40-vol25/pdf/CFR-2023-title40-vol25-part141.pdf>. May 3, 2024.
- EPA. 2024. Provisional peer-reviewed toxicity values for 1-methylnaphthalene (CASRN 90-12-0). Cincinnati, OH: U.S. Environmental Protection Agency. EPA690R24001F. <https://cfpub.epa.gov/ncea/pptrv/documents/methylnaphthalene1.pdf>. October 1, 2024.
- Eskandarani RM, Alghamdi FS. 2020. Naphthalene toxicity in a three-year-old child complicated by severe hemolytic anemia and mild methemoglobinemia: A case report. *J Emerg Med* 59(4):e113-e117. <https://doi.org/10.1016/j.jemermed.2020.06.009>.
- EU. 2003. European Union risk assessment report: Naphthalene. European Chemicals Bureau. European Union. EUR 20763 EN. <https://echa.europa.eu/documents/10162/4c955673-9744-4d1c-a812-2bf97863906a>. February 9, 2023.
- Fait DW, Nachreiner RW. 1985. Naphthalene acute inhalation toxicity study. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0513636. 86-870000558. Project Report 48-511. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513636.xhtml>. April 19, 2023.
- Fanucchi MV, Buckpitt AR, Murphy ME, et al. 1997. Naphthalene cytotoxicity of differentiating cells in neonatal mice. *Toxicol Appl Pharmacol* 144:96-104. <https://doi.org/10.1006/taap.1997.8119>.
- FDA. 2022. FDA total diet study (TDS): 1991-2017. U.S. Food and Drug Administration. <https://www.fda.gov/food/fda-total-diet-study-tds/fda-total-diet-study-tds-1991-2017>. December 15, 2022.
- FDA. 2024. 1-Methylnaphthalene. Substances added to food. U.S. Food and Drug Administration. <https://www.cfsanappsexternal.fda.gov/scripts/fdcc/index.cfm?set=FoodSubstances&id=METHYLNAPHTHALENE>. October 8, 2024.
- Florin I, Rutberg L, Curvall M, et al. 1980. Screening of tobacco smoke constituents for mutagenicity using the Ames test. *Toxicology* 18:219-232. [https://doi.org/10.1016/0300-483X\(80\)90055-4](https://doi.org/10.1016/0300-483X(80)90055-4).
- Flowers L, Ohnishi T, Penning TM, et al. 1997. DNA strand scission by polycyclic aromatic hydrocarbon o-quinones: role of reactive oxygen species, Cu(II)/Cu(I) redox cycling and o-semiquinone anion radicals. *Biochemistry* 36:8640-8648. <https://doi.org/10.1021/bi970367p>.
- Flowers-Geary L, Bleczinski W, Harvey RG, et al. 1996. Cytotoxicity and mutagenicity of polycyclic aromatic hydrocarbon o-quinones produced by dihydrodiol dehydrogenase. *Chem Bio Int* 99:55-72. [https://doi.org/10.1016/0009-2797\(95\)03660-1](https://doi.org/10.1016/0009-2797(95)03660-1).
- Foster GD, Roberts EC, Gruessner B, et al. 2000. Hydrogeochemistry and transport of organic contaminants in an urban watershed of Chesapeake Bay (USA). *Appl Geochem* 15:901-915. [https://doi.org/10.1016/S0883-2927\(99\)00107-9](https://doi.org/10.1016/S0883-2927(99)00107-9).
- Frantz SW, Van Miller JP, Hengler WC. 1986. Ninety-day (sub-chronic) dermal toxicity study with naphthalene in albino rats. Texaco, Inc. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0513643. 86-8700000565. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513643.xhtml>. April 19, 2023.
- Frederick CB, Bush ML, Lomax LG, et al. 1998. Application of a hybrid computational fluid dynamics and physiologically based inhalation model for interspecies dosimetry extrapolation of acidic vapors

8. REFERENCES

- in the upper airways. *Toxicol Appl Pharmacol* 152(1):211-231.
<https://doi.org/10.1006/taap.1998.8492>.
- Freeman AE, Weisburger EK, Weisburger JH, et al. 1973. Transformation of cell cultures as an indication of the carcinogenic potential of chemicals. *J Natl Cancer Inst* 51:799-808.
<https://doi.org/10.1093/jnci/51.3.799>.
- Fulekar MH. 2017. Microbial degradation of petrochemical waste-polycyclic aromatic hydrocarbons. *Bioresour Bioprocess* 4(1):28. <https://doi.org/10.1186/s40643-017-0158-4>.
- Gaines TB. 1969. Acute toxicity of pesticides. *Toxicol Appl Pharmacol* 14(3):515-534.
[https://doi.org/10.1016/0041-008x\(69\)90013-1](https://doi.org/10.1016/0041-008x(69)90013-1).
- Gao P, Xu M, Liu Y, et al. 2019. Emerging and legacy PAHs in urban soils of four small cities: Concentrations, distribution, and sources. *Sci Total Environ* 685:463-470.
<https://doi.org/10.1016/j.scitotenv.2019.05.403>.
- Gao B, Wang X, Ford RM. 2023. Chemotaxis along local chemical gradients enhanced bacteria dispersion and PAH bioavailability in a heterogenous porous medium. *Sci Total Environ* 859(Pt 1):160004. <https://doi.org/10.1016/j.scitotenv.2022.160004>.
- García-Pérez J, Fernández de Larrea-Baz N, Lope V, et al. 2020. Residential proximity to industrial pollution sources and colorectal cancer risk: A multicase-control study (MCC-Spain). *Environ Int* 144:106055. <https://doi.org/10.1016/j.envint.2020.106055>.
- Gatehouse D. 1980. Mutagenicity of 1,2 ring-fused acenaphthenes against *S. typhimurium* TA1537 and TA1538: structure-activity relationships. *Mutat Res* 78:121-135. [https://doi.org/10.1016/0165-1218\(80\)90091-9](https://doi.org/10.1016/0165-1218(80)90091-9).
- GDCH. 1992. Methylnaphthalenes. GDCH-Advisory Committee on existing chemicals of environmental relevance (BUA). Gesellschaft Deutscher Chemiker. BUA Report 47.
- Germansky M, Jamall IS. 1988. Organ-specific effects of naphthalene on tissue peroxidation, glutathione peroxidases and superoxide dismutase in the rat. *Arch Toxicol* 61(6):480-483.
<https://doi.org/10.1007/BF00293694>.
- Germin-Aizac J, Maitre A, Balducci F, et al. 2023. Bitumen fumes and PAHs in asphalt road paving: Emission characteristics, determinants of exposure and environmental impact. *Environ Res* 228:115824. <https://doi.org/10.1016/j.envres.2023.115824>.
- Geyer H, Sheehan P, Kotzias D, et al. 1982. Prediction of ecotoxicological behaviour of chemicals: Relationship between physico-chemical properties and bioaccumulation of organic chemicals in the mussel *Mytilus edulis*. *Chemosphere* 11(11):1121-1134. [https://doi.org/10.1016/0045-6535\(82\)90122-9](https://doi.org/10.1016/0045-6535(82)90122-9).
- Ghetti G, Mariani L. 1956. [Eye changes due to naphthalene]. *Med Lav* 47(10):533-538. (Italian)
- Ghoshal S, Luthy RG. 1996. Bioavailability of hydrophobic organic compounds from nonaqueous-phase liquids: The biodegradation of naphthalene from coal tar. *Environ Toxicol Chem* 15(11):1894-1900. <https://doi.org/10.1002/etc.5620151106>.
- Gidron E, Leurer J. 1956. Naphthalene poisoning. *Lancet* 270(6910):228-231.
[https://doi.org/10.1016/s0140-6736\(56\)91152-7](https://doi.org/10.1016/s0140-6736(56)91152-7).
- Godek EG, Naismith RW, Matthews RJ. 1985. Ames Salmonella/microsome plate test (EPA/OECD) (unpublished material). Texaco, Inc. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0513637. 86-870000559. PH 301-TX-020-85.
<https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513637.xhtml>. April 19, 2023.
- Gold KW, Naugle DF, Berry MA. 1993. Indoor concentrations of environmental carcinogens. In: Seifert B, van de Wiel HJ, Dodet B, et al., eds. IARC scientific publication on indoor concentrations of environmental carcinogens. Vol. 12: Indoor air. Lyon, France: International Agency for Research on Cancer, 41-71.
- Gollahan LS. 1990. Dissertation: Chromosomal damage to preimplantation embryos in vitro by naphthalene. Texas A&M University ProQuest Dissertations Publishing.
- Gomez E, Ledbetter CA, Hartsell PL. 1993. Volatile compounds in apricot, plum, and their interspecific hybrids. *J Agric Food Chem* 41:1669-1676. <https://doi.org/10.1021/jf00034a029>.

8. REFERENCES

- Greeley MA, Van Winkle LS, Edwards PC, et al. 2010. Airway trefoil factor expression during naphthalene injury and repair. *Toxicol Sci* 113(2):453-467. <https://doi.org/10.1093/toxsci/kfp268>.
- Greene JF, Zheng J, Grant DF, et al. 2000. Cytotoxicity of 1,2-epoxynaphthalene is correlated with protein binding and in situ glutathione depletion in cytochrome P4501A1 expressing Sf-21 cells. *Toxicol Sci* 53:352-360. <https://doi.org/10.1093/toxsci/53.2.352>.
- Griffin KA, Johnson CB, Breger RK, et al. 1982. Effects of inducers and inhibitors of cytochrome P-450-linked monooxygenases on the toxicity, in vitro metabolism and in vivo irreversible binding of 2-methylnaphthalene in mice. *J Pharmacol Exp Ther* 221:517-524.
- Griffin KA, Johnson CB, Breger RK, et al. 1983. Pulmonary toxicity of 2-methylnaphthalene: Lack of a relationship between toxicity, dihydriodiol formation and irreversible binding to cellular macromolecules in DBA/2J mice. *Toxicology* 26:213-230. [https://doi.org/10.1016/0300-483X\(83\)90083-5](https://doi.org/10.1016/0300-483X(83)90083-5).
- Grimes AJ, Young L. 1956. The metabolism of 2-methylnaphthalene. *Biochem J* 62:11.
- Guerrero PA, Corsi RL. 2012. Emissions of p-dichlorobenzene and naphthalene from consumer products. *J Air Waste Manag Assoc* 62(9):1075-1084. <https://doi.org/10.1080/10962247.2012.694399>.
- Gummin DD, Mowry JB, Beuhler MC, et al. 2021. 2020 Annual report of the American Association of Poison Control Centers' National Poison Data System (NPDS): 38th annual report. *Clin Toxicol* 59(12):1282-1501. <https://doi.org/10.1080/15563650.2021.1989785>.
- Guo J, Huang Y, Bian S, et al. 2018. Associations of urinary polycyclic aromatic hydrocarbons with bone mass density and osteoporosis in U.S. adults, NHANES 2005-2010. *Environ Pollut* 240:209-218. <https://doi.org/10.1016/j.envpol.2018.04.108>.
- Gupta R, Singhal PC, Muthusethupathy MA, et al. 1979. Cerebral oedema and renal failure following naphthalene poisoning. *J Assoc Physicians India* 27:347-348.
- Haggerty RJ. 1956. Toxic hazards: Naphthalene poisoning. *N Engl J Med* 255(19):919-920. <https://doi.org/10.1056/NEJM195611082551917>.
- Han B, Wang L, Wang X, et al. 2024. Association between multipollutant exposure and thyroid hormones in elderly people: A cross-sectional study in China. *Environ Res* 252(Pt 1):118781. <https://doi.org/10.1016/j.envres.2024.118781>.
- Hanchi M, Campo L, Polledri E, et al. 2017. Urinary 8-oxo-7,8-dihydro-2'-deoxyguanosine in Tunisian electric steel foundry workers exposed to polycyclic aromatic hydrocarbons. *Ann Work Expo Health* 61(3):333-343. <https://doi.org/10.1093/annweh/wxw030>.
- Hao W, Kingston HM, Dillard A, et al. 2020. Quantification of persistent organic pollutants in human whole blood samples using stir bar sorptive extraction coupled with GC/MS/MS and isotope dilution mass spectrometry. *Microchem J* 153:104279. <https://doi.org/10.1016/j.microc.2019.104279>.
- Haque SE, Gilani KM. 2005. Effect of ambroxol, spirulina and vitamin-E in naphthalene induced cataract in female rats. *Indian J Physiol Pharmacol* 49(1):57-64.
- Harden RA, Baetjer AM. 1978. Aplastic anemia following exposure to paradichlorobenzene and naphthalene. *J Occup Med* 20:820-822.
- Harper BL, Ramanujam VMS, Gad-El-Karim MM, et al. 1984. The influence of simple aromatics on benzene clastogenicity. *Mutat Res* 128:105-114. [https://doi.org/10.1016/0027-5107\(84\)90097-6](https://doi.org/10.1016/0027-5107(84)90097-6).
- Hawthorne SB, Poppendieck DG, Grabanski CB, et al. 2001. PAH release during water desorption, supercritical carbon dioxide extraction, and field bioremediation. *Environ Sci Technol* 35(22):4577-4583. <https://doi.org/10.1021/es010771i>.
- Heaton KJ, Maule AL, Smith KW, et al. 2017. JP8 exposure and neurocognitive performance among US Air Force personnel. *Neurotoxicology* 62:170-180. <https://doi.org/10.1016/j.neuro.2017.07.001>.
- Heck JE, He D, Wing SE, et al. 2024. Exposure to outdoor ambient air toxics and risk of breast cancer: The multiethnic cohort. *Int J Hyg Environ Health* 259:114362. <https://doi.org/10.1016/j.ijheh.2024.114362>.

8. REFERENCES

- Heitzer A, Webb OF, Thonnard JE, et al. 1992. Specific and quantitative assessment of naphthalene and salicylate bioavailability by using a bioluminescent catabolic reporter bacterium. *Appl Environ Microbiol* 58(6):1839-1846. <https://doi.org/10.1128/aem.58.6.1839-1846.1992>.
- Herbes SE. 1981. Rates of microbial transformation of polycyclic aromatic hydrocarbons in water and sediments in the vicinity of a coal-coking wastewater discharge. *Appl Environ Microbiol* 41(1):20-28. <https://doi.org/10.1128/aem.41.1.20-28.1981>.
- Herbes SE, Schwall LR. 1978. Microbial transformation of polycyclic aromatic hydrocarbons in pristine and petroleum-contaminated sediments. *Appl Environ Microbiol* 35(2):306-316. <https://doi.org/10.1128/aem.35.2.306-316.1978>.
- Herbes SE, Southworth GR, Shaeffer DL, et al. 1980. Critical pathways of polycyclic aromatic hydrocarbons in aquatic environments. In: Witschi H, ed. *The scientific basis of toxicity assessment*. Amsterdam: Elsevier/North Holland Biomedical Press, 113-128.
- Hoffmann K, Krause C, Seifert B, et al. 2000. The German Environmental Survey 1990/92 (GERES II) Sources of personal exposure to volatile organic compounds. *J Expo Anal Environ Epidemiol* 10:115-125. <https://doi.org/10.1038/sj.jea.7500084>.
- Holmberg K, Bake B, Pipkorn U. 1989. Mucosal blood flow in the human nose following local challenge with histamine. *Allergy* 44(1):45-51. <https://doi.org/10.1111/j.1398-9995.1989.tb00445.x>.
- Holmén JB, Ekesten B, Lundgren B. 1999. Naphthalene-induced cataract model in rats: A comparative study between slit and retroillumination images, biochemical changes and naphthalene dose and duration. *Curr Eye Res* 19(5):418-425. <https://doi.org/10.1076/ceyr.19.5.418.5296>.
- Honda T, Kiyozumi M, Kojima S. 1990. Alkylnaphthalene. XI. Pulmonary toxicity of naphthalene, 2-methylnaphthalene, and isopropynaphthalenes in mice. *Chem Pharm Bull* 38(11):3130-3135. <https://doi.org/10.1248/cpb.38.3130>.
- Horn GP, Madrzykowski D, Neumann DL, et al. 2022. Airborne contamination during post-fire investigations: Hot, warm and cold scenes. *J Occup Environ Hyg* 19(1):35-49. <https://doi.org/10.1080/15459624.2021.2002343>.
- Horney JA, Casillas GA, Baker E, et al. 2018. Comparing residential contamination in a Houston environmental justice neighborhood before and after Hurricane Harvey. *PLoS One* 13(2):e0192660. <https://doi.org/10.1371/journal.pone.0192660>.
- Horning MG, Stillwell WG, Griffin GW, et al. 1980. Epoxide intermediates in the metabolism of naphthalene by the rat. *Drug Metab Dispos* 8(6):404-414.
- Howard PH. 1989. Naphthalene. In: *Handbook of environmental fate and exposure data for organic chemicals*. Vol. 1. Lewis Publishers, 408-421.
- Hu J, Sheng L, Li L, et al. 2014. Essential role of the cytochrome P450 enzyme CYP2A5 in olfactory mucosal toxicity of naphthalene. *Drug Metab Dispos* 42(1):23-27. <https://doi.org/10.1124/dmd.113.054429>.
- Huang S, Nian M, Ma S, et al. 2023. Associations between urinary monohydroxylated polycyclic aromatic hydrocarbons and unexplained recurrent spontaneous abortion and health risk assessment in a large case-control study in China. *Environ Res* 218:115039. <https://doi.org/10.1016/j.envres.2022.115039>.
- Hughes CS, Bakker J, Kamatari O. 1985. CEH product review: Naphthalene. In: *Chemical economics handbook*. Menlo Park, CA: SRI International, 300.7600 C-Z.
- IARC. 2002. Volume 82: Some traditional herbal medicines, some mycotoxins, naphthalene and styrene. IARC Monographs on the evaluation of carcinogenic risks to humans. Lyon, France: International Agency for Research on Cancer. <https://monographs.iarc.who.int/wp-content/uploads/2018/06/mono82.pdf>. April 19, 2023.
- IRIS. 1998. Naphthalene. CASRN 91-20-3. Integrated Risk Information System. Chemical assessment summary. U.S. Environmental Protection Agency. https://iris.epa.gov/static/pdfs/0436_summary.pdf. May 9, 2022.

8. REFERENCES

- IRIS. 2003. 2-Methylnaphthalene. CASRN 91-57-6. Integrated Risk Information System. Chemical assessment summary. U.S. Environmental Protection Agency.
https://iris.epa.gov/static/pdfs/0436_summary.pdf. May 9, 2022.
- Jia C, Batterman S. 2011. A critical review of naphthalene sources and exposures relevant to indoor and outdoor air. *Int J Environ Res Public Health* 7(7):2903-2939.
<https://doi.org/10.3390/ijerph7072903>.
- Jia C, Xue Z, Fu X, et al. 2020. Impacts of Independence Day fireworks on pollution levels of atmospheric polycyclic aromatic hydrocarbons (PAHs) in the U.S. *Sci Total Environ* 743:140774.
<https://doi.org/10.1016/j.scitotenv.2020.140774>.
- Jimenez A, Adisa A, Woodham C, et al. 2014. Determination of polycyclic aromatic hydrocarbons in roasted coffee. *J Environ Sci Health B* 49(11):828-835.
<https://doi.org/10.1080/03601234.2014.938552>.
- Jin M, Kijima A, Suzuki Y, et al. 2012. In vivo genotoxicity of 1-methylnaphthalene from comprehensive toxicity studies with B6C3F1 gpt delta mice. *J Toxicol Sci* 37(4):711-721.
<https://doi.org/10.2131/jts.37.711>.
- Jin H, Zhao C, Chen Y, et al. 2024. Environmental exposure to polycyclic aromatic hydrocarbons: An underestimated risk factor for systemic lupus erythematosus onset and progression. *Sci Total Environ* 926:171841. <https://doi.org/10.1016/j.scitotenv.2024.171841>.
- Jing L, Chen B, Zhang B, et al. 2014. Naphthalene degradation in seawater by UV irradiation: the effects of fluence rate, salinity, temperature and initial concentration. *Mar Pollut Bull* 81(1):149-156.
<https://doi.org/10.1016/j.marpolbul.2014.02.003>.
- John EM, Keegan TH, Terry MB, et al. 2022a. Urinary biomarkers of polycyclic aromatic hydrocarbons and timing of pubertal development: The California PAH study. *Epidemiology* 33(6):777-787.
<https://doi.org/10.1097/ede.0000000000001535>.
- John EM, Koo J, Ingles SA, et al. 2022b. Predictors of urinary polycyclic aromatic hydrocarbon metabolites in girls from the San Francisco Bay Area. *Environ Res* 205:112534.
<https://doi.org/10.1016/j.envres.2021.112534>.
- Jonsson G, Bechmann RK, Bamber SD, et al. 2004. Bioconcentration, biotransformation, and elimination of polycyclic aromatic hydrocarbons in sheepshead minnows (*Cyprinodon variegatus*) exposed to contaminated seawater. *Environ Toxicol Chem* 23(6):1538-1548.
<https://doi.org/10.1897/03-173>.
- Juchau MR, Boutelet-Bochan H, Huang Y. 1998. Cytochrome-P450-dependent biotransformation of xenobiotics in human and rodent embryonic tissues. *Drug Metab Rev* 30(3):541-568.
<https://doi.org/10.3109/03602539808996324>.
- Kaden DA, Hites RA, Thilly WG. 1979. Mutagenicity of soot and associated polycyclic aromatic hydrocarbons to *Salmonella typhimurium*. *Cancer Res* 39(10):4152-4159.
- Kaikiti C, Stylianou M, Agapiou A. 2022. TD-GC/MS analysis of indoor air pollutants (VOCs, PM) in hair salons. *Chemosphere* 294:133691. <https://doi.org/10.1016/j.chemosphere.2022.133691>.
- Kalmykova Y, Björklund K, Strömwall AM, et al. 2013. Partitioning of polycyclic aromatic hydrocarbons, alkylphenols, bisphenol A and phthalates in landfill leachates and stormwater. *Water Res* 47(3):1317-1328. <https://doi.org/10.1016/j.watres.2012.11.054>.
- Kamal A, Malik RN, Martellini T, et al. 2014. PAH exposure biomarkers are associated with clinico-chemical changes in the brick kiln workers in Pakistan. *Sci Total Environ* 490:521-527.
<https://doi.org/10.1016/j.scitotenv.2014.05.033>.
- Kanekal S, Plopper C, Morin D, et al. 1990. Metabolic activation and bronchiolar cell necrosis from naphthalene in the isolated perfused mouse lung. *J Pharmacol Exp Ther* 252(1):428-437.
- Kanekal S, Plopper C, Morin D, et al. 1991. Metabolism and cytotoxicity of naphthalene oxide in the isolated perfused mouse lung. *J Pharmacol Exp Ther* 256(1):391-401.
- Kappeler T, Wuhrmann K. 1978. Microbial degradation of the water-soluble fraction of gas oil - I. *Water Res* 12:327-333. [https://doi.org/10.1016/0043-1354\(78\)90120-3](https://doi.org/10.1016/0043-1354(78)90120-3).

8. REFERENCES

- Kapraun DF, Schlosser PM, Nylander-French LA, et al. 2020. A physiologically based pharmacokinetic model for naphthalene with inhalation and skin routes of exposure. *Toxicol Sci* 177(2):377-391. <https://doi.org/10.1093/toxsci/kfaa117>.
- Kapuci M, Ulker Z, Gurkan S, et al. 2014. Determination of cytotoxic and genotoxic effects of naphthalene, 1-naphthol and 2-naphthol on human lymphocyte culture. *Toxicol Ind Health* 30(1):82-89. <https://doi.org/10.1177/0748233712451772>.
- Karagiannis TC, Li X, Tang MM, et al. 2012. Molecular model of naphthalene-induced DNA damage in the murine lung. *Hum Exp Toxicol* 31(1):42-50. <https://doi.org/10.1177/0960327111407228>.
- Karickhoff SW. 1981. Semi-empirical estimation of sorption of hydrophobic pollutants on natural sediments and soils. *Chemosphere* 10(8):833-846. [https://doi.org/10.1016/0045-6535\(81\)90083-7](https://doi.org/10.1016/0045-6535(81)90083-7).
- Katsnelson BA, Minigaliyeva IA, Degtyareva TD, et al. 2014. Does a concomitant exposure to lead influence unfavorably the naphthalene subchronic toxicity and toxicokinetics? *Environ Toxicol Chem* 33(1):152-157. <https://doi.org/10.1002/etc.2405>.
- Kedderis GL, Shepard KG, Recio L. 2014. Cytotoxicity of naphthalene toward cells from target and non-target organs in vitro. *Chem Biol Interact* 209:85-95. <https://doi.org/10.1016/j.cbi.2013.12.003>.
- Keimig SD, Morgan DP. 1986. Urinary 1-naphthol as a biological indicator of naphthalene exposure. *Appl Ind Hyg* 2:61-65. <https://doi.org/10.1080/08828032.1986.10390469>.
- Kelsey JW, Alexander M. 1997. Declining bioavailability and inappropriate estimation of risk of persistent compounds. *Environ Toxicol Chem* 16(3):582-585. <https://doi.org/10.1002/etc.5620160327>.
- Kelty JS, Keum C, Brown VJ, et al. 2020. Comparison of acute respiratory epithelial toxicity for 4-Methylimidazole and naphthalene administered by oral gavage in B6C3F1 mice. *Regul Toxicol Pharmacol* 116:104761. <https://doi.org/10.1016/j.yrtph.2020.104761>.
- Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. *Ecotoxicol Environ Safety* 4:26-38. [https://doi.org/10.1016/0147-6513\(80\)90005-6](https://doi.org/10.1016/0147-6513(80)90005-6).
- Khalili Doroodzani A, Dobaradaran S, Akhbarizadeh R, et al. 2021. Diet, exposure to polycyclic aromatic hydrocarbons during pregnancy, and fetal growth: A comparative study of mothers and their fetuses in industrial and urban areas in Southwest Iran. *Environ Pollut* 276:116668. <https://doi.org/10.1016/j.envpol.2021.116668>.
- Khosravipour M, Khosravipour H. 2020. The association between urinary metabolites of polycyclic aromatic hydrocarbons and diabetes: A systematic review and meta-analysis study. *Chemosphere* 247:125680. <https://doi.org/10.1016/j.chemosphere.2019.125680>.
- Kim YM, Harrad S, Harrison RM. 2001. Concentrations and sources of VOCs in urban domestic and public microenvironments. *Environ Sci Technol* 35:997-1004. <https://doi.org/10.1021/es000192y>.
- Kim D, Andersen ME, Nylander-French LA. 2006. A dermatotoxicokinetic model of human exposures to jet fuel. *Toxicol Sci* 93(1):22-33. <https://doi.org/10.1093/toxsci/kfl048>.
- Kim YS, Lee MJ, Seo DS, et al. 2020. Thirteen-week inhalation toxicity study of 1-methylnaphthalene in F344 rats. *Toxicol Res* 36(1):13-20. <https://doi.org/10.1007/s43188-019-00009-1>.
- Kinman RN, Nutini DL, Carson D. 1995. Evaluation of leachate and gas from sanitary landfills with and without HHW components. In: 19th Purdue industrial waste conference proceedings. Chelsea, MI: Lewis Publishers, 263-269.
- Kipopoulou AM, Manoli E, Samara C. 1999. Bioconcentration of polycyclic aromatic hydrocarbons in vegetables grown in an industrial area. *Environ Pollut* 106:369-380. [https://doi.org/10.1016/S0269-7491\(99\)00107-4](https://doi.org/10.1016/S0269-7491(99)00107-4).
- Kitchin KT, Brown JL, Kulkarni AP. 1992. Predictive assay for rodent carcinogenicity using in vivo biochemical parameters: Operational characteristics and complementarity. *Mutat Res* 266:253-272. [https://doi.org/10.1016/0027-5107\(92\)90193-6](https://doi.org/10.1016/0027-5107(92)90193-6).
- Kitchin KT, Brown JL, Kulkarni AP. 1994. Predicting rodent carcinogenicity by in vivo biochemical parameters. *Environ Carcinog Ecotoxicol* C12(1):63-88. <https://doi.org/10.1080/10590509409373430>.

8. REFERENCES

- Klecka GM, Davis JW, Gray DR, et al. 1990. Natural bioremediation of organic contaminants in ground water: Cliff-Dow Superfund site. *Ground Water* 28(4):534-543. <https://doi.org/10.1111/j.1745-6584.1990.tb01709.x>.
- Kojima M. 1992. Enzymatic distribution patterns of rat lenses and the changes that occur during naphthalene cataract development. *Ophthalmic Res* 24:73-82. <https://doi.org/10.1159/000267150>.
- Korsak Z, Majcherek W, Rydzynski K. 1998. Toxic effects of acute inhalation exposure to 1-methylnaphthalene and 2-methylnaphthalene in experimental animals. *Int J Occup Med Environ Health* 11(4):335-342.
- Kostianen R. 1995. Volatile organic compounds in the indoor air of normal and sick houses. *Atmos Environ* 29(6):693-702. [https://doi.org/10.1016/1352-2310\(94\)00309-9](https://doi.org/10.1016/1352-2310(94)00309-9).
- Kovalchuk N, Kelty J, Li L, et al. 2017. Impact of hepatic P450-mediated biotransformation on the disposition and respiratory tract toxicity of inhaled naphthalene. *Toxicol Appl Pharmacol* 329:1-8. <https://doi.org/10.1016/j.taap.2017.05.015>.
- Kovalchuk N, Zhang QY, Van Winkle L, et al. 2020. Contribution of pulmonary CYP-mediated bioactivation of naphthalene to airway epithelial injury in the lung. *Toxicol Sci* 177(2):334-346. <https://doi.org/10.1093/toxsci/kfaa114>.
- Krieg EF, Mathias PI, Toennis CA, et al. 2012. Detection of DNA damage in workers exposed to JP-8 jet fuel. *Mutat Res* 747(2):218-227. <https://doi.org/10.1016/j.mrgentox.2012.05.005>.
- Kulka U, Schmid E, Huber R, et al. 1988. Analysis of the cytogenetic effect in human lymphocytes induced by metabolically activated 1- and 2-methylnaphthalene. *Mutat Res* 208:155-158. [https://doi.org/10.1016/0165-7992\(88\)90052-8](https://doi.org/10.1016/0165-7992(88)90052-8).
- Kurz JM. 1987. Naphthalene poisoning: Critical care nursing techniques. *Dimens Crit Care Nurs* 6(5):264-270.
- Kuwada G, Murakami A, Glaser DW, et al. 2022. Mothball ingestion in the setting of G6PD deficiency causing severe hemolytic anemia, methemoglobinemia, and multiple organ failure in a toddler. *Hawaii J Health Soc Welf* 81(1):3-5.
- Lakritz J, Chang A, Weir A, et al. 1996. Cellular and metabolic basis of cell tolerance to multiple doses of cytochrome P450-activated cytotoxicants. I: Bronchiolar epithelial reorganization and expression of cytochrome P450 monooxygenases in mice exposed to multiple doses of naphthalene. *J Pharmacol Exp Ther* 278(3):1408-1418.
- Lan J, Wu S. 2023. Occurrence, concentration and toxicity of 54 polycyclic aromatic hydrocarbons in butter during storage. *Foods* 12(24):4393. <https://doi.org/10.3390/foods12244393>.
- Lanza DL, Code E, Crespi CL, et al. 1999. Specific dehydrogenation of 3-methylindole and epoxidation of naphthalene by recombinant human CYP2F1 expressed in lymphoblastoid cells. *Drug Metab Dispos* 27(7):798-803.
- Lau OW, Wong SK, Leung KS. 1994. Naphthalene contamination of sterilized milk drinks contained in low-density polyethylene bottles. Part 1. *Analyst* 119(5):1037-1042. <https://doi.org/10.1039/AN9941901037>.
- Lau OW, Wong SK, Leung KS. 1995. Naphthalene contamination of sterilized milk drinks contained in low-density polyethylene bottles. Part 2. Effect of naphthalene vapour in air. *Analyst* 120(4):1125-1128. <https://doi.org/10.1039/AN9952001125>.
- Lee K, Levin DL, Webb R, et al. 1997. Pulmonary alveolar proteinosis: High-resolution CT, chest radiographic, and functional correlations. *Chest* 111(4):989-995. <https://doi.org/10.1378/chest.111.4.989>.
- Lee MG, Phimister A, Morin D, et al. 2005. In situ naphthalene bioactivation and nasal airflow cause region-specific injury patterns in the nasal mucosa of rats exposed to naphthalene by inhalation. *J Pharmacol Exp Ther* 314(1):103-110. <https://doi.org/10.1124/jpet.105.084517>.
- Lehmann I, Rehwagen M, Diez U, et al. 2001. Enhanced in vivo IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: Results of the LARS study. *Int J Hyg Environ Health* 204(4):211-221. <https://doi.org/10.1078/1438-4639-00100>.

8. REFERENCES

- Lehmann I, Thoelke A, Rehwagen M, et al. 2002. The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol* 17(3):203-210. <https://doi.org/10.1002/tox.10055>.
- Lezenius A. 1902. [A fall from naphthalene-induced cataracts in masons]. *Klin Monatsbl Augenheilkd* 40:129. (German)
- Li HY, Gao PP, Ni HG. 2019a. Emission characteristics of parent and halogenated PAHs in simulated municipal solid waste incineration. *Sci Total Environ* 665:11-17. <https://doi.org/10.1016/j.scitotenv.2019.02.002>.
- Li Y, Cakmak S, Zhu J. 2019b. Profiles and monthly variations of selected volatile organic compounds in indoor air in Canadian homes: Results of Canadian national indoor air survey 2012-2013. *Environ Int* 126:134-144. <https://doi.org/10.1016/j.envint.2019.02.035>.
- Li L, Wei Y, Van Winkle L, et al. 2011. Generation and characterization of a CYP2F2-null mouse and studies on the role of CYP2F2 in naphthalene-induced toxicity in the lung and nasal olfactory mucosa. *J Pharmacol Exp Ther* 339(1):62-71. <https://doi.org/10.1124/jpet.111.184671>.
- Li L, Carratt S, Hartog M, et al. 2017. Human CYP2A13 and CYP2F1 mediate naphthalene toxicity in the lung and nasal mucosa of CYP2A13/2F1-humanized mice. *Environ Health Perspect* 125(6):067004. <https://doi.org/10.1289/ehp844>.
- Li K, Zou Y, Wang Y, et al. 2022. 2-Naphthalenemethanol participates in metabolic activation of 2-methylnaphthalene. *Xenobiotica* 52(4):360-369. <https://doi.org/10.1080/00498254.2022.2079022>.
- Liao W, Smith WD, Chiang TC. 1988. Rapid, low-cost cleanup procedure for determination of semivolatile organic compounds in human and bovine adipose tissues. *J Assoc Off Anal Chem* 71(4):742-747. <https://doi.org/10.1093/jaoac/71.4.742>.
- Lin CY, Isbell MA, Morin D, et al. 2005. Characterization of a structurally intact in situ lung model and comparison of naphthalene protein adducts generated in this model vs lung microsomes. *Chem Res Toxicol* 18(5):802-813. <https://doi.org/10.1021/tx049746r>.
- Lin TJ, Guo YL, Hsu JC, et al. 2018. 2-Naphthol levels and allergic disorders in children. *Int J Environ Res Public Health* 15(7):1449. <https://doi.org/10.3390/ijerph15071449>.
- Lin XY, Liu YX, Zhang YJ, et al. 2022. Polycyclic aromatic hydrocarbon exposure and DNA oxidative damage of workers in workshops of a petrochemical group. *Chemosphere* 303(Pt 2):135076. <https://doi.org/10.1016/j.chemosphere.2022.135076>.
- Lin N, Ding N, Meza-Wilson E, et al. 2023. Volatile organic compounds in disposable diapers and baby wipes in the US: A survey of products and health risks. *Environ Sci Technol* 57(37):13732-13743. <https://doi.org/10.1021/acs.est.3c02862>.
- Linick M. 1983. Illness associated with exposure to naphthalene in mothballs - Indiana. *MMWR* 32:34-35.
- Liu B, Jia C. 2015. Effects of exposure to mixed volatile organic compounds on the neurobehavioral test performance in a cross-sectional study of US adults. *Int J Environ Health Res* 25(4):349-363. <https://doi.org/10.1080/09603123.2014.945514>.
- Liu B, Xue Z, Zhu X, et al. 2017. Long-term trends (1990-2014), health risks, and sources of atmospheric polycyclic aromatic hydrocarbons (PAHs) in the U.S. *Environ Pollut* 220(Pt B):1171-1179. <https://doi.org/10.1016/j.envpol.2016.11.018>.
- Liu B, Huang F, Yu Y, et al. 2021. Polycyclic aromatic hydrocarbons (PAHs) in indoor dust across China: Occurrence, sources and cancer risk assessment. *Arch Environ Contam Toxicol* 81(3):482-491. <https://doi.org/10.1007/s00244-021-00881-9>.
- Liu C, Liu Q, Song S, et al. 2023. The association between internal polycyclic aromatic hydrocarbons exposure and risk of Obesity-A systematic review with meta-analysis. *Chemosphere* 329:138669. <https://doi.org/10.1016/j.chemosphere.2023.138669>.
- Liu J, Song R, Li X, et al. 2024. Effects of PM2.5 and its components on disease severity in patients with schizophrenia and the mediating role of thyroid hormones. *Environ Health* 2(5):290-300. <https://doi.org/10.1021/envhealth.3c00194>.

8. REFERENCES

- Long PH, Herbert RA, Peckham JC, et al. 2003. Morphology of nasal lesions in F344/N rats following chronic inhalation exposure to naphthalene vapors. *Toxicol Pathol* 31(6):655-664. <https://doi.org/10.1080/01926230390242016>.
- Lopes TJ, Furlong ET. 2001. Occurrence and potential adverse effects of semivolatile organic compounds in streambed sediment, United States 1992-1995. *Environ Sci Technol* 20(4):727-737. <https://doi.org/10.1002/etc.5620200406>.
- Lorber M. 1972. Hemotoxicity of synergized pyrethrin insecticides and related chemicals in intact, totally and subtotally splenectomized dogs. *Acta Hepato-Gastroenterol* 19:66-78.
- Lu R, Wu J, Turco RP, et al. 2005. Naphthalene distributions and human exposure in Southern California. *Atmos Environ* 39(3):489-507. <https://doi.org/10.1016/j.atmosenv.2004.09.045>.
- Luo K, Zeng Y, Li M, et al. 2021. Inhalation bioaccessibility and absorption of polycyclic aromatic hydrocarbons (PAHs) in indoor PM(2.5) and its implication in risk assessment. *Sci Total Environ* 774:145770. <https://doi.org/10.1016/j.scitotenv.2021.145770>.
- Luthy RG, Dzombak DA, Peters CA, et al. 1994. Remediating tar-contaminated soils at manufactured gas plant sites. *Environ Sci Technol* 28(6):266A-276A. <https://doi.org/10.1021/es00055a002>.
- MacGregor RR. 1954. Naphthalene poisoning from the ingestion of moth balls. *Can Med Assoc J* 70:313-314.
- Mackell JV, Rieders F, Brieger H, et al. 1951. Acute hemolytic anemia due to ingestion of naphthalene moth balls. I. Clinical aspects. *Pediatrics* 71:722-727.
- Mamber SW, Bryson V, Katz SE. 1983. The Escherichia coli WP2/WP100 rec assay for detection of potential chemical carcinogens. *Mutat Res* 119:135-144. [https://doi.org/10.1016/0165-7992\(83\)90121-5](https://doi.org/10.1016/0165-7992(83)90121-5).
- Mamber SW, Bryson V, Katz SE. 1984. Evaluation of the Escherichia coli K12 inductest for detection of potential chemical carcinogens. *Mutat Res* 130:141-151. [https://doi.org/10.1016/0165-1161\(84\)90116-X](https://doi.org/10.1016/0165-1161(84)90116-X).
- Marco MP, Nasiri M, Kurth MJ, et al. 1993. Enzyme-linked immunosorbent assay for the specific detection of the mercapturic acid metabolites of naphthalene. *Chem Res Toxicol* 6:284-293. <https://doi.org/10.1021/tx00033a006>.
- Marczynski B, Preuss R, Mensing T, et al. 2005. Genotoxic risk assessment in white blood cells of occupationally exposed workers before and after alteration of the polycyclic aromatic hydrocarbon (PAH) profile in the production material: comparison with PAH air and urinary metabolite levels. *Int Arch Occup Environ Health* 78(2):97-108. <https://doi.org/10.1007/s00420-004-0567-5>.
- Marczynski B, Raulf-Heimsoth M, Spickenheuer A, et al. 2011. DNA adducts and strand breaks in workers exposed to vapours and aerosols of bitumen: associations between exposure and effect. *Arch Toxicol* 85(Suppl 1):S53-S64. <https://doi.org/10.1007/s00204-011-0682-5>.
- Mason RT. 2002. Naphthalene. In: Ley C, ed. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 17. John Wiley & Sons, Inc., 1-25. <https://doi.org/10.1002/0471238961.1401160813011915.a01.pub2>.
- Masoner JR, Kolpin DW, Furlong ET, et al. 2014. Contaminants of emerging concern in fresh leachate from landfills in the conterminous United States. *Environ Sci Process Impacts* 16(10):2335-2354. <https://doi.org/10.1039/c4em00124a>.
- Mathur P, Garg S. 2023. Acute kidney injury following naphthalene (mothball) poisoning. *Saudi J Kidney Dis Transpl* 34(3):259-264. <https://doi.org/10.4103/1319-2442.394000>.
- Mayer AC, Fent KW, Wilkinson A, et al. 2022. Characterizing exposure to benzene, toluene, and naphthalene in firefighters wearing different types of new or laundered PPE. *Int J Hyg Environ Health* 240:113900. <https://doi.org/10.1016/j.ijheh.2021.113900>.
- Mazzone P, Thomassen MJ, Kavuru M. 2001. Our new understanding of pulmonary alveolar proteinosis: What an internist needs to know. *Cleve Clin J Med* 68:977-985.
- McAdam KG, Faizi A, Kimpton H, et al. 2013. Polycyclic aromatic hydrocarbons in US and Swedish smokeless tobacco products. *Chem Cent J* 7(1):151. <https://doi.org/10.1186/1752-153x-7-151>.

8. REFERENCES

- McCann J, Choi E, Yamasaki E, et al. 1975. Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA* 72(12):5135-5139. <https://doi.org/10.1073/pnas.72.12.5135>.
- McCarley KD, Bunge AL. 2001. Pharmacokinetic models of dermal absorption. *J Pharm Sci* 90(11):1699-1719. <https://doi.org/10.1002/jps.1120>.
- McCormick S, Snawder JE, Chen IC, et al. 2022. Exposure assessment of polycyclic aromatic hydrocarbons in refined coal tar sealant applications. *Int J Hyg Environ Health* 242:113971. <https://doi.org/10.1016/j.ijheh.2022.113971>.
- McCoull KD, Rindgen D, Blair IA, et al. 1999. Synthesis and characterization of polycyclic aromatic hydrocarbon o-quinone depurinating N7-guanine adducts. *Chem Res Toxicol* 12:237-246. <https://doi.org/10.1021/tx980182z>.
- McDonald JD, Zielinska B, Jujita EM, et al. 2000. Fine particle and gaseous emission rates from residential wood combustion. *Environ Sci Technol* 34:2080-2091. <https://doi.org/10.1021/es9909632>.
- McMurray WC. 1977. Nitrogen metabolism. In: *Essentials of human metabolism*. 2nd ed. Philadelphia, PA: Harper & Row, 252-254.
- Meeker JD, Ryan L, Barr DB, et al. 2004a. The relationship of urinary metabolites of carbaryl/naphthalene and chlorpyrifos with human semen quality. *Environ Health Perspect* 112(17):1665-1670. <https://doi.org/10.1289/ehp.7234>.
- Meeker JD, Singh NP, Ryan L, et al. 2004b. Urinary levels of insecticide metabolites and DNA damage in human sperm. *Hum Reprod* 19(11):2573-2580. <https://doi.org/10.1093/humrep/deh444>.
- Meeker JD, Ryan L, Barr DB, et al. 2006. Exposure to nonpersistent insecticides and male reproductive hormones. *Epidemiology* 17(1):61-68. <https://doi.org/10.1097/01.ede.0000190602.14691.70>.
- Meeker JD, Ravi SR, Barr DB, et al. 2008. Circulating estradiol in men is inversely related to urinary metabolites of nonpersistent insecticides. *Reprod Toxicol* 25(2):184-191. <https://doi.org/10.1016/j.reprotox.2007.12.005>.
- Mehdi Z, Gupta M, Kaur J, et al. 2023. Severe hemolytic anemia after mothball ingestion complicated by an undiagnosed enzyme deficiency: A case report. *Cureus* 15(11):e48733. <https://doi.org/10.7759/cureus.48733>.
- Melancon MJ, Rickert DE, Lech JJ. 1982. Metabolism of 2-methylnaphthalene in the rat in vivo: I. Identification of 2-naphthoylglycine. *Drug Metab Dispos* 10(2):128-133.
- Melancon MJ, Williams DE, Buhler DR, et al. 1985. Metabolism of 2-methylnaphthalene by rat and rainbow trout hepatic microsomes and purified cytochromes P-450. *Drug Metab Dispos* 13(5):542-547.
- Melzer-Lange M, Walsh-Kelly C. 1989. Naphthalene-induced hemolysis in a black female toddler deficient in glucose-6-phosphate dehydrogenase. *Pediatr Emerg Care* 5(1):24-26.
- Mendoza-Sanchez I, Uwak I, Myatt L, et al. 2022. Maternal exposure to polycyclic aromatic hydrocarbons in South Texas, evaluation of silicone wristbands as personal passive samplers. *J Expo Sci Environ Epidemiol* 32(2):280-288. <https://doi.org/10.1038/s41370-021-00348-y>.
- Meng F, Wang Y, Myers MB, et al. 2011. p53 codon 271 CGT to CAT mutant fraction does not increase in nasal respiratory and olfactory epithelia of rats exposed to inhaled naphthalene. *Mutat Res* 721(2):199-205. <https://doi.org/10.1016/j.mrgentox.2011.02.004>.
- Mersch-Sundermann V, Mochayedi S, Kevekordes S, et al. 1993. The genotoxicity of unsubstituted and nitrated polycyclic aromatic hydrocarbons. *Anticancer Res* 13(6A):2037-2043.
- Messier KP, Tidwell LG, Ghetu CC, et al. 2019. Indoor versus outdoor air quality during wildfires. *Environ Sci Technol Lett* 6(12):696-701. <https://doi.org/10.1021/acs.estlett.9b00599>.
- Miles AK, Roster N. 1999. Enhancement of polycyclic aromatic hydrocarbons in estuarine invertebrates by surface runoff at a decommissioned military fuel depot. *Mar Environ Res* 47(1):49-60. [https://doi.org/10.1016/S0141-1136\(98\)00104-4](https://doi.org/10.1016/S0141-1136(98)00104-4).
- Miles CJ, Delfino JJ. 1999. Priority pollutant polycyclic aromatic hydrocarbons in Florida sediments. *Bull Environ Contam Toxicol* 63:226-234. <https://doi.org/10.1007/s001289900970>.

8. REFERENCES

- Minyard JP, Roberts WE. 1991. Chemical contaminants monitoring. State findings on pesticide residues in foods-1988 and 1989. *J Assoc Off Anal Chem* 74(3):438-452.
<https://doi.org/10.1093/jaoac/74.3.438>.
- Mlyczyńska E, Bongrani A, Rame C, et al. 2023. Concentration of polycyclic aromatic hydrocarbons (PAHs) in human serum and adipose tissues and stimulatory effect of naphthalene in adipogenesis in 3T3-L1 cells. *Int J Mol Sci* 24(2):1455. <https://doi.org/10.3390/ijms24021455>.
- Mohapatra B, Phale PS. 2021. Microbial degradation of naphthalene and substituted naphthalenes: Metabolic diversity and genomic insight for bioremediation. *Front Bioeng Biotechnol* 9:602445. <https://doi.org/10.3389/fbioe.2021.602445>.
- Morgan B, Hansgen R, Hawthorne W, et al. 2015. Industrial odor sources and air pollutant concentrations in Globeville, a Denver, Colorado neighborhood. *J Air Waste Manag Assoc* 65(9):1127-1140. <https://doi.org/10.1080/10962247.2015.1064833>.
- Morris JB. 1999. A method for measuring upper respiratory tract vapor uptake and its applicability to quantitative inhalation risk assessment. *Inhal Toxicol* 11(10):943-965.
<https://doi.org/10.1080/089583799196727>.
- Morris JB. 2013. Nasal dosimetry of inspired naphthalene vapor in the male and female B6C3F1 mouse. *Toxicology* 309:66-72. <https://doi.org/10.1016/j.tox.2013.04.009>.
- Morris JB, Buckpitt AR. 2009. Upper respiratory tract uptake of naphthalene. *Toxicol Sci* 111(2):383-391. <https://doi.org/10.1093/toxsci/kfp138>.
- Mortelmans K, Haworth S, Lawlor T, et al. 1986. Salmonella mutagenicity tests: II. Results from the testing of 270 chemicals. *Environ Mutagen* 8(Supplement 7):1-119.
<https://doi.org/10.1002/em.2860080703>.
- Mu G, Fan L, Zhou Y, et al. 2019. Personal exposure to PM_{2.5}-bound polycyclic aromatic hydrocarbons and lung function alteration: Results of a panel study in China. *Sci Total Environ* 684:458-465. <https://doi.org/10.1016/j.scitotenv.2019.05.328>.
- Muhammad F, Monteiro-Riviere NA, Riviere JE. 2005. Comparative in vivo toxicity of topical JP-8 jet fuel and its individual hydrocarbon components: identification of tridecane and tetradecane as key constituents responsible for dermal irritation. *Toxicol Pathol* 33(2):258-266.
<https://doi.org/10.1080/01926230590908222>.
- Mumtaz MM, Ray M, Crowell SR, et al. 2012a. Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A* 75(1):6-24.
<https://doi.org/10.1080/15287394.2012.625546>.
- Mumtaz M, Fisher J, Blount B, et al. 2012b. Application of physiologically based pharmacokinetic models in chemical risk assessment. *J Toxicol* 2012:904603. <https://doi.org/10.1155/2012/904603>.
- Murano H, Kojima M, Sasaki K. 1993. Differences in naphthalene cataract formation between albino and pigmented rat eyes. *Ophthalmic Res* 25:16-22. <https://doi.org/10.1159/000267216>.
- Murata Y, Emi Y, Denda A, et al. 1992. Ultrastructural analysis of pulmonary alveolar proteinosis induced by methylnaphthalene in mice. *Exp Toxicol Pathol* 44(1):47-54.
[https://doi.org/10.1016/S0940-2993\(11\)80137-5](https://doi.org/10.1016/S0940-2993(11)80137-5).
- Murata Y, Denda A, Maruyama H, et al. 1993. Chronic toxicity and carcinogenicity studies of 1-methylnaphthalene in B6C3F1 mice. *Fundam Appl Toxicol* 21(1):44-51.
<https://doi.org/10.1006/faat.1993.1070>.
- Murata Y, Denda A, Maruyama H, et al. 1997. Chronic toxicity and carcinogenicity studies of 2-methylnaphthalene in B6C3F1 mice. *Fundam Appl Toxicol* 36(1):90-93.
<https://doi.org/10.1006/faat.1996.2283>.
- Mwachiro MM, Pritchett N, Calafat AM, et al. 2021. Indoor wood combustion, carcinogenic exposure and esophageal cancer in southwest Kenya. *Environ Int* 152:106485.
<https://doi.org/10.1016/j.envint.2021.106485>.
- Nakamura S, Oda Y, Shimada T, et al. 1987. SOS-inducing activity of chemical carcinogens and mutagens in *Salmonella typhimurium* TA1535/pSK1002: Examination with 151 chemicals. *Mutat Res* 192:239-246. [https://doi.org/10.1016/0165-7992\(87\)90063-7](https://doi.org/10.1016/0165-7992(87)90063-7).

8. REFERENCES

- Narbonne JF, Cassand P, Alzieu P, et al. 1987. Structure-activity relationships of the N--methylcarbamate series in *Salmonella typhimurium*. *Mutat Res* 191:21-27.
[https://doi.org/10.1016/0165-7992\(87\)90165-5](https://doi.org/10.1016/0165-7992(87)90165-5).
- NAS/NRC. 2006. Human biomonitoring for environmental chemicals. Washington, DC: The National Academies Press, National Research Council. <https://doi.org/10.17226/11700>.
- Navarro KM, Cisneros R, Noth EM, et al. 2017. Occupational exposure to polycyclic aromatic hydrocarbon of wildland firefighters at prescribed and wildland fires. *Environ Sci Technol* 51(11):6461-6469. <https://doi.org/10.1021/acs.est.7b00950>.
- Nayak J, Jena SR, Kumar S, et al. 2023. Human sperm proteome reveals the effect of environmental borne seminal polycyclic aromatic hydrocarbons exposome in etiology of idiopathic male factor infertility. *Front Cell Dev Biol* 11:1117155. <https://doi.org/10.3389/fcell.2023.1117155>.
- Neff JM, Burns WA. 1996. Estimation of polycyclic aromatic hydrocarbon concentrations in the water column based on tissue residues in mussels and salmon: An equilibrium partitioning approach. *Environ Toxicol Chem* 15(12):2240-2253. <https://doi.org/10.1002/etc.5620151218>.
- Nie J, Li J, Cheng L, et al. 2018. Maternal urinary 2-hydroxynaphthalene and birth outcomes in Taiyuan, China. *Environ Health* 17(1):91. <https://doi.org/10.1186/s12940-018-0436-4>.
- NIOSH. 1980. Worker exposure to polycyclic aromatic hydrocarbons at selected petroleum refinery process units of Sun Oil Refinery, Tulsa, Oklahoma. Cincinnati, OH: National Institute for Occupational Safety and Health. PB81236846.
<https://ntrlntrl.gov/NTRL/dashboard/searchResults/titleDetail/PB81236846.xhtml>. April 19, 2023.
- NIOSH. 1994. Naphthalene. Immediately dangerous to life or health concentrations (IDLH). National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/idlh/91203.html>. May 10, 2022.
- NIOSH. 2009. Environmental and biological assessment of environmental tobacco smoke exposure among casino dealers. Health Hazard Evaluation Report. National Institute for Occupational Safety and Health. HETA 2005-0076; 2005-0201-3080. <https://www.cdc.gov/niosh/hhe/reports/pdfs/2005-0201-3080.pdf>. April 5, 2024.
- NIOSH. 2019. Naphthalene. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0439.html>. May 10, 2022.
- NITE. 2009. 1-Methylnaphthalene summary: [Combined repeat dose and reproductive/developmental toxicity screening test of 1-methylnaphthalene by oral administration in rats]. Japanese National Institute of Technology and Evaluation.
https://www.nite.go.jp/chem/jcheck/tempfile_list.action?tpk=23402&ppk=7239&kinou=100&type=j. November 30, 2022. (Japanese)
- NITE. 2010a. Naphthalene - Bioaccumulation: aquatic/sediment. Japanese Chemicals and Collaborative Knowledge Database. Japanese National Institute of Technology and Evaluation.
https://www.nite.go.jp/chem/jcheck/template.action?ano=27773&mmo=4-0311&cno=91-20-3&request_locale=en. December 15, 2022.
- NITE. 2010b. Naphthalene - Biodegradation in water: screening tests. Japanese Chemicals and Collaborative Knowledge Database. Japanese National Institute of Technology and Evaluation.
https://www.nite.go.jp/chem/jcheck/template.action?ano=1428&mmo=4-0311&cno=91-20-3&request_locale=en. December 15, 2022.
- NLM. 2023a. Naphthalene. PubChem database. U.S. National Library of Medicine.
<https://pubchem.ncbi.nlm.nih.gov/compound/931>. January 4, 2023.
- NLM. 2023b. 1-Methylnaphthalene. PubChem database. U.S. National Library of Medicine.
<https://pubchem.ncbi.nlm.nih.gov/compound/7002>. January 4, 2023.
- NLM. 2023c. 2-Methylnaphthalene. PubChem database. U.S. National Library of Medicine.
<https://pubchem.ncbi.nlm.nih.gov/compound/7055>. January 4, 2023.
- NTP. 1980a. Subchronic toxicity study: Naphthalene (C52904), B6C3F1 mice. Research Triangle Park, NC: National Toxicology Program.

8. REFERENCES

- NTP. 1980b. Subchronic toxicity study: Naphthalene (C52904), Fischer 344 rats. Research Triangle Park, NC: National Toxicology Program.
- NTP. 1991. Developmental toxicity of naphthalene in Sprague-Dawley (CD) rats. Research Triangle Park, NC: National Toxicology Program. TER91006. <https://ntp.niehs.nih.gov/publications/abstracts/dev/ter91006/ter91006.html>. April 21, 2022.
- NTP. 1992a. Toxicology and carcinogenesis studies of naphthalene (CAS No. 91-20-3) in B6C3F1 mice (inhalation studies). Research Triangle Park, NC: National Toxicology Program. TR-410. NIH Publication No. 92-3141. <https://ntp.niehs.nih.gov/publications/reports/tr/400s/tr410/index.html>. April 19, 2023.
- NTP. 1992b. Developmental toxicity of naphthalene in New Zealand white rabbits. Research Triangle Park, NC: National Toxicology Program. TER91021. <https://ntp.niehs.nih.gov/publications/abstracts/dev/ter91021/ter91021.html>. April 21, 2022.
- NTP. 2000. Toxicology and carcinogenesis studies of naphthalene (CAS No. 91-20-3) in F344/N rats (inhalation studies). National Toxicology Program. TR-500. NIH Publication No. 01-4434. <https://ntp.niehs.nih.gov/publications/reports/tr/500s/tr500/index.html>. April 19, 2023.
- NTP. 2013. Draft OHAT approach for systematic review and evidence integration for literature-based health assessments - February 2013. National Toxicology Program, Office of Health Assessment and Translation. https://ntp.niehs.nih.gov/ntp/ohat/evaluationprocess/draftohatapproach_february2013.pdf. May 9, 2022.
- NTP. 2015. OHAT risk of bias rating tool for human and animal studies. National Toxicology Program, Office of Health Assessment and Translation. https://ntp.niehs.nih.gov/ntp/ohat/pubs/riskofbiastool_508.pdf. March 19, 2019.
- NTP. 2021. Naphthalene. In: Report on carcinogens. 15th ed. National Toxicology Program, <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/naphthalene.pdf>. May 9, 2022.
- NTSB. 2023. Norfolk Southern Railway train derailment with subsequent hazardous material release and fires. National Transportation Safety Board. Preliminary Report: RRD23MR005. <https://www.ntsb.gov/investigations/Pages/RRD23MR005.aspx>. September 5, 2023.
- O'Brien KA, Smith LL, Cohen GM. 1985. Differences in naphthalene-induced toxicity in the mouse and rat. *Chem Biol Interact* 55:109-122. [https://doi.org/10.1016/S0009-2797\(85\)80122-8](https://doi.org/10.1016/S0009-2797(85)80122-8).
- Ohnishi S, Hiraku Y, Hasegawa K, et al. 2018. Mechanism of oxidative DNA damage induced by metabolites of carcinogenic naphthalene. *Mutat Res Genet Toxicol Environ Mutagen* 827:42-49. <https://doi.org/10.1016/j.mrgentox.2018.01.005>.
- Ojwang PJ, Ahmed-Jushuf IH, Abdullah MS. 1985. Naphthalene poisoning following ingestion of moth balls: Case report. *East Afr Med J* 62(1):71-73.
- Oliver JR, Kushwah R, Wu J, et al. 2009. Gender differences in pulmonary regenerative response to naphthalene-induced bronchiolar epithelial cell injury. *Cell Prolif* 42(5):672-687. <https://doi.org/10.1111/j.1365-2184.2009.00629.x>.
- Oliver JR, Kushwah R, Wu J, et al. 2011. Elf3 plays a role in regulating bronchiolar epithelial repair kinetics following Clara cell-specific injury. *Lab Invest* 91(10):1514-1529. <https://doi.org/10.1038/labinvest.2011.100>.
- Olukanni OD, Albert AA, Farinto M, et al. 2023. Tween-80 enhanced biodegradation of naphthalene by Klebsiella quasipneumoniae. *Antonie Van Leeuwenhoek* 116(7):697-709. <https://doi.org/10.1007/s10482-023-01839-8>.
- Omurtag GZ, Güranlioğlu FD, Sehirli O, et al. 2005. Protective effect of aqueous garlic extract against naphthalene-induced oxidative stress in mice. *J Pharm Pharmacol* 57(5):623-630. <https://doi.org/10.1211/0022357055939>.
- Orjuela MA, Liu X, Miller RL, et al. 2012. Urinary naphthol metabolites and chromosomal aberrations in 5-year-old children. *Cancer Epidemiol Biomarkers Prev* 21(7):1191-1202. <https://doi.org/10.1158/1055-9965.Epi-12-0214>.

8. REFERENCES

- Orzalesi N, Migliavacca L, Miglior S. 1994. Subretinal neovascularization after naphthalene damage to the rabbit retina. *Invest Ophthalmol Vis Sci* 35(2):696-705.
- OSHA. 2023a. Occupational safety and health standards. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z-2. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. <https://www.govinfo.gov/content/pkg/CFR-2023-title29-vol6/pdf/CFR-2023-title29-vol6-sec1910-1000.pdf>. September 13, 2024.
- OSHA. 2023b. Occupational safety and health standards for shipyard employment. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. <https://www.govinfo.gov/content/pkg/CFR-2023-title29-vol7/pdf/CFR-2023-title29-vol7-sec1915-1000.pdf>. September 13, 2024.
- OSHA. 2023c. Safety and health regulations for construction. Subpart D - Occupational health and environment controls. Gases, vapors, fumes, dusts, and mists. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55. <https://www.govinfo.gov/content/pkg/CFR-2023-title29-vol8/pdf/CFR-2023-title29-vol8-sec1926-55.pdf>. September 13, 2024.
- Owa JA. 1989. Relationship between exposure to icterogenic agents, glucose-6-phosphate dehydrogenase deficiency and neonatal jaundice in Nigeria. *Acta Paediatr Scand* 78(6):848-852. <https://doi.org/10.1111/j.1651-2227.1989.tb11162.x>.
- Owa JA, Izedenmwen OE, Ogundaini AO, et al. 1993. Quantitative analysis of 1-naphthol in urine of neonates exposed to mothballs: the value in infants with unexplained anaemia. *Afr J Med Med Sci* 22(1):71-76.
- Paiva JHHGL, Júnior GBS, Magalhaes KDN, et al. 2022. Acute kidney injury following naphthalene poisoning in children. *Nefrologia* 42(3):356-359. <https://doi.org/10.1016/j.nefroe.2022.05.004>.
- Pakenham G, Lango J, Buonarati M, et al. 2002. Urinary naphthalene mercapturates as biomarkers of exposure and stereoselectivity of naphthalene epoxidation. *Drug Metab Dispos* 30(3):247-253.
- Papciak RJ, Mallory VT. 1990. Acute toxicological evaluation of naphthalene. *J Am Coll Toxicol Part B* 1(1):17-19.
- Park KS, Sims RC, Dupont RR, et al. 1990. Fate of PAH compounds in two soil types: Influence of volatilization, abiotic loss and biological activity. *Environ Toxicol Chem* 9:187-195. <https://doi.org/10.1002/etc.5620090208>.
- Passarella S, Guerriero E, Quici L, et al. 2022. PAHs presence and source apportionment in honey samples: Fingerprint identification of rural and urban contamination by means of chemometric approach. *Food Chem* 382:132361. <https://doi.org/10.1016/j.foodchem.2022.132361>.
- Patel MR, Patel BG. 2018. Anti-cataract activity of *Garcinia indica* against naphthalene-induced cataract in rats. *Asian J Pharm Clin Res* 11(6):208-211. <https://doi.org/10.22159/AJPCR.2018.V11I6.24913>.
- Paulsson B, Bende M, Ohlin P. 1985. Nasal mucosal blood flow at rest and during exercise. *Acta Otolaryngol* 99(1-2):140-143. <https://doi.org/10.3109/00016488509119156>.
- Pellizzari ED, Hartwell TD, Harris BS, et al. 1982. Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol* 28(3):322-328. <https://doi.org/10.1007/BF01608515>.
- Peng S, Lu T, Liu Y, et al. 2022. Short-term exposure to fine particulate matter and its constituents may affect renal function via oxidative stress: A longitudinal panel study. *Chemosphere* 293:133570. <https://doi.org/10.1016/j.chemosphere.2022.133570>.
- Pereira WE, Hostettler FD, Luoma SN, et al. 1999. Sedimentary record of anthropogenic and biogenic polycyclic aromatic hydrocarbons in San Francisco Bay, California. *Mar Chem* 64(1-2):99-113. [https://doi.org/10.1016/s0304-4203\(98\)00087-5](https://doi.org/10.1016/s0304-4203(98)00087-5).
- Pham NT, Jewell WT, Morin D, et al. 2012. Analysis of naphthalene adduct binding sites in model proteins by tandem mass spectrometry. *Chem Biol Interact* 199(2):120-128. <https://doi.org/10.1016/j.cbi.2012.05.009>.
- Phimister AJ, Lee MG, Morin D, et al. 2004. Glutathione depletion is a major determinant of inhaled naphthalene respiratory toxicity and naphthalene metabolism in mice. *Toxicol Sci* 82(1):268-278. <https://doi.org/10.1093/toxsci/kfh258>.

8. REFERENCES

- Phimister AJ, Williams KJ, Van Winkle LS, et al. 2006. Consequences of abrupt glutathione depletion in murine Clara cells: ultrastructural and biochemical investigations into the role of glutathione loss in naphthalene cytotoxicity. *J Pharmacol Exp Ther* 314(2):506-513.
<https://doi.org/10.1124/jpet.105.084533>.
- Phousongphouang PT, Arey J. 2002. Rate constants for the gas-phase reactions of a series of alkylnaphthalenes with the OH radical. *Environ Sci Technol* 36(9):1947-1952.
<https://doi.org/10.1021/es011434c>.
- Phousongphouang PT, Arey J. 2003. Rate constants for the gas-phase reactions of a series of alkylnaphthalenes with the nitrate radical. *Environ Sci Technol* 37(2):308-313.
<https://doi.org/10.1021/es026015+>.
- Plasterer MR, Bradshaw WS, Booth GM, et al. 1985. Developmental toxicity of nine selected compounds following prenatal exposure in the mouse: naphthalene, p-nitrophenol, sodium selenite, dimethyl phthalate, ethylenethiourea, and four glycol ether derivatives. *J Toxicol Environ Health* 15(1):25-38. <https://doi.org/10.1080/15287398509530633>.
- Platt KL, Aderhold S, Kulpe K, et al. 2008. Unexpected DNA damage caused by polycyclic aromatic hydrocarbons under standard laboratory conditions. *Mutat Res* 650(2):96-103.
<https://doi.org/10.1016/j.mrgentox.2007.09.011>.
- Plopper CG, Suverkropp C, Morin D, et al. 1992. Relationship of cytochrome P-450 activity to cell cytotoxicity. I. Histopathologic comparison of the respiratory tract of mice, rats and hamsters after parenteral administration of naphthalene. *J Pharmacol Exp Ther* 261(1):353-363.
- Plowchalk DR, Andersen ME, Bogdanffy MS. 1997. Physiologically based modeling of vinyl acetate uptake, metabolism, and intracellular pH changes in the rat nasal cavity. *Toxicol Appl Pharmacol* 142(2):386-400. <https://doi.org/10.1006/taap.1996.8052>.
- Polak-Śliwińska M, Paszczyk B, Śliwinski M. 2022. Evaluation of polycyclic aromatic hydrocarbons in smoked cheeses made in Poland by HPLC method. *Molecules* 27(20):6909.
<https://doi.org/10.3390/molecules27206909>.
- Poppendieck D, Gong M, Pham V. 2020. Influence of temperature, relative humidity, and water saturation on airborne emissions from cigarette butts. *Sci Total Environ* 712:136422.
<https://doi.org/10.1016/j.scitotenv.2019.136422>.
- Probst GS, McMahon RE, Hill LE, et al. 1981. Chemically induced unscheduled DNA synthesis in primary rat hepatocyte cultures: A comparison with bacterial mutagenicity tests using 218 compounds. *Environ Mutagen* 3:11-32. <https://doi.org/10.1002/em.2860030103>.
- Purchase IF, Longstaff E, Ashby J, et al. 1978. An evaluation of 6 short-term tests for detecting organic chemical carcinogens. *Br J Cancer* 37(6):873-903. <https://doi.org/10.1038/bjc.1978.132>.
- Ranjbar M, Rotondi MA, Ardern CI, et al. 2015. Urinary biomarkers of polycyclic aromatic hydrocarbons are associated with cardiometabolic health risk. *PLoS One* 10(9):e0137536.
<https://doi.org/10.1371/journal.pone.0137536>.
- Rao GS, Pandya KP. 1981. Biochemical changes induced by naphthalene after oral administration in albino rats. *Toxicol Lett* 8(6):311-315. [https://doi.org/10.1016/0378-4274\(81\)90119-3](https://doi.org/10.1016/0378-4274(81)90119-3).
- Rappaport SM, Waidyanatha S, Serdar B. 2004. Naphthalene and its biomarkers as measures of occupational exposure to polycyclic aromatic hydrocarbons. *J Environ Monit* 6(5):413-416.
<https://doi.org/10.1039/b314088c>.
- Rathbun WB, Holleschau AM, Murray DL, et al. 1990. Glutathione synthesis and glutathione redox pathways in naphthalene cataract of the rat. *Curr Eye Res* 9(1):45-53.
<https://doi.org/10.3109/02713689009000054>.
- Rawlins EL, Ostrowski LE, Randell SH, et al. 2007. Lung development and repair: contribution of the ciliated lineage. *Proc Natl Acad Sci USA* 104(2):410-417.
<https://doi.org/10.1073/pnas.0610770104>.
- Recio L, Shepard KG, Hernández LG, et al. 2012. Dose-response assessment of naphthalene-induced genotoxicity and glutathione detoxication in human TK6 lymphoblasts. *Toxicol Sci* 126(2):405-412.
<https://doi.org/10.1093/toxsci/kfs012>.

8. REFERENCES

- Recio L, Fowler J, Martin L, et al. 2023. Genotoxicity assessment in HepaRG™ cells as a new approach methodology follow up to a positive response in the human TK6 cell micronucleus assay: Naphthalene case study. *Environ Mol Mutagen* 64(8-9):458-465. <https://doi.org/10.1002/em.22575>.
- RePORTER. 2024. Naphthalene. Research Portfolio Online Reporting Tools. National Institutes of Health. <https://reporter.nih.gov/>. October 7, 2024.
- Rhodes AG, LeMasters GK, Lockey JE, et al. 2003. The effects of jet fuel on immune cells of fuel system maintenance workers. *J Occup Environ Med* 45(1):79-86. <https://doi.org/10.1097/00043764-200301000-00016>.
- Rittman BE, McCarty PL, Roberts PV. 1980. Trace-organics biodegradation in aquifer recharge. *Ground Water* 18(3):236-243. <https://doi.org/10.1111/j.1745-6584.1980.tb03395.x>.
- Roberts PV, McCarty PL, Reinhard M, et al. 1980. Organic contaminant behavior during groundwater recharge. *J Water Pollut Control Fed* 52(1):161-172.
- Roberts SM, Rohr AC, Mikheev VB, et al. 2018. Influence of airborne particulates on respiratory tract deposition of inhaled toluene and naphthalene in the rat. *Inhal Toxicol* 30(1):19-28. <https://doi.org/10.1080/08958378.2018.1438539>.
- Rodrigues EG, Smith K, Maule AL, et al. 2014. Urinary polycyclic aromatic hydrocarbon (OH-PAH) metabolite concentrations and the effect of GST polymorphisms among US Air Force personnel exposed to jet fuel. *J Occup Environ Med* 56(5):465-471. <https://doi.org/10.1097/jom.0000000000000142>.
- Rooney AA, Boyles AL, Wolfe MS, et al. 2014. Systematic review and evidence integration for literature-based environmental health science assessments. *Environ Health Perspect* 122(7):711-718. <https://doi.org/10.1289/ehp.1307972>.
- Rosenfeld JK, Plumb RH. 1991. Ground water contamination at wood treatment facilities. *Ground Water Monit Rev* 11:133-140. <https://doi.org/10.1111/j.1745-6592.1991.tb00360.x>.
- Rossa V, Pau H. 1988. Is the experimental naphthalene cataract a model for human senile cataract? *Graefes Arch Clin Exp Ophthalmol* 226:291-293. <https://doi.org/10.1007/BF02181199>.
- Royce SG, Patel KP, Samuel CS. 2014b. Characterization of a novel model incorporating airway epithelial damage and related fibrosis to the pathogenesis of asthma. *Lab Invest* 94(12):1326-1339. <https://doi.org/10.1038/labinvest.2014.119>.
- Royce SG, Li X, Tortorella S, et al. 2014a. Mechanistic insights into the contribution of epithelial damage to airway remodeling. Novel therapeutic targets for asthma. *Am J Respir Cell Mol Biol* 50(1):180-192. <https://doi.org/10.1165/rcmb.2013-0008OC>.
- Rozman K, Summer KH, Rozman T, et al. 1982. Elimination of thioethers following administration of naphthalene and diethylmaleate to the Rhesus monkey. *Drug Chem Toxicol* 5(3):265-275. <https://doi.org/10.3109/01480548209041057>.
- Ruiz P, Ray M, Fisher J, et al. 2011. Development of a human Physiologically Based Pharmacokinetic (PBPK) Toolkit for environmental pollutants. *Int J Mol Sci* 12(11):7469-7480. <https://doi.org/10.3390/ijms12117469>.
- Rundell JO, Guntakatta M, Matthews EJ. 1983. Criterion development for the application of BALB/c-3T3 cells to routine testing for chemical carcinogenic potential. *Environ Sci Res* 27:309-324. https://doi.org/10.1007/978-1-4613-3611-2_22.
- Saeed M, Higginbotham S, Rogan E, et al. 2007. Formation of depurinating N3adenine and N7guanine adducts after reaction of 1,2-naphthoquinone or enzyme-activated 1,2-dihydroxynaphthalene with DNA. Implications for the mechanism of tumor initiation by naphthalene. *Chem Biol Interact* 165(3):175-188. <https://doi.org/10.1016/j.cbi.2006.12.007>.
- Saeed M, Higginbotham S, Gaikwad N, et al. 2009. Depurinating naphthalene-DNA adducts in mouse skin related to cancer initiation. *Free Radic Biol Med* 47(7):1075-1081. <https://doi.org/10.1016/j.freeradbiomed.2009.07.020>.
- Sahni M, Vibert Y, Bhandari V, et al. 2019. Newborn infant with mothball toxicity due to maternal ingestion. *Pediatrics* 143(6):e20183619. <https://doi.org/10.1542/peds.2018-3619>.

8. REFERENCES

- Sakai M, Yoshida D, Mizusaki S. 1985. Mutagenicity of polycyclic aromatic hydrocarbons and quinones on *Salmonella typhimurium* TA97. *Mutat Res* 156:61-67. [https://doi.org/10.1016/0165-1218\(85\)90007-2](https://doi.org/10.1016/0165-1218(85)90007-2).
- Sampaio GR, Guizellini GM, da Silva SA, et al. 2021. Polycyclic aromatic hydrocarbons in foods: Biological effects, legislation, occurrence, analytical methods, and strategies to reduce their formation. *Int J Mol Sci* 22(11):6010. <https://doi.org/10.3390/ijms22116010>.
- Santhanakrishnan BR, Ranganathan G, Balagopala Raju V. 1973. Naphthalene induced haemolytic anaemia with haemoglobinuria. *Indian J Pediatr* 40:195-197. <https://doi.org/10.1007/BF02755155>.
- Santucci K, Shah M. 2000. Association of naphthalene with acute hemolytic anemia. *Acad Emerg Med* 7(1):42-47. <https://doi.org/10.1111/j.1553-2712.2000.tb01889.x>.
- Sasaki JC, Arey J, Eastmond DA, et al. 1997. Genotoxicity induced in human lymphoblasts by atmospheric reaction products of naphthalene and phenanthrene. *Mutat Res* 393(1-2):23-35. [https://doi.org/10.1016/S1383-5718\(97\)00083-1](https://doi.org/10.1016/S1383-5718(97)00083-1).
- Sax NI, Lewis RJ. 1987. Methylnaphthalenes. In: Hawley's condensed chemical dictionary. New York, NY: Van Nostrand Reinhold Company, 775, 806.
- Schafer WB. 1951. Acute hemolytic anemia related to naphthalene: Report of a case in a newborn infant. *Pediatrics* 7:172-174. <https://doi.org/10.1542/peds.7.2.172>.
- Schauer JJ, Kleeman MJ, Cass GR, et al. 1999. Measurement of emissions from air pollution sources. 1. C₁ through C₂₉ organic compounds from meat charbroiling. *Environ Sci Technol* 33(10):1566-1577. <https://doi.org/10.1021/es980076j>.
- Schauer JJ, Kleeman MJ, Cass GR, et al. 2001. Measurement of emissions from air pollution sources. 3. C₁-C₂₉ organic compounds from fireplace combustion of wood. *Environ Sci Technol* 35:1716-1728. <https://doi.org/10.1021/es001331e>.
- Schauer JJ, Kleeman MJ, Cass GR, et al. 2002. Measurement of emissions from air pollution sources. 5. C₁-C₃₂ organic compounds from gasoline-powered motor vehicles. *Environ Sci Technol* 36(6):1169-1180. <https://doi.org/10.1021/es0108077>.
- Scherer G, Scherer M, Rögner N, et al. 2022. Assessment of the exposure to polycyclic aromatic hydrocarbons in users of various tobacco/nicotine products by suitable urinary biomarkers. *Arch Toxicol* 96(11):3113-3126. <https://doi.org/10.1007/s00204-022-03349-4>.
- Schmahl D. 1955. [The testing of naphthalene and anthracene for a carcinogenic effect on rats]. *Z Krebsforsch* 60:697-710. (German)
- Schmeltz I, Tosk J, Hoffman D. 1976. Formation and determination of naphthalene in cigarette smoke. *Anal Chem* 48(4):645-650. <https://doi.org/10.1021/ac60368a031>.
- Schmeltz I, Tosk J, Hilfrich J, et al. 1978. Bioassays of naphthalene and alkylnaphthalenes for co-carcinogenic activity. Relation to tobacco carcinogenesis. *Carcinogenesis* 3:47-60.
- Schwarzenbach RP, Westall J. 1981. Transport of nonpolar organic compounds from surface water to groundwater. Laboratory sorption studies. *Environ Sci Technol* 15(11):1360-1367. <https://doi.org/10.1021/es00093a009>.
- Schwarzenbach RP, Giger W, Hoehn E, et al. 1983. Behavior of organic compounds during infiltration of river water to groundwater. *Environ Sci Technol* 17:472-479. <https://doi.org/10.1021/es00114a007>.
- Scinicariello F, Buser MC. 2014. Urinary polycyclic aromatic hydrocarbons and childhood obesity: NHANES (2001-2006). *Environ Health Perspect* 122(3):299-303. <https://doi.org/10.1289/ehp.1307234>.
- Sehiri O, Tozan A, Omurtag GZ, et al. 2008. Protective effect of resveratrol against naphthalene-induced oxidative stress in mice. *Ecotoxicol Environ Saf* 71(1):301-308. <https://doi.org/10.1016/j.ecoenv.2007.08.023>.
- Seitz LM, Ram MS, Rengarajan R. 1999. Volatiles obtained from whole and ground grain samples by supercritical carbon dioxide and direct helium purge methods: Observations on 2,3-butanediols and halogenated anisoles. *J Agric Food Chem* 47:1051-1061. <https://doi.org/10.1021/jf980795h>.

8. REFERENCES

- Serdar B, Egeghy PP, Waidyanatha S, et al. 2003. Urinary biomarkers of exposure to jet fuel (JP-8). *Environ Health Perspect* 111(14):1760-1764. <https://doi.org/10.1289/ehp.6275>.
- Serdar B, Egeghy PP, Gibson R, et al. 2004. Dose-dependent production of urinary naphthols among workers exposed to jet fuel (JP-8). *Am J Ind Med* 46(3):234-244. <https://doi.org/10.1002/ajim.20049>.
- Serdar B, Brindley S, Dooley G, et al. 2016. Short-term markers of DNA damage among roofers who work with hot asphalt. *Environ Health* 15(1):99. <https://doi.org/10.1186/s12940-016-0182-4>.
- Shafer G, Arunachalam A, Lohmann P. 2020. Newborn with perinatal naphthalene toxicity after maternal ingestion of mothballs during pregnancy. *Neonatology* 117(1):127-130. <https://doi.org/10.1159/000504345>.
- Shahroky P, Maison N, Riemann L, et al. 2023. Increased breath naphthalene in children with asthma and wheeze of the All Age Asthma Cohort (ALLIANCE). *J Breath Res* 18(1):016003. <https://doi.org/10.1088/1752-7163/acf23e>.
- Shahsavani S, Fararouei M, Soveid M, et al. 2022. Exposure to polycyclic aromatic hydrocarbon-induced oxidative stress in Shiraz, Iran: urinary levels, health risk assessment and mediation effect of MDA on the risk of metabolic syndromes. *Int Arch Occup Environ Health* 95(5):1043-1058. <https://doi.org/10.1007/s00420-021-01822-8>.
- Shane BS, Henry CB, Hotchkiss JH, et al. 1990. Organic toxicants and mutagens in ashes from eighteen municipal refuse incinerators. *Arch Environ Toxicol* 19(5):665-673. <https://doi.org/10.1007/BF01183982>.
- Shannon K, Buchanan GR. 1982. Severe hemolytic anemia in black children with glucose-6-phosphate dehydrogenase deficiency. *Pediatrics* 70(3):364-369. <https://doi.org/10.1542/peds.70.3.364>.
- Sherris AR, Loftus CT, Szpiro AA, et al. 2024. Prenatal polycyclic aromatic hydrocarbon exposure and asthma at age 8-9 years in a multi-site longitudinal study. *Environ Health* 23(1):26. <https://doi.org/10.1186/s12940-024-01066-2>.
- Shopp GM, White KL JR, Holsapple MP, et al. 1984. Naphthalene toxicity in CD-1 mice: General toxicology and immunotoxicology. *Fundam Appl Toxicol* 4(3 Pt 1):406-419. [https://doi.org/10.1016/0272-0590\(84\)90198-2](https://doi.org/10.1016/0272-0590(84)90198-2).
- Shultz MA, Choudary PV, Buckpitt A. 1999. Role of murine cytochrome P-450 2F2 in metabolic activation of naphthalene and metabolism of other xenobiotics. *J Pharmacol Exp Ther* 290(1):281-288.
- Shultz MA, Morin D, Chang AM, et al. 2001. Metabolic capabilities of CYP2F2 with various pulmonary toxicants and its relative abundance in mouse lung subcompartments. *J Pharmacol Exp Ther* 296(2):510-519.
- Siddiqui TA, Zafar S, Iqbal N, et al. 2002. Effect of Kohl-Chikni Dawa - a compound ophthalmic formulation of Unani medicine on naphthalene-induced cataracts in rats. *BMC Complement Altern Med* 2:13. <https://doi.org/10.1186/1472-6882-2-13>.
- Siegel E, Wason S. 1986. Mothball toxicity. *Pediatr Clin North Am* 33(2):369-374.
- Siemering GS, Thiboldeaux R. 2021. Background concentration, risk assessment and regulatory threshold development: Polycyclic aromatic hydrocarbons (PAH) in Milwaukee, Wisconsin surface soils. *Environ Pollut* 268(Pt B):115772. <https://doi.org/10.1016/j.envpol.2020.115772>.
- Simms LA, Borras E, Chew BS, et al. 2021. Environmental sampling of volatile organic compounds during the 2018 Camp Fire in Northern California. *J Environ Sci* 103:135-147. <https://doi.org/10.1016/j.jes.2020.10.003>.
- Sina JF, Bean CL, Dysart GR, et al. 1983. Evaluation of the alkaline elution/rat hepatocyte assay as a predictor of carcinogenic/mutagenic potential. *Mutat Res* 113:357-391. [https://doi.org/10.1016/0165-1161\(83\)90228-5](https://doi.org/10.1016/0165-1161(83)90228-5).
- Singh S, Singh J. 2004. Dermal toxicity and microscopic alterations by JP-8 jet fuel components in vivo in rabbit. *Environ Toxicol Pharmacol* 16(3):153-161. <https://doi.org/10.1016/j.etap.2003.12.001>.

8. REFERENCES

- Singh A, Bodakhe SH. 2020. Resveratrol delay the cataract formation against naphthalene-induced experimental cataract in the albino rats. *J Biochem Mol Toxicol* 34(1):e22420. <https://doi.org/10.1002/jbt.22420>.
- Snyder JC, Zemke AC, Stripp BR. 2009. Reparative capacity of airway epithelium impacts deposition and remodeling of extracellular matrix. *Am J Respir Cell Mol Biol* 40(6):633-642. <https://doi.org/10.1165/rcmb.2008-0334OC>.
- Soliman YS, Wade TL. 2008. Estimates of PAHs burdens in a population of ampeliscid amphipods at the head of the Mississippi Canyon (N. Gulf of Mexico). *Deep Sea Res Part II Top Stud Oceanogr* 55(24-26):2577-2584. <https://doi.org/10.1016/j.dsr2.2008.07.007>.
- Solomou N, Fernández E, Szafnauer R, et al. 2023. Total and bioavailable polycyclic aromatic hydrocarbons in unused and operated heat-not-burn tobacco products and conventional cigarettes. *Chemosphere* 335:139050. <https://doi.org/10.1016/j.chemosphere.2023.139050>.
- Sonar SS, Schwinge D, Kilic A, et al. 2010. Nerve growth factor enhances Clara cell proliferation after lung injury. *Eur Respir J* 36(1):105-115. <https://doi.org/10.1183/09031936.00165508>.
- Sorg RM, Naismith RW, Matthews RJ. 1985. Micronucleus test (MNT) OECD. Texaco, Inc. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0513639. 86-870000561. PH 309A-TX-007-85. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513639.xhtml>. April 19, 2023.
- Southworth GR, Beauchamp JJ, Schmieder PK. 1978. Bioaccumulation potential of polycyclic aromatic hydrocarbons in *Daphnia pulex*. *Water Res* 12:973-977. [https://doi.org/10.1016/0043-1354\(78\)90080-5](https://doi.org/10.1016/0043-1354(78)90080-5).
- Srivastava SK, Nath R. 1969. Metabolic alterations in experimental cataract. Part I. Inhibition of lactate dehydrogenase and appearance of o-diphenol oxidase in cataractous lens of naphthalene fed rabbits. *Indian J Med Res* 57(2):225-227.
- Stagge JH, Seagren EA, Song X. 2016. Sorption of naphthalene onto natural and surfactant-amended soils. *J Environ Eng* 142(4):06015010. [https://doi.org/10.1061/\(ASCE\)EE.1943-7870.0001076](https://doi.org/10.1061/(ASCE)EE.1943-7870.0001076).
- Stamatelopoulou A, Dasopoulou M, Bairachtari K, et al. 2021. Contamination and potential risk assessment of polycyclic aromatic hydrocarbons (PAHs) and heavy metals in house settled dust collected from residences of young children. *Appl Sci* 11(4):1479. <https://doi.org/10.3390/app11041479>.
- Stern GA, Macdonald CR, Carvalho PC, et al. 2023. Baseline levels and characterization of hydrocarbons in surface marine sediments along the transportation corridor in Hudson Bay: A multivariate analysis of n-alkanes, PAHs and biomarkers. *Sci Total Environ* 855:158718. <https://doi.org/10.1016/j.scitotenv.2022.158718>.
- Sterner TR, Covington TR, Mattie DR. 2023. Complex mixtures: Array PBPK modeling of jet fuel components. *Toxics* 11(2):187. <https://doi.org/10.3390/toxics11020187>.
- Stillwell WG, Horning MG, Griffin GW, et al. 1982. Identification of new sulfur-containing metabolites of naphthalene in mouse urine. *Drug Metab Dispos* 10(6):624-631.
- Sucker K, Zschiesche W, Aziz M, et al. 2021. Naphthalene: irritative and inflammatory effects on the airways. *Int Arch Occup Environ Health* 94(5):889-899. <https://doi.org/10.1007/s00420-020-01636-0>.
- Sudakin DL, Smit E, Cardenas A, et al. 2011. Naphthalene biomarkers and relationship with hemoglobin and hematocrit in White, Black, and Hispanic adults: results from the 2003-2004 National Health and Nutrition Examination Survey. *J Med Toxicol* 9(2):133-138. <https://doi.org/10.1007/s13181-012-0262-y>.
- Sugiyama K, Wang T-C, Simpson JT, et al. 1999. Aldose reductase catalyzes the oxidation of naphthalene-1,2-dihydrodiol for the formation of ortho-naphthoquinone. *Drug Metab Dispos* 27(1):60-67.
- Summer KH, Rozman K, Coulston F, et al. 1979. Urinary excretion of mercapturic acids in chimpanzees and rats. *Toxicol Appl Pharmacol* 50:207-212. [https://doi.org/10.1016/0041-008X\(79\)90145-5](https://doi.org/10.1016/0041-008X(79)90145-5).

8. REFERENCES

- Sun Y, Kan Z, Zhang ZF, et al. 2023. Association of occupational exposure to polycyclic aromatic hydrocarbons in workers with hypertension from a northeastern Chinese petrochemical industrial area. *Environ Pollut* 323:121266. <https://doi.org/10.1016/j.envpol.2023.121266>.
- Sutherland KM, Edwards PC, Combs TJ, et al. 2012. Sex differences in the development of airway epithelial tolerance to naphthalene. *Am J Physiol Lung Cell Mol Physiol* 302(1):L68-L81. <https://doi.org/10.1152/ajplung.00089.2011>.
- Swartz E, Stockburger L, Vallero DA. 2003. Polycyclic aromatic hydrocarbons and other semivolatile organic compounds collected in New York City in response to the events of 9/11. *Environ Sci Technol* 37:3537-3546. <https://doi.org/10.1021/es0303561>.
- Sweeney LM, Gearhart JM. 2020. Examples of physiologically based pharmacokinetic modeling applied to risk assessment. In: Fisher JW, Gearhart JM, Lin Z, eds. *Physiologically based pharmacokinetic (PBPK) modeling*. Academic Press: 281-299. <https://doi.org/10.1016/B978-0-12-818596-4.00011-4>.
- Świercz R, Wąsowicz W. 2018. The distribution and excretion of 1-methylnaphthalene in rats exposed to 1-methylnaphthalene by inhalation. *Int J Occup Med Environ Health* 31(6):763-770. <https://doi.org/10.13075/ijomeh.1896.01224>.
- Świercz R, Stępnik M. 2020. The effects of 1-methylnaphthalene after inhalation exposure on the serum corticosterone levels in rats. *Int J Occup Med Environ Health* 33(5):691-699. <https://doi.org/10.13075/ijomeh.1896.01476>.
- Świercz R, Wąsowicz W, Majcherek W. 2010. The toxicokinetics of 2-methylnaphtalene in rats. *Int J Occup Med Environ Health* 23(4):385-389. <https://doi.org/10.2478/v10001-010-0026-3>.
- Świercz R, Wąsowicz W, Stetkiewicz J, et al. 2011. 4-Week inhalation toxicity of 2-methylnaphthalene in experimental animals. *Int J Occup Med Environ Health* 24(4):399-408. <https://doi.org/10.2478/s13382-011-0036-9>.
- Świercz R, Stępnik M, Gromadzińska J, et al. 2022. Metabolism and in vitro assessment of the mutagenic activity of urinary extracts from rats after inhalation exposure to 1-methylnaphthalene. *Int J Occup Med Environ Health* 35(6):731-746. <https://doi.org/10.13075/ijomeh.1896.01955>.
- Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53(10):1503-1518.
- Tabatabaei Z, Shamsedini N, Mohammadpour A, et al. 2022. Exposure assessment of children living in homes with hookah smoking parents to polycyclic aromatic hydrocarbons: urinary level, exposure predictors, and risk assessment. *Environ Sci Pollut Res Int* 29(45):68667-68679. <https://doi.org/10.1007/s11356-022-20589-0>.
- Tan YM, Chan M, Chukwudebe A, et al. 2020. PBPK model reporting template for chemical risk assessment applications. *Regul Toxicol Pharmacol* 115:104691. <https://doi.org/10.1016/j.yrtph.2020.104691>.
- Tang KY. 2017. A patient presented with dark brown urine after mothballs powder ingestion. *Clin Toxicol* 55(7):674-675. <https://doi.org/10.1080/15563650.2017.1305110>.
- Tannor EK, Hutton-Mensah KA. 2019. Naphthalene induced acute kidney injury in an African patient in Ghana: a case report. *Pan Afr Med J* 32:201. <https://doi.org/10.11604/pamj.2019.32.201.17886>.
- Tao RV, Holleschau AM, Rathbun WB. 1991. Naphthalene-induced cataract in the rat. II. Contrasting effects of two aldose reductase inhibitors on glutathione and glutathione redox enzymes. *Ophthalmic Res* 23(5):272-283. <https://doi.org/10.1159/000267123>.
- Tarshis IB. 1981. Uptake and depuration of petroleum hydrocarbons by crayfish. *Arch Environ Contam Toxicol* 10:79-86. <https://doi.org/10.1007/BF01057577>.
- Teeguarden JG, Bogdanffy MS, Covington TR, et al. 2008. A PBPK model for evaluating the impact of aldehyde dehydrogenase polymorphisms on comparative rat and human nasal tissue acetaldehyde dosimetry. *Inhal Toxicol* 20(4):375-390. <https://doi.org/10.1080/08958370801903750>.
- Teke G, Hubai K, Diósi D, et al. 2020. Assessment of foliar uptake and accumulation of airborne polyaromatic hydrocarbons under laboratory conditions. *Bull Environ Contam Toxicol* 104(4):444-448. <https://doi.org/10.1007/s00128-020-02814-z>.

8. REFERENCES

- Teshima R, Nagamatsu K, Ikebuchi H, et al. 1983. In vivo and in vitro metabolism of 2-methyl-naphthalene in the guinea pig. *Drug Metab Dispos* 11(2):152-157.
- Texaco. 1985a. Primary dermal irritation study in rabbits (83/EPA): Naphthalene. Texaco, Inc. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0513633. 86-870000555. PH 420-TX-013-84. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513633.xhtml>. April 19, 2023.
- Texaco. 1985b. Rabbit eye irritation study (WASH): Naphthalene. Texaco, Inc. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0513634. 86-870000556. PH 421-TX-009-84. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513634.xhtml>. February 9, 2023.
- Texaco. 1985c. Delayed contact hypersensitivity in guinea pigs: Naphthalene. Texaco, Inc. Submitted to the U.S. Environmental Protection Agency under TSCA section 8. OTS0513632. 86-870000554. PH 424-TX-001-84. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513632.xhtml>. April 19, 2023.
- Texaco. 1985d. Dose-range-finding - developmental toxicity study in rabbits. Texaco, Inc. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0513640. 86870000562. PH 329DR-TX-001-85. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513640.xhtml>. February 10, 2023.
- Texaco. 1986. Developmental toxicity study in rabbits: Naphthalene. Texaco, Inc. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0513641. 86-870000563. PH 329-TX-001-85. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0513641.xhtml>. April 19, 2023.
- Thangatorai R. 2022. Naphthalene-induced acute oxidative hemolysis with methemoglobinemia in glucose-6-phosphate dehydrogenase (G6PD) deficiency. *Cureus* 14(3):e23496. <https://doi.org/10.7759/cureus.23496>.
- Thomann RV. 1989. Bioaccumulation model of organic chemical distribution in aquatic food chains. *Environ Sci Technol* 23:699-707. <https://doi.org/10.1021/es00064a008>.
- Thomas JM, Yordy JR, Amador JA, et al. 1986. Rates of dissolution and biodegradation of water-insoluble organic compounds. *Appl Environ Microbiol* 52(2):290-296. <https://doi.org/10.1128/aem.52.2.290-296.1986>.
- Thornton-Manning JR, Dahl AR. 1997. Metabolic capacity of nasal tissue interspecies comparisons of xenobiotic-metabolizing enzymes. *Mutat Res* 380:43-59. [https://doi.org/10.1016/S0027-5107\(97\)00126-7](https://doi.org/10.1016/S0027-5107(97)00126-7).
- Tidwell LG, Allan SE, O'Connell SG, et al. 2016. PAH and OPAH flux during the deepwater horizon incident. *Environ Sci Technol* 50(14):7489-7497. <https://doi.org/10.1021/acs.est.6b02784>.
- Tingle MD, Pirmohamed M, Templeton E, et al. 1993. An investigation of the formation of cytotoxic, genotoxic, protein-reactive and stable metabolites from naphthalene by human liver microsomes. *Biochem Pharmacol* 46(9):1529-1538. [https://doi.org/10.1016/0006-2952\(93\)90319-r](https://doi.org/10.1016/0006-2952(93)90319-r).
- Toba H, Wang Y, Bai X, et al. 2015. XB130 promotes bronchioalveolar stem cell and Club cell proliferation in airway epithelial repair and regeneration. *Oncotarget* 6(31):30803-30817. <https://doi.org/10.18632/oncotarget.5062>.
- Tomasetig F, Tebby C, Graillot V, et al. 2020. Comparative genotoxic potential of 27 polycyclic aromatic hydrocarbons in three human cell lines. *Toxicol Lett* 326:99-105. <https://doi.org/10.1016/j.toxlet.2020.03.007>.
- Tonelli QJ, Custer RP, Sorof S. 1979. Transformation of cultured mouse mammary glands by aromatic amines and amides and their derivatives. *Cancer Res* 39:1784-1792.
- Traynor GW, Apte MG, Sokol HA. 1990. Selected organic pollutant emissions from unvented kerosene space heaters. *Environ Sci Technol* 24:1265-1270. <https://doi.org/10.1021/es00078a017>.
- TRI23. 2024. Naphthalene. TRI search. Washington, DC: Toxics Release Inventory. U.S. Environmental Protection Agency. <https://www.epa.gov/enviro/tri-search>. October 10, 2024.

8. REFERENCES

- Troester MA, Lindstrom AB, Waidyanatha S, et al. 2002. Stability of hemoglobin and albumin adducts of naphthalene oxide, 1,2-naphthoquinone, and 1,4-naphthoquinone. *Toxicol Sci* 68:314-321. <https://doi.org/10.1093/toxsci/68.2.314>.
- Tsuda H, Lee G, Farber E. 1980. Induction of resistant hepatocytes as a new principle for a possible short-term in vivo test for carcinogens. *Cancer Res* 40:1157-1164.
- Tsuruda LS, Lamé MW, Jones AD. 1995. Formation of epoxide and quinone protein adducts in B6C3F1 mice treated with naphthalene, sulfate conjugate of 1,4-dihydroxynaphthalene and 1,4-naphthoquinone. *Arch Toxicol* 69(6):362-367. <https://doi.org/10.1007/s002040050185>.
- Turkall RM, Skowronski GA, Kadry AM, et al. 1994. A comparative study of the kinetics and bioavailability of pure and soil-adsorbed naphthalene in dermally exposed male rats. *Arch Environ Contam Toxicol* 26(4):504-509. <https://doi.org/10.1007/BF00214154>.
- Turney GL, Goerlitz DF. 1990. Organic contamination of ground water at Gas Works Park, Seattle, Washington. *Ground Water Monit Rev* 10(3):187-198. <https://doi.org/10.1111/j.1745-6592.1990.tb00014.x>.
- USGS. 2004. Methods of analysis of the U.S. Geological Survey National Water Quality Laboratory - Determination of polycyclic aromatic hydrocarbon compounds in sediment by gas chromatography/mass spectrometry. Reston, VA: U.S. Geological Survey. Water-Resources Investigations Report 03-4318. https://www.nemi.gov/methods/method_summary/8947/. November 21, 2023.
- USGS. 2006. Determination of wastewater compounds in whole water by continuous liquid-liquid extraction and capillary-column gas chromatography/mass spectrometry. Reston, VA: U.S. Geological Survey. Techniques and Methods 5-B4. https://www.nemi.gov/methods/method_summary/99999997833/. November 21, 2023.
- USGS. 2015. Water quality in principal aquifers of the United States, 1991-2010. Reston, VA: U.S. Geological Survey. Circular 1360. <https://pubs.usgs.gov/circ/1360/pdf/circ1360report.pdf>. February 8, 2023.
- USGS. 2018. Supplemental material: Assessment of polycyclic aromatic hydrocarbon concentrations in southern Lake Powell, Glen Canyon National Recreation Area, Arizona and Utah, 2016-17. U.S. Geological Survey. <https://doi.org/10.5066/P96QGCVN>.
- USGS. 2019. Assessment of polycyclic aromatic hydrocarbon concentrations in southern Lake Powell, Glen Canyon National Recreation Area, Arizona and Utah, 2016-17. U.S. Geological Survey. SIR20195065. <https://doi.org/10.3133/sir20195065>.
- Uthuman AAA, Jayasinghe CS, Fernando AHN. 2019. Acute intravascular hemolysis due to naphthalene toxicity: a case report. *J Med Case Rep* 13(1):91. <https://doi.org/10.1186/s13256-018-1963-x>.
- Valaes T, Doxiadis SA, Fessas P. 1963. Acute hemolysis due to naphthalene inhalation. *J Pediatr* 63(5):904-915. [https://doi.org/10.1016/S0022-3476\(63\)80221-8](https://doi.org/10.1016/S0022-3476(63)80221-8).
- van der Hoeve J. 1906. [Chorioretinitis in humans from the effects of naphthalene]. *Arch Augenheilkd* 56:259-262. (German)
- van Heyningen R, Pirie A. 1967. The metabolism of naphthalene and its toxic effect on the eye. *Biochem J* 102(3):842-852. <https://doi.org/10.1042/bj1020842>.
- Van Metre PC, Mahler BJ, Wilson JT. 2009. PAHs underfoot: contaminated dust from coal-tar sealcoated pavement is widespread in the United States. *Environ Sci Technol* 43(1):20-25. <https://doi.org/10.1021/es802119h>.
- Van Winkle LS, Isaac JM, Plopper CG. 1996. Repair of naphthalene-injured microdissected airways in vitro. *Am J Respir Cell Mol Biol* 15:1-8. <https://doi.org/10.1165/ajrcmb.15.1.8679213>.
- Van Winkle LS, Isaac JM, Plopper CG. 1997. Distribution of epidermal growth factor receptor and ligands during bronchiolar epithelial repair from naphthalene-induced Clara cell injury in the mouse. *Am J Pathol* 151(2):443-459.

8. REFERENCES

- Van Winkle LS, Gunderson AD, Shimizu JA, et al. 2002. Gender differences in naphthalene metabolism and naphthalene-induced acute lung injury. *Am J Physiol Lung Cell Mol Physiol* 282(5):L1122-L1134. <https://doi.org/10.1152/ajplung.00309.2001>.
- Van Winkle LS, Brown CD, Shimizu JA, et al. 2004. Impaired recovery from naphthalene-induced bronchiolar epithelial injury in mice exposed to aged and diluted sidestream cigarette smoke. *Toxicol Lett* 154(1-2):1-9. <https://doi.org/10.1016/j.toxlet.2004.06.007>.
- Veith GD, DeFoe DL, Bergstedt BV, et al. 1979. Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fish Res Board Can* 36:1040-1048. <https://doi.org/10.1139/f79-146>.
- Verschueren K. 1983. 2-Methylnaphthalene. In: *Handbook of environmental data on organic chemicals*. 2nd ed. New York, NY: Van Nostrand Reinhold Company, 862-865, 890-899.
- Volckaert T, Dill E, Campbell A, et al. 2011. Parabronchial smooth muscle constitutes an airway epithelial stem cell niche in the mouse lung after injury. *J Clin Invest* 121(11):4409-4419. <https://doi.org/10.1172/jci58097>.
- Waidyanatha S, Troester MA, Lindstrom AB, et al. 2002. Measurement of hemoglobin and albumin adducts of naphthalene-1,2-oxide, 1,2-naphthoquinone after administration of naphthalene to F344 rats. *Chem Biol Interact* 141(3):189-210. [https://doi.org/10.1016/S0009-2797\(02\)00048-0](https://doi.org/10.1016/S0009-2797(02)00048-0).
- Wakeham SG, Davis AC, Karas IL. 1983. Mesocosm experiments to determine the fate and persistence of volatile organic compounds in coastal seawater. *Environ Sci Technol* 17:611-617. <https://doi.org/10.1021/es00116a009>.
- Wang BM, Stern EJ, Schmidt RA, et al. 1997. Diagnostic pulmonary alveolar proteinosis. A review and an update. *Chest* 111:460-466. <https://doi.org/10.1378/chest.111.2.460>.
- Wang BL, Pang ST, Zhang XL, et al. 2014. Levels and neurodevelopmental effects of polycyclic aromatic hydrocarbons in settled house dust of urban dwellings on preschool-aged children in Nanjing, China. *Atmos Pollut Res* 5(2):292-302. <https://doi.org/10.5094/apr.2014.035>.
- Wang Y, Zhao H, Wang T, et al. 2019. Polycyclic aromatic hydrocarbons exposure and hematotoxicity in occupational population: A two-year follow-up study. *Toxicol Appl Pharmacol* 378:114622. <https://doi.org/10.1016/j.taap.2019.114622>.
- Wang D, Bruyneel B, Kamelia L, et al. 2020. In vitro metabolism of naphthalene and its alkylated congeners by human and rat liver microsomes via alkyl side chain or aromatic oxidation. *Chem Biol Interact* 315:108905. <https://doi.org/10.1016/j.cbi.2019.108905>.
- Wang Y, Zhu L, James-Todd T, et al. 2022a. Urinary polycyclic aromatic hydrocarbon excretion and regional body fat distribution: evidence from the U.S. National Health and Nutrition Examination Survey 2001-2016. *Environ Health* 21(1):75. <https://doi.org/10.1186/s12940-022-00890-8>.
- Wang F, Wang Y, Wang Y, et al. 2022b. Urinary polycyclic aromatic hydrocarbon metabolites were associated with hypertension in US adults: data from NHANES 2009-2016. *Environ Sci Pollut Res Int* 29(53):80491-80501. <https://doi.org/10.1007/s11356-022-21391-8>.
- Wang X, Li A, Xu Q. 2022c. The association between urinary polycyclic aromatic hydrocarbons metabolites and type 2 diabetes mellitus. *Int J Environ Res Public Health* 19(13):7605. <https://doi.org/10.3390/ijerph19137605>.
- Wang C, Wang W, Deng W, et al. 2023. Distribution characteristics, air-water exchange, ozone formation potential and health risk assessments of VOCs emitted from typical coking wastewater treatment process. *Sci Total Environ* 862:160845. <https://doi.org/10.1016/j.scitotenv.2022.160845>.
- Wanying L, Okromelidze MT, et al. 2023. The association of in-utero exposure to polycyclic aromatic hydrocarbons and umbilical liver enzymes. *Sci Total Environ* 889:164220. <https://doi.org/10.1016/j.scitotenv.2023.164220>.
- Warren DL, Brown DL, Buckpitt AR. 1982. Evidence for cytochrome P-450 mediated metabolism in the bronchiolar damage of naphthalene. *Chem Biol Interact* 40:287-303. [https://doi.org/10.1016/0009-2797\(82\)90152-1](https://doi.org/10.1016/0009-2797(82)90152-1).
- Weiss T, Breuer D, Bury D, et al. 2020. (Mono-) exposure to naphthalene in the abrasives industry: Air monitoring and biological monitoring. *Ann Work Expo Health* 64(9):982-992. <https://doi.org/10.1093/annweh/wxa062>.

8. REFERENCES

- Weissenfels WD, Klewer HJ, Langhoff J. 1992. Adsorption of polycyclic aromatic hydrocarbons (PAHs) by soil particles: influence on biodegradability and biotoxicity. *Appl Microbiol Biotechnol* 36(5):689-696. <https://doi.org/10.1007/BF00183251>.
- Weissinger RH, Blackwell BR, Keteles K, et al. 2018. Bioactive contaminants of emerging concern in National Park waters of the northern Colorado Plateau, USA. *Sci Total Environ* 636:910-918. <https://doi.org/10.1016/j.scitotenv.2018.04.332>.
- Wells PG, Wilson B, Lubek BM. 1989. In vivo murine studies on the biochemical mechanism of naphthalene cataractogenesis. *Toxicol Appl Pharmacol* 99:466-473. [https://doi.org/10.1016/0041-008X\(89\)90154-3](https://doi.org/10.1016/0041-008X(89)90154-3).
- West JAA, Buckpitt AR, Plopper CG. 2000. Elevated airway GSH resynthesis confers protection to cells from naphthalene injury in mice made tolerant by repeated exposures. *J Pharmacol Exp Ther* 294(2):516-523.
- West JAA, Pakeham G, Morin D, et al. 2001. Inhaled naphthalene causes dose dependent Clara cell cytotoxicity in mice but not in rats. *Toxicol Appl Pharmacol* 173(2):114-119. <https://doi.org/10.1006/taap.2001.9151>.
- Wheeler AJ, Dobbin NA, Héroux ME, et al. 2014. Urinary and breast milk biomarkers to assess exposure to naphthalene in pregnant women: an investigation of personal and indoor air sources. *Environ Health* 13(1):30. <https://doi.org/10.1186/1476-069x-13-30>.
- WHO. 2010. Guidelines for indoor air quality: Selected pollutants. World Health Organization. <https://www.who.int/publications/i/item/9789289002134>. September 13, 2024.
- WHO. 2022. Guidelines for drinking-water quality. Fourth edition incorporating the first and second addenda. World Health Organization. <https://www.who.int/publications/i/item/9789240045064>. June 22, 2022.
- Wild SR, Waterhouse KS, McGrath SP, et al. 1990. Organic contaminants in an agricultural soil with a known history of sewage sludge amendments: Polynuclear aromatic hydrocarbons. *Environ Sci Technol* 24:1706-1711. <https://doi.org/10.1021/es00081a013>.
- Willems BA, Melnick RL, Kohn MC, et al. 2001. A physiologically based pharmacokinetic model for inhalation and intravenous administration of naphthalene in rats and mice. *Toxicol Appl Pharmacol* 176(2):81-91. <https://doi.org/10.1006/taap.2001.9269>.
- Williams KJ, Cruikshank MK, Plopper CG. 2003. Pulmonary heat shock protein expression after exposure to a metabolically activated Clara cell toxicant: relationship to protein adduct formation. *Toxicol Appl Pharmacol* 192(2):107-118. [https://doi.org/10.1016/s0041-008x\(03\)00302-8](https://doi.org/10.1016/s0041-008x(03)00302-8).
- Wilson NK, Kuhlman MR, Chuang JC. 1989. A quiet sampler for the collection of semivolatile organic pollutants in indoor air. *Environ Sci Technol* 23:1112-1116. <https://doi.org/10.1021/es00067a008>.
- Wilson AS, Tingle MD, Kelly MD, et al. 1995. Evaluation of the generation of genotoxic and cytotoxic metabolites of benzo[a]pyrene, aflatoxin B1, naphthalene and tamoxifen using human liver microsomes and human lymphocytes. *Hum Exp Toxicol* 14:507-515. <https://doi.org/10.1177/096032719501400608>.
- Wilson AS, Davis CD, Williams DP, et al. 1996. Characterisation of the toxic metabolite(s) of naphthalene. *Toxicology* 114:233-242. [https://doi.org/10.1016/S0300-483X\(96\)03515-9](https://doi.org/10.1016/S0300-483X(96)03515-9).
- Wilson NK, Chuang JC, Lyu C. 1999. Multimedia concentrations of PAH in several day care centers. *Polycycl Aromat Compd* 17(1-4):255-265. <https://doi.org/10.1080/10406639908020620>.
- Woolf AD, Saperstien A, Zarwin J, et al. 1993. Radiopacity of household deodorizers, air fresheners, and moth repellents. *J Toxicol Clin Toxicol* 31(3):415-428. <https://doi.org/10.3109/15563659309000410>.
- WQP. 2023. Water quality portal data: Naphthalene, 1-methylnaphthalene, and 2-methylnaphthalene. Environmental Protection Agency (EPA); National Water Quality Monitoring Council (NWQMC); United States Geological Survey (USGS). <https://www.waterqualitydata.us/portal/>. August 30, 2023.

8. REFERENCES

- Wu X, Hu Y, Wang Q, et al. 2023. Study on the correlation between the dominant microflora and the main flavor substances in the fermentation process of cigar tobacco leaves. *Front Microbiol* 14:1267447. <https://doi.org/10.3389/fmicb.2023.1267447>.
- Xia Y, Han Y, Zhu P, et al. 2009. Relation between urinary metabolites of polycyclic aromatic hydrocarbons and human semen quality. *Environ Sci Technol* 43(12):4567-4573. <https://doi.org/10.1021/es9000642>.
- Xu GT, Zigler JS, Lou MF. 1992a. Establishment of a naphthalene cataract model in vitro. *Exp Eye Res* 54:73-81. [https://doi.org/10.1016/0014-4835\(92\)90071-Y](https://doi.org/10.1016/0014-4835(92)90071-Y).
- Xu GT, Zigler JS, Lou MF. 1992b. The possible mechanism of naphthalene cataract in rat and its prevention by an aldose reductase inhibitor (AL01576). *Exp Eye Res* 54:63-72. [https://doi.org/10.1016/0014-4835\(92\)90070-9](https://doi.org/10.1016/0014-4835(92)90070-9).
- Xu J, Niehoff NM, White AJ, et al. 2022. Fossil-fuel and combustion-related air pollution and hypertension in the Sister Study. *Environ Pollut* 315:120401. <https://doi.org/10.1016/j.envpol.2022.120401>.
- Yamauchi T, Komura S, Yagi K. 1986. Serum lipid peroxide levels of albino rats administered naphthalene. *Biochem Int* 13(1):1-6.
- Yang M, Koga M, Katoh T, et al. 1999. A study for the proper application of urinary naphthols, new biomarkers for airborne polycyclic aromatic hydrocarbons. *Arch Environ Contam Toxicol* 36(1):99-108. <https://doi.org/10.1007/s002449900447>.
- Yang P, Wang YX, Chen YJ, et al. 2017. Urinary polycyclic aromatic hydrocarbon metabolites and human semen quality in China. *Environ Sci Technol* 51(2):958-967. <https://doi.org/10.1021/acs.est.6b04810>.
- Ye X, Pan W, Li C, et al. 2020. Exposure to polycyclic aromatic hydrocarbons and risk for premature ovarian failure and reproductive hormones imbalance. *J Environ Sci* 91:1-9. <https://doi.org/10.1016/j.jes.2019.12.015>.
- Yin S, Tang M, Chen F, et al. 2017. Environmental exposure to polycyclic aromatic hydrocarbons (PAHs): The correlation with and impact on reproductive hormones in umbilical cord serum. *Environ Pollut* 220(Pt B):1429-1437. <https://doi.org/10.1016/j.envpol.2016.10.090>.
- Yu X, Wang X, Bartha R, et al. 1990. Supercritical fluid extraction of coal tar contaminated soil. *Environ Sci Technol* 24:1732-1738. <https://doi.org/10.1021/es00081a017>.
- Zelinkova Z, Wenzl T. 2015. The occurrence of 16 EPA PAHs in food - A review. *Polycycl Aromat Compd* 35(2-4):248-284. <https://doi.org/10.1080/10406638.2014.918550>.
- Zepp RG, Schlotzhauer PF. 1979. Photoreactivity of selected aromatic hydrocarbons in water. In: Jones PW, Leber P, eds. *Polynuclear aromatic hydrocarbons*. Ann Arbor, MI: Ann Arbor Science, 141-157.
- Zhang X, Li Z. 2023. Co-PBK: a computational biomonitoring tool for assessing chronic internal exposure to chemicals and metabolites. *Environ Sci Process Impacts* 25(12):2167-2180. <https://doi.org/10.1039/d3em00396e>.
- Zhang X, Li Z. 2024. Assessing chronic gestational exposure to environmental chemicals in pregnant women: Advancing the co-PBK model. *Environ Res* 247:118160. <https://doi.org/10.1016/j.envres.2024.118160>.
- Zhang F, Zhang Y, Wang K, et al. 2015. Diallyl trisulfide inhibits naphthalene-induced oxidative injury and the production of inflammatory responses in A549 cells and mice. *Int Immunopharmacol* 29(2):326-333. <https://doi.org/10.1016/j.intimp.2015.10.033>.
- Zhang F, Zhang Y, Wang K, et al. 2016. Protective effect of diallyl trisulfide against naphthalene-induced oxidative stress and inflammatory damage in mice. *Int J Immunopathol Pharmacol* 29(2):205-216. <https://doi.org/10.1177/0394632015627160>.
- Zhang S, Li C, Li Y, et al. 2017. Bioaccessibility of PAHs in contaminated soils: Comparison of five in vitro methods with Tenax as a sorption sink. *Sci Total Environ* 601-602:968-974. <https://doi.org/10.1016/j.scitotenv.2017.05.234>.

8. REFERENCES

- Zhang Y, Wang X, Yang X, et al. 2022. Chemical mixture exposure patterns and obesity among U.S. adults in NHANES 2005-2012. *Ecotoxicol Environ Saf* 248:114309. <https://doi.org/10.1016/j.ecoenv.2022.114309>.
- Zhang H, Liu R, Yang L, et al. 2023. Exposure to polycyclic aromatic hydrocarbons (PAHs) in outdoor air and respiratory health, inflammation and oxidative stress biomarkers: A panel study in healthy young adults. *Sci Total Environ* 899:165582. <https://doi.org/10.1016/j.scitotenv.2023.165582>.
- Zhang D, Liu X, Tu J, et al. 2024. Mediating role of glucose-lipid metabolism in the association between the increased risk of coronary heart disease and exposure to organophosphate esters, phthalates, and polycyclic aromatic hydrocarbons. *Environ Health* 2(3):170-179. <https://doi.org/10.1021/envhealth.3c00155>.
- Zhao W, Ramos JS. 1998. Cytotoxic response profiles of cultured rat hepatocytes to selected aromatic hydrocarbons. *Toxicol In Vitro* 12:175-182. [https://doi.org/10.1016/S0887-2333\(97\)00099-4](https://doi.org/10.1016/S0887-2333(97)00099-4).
- Zheng J, Cho M, Jones AD, et al. 1997. Evidence of quinone metabolites of naphthalene covalently bound to sulfur nucleophiles of proteins of Murine cells after exposure to naphthalene. *Chem Res Toxicol* 10(9):1008-1014. <https://doi.org/10.1021/tx970061j>.
- Zhou F, Onizawa S, Nagai A, et al. 2011. Epithelial cell senescence impairs repair process and exacerbates inflammation after airway injury. *Respir Res* 12(1):78. <https://doi.org/10.1186/1465-9921-12-78>.
- Zhu X, Lu Y. 2012. Selenium supplementation can slow the development of naphthalene cataract. *Curr Eye Res* 37(3):163-169. <https://doi.org/10.3109/02713683.2011.639123>.
- Zhu P, Bian Z, Xia Y, et al. 2009. Relationship between urinary metabolites of polycyclic aromatic hydrocarbons and thyroid hormone levels in Chinese non-occupational exposure adult males. *Chemosphere* 77(7):883-888. <https://doi.org/10.1016/j.chemosphere.2009.08.054>.
- Zhu X, Li J, Deng S, et al. 2016. Genome-wide analysis of DNA methylation and cigarette smoking in a Chinese population. *Environ Health Perspect* 124(7):966-973. <https://doi.org/10.1289/ehp.1509834>.
- Zinkham WH, Childs B. 1957. Effect of vitamin K and naphthalene metabolites on glutathione metabolism of erythrocytes from normal newborns and patients with naphthalene hemolytic anemia. *Am J Dis Child* 94(6):420-423.
- Zinkham WH, Childs B. 1958. A defect of glutathione metabolism in erythrocytes from patients with a naphthalene-induced hemolytic anemia. *Pediatrics* 22(3):461-471. <https://doi.org/10.1542/peds.22.3.461>.
- Zitko V, Stenson G, Hellou J. 1998. Levels of organochlorine and polycyclic aromatic compounds in harp seal beaters (*Phoca groenlandica*). *Sci Total Environ* 221:11-29. [https://doi.org/10.1016/S0048-9697\(98\)00159-4](https://doi.org/10.1016/S0048-9697(98)00159-4).
- Zuelzer WW, Apt L. 1949. Acute hemolytic anemia due to naphthalene poisoning: A clinical and experimental study. *J Am Med Assoc* 141(3):185-190. <https://doi.org/10.1001/jama.1949.02910030015004>.