

CHAPTER 8. REFERENCES

- Ahmed AE, Patel K. 1981. Acrylonitrile: In vivo metabolism in rats and mice. *Drug Metab Dispos* 9(3):219-222.
- Ahmed AE, Farooqui MYH. 1982. Comparative toxicities of aliphatic nitriles. *Toxicol Lett* 12(2-3):157-163. [https://doi.org/10.1016/0378-4274\(82\)90179-5](https://doi.org/10.1016/0378-4274(82)90179-5).
- Ahmed AE, Farooqui MY, Upreti RK, et al. 1982. Distribution and covalent interactions of [1-14C]acrylonitrile in the rat. *Toxicology* 23(2-3):159-175. [https://doi.org/10.1016/0300-483x\(82\)90095-6](https://doi.org/10.1016/0300-483x(82)90095-6).
- Ahmed AE, Farooqui MYH, Upreti RK, et al. 1983. Comparative toxicokinetics of 2,3-14C-and 1-14C-acrylonitrile in the rat. *J Appl Toxicol* 3(1):39-47. <https://doi.org/10.1002/jat.2550030109>.
- Ahmed AE, Abdel-Aziz AH, Abdel-Rahman SZ, et al. 1992. Pulmonary toxicity of acrylonitrile: covalent interaction and effect on replicative and unscheduled DNA synthesis in the lung. *Toxicology* 76(1):1-14. [https://doi.org/10.1016/0300-483x\(92\)90013-5](https://doi.org/10.1016/0300-483x(92)90013-5).
- Ahmed AE, Nouraldeen AM, Abdel-Rahman SZ, et al. 1996. Role of glutathione modulation in acrylonitrile-induced gastric DNA damage in rats. *Arch Toxicol* 70(10):620-627. <https://doi.org/10.1007/s002040050320>.
- Albertini RJ, Kirman CR, Strother DE. 2023. Acrylonitrile's genotoxicity profile: mutagenicity in search of an underlying molecular mechanism. *Crit Rev Toxicol* 53(2):69-116. <https://doi.org/10.1080/10408444.2023.2179912>.
- Alexander DD, Pastula ST, Riordan AS. 2021. Epidemiology of lung cancer among acrylonitrile-exposed study populations: A meta-analysis. *Regul Toxicol Pharmacol* 122:104896. <https://doi.org/10.1016/j.yrtph.2021.104896>.
- Amacher DE, Turner GN. 1985. Tests for gene mutational activity in L5178Y/TK assay system. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 487-496.
- AN Group. 1990. Public comments on scientific and technical issues on the draft toxicological profile for acrylonitrile. Submitted to Agency for Toxic Substances and Disease Registry.
- Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- Anderson D, Cross MF. 1985. Suitability of the P388F mouse lymphoma system for detecting potential carcinogens and mutagens. *Food Chem Toxicol* 23(1):115-118. [https://doi.org/10.1016/0278-6915\(85\)90229-7](https://doi.org/10.1016/0278-6915(85)90229-7).
- Arni P. 1985. Induction of various genetic effects in the yeast *Saccharomyces cerevisiae* strain D7. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 217-224.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Reg* 54(174):37618-37634. <https://www.govinfo.gov/content/pkg/FR-1989-09-11/pdf/FR-1989-09-11.pdf>. July 5, 2022.
- ATSDR. 2005. Public health assessment for Conrail Rail Yard, Indiana. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/HAC/pha/ConrailRailYd/ConrailRailYardPHA081105.pdf>. October 11, 2022.
- ATSDR. 2007. Health consultation for Laugh and Learn Daycare, Ohio. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/HAC/pha/LaughandLearnDaycare/LaughAndLearnDaycareHC061807.pdf>. October 11, 2022.
- ATSDR. 2008. Health consultation for Schuylkill Haven MGP Site, Pennsylvania. Atlanta, GA: Agency for Toxic Substances and Disease Registry.

8. REFERENCES

- https://www.atsdr.cdc.gov/HAC/pha/SchuylkillHavenMGPSite/Schuylkill_Haven_MGP_Site%20HC%209-30-2008.pdf. October 11, 2022.
- ATSDR. 2022. Acrylonitrile. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/SPL/resources/index.html>. June 1, 2023.
- Bader M, Wrbitzky R. 2006. Follow-up biomonitoring after accidental exposure to acrylonitrile:- implications for protein adducts as a dose monitor for short-term exposures. *Toxicol Lett* 162(2-3):125-131. <https://doi.org/10.1016/j.toxlet.2005.09.034>.
- Banerjee S, Segal A. 1986. In vitro transformation of C3H/10T1/2 and NIH/3T3 cells by acrylonitrile and acrylamide. *Cancer Letters* 32(3):293-304. [https://doi.org/10.1016/0304-3835\(86\)90182-5](https://doi.org/10.1016/0304-3835(86)90182-5).
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486. [https://doi.org/10.1016/0273-2300\(88\)90047-5](https://doi.org/10.1016/0273-2300(88)90047-5).
- Barrows ME, Petrocelli SR, Macek KJ, et al. 1978. Bioconcentration and elimination of selected water pollutants by bluegill sunfish. *Am Chem Soc Div Environ Chem* 18:345-346.
- Baxter RA. 1979. Evaluation and control of industrial exposure to acrylonitrile. *Ann Occup Hyg* 22(4):429-435. <https://doi.org/10.1093/annhyg/22.4.429>.
- Beliles RP, Paulin HJ, Makris NG, et al. 1980. Three-generation reproduction study of rats receiving acrylonitrile in drinking water. Chemical Manufacturers Association. Submitted to the U.S. Environmental Protection Agency under TSCA section FYI. LBI Project No 2660. OTS00000730. FYIAX03800073. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS00000730.xhtml>. July 5, 2022.
- Benn T, Osborne K. 1998. Mortality of United Kingdom acrylonitrile workers-an extended and updated study. *Scand J Work Environ Health* 24(Suppl 2):17-24.
- Bigner DD, Bigner SH, Burger PC, et al. 1986. Primary brain tumors in Fischer 344 rats chronically exposed to acrylonitrile in their drinking water. *Food Chem Toxicol* 24(2):129-137. [https://doi.org/10.1016/0278-6915\(86\)90347-9](https://doi.org/10.1016/0278-6915(86)90347-9).
- Bio/Dynamics. 1980a. Initial submission: 24-Month oral toxicity/carcinogenicity study with acrylonitrile administered to Spartan rats in drinking water (final report) with cover letter dated 072492. Dow Chemical Company. Submitted to the U.S. Environmental Protection Agency under TSCA section 8E. BDN-77-28. OTS0544562. 88-920005779. 8EHQ-0792-7133. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0544562.xhtml>. July 5, 2022.
- Bio/Dynamics. 1980b. Initial submission: 24-Month oral toxicity/carcinogenicity study with acrylonitrile administered in drinking water to Fischer 344 rats (final report) with cover letter dated 072492. Dow Chemical Company. Submitted to the U.S. Environmental Protection Agency under TSCA section 8E. BDN-77-27. OTS0544560. 88-920005777. 8EHQ-0792-7131. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0544560.xhtml>. July 5, 2022.
- Bio/Dynamics. 1980c. Initial submission: Twenty-four month oral toxicity/carcinogenicity study of acrylonitrile administered by intubation to Spartan rats (final report) with cover letter dated 072492. Dow Chemical Company. Submitted to the U.S. Environmental Protection Agency under TSCA section 8E. BDN-77-29. OTS0544558. 88-920005775. 8EHQ-0792-7129. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0544558.xhtml>. July 5, 2022.
- Bjorge C, Brunborg G, Wiger R, et al. 1996. A comparative study of chemically induced DNA damage in isolated human and rat testicular cells. *Reprod Toxicol* 10(6):509-519. [https://doi.org/10.1016/s0890-6238\(96\)00138-4](https://doi.org/10.1016/s0890-6238(96)00138-4).
- Blair A, Stewart PA, Zaebst DD, et al. 1998. Mortality of industrial workers exposed to acrylonitrile. *Scand J Work Environ Health* 24(Suppl 2):25-41.
- Brat SV, Williams GM. 1982. Hepatocyte-mediated production of sister chromatid exchange in co-cultured cells by acrylonitrile: Evidence for extra cellular transport of a stable reactive intermediate. *Cancer Letters* 17(2):213-216. [https://doi.org/10.1016/0304-3835\(82\)90034-9](https://doi.org/10.1016/0304-3835(82)90034-9).

8. REFERENCES

- Brazdil JF. 2012. Acrylonitrile. In: Ullmann's encyclopedia of industrial chemistry. Weinheim, Germany: Wiley-VCH Verlag GmbH & Co., online. https://doi.org/10.1002/14356007.a01_177.pub3.
- Brooks TM, Gonzalez LP, Calvert R, et al. 1985. The induction of mitotic gene conversion in the yeast *Saccharomyces cerevisiae* strain JD. In: Ashby J, de Serres FJ, eds. Progress in mutation research. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 225-228.
- Burk T, Zarus G. 2013. Community exposures to chemicals through vapor intrusion: a review of past ATSDR public health evaluations. *J Environ Health* 75(9):36-41.
- Burka LT, Sanchez IM, Ahmed AE, et al. 1994. Comparative metabolism and disposition of acrylonitrile and methacrylonitrile in rats. *Arch Toxicol* 68(10):611-618. <https://doi.org/10.1007/BF03208340>.
- Butterworth BE, Eldridge SR, Sprankle CS, et al. 1992. Tissue-specific genotoxic effects of acrylamide and acrylonitrile. *Environ Mol Mutagen* 20(3):148-155. <https://doi.org/10.1002/em.2850200303>.
- Carls N, Schiestl RH. 1994. Evaluation of the yeast DEL assay with 10 compounds selected by the International Program on Chemical Safety for the evaluation of short-term tests for carcinogens. *Mutat Res* 320(4):293-303. [https://doi.org/10.1016/0165-1218\(94\)90082-5](https://doi.org/10.1016/0165-1218(94)90082-5).
- CDC. 2022. Biomonitoring data tables for environmental chemicals. Centers for Disease Control and Prevention. https://www.cdc.gov/exposurereport/data_tables.html. October 11, 2022.
- CEC. 1983. Reports of the scientific committee for food (thirteenth series). Luxembourg: Commission of the European Communities. PB83172759. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB83172759.xhtml>. October 3, 2024.
- Chang CM, Hsia MT, Stoner GD, et al. 1990. Acrylonitrile-induced sister-chromatid exchanges and DNA single-strand breaks in adult human bronchial epithelial cells. *Mutat Res* 241(4):355-360. [https://doi.org/10.1016/0165-1218\(90\)90065-a](https://doi.org/10.1016/0165-1218(90)90065-a).
- Chen JL, Walrath J, O'Berg MT, et al. 1987. Cancer incidence and mortality among workers exposed to acrylonitrile. *Am J Ind Med* 11(2):157-163. <https://doi.org/10.1002/ajim.4700110205>.
- Chen M, Carmella SG, Sipe C, et al. 2019. Longitudinal stability in cigarette smokers of urinary biomarkers of exposure to the toxicants acrylonitrile and acrolein. *PloS one* 14(1):e0210104. <https://doi.org/10.1371/journal.pone.0210104>.
- Cherry AB, Gabaccia AJ, Senn HW. 1956. The assimilation behavior of certain toxic organic compounds in natural water. *Sewage Ind Wastes* 28:1137-1146.
- Chinchilla D, Kilheeny H, Vitello LB, et al. 2014. Kinetic and equilibrium studies of acrylonitrile binding to cytochrome c peroxidase and oxidation of acrylonitrile by cytochrome c peroxidase compound I. *Biochem Biophys Res Commun* 443(1):200-204. <https://doi.org/10.1016/j.bbrc.2013.11.084>.
- Clewell HJ. 1995. The application of physiologically based pharmacokinetic modeling in human health risk assessment of hazardous substances. *Toxicol Lett* 79(1-3):207-217. [https://doi.org/10.1016/0378-4274\(95\)03372-r](https://doi.org/10.1016/0378-4274(95)03372-r).
- Collins JJ, Acquavella JF. 1998. Review and meta-analysis of studies of acrylonitrile workers. *Scand J Work Environ Health* 24(Suppl 2):71-80.
- Collins JJ, Page LC, Caporossi JC, et al. 1989. Mortality patterns among employees exposed to acrylonitrile. *J Occup Med* 31(4):368-371.
- Crespi CL, Ryan CG, Seixas GM, et al. 1985. Tests for mutagenic activity using mutation assays at two loci in the human lymphoblast cell lines TK6 and AHH-1. In: Ashby J, de Serres FJ, eds. Progress in mutation research. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 497-516.
- Dang Y, Li Z, Luo B, et al. 2017. Protective effects of apigenin against acrylonitrile-induced subchronic sperm injury in rats. *Food Chem Toxicol* 109(Pt 1):517-525. <https://doi.org/10.1016/j.fct.2017.09.025>.
- De Jesús VR, Zhang L, Bhandari D, et al. 2021. Characterization of acrylonitrile exposure in the United States based on urinary n-acetyl-S-(2-cyanoethyl)-L-cysteine (2CYEMA): NHANES 2011-2016. *J Expo Sci Environ Epidemiol* 31(2):377-385. <https://doi.org/10.1038/s41370-020-00286-1>.

8. REFERENCES

- De Meester C, Poncelet F, Roberfroid M, et al. 1978. Mutagenicity of acrylonitrile. *Toxicology* 11(1):19-27. [https://doi.org/10.1016/s0300-483x\(78\)90239-1](https://doi.org/10.1016/s0300-483x(78)90239-1).
- De Smedt T, De Cremer K, Vleminckx C, et al. 2014. Acrylonitrile exposure in the general population following a major train accident in Belgium: a human biomonitoring study. *Toxicol Lett* 231(3):344-351. <https://doi.org/10.1016/j.toxlet.2014.09.009>.
- Delzell E, Monson RR. 1982. Mortality among rubber workers: VI: Men with potential exposure to acrylonitrile. *J Occup Med* 24:767-769.
- DiGeronimo MJ, Antoine AD. 1976. Metabolism of acetonitrile and propionitrile by *Nocardia rhodochrous* LL100-21. *Appl Environ Microbiol* 31:900-906. <https://doi.org/10.1128/aem.31.6.900-906.1976>.
- DOE. 2024a. Protective action criteria (PAC) based on AEGLs, ERPGs, or TEELs. U.S. Department of Energy. <https://edms3.energy.gov/pac/TeelDocs>. September 13, 2024.
- DOE. 2024b. Definition of PACs (AEGLs, ERPGs or TEELs). U.S. Department of Energy. <https://edms3.energy.gov/pac/TeelDef>. September 13, 2024.
- Donberg PA, Odelson DA, Klecka GM, et al. 1992. Biodegradation of acrylonitrile in soil. *Environ Toxicol Chem* 11(11):1583-1594. <https://doi.org/10.1002/etc.5620111108>.
- DOT. 1972. Reclassification of materials listed as transportation health hazards. Washington DC: U.S. Department of Transportation. PB214270. Report No. TSA-20-72-3. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB214270.xhtml>. July 5, 2022.
- Dudley HC, Neal PA. 1942. Toxicology of acrylonitrile (vinyl cyanide): I. A study of the acute toxicity. *J Ind Hyg Toxicol* 24:27-36.
- El-Masri HA, Mumtaz MM, Yushak ML. 2004. Application of physiologically-based pharmacokinetic modeling to investigate the toxicological interaction between chlorpyrifos and parathion in the rat. *Environ Toxicol Pharmacol* 16(1-2):57-71. <https://doi.org/10.1016/j.etap.2003.10.002>.
- Emmert B, Bunger J, Keuch K, et al. 2006. Mutagenicity of cytochrome P450 2E1 substrates in the Ames test with the metabolic competent *S. typhimurium* strain YG7108pin3ERb5. *Toxicology* 228(1):66-76. <https://doi.org/10.1016/j.tox.2006.08.013>.
- EPA. 1978. Investigation of selected potential environmental contaminants: acrylonitrile. Washington, DC: U.S. Environmental Protection Agency. PB285881. EPA560278003. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB285881.xhtml>. July 5, 2022.
- EPA. 1979. Environmental monitoring near industrial sites acrylonitrile. Washington, DC: U.S. Environmental Protection Agency. PB295928. EPA560679003. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=9100AOC9.txt>. August 8, 2022.
- EPA. 1980a. Human exposure to atmospheric concentrations of selected chemicals. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB81193278.
- EPA. 1980b. Ambient water quality criteria for acrylonitrile. Washington, DC: U.S. Environmental Protection Agency. PB81111285. EPA440580017. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=00001L40.txt>. July 5, 2022.
- EPA. 1980c. Fate of toxic and hazardous materials in the air environment. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB80221948. EPA600380084. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB80221948.xhtml>. August 8, 2022.
- EPA. 1981. Engineering handbook for hazardous waste incineration. Washington, DC: U.S. Environmental Protection Agency. SW889. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000KAVZ.txt>. July 15, 2022.
- EPA. 1982a. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency. PB87169090. EPA440481014. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB87169090.xhtml>. August 8, 2022.
- EPA. 1982b. Management of hazardous waste leachate, September 1982. Cincinnati, OH: U.S. Environmental Protection Agency. PB91181578. SW871R. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB91181578.xhtml>. August 8, 2022.

8. REFERENCES

- EPA. 1982c. Intermedia priority pollutant guidance documents. Washington, DC: U.S. Environmental Protection Agency. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20015VOW.txt>. August 8, 2022.
- EPA. 1983a. Health assessment document for acrylonitrile. Washington, DC: U.S. Environmental Protection Agency. PB84149152. EPA600882007F. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB84149152.xhtml>. July 7, 2022.
- EPA. 1983b. Volatile organic chemicals in the atmosphere: An assessment of available data. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB83195503. EPA600383027A. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB83195503.xhtml>. August 8, 2022.
- EPA. 1984. Locating and estimating air emissions from sources of acrylonitrile. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB84200609. EPA450484007a. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB84200609.xhtml>. August 8, 2022.
- EPA. 1985. Health and environmental effects profile for acrylonitrile. Cincinnati, OH: U.S. Environmental Protection Agency. PB88170832. EPA600X85372. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB88170832.xhtml>. August 8, 2022.
- EPA. 1988. Recommendations for and documentation of biological values for use in risk assessment. Cincinnati, OH: U.S. Environmental Protection Agency. PB88179874. EPA600687008. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=34855>. September 21, 2022.
- EPA. 1990. Method 1624, Revision C: Volatile organic compounds by isotope dilution GCMS. U.S. Environmental Protection Agency. https://www.epa.gov/sites/default/files/2015-09/documents/method_1624c_1990.pdf. September 22, 2022.
- EPA. 1992. Soil sorption of volatile and semivolatile organic compounds in a mixture. Ada, OK: U.S. Environmental Protection Agency. PB93181188. EPA600J93130. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB93181188.xhtml>. August 8, 2022.
- EPA. 1994a. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. U.S. Environmental Protection Agency. PB2000500023. EPA600890066F. <https://www.epa.gov/risk/methods-derivation-inhalation-reference-concentrations-and-application-inhalation-dosimetry>. July 5, 2022.
- EPA. 1994b. Method 8031: Acrylonitrile by gas chromatography. U.S. Environmental Protection Agency. <https://www.epa.gov/sites/default/files/2015-12/documents/8031.pdf>. September 22, 2022.
- EPA. 1994c. Method 8316: Acrylamide, acrylonitrile and acrolein by high performance liquid chromatography (HPLC). U.S. Environmental Protection Agency. <https://www.epa.gov/sites/default/files/2015-07/documents/epa-8316.pdf>. September 22, 2022.
- EPA. 1995. Method 524.2: Measurement of purgeable organic compounds in water by capillary column gas chromatography/mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency. <https://www.epa.gov/sites/default/files/2015-06/documents/epa-524.2.pdf>. September 22, 2022.
- EPA. 2017. 2017 National Emissions Inventory (NEI) data: Acrylonitrile. U.S. Environmental Protection Agency. <https://www.epa.gov/air-emissions-inventories/2017-national-emissions-inventory-nei-data>. July 15, 2022.
- EPA. 2018a. 2018 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA822S12001. <https://www.epa.gov/system/files/documents/2022-01/dwtable2018.pdf>. June 15, 2022.
- EPA. 2018b. Compiled AEGL values. U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2018-08/documents/compiled_aegls_update_27jul2018.pdf. April 12, 2020.
- EPA. 2018c. About acute exposure guideline levels (AEGLs). U.S. Environmental Protection Agency. <https://www.epa.gov/aegl/about-acute-exposure-guideline-levels-aegls>. July 26, 2018.
- EPA. 2018d. Method 8260D: Volatile organic compounds by gas chromatography/mass spectrometry. U.S. Environmental Protection Agency. https://www.epa.gov/sites/default/files/2017-04/documents/method_8260d_update_vi_final_03-13-2017.pdf. August 8, 2022.

8. REFERENCES

- EPA. 2020a. Chemical Data Reporting. Acrylonitrile. U.S. Environmental Protection Agency. <https://www.epa.gov/chemical-data-reporting/access-cdr-data#2020>. July 15, 2022.
- EPA. 2020b. Benchmark Dose Software (BMDS). Version 3.2 User Guide. U.S. Environmental Protection Agency. EPA600R20216. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P10103T2.txt>. August 8, 2022.
- EPA. 2022a. Air Quality System database. Annual summary data: Acrylonitrile. U.S. Environmental Protection Agency. https://aqs.epa.gov/aqsweb/airdata/download_files.html. July 15, 2022.
- EPA. 2022b. Acrylonitrile. Pesticide product and label system. Version 2.4.2. U.S. Environmental Protection Agency. <https://ordspub.epa.gov/ords/pesticides/f?p=PPLS:1>. July 15, 2022.
- EPA. 2022c. Acrylonitrile. Substance Registry Services. U.S. Environmental Protection Agency. https://sor.epa.gov/sor_internet/registry/substreg/LandingPage.do. July 15, 2022.
- EPA. 2022d. Toxic chemical release inventory reporting forms and instructions: Revised 2021 version. U.S. Environmental Protection Agency. EPA740B22002. https://ordspub.epa.gov/ords/guideme_ext/guideme_ext/guideme/file/ry_2021_rfi.pdf. August 22, 2023.
- EPA. 2023. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141. <https://www.govinfo.gov/content/pkg/CFR-2023-title40-vol25/pdf/CFR-2023-title40-vol25-part141.pdf>. May 3, 2024.
- Farooqui MYH, Ahmed AE. 1982. Molecular interaction of acrylonitrile and potassium cyanide with rat blood. *Chem Biol Interact* 38(2):145-159. [https://doi.org/10.1016/0009-2797\(82\)90036-9](https://doi.org/10.1016/0009-2797(82)90036-9).
- Farooqui MY, Ahmed AE. 1983. The effects of acrylonitrile on hemoglobin and red cell metabolism. *J Toxicol Environ Health* 12(4-6):695-707. <https://doi.org/10.1080/15287398309530461>.
- FDA. 2022. Indirect food additives: Polymers; acrylonitrile/styrene copolymers. Food and Drug Administration. Code of Federal Regulations. 21 CFR 3. <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=177>. August 8, 2022.
- FDA. 2024. Vinyl acetate. Substances added to food. U.S. Food and Drug Administration. <https://www.cfsanappsexternal.fda.gov/scripts/fdcc/index.cfm?set=FoodSubstances&id=VINYLACETATE>. September 23, 2024.
- Fechter LD. 2004. Promotion of noise-induced hearing loss by chemical contaminants. *J Toxicol Environ Health A* 67(8-10):727-740. <https://doi.org/10.1080/15287390490428206>.
- Fechter LD, Klis SF, Shirwany NA, et al. 2003. Acrylonitrile produces transient cochlear function loss and potentiates permanent noise-induced hearing loss. *Toxicol Sci* 75(1):117-123. <https://doi.org/10.1093/toxsci/kfg169>.
- Fennell TR, Kedderis GL, Sumner SC. 1991. Urinary metabolites of [1,2,3-¹³C]acrylonitrile in rats and mice detected by ¹³C nuclear magnetic resonance spectroscopy. *Chem Res Toxicol* 4(6):678-687. <https://doi.org/10.1021/tx00024a013>.
- Friedman MA, Beliles RP. 2002. Three-generation reproduction study of rats receiving acrylonitrile in drinking water. *Toxicol Lett* 132(3):249-261. [https://doi.org/10.1016/s0378-4274\(02\)00075-9](https://doi.org/10.1016/s0378-4274(02)00075-9).
- Fujikawa K, Ryo H, Kondo S. 1985. The Drosophila reversion assay using the unstable zeste-white somatic eye color system. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 319-324.
- Gagnaire F, Marignac B, Bonnet P. 1998. Relative neurotoxicological properties of five unsaturated aliphatic nitriles in rats. *J Appl Toxicol* 18(1):25-31. [https://doi.org/10.1002/\(sici\)1099-1263\(199801/02\)18:1<25::aid-jat466>3.0.co;2-v](https://doi.org/10.1002/(sici)1099-1263(199801/02)18:1<25::aid-jat466>3.0.co;2-v).
- Gallagher GT, Maull EA, Kovacs K, et al. 1988. Neoplasms in rats ingesting acrylonitrile for two years. *J Am Coll Toxicol* 7(5):603-616. <https://doi.org/10.3109/10915818809019537>.
- Gargas ML, Andersen ME, Teo SK, et al. 1995. A physiologically based dosimetry description of acrylonitrile and cyanoethylene oxide in the rat. *Toxicol Appl Pharmacol* 134(2):185-194. <https://doi.org/10.1006/taap.1995.1183>.

8. REFERENCES

- Garner RC, Campbell J. 1985. Tests for the induction of mutations to ouabain or 6-thioguanine resistance in mouse lymphoma L5178Y cells. In: Ashby J, de Serres FJ, eds. Progress in mutation research. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 525-529.
- Ghanayem BI, Ahmed AE. 1982. In vivo biotransformation and biliary excretion of 1-14C-acrylonitrile in rats. *Arch Toxicol* 50(2):175-185. <https://doi.org/10.1007/BF00373400>.
- Ghanayem BI, Ahmed AE. 1983. Acrylonitrile-induced gastrointestinal hemorrhage and the effects of metabolism modulation in rats. *Toxicol Appl Pharmacol* 68(2):290-296. [https://doi.org/10.1016/0041-008x\(83\)90013-3](https://doi.org/10.1016/0041-008x(83)90013-3).
- Ghanayem BI, Farooqui MY, Elshabrawy O, et al. 1991. Assessment of the acute acrylonitrile-induced neurotoxicity in rats. *Neurotoxicol Teratol* 13(5):499-502. [https://doi.org/10.1016/0892-0362\(91\)90056-3](https://doi.org/10.1016/0892-0362(91)90056-3).
- Ghanayem BI, Elwell MR, Eldridge SR. 1997. Effects of the carcinogen, acrylonitrile, on forestomach cell proliferation and apoptosis in the rat: Comparison with methacrylonitrile. *Carcinogenesis* 18(4):675-680. <https://doi.org/10.1093/carcin/18.4.675>.
- Ghanayem BI, Nyska A, Haseman JK, et al. 2002. Acrylonitrile is a multisite carcinogen in male and female B6C3F1 mice. *Toxicol Sci* 68(1):59-68. <https://doi.org/10.1093/toxsci/68.1.59>.
- Gilbert SG, Miltz J, Giacini JR. 1980. Transport considerations of potential migrants from food packaging materials. *J Food Process Preserv* 4(1-2):27-49. <https://doi.org/10.1111/j.1745-4549.1980.tb00594.x>.
- Glauert HP, Kennan WS, Sattler GL, et al. 1985. Assays to measure the induction of unscheduled DNA synthesis in cultured hepatocytes. In: Ashby J, de Serres FJ, eds. Progress in mutation research. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 371-373.
- Grunske F. 1949. [Health care and occupational medicine. Ventox and Ventox intoxication]. *Deutsche Medizinische Wochenschrift* 74:1081-1083. (German)
- Guengerich FP, Geiger LE, Hogy LL, et al. 1981. In vitro metabolism of acrylonitrile to 2-cyanoethylene oxide, reaction with glutathione, and irreversible binding to proteins and nucleic acids. *Cancer Res* 41(12 Pt 1):4925-4933.
- Gut I, Nerudova J, Kopecky J, et al. 1975. Acrylonitrile biotransformation in rats, mice, and Chinese hamsters as influenced by the route of administration and by phenobarbital, SKF 525-A, cysteine, dimercaprol, or thiosulfate. *Arch Toxicol* 33(2):151-161. <https://doi.org/10.1007/BF00353240>.
- Gut I, Nerudova J, Frantik E, et al. 1984. Acrylonitrile inhalation in rats: I. Effect on intermediary metabolism. *J Hyg Epidemiol Microbiol Immunol* 28(4):369-376.
- Gut I, Nerudova J, Stiborova A, et al. 1985. Acrylonitrile inhalation in rats: II. Excretion of thioethers and thiocyanate in urine. *J Hyg Epidemiol Microbiol Immunol* 29(1):9-13.
- Hardisty JF, Quast JF, Howroyd PC, et al. 2002. Histopathology peer review and scientific advisory group (SAG) review of neoplasms involving the brain of rats. The Acrylonitrile Group, Inc. Submitted to the Agency for Toxic Substances and Disease Registry. Study No.: HET K-001688-(11), HET K-001688-(12). https://downloads.regulations.gov/ATSDR-2023-0004-0012/attachment_3.pdf. October 3, 2024.
- Hardy A, Benford D, Halldorsson T, et al. 2017. Update: use of the benchmark dose approach in risk assessment. *EFSA J* 15(1):e04658. <https://doi.org/10.2903/j.efsa.2017.4658>.
- Harris GW, Kleindienst TE, Pitts JN. 1981. Rate constants for the reaction of OH radicals with CH₃CN, C₂H₅CN and CH₂=CH-CN in the temperature range 298-424 K. *Chem Phys Lett* 80:479-483. [https://doi.org/10.1016/0009-2614\(81\)85061-0](https://doi.org/10.1016/0009-2614(81)85061-0).
- Hashimoto S, Bandow H, Akimoto H, et al. 1984. Products and mechanism for the OH radical initiated oxidation of acrylonitrile, methacrylonitrile and allyl cyanide in the presence of NO. *Int J Chem Kinet* 16:1385-1399. <https://doi.org/10.1002/kin.550161110>.
- Hogy LL, Guengerich FP. 1986. In vivo interaction of acrylonitrile and 2-cyanoethylene oxide with DNA in rats. *Cancer Res* 46(8):3932-3938.
- Houthuijs D, Remijn B, Willems H, et al. 1982. Biological monitoring of acrylonitrile exposure. *Am J Ind Med* 3(3):313-320. <https://doi.org/10.1002/ajim.4700030306>.

8. REFERENCES

- Huizer D, Ragas AM, Oldenkamp R, et al. 2014. Uncertainty and variability in the exposure reconstruction of chemical incidents-the case of acrylonitrile. *Toxicol Lett* 231(3):337-343. <https://doi.org/10.1016/j.toxlet.2014.07.019>.
- Humiston CG, Frauson LO, Quast JF, et al. 1975. A 90-day oral toxicity study incorporating acrylonitrile in the drinking water of rats. Midland, MI: Dow Chemical Company.
- IARC. 1979. Acrylonitrile, acrylic and modacrylic fibres, and acrylonitrile-butadiene-styrene and styrene-acrylonitrile copolymers. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Volume 19: Some monomers, plastics and synthetic elastomers, and acrolein. Vol. 19. Lyon, France: International Agency for Research on Cancer. <https://publications.iarc.fr/Book-And-Report-Series/Iarc-Monographs-On-The-Identification-Of-Carcinogenic-Hazards-To-Humans/Some-Monomers-Plastics-And-Synthetic-Elastomers-And-Acrolein-1979>. August 8, 2022.
- IRIS. 2002. Acrylonitrile; CASRN 107-13-1. Integrated Risk Information System. Chemical assessment summary. U.S. Environmental Protection Agency. https://iris.epa.gov/static/pdfs/0206_summary.pdf. June 25, 2022.
- Jacob S, Ahmed AE. 2004. Species difference in the disposition of acrylonitrile: quantitative whole-body autoradiographic study in rats and mice. *Toxicol Ind Health* 20(1-5):9-19. <https://doi.org/10.1191/0748233704th188oa>.
- Jakubowski M, Linhart I, Pielas G, et al. 1987. 2-Cyanoethylmercapturic acid (CEMA) in the urine as a possible indicator of exposure to acrylonitrile. *Br J Ind Med* 44(12):834-840. <https://doi.org/10.1136/oem.44.12.834>.
- Johannsen FR, Levinskas GJ. 2002a. Chronic toxicity and oncogenic dose-response effects of lifetime oral acrylonitrile exposure to Fischer 344 rats. *Toxicol Lett* 132(3):221-247. [https://doi.org/10.1016/s0378-4274\(02\)00074-7](https://doi.org/10.1016/s0378-4274(02)00074-7).
- Johannsen FR, Levinskas GJ. 2002b. Comparative chronic toxicity and carcinogenicity of acrylonitrile by drinking water and oral intubation to Spartan Sprague-Dawley rats. *Toxicol Lett* 132(3):197-219. [https://doi.org/10.1016/s0378-4274\(02\)00073-5](https://doi.org/10.1016/s0378-4274(02)00073-5).
- Kaneko K, Omae K. 1992. Effect of chronic exposure to acrylonitrile on subjective symptoms. *Keio J Med* 41(1):25-32. <https://doi.org/10.2302/kjm.41.25>.
- Kanerva L, Jolanki R, Alanko K, et al. 1999. Patch-test reactions to plastic and glue allergens. *Acta Derm Venereol* 79(4):296-300. <https://doi.org/10.1080/000155599750010706>.
- Kedderis GL, Batra R, Held SD, et al. 1993. Rodent tissue distribution of 2-cyanoethylene oxide, the epoxide metabolite of acrylonitrile. *Toxicol Lett* 69(1):25-30. [https://doi.org/10.1016/0378-4274\(93\)90141-j](https://doi.org/10.1016/0378-4274(93)90141-j).
- Kedderis GL, Teo SK, Batra R, et al. 1996. Refinement and verification of the physiologically based dosimetry description for acrylonitrile in rats. *Toxicol Appl Pharmacol* 140(2):422-435. <https://doi.org/10.1006/taap.1996.0239>.
- Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. *Ecotoxicol Environ Saf* 4:26-38. [https://doi.org/10.1016/0147-6513\(80\)90005-6](https://doi.org/10.1016/0147-6513(80)90005-6).
- Khudoley VV, Mizgireuv I, Pliss GB. 1987. The study of mutagenic activity of carcinogens and other chemical agents with Salmonella typhimurium assays: Testing of 126 compounds. *Arch Geschwulstforsch* 57:453-462.
- Kincannon DF, Stover EL, Nichols V, et al. 1983. Removal mechanisms for toxic priority pollutants. *J Water Pollut Control Fed* 55:157-163.
- Kiplinger GR. 2005. Acute inhalation toxicity study of acrylonitrile in albino rats. Innovene. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8(e). WIL-54200. OTS0601033. 8EHQ-0805-16067. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0601033.xhtml>. October 3, 2024.
- Kirman CR, Hays SM, Kedderis GL, et al. 2000. Improving cancer dose-response characterization by using physiologically based pharmacokinetic modeling: an analysis of pooled data for acrylonitrile-

8. REFERENCES

- induced brain tumors to assess cancer potency in the rat. *Risk Anal* 20(1):135-151. <https://doi.org/10.1111/0272-4332.00013>.
- Klein E, Weaver JW, Webre BG. 1957. Solubility of acrylonitrile in aqueous bases and alkali salts. *Ind Eng Chem* 2:72-75. <https://doi.org/10.1021/i460002a020>.
- Kobets T, Iatropoulos MJ, Williams GM. 2022. Acrylonitrile induction of rodent neoplasia: Potential mechanism of action and relevance to humans. *Toxicol Res Appl* 6:1-33. <https://doi.org/10.1177/23978473211055363>.
- Kolenda-Roberts HM, Harris N, Singletary E, et al. 2013. Immunohistochemical characterization of spontaneous and acrylonitrile-induced brain tumors in the rat. *Toxicol Pathol* 41(1):98-108. <https://doi.org/10.1177/0192623312452492>.
- Koutros S, Lubin JH, Graubard BI, et al. 2019. Extended mortality follow-up of a cohort of 25,460 workers exposed to acrylonitrile. *Am J Epidemiol* 188(8):1484-1492. <https://doi.org/10.1093/aje/kwz086>.
- Langvardt PW, Putzig CL, Braun WH, et al. 1980. Identification of the major urinary metabolites of acrylonitrile in the rat. *J Toxicol Environ Health* 6(2):273-282. <https://doi.org/10.1080/15287398009529851>.
- Lawrence N, McGregor DB. 1985. Assays for the induction of morphological transformation in C3H/10T1/2 cells in culture with and without S9-mediated metabolic activation. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 651-658.
- Lee CG, Webber TD. 1985. The induction of gene mutations in the mouse lymphoma L5178Y/K+/- assay and the Chinese hamster V79/HGPRT assay. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 547-554.
- Leng G, Gries W. 2014. Biomonitoring following a chemical incident with acrylonitrile and ethylene in 2008. *Toxicol Lett* 231(3):360-364. <https://doi.org/10.1016/j.toxlet.2014.06.027>.
- Leonard A, Garny V, Poncelet F, et al. 1981. Mutagenicity of acrylonitrile in mouse. *Toxicol Lett* 7(4-5):329-334. [https://doi.org/10.1016/0378-4274\(81\)90056-4](https://doi.org/10.1016/0378-4274(81)90056-4).
- Lickly TD, Markham DA, Rainey ML. 1991. The migration of acrylonitrile from acrylonitrile/butadiene/styrene polymers into food-simulating liquids. *Food Chem Toxicol* 29(1):25-29. [https://doi.org/10.1016/0278-6915\(91\)90059-G](https://doi.org/10.1016/0278-6915(91)90059-G).
- Lijinsky W, Andrews AW. 1980. Mutagenicity of vinyl compounds in *Salmonella typhimurium*. *Teratog Carcinog Mutagen* 1(3):259-267. <https://doi.org/10.1002/tcm.1770010303>.
- Linhart I, Smejkal J, Novak J. 1988. N-acetyl-S-(1-cyano-2-hydroxyethyl)-L-cysteine, a new urinary metabolite of acrylonitrile and oxiranecarbonitrile. *Arch Toxicol* 61(6):484-488. <https://doi.org/10.1007/BF00293695>.
- Lipscomb JC, Teuschler LK, Swartout J, et al. 2003. The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal* 23(6):1221-1238. <https://doi.org/10.1111/j.0272-4332.2003.00397.x>.
- Lorz H. 1950. [Percutaneous poisoning with acrylonitrile]. *Deutsche Medizinische Wochenschrift* 75:1087-1088. (German)
- Luo YS, He QK, Sun MX, et al. 2022. Acrylonitrile exposure triggers ovarian inflammation and decreases oocyte quality probably via mitochondrial dysfunction induced apoptosis in mice. *Chem Biol Interact* 360:109934. <https://doi.org/10.1016/j.cbi.2022.109934>.
- Major J, Hudak A, Kiss G, et al. 1998. Follow-up biological and genotoxicological monitoring of acrylonitrile- and dimethylformamide-exposed viscose rayon plant workers. *Environ Mol Mutagen* 31(4):301-310. [https://doi.org/10.1002/\(sici\)1098-2280\(1998\)31:4<301::aid-em1>3.0.co;2-l](https://doi.org/10.1002/(sici)1098-2280(1998)31:4<301::aid-em1>3.0.co;2-l).
- Maltoni C, Ciliberti A, Di Maio V. 1977. Carcinogenicity bioassays on rats of acrylonitrile administered by inhalation and by ingestion. *Med Lav* 68(6):401-411.
- Maltoni C, Ciliberti A, Cotti G, et al. 1988. Long-term carcinogenicity bioassays on acrylonitrile administered by inhalation and by ingestion to Sprague-Dawley rats. *Ann N Y Acad Sci* 534:179-202. <https://doi.org/10.1111/j.1749-6632.1988.tb30111.x>.

8. REFERENCES

- Marsh GM, Zimmerman SD. 2015. Mortality among chemical plant workers exposed to acrylonitrile: 2011 follow-up. *J Occup Environ Med* 57(2):134-145. <https://doi.org/10.1097/jom.0000000000000369>.
- Marsh GM, Gula MJ, Youk AO, et al. 1999. Mortality among chemical plant workers exposed to acrylonitrile and other substances. *Am J Ind Med* 36(4):423-436. [https://doi.org/10.1002/\(sici\)1097-0274\(199910\)36:4<423::aid-ajim3>3.0.co;2-m](https://doi.org/10.1002/(sici)1097-0274(199910)36:4<423::aid-ajim3>3.0.co;2-m).
- Mastrangelo G, Serena R, Marzia V. 1993. Mortality from tumours in workers in an acrylic fibre factory. *Occup Med* 43(3):155-158. <https://doi.org/10.1093/occmed/43.3.155>.
- Matsushima T, Muramatsu M, Haresaku M. 1985. Mutation tests on *Salmonella typhimurium* by the preincubation method. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 181-186.
- Matthews EJ, DelBalzo T, Rundell JO. 1985. Assays for morphological transformation and mutation to ouabain resistance of Balb/c-3T3 cells in culture. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 639-650.
- Mills EJ, Stack VT. 1954. Biological oxidation of synthetic organic chemicals. In: *Proceedings of the eighth industrial waste conference*, May 4, 5 and 6, 1953. Lafayette, IN: Purdue University, 492-517.
- Mills EJ, Stack VT. 1955. Acclimation of microorganisms for the oxidation of pure organic chemicals. In: *Proceedings of the ninth industrial waste conference*, May 10, 11 and 12, 1954. Lafayette, IN: Purdue University, 449-464.
- Moldoveanu SC. 2010. Analysis of acrylonitrile and alpha-methacrylonitrile in vapor phase of mainstream cigarette smoke using a charcoal trap for collection. *Beitr Tab Int* 24(3):145-156. <https://doi.org/10.2478/cttr-2013-0892>.
- Moore RR, Hardisty JF. 2014. Immunohistochemical characterization of brain tumors: A two-year toxicity and oncogenicity study with acrylonitrile following inhalation exposure of rats, (Quast et al., 1980). The Acrylonitrile Group, Inc. Submitted to the Agency for Toxic Substances and Disease Registry. Study No.: HET K-001688-(11). https://downloads.regulations.gov/ATSDR-2023-0004-0013/attachment_1.pdf. October 3, 2024.
- Muller G, Verkoyen C, Soton N, et al. 1987. Urinary excretion of acrylonitrile and its metabolites in rats. *Arch Toxicol* 60(6):464-466. <https://doi.org/10.1007/BF00302391>.
- Mumtaz MM, Ray M, Crowell SR, et al. 2012a. Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A* 75(1):6-24. <https://doi.org/10.1080/15287394.2012.625546>.
- Mumtaz M, Fisher J, Blount B, et al. 2012b. Application of physiologically based pharmacokinetic models in chemical risk assessment. *J Toxicol* 2012:904603. <https://doi.org/10.1155/2012/904603>.
- Munshi HB, Rao KVS, Iyer RM. 1989. Rate constants of the reactions of ozone with nitriles, acrylates and terpenes in gas phase. *Atmos Environ* 23(9):1971-1976. [https://doi.org/10.1016/0004-6981\(89\)90522-2](https://doi.org/10.1016/0004-6981(89)90522-2).
- Murray FJ, Schwetz BA, Nitschke KD, et al. 1978. Teratogenicity of acrylonitrile given to rats by gavage or by inhalation. *Food Cosmet Toxicol* 16(6):547-551. [https://doi.org/10.1016/s0015-6264\(78\)80222-3](https://doi.org/10.1016/s0015-6264(78)80222-3).
- Muto T, Sakurai H, Omae K, et al. 1992. Health profiles of workers exposed to acrylonitrile. *Keio J Med* 41(3):154-160. <https://doi.org/10.2302/kjm.41.154>.
- Myhr B, Bowers L, Caspary WJ. 1985. Assays for the induction of gene mutations at the thymidine kinase locus in L5178Y mouse lymphoma cells in culture. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 555-568.
- NAS/NRC. 2006. *Human biomonitoring for environmental chemicals*. Washington, DC: The National Academies Press, National Research Council. <https://doi.org/10.17226/11700>.
- Neely WB, Branson DR, Blau GE. 1974. Partition coefficient to measure bioconcentration potential of organic chemicals in fish. *Environ Sci Technol* 8:1113-1115. <https://doi.org/10.1021/es60098a008>.

8. REFERENCES

- Nemec MD, Kirkpatrick DT, Sherman J, et al. 2008. Two-generation reproductive toxicity study of inhaled acrylonitrile vapors in Crl:CD(SD) rats. *Int J Toxicol* 27(1):11-29. <https://doi.org/10.1080/10915810701876463>.
- NIOSH. 2016. Immediately dangerous to life or health (IDLH) value profile. Acrylonitrile. National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication 2016-167. <https://www.cdc.gov/niosh/docs/2016-167/pdfs/2016-167.pdf?id=10.26616/NIOSH PUB2016167>. June 27, 2022.
- NIOSH. 2019. Acrylonitrile. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0014.html>. June 25, 2022.
- NITE. 2022. Acrylonitrile. Japanese CHEMicals Collaborative Knowledge database (JCHECK). Japanese National Institute of Technology and Evaluation. https://www.nite.go.jp/chem/jcheck/search.action?request_locale=en. July 15, 2022.
- NLM. 2022. PubChem compound summary: Acrylonitrile. National Library of Medicine. <https://pubchem.ncbi.nlm.nih.gov/compound/7855>. August 8, 2022.
- NTP. 2001. Toxicology and carcinogenesis studies of acrylonitrile (CAS No. 107-13-1) in B6C3F1 mice (gavage studies). Research Triangle Park, NC: National Toxicology Program. NTP TR 506. NIH Publication No. 02-4440. https://ntp.niehs.nih.gov/ntp/htdocs/lt_rpts/tr506.pdf. July 5, 2022.
- NTP. 2013. Draft OHAT approach for systematic review and evidence integration for literature-based health assessments - February 2013. National Toxicology Program. https://ntp.niehs.nih.gov/ntp/ohat/evaluationprocess/draftohatapproach_february2013.pdf. July 5, 2022.
- NTP. 2015. OHAT risk of bias rating tool for human and animal studies. National Toxicology Program. https://ntp.niehs.nih.gov/ntp/ohat/pubs/riskofbiastool_508.pdf. March 19, 2019.
- NTP. 2021. Acrylonitrile. Report on carcinogens. 15th ed. National Toxicology Program. <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/acrylonitrile.pdf>. June 25, 2022.
- Obe G, Hille A, Jonas R, et al. 1985. Tests for the induction of sister-chromatid exchanges in human peripheral lymphocytes in culture. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 439-442.
- O'Berg MT. 1980. Epidemiologic study of workers exposed to acrylonitrile. *J Occup Med* 22(4):245-252.
- O'Berg MT, Chen JL, Burke CA, et al. 1985. Epidemiologic study of workers exposed to acrylonitrile: an update. *J Occup Med* 27(11):835-840. <https://doi.org/10.1097/00043764-198511000-00018>.
- OSHA. 2001. OSHA method 37: Acrylonitrile. Salt Lake City, UT: Occupational Safety and Health Administration. <https://www.osha.gov/sites/default/files/methods/osha37.pdf>. September 1, 2022.
- OSHA. 2023a. Occupational safety and health standards. Subpart Z - Toxic and hazardous substances. Acrylonitrile. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1045. <https://www.gpo.gov/fdsys/pkg/CFR-2023-title29-vol6/pdf/CFR-2023-title29-vol6-sec1910-1045.pdf>. September 29, 2024.
- OSHA. 2023b. Occupational safety and health standards for shipyard employment. Subpart Z - Toxic and hazardous substances. Acrylonitrile. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1045. <https://www.gpo.gov/fdsys/pkg/CFR-2023-title29-vol7/pdf/CFR-2023-title29-vol7-sec1915-1045.pdf>. September 29, 2024.
- OSHA. 2023c. Safety and health regulations for construction. Subpart Z - Toxic and hazardous substances. Acrylonitrile. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.1145. <https://www.gpo.gov/fdsys/pkg/CFR-2023-title29-vol8/pdf/CFR-2023-title29-vol8-sec1926-1145.pdf>. September 29, 2024.
- Osterman-Golkar SM, MacNeela JP, Turner MJ, et al. 1994. Monitoring exposure to acrylonitrile using adducts with N-terminal valine in hemoglobin. *Carcinogenesis* 15(12):2701-2707.
- Parent RA, Casto BC. 1979. Effect of acrylonitrile on primary Syrian golden hamster embryo cells in culture: Transformation and DNA fragmentation. *J Natl Cancer Inst* 62(4):1025-1029. <https://doi.org/10.1093/jnci/62.4.1025>.

8. REFERENCES

- Perocco P, Pane G, Bolognesi S, et al. 1982. Increase of sister chromatid exchange and unscheduled synthesis of deoxyribonucleic acid by acrylonitrile in human lymphocytes in vitro. *Scand J Work Environ Health* 8(4):290-293. <https://doi.org/10.5271/sjweh.2464>.
- Pilon D, Roberts AE, Rickert DE. 1988a. Effect of glutathione depletion on the irreversible association of acrylonitrile with tissue macromolecules after oral administration to rats. *Toxicol Appl Pharmacol* 95(2):311-320. [https://doi.org/10.1016/0041-008x\(88\)90167-6](https://doi.org/10.1016/0041-008x(88)90167-6).
- Pilon D, Roberts AE, Rickert DE. 1988b. Effect of glutathione depletion on the uptake of acrylonitrile vapors and on its irreversible association with tissue macromolecules. *Toxicol Appl Pharmacol* 95(2):265-278. [https://doi.org/10.1016/0041-008x\(88\)90163-9](https://doi.org/10.1016/0041-008x(88)90163-9).
- Ploemen JP, Wormhoudt LW, Haenen GR, et al. 1997. The use of human in vitro metabolic parameters to explore the risk assessment of hazardous compounds: the case of ethylene dibromide. *Toxicol Appl Pharmacol* 143(1):56-69. <https://doi.org/10.1006/taap.1996.8004>.
- Pouyatos B, Gearhart CA, Fechter LD. 2005. Acrylonitrile potentiates hearing loss and cochlear damage induced by moderate noise exposure in rats. *Toxicol Appl Pharmacol* 204(1):46-56. <https://doi.org/10.1016/j.taap.2004.08.015>.
- Pouyatos B, Gearhart CA, Nelson-Miller A, et al. 2009. Selective vulnerability of the cochlear Basal turn to acrylonitrile and noise. *J Toxicol* 2009:908596. <https://doi.org/10.1155/2009/908596>.
- Priston RAJ, Dean BJ. 1985. Tests for the induction of chromosome aberrations, polyploidy and sister chromatid exchanges in rat liver (RL) cells. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 387-395.
- Probst GS, Hill LE. 1985. Tests for the induction of DNA repair synthesis in primary cultures of adult rat hepatocytes. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 381-386.
- Pu X, Kamendulis LM, Klaunig JE. 2006. Acrylonitrile-induced oxidative DNA damage in rat astrocytes. *Environ Mol Mutagen* 47(8):631-638. <https://doi.org/10.1002/em.20249>.
- Pu X, Kamendulis LM, Klaunig JE. 2009. Acrylonitrile-induced oxidative stress and oxidative DNA damage in male Sprague-Dawley rats. *Toxicol Sci* 111(1):64-71. <https://doi.org/10.1093/toxsci/kfp133>.
- Quast JF. 2002. Two-year toxicity and oncogenicity study with acrylonitrile incorporated in the drinking water of rats. *Toxicol Lett* 132(3):153-196. [https://doi.org/10.1016/s0378-4274\(02\)00072-3](https://doi.org/10.1016/s0378-4274(02)00072-3).
- Quast JF, Humiston CG, Schwetz BA, et al. 1975. A six-month oral toxicity study incorporating acrylonitrile in the drinking water of purebred beagle dogs. Dow Chemical Company.
- Quast JF, Schuetz DJ, Balmer MF, et al. 1980a. Initial submission: 2-year toxicity and oncogenicity study with acrylonitrile following inhalation exposure in rats (final report) with cover letter dated 080392. Rohm & Haas Company. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0545173. 88920006574. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0545173.xhtml>. May 5, 2022.
- Quast JF, Wade CE, Humiston CG, et al. 1980b. Initial submission: A two-year toxicity & oncogenicity study with acrylonitrile incorporated in the drinking water of rats (final report) with cover letter dated 061792. Dow Chemical Company. Submitted to the U.S. Environmental Protection Agency under TSCA section 8E. OTS0540235. 88920003736. 8EHQ06925090. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0540235.xhtml>. July 5, 2022.
- Quast JF, Schuetz DJ, Balmer MF. 1983. Initial submission: Acrylonitrile inhalation exposure study in rats: Results after six and 12 months (final report) with cover letter dated 102591. Dow Chemical Company. Submitted to the U.S. Environmental Protection Agency under TSCA section 8E. OTS0534645. 88920000195. 8EHQ010911547. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0534645.xhtml>. July 7, 2022.
- Rabello-Gay MN, Ahmed AE. 1980. Acrylonitrile: In vivo cytogenetic studies in mice and rats. *Mutat Res* 79(3):249-255. [https://doi.org/10.1016/0165-1218\(80\)90072-5](https://doi.org/10.1016/0165-1218(80)90072-5).
- Radimer GF, Davis JH, Ackerman AB. 1974. Fumigant-induced toxic epidermal necrolysis. *Arch Dermatol* 110(1):103-104. <https://doi.org/10.1001/archderm.1974.01630070067017>.

8. REFERENCES

- Recio L, Skopek TR. 1988. Mutagenicity of acrylonitrile and its metabolite 2-cyanoethylene oxide in human lymphoblasts in vitro. *Mutat Res* 206(2):297-305. [https://doi.org/10.1016/0165-1218\(88\)90174-7](https://doi.org/10.1016/0165-1218(88)90174-7).
- RePORTER. 2024. Acrylonitrile. National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. September 25, 2024.
- Robbiano L, Allavena A, Bagarolo C, et al. 1994. Comparison in human and rat hepatocytes of the DNA-damaging activity of five chemicals probably carcinogenic to humans. *Toxicol Vitro* 8(1):131-137. [https://doi.org/10.1016/0887-2333\(94\)90217-8](https://doi.org/10.1016/0887-2333(94)90217-8).
- Roberts AE, Lacy SA, Pilon D, et al. 1989. Metabolism of acrylonitrile to 2-cyanoethylene oxide in F-344 rat liver microsomes, lung microsomes, and lung cells. *Drug Metab Dispos* 17(5):481-486.
- Roberts AE, Kedderis GL, Turner MJ, et al. 1991. Species comparison of acrylonitrile epoxidation by microsomes from mice, rats and humans: relationship to epoxide concentrations in mouse and rat blood. *Carcinogenesis* 12(3):401-404. <https://doi.org/10.1093/carcin/12.3.401>.
- Rogaczewska T, Piotrowski J. 1968. Experimental evaluation of the absorption routes of acrylonitrile in man. *Medycyna Pracy* 19:349-354.
- Rooney AA, Boyles AL, Wolfe MS, et al. 2014. Systematic review and evidence integration for literature-based environmental health science assessments. *Environ Health Perspect* 122(7):711-718. <https://doi.org/10.1289/ehp.1307972>.
- Roudabush RL, Terhaar CJ, Fassett DW, et al. 1965. Comparative acute effects of some chemicals on the skin of rabbits and guinea pigs. *Toxicol Appl Pharmacol* 7(4):559-565. [https://doi.org/10.1016/0041-008x\(65\)90041-4](https://doi.org/10.1016/0041-008x(65)90041-4).
- Rouisse L, Chakrabarti S, Tuchweber B. 1986. Acute nephrotoxic potential of acrylonitrile in Fischer-344 rats. *Res Commun Chem Pathol Pharmacol* 53(3):347-360.
- Roy WR, Griffin RA. 1985. Mobility of organic solvents in water saturated soil materials. *Environ Geol Water Sci* 7:241-247. <https://doi.org/10.1007/BF02509925>.
- Ruiz P, Ray M, Fisher J, et al. 2011. Development of a human Physiologically Based Pharmacokinetic (PBPK) Toolkit for environmental pollutants. *Int J Mol Sci* 12(11):7469-7480. <https://doi.org/10.3390/ijms12117469>.
- Saillenfait AM, Sabate JP. 2000. Comparative developmental toxicities of aliphatic nitriles: in vivo and in vitro observations. *Toxicol Appl Pharmacol* 163(2):149-163. <https://doi.org/10.1006/taap.1999.8839>.
- Saillenfait AM, Langonne I, Sabate JP, et al. 1992. Embryotoxicity of acrylonitrile in whole-embryo culture. *Toxicol Vitro* 6(3):253-260. [https://doi.org/10.1016/0887-2333\(92\)90039-t](https://doi.org/10.1016/0887-2333(92)90039-t).
- Saillenfait AM, Payan JP, Langonne I, et al. 1993. Modulation of acrylonitrile-induced embryotoxicity in vitro by glutathione depletion. *Arch Toxicol* 67(3):164-172. <https://doi.org/10.1007/BF01973303>.
- Sakurai H, Onodera M, Utsunomiya T, et al. 1978. Health effects of acrylonitrile in acrylic fibre factories. *Br J Ind Med* 35(3):219-225. <https://doi.org/10.1136/oem.35.3.219>.
- Sandberg EC, Slanina P. 1980. Distribution of [1-14C] acrylonitrile in rat and monkey. *Toxicol Lett* 6(3):187-191. [https://doi.org/10.1016/0378-4274\(80\)90190-3](https://doi.org/10.1016/0378-4274(80)90190-3).
- Sander R. 2015. Compilation of Henry's law constants (version 4.0) for water as solvent. *Atmos Chem Phys* 15(8):4399-4981. <https://doi.org/10.5194/acp-15-4399-2015>.
- Sanner T, Rivedal E. 1985. Tests with the Syrian hamster embryo (SHE) cell transformation assay. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 665-671.
- Sax NI. 1984. Acrylonitrile. In: *Dangerous properties of industrial materials*. 6th ed. New York, NY: Van Nostrand Reinhold Company, 132-133.
- Sax NI, Lewis RJ. 1987. Acrylonitrile. In: *Hawley's condensed chemical dictionary*. 11th ed. New York, NY: Van Nostrand Reinhold Company, 19.

8. REFERENCES

- Scélo G, Constantinescu V, Csiki I, et al. 2004. Occupational exposure to vinyl chloride, acrylonitrile and styrene and lung cancer risk (Europe). *Cancer Causes Control* 15(5):445-452. <https://doi.org/10.1023/B:CACO.0000036444.11655.be>.
- Sekihashi K, Yamamoto A, Matsumura Y, et al. 2002. Comparative investigation of multiple organs of mice and rats in the comet assay. *Mutat Res* 517(1-2):53-75. [https://doi.org/10.1016/s1383-5718\(02\)00034-7](https://doi.org/10.1016/s1383-5718(02)00034-7).
- Sharief Y, Brown AM, Backer LC, et al. 1986. Sister chromatid exchange and chromosome aberration analyses in mice after in vivo exposure to acrylonitrile, styrene, or butadiene monoxide. *Environ Mutagen* 8(3):439-448. <https://doi.org/10.1002/em.2860080312>.
- Shi Y, Bai J, Dang Y, et al. 2021. Protection of apigenin against acrylonitrile-induced sperm and testis injury in rats: involvement of activation of ASK1-JNK/p38 signaling pathway. *Toxicol Res* 10(2):159-168. <https://doi.org/10.1093/toxres/tfab017>.
- Silver EH, Szabo S, Cahill M, et al. 1987. Time-course studies of the distribution of [¹⁴C]Acrylonitrile in rats after intravenous administration. *J Appl Toxicol* 7(5):303-306. <https://doi.org/10.1002/jat.2550070503>.
- Simons K, De Smedt T, Stove C, et al. 2016. Short-term health effects in the general population following a major train accident with acrylonitrile in Belgium. *Environ Res* 148:256-263. <https://doi.org/10.1016/j.envres.2016.03.031>.
- Sram RJ, Beskid O, Binkova B, et al. 2004. Cytogenetic analysis using fluorescence in situ hybridization (FISH) to evaluate occupational exposure to carcinogens. *Toxicol Lett* 149(1-3):335-344. <https://doi.org/10.1016/j.toxlet.2003.12.043>.
- Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142. <https://doi.org/10.1002/etc.5620040202>.
- Stayner LT, Carreón-Valencia T, Demers PA, et al. 2024. Carcinogenicity of talc and acrylonitrile. *Lancet Oncol* 25(8):962-963. [https://doi.org/10.1016/s1470-2045\(24\)00384-x](https://doi.org/10.1016/s1470-2045(24)00384-x).
- Stewart PA, Zaebst D, Zey JN, et al. 1998. Exposure assessment for a study of workers exposed to acrylonitrile. *Scand J Work Environ Health* 24(2):42-53.
- Stover EL, Kincannon DF. 1983. Biological treatability of specific organic compounds found in chemical industry wastewaters. *J Water Pollut Control Fed* 55:97-109.
- Subramanian U, Ahmed AE. 1995. Intestinal toxicity of acrylonitrile: in vitro metabolism by intestinal cytochrome P450 2E1. *Toxicol Appl Pharmacol* 135(1):1-8. <https://doi.org/10.1006/taap.1995.1202>.
- Sumner SC, Selvaraj L, Nauhaus SK, et al. 1997. Urinary metabolites from F344 rats and B6C3F1 mice coadministered acrylamide and acrylonitrile for 1 or 5 days. *Chem Res Toxicol* 10(10):1152-1160. <https://doi.org/10.1021/tx9602123>.
- Sumner SC, Fennell TR, Moore TA, et al. 1999. Role of cytochrome P450 2E1 in the metabolism of acrylamide and acrylonitrile in mice. *Chem Res Toxicol* 12(11):1110-1116. <https://doi.org/10.1021/tx990040k>.
- Swaen GM, Bloemen LJ, Twisk J, et al. 1992. Mortality of workers exposed to acrylonitrile. *J Occup Med* 34(8):801-809. <https://doi.org/10.1097/00043764-199208000-00015>.
- Swaen GM, Bloemen LJ, Twisk J, et al. 1998. Mortality update of workers exposed to acrylonitrile in The Netherlands. *Scand J Work Environ Health* 24(Suppl 2):10-16.
- Swaen GM, Bloemen LJ, Twisk J, et al. 2004. Mortality update of workers exposed to acrylonitrile in The Netherlands. *J Occup Environ Med* 46(7):691-698. <https://doi.org/10.1097/01.jom.0000128161.17144.27>.
- Sweeney LM, Gearhart JM. 2020. Examples of physiologically based pharmacokinetic modeling applied to risk assessment. In: Fisher JW, Gearhart JM, Lin Z, eds. *Physiologically based pharmacokinetic (PBPK) modeling*. Academic Press, 281-299. <https://doi.org/10.1016/B978-0-12-818596-4.00011-4>.

8. REFERENCES

- Sweeney LM, Gargas ML, Strother DE, et al. 2003. Physiologically based pharmacokinetic model parameter estimation and sensitivity and variability analyses for acrylonitrile disposition in humans. *Toxicol Sci* 71(1):27-40. <https://doi.org/10.1093/toxsci/71.1.27>.
- Symons JM, Kreckmann KH, Sakr CJ, et al. 2008. Mortality among workers exposed to acrylonitrile in fiber production: an update. *J Occup Environ Med* 50(5):550-560. <https://doi.org/10.1097/JOM.0b013e318162f640>.
- Szabo S, Bailey KA, Boor PJ, et al. 1977. Acrylonitrile and tissue glutathione: Differential effect of acute and chronic interactions. *Biochem Biophys Res Commun* 79(1):32-37. [https://doi.org/10.1016/0006-291x\(77\)90056-0](https://doi.org/10.1016/0006-291x(77)90056-0).
- Szabo S, Huttner I, Kovacs K, et al. 1980. Pathogenesis of experimental adrenal hemorrhagic necrosis ("apoplexy"): Ultrastructural, biochemical, neuropharmacologic, and blood coagulation studies with acrylonitrile in the rat. *Lab Invest* 42(5):533-546.
- Szabo S, Silver EH, Gallagher GT, et al. 1983. Potentiation of duodenal ulcerogenic action of acrylonitrile by PCB or phenobarbital in the rat. *Toxicol Appl Pharmacol* 71(3):451-454. [https://doi.org/10.1016/0041-008x\(83\)90034-0](https://doi.org/10.1016/0041-008x(83)90034-0).
- Szabo S, Gallagher G, Silver E, et al. 1984. Subacute and chronic action of acrylonitrile on adrenals and gastrointestinal tract: biochemical, functional and ultrastructural studies in the rat. *J Appl Toxicol* 4(3):131-140. <https://doi.org/10.1002/jat.2550040304>.
- Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53:1503-1518.
- Tan YM, Chan M, Chukwudebe A, et al. 2020. PBPK model reporting template for chemical risk assessment applications. *Regul Toxicol Pharmacol* 115:104691. <https://doi.org/10.1016/j.yrtph.2020.104691>.
- Tandon R, Saxena DK, Chandra SV, et al. 1988. Testicular effects of acrylonitrile in mice. *Toxicol Lett* 42(1):55-63. [https://doi.org/10.1016/0378-4274\(88\)90102-6](https://doi.org/10.1016/0378-4274(88)90102-6).
- Tanii H, Hashimoto K. 1984. Studies on the mechanism of acute toxicity of nitriles in mice. *Arch Toxicol* 55(1):47-54. <https://doi.org/10.1007/BF00316585>.
- Tardif R, Talbot D, Gerin M, et al. 1987. Urinary excretion of mercapturic acids and thiocyanate in rats exposed to acrylonitrile: Influence of dose and route of administration. *Toxicol Lett* 39(2-3):255-261. [https://doi.org/10.1016/0378-4274\(87\)90241-4](https://doi.org/10.1016/0378-4274(87)90241-4).
- Teo SK, Kedderis GL, Gargas ML. 1994. Determination of tissue partition coefficients for volatile tissue-reactive chemicals: acrylonitrile and its metabolite 2-cyanoethylene oxide. *Toxicol Appl Pharmacol* 128(1):92-96. <https://doi.org/10.1006/taap.1994.1184>.
- Teruel MA, Blanco MB, Luque GR. 2007. Atmospheric fate of acrylic acid and acrylonitrile: Rate constants with Cl atoms and OH radicals in the gas phase. *Atmos Environ* 41(27):5769-5777. <https://doi.org/10.1016/j.atmosenv.2007.02.028>.
- Thier R, Lewalter J, Kempkes M, et al. 1999. Haemoglobin adducts of acrylonitrile and ethylene oxide in acrylonitrile workers, dependent on polymorphisms of the glutathione transferases GSTT1 and GSTM1. *Arch Toxicol* 73(4-5):197-202. <https://doi.org/10.1007/s002040050606>.
- Thier R, Lewalter J, Selinski S, et al. 2002. Possible impact of human CYP2E1 polymorphisms on the metabolism of acrylonitrile. *Toxicol Lett* 128(1-3):249-255. [https://doi.org/10.1016/s0378-4274\(01\)00546-x](https://doi.org/10.1016/s0378-4274(01)00546-x).
- Thiess AM, Fleig I. 1978. Analysis of chromosomes of workers exposed to acrylonitrile. *Arch Toxicol* 41(2):149-152. <https://doi.org/10.1007/BF00302526>.
- TRI23. 2024. Acrylonitrile. TRI explorer: release reports. Washington, DC: Toxics Release Inventory. U.S. Environmental Protection Agency. https://enviro.epa.gov/triexplorer/tri_release.chemical. October 3, 2024.
- Van Nieuwenhuysse A, Fierens S, De Smedt T, et al. 2014. Acrylonitrile exposure assessment in the emergency responders of a major train accident in Belgium: a human biomonitoring study. *Toxicol Lett* 231(3):352-359. <https://doi.org/10.1016/j.toxlet.2014.08.013>.

8. REFERENCES

- Venitt S, Bushell CT, Osborne M. 1977. Mutagenicity of acrylonitrile (cyanoethylene) in *Escherichia coli*. *Mutat Res* 45(2):283-288. [https://doi.org/10.1016/0027-5107\(77\)90028-8](https://doi.org/10.1016/0027-5107(77)90028-8).
- Verschueren K. 1983. Acrylonitrile. In: *Handbook of environmental data on organic chemicals*. 2nd ed. New York, NY: Van Nostrand Reinhold Company, 162-165.
- Vogel EW. 1985. The *Drosophila* somatic recombination and mutation assay (SRM) using the white-coral somatic eye color system. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 313-317.
- Vogel RA, Kirkendall WM. 1984. Acrylonitrile (vinyl cyanide) poisoning: A case report. *Texas Med* 80(5):48-51.
- Vogel EW, Nivard MJM. 1993. Performance of 181 chemicals in a *Drosophila* assay predominantly monitoring interchromosomal mitotic recombination. *Mutagenesis* 8(1):57-81. <https://doi.org/10.1093/mutage/8.1.57>.
- Walker VE, Fennell TR, Walker DM, et al. 2020a. Analysis of DNA adducts and mutagenic potency and specificity in rats exposed to acrylonitrile. *Chem Res Toxicol* 33(7):1609-1622. <https://doi.org/10.1021/acs.chemrestox.0c00153>.
- Walker VE, Walker DM, Ghanayem BI, et al. 2020b. Analysis of biomarkers of DNA damage and mutagenicity in mice exposed to acrylonitrile. *Chem Res Toxicol* 33(7):1623-1632. <https://doi.org/10.1021/acs.chemrestox.0c00154>.
- Wang Z, Zhilan L, Wei X. 1995. Study on acrylonitrile to teratogenesis of rats sperm. AN Group, Inc. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8(e). OTS0559911. 89000000313. 8EHQ-0900-14711. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS0559911.xhtml>. October 3, 2024.
- Weast RC. 1985. Acrylonitrile. In: *CRC handbook of chemistry and physics*. Boca Raton, FL: CRC Press, Inc., C-58.
- Wheeler MW, Blessinger T, Shao K, et al. 2020. Quantitative risk assessment: Developing a Bayesian approach to dichotomous dose-response uncertainty. *Risk Anal* 40(9):1706-1722. <https://doi.org/10.1111/risa.13537>.
- WHO. 2000. Air quality guidelines for Europe. World Health Organization. https://www.euro.who.int/__data/assets/pdf_file/0005/74732/E71922.pdf. June 27, 2022.
- WHO. 2022. Guidelines for drinking-water quality. Fourth edition incorporating the first and second addenda. World Health Organization. <https://www.who.int/publications/i/item/9789240045064>. June 22, 2022.
- Williams GM, Tong C, Brat SV. 1985. Tests with the rat hepatocyte primary culture/DNA-repair test. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 341-345.
- Williams GM, Kobets T, Duan JD, et al. 2017. Assessment of DNA binding and oxidative DNA damage by acrylonitrile in two rat target tissues of carcinogenicity: Implications for the mechanism of action. *Chem Res Toxicol* 30(7):1470-1480. <https://doi.org/10.1021/acs.chemrestox.7b00105>.
- Wilson RH. 1944. Health hazards encountered in the manufacture of synthetic rubber. *JAMA* 124(11):701-703. <https://doi.org/10.1001/jama.1944.02850110025007>.
- Wilson RH, Hough GV, McCormick WE. 1948. Medical problems encountered in the manufacture of American-made rubber. *Ind Med Surg* 17(6):199-207.
- Wood SM, Buffler PA, Buro K, et al. 1998. Mortality and morbidity of workers exposed to acrylonitrile in fiber production. *Scand J Work Environ Health* 24(Suppl 2):54-62.
- WQP. 2022. Acrylonitrile. Water Quality Portal database. Environmental Protection Agency (EPA); National Water Quality Monitoring Council (NWQMC); United States Geological Survey (USGS). <https://www.waterqualitydata.us/>. August 9, 2022.
- Wurgler FE, Graff U, Frei H. 1985. Somatic mutation and recombination test in wings of *Drosophila melanogaster*. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, Netherlands: Elsevier Science Publishers, 325-340.

8. REFERENCES

- Xu DX, Zhu QX, Zheng LK, et al. 2003. Exposure to acrylonitrile induced DNA strand breakage and sex chromosome aneuploidy in human spermatozoa. *Mutat Res* 537(1):93-100.
[https://doi.org/10.1016/s1383-5718\(03\)00055-x](https://doi.org/10.1016/s1383-5718(03)00055-x).
- Yalkowsky SH, He Y, Jain P. 2010. Acrylonitrile. In: *Handbook of aqueous solubility data*. 2nd ed. Boca Raton, FL: CRC Press, 46.
- Yamada H, Asano Y, Hino T, et al. 1979. Microbiol utilization of acrylonitrile. *J Ferment Technol* 57:8-14.
- Young JD, Slauter RW, Karbowski RJ. 1977. The pharmacokinetic and metabolic profile of r4C-acrylonitrile given to rats by three routes. Dow Chemical Company. Submitted to the U.S. Environmental Protection Agency under TSCA Section FYI. OTS0000150-0. FYI-OTS-0677-0150. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/OTS00001500.xhtml>. September 22, 2022.
- Zeiger E, Haworth S. 1985. Tests with a preincubation modification of the Salmonella/microsome assay. In: Ashby J, de Serres FJ, eds. *Progress in mutation research*. Vol. 5. Amsterdam, The Netherlands: Elsevier Science Publishers, 187-199.