

9. REFERENCES

- *ACGIH. 2004. Perchlorates. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27:532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- *Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Atlanta, GA: Subcommittee on Biomarkers of Organ Damage and Dysfunction, Agency for Toxic Substances and Disease Registry.
- *Agency for Toxic Substances and Disease Registry. 2000. Public health assessment for Lockheed Propulsion Company: Evaluation of exposure to perchlorate contamination in the city of Loma Linda's domestic water supply. Atlanta, GA: Agency for Toxic Substances and Disease Registry. CERCLIS No. CAD980893093. PB2000105429.
- *Agency for Toxic Substances and Disease Registry. 2004. Toxicological profile for iodine. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
- Air Force Center for Environmental Excellence. 2002. Application of horizontal flow treatment wells for in situ treatment of perchlorate contaminated groundwater. Brooks AFB, TX: Air Force Center for Environmental Excellence. ADA400701.
- *Akamizu T, Ikuyama S, Saji M, et al. 1990. Cloning, chromosomal assignment, and regulation of the rat thyrotropin receptor: Expression of the gene is regulated by thyrotropin, agents that increase cAMP levels, and thyroid autoantibodies. *Proc Natl Acad Sci U S A* 87:5677-5681.
- Alazraki NP, Littenberg RL, Hurwitz S, et al. 1974. Differences in choroid plexus concentration of pertechnetate produced by varying time of pertechnetate administration and brain imaging. *J Nucl Med* 15(10):884-886.
- *Altman PL, Dittmer DS. 1974. Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- *Anbar M, Guttmann S, Lweitus Z. 1959. The mode of action of perchlorate ions on the iodine uptake of the thyroid gland. *Int J Appl Radiat Isot* 7:87-96.

*Cited in text

9. REFERENCES

- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives: Refinement, reduction, replacement. New York, NY: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205.
- *Andersen S, Pedersen KM, Bruun NH, et al. 2002. Narrow individual variations in serum T4 and T3 in normal subjects: A clue to the understanding of subclinical thyroid disease. *J Clin Endocrinol Metab* 87(3):1068-1072.
- *Anderson GW, Mariash CN, Oppenheimer JH. 2000. Molecular actions of thyroid hormone. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 174-195.
- Anderson LC, Fruen BR, Jordan RC, et al. 1997. The action of perchlorate on malignant-hyperthermia-susceptible muscle. *Pflugers Arch* 97:91-98.
- *Andros G, Wollman SH. 1991. Kinetics of equilibration of radioiodide in individual mouse thyroid follicles *in vivo*. *Am J Physiol* 261(24):E529-E538.
- *Anonymous. 1988. Ammonium perchlorate back on line. *Chem Mark Rep* 233:3, 23.
- Anonymous. 1994. Ampac finalizes deal. *Chem Mark Rep* 245:7.
- Anonymous. 2000. Perchlorate in the environment. *Anal Chem* 72(21):680A.
- *Antonsen DH. 1996. Nickel compounds. In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 17. New York, NY: John Wiley & Sons, 20.
- Arai Y, Orelan L, Kinemuchi H. 1984. Effect of perchlorate treatment on mitochondrial MAO-A and -B activities. *Med Biol* 62:245-249.
- *Arieli A, Chinet A. 1985. Brown adipose tissue heat production in heat acclimated and perchlorate treated rats. *Horm Metab Res* 17:12-15.
- *Ashford RD. 1994. Ashford's dictionary of industrial chemicals: Properties, production, uses. Wavelength Publications Ltd., 758, 821, 823.
- Attaway H, Baca S, Williams B. 1989. Reduction of perchlorate to chloride by an anaerobic microbial consortium. *Abstr Annu Meet Am Soc Microbiol* 89:361.
- Atterwill CK, Collins P, Brown CG, et al. 1987. The perchlorate discharge test for examining thyroid function in rats. *J Pharmacol Methods* 18:199-203.
- Atwood AI, Curran PO, Kraeutle KJ, et al. 1999. Decomposition studies of production grade ammonium perchlorate and an ammonium perchlorate based solid rocket propellant. International Annual Conference ICT 30:18/1-18/12.
- Aydin M, Emri S, Caner B. 2000. Tc-99m pertechnetate scintigraphy before and after potassium perchlorate administration for the diagnosis of retrosternal goiter. *Clin Nucl Med* 25(6):467-468.

9. REFERENCES

- Bacchus ST, Susarla S, Wolfe L, et al. 1999. Predicting field performance of herbaceous species for phytoremediation of perchlorate. *Prepr Ext Abst Div Environ Chem Am Chem Soc* 39(2):98-100.
- Bader M, Phillips CC, Mueller TR, et al. 1999. Returning perchlorate-contaminated fume hood systems to service part II. Disassembly, decontamination, disposal, and analytical procedures. *Appl Occup Environ Hyg* 14(6):369-375.
- *Bagchi N, Fawcett DM. 1973. Role of sodium ion in active transport of iodide by cultured thyroid cells. *Biochim Biophys Acta* 318:235-251.
- Baldridge MG, Stahl RL, Gerstenberger SL, et al. 2004. In utero and lactational exposure of Long-Evans rats to ammonium perchlorate (AP) disrupts ovarian follicle maturation. *Reprod Toxicol* 19:155-161.
- *Bardiya N, Bae J. 2005. Bioremediation potential of a perchlorate-enriched sewage sludge consortium. *Chemosphere* 58:83-90.
- *Barettino D, Vivanco MDM, Stunnenberg HG. 1994. Characterization of the ligand-dependent transactivation domain of thyroid hormone receptor. *EMBO J* 13(13):3039-3049.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- Barnes HV, Blizzard RM. 1977. Antithyroid drug therapy for toxic diffuse goiter (Graves disease): Thirty years experience in children and adolescents. *J Pediatr* 91(2):313-320.
- Bartalena L, Bogazzi F, Martino E. 1996. Adverse effects of thyroid hormone preparations and antithyroid drugs. *Drug Saf* 15:53-63.
- Bartha KG. 1974. Utilization of iodine kinetic coefficients for the analysis of pharmacological responses. *Acta Med Acad Sci Hung* 31(1-2):51-57.
- *Barzilai D, Sheinfeld M. 1966. Fatal complications following use of potassium perchlorate in thyrotoxicosis. Report of two cases and a review of the literature. *Isr J Med Sci* 2(4):453-456.
- *Bauer RJ. 1990. Lithium and lithium compounds. In: Elvers B, Hawkins S, Schulz G, eds. Ullmann's encyclopedia of industrial chemistry, Vol. A15. New York, NY: VCH Publishers, 393-414.
- Beickert A, Heinicke HJ. 1968. Erythema nodosum mit positivem LE-Phänomen und erythrocytenantikörpern nach perchlorattherapie. *Schweiz Med Wochenschr* 98:2025-2028.
- *Bekkedal MYV, Arfsten D, Mattie D. 2004. An evaluation of neurobehavioral tests used to assess the neurodevelopmental effects of early ammonium perchlorate exposure. *J Toxicol Environ Health A* 67:835-844.
- Bekkedal MYV, Carpenter TL, Mattie DR. 2001. A neurodevelopmental study of the effects of oral ammonium perchlorate exposure on the motor activity of pre-weanling rat pups. *Toxicologist* 60(1):218.
- *Bekkedal MYV, Carpenter TL, Smith J. 2000. A neurodevelopmental study of oral ammonium perchlorate exposure on the motor activity of pre-weanling rat pups. Wright-Patterson Air Force Base, OH: Naval Health Research Center Detachment (Toxicology), Report No. TOXDET-00-03.

9. REFERENCES

- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. Endometriosis: Advanced management and surgical techniques. New York, NY: Springer-Verlag.
- *Bernal J, Pekonen F. 1984. Ontogenesis of the nuclear 3,5,3'-triiodothyronine receptor in the human fetal brain. *Endocrinology* 114(2):677-679.
- Betts KS. 2000. Accelerating perchlorate detection. *Environ Sci Technol* 34(11):245A-246A.
- Biron R, Burger A, Chinet A, et al. 1979. Thyroid hormones and the energetics of active sodium-potassium transport in mammalian skeletal muscles. *J Physiol* 297:47-60.
- Blomgren G, Hunter J. 1992. Batteries (primary cells). In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 3. New York, NY: John Wiley & Sons, 1017-1028.
- Bobek S, Kahl S. 1973. [Effect of perchlorate and thiocyanate anions on protein-bound iodine and binding of exogenous thyroxine by blood plasma proteins of rats. *In vivo* and *in vitro* investigations.] *Endokrynol Pol* 24(1):21-31. (Polish)
- *Bodek I, Lyman WJ, Reehl W, et al. 1988. Environmental inorganic chemistry: Properties, processes, and estimation methods. New York, NY: Pergamon Press.
- Bohn MA, Schwegpe R, Weisweiler W. 1997. Recovering of components from plastic bonded propellants. *Waste Manage* 17(2/3):175-185.
- Bonnyns M, Bourdoux P. 1988. Delayed control for iodine-induced thyrotoxicosis with a thionamide after $KClO_4$ withdrawal. *J Endocrinol Invest* 11:393.
- *Bortle WH. 1996. Sodium nitrate. In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 22. New York, NY: John Wiley & Sons, Inc., 383-403.
- *Boyages SC. 2000. The neuromuscular system and brain in hypothyroidism. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 803-810.
- *Brabant G, Bergmann P, Kirsch CM, et al. 1992. Early adaptation of thyrotropin and thyroglobulin secretion to experimentally decreased iodine supply in man. *Metabolism* 41:1093-1096.
- *Braverman LE, Utiger RD, eds. 2000. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 593-666, 774-832.
- *Braverman LE, He XM, Pino S, et al. 2005. The effect of perchlorate, thiocyanate, and nitrate on thyroid function in workers exposed to perchlorate long-term. *J Clin Endocrinol Metab* 90(2):700-706.
- *Brechner RJ, Parkhurst GD, Humble WO, et al. 2000. Ammonium perchlorate contamination of Colorado River drinking water is associated with abnormal thyroid function in newborns in Arizona. *J Occup Environ Med* 42(8):777-782.
- Breysse PA, Lehman G. 1966. How to dismantle perchlorate contaminated lab exhaust systems: Fire, explosion, and health hazards dictate extreme caution. *Heat Piping Air Cond* 38:126-127.

9. REFERENCES

- Brodd R. 1992. Batteries (introduction). In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 3. New York, NY: John Wiley & Sons, 963, 973, 989-991.
- Brown GA, Elliott HA. 1992. Influence of electrolytes on EDTA extraction of Pb from polluted soil. *Water Air Soil Pollut* 62:157-165.
- Brown JC, Snoeyink VL, Raskin L, et al. 2003. The sensitivity of fixed-bed biological perchlorate removal to changes in operating conditions and water quality characteristics. *Water Res* 37(1):206-214.
- *Brown-Grant K. 1966. Failure of orally administered perchlorate to affect deciduoma formation or pregnancy in the rat. *J Reprod Fertil* 12:353-357.
- *Brown-Grant K, Sherwood MR. 1971. Viability of the rat blastocyst following the oral administration of potassium perchlorate or potassium iodide to the mother. *J Reprod Fertil* 27:265-267.
- *BRT. 2000. Ammonium perchlorate: Effect on immune function. Burleson Research Technologies. Raleigh, NC.
- *Bruce RA, Achenbach LA, Coates JD. 1999. Reduction of (per)chlorate by a novel organism isolated from paper mill waste. *Environ Microbiol* 1(4):319-329.
- Bruton JD, Lannergren J, Westerblad H. 1995. Mechano-sensitive linkage in excitation-contraction coupling in frog skeletal muscle. *J Physiol* 484:737-742.
- Bryan EH. 1966. Application of the chlorate bod procedure to routine measurement of wastewater strength. *J Water Pollut Control Fed* 38:1350-1362.
- *Buckley SG, Sclippa GC, Bazter LL, et al. 1999. Combustion tests of rocket motor washout material: Focus on air toxics formation potential of asbestos remediation. Sandia National Laboratories: Albuquerque, NM. DE00005953.
- *Budavari S, O'Neil MJ, Smith A, et al., eds. 1996. The Merck index. 12th ed. Whitehouse Station, NJ: Merck & Co., Inc., 871, 945.
- Bullock KR, Pierson JR. 1992. Batteries (secondary). In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. New York, NY: John Wiley & Sons, Inc., 1028-1107.
- Burg MB, Green N. 1976. Role of monovalent ions in the reabsorption of fluid by isolated perfused proximal renal tubules of the rabbit. *Kidney Int* 10(3):221-228.
- *Bürgi H, Benguerel M, Knopp J, et al. 1974. Influence of perchlorate on the secretion of non-thyroxine iodine by the normal human thyroid gland. *Eur J Clin Invest* 4:65-69.
- Burrow GN. 1990. Editorial: Thyroid status in normal pregnancy. *J Clin Endocrinol Metab* 71(2):274-275.
- *Burrow GN, Fisher DA, Larsen PR. 1994. Maternal and fetal thyroid function. *N Engl J Med* 331:1072-1078.
- Burrow GN, Klatskin EH, Genel M. 1978. Intellectual development in children whose mothers received propylthiouracil during pregnancy. *Yale J Biol Med* 51:151-156.

9. REFERENCES

Byrne RH, Kester DR. 1976. A potentiometric study of ferric ion complexes in synthetic media and seawater. *Mar Chem* 4:275-287.

CA Dept of Health Services. 1999. Determination of perchlorate by ion chromatography. State of California Department of Health Services. Sanitation & Radiation Laboratories Branch. Revision no. 0.

CA Dept of Health Services. 2002. California's experience with perchlorate in drinking water. California Department of Health Services.

<http://www.dhs.ca.gov/ps/ddwm/chemicals/perchl/perchindex.htm>. June 10, 2002.

*Caldwell DJ, King JH Jr, Kinkead ER, et al. 1995. Results of a fourteen day oral-dosing toxicity study of ammonium perchlorate. Chemical Propulsion Information Agency Publication.

*Calvo R, Obregon MJ, Ruiz de Ona C, et al. 1990. Congenital hypothyroidism, as studied in rats. *J Clin Invest* 86:889-899.

Capen CC. 1992. Pathophysiology of chemical injury of the thyroid gland. *Toxicol Lett* 64-65:381-388.

Capen CC. 1994. Mechanisms of chemical injury of thyroid gland. *Prog Clin Biol Res* 387:173-191.

*Capen CC. 1997. Mechanistic data and risk assessment of selected toxic end points of the thyroid gland. *Toxicol Pathol* 25(1):39-48.

*Carr CW. 1952. Studies on the binding of small ions in protein solutions with the use of membrane electrodes. I. The binding of the chloride ion and other inorganic anions in solutions of serum albumin. *Arch Biochem Biophys* 40:286-294.

*Carrasco N. 1993. Iodide transport in the thyroid gland. *Biochim Biophys Acta* 1154:65-82.

CBD. 1999. Removal of ammonium perchlorate from waste water stream. Commerce Business Daily. <http://www.govcon.com/opportunities/CBD/1999/0422/aab.cbd>. April 22, 1999.

*Chambard M, Verrier B, Gabrion J, et al. 1983. Polarization of thyroid cells in culture: Evidence for the basolateral localization of the iodide "pump" and of the thyroid-stimulating hormone receptor-adenyl cyclase complex. *J Cell Biol* 96:1172-1177.

*Chan ML, Reed R Jr, Ciaramitaro DA. 2000. Advances in solid propellant formulations. In: Yang V, Brill TB, Ren W-Z, eds. Solid propellant chemistry, combustion, and motor interior ballistics. Vol. 185. Reston, VA: American Institute of Aeronautics and Astronautics, Inc., 185-206.

*Chang S, Crothers C, Lai S, et al. 2003. Pediatric neurobehavioral diseases in Nevada counties with respect to perchlorate in drinking water: An ecological inquiry. *Birth Defects Res A Clin Mol Teratol* 67:886-892.

*Chazenbalk GD, Nagayama Y, Kaufman KD, et al. 1990. The functional expression of recombinant human thyrotropin receptors in nonthyroidal eukaryotic cells provides evidence that homologous desensitization to thyrotropin stimulation requires a cell-specific factor. *Endocrinology* 127(3):1240-1244.

9. REFERENCES

- Cheng Q, Perlmutter L, Smith PN, et al. 2004. A study on perchlorate exposure and absorption in beef cattle. *J Agric Food Chem* 52(11):3456-3461.
- Chiou SJ, Gran T, Meloan CE, et al. 1981. A nitron-polyvinylbenzyl chloride polymer to selectively remove oxidizing anions from non-oxidizing anions. Removal of NO_3^- and NO_2^- from polluted waters. *Anal Lett* 14(A11):865-871.
- *Chow SY, Woodbury DM. 1970. Kinetic of distribution of radioactive perchlorate in rat and guinea-pig thyroid glands. *J Endocrinol* 47:207-218.
- *Chow SY, Chang LR, Yen MS. 1969. A comparison between the uptakes of radioactive perchlorate and iodine by rat and guinea-pig thyroid glands. *J Endocrinol* 45:1-8.
- Christen K. 2000. Surprising human health-perchlorate link. *Environ Sci Technol* 34(17):374A-375A.
- *Clewel HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Clewel RA, Gearhart JM. 2002. Pharmacokinetics of toxic chemicals in breast milk: Use of PBPK models to predict infant exposure. *Environ Health Perspect* 110(6):A333-A337.
- Clewel RA, Merrill EA, Narayanan L, et al. 2004. Evidence for competitive inhibition of iodide uptake by perchlorate and translocation of perchlorate into the thyroid. *Int J Toxicol* 23(1):17-23.
- *Clewel RA, Merrill EA, Robinson PJ. 2001. The use of physiologically based models to integrate diverse data sets and reduce uncertainty in the prediction of perchlorate kinetics across life stages and species. *Toxicol Ind Health* 17:210-222.
- *Clewel RA, Merrill EA, Yu KO, et al. 2003a. Predicting fetal perchlorate dose and inhibition of iodide kinetics during gestation: A physiologically-based pharmacokinetic analysis of perchlorate and iodide kinetics in the rat. *Toxicol Sci* 73:235-255.
- *Clewel RA, Merrill EA, Yu KO, et al. 2003b. Predicting neonatal perchlorate dose and inhibition of iodide uptake in the rat during lactation using physiologically-based pharmacokinetic modeling. *Toxicol Sci* 74:416-436.
- Cline TR, Plumlee MP, Christian JE, et al. 1969. Effect of potassium perchlorate and sodium chloride given orally upon radioiodine deposition into milk of goats. *J Dairy Sci* 52(7):1124-1126.
- *Coates JD, Anderson RT. 2000. Emerging techniques for anaerobic bioremediation of contaminated environments. *Trends Biotechnol* 18(10):408-412.
- Coates JD, Bruce RA, Haddock JD. 1998. Anoxic bioremediation of hydrocarbons. *Nature* 396:730.
- *Coates JD, Michaelidou U, Bruce RA, et al. 1999. Ubiquity and diversity of dissimilatory (per)chlorate-reducing bacteria. *Appl Environ Microbiol* 65(12):5234-5241.
- *Cohen AP. 1993. Desiccants. In: Kroschwitz JI, Howe-Grant M, eds. *Kirk-Othmer's encyclopedia of chemical technology*. Vol. 7. New York, NY: John Wiley & Sons, Inc., 1031-1055.

9. REFERENCES

- *Cohen RN, Weintraub BD, Wondisford FE. 2000. Thyrotropin. In: Braverman, LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia: Lippincott Williams & Wilkins, 202-219.
- *Colborn T, Clement C, eds. 1992. Chemically-induced alterations in sexual and functional development: The wildlife-human connection. In: Advances in modern environmental toxicology, Vol. XXI. Princeton, NJ: Princeton Scientific Publishing.
- *Collette TW, Williams TL, Urbansky ET, et al. 2003. Analysis of hydroponic fertilizer matrixes for perchlorate: Comparison of analytical techniques. *Analyst* 128(1):88-97.
- *Conkling JA. 1996. Pyrotechnics. In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 20. New York, NY: John Wiley & Sons, Inc., 680-697.
- *Connell JMC. 1981. Long-term use of potassium perchlorate. *Postgrad Med J* 57:516-517.
- *Contempre B, Jauniaux E, Calvo R, et al. 1993. Detection of thyroid hormones in human embryonic cavities during the first trimester of pregnancy. *J Clin Endocrinol Metab* 77(6):1719-1722.
- Conti A, Kneubuehl F, Studer H, et al. 1975. Increased iodotyrosine deiodinase activity in human goiters and in rats treated with perchlorate. In: Robbins J, Braverman LE, eds. Thyroid research: Proceedings of the 7th International Thyroid Conference, Boston, Massachusetts, June 9-13, 1975, 166-168.
- *Corvilain B, Dumont HE, Vassart G. 2000. Toxic adenoma and toxic multinodular goiter. In: Braverman LE, Utiger RD eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 564-572.
- *Costa M, Zhitkovich A, Gargas M, et al. 1996. Interlaboratory validation of a new assay for DNA-protein crosslinks. *Mutat Res* 369:13-21.
- *Cotton FA, Wilkinson G. 1980. Advanced inorganic chemistry. New York, NY: John Wiley & Sons, 560.
- *Cowan D. 2000. Innovative abatement and remediation of perchlorate at McGregor, Texas weapons plant site. *Soil Sediment Groundwater* 5:25-26.
- *Cramer RJ, Yates C, Hatzinger P, et al. 2004. Field demonstration of in situ perchlorate bioremediation at building 1419. Indian Head, MD: U.S. Naval Sea Systems Command. ADA421555.
- *CRIS/USDA. 2002. Current Research Information System: Perchlorates. Beltsville, MD. U.S. Department of Agriculture. <http://cris.csrees.usda.gov/>.
- *Crooks J, Wayne EJ. 1960. A comparison of potassium perchlorate, methylthiouracil, and carbimazole in the treatment of thyrotoxicosis. *Lancet* 1:401-404.
- Crump C, Weiss NS. 2001. Methods and conclusions of the Arizona perchlorate study. *J Occup Environ Med* 43(4):307-309.
- *Crump C, Michaud P, Tellez R, et al. 2000. Does perchlorate in drinking water affect thyroid function in newborns or school-age children? *J Occup Environ Med* 42(6):603-612.

9. REFERENCES

*CSB. 1999. Chemical Safety and Hazard Investigation Board. Chemical safety board investigators dispatched to site of fireworks factory explosion. <http://www.csb.gov/>. April 20, 1999.

*Dai G, Levy O, Carrasco N. 1996. Cloning and characterization of the thyroid iodide transporter. *Nature* 379:458-460.

*Darras VM, Hume R, Visser TJ. 1999. Regulation of thyroid hormone metabolism during fetal development. *Mol Cell Endocrinol* 151:37-47.

*Dasgupta PK, Martinelango PK, Jackson WA, et al. 2005. The origin of naturally occurring perchlorate: The role of atmospheric processes. *Environ Sci Technol* 39(6):1569-1575.

*Dean KE, Palachek RM, Noel JM, et al. 2004. Development of freshwater water-quality criteria for perchlorate. *Environ Toxicol Chem* 23(6):1441-1451.

*De Borba BM, Urbansky ET. 2002. Performance of poly (vinyl alcohol) gel columns on the ion chromatographic determination of perchlorate in fertilizers. *J Environ Monit* 4(1):49-55.

*DeGroot LJ, Buhler U. 1971. Effect of perchlorate and methimazole on iodine metabolism. *Acta Endocrinol* 68:696-706.

*de Zegher F, Vanhole C, Van den Berghe G, et al. 1994. Properties of thyroid-stimulating hormone and cortisol secretion by the human newborn on the day of birth. *J Clin Endocrinol Metab* 79:576-581.

DHS. 1999. Standards for perchlorate drinking water. Department of Health Services. <http://www.dhs.cahw.net/org/ps/ddwen/chemicals/mcl/mclindex.html>. June 13, 1999.

Djurdjevic D, Lengemann FW. 1970. Effect of perchlorate on the milk-plasma radioiodine ratio of intact and thyroidectomized goats. *J Dairy Sci* 53(6):808-812.

*DoD. 1999. Effects of ammonium perchlorate on immunotoxicological, hematological, and thyroid parameters in B6C3F1 female mice. United States Department of Defense. (author: Keil D et al.)

*DoD. 2005a. Success stories: Longhorn Army Ammunition Plant. Department of Defense, Perchlorate Work Group. <http://www.dodperchlorateinfo.net/efforts/successes/army/longhorn.html>. June 29, 2005.

*DoD. 2005b. Perchlorate Treatment Technology: Fact Sheet: Bioreactors. Department of Defense. AFCEE/ERT Fact Sheet. <http://www.dodperchlorateinfo.net/efforts/successes/army/documents/bioreactors.pdf>. June 30, 2005.

*DoD. 2005c. Success stories: Edwards Air Force Base. Department of Defense, Perchlorate Work Group. <http://www.dodperchlorateinfo.net/efforts/successes/air-force/edwards.html>. June 30, 2005.

*DoD. 2005d. Perchlorate Treatment Technology. Fact Sheet. Ion Exchange. Department of Defense. AFCEE/ERT Fact Sheet. <http://www.dodperchlorateinfo.net/efforts/successes/air-force/documents/Ion-Exchange.pdf>. June 30, 2005.

*Dodds ED, Kennish JM, Von Hippel FA, et al. 2004. Quantitative analysis of perchlorate in extracts of whole fish homogenates by ion chromatography: Comparison of suppressed conductivity detection and electrospray ionization mass spectrometry. *Anal Bioanal Chem* 379(5-6):681-687.

9. REFERENCES

*DOE. 2002. U.S. Department of Energy Research and Development Project Summaries Database. http://secure.osti.gov/rd/oward_public.search. June 28, 2005.

*DOE. 2003. Treatment of perchlorate-contaminated groundwater using highly-selective, regenerable anion-exchange resins at Edwards Air Force Base. Oak Ridge, TN: U.S. Department of Energy. DE2003814536.

Doemland ML, Lamm SH. 1999. Perchlorate in drinking water and risk of congenital hypothyroidism. *Toxicologist* 48(1-S):113.

Dollarhide J, Funk K, Girard M, et al. 2001. Effects of ammonium perchlorate exposure on thyroid and neurohistology in pregnant and lactating rats, fetuses, and nursing pups. *Toxicologist* 60(1):217-218.

*DoT. 2005a. Carriage by vessel. Other requirements for stowage and segregation for cargo vessels and passenger vessels. Department of Transportation. Code of Federal Regulations. 49 CFR 176.84(b).

*DoT. 2005b. Hazardous materials table and hazardous materials communications regulations. Purpose and use of hazardous materials table. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101.

*Dowling ALS, Zoeller RT. 2000. Thyroid hormone of maternal origin regulates the expression of RC3/neurogranin mRNA in the fetal rat brain. *Mol Brain Res* 82:126-132.

*Dowling ALS, Iannaccone EA, Zoeller RT. 2001. Maternal hypothyroidism selectivity affects the expression of neuroendocrine-specific protein A messenger ribonucleic acid in the proliferative zone of the fetal rat brain cortex. *Endocrinology* 142(1):390-399.

*Drury MA. 1986. More about perchlorates and conducting polymers. *Chem Eng News* 64:2.

*Dunson DB. 2001. Statistical analysis of the effects of perchlorate on neurobehavior (motor activity) in SD rats. Memorandum (November 1, 2001) to Annie M. Jarabek, National Center for Environmental Assessment (MD-52). Research Triangle Park, NC: U.S. Environmental Protection Agency.

*Durand MJ. 1938. Recherces sur l'elimination des perchlorates, sur leur repartition dans les organes et sur leur toxicite. *Bull Soc Chim Biol* 20:428-435.

Eaton JC, Terra JA, Hornsby JL, et al. 1992. Chemical and physical characterization of an experimental white smoke formed from combustion of ammonium perchlorate, ammonium chloride, and carboxy-terminated polybutadiene. ADA258751.

*Eichler O. 1929. [The pharmacology of the perchlorate effect. Naunyn-Schmiedebergs.] *Arch Exp Pathol Pharmakol* 144:251-260. (German)

*Eichler O, Hackenthal E. 1962. [Secretion and metabolism of perchlorate measured with $^{36}\text{ClO}_4$.] *Naunyn-Schmiedebergs Arch Exp Pathol Pharmakol* 243:554-565. (German)

*Einfeld W, Morrison DJ, Mullins SE. 1995. Instrumentation advances in emissions characterization from propellant/explosive combustion. Albuquerque, NM: Sandia National Labs. DE96008231.

Eli AM, Hart JR. 1998. Comparative analysis of emissions and risk from destruction of waste propellant in an incinerator versus open burning. *Proc Annu Meet Air Waste Manage Assoc* 91:1-4.

9. REFERENCES

*Ellington JJ, Evans JJ. 2000. Determination of perchlorate at parts-per-billion levels in plants by ion chromatography. *J Chromatogr A* 898:193-199.

*Ellington JJ, Wolfe NL, Garrison AW, et al. 2001. Determination of perchlorate in tobacco plants and tobacco products. *Environ Sci Technol* 35(15):3213-3218.

*Ells B, Barnett DA, Purves RW, et al. 2000. Trace level determination of perchlorate in water matrices and human urine using ESI-FAIMS-MS. *J Environ Monitor* 2(5):393-397.

Elsenbaumer RL, Miller GG. 1985. Potential hazard of perchlorate-doped polyacetylene film. *Chem Eng News* 63:4.

*Endo T, Kaneshige M, Nakazato M, et al. 1997. Thyroid transcription factor-1 activated the promoter activity of rat thyroid Na⁺/I⁻ symporter gene. *Mol Endocrinol* 11:1747-1755.

*Eng PHK, Cardona GR, Fang S-L, et al. 1999. Escape from the acute Wolff-Chaikoff effect is associated with a decrease in thyroid sodium/iodide symporter messenger ribonucleic acid and protein. *Endocrinology* 140:3404-3410.

EPA. 1990. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A.

*EPA. 1992a. Code of federal regulations. U.S. Environmental Protection Agency. 49 CFR 261.22.

EPA. 1992b. U.S. Environmental Protection Agency. Provisional non-cancer and cancer toxicity values for potassium perchlorate. Superfund Health Risk Technical Support Center. Chemical Mixtures Assessment Branch.

*EPA. 1994. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. U.S. Environmental Protection Agency. EPA600890066F.

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

*EPA. 1998a. Announcement of the drinking water contaminant candidate list. U.S. Environmental Protection Agency. Fed Regist 63(40):10274-10287.

EPA. 1998b. Assessment of thyroid follicular cell tumors. U.S. Environmental Protection Agency. Risk Assessment Forum. EPA630R97002.

EPA. 1998c. Perchlorate environmental contamination: Toxicological review and risk characterization based on emerging information. U.S. Environmental Protection Agency, Office of Research and Development: Washington, D.C. NCEA-1-0503.

EPA. 1998d. Perchlorate ecological risk studies: A report on literature reviews and studies conducted by the ecological impact/transport and transformation subcommittee of the interagency perchlorate steering committee. Edison, NJ: U.S. Environmental Protection Agency. TR20010004. ADA397933.

9. REFERENCES

*EPA. 1999a. Perchlorate. U.S. Environmental Protection Agency. Office of Ground Water and Drinking Water. <http://www.epa.gov/ogwdw000/ccl/perchlor/perchlo.html>. June 21, 2000.

*EPA. 1999b. Revisions to unregulated contaminant monitoring regulation for public water systems. U.S. Environmental Protection Agency. Fed Regist 64(180):50556-50620.

*EPA. 2000. Unregulated contaminant monitoring regulation for public water systems: Analytical methods for perchlorate and acetochlor; announcement of laboratory approval and performance testing (PT) program for the analysis of perchlorate. U.S. Environmental Protection Agency. Fed Regist 65(42):11372-11385.

*EPA. 2001a. Survey of fertilizers and related materials for perchlorate (ClO₄⁻). Cincinnati, OH: U.S. Environmental Protection Agency. PB2005103648. EPA600R01047.

EPA. 2001b. Ion chromatographic determination of perchlorate ion: Analysis of fertilizers and related materials. Washington, DC: U.S. Environmental Protection Agency. PB2001105531. EPA600R01026.

EPA. 2002a. Drinking water contaminant candidate list. U.S. Environmental Protection Agency. wysiwyg://40/http://www.epa.gov/OGWDW/ccl/cclfs.html. June 2, 2002.

EPA. 2002b. National primary drinking water regulations. Monitoring requirements for unregulated contaminants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.40(a)(3).

<http://ecfr.access.gpo.gov/otcgi/cfr/otfil...Y=71724&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. June 2, 2002.

*EPA. 2002c. Perchlorate environmental contamination: Toxicological review and risk characterization. U.S. Environmental Protection Agency. Office of Research and Development. NCEA-1-0503.

*EPA. 2002d. Perchlorate. U.S. Environmental Protection Agency. Office of Water. wysiwyg://30/http://www.epa.gov/ogwdw/ccl/perchlor/perchlo.html. July 16, 2003.

EPA. 2002e. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. Examples of potentially incompatible waste. Appendix V. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.

<http://ecfr.access.gpo.gov/otcg...=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1>. June 20, 2005.

EPA. 2002f. Perchlorate ecological studies - A report on literature reviews and studies conducted by the ecological impact/transport and transformation subcommittee of the interagency perchlorate steering committee. Edison, NJ: U.S. Environmental Protection Agency. ADA397933.

*EPA. 2003. Occurrence and potential sources of perchlorate releases to the environment as of April, 2003. U.S. Environmental Protection Agency.

http://www.epa.gov/fedfac/pdf/perchlorate_occurrence_april03a.pdf. July 5, 2005.

*EPA. 2004a. Drinking water contaminant candidate list 2: Notice. Washington, DC: U.S. Environmental Protection Agency. Fed Regist 69(64):17406-17415.

*EPA. 2004b. A study on the accumulation of perchlorate in young head lettuce. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB2005105427. EPA600R03003.

9. REFERENCES

- *EPA. 2005a. National primary drinking water regulations. Monitoring requirements for unregulated contaminants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.40(a)(3).
- *EPA. 2005b. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. Examples of potentially incompatible waste. Appendix V. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.
- *EPA. 2005c. Known perchlorate releases in the U.S. – March 25, 2005. U.S. Environmental Protection Agency. http://www.epa.gov/fedfac/documents/detection_with_dates_03_25_05.xls. June 30, 2005.
- *EPA. 2005d. Known or suspected perchlorate manufacturers/users in U.S. – as of April 2003. U.S. Environmental Protection Agency. http://www.epa.gov/fedfac/documents/knwn_perch_mftrs_usrs_04_03.xls. June 29, 2005.
- *EPA. 2005e. Perchlorate. Drinking water contaminant candidate list. Ground water & drinking water. U.S. Environmental Protection Agency. <http://www.epa.gov/safewater/ccl/perchlorate/perchlorate.html>. June 30, 2005.
- *EPA. 2005f. Perchlorate. Federal facilities restoration and reuse. U.S. Environmental Protection Agency. <http://www.epa.gov/fedfac/documents/perchlorate.htm>. June 25, 2005.
- *EPA. 2005g. Accessing unregulated contaminant monitoring data. Office of Ground Water and Drinking Water. U.S. Environmental Protection Agency. <http://www.epa.gov/safewater/data/ucmrgtdata.html>. June 30, 2005.
- *Erickson BE. 2004. Tracing the origin of perchlorate. *Anal Chem* 76(21):388A-389A.
- *Escobar del Rey F, Pastor R, Mallol J, et al. 1986. Effects of maternal iodine deficiency on the L-thyroxine and 3,5,3'-triiodo-L-thyronine contents of rat embryonic tissues before and after onset of fetal thyroid function. *Endocrinology* 118(4):1259-1265.
- *Eskandari S, Loo DD, Dai G, et al. 1997. Thyroid Na⁺/I⁻ symporter: Mechanism, stoichiometry, and specificity. *J Biol Chem* 272(43):27230-27238.
- *Eskin BA, Merion JA, Krouse TB, et al. 1976. Blockade of breast iodine by perchlorate in estrogen deficiency. *Excerpta Medica* 378:625-629.
- *Eskin BA, Shuman R, Krouse T, et al. 1975. Rat mammary gland atypia produced by iodine blockade with perchlorate. *Cancer Res* 35:2332-2339.
- *Evered DC. 1976. Endocrine and metabolic diseases: Treatment of thyroid disease: I. *Br Med J* 1:264-266.
- *Fagin JA. 2000. Molecular genetics of tumors of thyroid follicular cells. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 886-898.
- *Faure N, Dussault J-H. 1975. [The effect of a single dose of perchlorate on the 24-hour I 131 uptake.] *Union Med Can* 104(8):1208-1210. (French)

9. REFERENCES

*Fawcett JW, Clarke CWF. 1961. Aplastic anaemia due to potassium perchlorate. *Br Med J* 1:1537.

*FDA. 1998. Code of federal regulations-Indirect food additives: Polymers. Food and Drug Administration. 21 CFR 177.1210. <http://squid.law.cornell.edu/cgi-bin/cfr/...21&PART=177&SECTION=1210&TYPE=TEXT>. June 2, 1999.

*FDA. 2004. Exploratory data on perchlorate in food. Food and Drug Administration. <http://www.cfsan.fda.gov/~dms/clo4data.html>.

*FDA. 2005. Substances for use as basic components of single and repeated use food contact surfaces. Closures with sealing gaskets for food containers. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.1210(b)(5). <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200521>. June 24, 2005.

*FEDRIP. 2005. Federal Research in Progress (FEDRIP) [database online]. Cary, NC: The Dialog Corporation.

*Fernandez-Rodriguez A, Galera-Davidson H, Salguero-Villadiego M, et al. 1991. Induction of thyroid proliferative changes in rats treated with antithyroid compound. *Anat Histol Embryol* 20:289-298.

*Fernandez-Santos JM, De-Miguel M, Gonzalez-Campora R, et al. 2004. Ki-ras mutational analysis in rat follicular-cell proliferative lesions of the thyroid gland induced by radioactive iodine and potassium perchlorate. *J Endocrinol Invest* 27(1):12-17.

*Ferreiro B, Bernal J, Goodyer CG, et al. 1988. Estimation of nuclear thyroid hormone receptor saturation in human fetal brain and lung during early gestation. *J Clin Endocrinol Metab* 67:853-856.

Fields C, Dourson M, Borak J. 2005. Iodine-deficient vegetarians: A hypothetical perchlorate-susceptible population? *Regul Toxicol Pharmacol* 42(1):37-46.

Fill M, Best PM. 1990. Effect of perchlorate on calcium release in skinned fibres stimulated by ionic substitution and caffeine. *Pflugers Arch (Eur J Physiol)* 415:688-692.

*Fisher DA, Brown RS. 2000. Thyroid physiology in the perinatal period and during childhood. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 959-972.

Fisher DA, Foley BL. 1989. Early treatment of congenital hypothyroidism. *Pediatrics* 83(5):785-789.

*Fisher DA, Oddie TH, Burroughs JC. 1962. Thyroidal radioiodine uptake rate measurement in infants. *Am J Dis Child* 103:738-749.

*Fisher J, Todd P, Mattie D, et al. 2000. Preliminary development of a physiological model for perchlorate in the adult male rat: A framework for further studies. *Drug Chem Toxicol* 23(1):243-258.

*Florencio Vicente MDR. 1990. [Proliferative thyroid lesions: An experimental study.] *Diss Abstr Int C* 54(1):176. (Spanish)

*Fomon SJ. 1966. Body composition of the infant: Part I: The male "reference infant". In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.

9. REFERENCES

*Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.

*Forhead AJ, Li J, Gilmour RS, et al. 2002. Thyroid hormones and the mRNA of the GH receptor and IGFs in skeletal muscle of fetal sheep. *Am J Physiol Endocrinol Metab* 282(1):E80-E86.

Frankel BJ, Sehlin J. 1994. Effect of perchlorate on glucose-stimulated insulin release and $^{45}\text{Ca}^{+2}$ uptake in pancreatic islets from diabetic Chinese hamsters. *Pancreas* 9:550-557.

Freudenthal RI, Anderson DP. 1997. Re: Monitoring of aromatic amine exposures in workers at a chemical plant with a known bladder cancer excess. *J Natl Cancer Inst* 89(10):734-736.

*Fujiwara H, Tatsumi K, Miki K, et al. 1997. Congenital hypothyroidism caused by a mutation in the Na^+/I^- symporter. *Nat Genet* 16:124-125.

*Fujiwara H, Tatsumi K-I, Miki K, et al. 1998. Recurrent T354P mutation of the Na^+/I^- symporter in patients with iodide transport defect. *J Clin Endocrinol Metab* 83(8):2940-2943.

Fukuda H, Yasuda N, Greer MA, et al. 1975. Changes in plasma thyroxine, triiodothyronine, and TSH during adaptation to iodine deficiency in the rat. *Endocrinology* 97:307-314.

Funderburk CF, Van Middlesworth L. 1967. Effect of lactation and perchlorate on thiocyanate metabolism. *Am J Physiol* 213(6):1371-1377.

Gallant EM, Lentz LE, Taylor SR. 1995. Modulation of caffeine contractures in mammalian skeletal muscles by variation of extracellular potassium. *J Cell Physiol* 165:254-260.

Gao J, Bian H, Hou J, et al. 1993. Simultaneous determination of inorganic anions and cations by ion chromatography with indirect photometric detection. *J Chromatogr* 657:95-101.

*Gauss W. 1972. [Physiological and histological criteria of thyroid gland function during a single or longer treatment of potassium perchlorate in adult mice (*Mus musculus*). I. Long-lasting medication experiments.] *Z Mikrosk Anat Forsch* 85:469-500. (German)

Gerber H, Huber G, Peter HJ, et al. 1994. Transformation of normal thyroids into colloid goiters in rats and mice by diphenylthiohydantoin. *Endocrinology* 135(6):2688-2699.

Gerber H, Studer H, Conti A, et al. 1981. Reaccumulation of thyroglobulin and colloid in rat and mouse thyroid follicles during intense thyrotropin stimulation. A clue to the pathogenesis of colloid goiters. *J Clin Invest* 68(5):1338-1347.

*GFS. 1997. GFS Chemical Company catalog. Powell, OH: GFS Chemicals, Inc.

*Gibbs JP, Ahmad R, Crump KS, et al. 1998. Evaluation of a population with occupational exposure to airborne ammonium perchlorate for possible acute or chronic effects on thyroid function. *J Occup Environ Med* 40:1072-1082.

*Giblin T, Frankenberger WT Jr. 2001. Perchlorate and nitrate reductase activity in the perchlorate-respiring bacterium *perclace*. *Microb Releases* 156(4):311-315.

9. REFERENCES

- *Giblin TL, Herman DC, Frankenberger WT Jr. 2000. Removal of perchlorate from ground water by hydrogen-utilizing bacteria. *J Environ Qual* 29:1057-1062.
- Gifford PR. 1992. Batteries and electric cells, primary-fuel cells. In: Kroschwitz JI, Howe-Grant M, eds. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 3. New York, NY: John Wiley & Sons, 1107-1108, 1118-1121.
- Gingras TM, Batista JR. 2002. Biological reduction of perchlorate in ion exchange regenerant solutions containing high salinity and ammonium levels. *J Environ Monit* 41(1):96-101.
- Girard MF, Dourson ML, York RG, et al. 1999. Two-generation reproduction study of ammonium perchlorate in rats. *Toxicologist* 48(1-S):112.
- *Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect* 101(Suppl 2):65-71.
- *Gjemdal N. 1963. Fatal aplastic anaemia following use of potassium perchlorate in thyrotoxicosis. *Acta Med Scand* 174:129-131.
- Glorieux J, Dussault J, Van Vliet G. 1992. Intellectual development at age 12 years of children with congenital hypothyroidism diagnosed by neonatal screening. *J Pediatr* 121:581-584.
- Glorieux J, Dussault JH, Morissette J, et al. 1985. Follow-up at ages 5 and 7 years on mental development in children with hypothyroidism detected by Quebec Screening Program. *J Pediatr* 107(6):913-919.
- *Godley AF, Stanbury JB. 1954. Preliminary experience in the treatment of hyperthyroidism with potassium perchlorate. *J Clin Endocrinol* 14:70-78.
- *Goldman SJ, Stanbury JB. 1973. The metabolism of perchlorate in the rat. *Endocrinology* 92:1536-1538.
- *Golstein J, Corvilain B, Lamy F, et al. 1988. Effects of a selenium deficient diet on thyroid function of normal and perchlorate treated rats. *Acta Endocrinol* 118:495-502.
- Gonzalez A, Rios E. 1993. Perchlorate enhances transmission in skeletal muscle excitation-contraction coupling. *J Gen Physiol* 102:373-421.
- Goodman G. 2001a. The conclusions of the Arizona perchlorate study (Brechner et al. 2000) require reexamination. *Toxicologist* 60(1):228.
- Goodman G. 2001b. The conclusions of the Arizona perchlorate study require reexamination. *J Occup Environ Med* 43(4):305-309.
- Grant DB, Fugle P, Tokar S, et al. 1992. Psychomotor development in infants with congenital hypothyroidism diagnosed by neonatal screening. *Acta Med Austriaca* 19:54-56.
- *Green WL. 1996. Antithyroid compounds. In: Braverman LE, Utiger RD, eds. *Werner and Ingbar's the thyroid: A fundamental and clinical text*. 7th ed. Philadelphia, PA: Lippincott-Raven Publishers, 266-276.

9. REFERENCES

- Greer MA, Goodman G, Pleus RC. 2000. Does environmental perchlorate exposure alter human thyroid function? Determination of the dose-response for inhibition of radioiodine uptake. *Endocr J (Tokyo)* 47:146.
- *Greer MA, Goodman G, Pleus RC, et al. 2002. Health effects assessment for environmental perchlorate contamination: The dose-response for inhibition of thyroidal radioiodine uptake in humans. *Environ Health Perspect* 110(9):927-937.
- Greer MA, Stott AK, Milne KA. 1966. Effects of thiocyanate, perchlorate and other anions on thyroidal iodine metabolism. *Endocrinology* 79(2):237-247.
- *Grotheer MP. 1994. Electrochemical processing. In: Kroschwitz JI, Howe-Grant M, eds. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 9. New York, NY: John Wiley & Sons, Inc, 111-159.
- Gu B, Brown GM, Maya L, et al. 2001. Regeneration of perchlorate (ClO_4^-)-loaded anion exchange resins by a novel tetrachloroferrate (FeCl_4^-) displacement technique. *Environ Sci Technol* 35(16):3363-3368.
- *Gullick RW, Lechevallier MW, Barhorst TS. 2001. Occurrence of perchlorates in drinking water sources. *J Am Water Works Assoc* 93:66-77.
- Gupta GS, Chopra VK. 1977. Biological damage in testis by iodine-125 in partially blocked thyroid of rats. *Radiat Environ Biophys* 14:147-152.
- *Guzelian PS, Henry CJ, Olin SS, eds. 1992. *Similarities and differences between children and adults: Implications for risk assessment*. Washington, DC: International Life Sciences Institute Press.
- Gyorke S, Palade P. 1992. Effects of perchlorate on excitation-contraction coupling in frog and crayfish skeletal muscle. *J Physiol* 456:443-451.
- Hackenthal E, Allmann A, Morgenstern I. 1966. [Iodide uptake of the guinea pig thyroid and trachea during and after chronic perchlorate treatment.] *Naunyn-Schmiedebergs Arch Exp Pathol Pharmakol* 252:368-378. (German)
- *Haddow JE, Palomaki GE, Allan WC, et al. 1999. Maternal thyroid deficiency during pregnancy and subsequent neuropsychological development of the child. *N Engl J Med* 341:549-555.
- Halmi NS, Stuelke RG, Schnell MD. 1956. Radioiodide in the thyroid and in other organs of rats treated with large doses of perchlorate. *Endocrinology* 58:634-650.
- Harden RMG, Alexander WD, Shimmins J, et al. 1968. A comparison between the inhibitory effect of perchlorate on iodide and pertechnetate concentrations in saliva in man. *Q J Exp Physiol Cogn Med Sci* 53(3):227-238.
- *Harris WR, Cafferty AM, Abdollahi S, et al. 1998. Binding of monovalent anions to human serum transferrin. *Biochim Biophys Acta* 1383(2):197-210.
- Harris WR, Nessen-Tollefson D, Stenback JZ, et al. 1990. Site selectivity in the binding of inorganic anions to serum transferrin. *J Inorg Biochem* 38(3):175-183.

9. REFERENCES

*Hartmann N, Vogler H, Vogler CH. 1971. [Effect of some thyroid inhibitors on the peripheral turnover of thyroid hormones.] *Acta Biol Med Ger* 26:513-521. (German)

Haust HL, Heagy FC. 1980. Abnormal perchlorate-induced radio-iodide loss from the thyroid gland in porphyrinopathies. *Int J Biochem* 12:981-984.

Hautman DP, Munch DJ. 1999. EPA method 314.0. Determination of perchlorate in drinking water using ion chromatography. Methods for the determination of organic and inorganic compounds in drinking water. Vol. 1. Washington, DC: U.S. Environmental Protection Agency, Office of Water and Office of Research and Development. EPA815R00014.

*Hays MT, Solomon DH. 1965. Influence of the gastrointestinal iodide cycle on the early distribution of radioactive iodide in man. *J Clin Invest* 44:117-127.

*HazDat. 2005. Perchlorates. Atlanta, GA: Agency for Toxic Substance and Disease Registry (ATSDR). January 27, 2005.

Heinig MJ. 2005. Perchlorate in human milk: Separating the science from sensationalism. *J Hum Lact* 21(2):115-117.

Heltemes LM, Hagan CR, Mitrofanova EE, et al. 2003. The rat sodium iodide symporter gene permits more effective radioisotope concentration than the human sodium iodide symporter gene in human and rodent cancer cells. *Cancer Gene Ther* 10:14-22.

*Herman DC, Frankenberger WT. 1998. Microbial-mediated reduction of perchlorate in groundwater. *J Environ Qual* 27:750-754.

Herman DC, Frankenberger WT. 1999. Bacterial reduction of perchlorate and nitrate in water. *J Environ Qual* 28(3):1018-1024.

*Hiasa Y, Kitahori Y, Kato Y, et al. 1987. Potassium perchlorate, potassium iodide, and propylthiouracil: promoting effect on the development of thyroid tumors in rats treated with n-bis(2-hydroxypropyl)-nitrosamine. *Jpn J Cancer Res* 78:1335-1440.

Hickey JP. 1999. Estimating the environmental behavior of inorganic contaminants: Solubilities, bioaccumulation, and acute aquatic toxicities. Water resource investigative report. Vol. 2. U.S. Geological Survey Toxic Substances Hydrology Program, 477-482.

Hildebrandt JD, Halmi NS. 1981. Intrathyroidally generated iodine: The role of transport in its utilization. *Endocrinology* 106(3):842-849.

*Hindman EE II, Finnegan WG. 1980. Cloud-forming nuclei from combustion of solid-rocket-motor propellants. 1980 JANNAF Safety and Environmental Protection Subcommittee Meeting. CPIA Publ 325:49-55.

*Hobson QJG. 1961. Aplastic anemia due to treatment with potassium perchlorate. *Br Med J* 5236:1368-1369.

*Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.

9. REFERENCES

- *Hoffmeister G. 1993. Fertilizers. In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer's encyclopedia of chemical technology. Vol. 10. New York, NY: John Wiley & Sons, Inc., 441-514.
- *Howard BJ, Voigt G, Segal MG, et al. 1996. A review of countermeasures to reduce radioiodine in milk of dairy animals. *Health Phys* 71(5):661-673.
- *HSDB. Perchlorates. 2002. Hazardous Substances Data Bank. <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>. July 2, 2003.
- Huang CL. 1998. The influence of perchlorate ions on complex charging transients in amphibian striated muscle. *J Physiol* 506:699-714.
- *Hume R, Richard K, Kaptein E. 2001. Thyroid hormone metabolism and the developing human lung. *Biol Neonate* 80:18-21.
- *IARC. 2004. Overall evaluations of carcinogenicity to humans: As evaluated in IARC Monographs volumes 1-82 (at total of 900 agents, mixtures and exposures). Lyon, France: International Agency for Research on Cancer. <http://www-cie.iarc.fr/monoeval/crthall.html>. February 15, 2005.
- *Iff HW, Wilbrandt W. 1963. [The dependency of iodine accumulation in thyroid slices on the ionic composition of the incubation medium; influence of heart glycosides.] *Biochim Biophys Acta* 70:711-752. (German)
- Ilicki A, Larsson A. 1991. Psychological development at 7 years of age in children with congenital hypothyroidism. *Acta Paediatr Scand* 80:199-204.
- *IRIS. 2005. Perchlorates. Washington, DC: Integrated Risk Information System. U.S. Environmental Protection Agency. <http://www.epa.gov/iris/subst/>. June 27, 2005.
- *Jackson PE, Gokhale S, Streib T, et al. 2000. Improved method for the determination of trace perchlorate in ground and drinking waters by ion chromatography. *J Chromatogr A* 888(1-2):151-158.
- *Jackson PE, Laikhtman M, Rohrer JS. 1999. Determination of trace level perchlorate in drinking water and ground water by ion chromatography. *J Chromatogr A* 850(1-2):131-135.
- *Jaegle L, Yung YL, Toon GC, et al. 1996. Balloon observations of organic and inorganic chlorine in the stratosphere: The role of HClO₄ production on sulfate aerosols. *Geophys Res Lett* 23(14):1749-1752.
- Jansen LH. 1992. Boron compounds. In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 4. New York, NY: John Wiley & Sons, 364.
- *Jobelius HH, Scharff H-D. 1989. Hydrazoic acid and azides. In: Elvers B, Hawkins S, Ravenscroft M, et al., eds. Ullmann's encyclopedia of industrial chemistry, Vol. A13. Basel, Switzerland: VCH, 193-197.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- *Johnson RS, Moore WG. 1961. Fatal aplastic anemia after treatment of thyrotoxicosis with potassium perchlorate. *Br Med J* 5236:1369-1371.

9. REFERENCES

Juberg DR. 2002. Perchlorate in drinking water scientific collaboration in defining safety. New York, NY: American Council on Science and Health (ACSH).

*Kamienski CW, McDonald DP, Stark MW. 1995. Lithium and lithium compounds. In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 15. New York, NY: John Wiley & Sons, Inc., 434-463.

*Kamm G, Drescher G. 1973. [Demonstration of perchlorate in urine.] Beitr Gerichtl Med 30:206-210. (German)

Kammuller ME. 1995. Drug-induced autoimmunity. Hum Exp Toxicol 14:117-119.

*Kapitola J, Schullerova M, Schreiberova O. 1971. Blood flow and radioiodine uptake in the thyroid gland of rats after administration and discontinuation of carbimazole and perchlorate. Acta Endocrinol 68:817-825.

Katz AI, Emmanuel DS, Lindheimer MD. 1975. Thyroid hormone and the kidney. Nephron 15:223-249.

Keeping HS, Jellinck PH. 1980. Effect of iodide on estrogen-induced uterine peroxidase. Biochim Biophys Acta 632(2):150-158.

Keeping HS, Newcombe AM, Jellinck PH. 1982. Modulation of estrogen-induced peroxidase activity in the rat uterus by thyroid hormones. J Steroid Biochem 16(1):45-49.

*Kelsh MA, Buffler PA, Daaboul JJ, et al. 2003. Primary congenital hypothyroidism, newborn thyroid function, and environmental perchlorate exposure among residents of a Southern California community. J Occup Environ Med 45:1116-1127.

Kengen SWM, Rikken GB, Hagen WR, et al. 1999. Purification and characterization of (per)chlorate reductase from the chlorate-respiring strain GR-1. J Bacteriol 181(21):6706-6711.

*Kessler FJ, Kruskemper HL. 1966. [Experimental thyroid tumors caused by many years of potassium perchlorate administration.] Klin Wochenschr 44(19):1154-1156. (German)

Khettry J, Effmann E, Grand RJ, et al. 1976. Effect of pentagastrin, histalog, glucagon, secretin, and perchlorate on the gastric handling of 99mTc pertechnetate in mice. Radiology 120(3):629-631.

*Kiesche ES. 1994. American Pacific get go-ahead on ammonium perchlorate, sodium azide. Chem Week 154:11.

Kim K, Logan BE. 2000. Fixed-bed bioreactor treating perchlorate-contaminated waters. Environ Eng Sci 17(5):257-265.

*Kim K, Logan BE. 2001. Microbial reduction of perchlorate in pure and mixed culture packed-bed bioreactors. Water Res 35(13):3071-3076.

Kim S-J, Katayama Y. 2000. Effect of growth conditions on thiocyanate degradation and emission of carbonyl sulfide by *Thiobacillus thioparus* THI115. Water Res 34(11):2887-2894.

9. REFERENCES

- *Kirk AB, Kalyani Martinelango P, Tian K, et al. 2005. Perchlorate and iodide in dairy and breast milk. Environ Sci Technol. <http://elib2.cdc.gov:2617/cgi-bin/asap.cgi/esttag/asap/pdf/es048118t.pdf>. <http://elib2.cdc.gov:2617/cgi-bin/asap.cgi/esttag/asap/html/es048118t.html>. February 22, 2005.
- Kirk AB, Martinelango PK, Tian K, et al. 2005. Perchlorate and iodine in dairy and breast milk. Environ Sci Technol 39:2011-2017.
- Kirk AB, Smith EE, Tian K, et al. 2003. Perchlorate in milk. Environ Sci Technol 37:4979-4981.
- Kishi T, Nakamura J, Arai H. 1998. Application of capillary electrophoresis for the determination of inorganic ions in trace explosives and explosive residues. Electrophoresis 19:3-5.
- *Klein I, Levey GS. 2000. The cardiovascular system in thyrotoxicosis. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 596-604.
- Klein RZ, Haddow JE, Faix JD, et al. 1991. Prevalence of thyroid deficiency in pregnant women. Clin Endocrinol 35:41-46.
- Knight RW, Prince SP. 1989. Atmospheric dispersion of solid and liquid rocket propellant. ADA221293.
- Ko YI, Kim SS, Han SK. 1995. Transdermal permeation-enhancing activities of some inorganic anions. Arch Pharmacal Res 18(4):231-236.
- *Koester CJ, Beller HR, Halden RU. 2000. Analysis of perchlorate in groundwater by electrospray ionization mass spectrometry/mass spectrometry. Environ Sci Technol 34(9):1862-1864.
- *Kogai T, Endo T, Saito T, et al. 1997. Regulation by thyroid-stimulating hormone of sodium/iodide symporter gene expression and protein levels in FRTL-5 cells. Endocrinology 138(6):2227-2232.
- Koibuchi N, Yamaoka S, Chin WW. 2001. Effect of altered thyroid status on neurotrophin gene expression during postnatal development of the mouse cerebellum. Thyroid 11(3):205-210.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. Biochemistry 29:4430-4433.
- Konikowski T, Haynie TP. 1970. The effect of perchlorate on the localization of 99mTc-pertechnetate in a mouse brain sarcoma. J Nucl Med 11(7):443-448.
- Kopchinski AF, Meloan CE. 1996. The synthesis, characterization, and testing of a reagent for the selective removal of dichromate and perchlorate from aqueous solution. Sep Sci Technol 31:133-140.
- Kopp P. 1999. Pendred's syndrome: Identification of the genetic defect a century after its recognition. Thyroid 9(1):821-830.
- Korn J. 1977. [How many more? Perchlorate poisoning after dry-cleaning.] Ugeskr Laeg 139:303-304. (German)

9. REFERENCES

*Kosugi S, Inoue S, Matsuda A, et al. 1998. Novel, missense and loss-of-function mutations in the sodium/iodide symporter gene causing iodide transport defect in three Japanese patients. *J Clin Endocrinol Metab* 83(9):3373-3376.

Kotzaurek R. 1965. Nil nocere!: Akute leberatrophie nach perchlorat-therapie. *Munch Med Wochenschr* 42:2067-2070.

*Krevans JR, Asper SP, Rienhoff WF. 1962. Fatal aplastic anemia following use of potassium perchlorate in thyrotoxicosis. *JAMA* 181:182-184.

*Krynnitsky AJ, Niemann RA, Nortrup DA. 2004. Determination of perchlorate anion in foods by ion chromatography-tandem mass spectrometry. *Anal Chem* 76 (18): 5518-5522

*Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.

*Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.

*Krynnitsky AJ, Niemann RA, Nortrup DA. 2004. Determination of perchlorate anion in foods by ion chromatography - tandem mass spectrometry. *Anal Chem* 76(18):5518-5522.

*Ladenson PW. 2000. Diagnosis of hypothyroidism. In: Braverman LE, Utiger RD, eds. *Werner and Ingbar's the thyroid: A fundamental and clinical text*. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 848-852.

La Force MJ, Fendorf S, Li G, et al. 1999. Redistribution of trace elements from contaminated sediments of Lake Coeur d'Alene during oxygenation. *J Environ Qual* 28:1195-1200.

*Lamm SH. 2003. Letters to the editor: Perchlorate exposure does not explain differences in neonatal thyroid function between Yuma and Flagstaff. *J Occup Environ Med* 45(11):1131-1132.

*Lamm SH, Doemland M. 1999. Has perchlorate in drinking water increased the rate of congenital hypothyroidism? *J Occup Environ Med* 41(5):409-411.

*Lamm SH, Braverman LE, Li FX, et al. 1999. Thyroid health status of ammonium perchlorate workers: A cross-sectional occupational health study. *J Occup Environ Med* 41(4):248-260.

*Lampe L, Modis L, Gehl A. 1967. Effect of potassium perchlorate on the foetal rabbit thyroid. *Acta Med Acad Sci Hung* 23(3):223-232.

Langer P. 1968. Fluctuation of thyroid function following a single and repeated administration of antithyroid drugs. *Endocrinology* 83:1268-1272.

Langer P, Foldes O, Gschwendtova K. 1984. *In vivo* effect of amiodarone, thiocyanate, perchlorate, and goitrin on thyroxine deiodination in rat liver. *Endocrinol Exp* 18:177-182.

9. REFERENCES

- Langzeitversuche I, Gaub W. 1972. [Physiological and histological criteria of thyroid gland function during a single or longer treatment of potassium perchlorate in adult mice (*Mus musculus* L.).] Z Mikrosk Anat Forsch 85(4):469-500. (German)
- *Larsen PR. 1989. Maternal thyroxine and congenital hypothyroidism. N Engl J Med 321:44-46.
- Larsson-Nyren G. 1996. Perchlorate is hypoglycaemic by amplifying glucose-stimulated insulin secretion in mice. Acta Physiol Scand 158:71-76.
- Larsson-Nyren G, Sehlin J. 1993. Interaction between perchlorate and nifedipine on insulin secretion from mouse pancreatic islets. Biosci Rep 13(2):107-117.
- *Laue W, Thiemann M, Scheibler E, et al. 1991. Nitrates and nitrites. In: Elvers B, Hawkins S, Schulz G, eds. Ullmann's encyclopedia of industrial chemistry. Vol. A17. New York, NY: VCH Publishers, 265, 270, 271, 290, 291.
- *Lawrence J, Lamm S, Braverman LE. 2001. Low dose perchlorate (3 mg daily) and thyroid function. Thyroid 11(3):295.
- *Lawrence JE, Lamm SH, Pino S, et al. 2000. The effect of short-term low-dose perchlorate on various aspects of thyroid function. Thyroid 10(8):659-663.
- *Lazar MA. 1993. Thyroid hormone receptors: Multiple forms, multiple possibilities. Endocrine Rev 14(2):184-193.
- *Lazar MA. 1997. Recent progress in understanding thyroid hormone action. Thyroid Today 20(4):1-9.
- *Lazarus JH, Harden RM, Robertson JW. 1974. Quantitative studies of the inhibitory effect of perchlorate on the concentration of $^{36}\text{ClO}_4^-$, ^{125}I and $^{99\text{m}}\text{TcO}_4^-$ in salivary glands of male and female mice. Arch Oral Biol 19(7):493-498.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. Pediatr Clin North Am 44(1):55-77.
- Lengemann FW. 1966. Reduction of iodine transfer to milk of cows after perchlorate ingestion. J Dairy Sci 56:753-756.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantine B, Marro T, Turner P, eds. General and applied toxicology. Vol. 1. New York, NY: Stockton Press, 153-164.
- *Levy O, Dai G, Riedel C, et al. 1997. Characterization of the thyroid Na^+/I^- symporter with an anti-COOH terminus antibody. Proc Natl Acad Sci U S A 94:5568-5573.
- *Levy O, De la Vieja A, Carrasco N. 1998a. The Na^+/I^- symporter (NIS): Recent advances. J Bioenerg Biomembr 30(2):195-206.
- *Levy O, Ginter CS, De la Vieja A, et al. 1998b. Identification of a structural requirement for thyroid Na^+/I^- symporter (NIS) function from analysis of a mutation that causes human congenital hypothyroidism. FEBS Lett 429:36-40.

9. REFERENCES

Lewandowski TA, Seeley MR, Beck BD. 2004. Interspecies differences in susceptibility to perturbation of thyroid homeostasis: A case study with perchlorate. *Regul Toxicol Pharmacol* 39(3):348-362.

*Lewis RJ. 1993. Hawley's condensed chemical dictionary. New York, NY: Van Nostrand Reinhold Company, 68, 709, 721, 956, 1064.

Lewis S, Susarla S, Wolfe L, et al. 1999. Perchlorate accumulation from fertilizer in leafy vegetation. *Prepr Ext Abst Div Environ Chem Am Chem Soc* 39(2):65-66.

*Li FX, Byrd DM, Deyhle GM, et al. 2000a. Neonatal thyroid-stimulating hormone level and perchlorate in drinking water. *Teratology* 62:429-431.

*Li Z, Li FX, Byrd D, et al. 2000b. Neonatal thyroxine level and perchlorate in drinking water. *J Occup Environ Med* 42(2):200-205.

*Li FX, Squartsoff L, Lamm SH. 2001. Prevalence of thyroid diseases in Nevada counties with respect to perchlorate in drinking water. *J Occup Environ Med* 43(7):630-634.

*Linder V. 1993. Explosives and propellants. In: Kroschwitz J, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 10. New York, NY: John Wiley & Sons, 69, 115-125.

Litvinov NN, Govochenko VI, Lyapkov BG. 1968. [Adrenal function after administration of the antithyroid agent, ammonium perchlorate.] *Byull Eksp Biol Med* 65(6):65-67. (Russian)

Liu Y, Mou S. 2003. Determination of trace levels of haloacetic acids and perchlorate in drinking water by ion chromatography with direct injection. *J Chromatogr A* 997(1-2):225-235.

*Liu Y, Mou S, Heberling S. 2002. Determination of trace level bromate and perchlorate in drinking water by ion chromatography with an evaporative preconcentration technique. *J Chromatogr A* 956(1-2):85-91.

*Livingston, AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.

*Logan BE. 1998. A review of chloride- and perchlorate-respiring microorganisms. *Biorem J* 2(2):69-79.

*Logan BE. 2001. Assessing the outlook for perchlorate remediation. *Environ Sci Technol* 35(23):482A-487A.

*Logan BE, LaPoint D. 2002. Treatment of perchlorate-and nitrate-contaminated groundwater in an autotrophic, gas phase, packed-bed bioreactor. *Water Res* 36(14):3647-3653.

*Logan BE, Bliven AR, Olsen SR, et al. 1998. Growth kinetics of mixed cultures under chloride-reducing conditions. *J Environ Eng* 124:1008-1011.

*Logan BE, Wu J, Unz RF. 2001a. Biological perchlorate reduction in high-salinity solutions. *Water Res* 35(12):3034-3038.

*Logan BE, Zhang H, Mulvaney P, et al. 2001b. Kinetics of perchlorate- and chloride-respiring bacteria. *Appl Environ Microbiol* 67(6):2499-2506.

9. REFERENCES

*Logonder-Mlinsek M, Kalisnik M, Pajer Z. 1985. Follicular, parafollicular and mast cells in mouse thyroid gland after antithyroid drug application. *Acta Sterol* 4(1):67-76.

Logonder-Mlinsek M, Poredos P, Sustarsic J, et al. 1977. Biologic and stereologic analyses of the thyroid gland of the mice of CBA strain, subject to the sodium perchlorate treatment in timed doses. *Acta Annat* 99(1):105.

*Lyman WJ, Reehyl WF, Rosenblatt DH. 1990. Handbook of chemical property estimation methods: Environmental behavior of organic compounds. Washington, DC: American Chemical Society.

Ma J, Anderson K, Shirokov R, et al. 1993. Effects of perchlorate on the molecules of excitation-contraction coupling of skeletal and cardiac muscle. *J Gen Physiol* 102:423-448.

*MacDermott M. 1992. Intracellular sodium and potassium activities of skeletal muscle fibres of hypothyroid rats. *Exp Physiol* 77:649-652.

*Magnuson ML, Urbansky ET, Kelty CA. 2000. Determination of perchlorate at trace levels in drinking water by ion-pair extraction with electrospray ionization mass spectrometry. *Anal Chem* 72:25-29.

Mahle DA, Yu K, McCafferty JD, et al. 2001. Thyroid hormonal changes in cross-fostered Sprague-Dawley rat litters exposed to perchlorate. *Toxicologist* 60(1):227-228.

*Mahle DA, Yu KO, Narayanan L, et al. 2003. Changes in cross-fostered Sprague-Dawley rat litters exposed to perchlorate. *Int J Toxicol* 22:87-94.

Malmqvist A, Welander T. 1992. Anaerobic removal of chlorate from bleach effluents. *Water Sci Technol* 25:237-242.

Malmqvist A, Welander T, Gunnarsson L. 1991. Anaerobic growth of microorganisms with chlorate as an electron acceptor. *Appl Environ Microbiol* 57:2229-2232.

*Mannisto PT, Ranta T, Leppaluoto J. 1979. Effects of methylmercaptoimidazole (MMI), propylthiouracil (PTU), potassium perchlorate ($KClO_4$) and potassium iodide (KI) on the serum concentrations of thyrotrophin (TSH) and thyroid hormones in the rat. *Acta Endocrinol* 91:271-281.

*Marcocci C, Chiovato L. 2000. The epidemiology of thyroid diseases. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 474-482.

*Martino E, Bartalena L, Bogazzi F, et al. 2001. The effects of amiodarone on the thyroid. *Endocrine Rev* 22(2):240-254.

Martino E, Grasso S, Bambini G, et al. 1986. Ontogenetic development of pancreatic thyrotropin-releasing hormone in human foetuses and in infants. *Acta Endocrinol* 112:372-376.

Martino E, Mariotti S, Aghini-Lombardi F, et al. 1986. Short term administration of potassium perchlorate restores euthyroidism in amiodarone iodine-induced hypothyroidism. *J Clin Endocrinol Metab* 63:1233-1236.

*Matsuzaki S, Suzuki M. 1981. Paradoxical effect of perchlorate on thyroidal weight, glucose 6-phosphate dehydrogenase and polyamines in methylthiouracil-treated rats. *Acta Endocrinol* 97:491-495.

9. REFERENCES

Mattie DR, Jarabek A. 1998. Ammonium perchlorate ESOH issues. JANNAF Propellant Development & Characterization Subcommittee and Safety & Environmental Protection Subcommittee Joint Meeting, Vol. 1. CPIA Publ 674:503-507.

*Mausteller JW. 1996. Oxygen-generation systems. In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 17. New York, NY: John Wiley & Sons, Inc., 940-952.

*Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. Toxicology 74:135-149.

*Mendiratta SK, Dotson RL, Brooker RT. 1996. Perchloric acid and perchlorates. In: Kroschwitz JI, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Vol. 18. New York, NY: John Wiley & Sons, Inc., 157-170.

Merler E, Ricci P, Silvestri S. 1996. Crocidolite and not chrysotile was mainly used by the Italian railroad system. Med Lav 87:268-269.

*Merrill CI, O'Drobinak JD. 1998. Sea water immersion of GEM II propellant. 1998 JANNAF Propellant Development & Characterization Subcommittee and Safety & Environmental Protection Subcommittee Joint Meeting. Vol. 1. CPIA Publ 674:561-567.

*Merrill EA, Clewell RA, Gearhart JM, et al. 2003. PBPK predictions of perchlorate distribution and its effect on thyroid uptake of radioiodide in the male rat. Toxicol Sci 73:256-269.

*Merrill EA, Clewell RA, Robinson PJ, et al. 2005. PBPK model for radioactive iodide and perchlorate kinetics and perchlorate-induced inhibition of iodide uptake in humans. Toxicol Sci 83(1):25-43.

Messer PM, Hauffa BP, Olbricht T, et al. 1990. Antithyroid drug treatment of Graves' disease in pregnancy: Long-term effects on somatic growth, intellectual development and thyroid function of the offspring. Acta Endocrinol 123:311-316.

Michel P, Commenges D, Dartigues JF, et al. 1990. Study of the relationship between Alzheimer's disease and aluminum in drinking water. Neurobiol Aging 11:264.

*Mill T. 1982. Hydrolysis and oxidation processes in the environment. Environ Toxicol Chem 1:135-141.

Millero FJ. 1990. Effect of ionic interactions on the oxidation rates of metals in natural waters. Chemical modeling in aqueous systems II. Vol. 416. American Chemical Society.

*Min B, Evans PJ, Chu AK, et al. 2004. Perchlorate removal in sand and plastic media bioreactors. Water Res 38(1):47-60.

Molera M, Eriksen TE. 1998. Cation diffusion in compacted bentonite. Mineral Mag 62a:1007-1008.

*Morgan JW, Cassady RE. 2002. Community cancer assessment in response to long-time exposure to perchlorate and trichloroethylene in drinking water. J Occup Environ Med 44:616-621.

*Morgans ME, Trotter WR. 1960. Potassium perchlorate in thyrotoxicosis. Br Med J 2:1086-1087.

9. REFERENCES

*Morreale de Escobar G, Calvo R, Obregon MJ, et al. 1990. Contribution of maternal thyroxine to fetal thyroxine pools in normal rats near term. *Endocrinology* 126(5):2765-2767.

Morreale de Escobar G, Obregon MJ, Escobar del Rey F. 1987. Fetal and maternal thyroid hormones. *Horm Res* 26:12-27.

*Morreale de Escobar G, Obregon MJ, Escobar del Rey F. 2000. Is neuropsychological development related to maternal hypothyroidism or to maternal hypothyroxinemia? *J Clin Endocrinol Metab* 85(11):3975-3987.

*Morreale de Escobar G, Pastor R, Obregon MJ, et al. 1985. Effects of maternal hypothyroidism on the weight and thyroid hormone content of rat embryonic tissues, before and after onset of fetal thyroid function. *Endocrinology* 117(5):1890-1900.

*Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.

Mountford PJ, Coakley AJ, Fleet IR, et al. 1986. Transfer of radioiodide to milk and its inhibition. *Nature* 322:600.

*Nair LM, Saari-Nordhaus R, Montgomery RM. 1997. Applications of a new methacrylate-based anion stationary phase for the separation of inorganic anions. *J Chromatogr* 789:127-134.

*Nakamura S, Kosaka H. 1989. [Genotoxicity of inorganic metal compounds with umu test.] *Jpn J Ind Health* 31:430-431. (Japanese)

*Nakamura Y, Kotani T, Ohtaki S. 1990. Transcellular iodide transport and iodination on the apical plasma membrane by monolayer porcine thyroid cells cultured on collagen-coated filters. *J Endocrinol* 126:275-281.

Naqvi SMZ, Latif A. 1975. Biodegradation of rocket propellant waste, ammonium perchlorate. NTIS N7627816.

*Narayanan L, Butler GW, Yu KO, et al. 2003. Sensitive high-performance liquid chromatography method for the determination of low levels of perchlorate in biological samples. *J Chromatogr B Analyt Technol Biomed Life Sci* 788(2):393-399.

Narayanan L, Yu KY, Mattie DR, et al. 2001. Perchlorate induced thyroid hormonal changes in pregnant and lactating female rats, fetuses and nursing pups. *Toxicologist* 60(1):434.

*NAS. 2005. Prepublication copy: Health implications of perchlorate ingestion. Washington, DC: National Academies Press. <http://www.nap.edu/books/0309095689/html/>. January 31, 2005.

*NAS/NRC. 1989. Report of the oversight committee. In: *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.

Nevelichuk VV. 1971. [Effect of thyrotropic substances on the frequency of lethal result during experimental coronary insufficiency.] *Gipertonicheskaya Bolezn Ateroskler Koronarnaya Nedostatochn* (3):191-194. (Russian)

9. REFERENCES

New England Congenital Hypothyroidism Collaborative. 1984. Characteristics of infantile hypothyroidism discovered on neonatal screening. *J Pediatr* 104(4):539-544.

Newnham HH, Chosich N, Topliss DJ, et al. 1988. Amiodarone-induced hyperthyroidism: Assessment of the predictive value of biochemical testing and response to combined therapy using propylthiouracil and potassium perchlorate. *Aust N Z J Med* 18:37-44.

*NIH. 1999. National Institute of Health. NCI-3D Results. <http://chem.sis.nlm.nih.gov/nci3d/>. May 24, 2000.

*Nilsson M, Bjorkman U, Ekholm R, et al. 1990. Iodide transport in primary cultured thyroid follicle cells: evidence of a TSH-regulated channel mediating iodide efflux selectively across the apical domain of the plasma membrane. *Eur J Cell Biol* 52:270-281.

*NIOSH. 1995. National Occupational Exposure Survey. Cincinnati, OH: Department of Health and Human Services, National Institute for Occupational Safety and Health. March 29, 1989.

*NIOSH. 2005. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, <http://www.cdc.gov/niosh/npg/npgdname.html>. June 24, 2005.

*NRC. 1993. National Research Council. Pesticides in the diets of infants and children. Washington, DC: National Academy Press.

*NSF Awards. 2002. National Science Federation Awards.
http://www.nsf.gov/home/grants/grants_awards.htm. June 2, 2003.

*NTP. 2005. Report on carcinogens. 11th edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. <http://ntp-server.niehs.nih.gov/ntp/roc/toc11.html>. February 15, 2005.

*Nzengung VA, Penning H, O'Neill W. 2004. Mechanistic changes during phytoremediation of perchlorate under different root-zone conditions. *Int J Phytoremediation* 6(1):63-83.

*Nzengung VA, Wang C, Harvey G. 1999. Plant-mediated transformation of perchlorate into chloride. *Environ Sci Technol* 33:1470-1478.

Oba T, Aoki T, Lu A, et al. 1992. Partial inhibition of skeletal muscle contraction by dantrolene sodium and its modification with perchlorate and Bay K 8644. *Can J Physiol Pharmacol* 70(2):225-232.

Oba T, Koshita M, Aoki T, et al. 1997. BAY K 8644 and ClO_4^- potentiate caffeine contracture without Ca^{2+} release channel activation. *Am J Physiol* 272:C41-C47.

Obregon MJ, Ruiz de Ona C, Calvo R, et al. 1991. Outer ring iodothyronine deiodinases and thyroid hormone economy: Responses to iodine deficiency in the rat fetus and neonate. *Endocrinology* 129:2663-2673.

*Ohno M, Zannini M, Levy O, et al. 1999. The paired-domain transcription factor Pax8 binds to the upstream enhancer of the rat sodium/iodide symporter gene and participates in both thyroid-specific and cyclic-AMP-dependent transcription. *Mol Cell Biol* 19(3):2051-2060.

9. REFERENCES

- Okabe N, Hokaze M. 1993. Effect of inorganic anions on the binding of thyroxine by bovine serum albumin. *Chem Pharm Bull* 41:430-432.
- *Okamoto HS, Rishi DK, Steeber WR, et al. 1999. Using ion chromatography to detect perchlorate. *J Am Water Works Assoc* 91(10):73-84.
- *O'Neill B, Magnolato D, Semenza G. 1987. The electrogenic, Na⁺-dependent I⁻ transport system in plasma membrane vesicles from thyroid glands. *Biochim Biophys Acta* 896:263-274.
- *Oppenheimer JH, Schwartz HL. 1997. Molecular basis of thyroid hormone-dependent brain development. *Endocrine Rev* 18(4):462-475.
- *Ortiz-Caro J, Pastor RM, Jolin T. 1983. Effects of KClO₄ in propylthiouracil-hypothyroid rats. *Acta Endocrinol* 103:81-87.
- *OSHA. 2005a. Safety and health regulations for construction. List of highly hazardous chemicals, toxics and reactives. Appendix A. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.64.
- *OSHA. 2005b. Occupational safety and health standards. List of highly hazardous chemicals, toxic and reactives. Appendix A. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.119.
- OSHA. 2005c. Gases, vapors, fumes, dusts, and mists. Safety and health regulations for construction. Occupational Safety and Health Administration, Washington, DC. Code of Federal Regulations 29 CFR 1926.64, Appendix A. <http://www.osha.gov/comp-links.html>. June 24, 2005.
- OSHA. 2005d. Highly hazardous chemicals. Occupational safety and health standards. Code of Federal Regulations 29 CFR 1910.119, Appendix A. <http://www.osha.gov/comp-links.html>. February 16, 2005.
- Osman F, Gammage MD, Sheppard MC, et al. 2002. Cardiac dysrhythmias and thyroid dysfunction: The hidden menace? *J Clin Endocrinol Metab* 87(3):963-967.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- *Pajer Z, Kalisnik M. 1991. The effect of sodium perchlorate and ionizing irradiation on the thyroid parenchymal and pituitary thyrotropic cells. *Oncology* 48:317-320.
- Panasenko OM, Arnhold J, Sergienko VI. 1997. Effect of sodium chloride, chlorite, and perchlorate on the hypochlorite-induced peroxidation of phospholipid liposomes. *Membr Cell Biol* 11(2):253-258.
- *Papini MP, Majone M. 1997. Experimental investigation of transport of strongly retained species by soil columns. *Water Air Soil Pollut* 95:337-351.
- *Parmentier M, Libert F, Maenhaut C, et al. 1989. Molecular cloning of the thyrotropin receptor. *Science* 246:1620-1622.
- *Pekary AE, Hershman JM, Berg L. 1998. Tumor necrosis factor, ceramide, transforming growth factor- β_1 , and aging reduce Na⁺/I⁻ symporter messenger ribonucleic acid levels in FRTL-5 cells. *Endocrinology* 139(2):703-712.

9. REFERENCES

Pena HG, Kessler WV, Christian JE, et al. 1975. A comparative study of iodine and potassium perchlorate metabolism in the laying hen. 1. Incorporation of I-131 in chicken ova. Poult Sci 54(1):170-182.

Pena HG, Kessler WV, Christian JE, et al. 1976. A comparative study of iodine and potassium perchlorate metabolism in the laying hen. 2. Uptake, distribution, and excretion of potassium perchlorate. Poult Sci 55(1):188-201.

Percival AL, Williams AJ, Kenyon JL, et al. 1994. Chicken skeletal muscle ryanodine receptor isoforms: ion channel properties. Biophys J 67(5):1834-1850.

Perret J, Ludgate M, Libert F, et al. 1990. Stable expression of the human TSH receptor in CHO cells and characterization of differentially expressing clones. Biochem Biophys Res Commun 171(3):1044-1050.

*Perron B, Rodriguez A-M, Leblanc G, et al. 2001. Cloning of the mouse sodium iodide symporter and its expression in the mammary gland and other tissues. J Endocrinol 170:185-196.

Perry WG, Smith FA, Kent MB. 1994. The halogens. In: Clayton GD, Clayton FE, eds. Patty's industrial hygiene and toxicology. Vol. II. 4th ed. New York, NY: John Wiley & Sons, Inc., 4498-4505.

*Pintar JE. 2000. Normal development of the hypothalamic-pituitary-thyroid axis. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 7-19.

Pleus RC, Bruce GM. 2004. Adverse effect levels for neurodevelopmental effects associated with maternal perchlorate exposure: What do existing data indicate. Neurotoxicology 25(4):682.

Pleus RC, Goodman G, Mattie DR. 2000. Development of a reference dose for perchlorate: Current issues and status. CPIA Publ 698:167-175.

*Pohlenz J, Refetoff S. 1999. Mutations in the sodium/iodide symporter (NIS) gene as a cause for iodide transport defects and congenital hypothyroidism. Biochimie 81:469-476.

Pohlenz J, Medeiros-Neto G, Gross JL, et al. 1997. Hypothyroidism in a Brazilian kindred due to iodide trapping defect caused by a homozygous mutation in the sodium/iodide symporter gene. Biochem Biophys Res Commun 240:488-491.

Poirier KA, Dourson ML, Dollarhide JS, et al. 1999. Developmental toxicity of ammonium perchlorate in rabbits. Toxicologist 48(1-S):112.

*Polesello S, Valsecchi S, Cavalli S, et al. 2001. Ion-chromatographic screening method for monitoring arsenate and other anionic pollutants in ground waters of Northern Italy. J Chromatogr A 920:231-238.

*Pop VJ, Kuijpenst JL, van Baar AL, et al. 1999. Low maternal free thyroxine concentrations during early pregnancy are associated with impaired psychomotor development in infancy. Clin Endocrinol 50:149-155.

Pope CN, Chakraborti TK, Chapman ML, et al. 1991. Comparison of *in vivo* cholinesterase inhibition in neonatal and adult rats by three organophosphorothioate insecticides. Toxicology 68:51-61.

9. REFERENCES

- Poredos P. 1981. The dependence of the microstructure of the rat's thyroid gland on the TSH. *StereoI Iugosl* 3(Supp 1):577-583.
- Porterfield SP. 1994. Vulnerability of the developing brain to thyroid abnormalities: Environmental insults to the thyroid system. *Environ Health Perspect Suppl* 102:125-230.
- *Porterfield SP, Hendrich CE. 1993. The role of thyroid hormones in prenatal and neonatal neurological development-current perspectives. *Endocrine Rev* 14(1):94-106.
- *Postel S. 1957. Placental transfer of perchlorate and triiodothyronine in the guinea pig. *Endocrinology* 60:53-66.
- Prowse OA, Reddy PP, Barrieraas D, et al. 1998. Pediatric genitourinary tumors. *Curr Opin Oncol* 10:253-260.
- *Puls RW, Powell RM. 1992. Transport of inorganic colloids through natural aquifer material: implications for contaminant transport. *Environ Sci Technol* 26:614-621.
- *Raspe E, Dumont JE. 1995. Tonic modulation of dog thyrocyte H_2O_2 generation and I^- uptake by thyrotropin through the cyclic adenosine 3',5'-monophosphate cascade. *Endocrinology* 136(3):965-973.
- Renner R. 1999a. Perchlorate rockets to US national attention. *J Environ Monitor* 1(3):37N-38N.
- Renner R. 1999b. Study finding perchlorate in fertilizer rattles industry. *Environ Sci Technol* 33(19):394A-395A.
- *Renner R. 2005a. Atmospheric processes may create perchlorate. *Environ Sci Technol* 39(6):120A.
- Renner R. 2005b. High levels of perchlorate found in U.S. mothers' milk. *Environ Sci Technol* 39(7):144A-145A.
- Rikken GB, Kroon AGM, van Ginkel CG. 1996. Transformation of (per)chlorate into chloride by a newly isolated bacterium: reduction and dismutation. *Appl Microbiol Biotechnol* 45:420-426.
- *Rillema JA, Rowady DL. 1997. Characteristics of the prolactin stimulation of iodide uptake in mouse mammary gland explants. *Proc Soc Exp Biol Med* 215:366-369.
- *Rillema JA, Yu TX, Jhiang SM. 2000. Effect of prolactin on sodium iodide symporter expression in mouse mammary gland explants. *Am J Physiol Endocrinol Metab* 279:E769-E772.
- *Robbins. 2000. Thyroid hormone transport proteins and the physiology of hormone binding. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 105-120.
- Rocmans PA, Penel JC, Cantraine FR, et al. 1977. Kinetic analysis of iodide transport in dog thyroid slices: Perchlorate-induced discharge. *Am J Physiol* 232(3):E343-E352.
- Rodriguez AF, Davidson HG, Villadiego MS, et al. 1991. Induction of thyroid proliferative changes in rats treated with antithyroid compound. *Anat Histol Embryol* 20:289-298.

9. REFERENCES

- Roots EH, Thuett KA, Gentles BA, et al. 2000. Gestational through post-lactational exposure of ammonium perchlorate to deer mice (*Peromyscus maniculatus*). *Toxicologist* 54(1):296.
- Rosemarin A, Lehtinen KJ, Notini M, et al. 1994. Effects of pulp mill chloride on Baltic Sea algae. *Environ Pollut* 85:3-13.
- Roti E. 1988. Regulation of thyroid-stimulating hormone (TSH) secretion in the fetus and neonate. *J Endocrinol Invest* 11:145-158.
- Rousset B, Orgiazzi J, Mornex R. 1977. Perchlorate ion enhances mouse thyroid responsiveness to thyrotropin, human chorionic gonadotropin and long acting thyroid stimulator. *Endocrinology* 100:1628-1635.
- Rovet JF, Ehrlich RM. 1995. Long-term effects of L-thyroxine therapy for congenital hypothyroidism. *J Pediatr* 126:380-386.
- *Rovet J, Ehrlich R, Sorbara D. 1987. Intellectual outcome in children with fetal hypothyroidism. *J Pediatr* 110(5):700-704.
- Saito K, Yamamoto K, Takai T, et al. 1983. Inhibition of iodide accumulation by perchlorate and thiocyanate in a model of the thyroid iodide transport system. *Acta Endocrinol* 104(4):456-461.
- *San RHC, Clarke JJ. 1999. *In vitro* mammalian cell gene mutation test (L5178Y/TK+/- mouse lymphoma assay). Rockville, MD: Perchlorate Study Group. BioReliance Study Number G98BAO6.702.
- Sandvig K, Olsnes S. 1985. Effect of the chaotropic anions thiocyanate and perchlorate on the entry of ricin into Vero cells. *Biochem J* 228:521-523.
- *Sangan P, Motlag DB. 1986. Activities of aldolase, lactate dehydrogenase, glucose-6-phosphatase and arginase in perchlorate toxicity. *Curr Sci* 55:1238-1240.
- *Sangan P, Motlag DB. 1987. Glycogen metabolism in liver in perchlorate-treated rats. *Curr Sci* 56:88-90.
- Sato E, Nakashima T, Miura Y, et al. 2001. Phenotypes associated with replacement of His723 by Arg in the Pendred syndrome gene. *Eur J Endocrinol* 145:697-703.
- *Sax NI. 1984. Dangerous properties of industrial materials. New York, NY: Van Nostrand Reinhold Company, 266, 2144, 2281.
- *Sax NI, Lewis RJ. 1987. Hawley's condensed chemical dictionary. New York, NY: Van Nostrand Reinhold, 69, 710, 722, 958-959, 1068.
- *Scanlon MF, Toft AD. 2000. Regulation of thyrotropin secretion. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 234-253.
- *Scatchard G, Black ES. 1949. The effect of salts on the isoionic and isoelectric points of proteins. *J Phys Colloid Chem* 53:88-99.

9. REFERENCES

- *Scheffee RS, Wheatley BK. 1999. Ammonium perchlorate-based gas generator compositions containing chlorine scavengers for inflation of air bags. Patent # 5,861,571.
- *Scheuplein RJ, Bronaugh RL. 1983. Percutaneous absorption. In: Goldsmith LA, ed. Biochemistry and physiology of the skin. New York, NY: Oxford University Press, 1255-1295.
- *Schilt AA. 1979. Preparation and properties of perchloric acid. Perchloric acid and perchlorates. Columbus, Ohio: The G. Frederick Smith Chemical Company, 9-63.
- *Schonbaum E, Sellers EA, Gill MJ. 1965. Some effects of perchlorate on the distribution of 131-iodide. *Acta Endocrinol* 50:195-201.
- *Schröder-van der Elst JP, van der Heide D, Kasteljin J, et al. 2001. The expression of sodium/iodide symporter is up-regulated in the thyroid of fetuses of iodine-deficient rats. *Endocrinology* 142:3736-3741.
- Schröder-van der Elst JP, van der Heide D, Morreale de Escobar G, et al. 1998. Iodothyronine deiodinase activities in fetal rat tissues at several levels of iodine deficiency: A role for the skin in 3,5,3'-triiodothyronine economy? *Endocrinology* 139(5):2229-2234.
- Schullerova M, Kapitola J, Schreiberova O. 1972. [Chronological course of the effect of thyroid hormones and giotogens on the accumulation of radioactive iodine in the rat.] *Sb Lek* 74(10-11):308-312. (Czech)
- *Schwartz HL, Lazar MA, Oppenheimer JH. 1994. Widespread distribution of immunoreactive thyroid hormone [B]2 receptor (TR[B]2) in the nuclei of extrapituitary rat tissues. *J Biol Chem* 269(40):24777-24782.
- *Schwartz J. 2001. Gestational exposure to perchlorate is associated with measures of decreased thyroid function in a population of California neonates. Thesis. University of California. Berkely, CA.
- *Scott KG, Reilly WA. 1954. Use of anionic exchange resin for the determination of protein-bound ^{131}I in human plasma. *Metabolism* 3:506-509.
- Sehlin J. 1987. Effect of perchlorate on calcium uptake and insulin secretion in mouse pancreatic islets. *Biochem J* 248:109-115.
- *Selivanova LN, Vorobieva EN. 1969. [Toxicology of ammonium perchlorate during repeated action on the organism.] *Farmakol Toksikol* 32:480-482. (Russian)
- *Selivanova LN, Boltromeyuk LP, Aref'eva ZS, et al. 1986. [Dynamics of the absorption and elimination of perchloric acid salts in laboratory animals and livestock.] *Khim Selsk Khoz* 106(5):43-45. (Russian)
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society.
- Seyfert S. 1979. Accelerated fall in serum bromide level after administration of perchlorate to man. *Eur J Clin Pharmacol* 16(5):351-353.

9. REFERENCES

- Sharp R, Walker B. 2001. Rocket science-Perchlorate and the toxic legacy of the cold war. Washington, DC: Environmental Working Group.
- *Shen DHY, Kloos RT, Mazzaferri EL, et al. 2001. Sodium iodide symporter in health and disease. *Thyroid* 11(5):415-425.
- *Shevtsova NM, Kozlov IA, Novitskii VV. 1994. [Mechanism of hematopoietic disorders in primary experimental hypothyroidism.] *Patol Fiziol Eksp Ter Jan-Mar* 1994(1):14-16. (Russian)
- *Shimura H, Haraguchi K, Miyazaki A, et al. 1997. Iodide uptake and experimental ^{131}I therapy in transplanted undifferentiated thyroid cancer cells expressing the Na^+/I symporter gene. *Endocrinology* 138(10):4493-4496.
- Shroud JD, Scheetz TE, Casavant TL, et al. 2005. Isolation and characterization of autotrophic, hydrogen-utilizing, perchlorate-reducing bacteria. *Appl Microbiol Biotechnol* 67(2):261-268.
- *Siglin JC, Mattie DR, Dodd DE, et al. 2000. A 90-day drinking water toxicity study in rats of the environmental contaminant ammonium perchlorate. *Toxicol Sci* 57:61-74.
- *Silva JE, Matthews PS. 1984. Production rates and turnover of triiodothyronine in rat-developing cerebral cortex and cerebellum. *J Clin Invest* 74:1035-1049.
- Simonovic I. 1967. [Effect of perchlorate on the thyroid gland of euthyroid persons.] *Rad Med Fak Zagreb* 15(2):111-124. (Russian)
- Simonovic I, Popovic S, Latkovic I, et al. 1972. [Influence of perchlorate on radioiodine elimination from the body.] *Djelovanje perklorata na izlucivanje radiojoda iz organizma. Arh Hig Rada Toksikol* 23(4):277-292. (Russian)
- Sinadinovic J, Savin S, Cvejic D, et al. 1988. Reduced acid protease activity *in vitro* of lysosomes from thyroid gland of rats chronically treated with propylthiouracil and perchlorate. *Exp Clin Endocrinol* 92(1):97-105.
- *Singh G, Kapoor IPS, Mannan SM, et al. 2000. Studies on energetic compounds part 8: Thermolysis of salts of HNO_3 and HClO_4 . *J Hazard Mater* A79(1-2):1-18.
- Singh VN, Chaikoff IL. 1966. Effects of 1-methyl-2-mercaptopimidazole and perchlorate on the insulin-mediated enhancement of ^{131}I incorporation into iodoamino acids by fetal thyroid glands in organ culture. *Endocrinology* 78:339-342.
- *Smanik PA, Liu Q, Furminger TL, et al. 1996. Cloning of the human sodium iodide symporter. *Biochem Biophys Res Commun* 226:339-345.
- *Smanik PA, Ryu K-Y, Theil KS, et al. 1997. Expression, exon-intron organization, and chromosome mapping of the human sodium iodide symporter. *Endocrinology* 138(8):3555-3558.
- Smit JWA, Schroder-van der Elst, Karperien M, et al. 2001. Expression of the human sodium/iodide symporter (hNIS) in xenotransplanted human thyroid carcinoma. *Exp Clin Endocrinol Diabetes* 109:52-55.

9. REFERENCES

- *Smith PN, Lu Y, McMurry ST, et al. 2004. Perchlorate in water, soil, vegetation, and rodents collected from the Las Vegas Wash, Nevada, USA. *Environ Pollut* 132(1):121-127.
- *Smith PN, Theodorakis CW, Anderson TA, et al. 2001. Preliminary assessment of perchlorate in ecological receptors at the Longhorn Army ammunition plant (LHAAP), Karnack, Texas. *Ecotoxicology* 10:305-313.
- *Soldin OP, Braverman LE, Lamm SH. 2001. Perchlorate clinical pharmacology and human health: A review. *Ther Drug Monit* 23:316-331.
- Soldin OP, Trachtenberg RE, Pezzullo JC. 2005. Do thyroxine and thyroid-stimulating hormone levels reflect urinary iodine concentrations? *Ther Drug Monit* 27(2):178-185.
- *Southwell N, Randall K. 1960. Potassium perchlorate in thyrotoxicosis. *Lancet* 1:653-654.
- *Spaulding SW. 2000. Biological actions of thyrotropin. In: Braverman LE, Utiger RD, eds. *Werner and Ingbar's the thyroid: A fundamental and clinical text*. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 227-233.
- *Spaulding SW, Burrow GN, Bermudez F, et al. 1972. The inhibitory effect of lithium on thyroid hormone release in both euthyroid and thyrotoxic patients. *J Clin Endocrinol Metab* 35:905-911.
- *Spitzweg C, Joba W, Eisenmenger W. 1998. Analysis of human sodium iodide symporter gene expression in extrathyroid tissues and cloning of its complementary deoxyribonucleic acids from salivary gland, mammary gland, and gastric mucosa. *J Clin Endocrinol* 83(5):1746-1751.
- *Spitzweg C, Joba W, Morris JC, et al. 1999. Regulation of sodium iodide symporter gene expression in FRTL-5 rat thyroid cells. *Thyroid* 9(8):65-69.
- *Sposito G, Traina SJ. 1987. An ion-association model for highly saline, sodium chloride-dominated waters. *J Environ Qual* 16:80-85.
- *Spreca A, Musy JP. 1974. Comportement des mastocytes chez les rats traites au perchlorate de potassium. *Experientia* 30(3):278-279.
- Spreca A, Laszlo M, Musy JP. 1973. [Biochemical study of various mucopolysaccharide constituents and glycoproteins of serum and of several organs of rats treated with potassium perchlorate.] *Pharm Acta Helv* 48:297-306. (French)
- SRI. 1998. Directory of chemical producers: United States of America. Menlo Park, CA: Stanford Research Institute International.
- *SRI. 2000. Directory of chemical producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 460, 704, 708, 854, 887.
- *SRI. 2004. Directory of chemical producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 44, 176, 177, 412.
- *Stanbury JB, Wyngaarden JB. 1952. Effect of perchlorate on the human thyroid gland. *Metabolism* 1:533-539.

9. REFERENCES

- Staub C, Buffe J, Haerdi W. 1984. Measurement of complexation properties of metal ions in natural conditions by ultrafiltration: Influence of various factors on the retention of metals and ligands by neutral and negatively charged membranes. *Anal Chem* 56:2843-2849.
- Stephenson EW. 1989. Excitation of skinned muscle fibers by imposed ion gradients. IV. Effects of stretch and perchlorate ion. *J Gen Physiol* 93(1):173-192.
- Stewart JH Jr, Mueller TR, Moore ML, et al. 1992. The determination of perchlorates in ventilation systems. *Abstr Pap Am Chem Soc* 203(1-3):CHAS 41.
- Stiefel EI. 1995. Molybdenum compounds. In: Kroschwitz JI, Howe-Grant M, eds. *Kirk-Othmer encyclopedia of chemical technology*. New York, NY: John Wiley & Sons, 957, 962.
- *Stockigt JR. 2000. Serum thyrotropin and thyroid hormone measurements and assessment of thyroid hormone transport. In: Braverman LE, Utiger RD, eds. *Werner and Ingbar's the thyroid: A fundamental and clinical text*. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 376-392.
- Stojsic S, Libman E. 1964. [Leukopenia in perchlorate therapy.] *Med Pregl* 17(12):649-651. (Russian)
- Studer H, Greer MA. 1967. Thyroid function during the rebound phase following the discontinuation of antithyroid drugs. *Endocrinology* 80(1):52-60.
- *Sunar O. 1963. Case report—Agranulocytosis associated with potassium perchlorate treatment. *J Laryngol Otol* 77:353-355.
- *Susarla S, Collette TW, Garrison AW, et al. 1999a. Perchlorate identification in fertilizers. *Environ Sci Technol* 33(19):3469-3472.
- *Susarla S, Collette TW, Garrison AW, et al. 2000. Additions and corrections; perchlorate identification in fertilizers. *Environ Sci Technol* 34(1):224.
- Susarla S, Wolfe NL, McCutcheon SC. 1999b. Perchlorate uptake in lettuce seedlings. *Prepr Ext Abst Div Environ Chem Am Chem Soc* 39(2):66-68.
- Symes JL, Kester DR. 1985. Copper(II) interaction with carbonate species based on malachite solubility in perchlorate medium at the ionic strength of seawater. *Mar Chem* 16:189-211.
- *Sztanyik LB, Turai I. 1988. Modification of radioiodine incorporation in the fetus and newborn rats by the thyroid blocking agents. *Acta Phys Hungaria* 72:343-354.
- *Takasu N, Handa Y, Shimizu Y, et al. 1984. Electrophysiological and morphological cell polarity and iodine metabolism in cultured porcine and human (normal and Graves') thyroid cells. *J Endocrinol* 101:189-196.
- Talbert LM, Thomas CG, Holt WA, et al. 1970. Hyperthyroidism during pregnancy. *Obstet Gynecol* 36(5):779-785.
- *Tan K, Anderson TA, Jackson WA. 2005. Temporal and spatial variation of perchlorate in streambed sediments: Results from in-situ dialysis samplers. *Environ Pollut* 136(2):283-291.

9. REFERENCES

- Tan K, Anderson TA, Jones MW, et al. 2004a. Accumulation of perchlorate in aquatic and terrestrial plants at a field scale. *J Environ Qual* 33(5):1638-1646.
- *Tan K, Jackson WA, Anderson TA. 2004b. Fate of perchlorate-contaminated water in upflow wetlands. *Water Res* 38(19):4173-4185.
- *Tarin-Remohi MJ, Jolin T. 1972. [Effects of corticoid and adrenalectomy on thyroid weight of rats treated with goitrogens.] *Rev Esp Fisiol* 28:1-12. (Spanish)
- *Taurog A. 2000. Hormone synthesis: Thyroid iodine metabolism. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins, 61-84.
- *Téllez RT, Chacon PM, Abarca CR, et al. 2005. Chronic environmental exposure to perchlorate through drinking water and thyroid function during pregnancy and the neonatal period. *Thyroid* 15(X):1-13. In Press.
- TERA. 1998. Notes from the March 1997 ITER peer review meeting. Toxicology Excellence for Risk Assessment. <http://www.tera.org/news/eight.html>.
- *Thorpe-Beeston JG, Nicolaides KH, Felton CV, et al. 1991. Maturation of the secretion of thyroid hormone and thyroid-stimulating hormone in the fetus. *N Engl J Med* 324:532-536.
- Thuett KA. 2002. Effects of in utero and lactational ammonium perchlorate exposure on thyroid gland histology and thyroid and sex hormones in developing deer mice (*Peromyscus maniculatus*) through postnatal day 21. *J Toxicol Environ Health A* 65:2119-2130.
- Thuett KA, Roots EH, Gentles BA, et al. 2000. Developmental toxicity of ammonium perchlorate administered orally in drinking water to deer mice (*Peromyscus maniculatus*). *Toxicologist* 54(1):296.
- Thuett KA, Roots EH, Mitchell LP, et al. 2002. In utero and lactational exposure to ammonium perchlorate in drinking water: Effects on developing deer mice at postnatal day 21. *J Toxicol Environ Health A* 65:1061-1076.
- *Tian K, Dasgupta PK, Anderson TA. 2003. Determination of trace perchlorate in high-salinity water samples by ion chromatography with on-line preconcentration and preelution. *Anal Chem* 75(3):701-706.
- Tillotson SL, Fuggle PW, Smith I, et al. 1994. Relation between biochemical severity and intelligence in early treated congenital hypothyroidism: A threshold effect. *Br Med J* 309:440-445.
- *Tipton DK, Rolston DE, Scow KM. 2003. Bioremediation and biodegradation: Transport and biodegradation of perchlorate in soils. *J Environ Qual* 32(1):40-46.
- *Tollenaar H, Martin C. 1972. Perchlorate in Chilean nitrate as the cause of leaf rugosity in soybean plants in Chile. *Phytopathology* 62:1164-1166.
- *Tonacchera M, Pinchera A, Dimida A, et al. 2004. Relative potencies and additivity of perchlorate, thiocyanate, nitrate, and iodide on the inhibition of radioactive iodide uptake by the human sodium iodide symporter. *Thyroid* 14(12):1012-1019.

9. REFERENCES

- *Tong Q, Ryu K-Y, Jhiang SM. 1997. Promoter characterization of the rat Na⁺/I symporter gene. *Biochem Biophys Res Commun* 239:34-41.
- *Toro Guillen M. 1991. [Reversibility of proliferative thyroid lesions.] *Diss Abstr Int C* 54:1186. (Spanish)
- Trevino OG, Arseven OK, Ceballos CJ, et al. 2001. Clinical and molecular analysis of three Mexican families with Pendred's syndrome. *Eur J Endocrinol* 144:585-593.
- *TRI02. 2005. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. June 28, 2005.
- Turakulov YK, Salakhova NS, Tashkhodzhaeva TP, et al. 1975. [Change of the radio iodine content in the thyroid of the rabbit mother and fetus at different periods of pregnancy after potassium iodide injection.] *Uzb Biol Zh* 19(2):3-6. (Russian)
- Turakulov YK, Salakhova NS, Tashkhodzhaeva TP, et al. 1978. [Effect of potassium iodide and potassium perchlorate on thyroid hormones secretion.] *Byull Eksp Biol Med* 86(12):653-655. (Russian)
- *Urbansky ET. 1998. Perchlorate chemistry: Implications for analysis and remediation. *Biorem J* 2(2):81-95.
- *Urbansky ET. 2000. Quantitation of perchlorate ion: Practices and advances applied to the analysis of common matrices. *Crit Rev Anal Chem* 30(4):311-343.
- *Urbansky ET. 2002. Perchlorate as an environmental contaminant. *Environ Sci Pollut Res Int* 9(3):187-192.
- *Urbansky ET, Brown SK. 2003. Perchlorate retention and mobility in soils. *J Environ Monit* 5:455-462.
- *Urbansky ET, Collette TW. 2001. Comparison and evaluation of laboratory performance on a method for the determination of perchlorate in fertilizers. *J Environ Monitor* 3(5):454-462.
- *Urbansky ET, Brown SK, Magnuson ML, et al. 2001. Perchlorate levels in samples of sodium nitrate fertilizer derived from Chilean caliche. *Environ Pollut* 112(3):299-302.
- Urbansky ET, Gu B, Magnuson ML, et al. 2000a. Survey of bottled waters for perchlorates by electrospray ionization mass spectrometry (ESI-MS) and ion chromatography. *J Sci Food Agric* 80(12):1798-1804.
- Urbansky ET, Magnuson ML, Kelty CA, et al. 2000b. Comment on "perchlorate identification in fertilizers" and the subsequent addition/correction. *Environ Sci Technol* 34(20):4452-4453.
- *Urbansky ET, Magnuson ML, Kelty CA, et al. 2000c. Perchlorate uptake by salt cedar (*Tamarix ramosissima*) in the Las Vegas Wash riparian ecosystem. *Sci Total Environ* 256:227-232.

9. REFERENCES

U.S. Air Force Space Missile Systems Center. 2002. Biological effects of inadvertant perchlorate releases during launch operations. Los Angeles Air Force Base, CA: U.S. Air Force Space Missile Systems Center, Environmental Management Branch. ADA414070.

*U.S. Army Corp of Engineers. 2004. Field screening method for perchlorate in water and soil. Hanover, NH: U.S. Army Corp of Engineers.

*U.S. Census Bureau. 1999. Census bureau facts for features: Fireworks. June 25, 1998. <http://www.census.gov/Press-Release/ff98-08.html>.

*Uyttersprot N, Pelgrims N, Carrasco N, et al. 1997. Moderate doses of iodide *in vivo* inhibit cell proliferation and the expression of thyroperoxidase and Na⁺/I⁻ symporter mRNAs in dog thyroid. Mol Cell Endocrinol 131:195-203.

*Valentín-Blasini L, Mauldin JP, Maple D, et al. 2005. Analysis of perchlorate in human urine using ion chromatography and electrospray tandem mass spectrometry. 2005. Anal Chem. Web release date February 25, 2005, <http://elib2.cdc.gov:2617/cgi-bin/asap.cgi/ancham/asap/pdf/ac048365f.pdf>. <http://elib2.cdc.gov:2617/cgi-bin/asap.cgi/ancham/asap/html/ac048365f.html>.

*van Aken B, Schnoor JL. 2002. Evidence of perchlorate (C10₄) reduction in plant tissues (Poplar Tree) using radio-labeled ³⁶C10₄. Environ Sci Technol 36(12):2783-2788.

*van den Hove MF, Beckers C, Devlieger H, et al. 1999. Hormone synthesis and storage in the thyroid of human preterm and term newborns: Effect of thyroxine treatment. Biochimie 81:563-570.

van Ginkel CG, Plugge VM, Stroo CA. 1995. Reduction of chlorate with various energy substrates and inocula under anaerobic conditions. Chemosphere 31:4057-4066.

*Van Sande J, Massart C, Beauwens, et al. 2003. Anion selectivity by the sodium iodide symporter. Endocrinology 144:247-252.

*van Vliet G. 1999. Merck AG thyroid symposium. Thyroid 9(1):79-84.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238:476-483.

*Vijayalakshmi K, Motlag DB. 1989a. Effect of perchlorate on plasma and tissue lipid pattern in rats. J Health Sci 15:72-75.

*Vijayalakshmi K, Motlag DB. 1989b. Lipoprotein profile during perchlorate toxicity. Indian J Biochem Biophys 26:273-274.

*Vijayalakshmi K, Motlag DB. 1990. Effect of perchlorate on mitochondrial function. Indian J Biochem Biophys 27(1):48-51.

*Vijayalakshmi K, Motlag DB. 1992. Biochemical changes in mitochondria during chronic perchlorate toxicity. J Environ Biol 13:149-158.

*Vogt H, Balej J, Bennett JE, et al. 1986. Chlorine oxides and chlorine oxygen acids. In: Gerhartz W, Yamamoto YS, Campbell FT, et al., eds. Ullmann's encyclopedia of industrial chemistry, Vol. A6. New York, NY: VCH Publishers, 483-525.

9. REFERENCES

- *Von Burg R. 1995. Perchlorates. *J Appl Toxicol* 15:237-241.
- *Vroye L, Beauwens R, Van Sande J, et al. 1998. The Na^+/I^- cotransporter of the thyroid: characterisation of new inhibitors. *Pflugers Arch(Eur J Physiol)* 435:259-266.
- *Vulsma T, Gons MH, De Vijlder JJM. 1989. Maternal-fetal transfer of thyroxine in congenital hypothyroidism due to a total organification defect or thyroid agenesis. *N Engl J Med* 321:13-16.
- Wall JR, Fang SL, Kuroki T, et al. 1984. *In vitro* immunoreactivity to propylthiouracil, methimazole, and carbimazole in patients with Graves' disease: A possible cause of antithyroid drug-induced agranulocytosis. *J Clin Endocrinol Metab* 58:868-872.
- Wallace W, Attaway H. 1994. Perchlorate reduction by an anaerobic bacterium HAP-1. *Abstr Gen Meet Am Soc Microbiol* 94:421.
- Wallace W, Beshear S, Williams D, et al. 1998. Perchlorate reduction by a mixed culture in an up-flow anaerobic fixed bed reactor. *J Ind Microbiol Biotechnol* 20:126-131.
- Wang JS, Huang PM, Hammer UT, et al. 1985. Influence of selected cation and anion species on the adsorption of mercury(II) by montmorillonite. *Appl Clay Sci* 1:125-132.
- Ward P, Smyth MR. 1993. Development of a polypyrrole-based amperometric detector for the determination of certain anions in water samples. *Talanta* 40:1131-1137.
- *Weber A, Wolf J. 1969. [Nephrotic syndrome during thyreostatic treatment with sodium perchlorate.] *Munch Med Wochenschr* 111:2274-2275. (German)
- *Weetman AP. 2000. Chronic autoimmune thyroiditis. In: Braverman LE, Utiger RD, eds. Werner and Ingbar's the thyroid: A fundamental and clinical text. Philadelphia, PA: Lippincott Williams & Wilkins, 721-732.
- *Weiss SJ, Philp NJ, Ambesi-Impiombato FS, et al. 1984a. Thyrotropin-stimulated iodide transport mediated by adenosine 3',5'-monophosphate and dependent on protein synthesis. *Endocrinology* 114(4):1099-1107.
- *Weiss SJ, Philp NJ, Grollman EF. 1984b. Effect of thyrotropin on iodide efflux in FRTL-5 cells mediated by Ca^{+2} . *Endocrinology* 114:1108-1113.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *WHO. 2000. Air quality guidelines. 2nd edition. World Health Organization. Geneva, Switzerland. http://www.euro.who.int/air/Activities/20050104_1. February 15, 2005.
- *WHO. 2004. Guidelines for drinking-water quality. 3rd edition. World Health Organization. Geneva, Switzerland. http://www.who.int/water_sanitation_health/dwq/gdwq3/en/. February 15, 2005.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Volume II: The elements Part A. New York: Academic Press.

9. REFERENCES

- *Williams JA. 1969. Electrical polarization of thyroid follicles in the perfused rabbit thyroid gland. *Am J Physiol* 217(4):1094-1100.
- Wing SS, Fantus IG. 1987. Adverse immunologic effects of antithyroid drugs. *Can Med Assoc J* 136:121-125.
- *Winkler P, Minteer M, Willey J. 2004. Analysis of perchlorate in water and soil by electrospray LC/MS/MS. *Anal Chem* 76(2):469-473.
- *Wolff J. 1964. Transport of iodide and other anions in the thyroid gland. *Physiol Rev* 44:45-90.
- *Wolff J. 1998. Perchlorate and the thyroid gland. *Pharmacol Rev* 50(1):89-105.
- *Wolff J, Maurey JR. 1962. Thyroidal iodide transport III. Comparison of iodide with anions of periodic group VIIA. *Biochim Biophys Acta* 57:422-426.
- *Wolff J, Maurey JR. 1963. Thyroidal iodide transport IV. The role of ion size. *Biochim Biophys Acta* 69:48-58.
- *Wolter R, Noël P, DeCock P, et al. 1979. Neuropsychological study in treated thyroid dysgenesis. *Acta Paediatr Scand Suppl* 227:41-46.
- *Woodbury DM, Woodbury JW. 1963. Correlation of micro-electrode potential recordings with histology of rat and guinea-pig thyroid glands. *J Physiol* 169:553-567.
- *Wyngaarden JB, Wright BM, Ways P. 1952. The effect of certain anions upon the accumulation and retention of iodide by the thyroid gland. *Endocrinology* 50:537-549.
- Yamada T. 1967. Effects of perchlorate and other anions on thyroxine metabolism in the rat. *Endocrinology* 81(6):1285-1290.
- Yamada T, Jones AE. 1968. Effect of thiocyanate, perchlorate and other anions on plasma protein-thyroid hormone interaction *in vitro*. *Endocrinology* 82(1):47-53.
- Yamada T, Nakamura Y. 1972. [Thyroid gland-contracting effect of perchlorate.] *Horumon To Rinsho* 20(1):58-61. (Japanese)
- *York RG, Barnett J, Brown WR, et al. 2004. A rat neurodevelopmental evaluation of offspring, including evaluation of adult and neonatal thyroid, from mothers treated with ammonium perchlorate in drinking water. *Int J Toxicol* 23:191-214.
- *York RG, Brown WR, Girard MF, et al. 2001a. Two-generation reproduction study of ammonium perchlorate in drinking water in rats evaluates thyroid toxicity. *Int J Toxicol* 20(4):183-197.
- *York RG, Brown WR, Girard MF, et al. 2001b. Oral (drinking water) developmental toxicity study of ammonium perchlorate in New Zealand white rabbits. *Int J Toxicol* 20(4):199-205.
- *York RG, Funk KA, Girard MF, et al. 2003. Oral (drinking water) developmental toxicity study of ammonium perchlorate in Sprague-Dawley rats. *Int J Toxicol* 22(6):453-464.

9. REFERENCES

- York RG, Girard M, Dollarhide JS. 2001c. Oral developmental toxicity study of ammonium perchlorate in rats. *Toxicologist* 60(1):218.
- York RG, Parker RM, Mattie DR, et al. 1999. A neurobehavioral developmental study of ammonium perchlorate administered orally in drinking water to rats. *Toxicologist* 48(1-S):111.
- *Yoshida A, Sasaki N, Mori A, et al. 1997. Different electrophysiological character of I⁻, ClO₄⁻, and SCN⁻ in the transport by Na⁺/I⁻ symporter. *Biochem Biophys Res Commun* 231:731-734.
- Yu K, Mahle D, Narayanan L, et al. 2001. Tissue distribution and inhibition of iodide uptake by perchlorate in pregnant and lactating rats in drinking water studies. *Toxicologist* 60(1):291-292.
- *Yu KO, Narayanan L, Mattie DR, et al. 2002. The pharmacokinetics of perchlorate and its effect on the hypothalamus-pituitary-thyroid axis in the male rat. *Toxicol Appl Pharmacol* 182(2):148-159.
- *Yu L, Canas JE, Cobb GP, et al. 2004. Uptake of perchlorate in terrestrial plants. *Ecotoxicol Environ Saf* 58(1):44-49.
- Zachara JM, Ainsworth CC, Schmidt RL, et al. 1988. Influence of cosolvents on quinoline sorption by subsurface materials and clays. *J Contam Hydrol* 2:343-364.
- Zaidi M. 1991. Inhibition of bone resorption. United Kingdom. 26 Dec 1991. WO 91/19504.
- *Zeiger E. 1998a. Salmonella mutagenicity testing of ammonium perchlorate [memorandum with attachment to Annie Jarabek]. Research Triangle Park, NC: U.S. Department of Health and Human Services, National Institute of Environmental Health Services.
- *Zeiger E. 1998b. Ammonium perchlorate MN test results [memorandum with attachment to Annie Jarabek]. Research Triangle Park, NC: U.S. Department of Health and Human Services, National Institute of Environmental Health Services.
- *Zhang X, Jeyakumar M, Bagchi MK. 1996. Ligand-dependent cross-talk between steroid and thyroid hormone receptors. *J Biol Chem* 271(25):14825-14833.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.
- Zoeller RT. 2003. Challenges confronting risk analysis of potential thyroid toxicants. *Risk Anal* 23(1):143-162.
- Zoeller RT. 2004a. Interspecies differences in susceptibility to perturbation of thyroid hormone homeostasis requires a definition of "sensitivity" that is informative for risk analysis. *Regul Toxicol Pharmacol* 40:380-382.
- Zoeller RT. 2004b. Thyroid hormone and brain development: Integrating information from molecular approaches yields basic and applied insights to address risk analysis of potential thyroid toxicants. *Reprod Toxicol* 18:709-710.
- *Zoeller RT, Crofton KM. 2000. Thyroid hormone action in fetal brain development and potential for disruption by environmental chemicals. *Neurotoxicology* 21(6):935-946.

9. REFERENCES

Zoeller RT, Rice DC. 2004. Critical effect of perchlorate on neonates is iodide uptake inhibition. *Regul Toxicol Pharmacol* 40(3):376-377.