

## 8. REFERENCES

- \*Abdelsalam EB, Ford EJ. 1986. Effect of pretreatment with hepatic microsomal enzyme inducers on the toxicity of diazinon in calves. *Res Vet Sci* 41(3):336-339.
- \*ACGIH. 1996. Documentation of the threshold limit values for substances in workroom air. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- \*Adhya TK, Sudhakar-Batik, Sethunathan N. 1981. Hydrolysis of selected organophosphorus insecticides by two bacteria isolated from flooded soil. *Journal of Applied Bacteriology* 50:167-172.
- \*Adlakha A, Philip PJ, Dhar KL. 1988. Organophosphorus and carbamate poisoning in Punjab. *J Assoc Physicians India* 36(3):210-212.
- \*Aizawa H. 1989. Metabolic maps of pesticides. Vol. 2. Ecotoxicology and Environmental Quality Series. Academic Press, Inc. 161.
- \*Amato JR, Mount DI, Durhan EJ, et al. 1992. An example of the identification of diazinon as a primary toxicant in an effluent. *Environ Toxicol Chem* 11:209-216.
- \*Anonymous. 1989. New directions for older product. *Pest Control* 57:38-39.
- \*Anthony J, Banister E, Oloffs PC. 1986. Effect of sublethal levels of diazinon: histopathology of liver. *Bull Environ Contam Toxicol* 37(4):501-507.
- \*AOAC. 1990. Methods 970.52 and 968.24. In: Helrich K, ed. Official Methods of Analysis of the Association of Official Analytical Chemists. 15th ed. Arlington, VA: AOAC.
- Arienzo M, Crisanto T, Sanchez-Martin MJ, et al. 1994. Effect of soil characteristics on adsorption and mobility of [<sup>14</sup>C] diazinon. *J Agri Fd Chem* 42(8):1803-1808.
- \*Arienzo M, Sanchez-Camazano M, Crisanto HT, et al. 1993. Effect of organic cosolvents on adsorption of organophosphorus pesticides by soils. *Chemosphere* 27(8):1409-1417.
- \*ASTER. 1994. ASTER (Assessment Tools for the Evaluation of Risk) ecotoxicity profile. U.S. Environmental Protection Agency, Environmental Research Laboratory, Duluth, MN.
- \*ASTER. 1995. ASTER (Assessment Tools for the Evaluation of Risk) ecotoxicity profile. U.S. Environmental Protection Agency, Environmental Research Laboratory, Duluth, MN.
- \*ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.
- \*ATSDR/CDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta, GA.

---

\*Cited in text

## 8. REFERENCES

- \*Balani SG, Femandes SO, Lakhani RH, et al. 1968. Diazinon poisoning. A report on 100 cases with particular reference to evaluation of treatment. *J Assoc Physicians India* 16(11):911-917.
- \*Batik S, Munnecke DM. 1982. Enzymatic hydrolysis of concentrated diazinon in soil. *Environ Contam Toxicol* 29:235-239.
- \*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. U.S. Environmental Protection Agency. *Regul Toxicol Pharmacol* 8:471-486.
- \*Barnes TB. 1988. 90-day oral toxicity study in dogs. Project No. 882012. Unpublished report dated August 4, 1988 from Ciba-Geigy Ltd. Basel, Switzerland. EPA-40815004.
- \*Barnett JB, Spyker- Cranmer JM, Avery DL, et al. 1980. Immunocompetence over the lifespan of mice exposed in utero to carbofuran or diazinon: I. Changes in serum immunoglobulin concentrations. *J Environ Pathol Toxicol* 4:53-63.
- \*Bason CW, Colbum T. 1992. U.S. application and distribution of pesticides and industrial chemicals capable of disrupting endocrine and immune systems. In: Colbum T, Clement C eds. *Chemically-induced alterations in sexual and functional development: the wildlife/human connection. Advances in Modern Environmental Toxicology*, Vol. XXI. Princeton, NJ: Princeton Scientific Publishing Co., Inc., 335-345.
- \*Bichile LS, Kuloor PL, Hegde AV, et al. 1983. Acute reversible cerebellar signs after Diazinon poisoning [letter]. *J Assoc Physicians India* 31(11):745-746.
- \*Bleakley P, Nichol AW, Collins AG. 1979. Diazinon and porphyria cutanea tarda. *Med J Aust* 1(8):314-315.
- Boyd EM. 1969. Dietary protein and pesticide toxicity in male weanling rats. *Bulletin of the World Health Organization* 40:801-805.
- \*Boyd EM, Carsky E. 1969. Kwashiorkorigenic diet and diazinon toxicity. *Acta Pharmacol Toxicol* 27(4):284-294.
- \*Boyd EM, Carsky E, Krijnen CJ. 1969. The effects of diets containing from 0 to 81 percent casein on the acute oral toxicity of diazinon. *Clinical Toxicology* 2(3):295-302.
- \*Braun HE, Frank R. 1980. Organochlorine and organophosphorus insecticides: their use in eleven agricultural watersheds and their loss to stream waters in southern Ontario, Canada, 1975-1977. *Science of the Total Environment* 15:169-192.
- Briggs GG. 1981. Theoretical and experimental relationships between soil adsorption, & ntol-water partition coefficients, water solubilities, bioconcentration factors, and the parachor. *J Agric Food Chem* 29:1050-1059.
- \*Brown RL, Farmer CN, Millar RG. 1987. Optimization of sweep codistillation apparatus for determination of coumaphos and other organophosphorus pesticide residues in animal fat. *J Assoc Off Anal Chem* 70(3):442-445.

## 8. REFERENCES

- \*Burkhard LP, Jenson JJ. 1993. Identification of ammonia, chlorine, and diazinon as toxicants in a municipal effluent. *Arch Environ Chem* 25506-515.
- \*Burkhard N, Guth JA. 1979. Photolysis of organophosphorus insecticides on soil surfaces. *Pestic Sci* 10:313-319.
- Byrne DH, Kitos PA. 1983. Teratogenic effects of cholinergic insecticides in chick embryos--IV. The role of tryptophan in protecting against limb deformities. *Biochem Pharmacol* 32(19):2881-2890.
- \*Cantor KP, Blair A, Everett G, et al. 1992. Pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota. *Cancer Res* 52(9):2447-2455.
- \*Carey AE, Kutz FW. 1985. Trends in ambient concentrations of agrochemicals in humans and the environment of the USA. *Environ Monit Assess* 5:155-164.
- \*CELDs. 1993. Computer-Assisted Environmental Legislative Database. University of Illinois at Urbana.
- \*Chapman RA, Cole CM. 1982. Observations on the influence of water and soil pH on the persistence of insecticides. *J Environ Sci Health B17(5):487-504.*
- \*Chen HH, Sirianni SR, Huang CC. 1982. Sister chromatid exchanges in Chinese hamster cells treated with seventeen organophosphorus compounds in the presence of a metabolic activation system. *Environ Mutagen* 4:621-624.
- \*Chow E, Richter R. 1994. Acute neurotoxicity study with D-Z-N Diazinon MG 87% in rats. Unpublished report dated January 20, 1994 Ciba Geigy Corp. Greensboro NC.
- \*Cohen DB. 1986. Ground water contamination by toxic substances. A California assessment. *American Chemical Society Symposium Series* 315:499-502.
- \*Coward RP, Bonner FL, Epps EA, Jr. 1971. Rate of hydrolysis of seven organophosphate pesticides. *Bull Environ Contam Toxicol* 6(3):231-234.
- \*Coye MJ, Bamett PG, Midtling JE, et al. 1987. Clinical confirmation of organophosphate poisoning by serial cholinesterase analyses. *Arch Intern Med* 147:438-442.
- \*Currie KL, McDonald EC, Chung LTK, et al. 1990. Concentrations of diazinon, chlorpyrifos, and benicarb after application in offices. *American Industrial Hygiene Association* 51(1):23-27.
- \*Dagli AJ, Moos JS, Shaikh WA. 1981. Acute pancreatitis as a complication of diazinon poisoning. A case report. *J Assoc Physicians India* 29(9):794-795.
- \*Davies DB, Holub BJ. 1980a. Toxicological evaluation of dietary diazinon in the rat. *Arch Environ Contam Toxicol* 9(6):637-650.
- \*Davies DB, Holub BJ. 1980b. Comparative subacute toxicity of dietary diazinon in the male and female rat. *Toxicol Appl Pharmacol* 54(3):359-367.

## 8. REFERENCES

- Davies DB, Holub BJ. 1983. Comparative effects of organophosphorus insecticides on the activities of acetylcholinesterase, diacylglycerol kinase, and phosphatidylinositol phosphodiesterase in rat brain microsomes. *Pesti Biochem Physiol* 20:92-99.
- \*Davis JE, Stevens ER, Staiff DC, et al. 1983. Potential exposure to diazinon during yard applications. *Environmental Monitoring and Assessment* 3:23-28.
- \*Davis JR, Brownson RC, Garcia R, et al. 1993. Family pesticide use and childhood brain cancer. *Arch Environ Contam Toxicol* 24( 1):87-92.
- \*De Ferrari M, Artuso M, Bonassi S, et al. 1991. Cytogenic biomonitoring of an Italian population exposed to pesticides: chromosome aberration and sister-chromatid exchange analysis in peripheral blood lymphocytes. *Muta Res* 260: 105-113.
- \*DePalma AE, Kwalick DS, Zukerberg N. 1970. Pesticide poisoning in children. *Journal of the American Medical Association* 211(12):1979-1981.
- \*Dobbins PK. 1967. Organic phosphate insecticides as teratogens in the rat. *J Fla Med Assn* 54:452-456.
- Doggett SM, Rhodes RG. 1991. Effects of a diazinon formulation on unialgal growth rates and phytoplankton diversity. *Bull Environ Contam Toxicol* 47:36-42.
- \*Domagalski JL, Kuivila KM. 1993. Distributions of pesticides and organic contaminants between water and suspended sediment, San Francisco Bay, California. *Estuaries* 16(3A):416-426.
- Dressel TD, Goodale RL Jr., Ameson MA, et al. 1979. Pancreatitis as a complication of anticholinesterase insecticide intoxication. *Ann Surg* 189(2): 199-204.
- Dressel TD, Goodale RL Jr., Zweber B, et al. 1982. The effect of atropine and duct decompression on the evolution of diazinon-induced acute canine pancreatitis. *Ann Surg* 195(4):424-434.
- Drevenkar V, Stengl B, Tkalcovic B, et al. 1983. Occupational exposure control by simultaneous determination of N-methylcarbamates and organophosphorus pesticide residues in human urine. *Int J Environ Anal Chem* 14:215-230.
- \*Drevenkar V, Vasilic Z, Stengl B, et al. 1993. Chlorpyrifos metabolites in serum and urine of poisoned persons. *Chem Biol Interactions* 87:315-322.
- \*Driss MR, Hennion M-C, Bouguerra ML. 1993. Determination of carbaryl and some organophosphorus pesticides in drinking water using on-line liquid chromatographic preconcentration techniques. *J Chromatogr* 639:352-358.
- Duggan RE, Comeliussen PE. 1972. Dietary intake of pesticide chemicals in the United States (III), June 1968-April 1970. *Pesticides Monitoring Journal* 5:331-341.
- \*Earl FL, Melveger BE, Reinwall JE, et al. 1971. Diazinon toxicity--comparative studies in dogs and miniature swine. Paper presented at the 7th Annual Meeting of the Society of Toxicology, March 4-6, 1968. *Toxicol Appl Pharmacol* 18:285-295.

## 8. REFERENCES

- Ecobichon DJ, Kalow W. 1963. Action of organophosphorus compound upon esterases of human liver. *Can Biochem Physiol* 41:1537-1 546.
- \*Edson EF, Noakes DN. 1960. The comparative toxicity of six organophosphorus insecticides in the rat. *Toxicol Appl Pharmacol* 2:523-539.
- \*Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.
- \*Eisert R, Levsen K, Wuensch G. 1994. Element-selective detection of pesticides by gas chromatography atomic-emission detection and solid-phase microextraction. *J Chromatogr* 683(1):175-183.
- \*El Arab AE, Attar A, Ballhom L, et al. 1990. Behavior of diazinon in a perch species. *Chemosphere* 21:193-199.
- \*Enan EE, El-Sebae AH, Enan OH, et al. 1982. In-vivo interaction of some organophosphorus insecticides with different biochemical targets in white rats. *J Environ Sci Health [B]* 17(5):549-570.
- \*Endo G, Horiguchi S, Kiyota I, et al. 1988. Serum cholinesterase and erythrocyte acetylcholinesterase activities in workers occupationally exposed to organophosphates. *Proc of the ICMR Seminar* 8:561-564.
- \*EPA. 1971. Tolerances and exemptions from tolerances for pesticide chemicals in or on raw agricultural commodities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.
- \*EPA. 1973. Guidelines establishing test procedures for the analysis of pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.
- \*EPA. 1977. Toxicity of diazinon to brook trout and fathead minnows. Ecological Research Series, U.S. Environmental Protection Agency, Environmental Research Laboratory, Duluth MN. (authors: Allison DT and Hermanutz RO). EPA-600/3-77-060.
- \*EPA. 1978a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- \*EPA. 1978b. Pesticide chemicals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 455.20.
- \*EPA. 1979a. Determination of reportable quantities for hazardous substances. U.S. Environmental Protection Agency. . Code of Federal Regulations. 40 CFR 117.3.
- \*EPA. 1979b. Criteria and standards for the national pollutant discharge elimination system. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 125.
- \*EPA. 1982. Tolerances for pesticides in animal feeds. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 186.1750

## 8. REFERENCES

- \*EPA. 1983. EPA administered permit programs: The National Pollutant Discharge Elimination System. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122.
- \*EPA. 1985a. Designation of reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.
- \*EPA. 1986a. Method 8140. GC method for determination of organophosphorus pesticides. In: Test methods for evaluating solid waste. Vol. IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC, 3rd ed.
- \*EPA. 1986b. Method 3500. In: Test methods for evaluating solid waste. Vol IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC, 3rd ed.
- \*EPA. 1986c. Method 3510. Separatory funnel liquid-liquid extraction. In: Test methods for evaluating solid waste. Vol IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington DC, 3rd ed.
- \*EPA. 1986d. Method 3520. Continuous liquid-liquid extraction. In: Test methods for evaluating solid waste. Vol IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington DC, 3rd ed.
- \*EPA. 1986e. Method 3540. Soxhlet extraction. In: Test methods for evaluating solid waste. Vol IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington DC, 3rd ed.
- \*EPA. 1986f. Method 3550. Sonication extraction. In: Test methods for evaluating solid waste. Vol IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington DC, 3rd ed.
- \*EPA. 1986g. Method 3600. Cleanup. In: Test methods for evaluating solid waste. Vol IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington DC, 3rd ed.
- \*EPA. 1986h. Method 3620. Florisil column cleanup. In: Test methods for evaluating solid waste. Vol IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington DC, 3rd ed.
- \*EPA. 1986i. Method 3640. Gel-permeation cleanup. In: Test methods for evaluating solid waste. Vol IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington DC, 3rd ed.
- EPA. 1986j. Method 8000. Gas chromatography. In: Test methods for evaluating solid waste. Vol IB, Laboratory manual, Physical/chemical methods. SW846. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington DC, 3rd ed.

## 8. REFERENCES

- \*EPA. 1989a. Pesticides in ground water data base: 1988 interim report. U.S. Environmental Protection Agency, Office of Pesticide Programs, Washington, DC. EPA-540/09-89-036.
- \*EPA. 1989b. Pesticide fact sheet number 96.1: diazinon. U.S. Environmental Protection Agency, Office of Pesticide Programs, Washington, DC. EPA/540/FS-89/015.
- \*EPA. 1990. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA-600/90/066A.
- \*EPA. 1990a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/8-90/066A.
- \*EPA. 1990b. Pesticide Fact Handbook. Noyes Data Corporation. Park Ridge, New Jersey. Vol. 1, 247-25 1.
- EPA. 1991. Limits for air contaminants. U.S. Environmental Protection Agency. Code of Federal Regulations. 29 CFR 1910.
- \*EPA. 1992a. Method 1657. The determination of organophosphorus pesticides in municipal and industrial wastewater. In: Methods for the determination of nonconventional pesticides in municipal and industrial wastewater. U.S. Environmental Protection Agency, Office of Water, Washington, DC. EPA/821/R-92-002.
- \*EPA. 1992b. Method 614. The determination of organophosphorus pesticides in municipal and industrial wastewater. In: Methods for the determination of nonconventional pesticides in municipal and industrial wastewater. U.S. Environmental Protection Agency, Office of Water, Washington DC. EPA/821/R-92-002.
- \*EPA. 1992~. Method 622. The determination of organophosphorus pesticides in municipal and industrial wastewater. In: Methods for the determination of nonconventional pesticides in municipal and industrial wastewater. U.S. Environmental Protection Agency, Office of Water, Washington DC. EPA/821/R-92-002.
- \*EPA. 1993. Guidance for assessing chemical contaminant data for use in fish advisories: Volume 1, Fish sampling and analysis. U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology, Washington, DC. EPA-823-R-93-002.
- \*EPA. 1994a. Standards for pesticide containers and containment. Proposed rule. U.S. Environmental Protection Agency. Federal Register vol. 25, no. 29, 6712-6789.
- \*EPA. 1994b. Drinking water regulations and health advisories. U.S. Environmental Protection Agency, Office of Water, Washington DC.
- \*EPA. 1995a. Toxic chemical release inventory reporting form R and instruction. Office of Pollution Prevention and Toxics, U.S. Environmental Protection Agency, Washington, D.C. EPA 745-K-95-05 1.
- \*EPA. 1995b. Toxic release inventory reporting modifications beginning with 1995 reporting year. Office of Pollution Prevention and Toxics. U.S. Environmental Protection Agency, Washington, DC EPA 745-R-95-009.

## 8. REFERENCES

- \*Emey DR, Gillespie AM, Gilvydis DM, et al. 1993. Explanation of the matrix-induced chromatographic response enhancement of organophosphorus pesticides during open tubular column gas chromatography with splitless or hot on-column injection and flame photometric detection. *J Chromatogr* 63857-63.
- Eto M, Seifert J, Engel JL, et al. 1980. Organophosphorus and methylcarbamate teratogens: structural requirements for inducing embryonic abnormalities in chickens and kynurenine formamidase inhibition in mouse liver. *Toxicol Appl Pharmacol* .54(1):20-30.
- \*Farm Chemicals Handbook. 1993. Farm chemicals handbook. Sine C, ed. Willboughby, OH: Meister Publishing Co.
- Farran A, De Pablo J, Barcelo D. 1988. Identification of organophosphorus insecticides and their hydrolysis products by liquid chromatography in combination with UV and thermospray-mass spectrometric detection. *J Chromatogr* 455:163-172.
- \*FASE. 1996. Pesticide exports from U.S. ports, 1992-1994. Foundation for the Advancement of Science Education. Los Angeles, CA.
- \*FDA. 1990. Residues in foods, 1989 (3rd annual FDA pesticide residue monitoring program report). *Journal of AOAC International* 73(5):127A-146A.
- \*FDA. 1991. Residues in foods, 1990 (4th annual FDA pesticide residue monitoring program report). *Journal of AOAC International* 74(5): 12 1 A-140A.
- \*FDA. 1992. Residue monitoring, 1991 (5th annual FDA pesticide residue monitoring program report). *Journal of AOAC International* 75(5): 135A-157A.
- \*FDA. 1994. Residue monitoring, 1993 (7th annual FDA pesticide residue monitoring program report). *Journal of AOAC International* 77(5): 163A-185A.
- \*FDA. 1995. Residue monitoring, 1994 (8th annual FDA pesticide residue monitoring program report). *Journal of AOAC International* 78(5):119A-142A.
- \*FEDRIP. 1995. Diazinon. Federal Research in Progress. Dialog Information Services.
- \*Ferrando MD, Alarcon V, Fernandez-Casalderrey A, et al. 1992. Persistence of some pesticides in the aquatic environment. *Bull Environ Contam Toxicol* 48:747-755.
- \*Forbat IN, Skehan JD. 1992. Health effects of organophosphate sheep dip [letter]. *British Medical Journal* 305.
- \*Frank R, Braun HE, Chapman N, et al. 1991b. Degradation of parent compounds of nine organophosphorus insecticides in Ontario surface and ground waters under controlled conditions. *Bull Environ Contam Toxicol* 47:374-380.
- \*Frank R, Braun HE, Clegg BS, et al. 1990b. Survey of farm wells for pesticides, Ontario, Canada, 1986 and 1987. *Bull Environ Contam Toxicol* 44:410-419.

## 8. REFERENCES

- \*Frank R, Braun HE, Ripley BD, et al. 1990a. Contamination of rural ponds with pesticide, 1971-85, Ontario, Canada. *Bull Environ Contam Toxicol* 44:401-409.
- \*Frank R, Clegg BS, Ripley BD, et al. 1987. Investigations of pesticide contaminations in rural wells, 1979-1984, Ontario, Canada. *Arch Environ Contam Toxicol* 16:9-22.
- \*Frank R, Logan L. 1988. Pesticide and industrial chemical residues at the mouth of the Grand, Saugeen and Thames Rivers, Ontario, Canada, 1981-85. *Arch Environ Contam Toxicol* 17:741-754.
- \*Frank R, Mineau P, Braun HE, et al. 1991 a. Deaths of Canada geese following spraying of turf with diazinon. *Bull Environ Contam Toxicol* 46:852-858.
- Frick TW, Dalo S, O'Leary JF, et al. 1987. Effects of insecticide, diazinon, on pancreas of dog, cat and guinea pig. *J Environ Pathol Toxicol Oncol* 7(4):1-11.
- \*FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. U.S. Environmental Protection Agency, Chemical Communication Subcommittee, Federal-State Toxicology and Regulatory Alliance Committee (FSTRAC).
- \*Gaines TB. 1960. The acute toxicity of pesticides to rats. *Toxicol Appl Pharmacol* 2:88-99.
- \*Gaines TB. 1969. Acute toxicity of pesticides. *Toxicol Appl Pharmacol* 14(3):515-534.
- \*Garcia-Repetto R, Martinez D, Repetto M. 1994. The influence of pH on the degradation kinetics of some organophosphorous pesticides in aqueous solutions. *Vet Hum Toxicol* 36(3):202-204.
- Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986. Pesticides, selected elements, and other chemicals in adult total diet samples, October 1980-March 1982. *J Assoc Off Anal Chem* 69(1):146-161.
- \*Gianessi LP. 1986. A national pesticide usage data base summary report submitted to the Office of Standards and Regulations. U.S. Environmental Protection Agency, Washington DC.
- Giknis MLA. 1989. A two generation reproductive study in albino rats. Unpublished report dated February 9, 1989 from Ciba-Geigy Corp. Summit, NJ.
- \*Glotfelty DE, Majewski MS, Seiber JN. 1990a. Distribution of several organophosphorus insecticides and their oxygen analogues in a foggy atmosphere. *Environ Sci Technol* 24:353-357.
- \*Glotfelty DE, Schomburg CJ, McChesney MM, et al. 1990b. Studies of the distribution, drift, and volatilization of diazinon resulting from spray application to a dormant peach orchard. *Chemosphere* 21:1303-1314.
- \*Goodman LR, Hansen DJ, Coppage DL, et al. 1979. Diazinon: chronic toxicity to, and brain acetylcholinesterase inhibition in, the sheepshead minnow, *Cyprinodon variegatus*. *Trans Am Fish Soc* 108(5):479-488. EPA-600/J-79-071.
- \*Gore RC, Hannah RW, Pattacini SC, et al. 1971. Infrared and ultraviolet spectra of seventy-six pesticides. *J Assoc Off Anal Chem* 54:1040-1082.

## 8. REFERENCES

- \*Green VA. 1970. Effects of pesticides on rat and chick embryo. Trace Substances in Environmental Health - III. 183-209.
- Griffith JG, Duncan RC. 1985. Alkyl phosphate residue values in the urine of Florida citrus workers compared to the National Health and Nutrition Examination Survey (HANES) sample. Bull Environ Contam Toxicol 34:210-215.
- \*Gunderson EL. 1988. FDA total diet study, April 1982-April 1984, dietary intakes of pesticides, selected elements, and other chemicals. J Assoc Off Anal Chem 71(6): 1200-1209.
- \*Gunner HB, Zuckerman BM. 1968. Degradation of 'diazinon' by synergistic microbial action. Nature 217:1183-1184.
- Halle A, Sloas DD. 1987. Percutaneous organophosphate poisoning. South Med J 80(9):1179-1181.
- \*Hankemeier TH, Louter AJH, Rinkema FD, et al. 1995. On-line coupling of solid-phase extraction and gas chromatography with atomic emission detection for analysis of trace pollutants in aqueous samples. Chromatographia 40(3-4): 119-124.
- \*Harris LW, JH Fleisher, TA Innerebner, et al. 1969. The effects of atropine-oxime therapy on cholinesterase activity and the survival of animals poisoned with diethyl-0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate. Toxicol Appl Pharmacol 15:216-226.
- \*Harris SB, Holson JF. 1981. A teratology study (CAS Number 333-41-5) in New Zealand White rabbits. Project No. 281005. Unpublished report dated July 28, 1981 from Science Applications, Inc. USA. Submitted by Ciba-Geigy Ltd., Basel, Switzerland.
- \*Hartmann HR. 1990. 21-day repeated exposure inhalation toxicity in the rat, nose only exposure. Project No. 891205. Unpublished report dated June 8, 1990 from Ciba-Geigy Ltd., Basel, Switzerland. EPA-41557402.
- Hassan RM, Pesce AJ, Sheng P, et al. 1981. Correlation of serum pseudocholinesterase and clinical course in two patients poisoned with organophosphate insecticides. Clin Toxicol 18(4):401-406.
- \*Hata S, Bernstein E, Davis LE. 1986. Atypical ocular bobbing in acute organophosphate poisoning. Arch Neurol 43(2):185-186.
- \*Hayes AL, Wise RA, Weir FW. 1980. Assessment of occupational exposure to organophosphates in pest control operators. Am Ind Hyg Assoc J 41(8):568-575.
- \*Hayes WJ Jr. 1982. Organic phosphorus pesticides. In: Pesticides Studied in Man, Williams & Wilkins, Baltimore, MD 385-389.
- \*HAZDAT. 1994. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- \*HAZDAT. 1996. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- Henderson M, Kitos PA. 1982. Do organophosphate insecticides inhibit the conversion of tryptophan to NAD<sup>+</sup> in ovo? Teratology 26(2): 173-181.

## 8. REFERENCES

- \*Hillmann R, Bachmann K. 1995. Extraction of pesticides using supercritical trifluoromethane and carbon dioxide. *J Chromatogr A* 695(1):149-154.
- \*Holbert MS. 1989. Diazinon: Acute inhalation toxicity study in rats. Project No. 5947-89. Unpublished report dated March 30, 1989. from Stillmeadow, Inc. Houston, Texas, USA. for Ciba-Geigy Ltd. Basel, Switzerland. EPA-41407220.
- \*Holstege DM, Scharberg DL, Richardson ER, et al. 1991. Multiresidue screen for organophosphorus insecticides using gel permeation chromatography--silica gel cleanup. *J Assoc Off Anal Chem* 74(2):394-399.
- \*Hong J, Eo Y, Rhee J, et al. 1993. Simultaneous analysis of 25 pesticides in crops using gas chromatography and their identification by gas chromatography-mass spectrometry. *J Chromatogr* 639:261-271.
- \*Hopper ML. 1988. Improved method for partition of organophosphate pesticide residues on a solid phase partition column. *J Assoc Off Anal Chem* 71(4):731-734.
- \*Howard PH, ed. 1991. Pesticides, Vol III. In: Handbook of environmental fate and exposure data for organic chemicals. Chelsea, MI: Lewis Publishers, Inc.
- \*HSDB. 1996. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Program (via TOXNET), Bethesda, MD. May 1996.
- \*Hsu JP, Schattenberg HJ III, Garza MM. 1991. Fast turnaround multiresidue screen for pesticides in produce. *J Assoc Off Anal Chem* 74(5):886-892.
- \*Hsu JP, Wheeler HG Jr, Camann DE, et al. 1988. Analytical methods for detection of nonoccupational exposure to pesticides. *J Chromatogr Sci* 26: 181-189.
- \*Hundley HK, Cairns T, Luke MA, et al. 1988. Pesticide residue findings by the Luke method in domestic and imported foods and animal feeds for fiscal years 1982-1986. *J Assoc Off Anal Chem* 71(5):875-892.
- Husain K, Mirza MA, Matin MA. 1987. Convulsions as the etiology of lactic acidosis in acute diazinon toxicity in rats. *Toxicol Lett* 37(3):257-261.
- \*Infuma RM, Arthur AT. 1985. A teratology study in Charles River rats. Report No. 52-83. Unpublished report dated April 19, 1985 from Ciba-Geigy Corp. Summit, New Jersey, USA. EPA 153017.
- \*IRIS. 1994. Integrated Risk Information System (IRIS). U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH. May 1994.
- \*IRPTC. 1985. Treatment and disposal methods for waste chemicals. International Register of Potentially Toxic Chemicals. United Nations Environment Programme. Geneva, Switzerland. 251-252.

## 8. REFERENCES

- \*Iverson F, Grant DL, Lacroix J. 1975. Diazinon metabolism in the dog. *Bull Environ Contam Toxicol* 13(5): 611-618.
- \*Iyaniwura TT. 1991. Relative inhibition of rat plasma and erythrocyte cholinesterases by pesticide combinations. *Vet Hum Toxicol* 33:166-168.
- \*Jackson MD, Lewis RG. 1981. Insecticide concentrations in air after application of pest control strips. *Bull Environ Contam Toxicol* 27: 122-125.
- \*Janes NF, Machin AF, Quick MP, et al. 1973. Toxic metabolites of diazinon in sheep. *J Agr Food Chem* 21:121-124.
- \*Jenkins LJ. 1988. Acute delayed neurotoxicity of Diazinon MG-8 in domestic fowl. Project No. 5152-87. Unpublished report dated May 23, 1988 from Stillmeadow Inc. Houston, Texas, USA. for Ciba-Geigy Ltd., Basel Switzerland. EPA-41407220.
- \*Jeyaratnam J, Maroni M. 1994. Health surveillance of pesticide workers a manual for occupational health professionals organophosphorous compounds. *Toxicology* 9 1(1): 15-27.
- \*Johnson WE, Fendinger NJ, Plimmer JR. 1991. Solid-phase extraction of pesticides from water: Possible interferences from dissolved organic material. *Anal Chem* 63: 15 10- 15 13.
- \*Kabrawala VN, Shah RM, Oza GG. 1965. Diazinon poisoning. (A study of 25 cases). *Indian Pratt* 18(10):711-717.
- \*Kadenczki L, Arpad Z, Gardi I, et al. 1992. Column extraction of residues of several pesticides from fruits and vegetables: A simple multiresidue analysis method. *J AOAC International* 75( 1):53-61.
- \*KAN-DO. 1995. Office of pesticide team. Accumulated pesticide and industrial chemical findings from a ten-year study of ready to eat foods. *J AOAC International* 78(3):614-630.
- \*Kawata K, Yasuhara A. 1994. Determination of fenitrothion and diazinon in air. *Bull Environ Contam Toxicol* 52:419-424
- \*Keizer J, D'Agotino G, Vittozzi L. 1991. The importance of biotransformation in the toxicity of xenobiotics to fish. Part I. Toxicity and bioaccumulation of diazinon in guppy (*Poecilia reticulata*) and zebra fish (*Brachydanio rerio*). *Aquatic Toxicology* 21:239-254.
- \*Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. *Ecotoxicol Environ Safety* 4:26-38.
- \*Kendall RJ, Brewer LW, Hitchcock RR. 1993. Response of Canada geese to a turf application of diazinon AG500. *Journal of Wildlife Diseases* 29(3):458-464.
- Kimbrough RD, Gaines TB. 1968. Effect of organic phosphorus compounds and alkylating agents on the rat fetus. *Arch Environ Health* 16:805-808.

## 8. REFERENCES

- \*Kiraly J, Szentesi I, Ruzicska M, et al. 1979. Chromosome studies in workers producing organophosphate insecticides. *Arch Environ Contam Toxicol* 8:309-319.
- \*Kirchner FR. 1991. One/two year oral toxicity study in rats. Unpublished report dated June 14, 1991 from Ciba-Geigy Ltd., Basel, Switzerland EPA-41942002.
- \*Kirkbride KP. 1987. An estimation of diazinon in omental tissue. *J Anal Toxicol* 11:6-7.
- \*Klaassen CD, Amdur MO, Doull J, eds. 1986. *Casarett and Doull's Toxicology*. 3rd ed. New York, NY: MacMillian Publishing Company.
- \*Klemmer HW, Reichert ER, Yauger WL Jr. 1978. Five cases of intentional ingestion of 25 percent diazinon with treatment and recovery. *Clin Toxicol* 12(4):435-444.
- \*Kojima T, Tsuda S, Shirasu Y. 1992. Non-cholinergic mechanisms underlying the acute lethal effects of P = S type organophosphorus insecticides in rats. *J Vet Med Sci* 54(3):529-533.
- Konrad JG, Armstrong DE, Chesters G. 1967. Soil degradation of diazinon, a phosphorothioate insecticide. *Agron J* 59:591-594.
- \*Krijnen CJ, Boyd EM. 1971. The influence of diets containing from 0 to 81 percent of protein on tolerated doses of pesticides. *Comparative and General Pharmacology* 2(8):373-376.
- “Kudzin ZH, Kotynski A, Kielbasinski P. 1991. Application of the iodine-azide reagent for selective detection of thiophosphoryl compounds in thin-layer chromatography. *J Chromatogr* 588:307-313.
- \*Kuhn JO. 1989a. Acute oral toxicity study in rats. Project No. 5924-89. Unpublished report dated March 28, 1989. from Stillmeadow, Inc. Houston, Texas, USA. for Ciba-Geigy Ltd. Basel, Switzerland. EPA-41407218.
- \*Kuhn JO. 1989b. Diazinon primary dermal irritation study in rabbits. Project no. 5945-89. Unpublished report dated March 3, 1989 from Stillmeadow, Inc. Houston, Texas, USA. for Ciba-Geigy Ltd., Basel, Switzerland. EPA-41407223
- \*Kuhn JO. 1989~. Diazinon: Dermal sensitization study in Guinea pigs. Project no. 5946-89. Unpublished report dated March 29, 1989 from Stillmeadow, Inc. Houston, Texas, for Ciba-Geigy Ltd., Basel, Switzerland. EPA-41407223
- \*Kuivila KM. 1993. Diazinon concentrations in the Sacramento and San Joaquin Rivers and San Francisco Bay, California, February 1993. In: *Water Fact Sheet*, U.S. Geological Survey, Department of Interior.
- Kumari D. 1990. Chemical analysis of filtrate and condensate from wet-carbonized peat by gas chromatography--mass spectrometry. *Inter J Coal Geol* 15: 63-69.
- Kurt TL. 1988. Persistent symptoms of cholinesterase inhibiting pesticide toxicity (diazanone) [letter]. *Vet Hum Toxicol* 30(3):268.

## 8. REFERENCES

- \*Kutz FW, Yobs AR, Yang HSC. 1976. National pesticide monitoring networks. In: Lee RE, ed. Air pollution from pesticides and agricultural processes. Cleveland, OH: CRC Press, 95-136.
- \*Kwakman PJM, Vreuls JJ, Brinkman UAT, et al. 1992. Determination of organophosphorus pesticides in aqueous samples by on-line membrane disk extraction and capillary gas chromatography. *Chromatographia* 34:41-47.
- \*Lawrence JF, Iverson F. 1975. Analysis of the diazinon metabolites G 27550 and GS 31144 by gas liquid chromatography with nitrogen-specific detection after derivatization. *J Chromatogr* 103:341-347.
- \*Lee HS. 1989. Acute pancreatitis and organophosphate poisoning--a case report and review *Singapore Med J* 30(6):599-601.
- \*Lee SM, Papathakis ML, Feng H-MC, et al. 1991. Multipesticide residue method for fruits and vegetables: California Department of Food and Agriculture. *Fresenius J Anal Chem* 339:376-383.
- \*Lee SM, Wylie PL. 1991. Comparison of the atomic emission detector to other element-selective detectors for the gas chromatographic analysis of pesticide residues. *J Agric Food Chem* 39:2192-2199.
- \*Lemmon CR, Pylypiw HM, Jr. 1992. Degradation of diazinon, chlorpyrifos, isofenphos, and pendimethalin in grass and compost. *Bull Environ Contam Toxicol* 48:409-415.
- \*Lenhart SW, Kawamoto MM. 1994. Residual air concentrations of pesticides in a commercial greenhouse. *Appl Occup Environ Hyg* 9(1):9-15.
- \*Leoni V, Caricchia AM, Chiavarini S. 1992. Multiresidue method for quantitation of organophosphorus pesticides in vegetable and animal foods. *J AOAC International* 75(3):511-518.
- \*Levanon D, Meisinger JJ, Codling EE, et al. 1994. Impact of tillage on microbial activity and the fate of pesticides in the upper soil. *Water Air and Soil Pollution* 72(1-4): 179-189.
- \*Lewis RG, Lee RE Jr. 1976. Air pollution from pesticides: sources, occurrence, and dispersion. In: Lee RE Jr., ed. Air pollution from pesticides and agricultural processes. Cleveland, OH: CRC Press, 5-50.
- \*Liao W, Joe T, Cusick WG. 1991. Multiresidue screening method for fresh fruits and vegetables with gas chromatographic/mass spectrometric detection. *J Assoc Anal Chem* 74:554-565.
- \*Lichtenstein EP, Fuhremann TW, Schulz. 1968. Effect of sterilizing agents on persistence of parathion and diazinon in soils and water. *J Agr Food Chem* 15:870-873.
- \*Limaye MR. 1966. Acute organophosphorous compound poisoning: A study of 76 necropsies. *J Indian Med Assn* 47(10):492-498.
- \*Lisi P, Caraffinis S, Assalve D. 1987. Irritation and sensitization potential of pesticides. *Contact Dermatitis* 17(4):212-218.

## 8. REFERENCES

\*Liu Z, Sirimanne SR, Patterson DG, Jr. 1994. Comprehensive two dimensional gas chromatography for the fast separation and determination of pesticides extracted from human serum. *Anal Chem* 66(19):3086-3092.

\*Lopez D, Aleixandre C, Merchan M, et al. 1986. *In vitro* induction of alterations in peripheral blood lymphocytes by different doses of diazinon. *Bull Environ Contam Toxicol* 37:517-522.

\*Lopez-Avila V, Becker WF, Billets S. 1992. Supercritical fluid extraction and its application to environmental analysis. In: Friedman D, ed. *Waste testing and quality assurance: third volume*. ASTM Special Technical Publication 1075. Philadelphia, PA: American Society for Testing and Materials, 141-153.

\*Lopez-Avila V, Hirata P, Kraska S, et al. 1985. Determination of atrazine, lindane, pentachlorophenol, and diazinon in water and soil by isotope dilution gas chromatography/mass spectrometry. *Anal Chem* 57:2797-2801.

\*Lox CD. 1983. Effects of acute pesticide poisoning on blood clotting in the rat. *Ecotoxicol Environ Safety* 7(5):451-454.

\*Lox CD. 1987. The effects of short term diazinon exposure on blood clotting activity in the rat. *J Environ Pathol Toxicol Oncol* 7:67-71.

\*Lox CD, Davis JR. 1983. The effects of long-term malathion or diazinon ingestion on the activity of hepatic synthesized clotting factors. *Ecotoxicol Environ Safety* 7(6):546-551.

\*Machin AF, Anderson PH, Hebert CN. 1974. Residue levels and cholinesterase activities in sheep poisoned experimentally with diazinon. *Pesticide Science* 5:49-56.

\*Machin AF, Quick MP, Rogers H, et al. 1971. The conversion of diazinon to hydroxydiazinon in the guinea-pig and sheep. *Bull Environ Contam Toxicol* 6(1):26-27.

\*Machin AF, Rogers H, Cross AJ, et al. 1975. Metabolic aspects of the toxicology of diazinon. I. Hepatic metabolism in the sheep, cow, pig, guinea-pig, rat, turkey, chicken and duck. *Pesticide Science* 6:461-473.

\*Maguire RJ, Tkacz RJ. 1993. Occurrence of pesticides in the Yamaska River, Quebec. *Arch Environ Contam Toxicol* 25(2):220-226.

\*Maizlish N, Schenker M, Weisskopf C, et al. 1987. A behavioral evaluation of pest control workers with short-term, low-level exposure to the organophosphate diazinon. *Am J Ind Med* 12(2): 153-172.

Maliwal BP, Guihrie FE. 1981. Interaction of insecticides with human plasma lipoproteins. *Chem-Biol Interact* 35(2): 177-188.

\*Mallet VN, Duguay M, Bemier M, et al. 1990. An evaluation of high performance liquid chromatography - UV for the multi-residue analysis of organophosphorous pesticides in environmental water. *Intern J Environ Anal Chem* 39:271-279.

## 8. REFERENCES

- \*Maronpot RR, Shimkin MB, Witschi HP, et al. 1986. Strain A mouse pulmonary tumor test results for chemicals previously tested in the National Cancer Institute Carcinogenicity tests. JNCI 76:1101-1112.
- \*Marshall TC, Dorough HW, Swim HE. 1976. Screening of pesticides for mutagenic potential using *Salmonella typhimurium* mutants. J Agric Food Chem 24:560-563.
- Matin MA, Husain K. 1987. Changes in cerebral glycogenolysis and related enzymes in diazinon treated hyperglycaemic animals. J Appl Toxicol 7(2): 13 1- 134.
- Matin MA, Khan SN, Hussain K, et al. 1989. Effect of adrenalectomy on diazinon-induced changes in carbohydrate metabolism. Arch Toxicol 63(5):376-380.
- \*Matsuoka A, Hayashi M, Ishidate M Jr. 1979. Chromosomal aberration tests on 29 chemicals combined with S9 mix *in vitro*. Mutation Research 66:277-290.
- \*Matsushita T, Aoyama K. 1981. Cross reactions between some pesticides and the fungicide benomyl in contact allergy. Industrial Health 19(2):77-83.
- \*Matsushita T, Aoyama K, Yoshimi K, et al. 1985. Allergic contact dermatitis from organophosphorus insecticides. Ind Health 23(2): 145- 154.
- \*Mattern GC, Louis JB, Rosen JD. 1991. Multipesticide determination in surface water by gas chromatography/chemical ionization/mass spectrometry/ion trap detection. J Assoc Off Anal Chem 74:982-986
- \*McGregor DB, Brown A, Cattnach P, et al. 1988. Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 coded chemicals. Environ Mole Mutagen 12:85-154.
- \*Merck Index. 1989. Merck index: An encyclopedia of chemicals, drugs, and biologicals. 11th ed. Budavari S, ed. Rahway NJ: Merck & Co., Inc.
- \*Mihara K, Isobe N, Ohkawa H, et al. 1981. Effects of organophosphorus insecticides on mitochondrial and microsomal functions in the liver of rat with special emphasis on fenitrothion. Journal of Pesticide Science 6(3):307-316.
- Miles CJ, Zhou M. 1990. Multiresidue pesticide determinations with a simple photoconductivity HPLC detector. J Agric Food Chem 38:986-989.
- Mirza AM, Schaub N, Samler L, et al. 1972. Organophosphate insecticide diazinon poisoning in children. Med Annals of the Dist of Columbia 41:559-560. - . - .
- Misawa M, Doull J, Kitos PA, et al. 1981. Teratogenic effects of cholinergic insecticides in chick embryos. I. Diazinon treatment on acetylcholinesterase and choline acetyltransferase activities. Toxicol Appl Pharmacol 57( 1):20-29.
- Misawa M, Doull J, Uyeki EM. 1982. Teratogenic effects of cholinergic insecticides in chick embryos. III. Development of cartilage and bone. J Toxicol Environ Health 10(4-5):551-63.

## 8. REFERENCES

- \*Miyahara M, Suzuki T, Saito Y. 1992. Multiresidue method for some pesticides in lanolin by capillary gas chromatography with detection by electron capture, flame photometric, mass spectrometric, and atomic emission techniques. *J Agric Fd Chem* 40:64-69.
- Moon CK, Yun YP, Lee SH. 1986. Effects of some organophosphate pesticides on the murine immune system following subchronic exposure. (II). *Arch Pharmacol Res* 9:183-7.
- \*Moon CK, Yun YP, Lee SH, et al. 1986. Effects of some organophosphate pesticides on the murine immune system following subchronic exposure. (I). *Arch Pharmacol Res* 9:175-81.
- \*Morris PD, Koepsell TD, Daling JR, et al. 1986. Toxic substance exposure and multiple myeloma. A case-control study. *J Natl Cancer Inst* 76(6): 987-994.
- Moscioni AD, Engel JL, Casida JE. 1977. Kynurenine form amidase inhibition as a possible mechanism for certain teratogenic effects of organophosphorus and methylcarbamate insecticides in chicken embryos. *Biochem Pharmacol* 26:225 1-2258.
- \*Mount ME. 1984. Diagnostic value of urinary dialkyl phosphate measurement in goats exposed to diazinon. *Am J Vet Res* 45(4):817-24.
- \*Muecke W, Alt KO, Esser OH. 1970. Degradation of [14C]-labeled diazinon in the rat. *Journal of Agricultural and Food Chemistry* 18(2):208-212.
- \*NAS/NRC. 1989. Biological markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington DC: Academy Press, 15-34.
- \*NATICH. 1992. NATICH data base report of federal, state, and local air toxics activities. U.S. Environmental Protection Agency, National Air Toxics Information Clearinghouse. EPA-453/R-92-008.
- \*NCI. 1979. Bioassay of diazinon for possible carcinogenicity. National Cancer Institute Technical Report Series No. 137, National Institutes of Health, Public Health Service, U.S. Department of Health, Education, and Welfare, Bethesda, MD. NCI-CG-TR-137; DHEW/PUB/NIH-79-1392.
- \*NIOSH. 1992. Recommendations for occupational safety and health: Compendium of policy documents and statements. National Institute of Occupational Safety and Health. Cincinnati, OH.
- \*NIOSH. 1994. NIOSH manual of analytical methods, 4th edition, method 5600. Organophosphorus Pesticides, NIOSH, Cincinnati, OH.
- \*Noakes DN, Sanderson DM. 1969. A method for determining the dermal toxicity of pesticides. *Brit J Ind Med* 26:59164:
- \*NOES. 1990. National Occupational Exposure Survey 1981-1983. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, OH. July 1, 1990.
- \*OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Office of Technology Assessment, Washington, DC. OTA-BA-438.

## 8. REFERENCES

- \*Palmgren MS, Lee IC. 1984. Malathion and diazinon levels in grain dust from New Orleans area grain elevators. *American Industrial Hygiene Association* 45(30):168-171.
- \*Pereira WE, Hostettler FD. 1993. Nonpoint source contamination of the Mississippi River and its tributaries by herbicides. *Environ Sci Technol* 27(8):1542-1552.
- \*Poklis A, Kutz FW, Sperling JF, et al. 1980. A fatal diazinon poisoning. *Forensic Sci Int* 15(2):135-140.
- \*Rajendra W, Oloffs PC, Banister EW. 1986. Effects of chronic intake of diazinon on blood and brain monoamines and amino acids. *Drug Chem Toxicol* 9(2):117-131.
- \*Raymer JH, Velez GR. 1991. Development of a flexible, on-line supercritical fluid extraction-gas chromatographic (SFE-GC) system. *J Chromatogr Sci* 29:467-475.
- \*Rayner MD, Popper JS, Carvalho EE, et al. 1972. Hyporeflexia in workers chronically exposed to organophosphate insecticides. *Res Commun Chemical Pathol Pharmacol* 4(3):595-606.
- \*Reichert ER, Yauger WL Jr, Rashad MN, et al. 1977. Diazinon poisoning in eight members of related households. *Clin Toxicol* 11(1):5-11.
- \*Reid SJ, Watts RR. 1981. A method for the determination of dialkyl phosphate residues in urine. *J Anal Toxicol* 5:126-131.
- \*Richardson ER, Seiber JN. 1993. Gas chromatographic determination of organophosphorus insecticides and their dialkyl phosphate metabolites in liver and kidney samples. *J Agric Food Chem* 41:416-422.
- \*Richter ED, Kowalski M, Leventhal A, et al. 1992. Illness and excretion of organophosphate metabolites four months after household pest extermination. *Arch Environ Health* 47(2): 135- 138.
- \*Robens JF. 1969. Teratologic studies of carbaryl, diazinon, norea, disulfiram, and thiram in small laboratory animals. *Toxicol Appl Pharmacol* 15(1):152-163.
- \*Sakai K, Matsumura F. 1971. Degradation of certain organophosphate and carbamate insecticides by human brain esterases. *Toxicol Appl Pharmacol* 19:660-666.
- \*Sancho E, Ferrando MD, Gamon M, et al. 1993. An approach to the diazinon toxicity in the European eel, bioaccumulation studies. *Science of the Total Environment Suppl, Part* 461-468.
- \*Sanders PF, Seiber JN. 1983. A chamber for measuring volatilization of pesticides from model soil and water disposal systems. *Chemosphere* 12:999-1012.
- Schattenberg HJ, Hsu J-P. 1992. Pesticide residue survey of produce from 1989 to 1991. *J of AOAC International* 75:925-933.
- \*Schenker MB, Albertson TE, Saiki CL. 1992. Pesticides (chapter 71). In: Rom WN, ed. *Environmental and Occupational Medicine*. 2nd ed. Little, Brown and Company.

## 8. REFERENCES

- \*Scheunert I, Mansour M, Doerfler U, et al. 1993. Fate of pendimethalin, carbofuran and diazinon under abiotic and biotic conditions. *Science of the Total Environment* 132:361-369.
- \*Schoen SR, Winterlin WL. 1987. The effects of various soil factors and amendments on the degradation of pesticide mixtures. *J Environ Sci Health B22(3):347-377*.
- \*Schomburg CJ, Glotfelty DE, Seiber JN. 1991. Pesticide occurrence and distribution in fog collected near Monterey, California. *Environ Sci Technol* 25: 155- 160.
- \*See RH, Dunn BP, San RHC. 1990. Clastogenic activity in urine of workers occupationally exposed to pesticides. *Muta Res* 241:251-259.
- \*Seguchi K, Asaka S. 1981. Intake and excretion of diazinon in freshwater fishes. *Env Contam Toxicol* 27(2):244-249.
- \*Seiber JN, Glotfelty DW, Lucas AD, et al. 1990. A multiresidue method by high performance liquid chromatography-based fractionation and gas chromatographic determination of trace levels of pesticides in air and water. *Arch Environ Contam Toxicol* 19:583-592.
- \*Seiber JN, Wilson BW, McChesney MM. 1993. Air and fog deposition residues of four organophosphate insecticides used on dormant orchards in the San Joaquin Valley, California. *Environ Sci Technol* 27(10):2236-2243.
- Seifert J, Casida JE. 1978. Relation of yolk sac membrane kynurenine formamidase inhibition to certain teratogenic effects of organophosphorus insecticides and of carbaryl and eserine in chicken embryos. *Biochem Pharmacol* 27:261 1-15.
- Seifert J, Pewnim T. 1992. Alteration of mice L-tryptophan metabolism by the organophosphorous acid triester diazinon. *Biochem Pharmacol* 44( 11):2243-2250.
- \*Sethunathan N, MacRae IC. 1969. Persistence and biodegradation of diazinon in submerged soils. *J Agric Food Chem* 17:221-225.
- \*Sethunathan N, Yoshida T. 1969. Fate of diazinon in submerged soil. *J Agr Food Chem* 17: 1192-1195.
- \*Shankar PS. 1967. Pulmonary oedema in diazinon poisoning. *Indian J Chest Dis* 9(2):106-110.
- \*Sharom MS, Miles JRW, Harris CR, et al. 1980a. Behavior of 12 insecticides in soil and aqueous suspensions of soil and sediment. *Water Research* 14:1095-1 100.
- \*Sharom MS, Miles- JRW, Harris CR, et al. 1980b. Persistence of 12 insecticides in water. *Water Research* 14:1089-1093.
- \*Shirasu Y, Moriya M, Kato K, et al. 1976. Mutagenicity screening of pesticides in the microbial system. *Mutation Research* 40: 19-30.

## 8. REFERENCES

\*Singh AR, McCormick GC, Arthur AT. 1988. 90-day oral toxicity study in rats. Unpublished study dated August 4, 1990 from Ciba-Geigy Corporation, EPA guidelines no. 82-1. Research Department, Pharmaceuticals Division. Summit, NJ. EPA-408 15003.

\*Sittig M, ed. 1994. World-wide limits for Toxic and Hazardous Chemicals in Air, Water and Soil. Noyes Publications. New Jersey 1994.

\*Smith ID. 1970. An unusual sequel to the shower dipping of sheep with diazinon. *Vet Rec* 86( 10):284-6.

Soliman MS, el-Missiry AG, Abdel Messih MS, et al. 1984. The effect of diazinon and neguvon on the liver of experimentally intoxicated mice. *J Egypt Sot Parasitol* 14:557-562.

\*Soliman SA, Sovocool GW, Curley A, et al. 1982. Two acute human poisoning cases resulting from exposure to diazinon transformation products in Egypt. *Arch Environ Health* 37(4):207-212.

\*Somasundaram L, Coats JR, Racke KD. 1989. Degradation of pesticides in soil as influenced by the presence of hydrolysis metabolites. *J Environ Sci Health B24*:457-478.

\*Somasundaram L, Coats JR, Racke KD. 1991. Mobility of pesticides and their hydrolysis metabolites in soil. *Environ Toxicol Chem* 10:185-194.

\*Sovocool GW, Harless RL, Bradway DE, et al. 1981. The recognition of diazinon, an organophosphorus pesticide, when found in samples in the form of decomposition products. *Analy Toxicol* 5:73-80.

\*Spyker JM, Avery DL. 1977. Neurobehavioral effects of prenatal exposure to the organophosphate diazinon in mice. *J Toxicol Environ Health* 3(5-6):989-1002.

\*SRC. 1995. Atmospheric Oxidation Program. Syracuse Research Corporation. Environmental Science Center. Syracuse NY.

\*SRI. 1994. Directory of chemical producers: Stanford Research Institute international, United States of America, Menlo Park, CA.

\*SRI. 1995. Directory of chemical producers: Stanford Research Institute international, United States of America, Menlo Park, CA.

\*Stalberg E, Hilton-Brown P, Kolmodin-Hedman B, et al. 1978. Effect of occupational exposure to organophosphorus insecticides on neuromuscular function. *Scandinavian Journal of Work Environment and Health* 4(3):255-261.

\*Stan H-J, Kellner G. 1989. Confirmation of organophosphorus pesticide residues in food applying gas chromatography/mass spectrometry with chemical ionization and pulsed positive negative detection. *Biomed and Environ Mass Spectrom* 18(9):645-651.

\*Story WC, Caruso JA. 1993. Gas chromatographic determination of phosphorus, sulfur and halogens using a water-cooled torch with reduced-pressure helium microwave-induced plasma mass spectrometry. *J Anal Atomic Spectrometry* 8:571-575.

## 8. REFERENCES

- \*Suffet IH, Faust SD, Carey SF. 1967. Gas liquid chromatographic separation of some organophosphate pesticides, their hydrolysis products, and oxons. *Environ Sci Technol* 1: 639-643.
- \*Szeto SY, Wan MT, Price P, et al. 1990. Distribution and persistence of diazinon in a cranberry bog. *J Agric Food Chemistry* 38(1):281-285.
- \*Takahashi H, Kojima T, Ikeda T, et al. 1991. Differences in the mode of lethality produced through intravenous and oral administration of organophosphorus insecticides in rats. *Fund Appl Toxicol* 16:459-468.
- \*Taylor P, Li Y, Camp S, et al. 1993. Structure and regulation of the expression of the acetylcholinesterase gene. *Chem Bio Interact* 87:199-207.
- Tomokuni K, Hasegawa T, Hirai Y, et al. 1985. The tissue distribution of diazinon and the inhibition of blood cholinesterase activities in rats and mice receiving a single intraperitoneal dose of diazinon. *Toxicology* 37(1-2):91-98.
- \*Toyoda M, Adachi K, Ida T, et al. 1990. Simple analytical method for organophosphorus pesticide residues in milk. *J Assoc Off Anal Chem* 3(5):770-772.
- \*TRI. 1991. Toxic chemical release inventory reporting form R and instructions (revised 1990 version), section 3 13 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC. EPA-560/4-91-007.
- \*Tsuda T, Aoki S, Inoue T, et al. 1995. Accumulation and excretion of diazinon, fenthion and fenitrothion by killifish: Comparison of individual and mixed pesticides. *Water Research* 29(2):455-458.
- \*Tsuda T, Aoki S, Kojima M, et al. 1989. Bioconcentration and excretion of diazinon, IBP, malathion and fenitrothion by willow shiner. *Toxicological and Environmental Chemistry* 24:185-190.
- \*Tsuda T, Aoki S, Kojima M, et al. 1990. Bioconcentration and excretion of diazinon, IBP, malathion and fenitrothion by carp. *Comp Biochem Physiol* 96C(1):23-36.
- Uchiyama M, Yoshida T, Homma K, et al. 1975. Inhibition of hepatic drug-metabolizing enzymes by thiophosphate insecticides and its drug toxicological implications. *Biochem Pharmacol* 24(11-12):1221-1225.
- Uzokwu M. 1974. Comparative fetotoxicity of organophosphate insecticide in mice. *Bull Epizoot Dis Afr* 22(2):161-166.
- \*van der Hoff GR, Baumann RA, Brinkman UAT, et al. 1993. On-line combination of automated micro liquid-liquid extraction and capillary gas chromatography for the determination of pesticides in water. *J Chromatogr* 644:367-373.
- \*Vasilic Z, Drevenkar V, Stengl B, et al. 1993. Diethylphosphorus metabolites in serum and urine of persons poisoned by phosalone. *Chem Biol Interactions* 87:305-313.

## 8. REFERENCES

- \*Veith GD, Kosian P. 1983. Estimating bioconcentration potential from octanol/water partition coefficients. Ch. 15 In: Mackay D et al., eds. Physical behavior of PCB's in the Great Lakes. Ann Arbor, MI: Ann Arbor Science Publishers, 269-282.
- \*Wachs T, Gutenmann WH, Buckley EH, et al. 1983. Concentration of diazinon in air of a retail garden store. Bull Environ Contam Toxicol 31:582-584.
- Wadia RS, Ichaporia RN, Karnik VM, et al. 1972. Cholinesterase levels in diazinon poisoning and after atropine treatment. J Indian Med Assoc 59(6):234-238.
- \*Wadis RS, Karnik VM, Ichaporia RN. 1971. Cholinesterase levels in diazinon poisoning. (A study of the effect of PAM in treatment). J Assoc Physicians India 19(2):185-191.
- \*Wadis RS, Sadagopan C, Amin RS, et al. 1974. Neurological manifestations of organophosphorus insecticide poisoning. J Neurol Neurosurg Psychiatr 37:841-847.
- \*Wan Mt, Szeto S, Price P. 1994. Organophosphorus insecticide residues in farm ditches of the lower Fraser Valley of British Columbia. J Environ Science and Health Part B, Pesticides Foods Contaminants and Agricultural Waste, 29(5):917-949.
- \*Weast RC, Astle JM. 1985. CRC Handbook of Data on Organic Compounds. Boca Raton, FL. CRC Press, Inc
- \*Wecker L, Mrak RE, Dettbam WD. 1985. Evidence of necrosis in human intercostal muscle following inhalation of an organophosphate insecticide. J Environ Pathol Toxicol Oncol 6(2):171-175.
- \*Wedin GP, Pennente CM, Sachdev SS. 1984. Renal involvement in organophosphate poisoning [letter]. JAMA 252(11):1408.
- Weisskopf CP, Seiber JN, Maizlish N, et al. 1988. Personnel exposure to diazinon in a supervised pest eradication program. Arch Environ Contam Toxicol 17:201-212.
- \*Weizman Z, Sofer S. 1992. Acute pancreatitis in children with anticholinesterase insecticide intoxication. Pediatrics 90(2):204-206.
- \*Wester RC, Sedik L, Melendres J, et al. 1993. Percutaneous absorption of diazinon in humans. Fd Chem Toxic 31:569-572.
- \*Whitmore RW, Immerman FW, Camann DE et al. 1994. Non-occupational exposures to pesticides for residents of two U.S. sites. Arch Environ Contam Toxicol 25(1):47-59.
- \*Williams DT, Shewchuck C, Lebel GL, et al. 1987. Diazinon levels in indoor air after periodic application for insect control. Am Ind Hyg Assoc J 48(9):780-785.
- \*Williams MW, Fuyat HN, Fitzhugh OG. 1959. The subacute toxicity of four organic phosphates to dogs. Toxicol Appl Pharmacol 1: 1-7.
- \*Williams PL, Burson JL, eds. 1985. Industrial toxicology: Safety and health applications in the workplace. New York, NY: Van Nostrand Reinhold Company.

## 8. REFERENCES

- \*Wolfe NL, Zepp RG, Baughman GL, et al. 1976. Chemical and photochemical transformation of selected pesticides in aquatic systems. Environmental Research Labs. Athens, GA.
- \*Wang PK, Wai CC, Liong E. 1989. Comparative study on mutagenicities of organophosphorus insecticides in Salmonella. Chemosphere 18:2413-2422.
- \*Woo OF. 1990. Organophosphates. In: Olsen KR, ed. Poisoning and drug overdose. 1st ed. San Francisco Bay Area Regional Poison Control Center. Norwalk, CT: Appleton and Lange 225-229, 394.
- \*Worthing CR, Walker SB. 1983. The pesticide manual. A world compendium. The British Crop Protection Council. Lavenham, Suffolk, Great Britain. 171.
- \*Wylie PL, Oguichi R. 1990. Pesticide analysis by gas chromatography with a novel atomic emission detector. J Chromatogr 5 17: 13 1- 142.
- \*Yang RSH, Hodgson E, Dauterman WC. 1971. Metabolism *in vitro* of diazinon and diazoxon in rat liver. J Agri Fd Chem 19(1):10-13.
- Yess NJ, Houston MG, Gunderson EL. 1991. Food and Drug Administration pesticide residue monitoring of foods: 1983-1986. J Assoc Off Anal Chem 14(2):273-280.
- \*Zabik JM, Seiber JN. 1993. Atmospheric transport of organophosphate pesticides from California's Central Valley to the Sierra Nevada Mountains. J Environ Qual 22(1):80-90.
- \*Zegers BN, De Geus HJ, Wildenburg SHJ, et al. 1994b. Large volume injection in packed capillary supercritical fluid chromatography. J Chromatogr 677( 1):141-150.
- \*Zegers BN, Hogenboom AC, Dekkers SEG, et al. 1994a. Packed capillary supercritical fluid chromatography of organophosphorus pesticides: Selective detection and application. J Microcol Sep 65.562.