

9. REFERENCES

- *Abraham P, Wilfred G, Catherine SP, et al. 1999. Oxidative damage to the lipids and proteins of the lungs, testis and kidney of rats during carbon tetrachloride intoxication. *Clin Chim Acta* 289(1-2):177-179.
- *ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th Ed. Cincinnati, OH: American Conference of Government Industrial Hygienists Inc., 109-110.
- *ACGIH. 2003. Carbon tetrachloride. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *Acquavella JF, Friedlander BR, Ireland BK. 1994. Interpretation of low to moderate relative risks in environmental epidemiologic studies. *Annu Rev Public Health* 15:179-201.
- *Adams EM, Spencer HC, Rowe VK, et al. 1952. Vapor toxicity of carbon tetrachloride determined by experiments on laboratory animals. *AMA Arch Ind Hyg Occup Med* 6:50-66.
- Adamson DT, Parkin GF. 1999. Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res* 33:1482-94.
- *Adaramoye OA, Akinloye O. 2000. Possible protective effect of kolaviron on CCl₄-induced erythrocyte damage in rats. *Biosci Rep* 20:4.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27:532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- *Agarwal AK, Mehendale HM. 1984a. CCl₄-induced alterations in Ca⁺⁺ homeostasis in chlordecone and phenobarbital pretreated animals. *Life Sci* 34:141-148.
- *Agarwal AK, Mehendale HM. 1984b. Excessive hepatic accumulation of intracellular Ca²⁺ in chlordecone potentiated CCl₄ toxicity. *Toxicology* 30:17-24.
- *Agarwal AK, Mehendale HM. 1986. Effect of chlordecone on carbon tetrachloride-induced increase in calcium uptake in isolated perfused rat liver. *Toxicol Appl Pharmacol* 83:342-348.
- Agency for Toxic Substances and Disease Registry. 1988. VIEW database. Atlanta, GA: Agency for Toxic Substances and Disease Registry Office of External Affairs, Exposure and Disease Registry Branch, October 1988.
- *Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. *Fed Regist* 54(174):37618-37634.

* Cited in text

9. REFERENCES

*Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Subcommittee on Biomarkers of Organ Damage and Dysfunction. Atlanta, GA: Agency for Toxic Substances and Disease Registry.

Agrawal HC, Agrawal D. 1989. Tumor promoters accentuate phosphorylation of PO: evidence for the presence of protein kinase C in purified PNS myelin. *Neurochem Res* 14:409-413.

Ahmad FF, Cowan DL, Sun AY. 1987. Detection of free radical formation in various tissues after acute carbon tetrachloride administration in gerbil. *Life Sci* 40:2469-2475.

Ahmadizadeh M, Echt R, Heusner WW, et al. 1990. Effect of carbon tetrachloride on hamster tracheal epithelial cells. *J Toxicol Environ Health* 30:273-285.

*Ala-Kokko L, Gunzler V, Hoek JB, et al. 1992. Hepatic fibrosis in rats produced by carbon tetrachloride and dimethylnitrosamine: observations suggesting immunoassays of serum for the 7S fragment of type IV collagen are a more sensitive index of liver damage than immunoassays for the NH₂-terminal propeptide of type III procollagen. *Hepatology* 16:167-172.

Ala-Kokko L, Stenback F, Ryhanen L. 1987. Preventive effect of malotilate on carbon tetrachloride-induced liver damage and collagen accumulation in the rat. *Biochem J* 246:503-509.

Albano E, Carini R, Parola M, et al. 1989. Effects of carbon tetrachloride on calcium homeostasis. *Biochem Pharmacol* 38:2719-2725.

*Allis JW, Brown BL, Simmons JE, et al. 1996. Methanol potentiation of carbon tetrachloride hepatotoxicity: the central role of cytochrome P450. *Toxicology* 112(2):131-140.

*Allis JW, Ward TR, Seely JC, et al. 1990. Assessment of hepatic indicators of subchronic carbon tetrachloride injury and recovery in rats. *Fundam Appl Toxicol* 15:558-570.

Alric L, Orfila C, Carrere N, et al. 2000. Reactive oxygen intermediates and eicosanoid production by Kupffer cells and infiltrated macrophages in acute and chronic liver injury induced in rats by CCl₄. *Inflamm Res* 49:700-707.

*Altman PL, Dittmer DS. 1974. In: *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

*Alumot E, Nachtomi E, Mandel E, et al. 1976. Tolerance and acceptable daily intake of chlorinated fumigants in the rat diet. *Food Cosmet Toxicol* 14:105-110.

*Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl Toxicol* 3(6):272-290.

*Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York: Marcel Dekker, Inc., 9-25.

*Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205.

9. REFERENCES

- Andersen NJ, Waller CL, Adamovic JB, et al. 1996. A pharmacokinetic model of anaerobic in vitro carbon tetrachloride metabolism. *Chem Biol Interact* 101:13-31.
- *Andervont HB. 1958. Induction of hepatomas in strain C3H mice with 4-o-tolylazo-o-toluidine and carbon tetrachloride. *J Natl Cancer Inst* 20:431-438.
- Andrabi K, Kaul N, Gangly NK, et al. 1989. Altered calcium homeostatis in carbon tetrachloride exposed rat hepatocytes. *Biochem International* 18:1287-1295.
- Aniya Y, Anders MW. 1985. Alteration of hepatic glutathione S-transferases and release into serum after treatment with bromobenzene, carbon tetrachloride, or N-nitrosodimethylamine. *Biochem Pharmacol* 34:4239-4244.
- *Annoni G, Contu L, Tronci MA, et al. 1992. Pyridoxol L,2-pyrrolidon-5 carboxylate prevents active fibroplasia in CCl₄-treated rats. *Pharmacol Res* 25:87-93.
- Anttinen H, Oikarinen A, Puistola U, et al. 1985. Prevention by zinc of rat lung collagen accumulation in carbon tetrachloride injury. *Am Rev Respir Dis* 132:536-540.
- *Anonymous. 1981. Chemical profile: Carbon Tetrachloride. *Chem Mark Rep*.
- *Anonymous. 1983. Chemical profile: Carbon Tetrachloride. *Chem Mark Rep*.
- Anonymous. 1992. Carbon tetrachloride toxicity. *Am Fam Phys* 46:1199-1207.
- *Anonymous. 1995. Chemical profile: Carbon Tetrachloride. *Chem Mark Rep*. February 20, 1995.
- *AOAC. 1984. Fumigant residues. Volatile fumigants in grain. Gas chromatographic method. Section 29.071. In: *Official methods of analysis of The Association of Official Analytical Chemists*. 14th ed. Arlington, VA: Association of Official Analytical Chemists Inc., 547-548.
- *APHA. 1985. Halogenated methanes and ethanes by purge and trap - method 514. In: *Standard methods for the examination of water and wastewater*. 16th ed. Washington, DC: American Public Health Association, 591-602.
- *APHA. 1992a. Methos 6230A. Volatile Halocarbons. In: *Standard methods for the examination of water and wastewater*. 18th ed. Washington, DC. American Public Health Association, 46-57.
- *APHA. 1992b. Methos 6040C. Purge and trap technique. In: *Standard methods for the examination of water and wastewater*. 18th ed. Washington, DC. American Public Health Association, 17-36.
- Aragno M, Danni O, Ugazio G. 1989. In vivo studies on halogen compound interactions. II. Effects of carbon tetrachloride plus 1,2-dibromomethane on relative liver weight and hepatic steatosis. *Res Comm Chem Pathol Pharmacol* 66:105-116.
- *Aragno M, Tamagno E, Boccuzzi G, et al. 1993. Dehydroepiandrosterone pretreatment protects rats against the pro-oxidant and necrogenic effects of carbon tetrachloride. *Biochem Pharmacol* 46(10):1689-1694.

9. REFERENCES

- *Aragno M, Tamagno E, Danni O, et al. 1992. *In vivo* studies on halogen compound interactions. III. Effect of carbon tetrachloride plus 1,2-dichloroethane on liver necrosis and fatty accumulation. *Res Comm Chem Pathol Pharmacol* 76:341-354.
- Arii S, Monden K, Itai S, et al. 1990. Depressed function of Kupffer cells in rats with CCl₄-induced liver cirrhosis. *Res Exp Med* 190:173-182.
- *Ariosto F, Riggio O, Cantafora A, et al. 1989. Carbon tetrachloride-induced experimental cirrhosis in the rat: A reappraisal of the model. *Eur Surg Res* 21:280-286. .
- Armendariz-Borunda J, Katai H, Jones CM, et al. 1993. Transforming growth factor β gene expression is transiently enhanced at a critical stage during liver regeneration after CCl₄ treatment. *Lab Invest* 69(3):283-294.
- Arosio B, Santambrogio D, Gagliano N, et al. 1997. Glutathione pretreatment lessens the acute liver injury induced by carbon tetrachloride. *Pharmacol Toxicol* 81(4):164-168.
- Asakura S, Sawada S, Daimon H, et al. 1994. Effects of dietary restriction on induction of unscheduled DNA synthesis (UDS) and replicative DNA synthesis (RDS) in rat liver. *Mutat Res* 322:257-264.
- *Ashe WF, Sailer S. 1942. Fatal uremia following single exposure to carbon tetrachloride fumes. *Ohio State Med J* 38:553-555.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. *Anal Chem* 64:1021-1029.
- Ashley DL, Bonin MA, Cardinali FL, et al. 1994. Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem* 40(7):1401-1404.
- Assmuth TW, Strandberg T. 1993. Groundwater contamination at Finnish landfills. *Water Air Soil Pollut* 69:179-199.
- *ASTM. 1987. Sampling workplace atmospheres to collect organic gases or vapors with activated charcoal diffusional samplers - method D 4597-87. In: 1987 Annual book of ASTM standards. Volume 11.03. Atmospheric analysis; occupational health and safety. Philadelphia, PA: American Society for Testing and Materials, 490-494.
- *ASTM. 1988. Low molecular weight halogenated hydrocarbons in water - method D 3973-85. 1988 Annual book of ASTM standards. Volume 11.02. Water and environmental technology. Philadelphia, PA: American Society for Testing Materials, 141-145.
- Atucha NM, Cegarra M, Ramirez A, et al. 1993. Pressure diuresis and naturiruresis in cirrhotic rats. *Am J Physiol* 265(6 pt 1):G1045-1049.
- Axelsson G, Rylander R. 1989. Outcome of pregnancy in women engaged in laboratory work at a petrochemical plant. *Am J Ind Med* 16:539-545.
- Ayub-Ayala M, Flores-Alvarado LJ, Bueno Topete MR, et al. 1993. Effect of short-term carbon tetrachloride administration on blood lactic acid levels. *Gen Pharmacol* 24(3):627-630.

9. REFERENCES

- *Azri S, Mata HP, Gandolfi AJ, Brendel K. 1991. CCl₄-induced cytochrome P-450 loss and lipid peroxidation in rat liver slices. *Biol Reactive Intermediates* 669-674.
- Bachem MG, Meyer D, Melchior R, et al. 1992. Activation of rat liver perisinusoidal lipocytes by transforming growth factors derived from myofibroblastlike cells. *J Clin Invest* 89:19-27.
- Badger DA, Kuester RK, Sauer J-M, et al. 1997. Gadolinium chloride reduces cytochrome P450: Relevance to chemical-induced hepatotoxicity. *Toxicology* 121:143-153.
- Badger DA, Sauer J-M, Hoglen NC, et al. 1996. The role of inflammatory cells and cytochrome P450 in the potentiation of CCl₄-induced liver injury by a single dose of retinol. *Toxicol Appl Pharmacol* 141:507-519.
- Baehr AL, Stackelberg PE, Baker RJ. 1999. Evaluation of the atmosphere as a source of volatile organic compounds in shallow groundwater. *Water Resour Res* 35:127-136.
- Bagchi D, Bagchi M, Hassoun E, et al. 1993. Carbon-tetrachloride-induced urinary excretion of formaldehyde, malondialdehyde, acetaldehyde and acetone in rats. *Pharmacology* 47:209-216.
- *Bai CL, Canfield PJ, Stacey NH. 1992. Individual serum bile acids as early indicators of carbon tetrachloride- and chloroform-induced liver injury. *Toxicology* 75:221-234.
- Bailey RE. 2001. Global hexachlorobenzene emissions. *Chemosphere* 43:167-182.
- Bakale G, McCreary RD. 1990. Response of the k_e test to NCI/NTP-screened chemicals. I. Nongenotoxic carcinogens and genotoxic noncarcinogens. *Carcinogenesis* 11:1811-1818.
- *Baker EL. 1994. A review of recent research on health effects of human occupational exposure to organic solvents. *J Occup Med* 36(10):1079-1092.
- Balint GA. 1998. Possible role of endogenous prostacyclin in the maintenance of hepatic integrity in rat. *Exp Toxicol Pathol* 50(1):9-11.
- Ban M, Hettich D, Bonnet P. 2003. Effect of inhaled industrial chemicals on systemic and local immune response. *Toxicology* 184:41-50.
- Bandi ZL, Ansari GA. 1989. Isolation of hydroxy fatty acids from livers of carbon tetrachloride-treated rats by thin-layer chromatography. *J Chromatogr* 475:461-466.
- Bang S, Myren J, Linnestad P, et al. 1992. Effect of the prostaglandin E2 analogue enprostil on the carbon tetrachloride-induced necrosis of liver cells in mice. *APMIS* 100(11):936-966.
- Barbee GC. 1994. Fate of chlorinated aliphatic hydrocarbons in the vadose zone and ground water. *Ground Water Monit Remed* 14:129-140.
- *Barber ED, Donish WH, Mueller KR. 1981. A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames Salmonella/microsome assay. *Mutat Res* 90:31-48.

9. REFERENCES

- Barber LB, Thurman EM, Takahashi Y, et al. 1992. Comparison of purge and trap GC/MS and purgeable organic chloride analysis for monitoring volatile chlorinated hydrocarbons. *Ground Water* 30:836-842.
- Barkley J, Bunch J, Bursey JT, et al. 1980. Computer analysis of volatile halogenated hydrocarbons in man and his environment -- a multimedia environmental study. *Biomed Mass Spectrom* 7:139-147.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- *Barnes R, Jones RC. 1967. Carbon tetrachloride poisoning. *Am Ind Hyg Assoc J* 28:557-560.
- Barrow L, Tanner MS. 1989. The effect of carbon tetrachloride on the copper-laden rat liver. *Br J Exp Pathol* 70:9-19.
- Bascom R, Bromberg PA, Costa DA, et al. 1996. Health effects of outdoor air pollution. *Am J Respir Crit Care Med* 153(1):1996.
- Bastien M-C, Leblond F, Pichette V, et al. 2000. Differential alteration of cytochrome P450 isoenzymes in two experimental models of cirrhosis. *Can J Physiol Pharmacol* 78:912-919.
- Basu S. 1999. Oxidative injury induced cyclooxygenase activation in experimental hepatotoxicity. *Biochem Biophys Res Commun* 254(3) (Suppl. 49):764-767.
- Baumann M, Berauer M. 1985. Comparative study on the sensitivity of several serum enzymes in detecting hepatic damage in rats. *Arch Toxicol* 8 (Supplement):370-372.
- Becker E, Messner B, Berndt J. 1987. Two mechanisms of CCl₄-induced fatty liver: lipid peroxidation or covalent binding studied in cultured rat hepatocytes. *Free Rad Res Commun* 3:299-308.
- *Beddowes EJ, Faux SP, Chipman JK. 2003. Chloroform, carbon tetrachloride and glutathione depletion induce secondary genotoxicity in liver cells via oxidative stress. *Toxicology* 187:101-115.
- Bedossa P, Houghlum K, Trautwein C, et al. 1994. Stimulation of collagen α_1 (I) gene expression is associated with lipid peroxidation in hepatocellular injury: A link to tissue fibrosis. *Hepatology* 19:1262-1271.
- *Bell AN, Mehandale HM. 1985. The effect of dietary exposure to a mirex plus chlordecone combination on CCl₄ hepatotoxicity. *Fundam Appl Toxicol* 5:679-687.
- *Bell AN, Mehandale HM. 1987. Comparative changes in hepatic DNA, RNA, protein, lipid, and glycogen induced by a subtoxic dose of CCl₄ in chlordecone, mirex, and phenobarbital pretreated rats. *Toxicol Lett* 35:191-200.
- Bell J, Melcer H, Monteith H, et al. 1993. Stripping of volatile organic compounds at full-scale municipal wastewater treatment plants. *Water Environ Res* 65:708-716.
- *Bellar TA. 1989. Method 502.1. Volatile halogenated organic compounds in water by purge and trap gas chromatography. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.

9. REFERENCES

- *Belyaev ND, Budker VC, Deriy LV, et al. 1992. Liver plasma membrane-associated fibroblast growth: stimulatory and inhibitory activities during experimental cirrhosis. *Hepatology* 15:525-531.
- Bender AP, Parker DL, Johnson RA, et al. 1989. Minnesota highway maintenance worker study: Cancer mortality. *Am J Ind Med* 15:545-556.
- *Bengtsson F, Bugge M, Vagianos C, et al. 1987. Brain serotonin metabolism and behavior in rats with carbon tetrachloride-induced liver cirrhosis. *Res Exp Med* 187:429-438.
- *Benson JM, Tibbetts BM, Thrall KD, et al. 2001. Uptake, tissue distribution, and fate of inhaled carbon tetrachloride: Comparison of rat, mouse, and hamster. *Inhal Toxicol* 13:207-217.
- *Berck B. 1974. Fumigant residues of carbon tetrachloride, ethylene dichloride, and ethylene dibromide in wheat, flour, bran, middlings, and bread. *J Agric Food Chem* 22:977-985.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag.
- Berger ML, Sozen T. 1987. Rapid halogenated hydrocarbon toxicity in isolated hepatocytes is mediated by direct solvent effects. *Toxicology* 45:319-330.
- *Bergman K. 1983. Application and results of whole-body autoradiography in distribution studies of organic solvents. *CRC Crit Rev Toxicol* 12:59-118.
- *Berman E, House DE, Allis JW, et al. 1992. Hepatotoxic interactions of ethanol with allyl alcohol or carbon tetrachloride in rats. *J Toxicol Environ Health* 37:161-176.
- Bernacchi AS, Fernandez G, Villarruel MC, et al. 1988. Further studies on the late preventive effects of the anticalmodulin trifluoperazine on carbon tetrachloride-induced liver necrosis. *Exp Mol Pathol* 48:286-300.
- Bertelli A, Giovannini L, Bertelli AA, et al. 1986. Tissue concentrations of coenzyme Q in liver of rats intoxicated by carbon tetrachloride. *Int J Tissue React* 8:343-346.
- Bezerra JA, Laney DW, Degan SJF. 1994. Increased expression of mRNA for hepatocyte growth factor-like protein during liver regeneration and inflammation. *Biochem Biophys Res Commun* 203(1):666-673.
- *Bhathal PS, Rose NR, Mackay IR, et al. 1983. Strain differences in mice in carbon tetrachloride-induced liver injury. *Br J Exp Pathol* 64:524-533.
- *Bhattacharyya K. 1965. Foetal and neonatal responses to hepatotoxic agents. *J Path Bact* 90:151-161.
- *Bianchi AP, Varney MS, Phillips J. 1991. Analysis of volatile organic compounds in estuarine sediments using dynamic headspace and gas chromatography-mass spectrometry. *J Chromatogr* 542:413-450.
- Biasi F, Albano E, Chiarpotto E, et al. 1991. *In vivo* and *in vitro* evidence concerning the role of lipid peroxidation in the mechanism of hepatocyte death due to carbon tetrachloride. *Cell Biochem Func* 9:111-118.

9. REFERENCES

- *Bickel M, Baader E, Brocks DG, et al. 1991. Beneficial effects of inhibitors of prolyl 4-hydroxylase in CCl₄-induced fibrosis of the liver in rats. *J Hepatology* 13:S26-S34.
- *Biesel KW, Ehrinpreis MN, Bhathal PS, et al. 1984. Genetics of carbon tetrachloride-induced liver injury in mice. II. Multigenic regulation. *Br J Exp Pathol* 65:125-131.
- Blain RB, Reeves R, Ewald KA, et al. 1999. Susceptibility to chlordecone-carbon tetrachloride induced hepatotoxicity and lethality is both age and sex dependent. *Toxicol Sci* 50:280-286.
- Blair A, Decoufle P, Grauman D. 1979. Causes of death among laundry and dry cleaning workers. *Am J Public Health* 69:508-511.
- *Blair A, Hartge P, Stewart PA, et al. 1998. Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: extended follow up. *Occup Environ Med* 55:161-171.
- *Blair PC, Thompson MB, Wilson RE, et al. 1991. Correlation of changes in serum analytes and hepatic histopathology in rats exposed to carbon tetrachloride. *Toxicol Lett* 55:149-159.
- Blum DJW, Speece RE. 1991a. A database of chemical toxicity to environmental bacteria and its use in interspecies comparisons and correlations. *Res J Water Pollut Control Fed* 63:198-207.
- Blum DJW, Speece RE. 1991b. Quantitative structure-activity relationships for chemical toxicity to environmental bacteria. *Ecotoxicol Environ Saf* 22:198-224.
- Bogen KT. 1990. Risk extrapolation for chlorinated methanes as promoters vs initiators of multistage carcinogenesis. *Fundam Appl Toxicol* 15:536-557.
- *Bogers M, Appelman LM, Feron VJ, et al. 1987. Effects of the exposure profile on the inhalation toxicity of carbon tetrachloride in male rats. *J Appl Toxicol* 7:185-191.
- Boll M, Weber LWD, Becker E, et al. 2001a. Hepatocyte damage induced by carbon tetrachloride: inhibited lipoprotein secretion and changed lipoprotein composition. *Z Naturforsch C* 56(3-4):283-290.
- Boll M, Weber LWD, Becker E, et al. 2001b. Mechanism of carbon tetrachloride-induced hepatotoxicity. Hepatocellular damage by reactive carbon tetrachloride metabolites. *Z Naturforsch C* 56:649-659.
- Boll M, Weber LWD, Becker E, et al. 2001c. Pathogenesis of carbon tetrachloride-induced hepatocyte injury: Bioactivation of CCl₄ by cytochrome P450 and effects on lipid homeostasis. *Z Naturforsch C* 56(1-2):111-121.
- *Bond GG, Flores GH, Shellenberger RJ, et al. 1986. Nested case-control study of lung cancer among chemical workers. *Am J Epidemiol* 124(1):53-66.
- Bond GG, McLaren EA, Sabel FL, et al. 1990. Liver and biliary tract cancer among chemical workers. *Am J Ind Med* 18:19-24.
- Borzelleca JF, O'Hara TM, Gennings C, et al. 1990. Interactions of water contaminants. I. Plasma enzyme activity and response surface methodology following gavage administration of CCl₄ and CHCl₃ or TCE singly and in combination in the rat. *Fundam Appl Toxicol* 14:447-490.

9. REFERENCES

- Bosch-Marce M, Morales-Ruiz M, Jimenez W, et al. 1998. Increased renal expression of nitric oxide synthase type III in cirrhotic rats with ascites. *Hepatology* 27(5):1191-1199.
- Bosma A, Brouwer A, Seifert WF, et al. 1988. Synergism between ethanol and carbon tetrachloride in the generation of liver fibrosis. *J Pathol* 156:15-21.
- Botta D, Dancelli E, Mantica E. 1994. A case history of contamination by polychloro-1,3-butadiene congeners. *Environ Sci Technol* 30:453-462.
- Boucquey J-B, Renard P, Amerlynck P, et al. 1995. High-rate continuous biodegradation of concentrated chlorinated aliphatics by a durable enrichment of methanogenic origin carrier-dependent conditions. *Biotechnol Bioeng* 47(3):298-307.
- *Boutelet-Bochan H, Huang Y, Juchau MR. 1997. Expression of CYP2E1 during embryogenesis and fetogenesis in human cephalic tissues: implications for the fetal alcohol syndrome. *Biochem Biophys Res Commun* 238(2):443-447. .
- *Bove FJ, Fulcomer MC, Klotz JB, et al. 1992a. Population-based surveillance and etiological research of adverse reproductive outcomes and toxic wastes. Report on Phase IV-A: Public drinking water contamination and birthweight, fetal deaths, and birth defects. A cross-sectional study. New Jersey Department of Health.
- *Bove FJ, Fulcomer MC, Klotz JB, et al. 1992b. Population-based surveillance and etiologic research of adverse reproductive outcomes and toxic wastes. Report on Phase IV-B: Public drinking water contamination and birthweight, fetal deaths, and birth defects. A case-control study. New Jersey Department of Health.
- *Bove FJ, Fulcomer MC, Klotz JB, et al. 1995. Public drinking water contamination and birth outcomes. *Am J Epidemiol* 141(9):850-862.
- *Boyd MR, Statham CN, Longo NS. 1980. The pulmonary Clara cell as a target for toxic chemicals requiring metabolic activation; studies with carbon tetrachloride. *J Pharmacol Exp Ther* 212:109-114.
- Bozzelli J, Kebbekus BB. 1982. A study of some aromatic and halocarbon vapors in the ambient atmosphere of New Jersey. *J Environ Sci Technol* 9:833-838.
- *Brady JF, Xiao F, Wang M-H, et al. 1991. Effects of disulfiran on hepatic P450IIE1, other microsomal enzymes, and hepatotoxicity in rats. *Toxicol Appl Pharmacol* 108:366-373.
- *Brams A, Buchet JP, Crutzen-Fayt MC, et al. 1987. A comparative study, with 40 chemicals, of the efficiency of the Salmonella assay and the SOS chromotest (kit procedure). *Toxicol Lett* 38:123-133.
- Brandom WF, McGavran L, Bistline RW, et al. 1990. Sister chromatid exchanges and chromosome aberration frequencies in plutonium workers. *Int J Radiat Biol* 58:195-207.
- Brattin WJ, Glende EA Jr., Recknagel RD. 1985. Pathological mechanisms in carbon tetrachloride hepatotoxicity. *J Free Radical Biol Med* 1:27-38.
- *Brennan RJ, Schiestl RH. 1998. Chloroform and carbon tetrachloride induce intrachromosomal recombination and oxidative free radicals in *Saccharomyces cerevisiae*. *Mutat Res* 397:271-278.

9. REFERENCES

Brent JA, Rumack BH. 1993. Role of free radicals in toxic hepatic injury II. Are free radicals the cause of toxin-induced liver injury? *Clin Toxicol* 31:173-196.

Briggs GG. 1973. A simple relationship between soil adsorption of organic chemicals and their octanol/water partition coefficients. *Proceedings of the 7th British Insecticide Fungicide Conference*, 83-86.

Brittebo EB, Brandt I. 1989. Metabolic activation of carbon tetrachloride by the cervico-vaginal epithelium in rodents. *Pharmacol Toxicol* 65:336-342.

*Brittebo EB, Eriksson C, Brandt I. 1990. Metabolic activation of halogenated hydrocarbons in the conjunctival epithelium and excretory ducts of the intraorbital lacrimal gland in mice. New York, NY: Academic Press, 245-252.

*Brodzinski R, Singh HB. 1983. *Volatile organic chemicals in the atmosphere: An assessment of available data*. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/3-83-027(A).

*Brondeau MT, Coulais C, de Ceaurriz J. 1991. Difference in liver and serum malathion carboxylesterase and glucose-6-phosphatase in detecting carbon tetrachloride-induced liver damage in rats. *J Appl Toxicol* 11:433-435.

*Brown KW, Donnelly KC. 1988. An estimation of risk associated with the organic constituents of hazardous and municipal waste landfill leachates. *Hazardous Waste and Hazardous Materials* 5(1):1-30.

Brown SK, Sim MR, Abramson, et al. 1994. Concentrations of volatile organic compounds in indoor air- A review. *Indoor Air* 4:123-134.

*Bruccoleri A, Gallucci R, Germolec DR, et al. 1997. Induction of early-immediate genes by tumor necrosis factor alpha contribute to liver repair following chemical-induced hepatotoxicity. *Hepatology* 25(1):133-141.

*Bruckner JV, Kim HJ, Muralidhara S, et al. 1990. Influence of route and pattern exposure on the pharmacokinetics and hepatotoxicity of carbon tetrachloride. In: Gerrity TR, Henry CJ, eds. *Principle of route to route extrapolation for risk assessment*. New York, NY: Elsevier Science Publishing Co., Inc., 271-284.

*Bruckner JV, Luthra R, Kyle GM, et al. 1984. Influence of time of exposure to carbon tetrachloride on toxic liver injury. *Ann Rev Chronopharmacol* 1:373-376.

*Bruckner JV, MacKenzie WF, Muralidhara S, et al. 1986. Oral toxicity of carbon tetrachloride: acute, subacute and subchronic studies in rats. *Fundam Appl Toxicol* 6:16-34.

Bruckner JV, Ramanathan R, Lee KM, et al. 2002. Mechanisms of circadian rhythmicity of carbon tetrachloride hepatotoxicity. *J Pharmacol Exp Ther* 300(1):273-281.

Brunke EG, Allen RJ. 1988. Tropospheric background measurements of CFCl_3 , CH_3CCl_3 , and CCl_4 at Cape Point, South Africa, and their long-term trends. *South African J Sci* 84:266-270.

9. REFERENCES

- *Brzezinski MR, Boutelet-Bochan H, Person RE, et al. 1999. Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther* 289:1648-1653.
- *Buhler R, Lindros KO, Nordling A, et al. 1992. Zonation of cytochrome P450 isozyme expression and induction in rat liver. *Eur J Biochem* 204(1):407-412.
- Bullister JL, Wesegarver DP. 1998. The solubility of carbon tetrachloride in water and seawater. *Chemosphere* 45:1285-1302.
- Burk RF, Reiter R, Lane JM. 1986. Hyperbaric oxygen protection against carbon tetrachloride hepatotoxicity in the rat. Association with altered metabolism. *Gastroenterol* 90:812-818.
- *Burkhart KK, Hall AH, Gerace R, et al. 1991. Hyperbaric oxygen treatment for carbon tetrachloride poisoning. *Drug Safety* 6:332-338.
- Butler TC. 1961. Reduction of carbon tetrachloride *in vivo* and reduction of carbon tetrachloride and chloroform *in vitro* by tissues and tissue constituents. *J Pharmacol Exper Therap* 134:311-319.
- *C&EN. 1992. Production by the U.S. Chemical Industry. *Chemical and Engineering News*, June 29, 1992, 36.
- *C&EN. 1993. Production by the U.S. Chemical Industry. *Chemical and Engineering News*, June 28, 1993.
- Cabre M, Camps J, Paternain JL, et al. 2000. Time-course of changes in hepatic lipid peroxidation and glutathione metabolism in rats with carbon tetrachloride-induced cirrhosis. *Clin Exp Pharmacol Physiol* 27:694-699.
- *Cagen SZ, Klaassen CD. 1979. Hepatotoxicity of carbon tetrachloride in developing rats. *Toxicol Appl Pharmacol* 50:347-354.
- *Cai Z, Mehendale HM. 1990. Lethal effects of CCl₄ and its metabolism by Mongolian gerbils pretreated with chlordecone, phenobarbital, or mirex. *Toxicol Appl Pharmacol* 104:511-520.
- *Cai Z, Mehendale HM. 1991a. Hepatotoxicity and lethality of halomethanes in Mongolian gerbils pretreated with chlordecone, phenobarbital or mirex. *Arch Toxicol* 65:204-212.
- *Cai Z, Mehendale HM. 1991b. Prestimulation of hepatocellular regeneration by partial hepatectomy decreases toxicity of carbon tetrachloride in gerbils. *Biochem Pharmacol* 42:633-644.
- *Cai Z, Mehendale HM. 1993. Resiliency to amplification of carbon tetrachloride hepatotoxicity by chlordecone during postnatal development in rats. *Pediatr Res* 33:225-232.
- *Calabrese EJ, Baldwin LA, Leonard DA, et al. 1995. Decrease in hepatotoxicity by lead exposure is not explained by its mitogenic response. *J Appl Toxicol* 15(2):129-132.
- *Calabrese EJ, Baldwin LA, Mehendale HM. 1993. Contemporary issues in toxicology. G₂ subpopulation in rat liver induced into mitosis by low-level exposure to carbon tetrachloride: An adaptive response. *Toxicol Appl Pharmacol* 121:1-7.

9. REFERENCES

- Calleja MC, Geladi P, Persoone G, et al. 1994. Modelling of human acute toxicity from physicochemical properties and non-vertebrate acute toxicity of the 38 organic chemicals of the MEIC priority list by PLS regression and neural network. *Food Chem Toxicol* 32(10):923-941.
- *Callen DF, Wolf CR, Philpot RM. 1980. Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutat Res* 77:55-63.
- *Camps J, Bargallo T, Gimenez A, et al. 1992. Relationship between hepatic lipid peroxidation and fibrogenesis in carbon tetrachloride-treated rats: effect of zinc administration. *Clin Sci* 83:695-700.
- *Cantor KP, Stewart PA, Brinton LA, et al. 1995. Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med* 37(3):336-348.
- Capurro PU. 1979. Cancer in a community subject to air pollution by solvent vapors. *Clin Toxicol* 14:285-294.
- Carakostas MC, Gossett KA, Church GE, et al. 1986. Evaluating toxin-induced hepatic injury in rats by laboratory results and discriminant analysis. *Vet Pathol* 23:264-269.
- Carlson GP. 1989. Effect of ethanol, carbon tetrachloride, and methyl ethyl ketone on butanol oxidase activity in rat lung and liver. *J Toxicol Environ Health* 27:255-261.
- Carpenter AV, Flanders WD, Frome EL, et al. 1988. Chemical exposures and central nervous system cancers: A case-control study among workers at two nuclear facilities. *Am J Ind Med* 13:351-362.
- *Carpenter SP, Lasker JM, Raucy JL. 1996. Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. *Mol Pharmacol* 49:260-268.
- Carpenter SP, Savage DD, Schultz ED, et al. 1997. Ethanol-mediated transplacental induction of CYP2E1 in fetal rat liver. *J Pharmacol Exp Ther* 282:1028-1036.
- *Castilla-Cortazar I, Garcia M, Muguerza B, et al. 1997. Hepatoprotective effects of insulin-like growth factor I in rats with carbon tetrachloride-induced cirrhosis. *Gastroenterology* 113(5):1682-1691.
- *Castillo T, Koop DR, Kamimura S, et al. 1992. Role of cytochrome P-450 2E1 in ethanol-, carbon tetrachloride- and iron-dependent microsomal lipid peroxidation. *Hepatology* 16(4):992-996.
- Castro JA, Diaz-Gomez MI. 1972. Studies on the irreversible binding of ¹⁴C-Carbon tetrachloride to microsomal lipids in rats under varying experimental conditions. *Toxicol Appl Pharmacol* 23:541-552.
- Castro GD, Diaz-Gomez MI, Castro JA. 1990. Biotransformation of carbon tetrachloride and lipid peroxidation promotion by liver nuclear preparations from different animal species. *Cancer Lett* 53:9-15.
- *Castro GD, Diaz Gomez MI, Castro JA. 1997. DNA bases attack by reactive metabolites produced during carbon tetrachloride biotransformation and promotion of liver microsomal lipid peroxidation. *Res Commun Mol Pathol Pharmacol* 95(3):253-258.
- Castro GD, López AJ, Petricio AR, et al. 1986. Effect of the pretreatment with pyrazole, cystamine or diphenyl-P-phenylenediamine (DPPD) on the CCl₄-promoted pentane evolution in rats. *Res Commun Chem Pathol Pharmacol* 52:137-140.

9. REFERENCES

Castro GD, Simpson JT, Castro JA. 1994. Interaction of trichloromethyl free radicals with thymine in a model system: a mass spectrometric study. *Chem Biol Interact* 90:13-22.

*CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDC/ATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. Summary report, August 27, 1990.

CDHS. 1988. Notice of proposed rulemaking. June 23. Sacramento, CA: California Department of Health Services.

*Cedillo A, Mourelle M, Muriel P. 1996. Effect of colchicine and trimethylcolchicinic acid on CCL4-induced cirrhosis in the rat. *Pharmacol Toxicol* 79(5):241-246.

*CEH. 1985. CEH product review. Chlorinated methanes. Chemical economic handbook-SRI International, 635.2020A-635.2022B.

Cessi C, Colombini C, Mameli L. 1966. The reaction of liver proteins with a metabolite of carbon tetrachloride. *Biochem J* 101:46c-47c.

Chadwick RW, Copeland MF, Carlson GP, et al. 1988. Comparison of *in vivo* and *in vitro* methods for assessing the effects of carbon tetrachloride on the hepatic drug-metabolizing enzyme system. *Toxicol Lett* 42:309-316.

Chamuleau RA, Creighton JH, De Nie I, et al. 1988. Is the magnetic resonance imaging proton spin-lattice relaxation time a reliable noninvasive parameter of developing liver fibrosis. *Hepatology* 8:217-221.

Chamultirat W, Jordan SJ, Mason RP. 1994. Nitric oxide production during endotoxic shock in carbon tetrachloride-treated rats. *Mol Pharmacol* 46(2):391-397.

*Chandler FA. 1936. The use of carbon tetrachloride in the removal of adhesive tape. Report of a near fatal case. *J Am Med Assoc* 107:2121.

*Chandler AC, Chopra RN. 1926. Effects of the administration of sugar, magnesium sulfate, sodium citrate and dilute acid on the liver damage done by carbon tetrachloride. *Ind J Med Res* 14:219-226.

Chang IM. 1998. Liver-protective activities of aucubin derived from traditional oriental medicine. *Res Commun Mol Pathol Pharmacol* 102(2):189-204.

*Chapman K, Prabhudesai M, Erdman JW. 1992. Effects of ethanol and carbon tetrachloride upon vitamin A status of rats. *Alcoholism: Clinical and Experimental Research* 16:764-768.

Charbonneau M, Couture J, Plaa GL. 1991. Inhalation versus oral administration of acetone: effect of the vehicle on the potentiation of CCl₄-induced liver injury. *Toxicol Lett* 57:47-54.

*Charbonneau M, Oleskevich S, Brodeur J, et al. 1986. Acetone potentiation of rat liver injury induced by trichloroethylene-carbon tetrachloride mixtures. *Fundam Appl Toxicol* 6:654-661.

Charbonneau M, Tuchweber B, Plaa GL. 1986. Acetone potentiation of chronic liver injury induced by repetitive administration of carbon tetrachloride. *Hepatology* 6(4):694-700.

9. REFERENCES

- *Chatterjee A. 1966. Testicular degeneration in rats by carbon tetrachloride intoxication. *Experientia* 226:395-396.
- *Chaudhary AK, Nokubo M, Reddy GR, et al. 1994. Detection of endogenous malondialdehyde-deoxyguanosine adducts in human liver. *Science* 265(5178):1580-1582.
- Chaudhury S, Mehendale HM. 1991. Amplification of CCl₄ toxicity by chlordecone: destruction of rat hepatic microsomal cytochrome P-450 subpopulation. *J Toxicol Environ Health* 32:277-294.
- *Checkoway H, Wilcosky T, Wolf P, et al. 1984. An evaluation of the associations of leukemia and rubber industry solvent exposures. *Am J Ind Med* 5(3):239-249.
- Chen JD, Wang JD, Jang JP, et al. 1991. Exposure to mixtures of solvents among paint workers and biochemical alterations of liver function. *Br J Ind Med* 48:696-701.
- Chen WJ, Chi EY, Smuckler EA. 1977. Carbon tetrachloride-induced changes in mixed function oxidases and microsomal cytochromes in the rat lung. *Lab Invest* 36:388-394.
- *Chiarpotto E, Biasi F, Comoglio A, et al. 1990. CCl₄-induced increase of hepatocyte free arachidonate level: pathogenesis and contribution to cell death. *Chem Biol Interact* 74:195-206.
- Choi-Miura N-H, Otsuyama K, Sano Y, et al. 2001. Hepatic injury-specific conversion of mouse plasma hyaluronan binding protein to the active hetero-dimer form. *Biol Pharm Bull* 24(8):892-896.
- *Cholbi MR, Paya M, Alearaz MJ. 1991. Inhibitory effects of phenolic compounds on CCl₄-induced microsomal lipid peroxidation. *Research Articles* 47:195-199.
- Christenson WR, Davis ME, Berndt WO. 1989. Effect in the rat of the interaction of dichloromaleic acid and carbon tetrachloride on renal and hepatic function. *Fundam Appl Toxicol* 13:493-499.
- *Chung F-L, Nath RG, Ocando J, et al. 2000. Deoxyguanosine adducts of t-4-hydroxy-2-nonal are endogenous DNA lesions in rodents and humans: Detection and potential sources. *Cancer Res* 60:1507-1511.
- *Clair P, Tua M, Simian H. 1991. Capillary columns in series for GC analysis of volatile organic pollutants in atmospheric and alveolar air. *Journal of High Resolution Chromatography* 14:383-387.
- Clawson GA. 1989. Mechanisms of carbon tetrachloride hepatotoxicity. *Pathol Immunopathol Res* 8:104-112.
- Clawson GA, Blankenship LJ, Rhame JG, et al. 1992. Nuclear enlargement induced by hepatocarcinogens alters ploidy. *Cancer Res* 52:1304-1308.
- Clawson GA, MacDonald JR, Woo CH. 1987. Early hypomethylation of 2'-O-ribose moieties in hepatocyte cytoplasmic ribosomal RNA underlies the protein synthetic defect produced by CCl₄. *J Cell Biol* 105:705-711.
- *Clewel HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131

9. REFERENCES

- Cohen MA, Ryan PB, Spengler JD. 1991. Source-receptor study of volatile organic compounds and particulate matter in the Kanawha Valley, WV—II. Analysis of factors contributing to VOC and particle exposures. *Atmos Environ* 25B:95-107.
- Cohen MA, Ryan PB, Yanagisawa Y, et al. 1989. Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia. *JAPCA* 39:1086-1093.
- *Cohen MM. 1957. Central nervous system in carbon tetrachloride intoxication. *Neurology* 7:238-244.
- Cohen S, Svrjcek A, Durborrow T, et al. 1999. Ground water quality Water quality impacts by golf courses. *J Environ Qual* 28:798-809.
- *Colborn T, Clement C. 1992. Chemically induced alterations in sexual and functional development. The Wildlife/Human Connection. In: *Advances in modern environmental toxicology*. Volume XXI. Princeton, NJ: Princeton Scientific Publishing Co.
- Colby HD, Purcell H, Kominami S, et al. 1994. Adrenal activation of carbon tetrachloride: role of microsomal P450 isozymes. *Toxicology* 94:31-40.
- Coleman JB, Condie LW, Lamb RG. 1988. The role of CCl₄ biotransformation in the activation of hepatocyte phospholipase C *in vivo* and *in vitro*. *Toxicol Appl Pharmacol* 95:208-219.
- Columbano A, Ledda-Columbano GM, Ennas MG, et al. 1990. Cell proliferation and promotion of rat liver carcinogenesis: different effect of hepatic regeneration and mitogen induced hyperplasia on the development of enzyme-altered foci. *Carcinogenesis* 11:771-776.
- Columbano A, Rajalakshmi S, Sarma DSR. 1981. Requirement of cell proliferation for the initiation of liver carcinogenesis as assayed by three different procedures. *Cancer Res* 41:2079-2083.
- Comporti M. 1989. Three models of free radical-induced cell injury. *Chem Biol Interact* 72:1-56.
- *Conaway HB, Hoven F. 1946. Electrocardiographic changes in carbon tetrachloride poisoning. *U.S. Navy Med Bull* 46:593-595.
- *Condie LW, Laurie RD, Mills T, et al. 1986. Effect of gavage vehicle on hepatotoxicity of carbon tetrachloride in CD-1 mice: corn oil versus Tween-60 aqueous emulsion. *Fundam Appl Toxicol* 7:199-206.
- Connor HD, Lacagnin LB, Knecht KT, et al. 1989. Reaction of glutathione with a free radical metabolite of carbon tetrachloride. *Mol Pharmacol* 37:443-451.
- Connor HD, Thurman RG, Chen G, et al. 1998. Clarification of the relationship between free radical spin trapping and carbon tetrachloride metabolism in microsomal systems. *Free Radic Biol Med* 24(9):1364-1368.
- *Connor HD, Thurman RG, Galizi MD, et al. 1986. The formation of a novel free radical metabolite from CCl₄ in the perfused rat liver and *in vivo*. *J Biol Chem* 261:4542-4548.
- *Cornish HH, Adefuin J. 1966. Ethanol potentiation of halogenated aliphatic solvent toxicity. *Am Ind Hyg Assoc J* 27:57-61.

9. REFERENCES

- *Cornish HH, Ling BP, Barth ML. 1973. Phenobarbital and organic solvent toxicity. *Am Ind Hyg Assoc J* 34:487-492.
- Corsi RL, Chang DP, Schroeder ED, et al. 1987. Emissions of volatile and potentially toxic organic compounds from municipal wastewater treatment plants. Presented at the 80th annual meeting of the APCA (Air Pollution Control Association). New York, NY.
- Cotrim HP, Andrade ZA, Parana R, et al. 1999. Nonalcoholic steatohepatitis: A toxic liver disease in industrial workers. *Liver* 19:299-304.
- Cotson R, Williams T. 1982. Headspace chromatographic determination of water pollutants. *Anal Chem* 54:942.
- *Cox RA, Derwent RG, Eggleton AEJ. 1976. Photochemical oxidation of halocarbons in the troposphere. *Atmos Environ* 10:305-308.
- *Craddock VM, Henderson AR. 1978. De novo and repair replication of DNA in liver of carcinogen-treated animals. *Cancer Res* 38:2135-2143.
- Criddle CS, McCarty PL. 1991. Electrolytic model system for reductive dehalogenation in aqueous environments. *Environ Sci Technol* 25:973-978.
- Criddle CS, DeWitt JT, Grbic-Galic D, et al. 1990. Transformation of carbon tetrachloride by *pseudomonas sp.* strain KC under denitrification conditions. *Appl Environ Microbiol* 56:3240-3246.
- *CRISP. 1993. Computer Retrieval of Information on Scientific Projects. National Institutes of Health, Division of Research Grants. Bethesda, MD: May 15, 1993.
- *Crist HL, Mitchell WJ. 1986. Field audit results with organic gas standards on volatile organic ambient air samplers equipped with Texas GC. *Environ Sci Technol* 20:1260-1262.
- *Croen LA, Shaw GM, Sanbonmatsu L, et al. 1997. Maternal residential proximity to hazardous waste sites and risk for selected congenital malformations. *Epidemiology* 8:347-354.
- *Cruz C, Ibarra-Rubio ME, Pedraza-Chaverri J. 1993. Circulating levels of active, total and inactive renin (prorenin), angiotensin-I and angiotensinogen in carbon tetrachloride-treated rats. *Clin Exp Pharmacol Physiol* 30:83-88.
- Cunnane SC. 1987. Hepatic triacylglycerol accumulation induced by ethanol and carbon tetrachloride: interactions with essential fatty acids and prostaglandins. *Alcoholism Clin Exp Res* 11:25-31.
- Currier AR, Sabla G, Locaputo S, et al. 2003. Plasminogen directs the pleiotropic effects of uPA in liver injury and repair. *Am J Physiol* 284:G508-G515.
- *Curtis GP, Reinhard M. 1992. Reductive dehalogenation of hexachlorethane, carbon tetrachloride and bromoform by anthrahydroquinone disulfonate and humic acid. *Abstr Pap Am Chem Soc* 203:91.
- *Curtis LR, Williams WL, Mehendale HM. 1979. Potentiation of the hepatotoxicity of carbon tetrachloride following preexposure to chlordecone (kepone) in the male rat. *Toxicol Appl Pharmacol* 51:283-293.

9. REFERENCES

- Cutrin C, Menino J, Carballo C, et al. 1994. Nifedipine in rat liver cirrhosis. *Vet Hum Toxicol* 36(1):13-17.
- Cutrin C, Menino MJ, Otero X, et al. 1992. Effect of nifedipine and S-adenosylmethionine in the liver of rats treated with CCl₄ and ethanol for one month. *Life Sci* 51:113-118.
- *Czaja MJ, Xu J, Alt E. 1995. Prevention of carbon tetrachloride-induced rat liver injury by soluble tumor necrosis factor receptor. *Gastroenterology* 108(6):1849-1854.
- Dabeva MD, Alpini G, Hurston E, et al. 1993. Models of hepatic progenitor cell activation. *Proc Soc Exp Biol Med* 204(3):242-252.
- Daft JL. 1989. Determination of fumigants and related chemicals in fatty and nonfatty foods. *J Agric Food Chem* 37:560-564.
- *Daft JL. 1991. Fumigants and related chemicals in foods: review of residue findings, contamination sources and analytical methods. *Sci Total Environ* 100:501-518.
- Dalu A, Mehendale HM. 1996. Efficient tissue repair underlies the resiliency of postnatally developing rats to chlordecone + CCl₄ hepatotoxicity. *Toxicology* 111(1-3):29-42.
- Dalu A, Rao PS, Mehendale HM. 1998. Colchicine antimetabolism abolishes resiliency of postnatally developing rats to chlordecone-amplified carbon tetrachloride hepatotoxicity and lethality. *Environ Health Perspect* 106(9):597-606.
- Dalu A, Warbritton A, Bucci TJ, et al. 1995. Age-related susceptibility to chlordecone-potentiated carbon tetrachloride hepatotoxicity and lethality is due to hepatic quiescence. *Pediatr Res* 38(2):140-148.
- *Dambrauskas T, Cornish HH. 1970. Effect of pretreatment of rats with carbon tetrachloride on tolerance development. *Toxicol Appl Pharmacol* 17:83-97.
- *Danni O, Aragno M, Tamagno E, et al. 1992. In vivo studies on halogen compound interactions. IV. Interaction among different halogen derivatives with and without synergistic action on liver toxicity. *Res Commun Chem Pathol Pharmacol* 76(3):355-366.
- Danni O, Aragno M, Ugazio G. 1988. *In vivo* studies on halogen compound interactions. *Res Commun Chem Pathol Pharmacol* 61:377-390.
- *Dashti HM, Al-Sayer H, Behbehani A, et al. 1992. Liver cirrhosis induced by carbon tetrachloride and the effects of superoxide dismutase and xanthine oxidase inhibitor treatment. *J R Coll Surg Edinb* 37:23-28.
- da Silva Augusto LG, Lieber SR, Ruiz MA, et al. 1997. Micronucleus monitoring to assess human occupational exposure to organochlorides. *Environ Mol Mutagen* 29:46-52.
- *Date M, Matsuzaki K, Matsushita M, et al. 1998. Differential expression of transforming growth factor-beta and its receptors in hepatocytes and nonparenchymal cells of rat liver after CCl₄ administration. *J Hepatol* 28(4):572-581.
- *David A, Frantik E, Holusa R, et al. 1981. Role of time and concentration on carbon tetrachloride toxicity in rats. *Int Arch Occup Environ Health* 48:49-60.

9. REFERENCES

- *Davis DD, Schmidt JF, Neeley CM, et al. 1975. Effect of wavelength in the gas-phase photolysis of carbon tetrachloride at 253.7, 184.9, 147, and 106.7 nm. *J Phys Chem* 79:11-17.
- *Dawkins MJR. 1963. Carbon tetrachloride poisoning in the liver of the new-born rat. *J Pathol Bact* 85:189-196.
- *Day WW, Weiner M. 1991. Short communications: Inhibition of hepatic drug metabolism and carbon tetrachloride toxicity in Fischer-344 rats by exercise. *Biochem Pharmacol* 42:181-184.
- *Dean BJ, Hodson-Walker G. 1979. An *in vitro* chromosome assay using cultured rat-liver cells. *Mutat Res* 64:329-337.
- *de Best JH, Salminen E, Doddema HJ, et al. 1998. Transformation of carbon tetrachloride under sulfate reducing conditions. *Biodegradation* 8(6):429-436
- De Bleser PJ, Scott CD, Niki T, et al. 1996. Insulin-like growth factor II/mannose 6-phosphate-receptor expression in liver and serum during acute CCl₄ intoxication in the rat. *Hepatology* 23(6):1530-1537.
- De Bleser PJ, Xu G, Rombouts K, et al. 1999. Glutathione levels discriminate between oxidative stress and transforming growth factor-B signaling in activated rat hepatic stellate cells. *J Biol Chem* 274(48):33881-33887.
- *De Castro CR, Bernacchi AS, De Ferreyra EC, et al. 1978. Carbon tetrachloride induced ultrastructural alterations in pancreatic acinar cells and in the hepatocytes. Similarities and differences. *Toxicology* 11:289-296.
- DeCicco LA, Rikans LE, Tutor CG, et al. 1998. Serum and liver concentrations of tumor necrosis factor alpha and interleukin-1beta following the administration of carbon tetrachloride to male rats. *Toxicol Lett* 98(1-2):115-121.
- *Deer HM, McJilton CE, Harein PK. 1987. Respiratory exposure to grain inspection workers to carbon tetrachloride fumigant. *Am Ind Hyg Assoc J* 48:586-593.
- DeGroot H, Noll T. 1989. Halomethane hepatotoxicity: induction of lipid peroxidation and inactivation of cytochrome P-450 in rat liver microsomes under low oxygen partial pressures. *Toxicol Appl Pharmacol* 97:530-537.
- Delaney B, Kaminski NE. 1993. Induction of serum-borne immunomodulatory factors in B6C3F1 mice by carbon tetrachloride. I. Carbon tetrachloride-induced suppression of helper T-lymphocyte function is mediated by a serum borne factor. *Toxicology* 85:67-84.
- *Delaney B, Strom SC, Collins S, et al. 1994. Carbon tetrachloride suppresses T-cell-dependent immune responses by induction of transforming growth factor-β1. *Toxicol Appl Pharmacol* 126:98-107.
- DeLeon IR, Overton EB, Raschke CK, et al. 1980. Rapid gas chromatographic method for the determination of volatile and semivolatile organochlorine compounds in soil and chemical waste disposal site samples. *J Chromatogr Sci* 18:85-88.
- Delic JI, Lilly PD, MacDonald AJ, et al. 2000. The utility of PBPK in the safety assessment of chloroform and carbon tetrachloride. *Regul Toxicol Pharmacol* 32:144-155.

9. REFERENCES

Deliconstantinos G, Mykoniatis M, Papadimitriou D. 1986. Carbon tetrachloride modulates the rat hepatic microsomal UDP-glucuronyl transferase activity and membrane fluidity. *Experientia* 42:181-183.

*Della Porta GD, Terracini B, Shubik P. 1961. Induction with carbon tetrachloride of liver cell carcinomas in hamsters. *J Natl Cancer Inst* 26:855-863.

DeLorey DC, Cronn DR, Farmer JC. 1988. Tropospheric latitudinal distributions of CF₂Cl₂, CFCl₃, N₂O, CH₃CCl₃, and CCl₄ over the remote Pacific Ocean. *Atmos Environ* 22:1481-1494.

Deng JF, Wang JD, Shih TS, et al. 1987. Outbreak of carbon tetrachloride poisoning in a color printing factory related to the use of isopropyl alcohol and air conditioning systems in Taiwan. *Am J Ind Med* 12:11-19.

*Dennis KJ, Ichinose T, Miller M. 1993. Gas chromatographic determination of vapor-phase biomarkers formed from rats dosed with CCl₄. *J Appl Toxicol* 13(4):301-303.

*Desaiah D, Pentylala SN, Trotman CH, et al. 1991. Combined effects of carbon tetrachloride and chlordecone on calmodulin activity in gerbil brain. *J Toxicol Environ Health* 34:219-228.

*De Toranzo EG, Diaz Gomez MI, Castro JA. 1978a. Carbon tetrachloride activation, lipid peroxidation and liver necrosis in different strains of mice. *Res Commun Chem Pathol Pharmacol* 19:347-352.

*De Toranzo EG, Villarruel MC, Castro JA. 1978b. Early destruction of cytochrome P-450 in testis of carbon tetrachloride poisoned rats. *Toxicology* 10:39-44.

DeWulf J, Vanlangenhove H. 1997. Chlorinated c1 and c2-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: an overview on fate processes, sampling, analysis and measurements. *Water Res* 31:1825-1838.

de Zwart LL, Hermans RCA, Meerman JHN, et al. 1998. Evaluation of urinary biomarkers for radical-induced liver damage in rats treated with carbon tetrachloride. *Toxicol Appl Pharmacol* 148(1):71-82.

*De Zwart LL, Venhorst J, Groot M, et al. 1997. Simultaneous determination of eight lipid peroxidation degradation products in urine of rats treated with carbon tetrachloride using gas chromatography with electron-capture detection. *J Chromatogr B Biomed Sci Appl* 694(2):277-287.

*Diaz-Gil JJ, Munoz J, Albillos A, et al. 1999. Improvement in liver fibrosis, functionally and hemodynamics in CCL₄-cirrhotic rats after injection of the liver growth factor. *J Hepatol* 30(6):1065-1072.

*Diaz Gomez MI, Castro JA. 1980a. Covalent binding of carbon tetrachloride metabolites to liver nuclear DNA, proteins and lipids. *Toxicol Appl Pharmacol* 56:199-206.

*Diaz Gomez MI, Castro JA. 1980b. Nuclear activation of carbon tetrachloride and chloroform. *Res Commun Chem Pathol Pharmacol* 27:191-193.

*Diaz Gomez MI, De Castro CR, D'Acosta N, et al. 1975. Species differences in carbon tetrachloride - induced hepatotoxicity: the role of CCl₄ activation and of lipid peroxidation. *Toxicol Appl Pharmacol* 34:102-114.

9. REFERENCES

- Diaz-Munoz M, Tapia R. 1988. Glutamate decarboxylase inhibition and vitamin B₆ metabolism in brain of cirrhotic rats chronically treated with carbon tetrachloride. *J Neurosci Res* 20:376-382.
- Dich J, Zahm SH, Hanberg A, et al. 1997. Pesticides and cancer. *Cancer Causes Control* 8:420-443.
- *Dickens BF. 1991. Free radical mechanisms of xenobiotic mammalian cytotoxicities. Washington, DC: The George Washington University Medical Center.
- *Dilling WL. 1977. Interphase transfer processes. II. Evaporation of chloromethanes, ethanes, propanes and polypropylenes from dilute aqueous solutions. Comparisons with theoretical predictions. *Environ Sci Technol* 11:405-409.
- *Dilling WL, Tefertiller NB, Kallos GJ. 1975. Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in aqueous solutions. *Environ Sci Technol* 9:833-838.
- DiSilvestro RA, Carlson GP. 1990. Effects of moderate copper deficiency on carbon tetrachloride-induced hepatotoxicity in rats. *Society for Experimental Biology and Medicine* 32-35.
- *DiSilvestro RA, Carlson GP. 1994. Effects of mild zinc deficiency, plus or minus acute phase response, on CCl₄ hepatotoxicity. *Free Radic Biol Med* 16:57-61.
- *DiSilvestro RA, Medeiros DM. 1992. Low and marginal copper intake by postweaning rats: effects on copper status and resistance to carbon tetrachloride hepatotoxicity. *Metabolism* 41:1122-1124.
- Dittman EC, Etschenberg E. 1973. Endoanesthetic and narcotic activity of halogenated methane derivatives. *Eur J Pharmacol* 24:389-398.
- *Docherty JF, Burgess E. 1922. The action of carbon tetrachloride on the liver. *Br Med J* 2:907-908.
- *Docherty JF, Nicholls L. 1923. Report of three autopsies following carbon tetrachloride treatment. *Br Med J* 2:753.
- Dogterom P, Nagelkerke JF, van Steveninck J, et al. 1988. Inhibition of lipid peroxidation by disulfiram and diethyldithiocarbamate does not prevent hepatotoxin-induced cell death in isolated rat hepatocytes. A study with allyl alcohol, tert-butyl hydroperoxide, diethyl maleate, bromoisovalerylurea and carbon tetrachloride. *Chem Biol Interact* 66:251-265.
- Dogukan A, Akpolat N, Ceiler H, et al. 2003. Protective effect of interferon- α on carbon tetrachloride-induced nephrotoxicity. *J Nephrol* 16:81-84.
- *Doi K, Kurabe S, Shimazu N, et al. 1991. Systemic histopathology of rats with CCl₄-induced hepatic cirrhosis. *Lab Anim* 25:21-25.
- Dolak JA, Britton RS, Glende EA, et al. 1987. Chlordecone does not interfere with hepatic repair after carbon tetrachloride or partial hepatectomy. *J Biochem Toxicol* 2:57-66.
- Dolak JA, Waller RL, Glende EA, et al. 1988. Liver cell calcium homeostasis in carbon tetrachloride liver cell injury: new data with Fura2. *J Biochem Toxicol* 3:329-342.

9. REFERENCES

- Dolfing J, van den Wijngaard AJ, Janssen DB. 1993. Microbiological aspects of the removal of chlorinated hydrocarbons from air. *Biodegradation* 4:261-282
- *Donnelly CA. 1995. The spatial analysis of covariates in a study of environmental epidemiology. *Stat Med* 14:2393-2409.
- Doolittle DJ, Muller G, Scribner HE. 1987. Relationship between hepatotoxicity and induction of replicative DNA synthesis following single or multiple doses of carbon tetrachloride. *J Toxicol Environ Health* 22:63-78.
- *Doong RA, Wu SC. 1992. Reductive dechlorination of chlorinated hydrocarbons in aqueous solutions containing ferrous and sulfide ions. *Chemosphere* 24:1063-1075.
- Dosemeci M, Cocco P, Chow W-H. 1999. Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. *Am J Ind Med* 36(1):54-59.
- Dowty DC, Laseter JL, Storer J. 1975. Halogenated hydrocarbons in New Orleans drinking water and blood plasma. *Science* 187:75-77.
- *Dragiani TA, Manenti G, Porta GD. 1986. Enhancing effects of carbon tetrachloride in mouse hepatocarcinogenesis. *Cancer Lett* 31:171-179.
- *Driscoll TR, Hamdan HH, Wang G, et al. 1992. Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons. *Br J Ind Med* 49:700-705.
- Drotman RB, Lawhorn GT. 1978. Serum enzymes as indicators of chemically induced liver damage. *Drug Chem Toxicol* 1:163-171.
- Dufour J-F, Luthi M, Forestier M, et al. 1999. Expression of inositol 1,4,5-trisphosphate receptor isoforms in rat cirrhosis. *Hepatology* 30:1018-1026.
- *Dumas S, Parent ME, Siemiatycki J, et al. 2000. Rectal cancer and occupational risk factors: a hypothesis-generating, exposure-based case-control study. *Int J Cancer* 87(6):874-879.
- *Durden WD Jr., Chipman DW. 1967. Gasoline sniffing complicated by acute carbon tetrachloride poisoning. *Arch Intern Med* 119:371-374.
- Durk H, Klessen C, Frank H. 1987. Tetrachloromethane metabolism in vivo under normoxia and hypoxia: biochemical and histopathological effects relative to alkane exhalation. *Arch Toxicol* 60:115-121.
- Edgerton SA, Holdren MW, Smith DL, et al. 1989. Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities. *JAPCA* 39:729-732.
- Eduardo S, Limbert B, Betts B. 1994. Biodegradation of trace levels of a complex organic pollutant mixture. *Microbios* 78(317):237-243.
- *Edwards JE. 1941. Hepatomas in mice induced with carbon tetrachloride. *J Natl Cancer Inst* 2:197-199.

9. REFERENCES

- Edwards JE, Dalton AJ. 1942. Induction of cirrhosis of the liver and of hepatomas in mice with carbon tetrachloride. *J Natl Cancer Inst* 3:19-41.
- Edwards EA, Liang LN, Grbic-Galic D. 1993. Anaerobic microbial transformation of aromatic hydrocarbons and mixtures of aromatic hydrocarbons and halogenated solvents. Stanford, CA: Environmental Engineering and Science program, Department of Civil Engineering.
- *Edwards J, Heston WE, Dalton AJ. 1942. Induction of the carbon tetrachloride hepatoma in strain L mice. *J Natl Cancer Inst* 3:297-301.
- Edwards M, Keller BJ, Kauffman FC, et al. 1979. The involvement of Kupffer cells in carbon tetrachloride toxicity. *Toxicol Appl Pharmacol* 119(2):275-279.
- Egli C, Tschan T, Scholtz R, et al. 1988. Transformation of tetrachloromethane to dichloromethane and carbon dioxide by *Acetobacterium woodii*. *Appl Environ Microbiol* 54:2819-2824.
- *Eichelberger JW, Bellar TA, Donnelly JP, et al. 1990. Determination of volatile organics in drinking water with USEPA method 524.2 and the ion trap detector. *J Chromatog Sci* 28:460-467.
- Eisenberg JNS, McKone TE. 1998. Decision tree method for the classification of chemical pollutants: Incorporation of across-chemical pollutants: Incorporation of across-chemical variability and within-chemical uncertainty. *Environ Sci Technol* 32:3396-3404.
- *Elkins HB. 1942. Maximal allowable concentrations. II. Carbon tetrachloride. *J Ind Hyg Toxicol* 24:233-235.
- *Ellenhorn MJ. 1997. *Ellenhorn's medical toxicology: diagnosis and treatment of human poisoning*. New York, NY: Elsevier, 1422.
- El-Masri HA, Thomas RS, Benjamin SA, et al. 1995. Physiologically based pharmacokinetic/pharmacodynamic modeling of chemical mixtures and possible applications in risk assessment. *Toxicology* 105:275-282.
- ElSisi AD, Earnest DL, Sipes IG. 1993a. Vitamin A potentiation of carbon tetrachloride hepatotoxicity: Role of liver macrophages and active oxygen species. *Toxicol Appl Pharmacol* 119:295-301.
- ElSisi AD, Hall P, Sim W-L W, et al. 1993b. Characterization of vitamin A potentiation of carbon tetrachloride-induced liver injury. *Toxicol Appl Pharmacol* 119:280-288.
- *Endou H, Koseki C, Hasmura S, et al. 1982. Renal cytochrome P-450: Its localization along a single nephron and its induction. In: Morel F, ed. *Biochemistry of kidney functions*. INSERM Symposium No. 21. Elsevier Biomedical Press B.V., 319-327.
- EPA. 1975. Preliminary assessment of suspected carcinogens in drinking water: interim report to the Congress. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1980a. Human exposure to atmospheric concentrations of selected chemicals. Volume I. Carbon tetrachloride. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. PB81-193252.
- EPA. 1980b. U.S. Environmental Protection Agency. *Federal Register*. 45:33084-33133.

9. REFERENCES

- EPA. 1980c. U.S. Environmental Protection Agency. Federal Register. 45:79318.
- EPA. 1980d. U.S. Environmental Protection Agency. Federal Register 45:79347-79357.
- EPA. 1980e. Volatile organic compounds by purge and trap isotope dilution GC-MS method 1624. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1981a. Carbon tetrachloride. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water. September 11, 1981.
- EPA. 1981b. Treatability Manual. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/2-82-001A.
- *EPA. 1982a. Test method: Purgeable halocarbons - method 601. Test methods: Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/4-82-057
- *EPA. 1982b. Test method: Purgeables - method 624. Test methods: Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/4-82-057
- EPA 1982c. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA 440/4-81-014. PB87-169090.
- EPA. 1983. Carbon tetrachloride; occurrence in drinking water, food and air. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.
- *EPA. 1984. Health assessment document for carbon tetrachloride. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/8-82-001F.
- *EPA. 1985a. Assessment of the mutagenic potential of carbon disulfide, carbon tetrachloride, dichloromethane, ethylene dichloride and methyl bromide: a comparative analysis in relation to ethylene dibromide. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/6-85/001.
- EPA. 1985b. U.S. Environmental Protection Agency. Federal Register. 50:32621-32627.
- EPA. 1985c. U.S. Environmental Protection Agency. Part II. Federal Register. 50:13456-13522.
- EPA. 1985d. Final draft criteria document for carbon tetrachloride. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.
- EPA. 1985e. U.S. Environmental Protection Agency. Part III. Federal Register. 50:46880-46901.
- EPA. 1985f. Survey of carbon tetrachloride emission sources. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-450/3-85-018.

9. REFERENCES

*EPA. 1986a. Gas chromatography/mass spectrometry for volatile organics-method-8240. Test methods for evaluating solid waste. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, 8240-1 to 8240-40.

*EPA. 1986b. Halogenated volatile organics-method 8010. Test methods for evaluating solid waste. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, 8010-1 to 8010-13.

EPA. 1986c. U.S. Environmental Protection Agency. Federal Register. 51:41004.

EPA. 1986d. Reference values for risk assessment. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. ECAO-CIN-477.

*EPA. 1987a. U.S. Environmental Protection Agency. Federal Register. 50:8140.

EPA. 1987b. Health advisory for carbon tetrachloride. Washington DC: U.S. Environmental Protection Agency, Office of Drinking Water. March 31.

EPA. 1987c. U.S. Environmental Protection Agency. Part II. Federal Register. 52:25942-25953.

EPA. 1987d. U.S. Environmental Protection Agency. Part II. Federal Register. 52:25690-25717.

*EPA. 1987e. U.S. Environmental Protection Agency. Part II. Federal Register. 52:47495-47519.

EPA. 1987f. Reference dose (RfD): description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.

EPA. 1987g. Household solvent products: a "shelf" survey with laboratory analysis. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA-OTS 560/5-87-006.

EPA. 1987h. National primary drinking water regulations; synthetic organic chemicals; monitoring for unregulated contaminants. U.S. Environmental Protection Agency: Part II. Federal Register 52(130):25690-25717. 40 CFR Parts 141 and 142.

EPA. 1988a. Evaluation of the potential carcinogenicity of carbon tetrachloride (56-23-5). Final Report. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. OHEA-C-073-50.

EPA. 1988b. Toxic chemical release reporting: Community right-to-know. Federal Register 53(30):4500-4554.

*EPA. 1989a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-88/066F.

*EPA. 1989b. Health effects assessment for carbon tetrachloride. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, EPA/600/8-89/088.

9. REFERENCES

- *EPA. 1989c. Method 524.1. Measurement of purgeable organic compounds in water by packed column gas chromatography/mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.
- EPA. 1989d. U.S. Environmental Protection Agency. Federal Register 54(155):33418, 33453.
- EPA. 1990a. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600/890066A
- *EPA. 1990b. Toxics in the community. 1988 National and local perspectives. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances Economics and Technology Division.
- EPA. 1991a. *In-situ* biotransformation of carbon tetrachloride under anoxic conditions. Ada, OK: U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory, EPA/600/2-90/060.
- *EPA. 1991b. Toxics in the community. National and local perspectives. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA 560/4-91-014.
- EPA. 1993. Reference guide to odor thresholds for hazardous air pollutants listed in the clean air act amendments of 1990. Washington DC: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA600R92047 PB922395163.
- *EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.
- *EPA 2001. Exploration of perinatal pharmacokinetic issues. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA/630/R-01/004. <http://cfpub.epa.gov/ncea/raf/recordisplay.cfm?deid=29420>. May 2001.
- *EPA. 2002. 2002 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA 822-R-02-038. <http://www.epa.gov/waterscience>. June 6, 2003.
- *EPA. 2003a. Criteria for municipal solid waste landfills. List of hazardous inorganic and organic constituents. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 258, Appendix II. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003b. Designation, reportable quantities, and notification. Designation of hazardous substance. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 302.4. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003c. Effluent guidelines and standards. General provisions. Toxic pollutants. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 401.15. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003d. Identification and listing of hazardous waste. Toxicity characteristic. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 261.24. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.

9. REFERENCES

- *EPA. 2003e. National emission standards for hazardous air pollutants. List of pollutants. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 61.01. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003f. National primary drinking water regulations. Maximum contaminant level goals for organic contaminants. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 141.50. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003g. National primary drinking water regulations. Maximum contaminant levels for organic contaminants. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 141.61. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003h. Protection of stratospheric ozone. Listing of ozone-depleting chemicals. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 82, Subpart A, Appendix F. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003i. Reportable quantities of hazardous substances designated pursuant to Section 311 of the Clean Water Act. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 117.3. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003j. Standards for the management of specific hazardous wastes and specific types of hazardous waste management facilities. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 266, Appendix V. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003k. Standards for the management of specific hazardous wastes and specific types of hazardous waste management facilities. Health-based limits for exclusion of waste-derived residues. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 266, Appendix VII. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003l. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. Ground-water monitoring list. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 264, Appendix IX. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003m. Toxic chemical release reporting: Community right-to-know. Chemicals and chemical categories to which this part applies. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 372.65. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003n. Water programs. Designation of hazardous substances. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 116.4. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003o. Water quality guidance for the Great Lakes system. Pollutants of initial focus in the Great Lakes water quality initiative. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 132, Table 6. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *Eschenbrenner AB, Miller E. 1944. Studies on hepatomas -- Size and spacing of multiple doses in the induction of carbon tetrachloride hepatomas. *J Natl Cancer Inst* 4:385-388.
- *Eschenbrenner AB, Miller E. 1946. Liver necrosis and the induction of carbon tetrachloride hepatomas in strain A mice. *J Natl Cancer Inst* 6:325-341.

9. REFERENCES

- Esparza RJ, Mahmood RJ, Sedman RM. 1991. Hazardous waste incineration: a correlation of operating parameters with risk and emission rates. *Waste Management* 11:163-170.
- Evans MV, Simmons JE. 1996. Physiologically based pharmacokinetic estimated metabolic constants and hepatotoxicity of carbon tetrachloride after methanol pretreatment in rats. *Toxicol Appl Pharmacol* 140(2):245-253.
- *Evans GF, Lumpkin TA, Smith DL, et al. 1992. Measurements of VOCs from the Tams network. *J Air Waste Manage Assoc* 42:1319-1323.
- Evans MV, Crank WD, Yang H-M, et al. 1994. Applications of sensitivity analysis to a physiologically based pharmacokinetic model for carbon tetrachloride in rats. *Toxicol Appl Pharmacol* 128:36-44.
- Fanelli SL, Castro JA. 1995. Covalent binding of carbon tetrachloride reactive metabolites to liver microsomal and nuclear lipid and phospholipid classes from Sprague Dawley and Osborne Mendel male rats. *Teratog Carcinog Mutagen* 15:155-166.
- Fanelli SL, Castro GD, Castro JA, et al. 1995. Cholesterol interaction with free radicals. *Chem Biol Interact* 98(3):223-236.
- Fanelli SL, Castro GD, de Toranzo EGD, et al. 1998. Mechanisms of the preventive properties of some garlic components in the carbon tetrachloride-promoted oxidative stress. Diallyl sulfide; diallyl disulfide; allyl mercaptan and allyl methyl sulfide. *Res Commun Mol Pathol Pharmacol* 102(2):163-174.
- Farghali H, Martinek J, Kamenikova L, et al. 1996. Amelioration of chemically induced hepatocyte injury by cyclosporine A. *Pharmacol Res* 34(5-6):211-218.
- *Farrell CL, Senseman LA. 1944. Carbon tetrachloride polyneuritis. A case report. *RI Med J* 27:334, 346.
- FDA. 1970. Food and Drug Administration. Part 191-Hazardous substances: definitions and procedural and interpretive regulations. Carbon tetrachloride: findings of fact and conclusions and final order regarding classification as banned hazardous substance. *Federal Register* 35:13198-13205.
- *FDA. 2003a. Beverages. Bottled water. Washington, DC: U.S. Food and Drug Administration. 21 CFR 165.110. <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321>. June 6, 2003.
- *FDA. 2003b. Indirect food additives: Adhesives and components of coatings. Washington, DC: U.S. Food and Drug Administration. 21 CFR 175.105(c)(5). <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321>. June 6, 2003.
- *FDA. 2003c. Indirect food additives: Paper and paperboard components. Anti-offset substances. Washington, DC: U.S. Food and Drug Administration. 21 CFR 176.130(c). <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321>. June 6, 2003.
- *FDA. 2003d. Indirect food additives: Paper and paperboard components. Components of paper and paperboard in contact with dry food. Washington, DC: U.S. Food and Drug Administration. 21 CFR 176.180(b)(2). <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321>. June 6, 2003.

9. REFERENCES

- *FDA. 2003e. Labeling. Medical devices; warning statements for devices containing or manufactured with chlorofluorocarbons and other class I ozone-depleting substances. Washington, DC: U.S. Food and Drug Administration. 21 CFR 801.63. <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321>. June 6, 2003.
- *FDA. 2003f. Labeling. Warning statements for prescription and restricted device products containing or manufactured with chlorofluorocarbons or other ozone-depleting substances. Washington, DC: U.S. Food and Drug Administration. 21 CFR 801.433. <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321>. June 6, 2003.
- *FEDRIP. 2003. Federal Research in Progress database.
- *Fischer-Nielsen A, Poulsen HE, Hansen BA, et al. 1991. CCl₄ cirrhosis in rats: irreversible histological changes and differentiated functional impairment. *J Hepatol* 12:110-117.
- Fiserova-Bergerova V, Pierce JT, Droz PO. 1990. Dermal absorption potential of industrial chemicals: criteria for skin notation. *Am J Ind Med* 17:617-635.
- *Fisher J, Mahle D, Bankston L, et al. 1997. Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J* 58(6):425-31.
- *Folland DS, Schaffner W, Ginn EH, et al. 1976. Carbon tetrachloride toxicity potentiated by isopropyl alcohol. *J Am Med Assoc* 236:1853-1856.
- *Fomon SJ. 1966. Body composition of the infant: Part I: The male "reference infant." In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- *Fort J, Pilette C, Veal N, et al. 1998. Effects of long-term administration of interferon alpha in two models of liver fibrosis in rats. *J Hepatol* 29:263-270.
- Foster P, Laffond M, Bausasnd P, et al. 1991. Measurements of volatile organic compounds (VOC) in the Grenoble area and study of benzaldehyde behavior in a simulation chamber. *Pollut Atmos*:175-191.
- Fountoulakis M, de Vera M-C, Crameri F, et al. 2002. Modulation of gene and protein expression by carbon tetrachloride in the rat liver. *Toxicol Appl Pharmacol* 183:71-80.
- *Fowler JSL. 1969. Carbon tetrachloride metabolism in the rabbit. *Br J Pharmacol* 37:733-737.
- Foxell AWH. 1951. Three cases of carbon tetrachloride poisoning with one fatality. *Br Med J* 1:397.
- Frank H, Frank W. 1988. Quantitative determination of airborne C₁- and C₂-halocarbons by GC/ECD. *Journal of High Resolution Chromatography and Chromatography Communications* 11:51-56.
- *Frantik R, Hornychova M, Horvath M. 1994. Relative acute neurotoxicity of solvents: isoeffective air concentrations of 48 compounds evaluated in rats and mice. *Environ Res* 66:173-185.

9. REFERENCES

- Frezza EE, Gerunda GE, Farinati F, et al. 1994. CCl₄-induced liver cirrhosis and hepatocellular carcinoma in rats: Relationship to plasma zinc, copper and estradiol. *Hepatogastroenterology* 41:367-369.
- FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Regulatory Alliance Committee. March, 1988.
- *Fujii K. 1996. Stimulatory effect of anesthetics on dechlorination of carbon tetrachloride in guinea-pig liver microsomes. *Toxicology* 114(2):147-153.
- *Fujii K. 1997. Preventive effect of isoflurane on destruction of cytochrome P450 during reductive dehalogenation of carbon tetrachloride in guinea-pig liver microsomes. *Drug Metabol Drug Interact* 14(2):99-107.
- *Fujii K, Rahman M, Yuge O, et al. 1996. Isoflurane enhances dechlorination of carbon tetrachloride in guinea-pig liver microsomes. *J Appl Toxicol* 16(3):249-253.
- Fukai F, Nishizawa S, Kurano M, et al. 1989. Carbon tetrachloride-induced alteration of glutathione S-transferase in rat liver cytosol and plasma. *J Clin Biochem Nutr* 6:175-185.
- Gagliano N, Arosio B, Grizzi F, et al. 2002. Acute liver CCl₄ intoxication causes low HSP70 gene expression and a delayed transition through the cell cycle in aged rats. *Exp Gerontol* 37:791-801.
- *Galbally IE. 1976. Man-made carbon tetrachloride in the atmosphere. *Science* 193:573-576.
- Galelli ME, Castro JA. 1998. Effect of trichloromethyl and trichloromethyl peroxy free radicals on protein sulfhydryl content studies in model and enzymatic carbon tetrachloride activation systems. *Res Commun Mol Pathol Pharmacol* 100(2):227-238.
- Galelli M, Gomez D, Castro JA. 1994. Decreased incorporation of ¹⁴C-leucine in different liver nuclear protein fractions at early stages of carbon tetrachloride poisoning in the rat. *Arch Toxicol* 68(3):206-209.
- *Galli A, Schiestl RH. 1998. Effect of Salmonella assay negative and positive carcinogens on intrachromosomal recombination in S-phase arrested yeast cells. *Mutat Res* 419:53-68.
- Galli R, McCarty PL. 1989. Biotransformation of 1,1,1-trichloroethane, trichloromethane, and tetrachloromethane by a *Clostridium sp.* *Appl Environ Microbiol* 55:837-844.
- Gallo JM, Cheung LL, Kim JJ, et al. 1993. A physiological and system analysis hybrid pharmacokinetic model to characterize carbon tetrachloride blood concentrations following administration in different oral vehicles. *J Pharmacokinet Biopharm* 21(5):551-567.
- Gandhi CR, Sproat LA, Subbotin VM. 1996. Increased hepatic endothelin-1 levels and endothelin receptor density in cirrhotic rats. *Life Sci* 58(1):55-62.
- Garcia C, Tiedra G, Ruano A, et al. 1992. Evaluation of the liquid-liquid extraction technique and application to the determination of volatile halo-organic compounds in chlorinated water. *J Chromatogr* 605:251-255.
- *Gardner GH, Gove RC, Gustafson RK, et al. 1925. Studies on the pathological histology of experimental carbon tetrachloride poisoning. *Bulletin of Johns Hopkins Hospital* 36:107-133.

9. REFERENCES

- *Gargas ML, Andersen ME, Clewell III HJ. 1986. A physiologically based simulation approach for determining metabolic constants from gas uptake data. *Toxicol Appl Pharmacol* 86:341-352.
- Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol* 98:87-99.
- *Garner RC, McLean AEM. 1969. Increased susceptibility to carbon tetrachloride poisoning in the rat after pretreatment with oral phenobarbitone. *Biochem Pharmacol* 18:645-650.
- *Garry VF, Nelson RL, Griffith J, et al. 1990. Preparation for human study of pesticide applicators: sister chromatid exchanges and chromosome aberrations in cultured human lymphocytes exposed to selected fumigants. *Teratog Carcinog Mutagen* 10:21-29.
- Genoni GP. 1997. Influence of the energy relationships of organic compounds on their specificity toward aquatic organisms. *Ecotoxicol Environ Saf* 36:99-108.
- Germolec DR, Yang RS, Ackermann MF, et al. 1989. Toxicology studies of a chemical mixture of 25 groundwater contaminants. II. Immunosuppression in B6C3F₁ mice. *Fundam Appl Toxicol* 13:377-387.
- *Gillespie WR, Cheung LL, Kim HJ, et al. 1990. Application of system analysis to toxicology: Characterization of carbon tetrachloride oral absorption kinetics. In: Gentry TR, Henry CJ, eds. *Principles of route-to-route extrapolations for risk assessment*. New York, NY: Elsevier Science Publishing Company.
- *Gilman MR. 1971. A preliminary study of the teratogenic effects of inhaled carbon tetrachloride and ethyl alcohol consumption in the rat. Dissertation. Philadelphia, PA: Drexel University.
- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- *Glende EA. 1972. Carbon tetrachloride-induced protection against carbon tetrachloride toxicity. The role of the liver microsomal drug-metabolizing system. *Biochem Pharmacol* 21:1697-1702.
- Glende EA, Pushpendran CK. 1986. Activation of phospholipase A₂ by carbon tetrachloride in isolated rat hepatocytes. *Biochem Pharmacol* 35:3301-3307.
- *Glende EA, Recknagel RO. 1991. An indirect method demonstrating that CCl₄-dependent hepatocyte injury is linked to a rise in intracellular calcium ion concentration. *Res Commun Chem Pathol Pharmacol* 73:41-52.
- *Glende EA, Recknagel RO. 1992. Phospholipase A₂ activation and cell injury in isolated rat hepatocytes exposed to bromotrichloromethane, chloroform, and 1,1-dichloroethylene as compared to effects of carbon tetrachloride. *Toxicol Appl Pharmacol* 113:159-162.
- *Glende EA Jr., Hruszkewycz AM, Recknagel RO. 1976. Critical role of lipid peroxidation in carbon tetrachloride-induced loss of aminopyrine demethylase, cytochrome P-450 and glucose 6-phosphatase. *Biochem Pharmacol* 25:2163-2170.
- Goerz G, Vizethum W, Bolsen K, et al. 1978. [Hexachlorobenzene (HCB) induced porphyria in rats. Influence of HCB-metabolites on the biosynthesis of heme.] *Arch Dermatol Res* 263:189-196. (German)

9. REFERENCES

Golderman L, Gellert J, Teschke R. 1983. Methods and Devices. Quantitative assessment of carbon tetrachloride levels in human blood by head-space gas chromatography: application in a case of suicidal carbon tetrachloride intoxication. *Intensive Care Medicine* 9:131-135.

Goldsmith LB, Friberg SE, Wahlberg JE. 1988. The effect of solvent extraction on the lipids of the stratum corneum in relation to observed immediate whitening of the skin. *Contact Dermatitis* 19:348-350.

Gomez MR, Cocco P, Dosemeci M, et al. 1994. Occupational exposure to chlorinated aliphatic hydrocarbons: Job exposure matrix. *Am J Ind Med* 26(2):171-183.

*Gordon AJ. 1944. Uremia following inhalation of carbon tetrachloride. *J Mt Sinai Hosp NY* 10:792-795.

*Gosselin RE, Hodge HC, Smith RP, et al. 1976. *Clinical toxicology of commercial products. Acute poisoning.* 4th ed., Baltimore, MD: The Williams and Wilkins Co., 13, 92-97, 110.

Gotoh M, Sikitani Y, Aramaki T, et al. 1992. Pollution due to volatile halocarbon compound in biota. *Bull Environ Contam Toxicol* 49:186-191.

*Gould VE, Smuckler EA. 1971. Alveolar injury in acute carbon tetrachloride intoxication. *Arch Intern Med* 128:109-117.

Grant WB, Kagann RH, McClenny WA. 1992. Optical remote measurement of toxic gases. *J Air Waste Manage Assoc* 42:18-30.

*Gray I. 1947. Carbon tetrachloride poisoning -- Report of seven cases with two deaths. *NY State J Med* 47:2311-2315.

*Gribble GW. 1994. The natural production of chlorinated compounds. *Environ Sci Technol* 28(7):310A-319A.

Gruebele A, Zawaski K, Kaplan D. 1996. Effects on signal transduction as demonstrated by altered immediate-early (c-Fos and c-Jun) gene expression and nuclear AP-1 and NK- κ B transcription factor levels. *Drug Metab Dispos* 24(1):15-22.

*Gryder-Boutlet DE, Kennish JM. 1988. Using headspace sampling with capillary column GC-MS to analyze trace volatile organics in water and wastewater. *Journal of the American Water Works Association.* October, 52-55.

Guengerich FP, Kim DH, Iwasaki M. 1991. Role of human cytochrome P-450 IIE1 in the oxidation of many low molecular weight cancer suspects. *Chem Res Toxicol* 5:168-179.

*Guido DM, McKenna R, Mathews WR. 1993. Quantitation of hydroperoxy-eicosatetraenoic acids and hydroxy-eicosatetraenoic acids as indicators of lipid peroxidation using gas chromatography-mass spectrometry. *Anal Biochem* 209:123-129.

Guidotti M, Onorati B, Lucarelli E, et al. 2001. Determination of chlorinated solvents in exhaled air, urine, and blood of subjects exposed in the workplace using SPME and GC-MS. *Am Clin Lab* 20(4):23-26.

9. REFERENCES

- *Guild WR, Young JV, Merrill JP. 1958. Anuria due to carbon tetrachloride intoxication. *Ann Intern Med* 48:1221-1227.
- *Guo TL, McCay JA, Brown RD, et al. 2000. Carbon tetrachloride is immunosuppressive and decreases host resistance to *Listeria monocytogenes* and *Streptococcus pneumoniae* in female B6C3F1 mice. *Toxicology* 154:85-101.
- Gupta TK, Toruner M, Chung MK, et al. 1998. Endothelial dysfunction and decreased production of nitric oxide in the intrahepatic microcirculation of cirrhotic rats. *Hepatology* 28:926-931.
- *Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- *Haag WR, Yao CCD. 1992. Rate constants for reaction of hydroxyl radicals with several drinking water contaminants. *Environ Sci Technol* 26:1005-1013.
- *Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Company, 1218-1219, 1257-1259.
- *Hafeman DG, Hoekstra WG. 1977. Protection against carbon tetrachloride-induced lipid peroxidation in the rat by dietary vitamin E, selenium and methionine as measured by ethane evolution. *J Nutr* 107:656-665.
- *Hakkola J, Raunio H, Purkunen R, et al. 1996. Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol* 52(2):379-383.
- *Hall MC. 1921. The use of carbon tetrachloride for the removal of hookworms. *J Am Med Assoc* 77:1641-1643.
- *Hall P de la M, Plummer JL, Ilesley AH, et al. 1990. Hepatic fibrosis and cirrhosis after chronic administration of alcohol and "low-dose" carbon tetrachloride vapor in the rat. *Hepatology* 13:815-819.
- Hammock BD, Gee SJ, Cheung PYK, et al. 1987. Utility of immunoassay in pesticide trace analysis. In: Greenhalgh R, Roberts TR, eds. *Pesticide science and biotechnology*. New York, NY: Blackwell Scientific Publications.
- *Hanasono GK, Cote MG, Plaa GL. 1975. Potentiation of carbon tetrachloride-induced hepatotoxicity in alloxan- or streptozotocin-diabetic rats. *J Pharmacol Exp Therap* 192:592-604.
- Hansch C, Leo A. 1979. Substituent constants for correlation analysis in chemistry and biology. New York, NY: John Wiley & Sons, 25-26, 171-180.
- Hansen H, De Rosa CT, Pohl H, et al. 1998. Public health challenges posed by chemical mixtures. *Environ Health Perspect* 106(Suppl. 6):1271-1280.
- Hanst PL. 1978. Part II: Halogenated pollutants. Noxious trace gases in the air. *Chemistry* 51:6-12.
- Happell JD, Wallace DWR. 1998. Removal of atmospheric CC14 under bulk aerobic conditions in groundwater and soils. *Environ Sci Technol* 32:1244-1252.

9. REFERENCES

Hardell L, Eriksson M, Lenner P, et al. 1981. Malignant lymphoma and exposure to chemicals especially organic solvents, chlorophenols and phenoxy acids: A case-control study. *Br J Cancer* 43:169-176.

*Hardin BL. 1954. Carbon tetrachloride poisoning. A review. *Ind Med Surg* 23:93-105.

Harms MS, Peterson RE, Fujimoto JM, et al. 1976. Increased "bile duct--pancreatic fluid" flow in chlorinated hydrocarbon-treated rats. *Toxicol Appl Pharmacol* 35:41-49.

*Harris RN, Anders MW. 1980. Effect of fasting, diethyl maleate and alcohols on carbon tetrachloride-induced hepatotoxicity. *Toxicol Appl Pharmacol* 56:191-198.

Harris L, Morris LE, Farber E. 1989. Protective value of a liver initiation-promotion regimen against the lethal effect of carbon tetrachloride in rats. *Lab Invest* 61:467-470.

Harris RN, Ratnayake JH, Garry VF, et al. 1982. Interactive hepatotoxicity of chloroform and carbon tetrachloride. *Toxicol Appl Pharmacol* 63:281-291.

Hartley DP, Kolaja KL, Reichard J, et al. 1999. 4-Hydroxynonenal and malondialdehyde hepatic protein adducts in rats treated with carbon tetrachloride: Immunochemical detection and lobular localization. *Toxicol Appl Pharmacol* 161:23-33.

*Hartwell TD, Perritt RL, Pelizzari ED, et al. 1992. Results from the 1987 total exposure assessment methodology (team) study in Southern California. *Atmos Environ* 26a:1519-1527.

Harvey PJ, Gready JE, Hickey HM, et al. 1999. ³¹P and ¹H NMR spectroscopic studies of liver extracts of carbon tetrachloride-treated rats. *NMR Biomed* 12(6):395-401.

*Harvey PJ, Gready JE, Yin Z, et al. 2000. Acute oxygen supplementation restores markers of hepatocyte energy status and hypoxia in cirrhotic rats. *J Pharmacol Exp Ther* 293(2):641-645.

Haselmann KF, Laturus F, Sevensmark B, et al. 2000. Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere* 41:1769-1774.

Hatch GE, Santrock J, Slade R, et al. 1988. Detection of CCl₄-induced oxidation of hepatic tissue *in vivo* by oxygen-18 tracing. *Toxicol Appl Pharmacol* 93:81-88.

*Hawthorne SB. 1988. Workshop on supercritical fluid chromatography. *Am Lab* 6-8.

*Hayes JR, Condie LW, Borzelleca JF. 1986. Acute, 14-day repeated dosing, and 90-day subchronic toxicity studies of carbon tetrachloride in CD-1 mice. *Fundam Appl Toxicol* 7:454-463.

HazDat. 1993. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA. October, 1993.

*HazDat. 2003. Atlanta, GA: Agency for Toxic Substances and Disease Registry (ATSDR). October 2003.

Hazle JD, Narayana PA, Dunsford HA. 1991. *In vivo* NMR, biochemical, and histologic evaluation of alcohol-induced fatty liver in rat and a comparison with CCl₄ hepatotoxicity. *Magn Reson Med* 19:124-135.

9. REFERENCES

- *Heimann H, Ford CA. 1941. Low concentration of carbon tetrachloride capable of causing mild narcosis. *Ind Bull* 20, July-August.
- *Heineman EF, Cocco P, Gomez MR, et al. 1994. Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med* 26:155-169.
- Hellerbrand C, Stefanovic B, Giordano F, et al. 1999. The role of TGF β 1 in initiating hepatic stellate cell activation *in vivo*. *J Hepatol* 30:77087.
- *Hellmer L, Bolcsfoldi G. 1992. An evaluation of the *E. coli* K-12 *uvrB/recA* DNA repair host-mediated assay. I. *In vitro* sensitivity of the bacteria to 61 compounds. *Mutat Res* 272:145-160.
- Helmig D, Arey J. 1992. Organic chemicals in the air at Whitaker's Forest/Sierra Nevada Mountains, California. *Sci Total Environ* 112:233-250.
- Hemmings SJ, Pulga VB, Tran ST et al. 2002. Differential inhibitory effects of carbon tetrachloride on the hepatic plasma membrane, mitochondrial and endoplasmic reticular calcium transport systems: implications to hepatotoxicity. *Cell Biochem Funct* 20:47-59
- Hendler AH, Crow WL. 1992. Preliminary results of the Chemical Manufacturers Association urban baseline VOC measurement program. *Proc Annu Meet Air Waste Manage Assoc* 2b:1-17.
- Henschler D, Elsasser H, Romen W, et al. 1984. Carcinogenicity study of trichloroethylene with and without epoxide stabilizers, in mice. *J Cancer Res Clin Oncol* 107:149-156.
- Herbarth O, Rehwagen M, Ronco AE. 1997. The influence of localized emittants on the concentration of volatile organic compounds in the ambient air measured close to ground level. *Environ Toxicol Water Qual* 12:31-37.
- *Hernandez-Munoz R, Diaz-Munoz M, Chagoya de Sanchez V. 1992. Effects of adenosine administration on the function and membrane composition of liver mitochondria in carbon tetrachloride-induced cirrhosis. *Arch Biochem Biophys* 294:160-167.
- Hernberg S, Kauppinen T, Riala R, et al. 1988. Increased risk for primary liver cancer among women exposed to solvents. *Scand J Work Environ Health* 14:356-365.
- Herzfeld D, van der Gun K, Louw R. 1988. Quantitative determination of volatile organochlorine compounds in water by GC-headspace analysis with dibromomethane as an internal standard. *Chemosphere* 1425-1430.
- *Ho JS. 1989. Method 502.2. Volatile organic compounds in water by purge and trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.
- Hocher B, Zart R, Diekmann F, et al. 1995a. Protective effects of the mixed endothelin receptor antagonist bosentan in rats with CCL4-induced liver injury. *J Cardiovasc Pharmacol* 26(Suppl. 3):S130-131.
- Hocher B, Zart R, Diekmann F, et al. 1995b. Role of the paracrine liver endothelin system in the pathogenesis of CCL4-induced liver injury. *Eur J Pharmacol* 293(4):361-368.

9. REFERENCES

- *Hocher B, Zart R, Diekmann F, et al. 1996. Paracrine renal endothelin system in rats with liver cirrhosis. *Br J Pharmacol* 118:220-227.
- Hoekstra EJ, Deleer EWB, Brinkman UAT. 2001. Findings supporting the natural formation of trichloroacetic acid in soil. *Chemosphere* 38:2875-2883.
- Hoekstra EJ, Duyzer JH, Deleer EWB, et al. 2001. Chloroform-concentration gradients in soil air and atmospheric air and emission fluxes from soil. *Atmos Environ* 35:61-70.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- *Holbrook HT. 1991. Carbon tetrachloride. In: Kroschwitz JI, Howe-Grant M, eds. *Kirk-Othmer encyclopedia of chemical technology*. 4th ed., Vol. 5. New York: John Wiley & Sons, 1062-1072.
- Holden PR, James NH, Brooks AN. 2000. Identification of a possible association between carbon tetrachloride-induced hepatotoxicity and interleukin-8 expression. *J Biochem Mol Toxicol* 14(5):283-290.
- Holecsek M, Skalska H, Mraz J. 1999. Plasma amino acid levels after carbon tetrachloride induced acute liver damage. A dose-response and time-response study in rats. *Amino Acids* 16:1-11.
- Holecsek M, Tilser I, Skopec F, et al. 1996. Leucine metabolism in rats with cirrhosis. *J Hepatol* 24(2):209-216.
- *Hollinger MA. 1982. Biochemical evidence for pulmonary endothelial cell injury after carbon tetrachloride administration in mice. *J Pharmacol Exp Therap* 222:641-644.
- Hooper K, LaDou J, Rosenbaum JS, et al. 1992. Regulation of priority carcinogens and reproductive or development toxicants. *Am J Ind Med* 22:793-808.
- *Hooser SB, Rosengren RJ, Hill DA. 1994. Vitamin A modulation of xenobiotic-induced hepatotoxicity in rodents. *Environ Health Perspect* 102(Suppl. 9):39-43.
- *Horn TL, O'Brein TD, Schook LB, et al. 2000. Acute hepatotoxicant exposure induces TNFR-mediated hepatic injury and cytokine/apoptotic gene expression. *Toxicol Sci* 54:262-273.
- Hosoda A, Yamada S, Kawasaki H, et al. 1993. Effects of carbon tetrachloride-induced chronic liver damage on glutathione-dependent enzymes in rat gastric mucosa. *Res Commun Chem Pathol Pharmacol* 81(2):209-220.
- Hotz P. 1994. Occupational hydrocarbon exposure and chronic nephropathy. *Toxicology* 90:163-283.
- *Howard PH, ed. 1990. *Handbook of environmental fate and exposure data*. Vol. II. Chelsea, MI: Lewis Publishers, Inc., 85-91.
- *Howard PH, Boethling RS, Jarvis WF, et al, eds. 1991. *Handbook of environmental degradation rates*. Chelsea, MI: Lewis Publishers, Inc., 34-35.
- HSDB. 1992. *Hazardous Substances Data Bank*. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. April 14, 1992.

9. REFERENCES

- *HSDB. 2003. Carbon tetrachloride. Environmental standards and regulations. Bethesda, MD: Hazardous Substances Data Bank. <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB.htm>. June 6, 2003.
- Huang YS, Deng JF, Wang JD, et al. 1987. [Clinical manifestations and laboratory findings of cases in an outbreak of carbon tetrachloride-induced hepatic injury at a printing factory.] [Abstract] 86:743-749. (Japanese)
- Huang Z-H, Murakami T, Okochi A, et al. 2001. Expression and function of p-glycoprotein in rats with carbon tetrachloride-induced acute hepatic failure. *J Pharm Pharmacol* 53:873-881.
- Huber M, Estermann G, Bonn G. 1988. Analysis of volatile halogenated hydrocarbons on the ppq scale. *Fresenius Z Anal Chem* 331:486-489.
- *Hughes CS. 1985. Chlorinated methanes. In: *Chemical economics handbook*. Menlo Park, CA: SRI International.
- *Hughes HM, George IM, Evans JC, et al. 1991. The role of the liver in the production of free radicals during halothane anaesthesia in the rat. *Biochem J* 277:795-800.
- *IARC. 1979. Evaluation of the carcinogenic risk of chemicals to humans. Lyon, France: International Agency for Research on Cancer, October 1979, 20:371-399.
- *IARC. 1987. IARC Monographs on the evaluation of carcinogenic risks to humans. Overall evaluations of carcinogenicity: An updating of IARC Monographs volumes 1 to 42, Supplement 7. Lyon, France: International Agency for Research on Cancer.
- *IARC. 1999. IARC monographs programme on the evaluation of carcinogenic risks to humans. Carbon tetrachloride. Lyon, France: International Agency for Research on Cancer. <http://monographs.iarc.fr/>. June 6, 2003.
- Ichinose T, Miller MG, Shibamoto T. 1994. Determination of free malonaldehyde formed in liver microsomes upon CCL4 oxidation. *J Appl Toxicol* 14(6):453-455.
- Ideura T, Yoshimura A, Shirai M, et al. 1993. Endotoxin-induced acute tubular necrosis in cirrhotic rats. *Scand J Urol Nephrol* 27:433-439.
- *Ikatsu H, Nakajima T. 1992. Hepatotoxic interaction between carbon tetrachloride and chloroform in ethanol treated rats. *Arch Toxicol* 66:580-586.
- *Ikatsu H, Okino T, Nakajima T. 1991. Ethanol and food deprivation induced enhancement of hepatotoxicity in rats given carbon tetrachloride at low concentration. *Br J Ind Med* 48:636-642.
- Ikemoto M, Tsunekawa S, Toda Y, et al. 2001. Liver-type arginase in a highly sensitive marker for hepatocellular damage in rats. *Clin Chem* 47(5):946-948.
- *Inder RE, Bray BJ, Sipes IG, et al. 1999. Role of cytochrome P4502E1 in retinol's attenuation of carbon tetrachloride-induced hepatotoxicity in the Swiss Webster mouse. *Toxicol Sci* 52(1):130-139.

9. REFERENCES

- Infante FI, Marlow PB. 1980. Evidence for the carcinogenicity of selected halogenated hydrocarbons included ethylene dichloride. *Banbury Rep* 5:287-308.
- Ingall A, Lott KAK, Slater TF. 1978. Metabolic activation of carbon tetrachloride to a free-radical product study using a spin trap. *Biochem Soc Trans* 6:962-964.
- Iredale JP, Benyon RC, McCullen M, et al. 1998. Mechanisms of spontaneous resolution of rat liver fibrosis. *J Clin Invest* 102(3):538-549.
- IRIS. 1993. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency.
- *IRIS. 2003. Carbon tetrachloride. Washington, DC: Integrated Risk Information System. <http://www.epa.gov/iris/>. June 6, 2003.
- Ishigami T, Fujita T, Simbula G, et al. 2001. Regulatory effects of senescence marker protein 30 on the proliferation of hepatocytes. *Pathol Int* 51(7):491-497.
- Ishikawa K, Michida S, Mashiba S, et al. 1999. Expressions of vascular endothelial growth factor in nonparenchymal as well as parenchymal cells in rat liver after necrosis. *Biochem Biophys Res Commun* 254:587-593.
- *Ishiki Y, Ohnishi H, Muto Y, et al. 1992. Direct evidence that hepatocyte growth factor is a hepatotrophic factor for liver regeneration and has a potent antihepatitis effect *in vivo*. *Hepatology* 16:1227-1235.
- Ishiyama H, Sato M, Matsumura K, et al. 1995. Proliferation of hepatocytes and attenuation from carbon tetrachloride hepatotoxicity by gadolinium chloride in rats. *Pharmacol Toxicol* 77(4):293-298.
- Itoh H, Koyata H, Takahara T, et al. 1992. Prostacyclin administration suppresses the increase in hepatic levels of COL1A(I) and glyceraldehyde-3-phosphate dehydrogenase mRNAs in the rat treated with carbon tetrachloride. *Biochem Biophys Res Commun* 185(3):981-986.
- *Itoh S, Yamaba Y, Matsuo S, et al. 1985. Early changes in the levels of serum triiodothyronine (T3), thyroxine (T4), T3/T4 ratio and microsomal carboxylesterase activity in rats following treatment with CCl₄. *Res Commun Chem Pathol Pharmacol* 49:447-450.
- Iwai S, Karim R, Kitano M, et al. 2002. Role of oxidative DNA damage caused by carbon tetrachloride-induced liver injury -enhancement of MeIQ-induced glutathione S-transferase placental form-positive foci in rats. *Cancer Lett* 179:15-24.
- Iwamoto K, Watanaba J, Araki K, et al. 1985. Reduced hepatic clearance of propranolol induced by chronic carbon tetrachloride treatment in rats. *J Pharmacol Exp Ther* 234:470-475.
- *Jakobson I, Wahlberg JE, Holmberg B, et al. 1982. Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. *Toxicol Appl Pharmacol* 63:181-187.
- James KJ, Stack MA. 1997. The impact of leachate collection on air quality in landfills. *Chemosphere* 34:1713-1721.

9. REFERENCES

- Janbaz KH, Gilani AH. 1999. Potentiation of paracetamol and carbon tetrachloride-induced hepatotoxicity in rodents by the food additive vanillin. *Food Chem Toxicol* 37(6):603-607.
- *Janbaz KH, Saeed SA, Gilani AH, et al. 1998. An assessment of the potential of protopine to inhibit microsomal drug metabolising enzymes and prevent chemical-induced hepatotoxicity in rodents. *Pharmacol Res* 38(3):215-219.
- Janzen EG, Poyer JL, West MS, et al. 1994. Study of reproducibility of spin trapping results in the use of C phenyl-N-tert-butyl nitron (PBN) for trichloromethyl radical detection in CCl₄ metabolism by rat liver microsomal dispersions Biological spin trapping I. *J Biochem Biophys Meth* 29:189-205.
- Janzen EG, Towner RA, Brauer M. 1988. Factors influencing the formation of the carbon dioxide radical anion (CO₂⁻) spin adduct of PBN in the rat liver metabolism of halocarbons. *Free Radic Res Commun* 4:359-369.
- Janzen EG, Towner RA, Haire DL. 1987. Detection of free radicals generated from the in vitro metabolism of carbon tetrachloride using improved EPR spin trapping techniques. *Free Radic Res Commun* 3:357-364.
- *Japan Bioassay Research Center. 1998. Subchronic inhalation toxicity and carcinogenicity studies of carbon tetrachloride in F344 rats and BDF1 mice (Studies Nos. 0020, 0021, 0043, and 0044). Kanagawa, Japan Industrial Safety and Health Association, Japan Bioassay Research Center (Unpublished report to the Ministry of Labor). Hirasawa Hadano Kanagawa, 257 Japan.
- Javier Perez A, Courel M, Sobrado J, et al. 1987. Acute renal failure after topical application of carbon tetrachloride. *Lancet* 515-516.
- Jeffers PM, Ward LM, Woytowitch LM, et al. 1989. Homogeneous hydrolysis rate constants for selected chlorinated methanes, ethanes, ethenes, and propanes. *Environ Sci Technol* 23:965-969.
- *Jennings RB. 1955. Fatal fulminant acute carbon tetrachloride poisoning. *Arch Pathol* 59:269-284.
- Jennings RB, Kearns WM. 1953. Necronizing nephrosis in the rat following administration of carbon tetrachloride. *Arch Pathol* 56:348-359.
- Jeon YJ, Han SH, Yang KH, et al. 1997. Induction of liver-associated transforming growth factor beta1 (TGF-beta1) mRNA expression by carbon tetrachloride leads to the inhibition of T helper 2 cell-associated lymphokines. *Toxicol Appl Pharmacol* 144:27-35.
- *Jeong HG. 1999. Inhibition of cytochrome P450 2E1 expression by oleanolic acid hepatoprotective effects against carbon tetrachloride induced hepatic injury. *Toxicol Lett* 105(3):215-222.
- *Jeong HG, Park HY. 1998. The prevention of carbon tetrachloride-induced hepatotoxicity in mice by alpha-hederin: inhibition of cytochrome P450 2E1 expression. *Biochem Mol Biol Int* 45(1):163-170.
- Jeong W-I, Lee C-S, Park S-J, et al. 2002. Kinetics of macrophages, myofibroblasts and mast cells in carbon tetrachloride-induced rat liver cirrhosis. *Anticancer Res* 2A:869-877.
- *Jiang Z, You Dy, Chen XC, et al. 1992. Monitoring of serum markers for fibrosis during CCl₄-induced liver damage. *J Hepatol* 16:282-289.

9. REFERENCES

- Jimenez-Jativa S, Nunez de Castro I, Morata P, et al. 1992. Rat serum fructose 1,6 biphosphatase: modifications in different experimental conditions. *Biochem Int* 27(5):923-929.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- Johns R. 1976. Air pollution assessment of carbon tetrachloride. Mitre Technical Report No. MTR-7144, McLean, VA: Mitre Corp.
- *Johnson SJ, Hines JE, Burt AD. 1992. Macrophage and perisinusoidal cell kinetics in acute liver injury. *J Pathol* 166:351-358.
- Johnston DE, Kroening C. 1998. Mechanism of early carbon tetrachloride toxicity in cultured rat hepatocytes. *Pharmacol Toxicol* 83:231-239.
- *Johnstone RT. 1948. Occupational medicine and industrial hygiene. St. Louis, MO: CV Mosby Co., 148-158.
- *Joly JG, Villeneuve JP, Marier P. 1977. Chronic ethanol administration induced a form of cytochrome P-450 with specific spectral and catalytic properties. *Alcoholism* 1:17-25.
- Jordan A, Harnisch J, Borchers R, et al. 2000. Volcanogenic halocarbons. *Environ Sci Technol* 34:1122-1124.
- *Jorgenson TA, Meierhenry EF, Rushbrook CJ, et al. 1985. Carcinogenicity of chloroform in drinking water to male Osborne-Mendel rats and female B6C3F1 mice. *Fundam Appl Toxicol* 5:760-769.
- Joron GE, Hollenberg CH, Bensley EH. 1957. Carbon tetrachloride -- an underrated hazard. *Can Med Assoc J* 763:173-175.
- Junnila M, Rahko T, Sukura A, et al. 2000. Reduction of carbon tetrachloride-induced hepatotoxic effects by oral administration of betaine in male Han-Wistar Rats: A morphometric histological study. *Vet Pathol* 37:231-238.
- Kaido T, Yamaoka S, Seto S-Funaki N, et al. 1997. Continuous hepatocyte growth factor supply prevents lipopolysaccharide-induced liver injury in rats. *FEBS Lett* 411:378-382.
- Kajiwara K, Okuno M, Kobayashi T, et al. 1998. Oral supplementation with branched-chain amino acids improves survival rate of rats with carbon tetrachloride-induced liver cirrhosis. *Dig Dis Sci* 43(7):1572-1579.
- Kalf GF, Post GB, Snyder R. 1987. Solvent toxicology: Recent advances in the toxicology of benzene, the glycol ethers and carbon tetrachloride. *Ann Rev Pharmacol Toxicol* 27:399-427.
- *Kalla NR, Bansal MP. 1975. Effect of carbon tetrachloride on gonadal physiology in male rats. *Acta Anat* 91:380-385.
- *Kaminski NE, Stevens WD. 1992. The role of metabolism in carbon tetrachloride-mediated immunosuppression. *In vitro* studies. *Toxicology* 75:175-188.

9. REFERENCES

- *Kaminski NE, Barnes DW, Jordan SD, et al. 1990. The role of metabolism in carbon tetrachloride-mediated immunosuppression: *in vivo* studies. *Toxicol Appl Pharmacol* 102:9-20.
- *Kaminski NE, Jordan SD, Holsapple MP. 1989. Suppression of humoral and cell-mediated immune responses by carbon tetrachloride. *Fundam Appl Toxicol* 12:117-128.
- Kanada M, Miyagawa M, Sato M, et al. 1994. Neurochemical profile of effects of 28 neurotoxic chemicals on the central nervous system in rats (1). Effects of oral administration on brain contents of biogenic amines and metabolites. *Ind Health* 32:145-164.
- Kanta J, Kvasnickova E, Bartos F. 1992. Prolonged reduction of hepatocyte proliferative ability in rats after a single treatment with carbon tetrachloride. *Int J Exp Path* 73:21-26.
- Kaphalia BS, Ansari GA. 1989. Covalent modification of hepatic microsomal lipids of rats by carbon tetrachloride. *Mol Toxicol* 2:199-213.
- *Katami T, Nisikawa H, Yasuhara A. 1992. Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere* 24:343-349.
- Kato H, Nakazawa Y. 1987. The effect of carbon tetrachloride on the enzymatic hydrolysis of cellular triacylglycerol in adult rat hepatocytes in primary monolayer culture. *Biochem Pharmacol* 36:1807-1814.
- Kato K, Kawai T, Fujii M, et al. 1985. Enhancing effect of preadministration of carbon tetrachloride on methylazoxymethanol acetate-induced intestinal carcinogenesis. *J Toxicol Sci* 10:289-293.
- Katz RM, Jowett D. 1981. Female laundry and dry cleaning workers in Wisconsin: A mortality analysis. *Am J Public Health* 71:305-307.
- Kauppinen T, Partanen T, Degerth R, et al. 1995. Pancreatic cancer and occupational exposures. *Epidemiology* 6(5):498-502.
- Kauschke SG, Knorr A, Heke M. 1999. Two assays for measuring fibrosis: Reverse transcriptase-polymerase chain reaction of collagen alpha1 (III) mRNA is an early predictor of subsequent collagen deposition while a novel serum N-terminal procollagen (III) propeptide assay reflects manifest fibrosis in carbon tetrachloride-treated rats. *Anal Biochem* 275(2):131-140.
- *Kazantzis G, Bomford RR. 1960. Dyspepsia due to inhalation of carbon tetrachloride vapor. *Lancet*, February 13, 360-362.
- Kefalas V, Stacey NH. 1989. Potentiation of carbon tetrachloride-induced lipid peroxidation by trichloroethylene in isolated rat hepatocytes: no role in enhanced toxicity. *Toxicol Appl Pharmacol* 101:158-169.
- Kefalas V, Stacey NH. 1991. Potentiating effects of chlorinated hydrocarbons on carbon tetrachloride toxicity in isolated rat hepatocytes and plasma membranes. *Toxicol Appl Pharmacol* 109:171-179.
- *Kelly TJ, Mukund R, Spicer CW, et al. 1994. Concentrations and transformations of hazardous air pollutants. *Environ Sci Technol* 28:378-387.
- *Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. *Ecotoxicol Environ Safety* 4:26-38.

9. REFERENCES

- Kenel MF, Kulkarni AP. 1985a. Ethanol potentiation of carbon tetrachloride hepatotoxicity: possible role for the *in vivo* inhibition of aldehyde dehydrogenase. *Gen Pharmacol* 16:355-360.
- Kenel MF, Kulkarni AP. 1985b. Inhibition of hepatic aldehyde dehydrogenase by carbon tetrachloride: an *in vitro* study. *Int J Biochem* 17:605-610.
- Kennedy GL, Graepel GJ. 1991. Acute toxicity in the rat following either oral or inhalation exposure. *Toxicol Lett* 56:317-326.
- *Kerfoot HB. 1990. Soil-gas surveys for detection and delineation of groundwater contamination. *Trends Analytical Chemistry* 9:157-163.
- *Kernan GJ, Ji B-T, Dosemeci M, et al. 1999. Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. states. *Am J Ind Med* 36:260-270.
- *Kim YC. 1997. Dichloromethane potentiation of carbon tetrachloride hepatotoxicity in rats. *Fundam Appl Toxicol* 35:138-141.
- Kim YK. 1988. Hypogonadism in hepatic failure. *Nishinon Journal of Urology* 50:1-6.
- *Kim HJ, Bruckner JV, Dallas CE, et al. 1990a. Effect of dosing vehicles on the pharmacokinetics of orally administered carbon tetrachloride in rats. *Toxicol Appl Pharmacol* 102:50-60.
- *Kim HJ, Odendhal S, Bruckner JV. 1990b. Effect of oral dosing vehicles on the acute hepatotoxicity of carbon tetrachloride in rats. *Toxicol Appl Pharmacol* 102:34-49.
- Kim JY, Park JK, Emmons B, et al. 1995. Survey of volatile organic compounds at a municipal solid waste cocomposing facility. *Water Environ Res* 67(7):1044-1051.
- *Kim ND, Kwak MK, Kim SG. 1997. Inhibition of cytochrome P450 2E1 expression by 2-(allylthio)pyrazine, a potential chemoprotective agent: Hepatoprotective effects. *Biochem Pharmacol* 53(3):261-269.
- *Kim SG, Chung HC, Cho JY. 1996. Molecular mechanism for alkyl sulfide-modulated carbon tetrachloride-induced hepatotoxicity: The role of cytochrome P450 2E1, P450 2B and glutathione S-transferase expression. *J Pharmacol Exp Ther* 277(2):1058-1066.
- *Kittleson KD, Borden CW. 1956. Acute renal failure due to carbon tetrachloride poisoning. *Northwestern University Medical School Magazine* 30:117-123.
- Klaassen CD, Liu J. 1998. Induction of metallothionein as an adaptive mechanism affecting the magnitude and progression of toxicological injury. *Environ Health Perspect* 106(Suppl.1):297-300.
- Klaassen CD, Plaa GL. 1966. Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. *Toxicol Appl Pharmacol* 9:139-151.
- Klaassen CD, Plaa GL. 1967. Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. *Toxicol Appl Pharmacol* 10:119-131.

9. REFERENCES

Klaunig JE, Ruch RJ, Pereira MA. 1986. Carcinogenicity of chlorinated methane and ethane compounds administered in drinking water to mice. *Environ Health Perspect* 69:89-95.

Kliest J, Fast T, Boley JS. 1989. The relationship between soil contaminated with volatile organic compounds and indoor air pollution. *Environ Int* 15:419-425.

*Kluwe WM. 1981. The nephrotoxicity of low molecular weight halogenated alkane solvents, pesticides and chemical intermediates. *Toxicol Kidney* 179-226.

*Kluwe WM, Herrmann CL, Hook JB. 1979. Effects of dietary polychlorinated biphenyls and polybrominated biphenyls on the renal and hepatic toxicities of several chlorinated hydrocarbon solvents in mice. *J Toxicol Environ Health* 5:605-615.

Knecht KT, Mason RP. 1988. *In vivo* radical trapping and biliary secretion of radical adducts of carbon tetrachloride-derived free radical metabolites. *Drug Metab Dispos* 16:813-817.

*Knecht KT, Mason RP. 1991. The detection of halocarbon-derived radical adducts in bile and liver of rats. *Drug Metab Dispos* 19:325-331.

*Kniepert E, Siegemund A, Gorisch V. 1990. Influence of ethanol pretreatment of differing duration on toxic effects of carbon tetrachloride in rats. *Biomed Biochim Acta* 49:1097-1102.

*Kniepert E, Siegemund A, Rosenkranz M, et al. 1991. Toxic effects of carbon tetrachloride during short and long term ethanol intake in rats. *Arch Toxicol Suppl* 14:263-265.

Kobayashi K, Mutai M, Goto K, et al. 1997. Effects of carbon tetrachloride administration on initiation of liver cell foci by the non-hepatocarcinogens N-methyl-N'-nitro-N-nitrosoguanidine (MNNG) and benzo(a)pyrene (B(a)P). *Cancer Lett* 118:55-60.

Kodavanti PR, Joshi UM, Mehendale HM. 1989a. Chlordecone (kepone)-potentiated carbon tetrachloride hepatotoxicity in partially hepatectomized rats — a histomorphometric study. *J Appl Toxicol* 9:367-375.

Kodavanti PR, Joshi UM, Young RA, et al. 1989b. Protection of hepatotoxic and lethal effects of CCl₄ by partial hepatectomy. *Toxicol Pathol* 17:494-505.

Kodavanti PR, Joshi UM, Young RA, et al. 1989c. Role of hepatocellular regeneration in chlordecone potentiated hepatotoxicity of carbon tetrachloride. *Arch Toxicol* 63:367-375.

*Kodavanti PR, Kodavanti UP, Faroon OM, et al. 1992. Pivotal role of hepatocellular regeneration in the ultimate hepatotoxicity of CCl₄ in chlordecone-, mirex, or phenobarbital-pretreated rats. *Toxicol Pathol* 20:556-569.

Kodavanti PR, Kodavanti UP, Mehendale HM. 1990a. Altered hepatic energy status in chlordecone (Kepone)-potentiated CCl₄ hepatotoxicity. *Biochem Pharmacol* 40:859-866.

*Kodavanti PR, Kodavanti UP, Mehendale HM. 1990b. Carbon tetrachloride-induced alterations of hepatic calmodulin and free calcium levels in rats pretreated with chlordecone. *Hepatology* 9:230-238.

*Kodavanti PR, Rao VC, Mehendale HM. 1993. Loss of calcium homeostasis leads to progressive phase of chlordecone-potentiated carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol* 122:77-87.

9. REFERENCES

- *Kohno H, Hoshino Y, Katoh S, et al. 1992. Effect of retinoic acid on liver transglutaminase activity and carbon tetrachloride-induced liver damage in mice. *Experientia* 48:386-388.
- *Kolpin DW, Squillace PJ, Zogorski JS, et al. 1997. Pesticides and volatile organic compounds in shallow urban groundwater of the United States. In: *Groundwater urban environment proceedings*, IAHCongress, 27th. Chilton J, ed. Balkema: Rotterdam, Netherlands, 69-74.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.
- Koporec KP, Kim HJ, MacKenzie WF, et al. 1995. Effect of oral dosing vehicles on the subchronic hepatotoxicity of carbon tetrachloride in the rat. *J Toxicol Environ Health* 44:13-27.
- Koptagel E, Bulut HE. 1998. Effects of short-term hydrocarbon inhalation on rat tracheal mucosa. *Okajimas Fol Anat Jpn* 75(2-3):71-86.
- *Korsrud GO, Grice HC, McLaughlan JM. 1972. Sensitivity of several serum enzymes in detecting carbon tetrachloride-induced liver damage in rats. *Toxicol Appl Pharmacol* 22:474-483.
- *Kostyuk VA, Potapovich AI. 1991. Damage of rat liver microsomal mixed function oxidase system by carbon tetrachloride *in vivo* study with selective inhibitor of lipid peroxidation. *Biochem Int* 25:349-353.
- Kourounakis PN. 1994. Effect of spironolactone on dimethyl mercury toxicity: A possible molecular mechanism. *Arzneim Forsch* 44(10):1150-1153.
- Kovalovich K, DeAngelis RA, Li W. 2000. Increased toxin-induced liver injury and fibrosis in interleukin-6-deficient mice. *Hepatology* 31:149-159.
- Krähenbühl L, Ledermann M, Lang C, et al. 2000. Relationship between hepatic mitochondrial functions *in vivo* and *in vitro* in rats with carbon tetrachloride-induced liver cirrhosis. *J Hepatol* 33:216-223.
- Krapotkina MA. 1981. Clinical and experimental estimation of toxic effects of and derivation of maximum permissible concentration for adipic acid in the air of a work environment. *Gig Tr Prof Zabol* 0(5):46-47.
- Kravetz D, Bosch J, Arderiu M, et al. 1989. Hemodynamic effects of blood volume restitution following a hemorrhage in rats with portal hypertension due to cirrhosis of the liver: Influence of the extent of portal-systemic shunting. *Hepatology* 9:808-814.
- *Kriegman-King MR, Reinhard M. 1991. Abiotic transformation of carbon tetrachloride in the presence of sulfide and mineral surfaces. *Amer Chem Soc, Div Environ Chem. Preprint, 203rd ACS National Meeting* 32:495-498.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Anderson ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. *Toxicology of Chemical Mixtures* 399-437.

9. REFERENCES

- Kristensen DB, Kawada K, Imamura K, et al. 2000. Proteome analysis of rat hepatic stellate cells. *Hepatology* 32(2):268-277.
- Kroneld R, Reunanen M. 1990. Determination of volatile pollutants in human and animal milk by GC-MS. *Bull Environ Contam Toxicol* 44:917-923.
- *Kronevi T, Wahlberg J, Holmberg B. 1979. Histopathology of skin, liver, and kidney after epicutaneous administration of five industrial solvents to guinea pigs. *Environ Res* 19:56-69.
- Kubic VL, Anders MW. 1980. Metabolism of carbon tetrachloride to phosgene. *Life Sci* 26:2151-2155.
- Kulcsar-Gergely J, Kulcsar A. 1992. Metoprolol and propranolol treatment in carbon tetrachloride-induced hepatic injury. *Arzneim Forsch* 42(10):1192-1195.
- LaCagnin LB, Connor HD, Mason RP, et al. 1987. The carbon dioxide anion radical adduct in the perfused rat liver: relationship to halocarbon-induced toxicity. *Mol Pharmacol* 33:351-257.
- Lachnit V, Pietschmann H. 1960. Activity of serum glutamic-oxaloacetic transaminase and aldolase in workers exposed to halogenated hydrocarbons. *Ind Med Surg* 29:523-526.
- *Lai EK, McCay PB, Noguchi T, et al. 1979. *In vivo* spin-trapping of trichloromethyl radicals formed from carbon tetrachloride. *Biochem Pharmacol* 28:2231-2235.
- *Lam RHF, Brown JP, Fan AM. 1994. Chemicals in California drinking water: Source of contamination, risk assessment, and drinking water standards. In: Wang RGM, ed. *Water contamination and health*. New York, NY: Marcel Dekker, Inc., 15-44.
- Lamb RG, Borzelleca JF, Condie LW, et al. 1989. Toxic interactions between carbon tetrachloride and chloroform in cultured rat hepatocytes. *Toxicol Appl Pharmacol* 101:106-113.
- *Lamson PD, Minot AS, Robbins BH. 1928. The prevention and treatment of carbon tetrachloride intoxication. *J Am Med Assoc* 90:345-346.
- *Landsberg, L, Young JB 1998. Pheochromocytoma. In: Fauci AS, Martin JB, Braunwald E, et al., eds. *Harrison's principles of internal medicine*, 14th ed. New York: McGraw-Hill, 2057-2060.
- *LaRegina J, Bozzelli JW, Harkov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey. *Environmental Progress* 5:18-27.
- *Larsen T, Kjeldsen P, Christensen TH. 1992. Sorption of hydrophobic hydrocarbons on three aquifer materials in a flow through system. *Chemosphere* 24:439-451.
- Lasierra J, Barrao F, Cena G, et al. 1992. Changes in the fibrinolytic system in liver dysfunction: role of portal hypertension. *Thromb Res* 67(1):15-21.
- *Leach CN. 1922. Carbon tetrachloride in the treatment of hookworm disease. *J Am Med Assoc* 78:1789-1790.
- Ledda-Columbano GM, Columbano A, Coni P, et al. 1987. Liver cell proliferation induced by the mitogen ethylene dibromide, unlike compensatory cell proliferation, does not achieve initiation of rat liver carcinogenesis by diethylnitrosamine. *Cancer Lett* 36:247-252.

9. REFERENCES

- Lee SY, Ku YS. 2000. Pharmacokinetics and hepatoprotective effects of 2-methylaminoethyl-4,4'-dimethoxy-5,6,5',6'-dimethylenedioxybiphenyl-2-carboxylic acid -2'-carboxylate monohydrochloride in rats with CCl₄-induced acute hepatic failure. *J Pharm Pharmacol* 52:1099-1103.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- *Lehmann KB, Schmidt-Kehl L. 1936. The thirteen most important chlorinated aliphatic hydrocarbons from the standpoint of industrial hygiene. *Arch Hygiene* 116:132-200.
- LeSage GD, Glaser SS, Marucci L, et al. 1999. Acute carbon tetrachloride feeding induces damage of large but not small cholangiocytes from BDL rat liver. *Am J Physiol* 39:G1289-G1302.
- *Letkiewicz, F. 1983. Occurrence of carbon tetrachloride in drinking water, food and air. McLean, Virginia: JRB Associates, Inc. PB 95 183 174.
- Leung HW. 1991. Development and utilization of physiologically based pharmacokinetic models for toxicological applications. *J Toxicol Environ Health* 32:247-267.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modelling. In: Ballentine B, Marro T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- Levine D, Rockey DC, Milner TA, et al. 2000. Expression of the integrin $\alpha 8 \beta 1$ during pulmonary and hepatic fibrosis. *Am J Pathol* 156(6):1927-1935.
- Lide DR. 1993. *CRC handbook of chemistry and physics*. 73rd ed. CRC Press, Inc.
- *Lillian D, Singh HB, Appleby A, et al. 1975. Atmospheric fates of halogenated compounds. *Environ Sci Technol* 9:1042-1048.
- Lindroos PM, Zarnegar R, Michalopoulos GK. 1990. Hepatocyte growth factor (hepatopoietin A) rapidly increases in plasma before DNA synthesis and liver regeneration stimulated by partial hepatectomy and carbon tetrachloride administration. *Hepatology* 13:743-750.
- Litterst CL, Farber TM, Van Loon EJ. 1973. Potentiation of carbon tetrachloride-induced hepatotoxicity in the dog by chronic exposure to phenobarbital. *Toxicol Appl Pharmacol* 24:354-362.
- Liu P, Kawada N, Mizoguchi Y, et al. 1992. Arachidonate metabolism in D-galactosamine or CCl₄-induced acute and chronic liver injuries in rats. *Gastroenterol Jpn* 27(5):624-632.
- Liu S-L, Esposti SD, Yao T, et al. 1995. Vitamin E therapy of acute CCl₄-induced hepatic injury in mice is associated with inhibition of nuclear factor kappa B binding. *Hepatology* 22:1474-1481.
- Liu Y, Hartley DP, Liu J. 1998. Protection against carbon tetrachloride hepatotoxicity by oleanolic acid is not mediated through metallothionein. *Toxicol Lett* 95:77-85.
- *Livingston, AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.

9. REFERENCES

- Lloyd SA, Franklin MR. 1991. Modulation of carbon tetrachloride hepatotoxicity and xenobiotic-metabolizing enzymes by corticosterone pretreatment, adrenalectomy and sham surgery. *Toxicol Lett* 55:65-75.
- Lombardi B, Ove P, Reddy TV. 1985. Endogenous hepatic growth-modulating factors and effects of a choline-devoid diet and of phenobarbital on hepatocarcinogenesis in the rat. *Nutr Cancer* 7:145-154.
- *Long RM, Moore L. 1986a. Elevated cytosolic calcium in rat hepatocytes exposed to carbon tetrachloride. *J Pharmacol Exp Ther* 238:186-191.
- *Long RM, Moore L. 1986b. Inhibition of liver endoplasmic reticulum calcium pump by CCl₄ and release of a sequestered calcium pool. *Biochem Pharmacol* 35:4131-4137.
- Long RM, Moore L. 1987. Cytosolic calcium after carbon tetrachloride, 1,1-dichloroethylene, and phenylephrine exposure. Studies in rat hepatocytes with phosphorylase and quin2. *Biochem Pharmacol* 36:1215-1221.
- Long RM, Moore L. 1988. Biochemical evaluation of rat hepatocyte primary cultures as a model for carbon tetrachloride in rats based on arterial blood: Inhaled air concentration ratios. *Toxicol Appl Pharmacol* 92:295-306.
- *Long RM, Moore L, Schoenberg DR. 1989. Halocarbon hepatotoxicity is not initiated by Ca²⁺-stimulated endonuclease activation. *Toxicol Appl Pharmacol* 97:350-359.
- Lopez del Pino V, Bolt HM. 1977. [Effects of hepatotoxic agents on hepatic microsomal metabolism of estrogens in the rat.] *Drug Res* 27:2117-2120. (German)
- *Loveday KS, Anderson BE, Resnick MA, et al. 1990. Chromosome aberration and sister chromatid exchange tests in Chinese hamster ovary cells *in vitro*. V: Results with 46 chemicals. *Environ Mol Mutagen* 16:272-303.
- *Lovelock JE, Maggs RJ, Wade WJ. 1973. Halogenated hydrocarbons in and over the Atlantic. *Nature* 241:194-196.
- Lowrey K, Glende EA, Recknagel RO. 1981a. Destruction of liver microsomal calcium pump activity by carbon tetrachloride and bromotrichloromethane. *Biochem Pharmacol* 30:135-140.
- Lowrey K, Glende EA, Recknagel RO. 1981b. Rapid depression of rat liver microsomal calcium pump activity after administration of carbon tetrachloride or bromotrichloromethane and lack of effect after ethanol. *Toxicol Appl Pharmacol* 59:389-394.
- Loyke HF. 1986. Hematological and blood pressure studies in cell treated rats. *J Environ Pathol Toxicol Oncol* 7:1-8.
- Loyke HF, Maksem JA. 1992. Hepatocellular injury induced by chronic low-dose CCl₄ in spontaneous and renal hypertensive rats: A correlation to the reversal of experimental rat hypertensive models. *J Environ Pathol Toxicol Oncol* 11:38-42.
- Lu PC. 1992. A health hazard assessment in school arts and crafts. *J Environ Pathol Toxicol Oncol* 11:12-17.

9. REFERENCES

- Lukita-Atmadja W, Sato T, Wake K. 1993. Granuloma formation in the liver of Balb/c mice intoxicated with carbon tetrachloride. *Virchows Arch B* 64(4):247-257.
- Lundh HAB. 1964. Sequence comparison between kidney and liver lesions in the rat following carbon tetrachloride poisoning. *J Occup Med* 6:123-128.
- *Luster MI, Munson AE, Thomas PT, et al. 1988. Development of a testing battery to assess chemical-induced immunotoxicity: National Toxicology Program's guidelines for immunotoxicity evaluation in mice. *Fundam Appl Toxicol* 10:2-19.
- Luster MI, Simeonova PP, Gallucci RM, et al. 2000. The role of tumor necrosis factor α in chemical-induced hepatotoxicity. *Ann N Y Acad Sci* 919:214-220.
- *Lutz RW, Shires TK. 1978. Polysomal changes in rats treated with lethal doses of carbon tetrachloride. *Toxicol Appl Pharmacol* 45:653-663.
- Lynge E, Anttila A, Hemminki K, et al. 1997. Organic solvents and cancer. *Cancer Causes Control* 8(3):406-419.
- *Lynn GE, Vorhes FA. 1957. Residues in foods and feeds resulting from fumigation of grains with the commoner liquid formulations of carbon disulfide, carbon tetrachloride, ethylene dichloride and ethylene dibromide. *J Assoc Off Agric Chem* 40:163-165.
- Ma LY, LaCagnin LB, Bowman L, et al. 1989. Carbon tetrachloride inhibits synthesis of pulmonary surfactant disaturated phosphatidylcholines and ATP production in alveolar type II cells. *Acta Biochem Biophys* 1003:136-144.
- Ma X, Zhao J, Lieber CS. 1996. Polyenylphosphatidylcholine attenuates non-alcoholic hepatic fibrosis and accelerates its regression. *J Hepatol* 24(5):604-613.
- *Mabey W, Mill T. 1978. Critical review of hydrolysis of organic compounds in water under environmental conditions. *J Phys Chem* 7:383-415.
- *Mackay DM, Freyberg DL, Goltz MN, et al. 1983. A field experiment of ground water transport of halogenated organic solutes (Preprint Extended Abstract). American Chemical Society 196th National Meeting of Division of Environmental Chemists 23:368-371.
- *MacMahon HE, Weiss S. 1929. Carbon tetrachloride poisoning with microscopic fat in the pulmonary artery. *Am J Pathol* 5:623-630.
- Manautou JE, Silva VM, Henning GE, et al. 1998. Repeated dosing with the peroxisome proliferator clofibrate decreases the toxicity of model hepatotoxic agents in male mice. *Toxicology* 127:1-10.
- *Mannering GJ. 1985. Drug metabolism in the newborn. *Fed Proc* 44:2302-2308.
- *Manno M, deMatteis F, King LJ. 1988. The mechanism of the suicidal, reductive inactivation of microsomal cytochrome P-450 by carbon tetrachloride. *Biochem Pharmacol* 37:1981-1990.
- *Manno M, Ferrara R, Cazzaro S, et al. 1992. Suicidal inactivation of human cytochrome P-450 by carbon tetrachloride and halothane *in vitro*. *Pharmacol Toxicol* 70:13-18.

9. REFERENCES

- Manno M, Rezzadore M, Cazzaro S. 1991. Suicidal inactivation of cytochrome P-450 by halothane and carbon tetrachloride. Padova, Italy: Institut Occup Med, 329-331.
- *Manno M, Rezzadore M, Grossi M, et al. 1996. Potentiation of occupational carbon tetrachloride toxicity by ethanol abuse. Hum Exp Toxicol 15:294-300.
- Manno M, Tolando R, Ferrara R, et al. 1995. Suicidal inactivation of haemoproteins by reductive metabolites of halomethanes: A structure-activity relationship study. Toxicology 100:175-183.
- Marathe GK, Harrison KA, Roberts LJ, et al. 2001. Identification of platelet-activating factor as the inflammatory lipid mediator in CCl₄-metabolizing rat liver. J Lipid Res 42:587-596.
- *Marchand C, McLean S, Plaa GL. 1970. The effect of SKF 525A on the distribution of carbon tetrachloride in rats. J Pharmacol Exp Therap 714:232-238.
- *Markham TN. 1967. Renal failure due to carbon tetrachloride. J Occup Med 9:16-17.
- Martin CJ, Le CXC, Guidotti TL, et al. 1999. Zinc exposure in Chinese foundry workers. Am J Ind Med 35:574-580.
- *Martinez M, Mourelle M, Muriel P. 1995. Protective effect of colchicine on acute liver damage induced by CCl₄. Role of cytochrome P-450. J Appl Toxicol 15(1):49-52.
- Masuda Y, Nakamura Y. 1990. Effects of oxygen deficiency and calcium omission on carbon tetrachloride hepatotoxicity in isolated perfused livers from phenobarbital-pretreated rats. Biochem Pharmacol 40:1865-1876.
- Mathur AK, Gupta BN. 1998. Dermal toxicity of linear alkylbenzene sulfonate, chromium, and nickel in guinea pigs. J Toxicol Cutaneous Ocul Toxicol 17(4):191-196.
- Matkovics B, Novak R, Szabo L, et al. 1978. Effect of acute carbon tetrachloride intoxication on the lipid peroxidation and the enzymes of the peroxide metabolism of rat tissues. Gen Pharmacol 9:329-332.
- *Matsubara T, Mori S, Touchi A, et al. 1983. Carbon tetrachloride-induced hepatotoxicity in rats: evidence for different susceptibilities of rat liver lobes. Japan J Pharmacol 33:435-445.
- Matwichuk C, Daniel G, DeNovo R et al. 2000. Evaluation of plasma time-activity curves of technetium-99m-mebrofenin for measurement of hepatic function in dogs. Vet Radiol Ultrasound 41(1):78-84.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. Toxicology 74:135-149
- *McCann J, Choi E, Yamasaki E, et al. 1975. Detection of carcinogens as mutagens in the *Salmonella*/microsome test: assay of 300 chemicals. Proc Nat Acad Sci 72:5135-5139.
- *McCarty PL. 1996. Biotic and abiotic transformations of chlorinated solvents in ground water. EPA/540/r-96/509. Symp. Nat. Atten. Chlorin. Org. Groundwater. Washington, DC: U.S. Environmental Protection Agency, Office of Resource Development, 5-9.

9. REFERENCES

- *McCarty PL, Reinhard M. 1993. Biological and chemical transformations of halogenated aliphatic compounds in aquatic and terrestrial environments. In: Oremland RS, ed. *The biochemistry of global change: Radiative trace gases*. New York, NY: Chapman & Hall, 839-852.
- *McCarty PL, Semprini L. 1994. Ground-water treatment for chlorinated solvents. In: Norris RD et al., eds. *Handbook of bioremediation*. Boca Raton, FL: Lewis Publishers, 87-116.
- McCarty LP, Flannagan DC, Randall SA, et al. 1992. Acute toxicity in rats of chlorinated hydrocarbons given via the intratracheal route. *Human Exp Toxicol* 11:173-177.
- *McCarty PL, Goltz MN, Hopkins GD, et al. 1996. In-situ biodegradation of chlorinated solvent contaminants in groundwater. In: *Proc-Weftec. Annual Conference Expo.*, 69th, Vol. 3, 217-223.
- McClenny WA, Pleil JD, Lumpkin TA, et al. 1987. Toxic monitoring with canister-based systems. *Proceedings of the APCA Annual Meeting* 80:87/62.3.
- *McCollister DD, Beamer WH, Atchison GJ, et al. 1951. The absorption, distribution and elimination of radioactive carbon tetrachloride by monkeys upon exposure to low vapor concentrations. *J Pharmacol Exp Therap* 102:112-124.
- *McConnell G, Ferguson DM, Peason CR. 1975. Chlorinated hydrocarbons and the environment. *Endeavour* 34:13-18.
- *McDermott WV, Hardy HL. 1963. Cirrhosis of the liver following chronic exposure to carbon tetrachloride. *J Occup Med* 5:249-251.
- McGregor D, Lang M. 1996. Carbon tetrachloride: Genetic effects and other modes of action. *Mutat Res* 366:181-195.
- *McGuire LW. 1932. Carbon tetrachloride poisoning. *J Am Med Assoc* 99:988-989.
- McKinney JD, Maurer RR, Hass JR, et al. 1975. Possible factors in the drinking water of laboratory animals causing reproductive failure. In: Keith LH, ed. *Identification and analysis of organic pollutants in water*. Ann Arbor, MI: Ann Arbor Science Publishers Inc., 417-432.
- *McKone TE. 1987. Human exposure to volatile organic compounds in household tap water: the indoor inhalation pathway. *Environ Sci Technol* 21:1194-1201.
- McKone TE. 1989. Household exposure models. *Toxicol Lett* 49:321-339.
- *McLean AEM, McLean EK. 1966. The effect of diet and 1,1,1-trichloro-2,2-bis-(p-chlorophenyl)ethane (DDT) on microsomal hydroxylating enzymes and on sensitivity of rats to carbon tetrachloride poisoning. *Biochem J* 100:564-571.
- *McMahon BM. 1971. Analysis of commercially fumigated grains for residues of organic fumigants. *J Assoc Off Anal Chem* 51:964-965.
- *Mehendale HM. 1990. Potentiation of halomethane hepatotoxicity by chlordecone: a hypothesis for the mechanism. *Med Hypotheses* 33:289-299.

9. REFERENCES

- *Mehendale HM. 1991. Commentary: Role of hepatocellular regeneration and hepatobular healing in the final outcome of liver injury. A two-stage model of toxicity. *Biochem Pharmacol* 42:1155-1162.
- *Mehendale HM. 1992. Biochemical mechanisms of biphasic dose-response relationships: Role of hormesis. In: Calabrese EJ, ed. *Biological effects of low level exposures to chemicals and radiation*. Chelsea, MI: Lewis Publishers, 59-94.
- Mehendale HM. 1994. Amplified interactive toxicity of chemicals at nontoxic levels: Mechanistic considerations and implications to public health. *Environ Health Perspect* 102(Suppl. 9):139-149.
- *Mehendale HM, Klingensmith JS. 1988. *In vitro* metabolism of carbon tetrachloride by rats pretreated with chlordecone, mirex, or phenobarbital. *Toxicol Appl Pharmacol* 93:247-256.
- *Mehendale HM, Ray SD, Cai Z. 1991. Paradoxical toxicity of CCl₄ in isolated hepatocytes from chlordecone, phenobarbital and mirex pretreated rats. *In Vitro Toxicology* 4:187-196.
- Melin A-M, Perromat A, Deleris G. 2001. The *in vivo* toxicity of carbon tetrachloride and carrageenan on heart microsomes: analysis by fourier transform infrared spectroscopy. *Can J Physiol Pharmacol* 79(9):799-804.
- Michael LC, Pellizzari ED, Perritt RL, et al. 1990. Comparison of indoor, backyard, and centralized air monitoring strategies for assessing personal exposure to volatile organic compounds. *Environ Sci Technol* 24:996-1003.
- *Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. *Environ Sci Technol* 22:565-570.
- Mikhail TH, Awadallah R, El-Dessoukey EA. 1978. Effect of AMP on serum minerals in carbon-tetrachloride hepatotoxicity. *Z Ernährungswiss* 17:47-51.
- *Milanovich FP. 1986. Detecting chloroorganics in groundwater. *Environ Sci Technol* 20:441-442.
- *Mirpuri E, Garcia-Trevijano ER, Castilla-Cortazar, et al. 2002. Altered liver gene expression in CCl₄-cirrhotic rats is partially normalized by insulin-like growth factor-I. *Int J Biochem Cell Biol* 34(3):242-252.
- *Mirsalis JC, Butterworth BE. 1980. Detection of unscheduled DNA synthesis in hepatocytes isolated from rats treated with genotoxic agents: an *in vivo-in vitro* assay for potential carcinogens and mutagens. *Carcinogenesis* 1:621-625.
- Mirsalis JC, Steinmetz KL. 1990. The role of hyperplasia in liver carcinogenesis. In: *Mouse liver carcinogenesis: mechanisms and species comparisons*. Alan R. Liss, Inc., 149-161.
- *Mirsalis JC, Tyson CK, Butterworth BE. 1982. Detection of genotoxic carcinogens in the *in vivo-in vitro* hepatocyte DNA repair assay. *Environ Mutagen* 4:553-562.
- Mizumoto M, Arai S, Furutani M, et al. 1997. NO as an indicator of portal hemodynamics and the role of iNOS in increased NO production in CCl₄-induced liver cirrhosis. *J Surg Res* 70:124-133.

9. REFERENCES

- Moghaddam AP, Eggers JS, Calabrese EJ. 1998. Evaluation of sex difference in tissue repair following acute carbon tetrachloride toxicity in male and female Sprague-Dawley rats. *Toxicology* 130(2-2):95-105.
- Mokuda O, Ubukata E, Sakamoto Y. 1995. Impaired glucose uptake and intact gluconeogenesis in perfused rat liver after carbon tetrachloride injury. *Biochem Mol Med* 54(1):38-42.
- *Molina MJ, Rowland FS. 1974. Predicted present stratospheric abundances of chlorine species from photodissociation of carbon tetrachloride. *Geophys Res Lett* 1:309-312.
- Montalto de Mecca M, Castro GD, Diaz Gomez MI. 1995. Dithiothreitol inhibitory effects on carbon tetrachloride-promoted naph-dependent lipid peroxidation in liver microsomal suspensions. *Res Commun Mol Pathol Pharmacol* 88(28):205-213.
- *Moody DA. 1992. Effect of phenobarbital treatment on carbon tetrachloride-mediated cytochrome P-450 loss and diene conjugate formation. *Toxicol Lett* 61:213-224.
- Moody DE, James JL, Smuckler EA. 1990. Phenobarbital pretreatment alters the localization of CCl₄-induced changes in rat liver microsomal fatty acids. *Toxicol Appl Pharmacol* 103:16-27.
- Moore L, Schoenberg DR, Long RM. 1990. Impact of halogenated compounds on calcium homeostasis in hepatocytes. *Environ Health Perspect* 84:149-153.
- *Morgan DL, Copper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. *Environ Res* 55:51-63.
- Morio LA, Chiu H, Sprowles KA, et al. 2001. Distinct roles of tumor necrosis factor- α and nitric oxide in acute liver injury induced by carbon tetrachloride in mice. *Toxicol Appl Pharmacol* 172:44-51.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.
- *Mourelle M, Franco MT. 1991. Erythrocyte defects precede the onset of CCl₄-induced liver cirrhosis protection by silymarin. *Life Sci* 48:1083-1090.
- Mourelle M, Meza M. 1990. CCl₄-induced lipoperoxidation triggers a lethal defect in the liver plasma membranes. *J Appl Toxicol* 10:23-27.
- Murakami T, Nagamura Y, Hirano K. 1998. The effect of ethanolamine on acute carbon tetrachloride intoxication. *Biol Pharm Bull* 21(1):84-86.
- Muriel P. 1993. S-adenosyl-L-methionine prevents and reverses erythrocyte membrane alterations in cirrhosis. *J Appl Toxicol* 13(3):179-182
- *Muriel P. 1998. Nitric oxide protection of rat liver from lipid peroxidation, collagen accumulation, and liver damage induced by carbon tetrachloride. *Biochem Pharmacol* 56:773-779.
- *Muriel P, Escobar Y. 2003. Kupffer cells are responsible for liver cirrhosis induced by carbon tetrachloride. *J Appl Toxicol* 23:103-108.

9. REFERENCES

- Muriel P, Mourelle M. 1990. Prevention by Silymarin of membrane alterations in acute CCl₄ liver damage. *J Appl Toxicol* 10:275-279.
- *Muro H, Shirasawa H, Kosugi I, et al. 1990. Defect of sinusoidal Fc receptors and immune complex uptake in CCl₄-induced liver cirrhosis in rats. *Gastroenterology* 99:200-210.
- Murphy SD, Malley S. 1969. Effect of carbon tetrachloride on induction of liver enzymes by acute stress or corticosterone. *Toxicol Appl Pharmacol* 15:117-130.
- Murray M, Farrell GC. 1984. Different effects of carbon tetrachloride toxicity and cirrhosis on substrate binding to rat hepatic microsomal cytochrome P-450. *Biochem Pharmacol* 33:687-689.
- Murray M, Zaluzny L, Farrell GC. 1987. Impaired androgen 16 α -hydroxylation in hepatic microsomes from carbon tetrachloride-cirrhotic male rats. *Gastroenterology* 93:141-147.
- Nagai H, Shimazawa T, Yakuo I, et al. 1989a. Role of peptide-leukotrienes in liver injury in mice. *Inflammation* 13:673-680.
- Nagai H, Shimazawa T, Yakuo I, et al. 1989b. The role of thromboxane A₂ [TxA₂] in liver injury in mice. *Prostaglandins* 38:439-446.
- Nagano K, Katagiri T, Aiso S, et al. 1997. Spontaneous lesions of nasal cavity in aging F344 rats and BDF1 mice. *Exp Toxicol Pathol* 49:97-104.
- *Nagano K, Nishizawa T, Yamamoto S, et al. 1998. Inhalation carcinogenesis studies of six halogenated hydrocarbons in rats and mice. In: Chiyotani K, Hosoda Y, Aizawa Y, eds. *Advances in the prevention of occupational respiratory diseases*. Elsevier Science B.V.:741-746.
- *Nakajima T, Sato A. 1979. Enhanced activity of liver drug-metabolizing enzymes for aromatic and chlorinated hydrocarbons following food deprivation. *Toxicol Appl Pharmacol* 50:549-556.
- Nakamura T, Ariei S, Monden K, et al. 1998. Expression of the Na⁺/Ca²⁺ exchanger emerges in hepatic stellate cells after activation in association with liver fibrosis. *Proc Natl Acad Sci U S A* 95(9):5389-5394.
- Nardacci R, Lacono OL, Ciccocanti F, et al. 2003. Transglutaminase type II plays a protective role in hepatic injury. *Am J Pathol* 162(4):1293-1303.
- Narotsky MG, Kavlock RJ. 1995. A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45:145-171.
- *Narotsky MG, Brownie CF, Kavlock RJ, et al. 1997a. Critical period of carbon tetrachloride-induced pregnancy loss in Fischer-344 rats, with insights into the detection of resorption sites by ammonium sulfide staining. *Teratology* 56(4):252-261.
- Narotsky MG, Hamby BT, Mitchell DS, et al. 1992. Full-litter resorptions caused by low molecular weight halocarbons in F-344 rats. *Teratology Society Abstracts*, 472-473.
- Narotsky MG, Hamby BT, Mitchell DS, et al. 1994. Effect of vehicle on the developmental toxicity of bromodichloromethane (BDCM) and carbon tetrachloride. *Teratology* 49(5):395.

9. REFERENCES

- *Narotsky MG, Pegram RA, Kavlock RJ. 1997b. Effect of dosing vehicle on the developmental toxicity of bromodichloromethane and carbon tetrachloride in rats. *Fundam Appl Toxicol* 40:30-36.
- NAS. 1977. Drinking water and health. Washington, DC: National Academy of Sciences, 703-707.
- *NAS. 1978. Chloroform, carbon tetrachloride, and other halomethanes: an environmental assessment. Washington, DC: National Academy of Sciences.
- NAS. 1980. Drinking water and health, Volume 3. Washington, DC: National Academy of Sciences.
- NAS. 1984. Causes and effects of changes in stratospheric ozone: update 1983. Washington DC: National Academy of Sciences.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.
- Nath RG, Li D, Randerath K. 1990. Acute and long-term effects of carbon tetrachloride on DNA modifications (I-compounds) in male mouse liver. *Chem Biol Interactions* 76:343-357.
- NATICH. 1991. NATICH data base report on state, local and EPA air toxics activities. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. National Air Toxics Information Clearinghouse.
- *NCI. 1976. Report on carcinogenesis bioassay of chloroform. Bethesda, MD: National Cancer Institute, March 1, 1976.
- *Neely WB. 1977. Material balance analysis of trichlorofluoromethane and carbon tetrachloride in the atmosphere. *Sci Total Environ* 8:267-274.
- *Neely WB, Branson DR, Blau GE. 1974. Partition coefficient to measure bioconcentrations potential of organic chemicals in fish. *Environ Sci Technol* 8:1113-1115.
- Nelson EDP, Shikiya D, Liu CS. 1987. Multiple air toxics exposure and risk assessment in the South Coast Air Basin. *Proceedings of the APCA Annual Meeting* 89:87/97.4.
- Neubauer K, Knittel T, Aurisch S, et al. 1996. Glial fibrillary acidic protein -a cell type specific marker for Ito cells in vivo and in vitro. *J Hepatol* 24(6):719-730.
- *New PS, Lubash GD, Scherr L, et al. 1962. Acute renal failure associated with carbon tetrachloride intoxication. *J Am Med Assoc* 181:903-906.
- Nhongsang J, Toskulkao C, Glinsukon T. 1990. Potentiation of the mechanism of carbon tetrachloride induced hepatotoxicity by thinner inhalation. *Research Communications in Substance Abuse* 11:73-76.
- Nielsen VK, Larsen J. 1965. Acute renal failure due to carbon tetrachloride poisoning. *Acta Med Scand* 178:363.
- NIOSH. 1975. Occupational exposure to carbon tetrachloride. Washington, DC: National Institute for Occupational Safety and Health, Department of Health, Education, and Welfare.

9. REFERENCES

- *NIOSH. 1984. Hydrocarbons, halogenated-method 1003. NIOSH Manual of Analytical Methods. 3rd ed. (2nd supplement). Cincinnati, OH: National Institute for Occupational Safety and Health, 1003-1 to 1003-9.
- *NIOSH. 1985. Pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.
- NIOSH. 1986. NIOSH recommendations for occupational safety and health standards. Atlanta, GA: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, September, 1986.
- NIOSH. 1992. Recommendation for occupational safety, health, compendium of policy documents and statements. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control.
- *NIOSH. 2003. NIOSH pocket guide to chemical hazards. Carbon tetrachloride. Washington, DC: National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npg/npg.html>. June 6, 2003.
- *Nirmalakhandan NN, Speece RE. 1988. Prediction of aqueous solubility of organic chemicals based on molecular structure. *Environ Sci Technol* 22:328-338.
- Nishida K, Ohta Y, Ishiguro I. 1998a. Glutamylcysteinethyl ester attenuates progression of carbon tetrachloride-induced acute liver injury in mice. *Toxicology* 126:55-63.
- Nishida K, Ohta Y, Ishiguro I. 1998b. Preventive effect of γ -glutamylcysteinylethyl ester on carbon tetrachloride-induced hepatic triglyceride accumulation in mice. *Toxicol Lett* 95:141-146.
- Nishida K, Ohta Y, Kongo M, et al. 1996. Response of endogenous reduced glutathione through hepatic glutathione redox cycle to enhancement of hepatic lipid peroxidation with the development of acute liver injury in mice intoxicated with carbon tetrachloride. *Res Commun Mol Pathol Pharmacol* 93(2):198-218.
- NJDEP. 1988. STAL for carbon tetrachloride. Trenton, NJ: New Jersey Department of Environmental Protection.
- *NLM. 1988. CAS registry. National Library of Medicine.
- Noda T, Morita S, Baba A. 1994. Enhanced teratogenic activity of di-n-butyltin diacetate by carbon tetrachloride pretreatment in rats. *Food Chem Toxicol* 32(4):321-327.
- *Noguchi T, Fong K-L, Lai EK, et al. 1982a. Specificity of a phenobarbital-induced cytochrome P-450 for metabolism of carbon tetrachloride to the trichloromethyl radical. *Biochem Pharmacol* 31:615-624.
- *Noguchi T, Fong K-L, Lai EK, et al. 1982b. Selective early loss of polypeptides in liver microsomes of CCl₄-treated rats. Relationship to cytochrome P-450 content. *Biochem Pharmacol* 31:609-614.
- Noll T, Hugo-Wisseman D, Littauer A, et al. 1987. The decisive pO₂-levels in haloalkane-mediated liver cell injury. *Free Radic Res Commun* 3:293-298.
- *Norwood WD, Fuqua PA, Scudder BC. 1950. Carbon tetrachloride poisoning. *Arch Ind Hyg Occup Med* 1:90-100.

9. REFERENCES

- *NRC. 1993. National Research Council. Pesticides in the diets of infants and children. Washington, DC: National Academy Press.
- NTP. 1985. Fourth annual report on carcinogens (summary). Washington, DC: U.S. Department of Health and Human Services, NTP 85-002, 50-2.
- NTP. 1990. Sixth annual report on carcinogens. Summary report to the National Institute of Environmental Health Sciences, Research Triangle Park, NC, by Technical Resources, Inc., Rockville, MD.
- *NTP. 2002. Report on carcinogens. Research Triangle Park, NC: National Toxicology Program. <http://eph.niehs.nih.gov/roc/tox10.html>. June 6, 2003.
- Ochi Y, Yumori Y, Morioka A, et al. 1990. Effect of α -blockade on liver regeneration after carbon tetrachloride intoxication in the rat. *Biochem Pharmacol* 39:2065-2066.
- Ogawa M, Mori T, Mori Y, et al. 1992. Study on chronic renal injuries induced by carbon tetrachloride: selective inhibition of the nephrotoxicity by irradiation. *Nephron* 60:68-73.
- O'Hara TM, Sheppard MA, Clarke EC, et al. 1991. A $\text{CCl}_4/\text{CHCl}_3$ interaction study in isolated hepatocytes: non-induced and phenobarbital-pretreated cells. *J Appl Toxicol* 11:147-154.
- *Ohta Y, Sahashi D, Sasaki E, et al. 1999. Alleviation of carbon tetrachloride-induced chronic liver injury and related dysfunction by L-tryptophan in rats. *Ann Clin Biochem* 36:504-510.
- Omura M, Katsumata T, Misawa H, et al. 1999. Decrease in protein kinase and phosphatase activities in the liver nuclei of rats exposed to carbon tetrachloride. *Toxicol Appl Pharmacol* 160:192-197.
- Onori P, Morini S, Franchitto A, et al. 2000. Hepatic microvascular features in experimental cirrhosis: a structural and morphometrical study in CCl_4 -treated rats. *J Hepatol* 33(4):555-563.
- *Oraumbo IF, Van Duuren BL. 1987. Time-related binding of the hepatocarcinogen carbon tetrachloride to hepatic chromatin proteins *in vitro*. *Carcinogenesis* 8:855-856.
- Oraumbo IF, Van Duuren BL. 1989. Evidence for the covalent interaction of carbon tetrachloride with mouse liver chromatin DNA *in vitro*. Laboratory of Organic Chemistry and Carcinogenesis, Report No. L231.13-18.
- Orfila C, Lepert JC, Alric L, et al. 1999. Expression of TNF-alpha and immunohistochemical distribution of hepatic macrophage surface markers in carbon tetrachloride-induced chronic liver injury in rats. *Histochem J* 31:677-685.
- *OSHA. 1989. Occupational Safety and Health Administration. Part III. Federal Register 2679-2681.
- OSHA. 1993. Occupational Safety and Health Administration: Part V. Federal Register 58:35338-35351.
- *OSHA. 2003a. Occupational safety and health standards for shipyard employment. Air contaminants. Washington, DC: Occupational Safety and Health Administration. 29 CFR 1915.1000. <http://www.osha.gov/comp-links.html>. June 6, 2003.

9. REFERENCES

- OSHA. 2003b. Occupational safety and health standards. Health hazards definitions. Washington, DC: Occupational Safety and Health Administration. 29 CFR 1910.1200, Appendix A. <http://www.osha.gov/comp-links.html>. June 6, 2003.
- *OSHA. 2003c. Occupational safety and health standards. Limits for air contaminants. Washington, DC: Occupational Safety and Health Administration. 29 CFR 1910.1000, Table Z-1. <http://www.osha.gov/comp-links.html>. June 6, 2003.
- OSHA. 2003d. Occupational safety and health standards. National Research Council recommendations concerning chemical hygiene in laboratories. Washington, DC: Occupational Safety and Health Administration. 29 CFR 1910.1450, Appendix A. <http://www.osha.gov/comp-links.html>. June 6, 2003.
- *OSHA. 2003e. Occupational safety and health standards. Toxic and hazardous substances. Washington, DC: Occupational Safety and Health Administration. 29 CFR 1910.1000, Table Z-2. <http://www.osha.gov/comp-links.html>. June 6, 2003.
- *OSHA. 2003f. Safety and health regulations for construction. Gases, vapors, fumes, dusts, and mists. Washington, DC: Occupational Safety and Health Administration. 29 CFR 1926.55, Appendix A. <http://www.osha.gov/comp-links.html>. June 6, 2003.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-436. April 1990.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.
- Paakko P, Anttila S, Sormunen R, et al. 1996. Biochemical and morphological characterization of carbon tetrachloride-induced lung fibrosis in rats. *Arch Toxicol* 70:540-552.
- Paddle GM. 1983. Incidence of liver cancer and trichloroethylene manufacture: joint study by industry and a cancer registry. *Br Med J* 286:846.
- Page DA, Carlson GP. 1993. The role of the intestinal tract in the elimination of carbon tetrachloride. *Toxicol Appl Pharmacol* 124(2):268-274.
- Paradis V, Dargere D, Vidaud M, et al. 1999. Expression of connective tissue growth factor in experimental rat and human liver fibrosis. *Hepatology* 30:968-976.
- Parker KJ, Tuthil TA. 1986. Carbon tetrachloride-induced changes in ultrasonic properties of liver. *IEEE Trans Biomed Eng* 33:453-460.
- *Parola M, Leonarduzzi G, Biasi F, et al. 1992. Vitamin E dietary supplementation protects against carbon tetrachloride-induced chronic liver damage and cirrhosis. *Hepatology* 16:1014-1021.
- Paronetto F, Popper H. 1964. Enhanced antibody formation in experimental acute and chronic liver injury produced by carbon tetrachloride or allyl alcohol. *Proc Soc Exp Bio Med* 116:1060-1064.
- *Past MR, Cook DE. 1982. Effect of diabetes on rat liver cytochrome P-450: Evidence for a unique diabetes-dependent rat liver cytochrome P-450. *Biochem Pharmacol* 31:3329-3334.

9. REFERENCES

- *Paul BB, Rubinstein D. 1963. Metabolism of carbon tetrachloride and chloroform by the rat. *J Pharmacol Exp Ther* 141:141-148.
- *Paustenbach DJ, Carlson GP, Christian JE, et al. 1986a. A comparative study of the pharmacokinetics of carbon tetrachloride in the rat following repeated inhalation exposures of eight and 11.5 hr/day. *Fundam Appl Toxicol* 6:484-497.
- *Paustenbach DJ, Christian JE, Carlson GP, et al. 1986b. The effect of an 11.5-hr/day exposure schedule on the distribution and toxicity of inhaled carbon tetrachloride in the rat. *Fundam Appl Toxicol* 6:472-483.
- *Paustenbach DJ, Clewell HJ, Gargas ML, et al. 1988. A physiologically based pharmacokinetic model for inhaled carbon tetrachloride. *Toxicol Appl Pharmacol* 96:191-211.
- *Pearson CR, McConnell G. 1975. Chlorinated Cl and C2 hydrocarbons in the marine environment. *Proc R Soc Lond [Biol]* 189:305-332.
- *Pellizzari ED, Sheldon LS, Bursey JT, et al. 1985a. Master scheme for the analysis of organic compounds in water, state-of-the-art review of analytical operations. Washington, DC: U.S. Environmental Protection Agency.
- Pellizzari ED, Sheldon LS, Bursey JT. 1985b. GC/MS determination of volatile halocarbons in blood and tissue. In: Fishbein L, O'Neill IK, eds. *Environmental carcinogens selected methods of analysis*. Vol. 7. International Agency for Research on Cancer, 435-444.
- Pellizzari ED, Zweidinger RA, Sheldon LS. 1985c. GC/MS determination of volatile hydrocarbons in breath samples. In: Fishbein L, O'Neill IK, eds. *Environmental carcinogens selected methods of analysis*. Vol. 7. International Agency for Research on Cancer. 413-431.
- *Peoples AJ, Pfaffenberger CD, Shafik TM, et al. 1979. Determination of volatile purgeable halogenated hydrocarbons in human adipose tissue and blood serum. *Bull Environ Contam Toxicol* 23:244-249.
- *Perez AJ, Courel M, Sobrado J, et al. 1987. Acute renal failure after topical application of carbon tetrachloride. Letter to editor. *Lancet*: February: 515-516.
- Permutt TJ, Moezzi M, Hudischewskyj AB, et al. 1987. Statistical analysis of concentrations of toxic air pollutants in California and Louisiana. *Proceedings of the APCA Annual Meeting* 80:87/66.1.
- *Pessayre D, Colbert B, Descatoire V, et al. 1982. Hepatotoxicity of trichloroethylene-carbon tetrachloride mixtures in rats. *Gastroenterology* 83:761-772.
- *Peters HA, Levine RL, Matthews CG, et al. 1987. Synergistic neurotoxicity of carbon tetrachloride/carbon disulfide (80/20 fumigants) and other pesticides in grain storage workers. *Acta Pharmacol Toxicol (Copenhagen)* 59:535-546.
- Peterson RE, Fujimoto JM. 1976. Increased "bile duct-pancreatic fluid" flow in rats pretreated with carbon tetrachloride. *Toxicol Appl Pharmacol* 35:29-39.
- *Phelps BM, Hu CH. 1924. Carbon tetrachloride poisoning. Report of two fatal cases and a series of animal experiments. *J Am Med Assoc* 82:1254-1256.

9. REFERENCES

- *Pilon D, Brodeur J, Plaa GL. 1986. 1,3-Butanediol-induced increases in ketone bodies and potentiation of CCl₄ hepatotoxicity. *Toxicology* 40:165-180.
- Pilon D, Brodeur J, Plaa GL. 1988. Potentiation of CCl₄-induced liver injury by ketonic and ketogenic compounds: Role of the CCl₄ dose. *Toxicol Appl Pharmacol* 94:183-190.
- Piscaglia F, Knittel T, Kobold D, et al. 1999. Cellular localization of hepatic cytochrome 1B1 expression and its regulation by aromatic hydrocarbons and inflammatory cytokines. *Biochem Pharmacol* 58:157-165.
- Plaa GL. 1997. A four-decade adventure in experimental liver injury. *Drug Metab Rev* 29(1&2):1-37.
- Plaa GL, Larson RE. 1964. Relative nephrotoxic properties of chlorinated methane, ethane and ethylene derivatives in mice. *Toxicol Appl Pharmacol* 7:37-44.
- *Plaa GL, Traiger GJ. 1972. Mechanism of potentiation of CCl₄-induced hepatotoxicity. *Proceedings of the 5th International Congress of Pharmacologists* 2:100-113.
- Pleil JD, Oliver KD, McClenny WA. 1988. Ambient air analyses using nonspecific flame ionization and electron capture detection compared to specific detection by mass spectroscopy. *JAPCA* 38:1006-1010.
- *Plumb RH. 1991. The occurrence of appendix IX organic constituents in disposal site ground water. *Ground Water Monitoring Review* XI:157-164.
- *Plumb RH Jr. 1992. The importance of volatile organic compounds as a disposal site monitoring parameter. In: *Environ Sci Pollut Control Ser.*, 4(Groundwater contamination and analysis at hazardous waste sites):173-197.
- Plummer JL, de la Hall P, Isley AH, et al. 1990. Influence of enzyme induction and exposure profile on liver injury due to chlorinated hydrocarbon inhalation. *Pharmacol Toxicol* 67:329-335.
- *Podolsky DK, Isselbacher KJ. 1998. Derangements of hepatic metabolism. In: Fauci SS, Martin JB, Braunwald E, et al., eds. *Harrison's principles of internal medicine*, 14th ed., 1667-1672.
- Poli G, Cheeseman KH, Biasi F, et al. 1989. Promethazine inhibits the formation of aldehydic products of lipid peroxidation but not covalent binding resulting from the exposure of rat liver fractions to CCl₄. *Biochem J* 264:527-532.
- *Pound AW, Horn L, Lawson TA. 1973. Decreased toxicity of dimethylnitrosamine in rats after treatment with carbon tetrachloride. *Pathology* 5:233-242.
- *Poyer JL, Floyd RA, McCay PB, et al. 1978. Spin-trapping of the trichloromethyl radical produced during enzymic NADPH oxidation in the presence of carbon tetrachloride or bromotrichloromethane. *Biochim Biophys Acta* 539:402-409.
- *Pratt GC, Palmer K, Wu CY, et al. 2000. An assessment of air toxics in Minnesota. *Environ Health Perspect* 108:815-825.
- *Prendergast JA, Jones RA, Jenkins LJ, et al. 1967. Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, 1,1,1-trichloroethane, dichlorofluoromethane, and 1,1-dichloroethylene. *Toxicol Appl Pharmacol* 10:270-289.

9. REFERENCES

- Pronzato MA, Domenicotti C, Biasi F, et al. 1990. Inactivation of hepatocyte protein kinase C by carbon tetrachloride: involvement of drug's metabolic activation and prooxidant effect. *Biochem Biophys Res Commun* 171:1353-1360.
- Ptacek CJ, Gillham RW. 1992. Laboratory and field measurements of nonequilibrium transport in the Borden aquifer, Ontario, Canada. *Journal Contaminant Hydrology* 10:119-158.
- Ramkumar KN, Rajesh MR, Anuradha CV. 2003. Food restriction attenuates blood lipid peroxidation in carbon tetrachloride-intoxicated rats. *Nutrition* 19:358-362.
- *Rams JM, Pilgrim M, Rauth S, et al. 1979. Level II materials balance: carbon tetrachloride (Draft Report). Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.
- *Rao KS, Recknagel RO. 1968. Early onset of lipoperoxidation in rat liver after carbon tetrachloride administration. *Exp Mol Pathol* 9:271-278.
- *Rao KS, Recknagel RO. 1969. Early incorporation of carbon-labeled carbon tetrachloride into rat liver particulate lipids and proteins. *Exp Mol Pathol* 10:219-228.
- *Rao SB, Mehendale HM. 1989. Protective role of fructose 1,6-bisphosphate during carbon tetrachloride hepatotoxicity in rats. *Biochem J* 262:721-725.
- *Rao VC, Mehendale HM. 1991. Colchicine antimetabolism abolishes CCl₄ autoprotection. *Toxicol Pathol* 19:179-606.
- *Rao VC, Mehendale HM. 1993. Effect of antimetabolic agent colchicine on carbon tetrachloride toxicity. *Arch Toxicol* 67:392-400.
- *Rao PS, Dalu A, Kulkarni SG, et al. 1996. Stimulated tissue repair prevents lethality in isopropanol-induced potentiation of carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol* 140:235-244.
- Rao PS, Mangipudy RS, Mehendale HM. 1997. Tissue injury and repair as parallel and opposing responses to CCl₄ hepatotoxicity: a novel dose-response. *Toxicology* 118:181-193.
- Rao SB, Young RA, Mehendale HM. 1990. Perturbations in polyamines and related enzymes following chloroform-potentiated bromotrichloromethane hepatotoxicity. *J Biochem Toxicol* 5:23-32.
- *Rasheed A, Hines RN, McCarver-May DG. 1997. Variation in induction of human placental CYP2E1: Possible role in susceptibility to fetal alcohol syndrome? *Toxicol Appl Pharmacol* 144:396-400.
- Ray P, Moore L. 1986. Carbon tetrachloride-induced release of calcium from isolated hepatocytes. *Toxicology* 41:205-212.
- *Ray SD, Mehendale HM. 1990. Potentiation of CCl₄ and CHCl₃ hepatotoxicity and lethality by various alcohols. *Fundam Appl Toxicol* 15:429-440.
- Raymer JH, Thomas KW, Cooper SD, et al. 1990. A device for sampling of human alveolar breath for the measurement of expired volatile organic compounds. *J Anal Toxicol* 14:337-344.

9. REFERENCES

- Raymond P, Plaa G. 1995a. Ketone potentiation of haloalkane-induced hepato- and nephrotoxicity. II. Implication of monooxygenases. *J Toxicol Environ Health* 46:317-328.
- *Raymond P, Plaa GL. 1995b. Ketone potentiation of haloalkane-induced hepato- and nephrotoxicity. I Dose-response relationships. *J Toxicol Environ Health* 45:465-480.
- Raymond P, Plaa GL. 1997. Effect of dosing vehicle on the hepatotoxicity of CCl₄ and hepatotoxicity of CHCl₃ in rats. *J Toxicol Environ Health* 51(5):463-476.
- *Recknagel RO. 1967. Carbon tetrachloride hepatotoxicity. *Pharmacol Rev* 19:145-208.
- *Recknagel RO, Ghoshal AK. 1966. Lipoperoxidation as a vector in carbon tetrachloride hepatotoxicity. *Lab Invest* 15:132-145.
- *Recknagel RO, Glende EA Jr. 1973. Carbon tetrachloride hepatotoxicity: An example of lethal cleavage. *CRC Crit Rev Toxicol* 2:263-297.
- Recknagel RO, Glende EA, Dolak JA, et al. 1989. Mechanisms of carbon tetrachloride toxicity. *Pharmacol Ther* 43:139-154.
- *Reinhardt CF, Azer A, Maxfield ME, et al. 1971. Cardiac arrhythmias and aerosol sniffing. *Arch Environ Health* 22:265-279.
- *Reinke LA, Janzen EG. 1991. Detection of spin adducts in blood after administration of carbon tetrachloride to rats. *Chem Biol Interact* 78:155-165.
- *Reinke LA, Towner RA, Janzen EG. 1992. Spin trapping of free radical metabolites of carbon tetrachloride *in vitro* and *in vivo*: Effect of acute ethanol administration. *Toxicol Appl Pharmacol* 112:17-23.
- Reiter R, Burk RF. 1988. Formation of glutathione adducts of carbon tetrachloride metabolites in a rat liver microsomal incubation system. *Biochem Pharmacol* 37:327-331.
- Reuber MD, Glover EL. 1967a. Cholangiofibrosis in the liver of buffalo strain rats injected with carbon tetrachloride. *Br J Exp Pathol* 48(3):319-322.
- *Reuber MD, Glover EL. 1967b. Hyperplastic and early neoplastic lesions of the liver in buffalo strain rats of various ages given subcutaneous carbon tetrachloride. *J Natl Cancer Inst* 38:891-899.
- *Reuber MD, Glover EL. 1970. Cirrhosis and carcinoma of the liver in male rats given subcutaneous carbon tetrachloride. *J Natl Cancer Inst* 44:419-427.
- Reviere R, Schneider S, Woolbright K. 1995. Associations between disease and occupation: Hypothesis generated from the national mortality followback survey. *Am J Ind Med* 27(2):195-205.
- Reynolds ES. 1967. Liver parenchymal cell injury. IV. Pattern of incorporation of carbon and chlorine from carbon tetrachloride into chemical constituents of liver *in vivo*. *J Pharmacol Exp Therap* 155:117-126.
- *Reynolds ES, Yee AG. 1968. Liver parenchymal cell injury. Part VI. Significance of early glucose-6-phosphatase suppression and transient calcium influx following poisoning. *Lab Invest* 19:273-281.

9. REFERENCES

- *Reynolds ES, Treinen RJ, Farrish HH. 1984. Metabolism of [¹⁴C]carbon tetrachloride to exhaled, excreted and bound metabolites. *Biochem Pharmacol* 33:3363-3374.
- *Rhoderick GC, Miller WR. 1990. Multipoint calibration of a gas chromatograph using cryogenic preconcentration of a single gas standard containing volatile organic compounds. *Anal Chem* 62:810-815.
- *RIDOH. 1989. Rhode Island Department of Health. Letter with accompanying data, from Bela T. Matyas (Chief, Office of Environmental Health Risk Assessment) to James Gibson (ATSDR), dated 3 March, 1989.
- Rikans LE, DeCicco LA, Hornbrook KR, et al. 1999. Effect of age and carbon tetrachloride on cytokine concentrations in rat liver. *Mech Ageing Dev* 108:173-182.
- Rinkus SJ, Legator MS. 1979. Chemical characterization of 465 known or suspected carcinogens and their correlation with mutagenic activity in the *Salmonella typhimurium* system. *Cancer Res* 39:3289-3318.
- Rivera CA, Bradford BU, Hunt KJ, et al. 2001. Attenuation of CCl₄-induced hepatic fibrosis by GdCl₃ treatment or dietary glycine. *Am J Physiol Gastrointest Liver Physiol* 281(1):G200-207.
- *Roberts SM, Harbison RD, James RC, et al. 1994. Methamphetamine potentiation of carbon tetrachloride hepatotoxicity in mice. *J Pharmacol Exp Ther* 271(2):1051-1057.
- *Roberts SM, Harbison RD, James RC, et al. 1995. Mechanistic studies on the potentiation of carbon tetrachloride hepatotoxicity by methamphetamine. *Toxicology* 97(1-3):49-57.
- *Robertson DG, Reily MD, Sigler RE, et al. 2000. Metabonomics: Evaluation of nuclear magnetic resonance (NMR) and pattern recognition technology for rapid *in Vivo* screening of liver and kidney toxicants. *Toxicol Sci* 57(2):326-337.
- *Rocchi P, Prodi G, Grilli S, et al. 1973. *In vivo* and *in vitro* binding of carbon tetrachloride with nucleic acids and proteins in rat and mouse liver. *Int J Cancer* 11:419-425.
- Rockey DC, Chung JJ. 1997. Regulation of inducible nitric oxide synthase and nitric oxide during hepatic injury and fibrogenesis. *Am J Physiol* 273(1):G124-130.
- Rockey DC, Weisiger RA. 1996. Endothelin induced contractility of stellate cells from normal and cirrhotic rat liver: Implications for regulation of portal pressure and resistance. *Hepatology* 24:233-240.
- Roghani M, Da Silva C, Castagna M. 1987. Tumor promoter chloroform is a potent protein kinase C activator. *Biochem Biophys Res Commun*. 142:738-744.
- Rood AS, McGavran PD, Aanenson JW, et al. 2001. Stochastic estimates of exposure and cancer risk from carbon tetrachloride released to the air from the Rocky Flats Plant. *Risk Anal* 21(4):675-695.
- Rosengren RJ, Sauer J-M, Hooser SB, et al. 1995. The interactions between retinol and five different hepatotoxicants in the Swiss Webster Mouse. *Fundam Appl Toxicol* 25(281-292)

9. REFERENCES

- *Roudabush RL, Terhaar CJ, Fassett DW, et al. 1965. Comparative acute effects of some chemicals on the skin of rabbits and guinea pigs. *Toxicol Appl Pharmacol* 7:559-565.
- *Rubin E, Lieber CS. 1968. Hepatic microsomal enzymes in man and rat: Induction and inhibition by ethanol. *Science* 162:690-691.
- *Rungby J, Ernst E. 1992. Experimentally induced lipid peroxidation after exposure to chromium, mercury or silver: interactions with carbon tetrachloride. *Pharmacol Toxicol* 70:205-207.
- *Ruprah M, Mant TKG, Flanagan RJ. 1985. Acute carbon tetrachloride poisoning in 19 patients: implications for diagnosis and treatment. *Lancet*, May I:1027-1029.
- *Rush B, Merritt MV, Kaluzny M, et al. 1986. Studies on the mechanism of the protective action of 16,16-dimethyl PGE₂ in carbon tetrachloride induced acute hepatic injury in the rat. *Prostaglandins* 32:439-455.
- *Ruth JH. 1986. Odor thresholds and irritation levels of several chemical substances: A review. *Am Ind Hyg Assoc J* 47:142-151.
- *Rutherford DW, Chiou CT. 1992. Effect of water saturation in soil organic matter on the partition of organic compounds. *Environ Sci Technol* 965-970.
- *Rutherford DW, Chiou CT, Kile DE. 1992. Influence of soil organic matter composition on the partition of organic compounds. *Environ Sci Technol* 26:336-40.
- *Sack TM, Steele DH, Hammerstrom K, et al. 1992. A survey of household products for volatile organic compounds. *Atmos Environ* 6:1063-1070.
- Saez JC, Bennett VL, Spray DC. 1987. Carbon tetrachloride at hepatotoxic levels blocks reversibly gap junctions between rat hepatocytes. *Science* 236:967-969.
- *Sagai M, Tappel AL. 1978. Effect of vitamin E on carbon tetrachloride-induced lipid peroxidation as demonstrated by in vivo pentane production. *Toxicol Lett* 2:149-155.
- Sakai H, Tsukamoto T, Yamamoto M, et al. 2000. Summation of initiation activities of low doses of the non-hepatocarcinogen 1,2-dimethylhydrazine in the liver after carbon tetrachloride administration. *Cancer Lett* 148:59-63.
- *Sakata T, Watanabe A, Hobara N, et al. 1987. Chronic liver injury in rats by carbon tetrachloride inhalation. *Bull Environ Contam Toxicol* 38:959-961.
- *Salgado S, Garcia J, Vera J, et al. 2000. Liver cirrhosis is reverted by Urokinase-type plasminogen activator gene therapy. *Mol Ther* 2(6):545-551.
- Salie B, Matthes N, Knittel T, et al. 1999. Transforming growth factor β and tumor necrosis factor α inhibit both apoptosis and proliferation of activated rat hepatic stellate cells. *Hepatology* 30:196-202.
- *Sanzgiri UY, Bruckner JV. 1997. Effect of emulphor, an emulsifier, on the pharmacokinetics and hepatotoxicity of oral carbon tetrachloride in the rat. *Fundam Appl Toxicol* 36(1):54-61.

9. REFERENCES

- *Sanzgiri UY, Kim HJ, Muralidhara S, et al. 1995. Effect of route and pattern of exposure on the pharmacokinetics and acute hepatotoxicity of carbon tetrachloride. *Toxicol Appl Pharmacol* 134:148-154.
- Sanzgiri UY, Muralidhara S, Bruckner JV. 1992. Correlation of tissue distribution and hepatotoxicity of carbon tetrachloride (CCl₄) following ingestion. *Toxicologist* 12:423.
- Sanzgiri UY, Srivattsan V, Muralidhara S, et al. 1997. Uptake, distribution, and elimination of carbon tetrachloride in rat tissue following inhalation and ingestion exposures. *Toxicol Appl Pharmacol* 143:120-129.
- *Sasaki YF, Saga A, Akasaka M, et al. 1998. Detection of in vivo genotoxicity of haloalkanes and haloalkenes carcinogenic to rodents by the alkaline single cell gel electrophoresis (comet) assay in multiple mouse organs. *Mutat Res* 419:13-20.
- Sato A, Nakajima T. 1987. Pharmacokinetics of organic solvent vapors in relation to their toxicity. *Scand J Work Environ Health* 13:81-93.
- Sawada S, Asakura S, Daimon H, et al. 1995. Comparison of autoradiography, liquid scintillation counting and immunoenzymatic staining of 5-bromo-2'-deoxyuridine for measurement of unscheduled DNA synthesis and replicative DNA synthesis in rat liver. *Mutat Res* 344:109-116.
- *Sawada S, Yamanaka T, Yamatsu K, et al. 1991. Chromosome aberrations, micronuclei and sister-chromatid exchanges (SCEs) in rat liver induced in vivo by hepatocarcinogens including heterocyclic amines. *Mutat Res* 251:59-69.
- Schoeffner DJ, Warren DA, Muralidhara S, et al. 1999. Organ weights and fat volume in rats as a function of strain and age. *J Toxicol Environ Health A* 56:449-462.
- Schuetzle D, Crittenden AJ, Charison RJ. 1973. Application of computer controlled high resolution mass spectrometry to the analysis of air pollutants. *J Air Pollut Control Assoc* 23:704-709.
- Schultz VD, Esposti SD, Panzica MA, et al. 1997. Expression of TA1, a rat oncofetal cDNA with homology to transport-associated genes, in carbon-tetrachloride-induced liver injury. *Pathobiology* 65:14-25.
- *Schwetz BA, Ledwig BKJ, Gehring PJ. 1974a. Embryo- and fetotoxicity of inhaled chloroform in rats. *Toxicol Appl Pharmacol* 28:442-451.
- *Schwetz BA, Leong BKJ, Gehring PJ. 1974b. Embryo- and fetotoxicity of inhaled carbon tetrachloride, 1,1-dichloroethane and methyl ethyl ketone in rats. *Toxicol Appl Pharmacol* 28:452-64.
- *Seawright AA, McLean AEM. 1967. The effect of diet on carbon tetrachloride metabolism. *Biochem J* 105:1055-1060.
- *Seawright AA, Wilkie IW, Costigan P, et al. 1980. The effect of an equimolar mixture of carbon tetrachloride and carbon disulphide on the liver of the rat. *Biochem Pharmacol* 29:1007-1014.
- *Seidler A, Raum E, Arabin B, et al. 1999. Maternal occupational exposure to chemical substances and the risk of infants small-for-gestational-age. *Am J Ind Med* 36(1):213-222.

9. REFERENCES

- Sein KT, Chu N. 1979. Liver and kidney glucose-6-phosphatase levels in carbon tetrachloride - and PDT - administered mice. *Enzyme* 24:72-74.
- Selan FM, Evans MA. 1987. The role of microtubules in chlorinated alkane-induced fatty liver. *Toxicol Lett* 36:117-127.
- *Selden JR, Dolbeare F, Miller JE, et al. 1994. Validation of a flow cytometric *in vitro* DNA repair (UDS) assay in rat hepatocytes. *Mutat Res* 315(2):147-167.
- Semino G, Lilly P, Andersen ME. 1997. A pharmacokinetic model describing pulsatile uptake of orally-administered carbon tetrachloride. *Toxicology* 117:25-33.
- *Sentjurs M, Mason RP. 1992. Inhibition of radical adduct reduction and reoxidation of the corresponding hydroxylamines in *in vivo* spin trapping of carbon tetrachloride-derived radicals. *Free Radical Biology Medicine* 13:151-160.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society.
- *Shah H, Hartman SP, Weinhouse S. 1979. Formation of carbonyl chloride in carbon tetrachloride metabolism by rat liver *in vitro*. *Cancer Res* 39:3942-3947.
- *Shah JJ, Heyerdahl EK. 1988. National ambient volatile organic compounds (VOCs) data base update. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. PB88-195631.
- *Shah JJ, Singh HB. 1988. Distribution of volatile organic chemicals in outdoor and indoor air. *Environ Sci Technol* 22:1381-1388.
- *Shamberger RJ, Andreone TL, Willis CE. 1974. Antioxidants and cancer. IV. Initiating activity of malonaldehyde as a carcinogen. *J Natl Cancer Inst* 53:1771-1773.
- *Shara MA, Dickson PH, Bagchi D, et al. 1992. Excretion of formaldehyde, malondialdehyde, acetaldehyde and acetone in the urine of rats in response to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, paraquat, endrin and carbon tetrachloride. *J Chromatogr Biomed Appl* 576:221-233.
- *Shertzer HG, Sainsbury M. 1991. Chemoprotective and hepatic enzyme induction properties of indole and indenoindole antioxidants in rats. *Food Chem Toxicol* 29:391-400.
- Shertzer HG, Niemi MP, Reitman FA, et al. 1987. Protection against carbon tetrachloride hepatotoxicity by pre-treatment with indo1-3-carbinol. *Exper Mol Pathol* 46:180-189.
- Shertzer HG, Reitman FA, Tabor MW. 1988. Influence of diet on the expression of hepatotoxicity from carbon tetrachloride in ICR mice. *Drug Nutr Interact* 5:275-282.
- Shi J, Aisaki K, Ikawa Y, et al. 1998. Evidence of hepatocyte apoptosis in rat liver after the administration of carbon tetrachloride. *Am J Pathol* 153(2):515-525.
- Shibayama Y. 1988. On the pathogenesis of portal hypertension in cirrhosis of the liver. *Liver* 8:95-99.

9. REFERENCES

- Shimizu Y, Nagase C, Kawai K. 1973. Accumulation and toxicity of carbon tetrachloride after repeated inhalation in rats. *Ind Health* 11:48-54.
- Shimizu H, Uetsuka K, Nakayama H, et al. 2001. Carbon tetrachloride-induced acute liver injury in Mini and Wistar rats. *Exp Toxicol Pathol* 53(1):11-17.
- Shindell S, Ulrich S. 1985. A cohort study of employees of a manufacturing plant using trichloroethylene. *J Occup Med* 27:577-579.
- *Short CL, Kinden DA, Stith R. 1976. Fetal and neonatal development of the microsomal monooxygenase system. *Drug Metab Rev* 5:1-42.
- Siegers CP, Horn W, Younes M. 1985. Effect of hypoxia on the metabolism and hepatotoxicity of carbon tetrachloride and vinylidene chloride in rats. *Acta Pharmacol Toxicol* 56:81-86.
- Simeonova PP, Gallucci RM, Hulderman T, et al. 2001. The role of tumor necrosis factor- α in liver toxicity, inflammation, and fibrosis induced by carbon tetrachloride. *Toxicol Appl Pharmacol* 177:112-120.
- *Simko V, Michael S, Katz J, et al. 1992. Protective effect of oral acetylcysteine against the hepatorenal toxicity of carbon tetrachloride potentiated by ethyl alcohol. *Alcoholism: Clinical and Experimental Research* 16:795-799.
- *Simmon VF, Kavhanen K, Tardiff RG. 1977. Mutagenic activity of chemicals identified in drinking water. In: Scott D, Bridges BA, Sobesl FH, eds. *Progress in genetic toxicology*. New York: Elsevier/North-Holland Biomedical Press, 249-258.
- *Simmonds PG, Alyea FN, Cardelino CA, et al. 1983. The atmospheric lifetime experiment. 6. Results for carbon tetrachloride based on 3 years data. *J Geophys Res* 88:8427-8441.
- *Simmonds PG, Cunnold DM, Alyea FN, et al. 1988. Carbon tetrachloride lifetimes and emissions determined from daily global measurements during 1978-1985. *J Atmospheric Chem* 7:35-58.
- Singh HB, Fowler DP, Peyton TO. 1976. Atmospheric carbon tetrachloride: another man-made pollutant. *Science* 192:1231-1234.
- *Singh HB, Lillian D, Appleby A, et al. 1975. Atmospheric formation of carbon tetrachloride from tetrachloroethylene. *Environ Lett* 10:253-256.
- *Singh HB, Salas LJ, Cavanagh LA. 1977. Distribution, sources and sinks of atmospheric halogenated compounds. *Air Pollut Cont* 27:332-338.
- *Singh HB, Salas LJ, Shigeishi H, et al. 1979a. Atmospheric distributions, sources and sinks of selected halocarbons, hydrocarbons, SF₆ and N₂O. Draft final report, prepared by SRI International for the U.S. Environmental Protection Agency. Office of Research and Development, Research Triangle Park, NC.
- Singh HB, Salas LJ, Smith A, et al. 1979b. Atmospheric measurements of selected toxic organic chemicals. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Chemistry and Physics Department, Environmental Sciences Research Laboratory.

9. REFERENCES

- *Singh HB, Salas LJ, Smith A, et al. 1980. Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ* 15:601-612.
- *Singh HB, Salas L, Viezee W, et al. 1992. Measurement of volatile organic chemicals at selected sites in California. *Atmos Environ* 16:2929-2946.
- Sipes IG, El Sisi AE, Sim WW, et al. 1991. Reactive oxygen species in the progression of CCl₄-induced liver injury. In: *Biol Reactive Intermediates IV*, New York, NY: Plenum Press, 489-497.
- *Sipes IG, Krishna G, Gillette JR. 1977. Bioactivation of carbon tetrachloride, chloroform and bromotrichloromethane: Role of cytochrome P-450. *Life Sci* 20:1541-1548.
- *Sirota JH. 1949. Carbon tetrachloride poisoning in man. I. The mechanism of renal failure and recovery. *J Clin Invest* 28:1412-1422.
- *Sivikova K, Piesova E, Dianovsky J. 2001. The protection of Vitamin E and selenium against carbon tetrachloride-induced genotoxicity in ovine peripheral blood lymphocytes. *Mutat Res* 494:135-142.
- Skrzypinska-Gawrysiak M, Piotrowski JK, Sporny S. 2000. Circadian variations in hepatotoxicity of carbon tetrachloride in mice. *Int J Occup Med Environ Health* 13(2):165-173.
- Slater RW, Ho JS. 1989. Method 502.2. Volatile organic compounds in water by purge and trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.
- Slater TF, Cheeseman KH, Ingold KU. 1985. Carbon tetrachloride toxicity as a model for studying free-radical mediated liver injury. *Philos Trans R Soc Lond [Biol]* 311:633-645.
- *Smetana J. 1939. Nephrosis due to carbon tetrachloride. *Arch Intern Med* 63:760-777.
- *Smialowicz RJ, Simmons JE, Luebke RW, et al. 1991. Immunotoxicologic assessment of subacute exposure of rats to carbon tetrachloride with comparison to hepatotoxicity and nephrotoxicity. *Fundam Appl Toxicol* 17:186-196.
- Smyth HF. 1935. Carbon tetrachloride in industry-the present status and plans for further necessary studies. *Ind Med* 4:12-15.
- *Smyth HF, Smyth HF Jr., Carpenter CP. 1936. The chronic toxicity of carbon tetrachloride; animal exposure and field studies. *Journal of Industrial Hygiene and Toxicology* 18:277-298.
- Sogawa S, Nihro Y, Ueda H, et al. 1994. Protective effects of hydroxychalcones on free radical-induced cell damage. *Biol Pharm Bull* 17(2):251-256.
- Soni MG, Mehendale HM. 1991. Protection from chlordecone-amplified carbon tetrachloride toxicity by cyanidanol: biochemical and histological studies. *Toxicol Appl Pharmacol* 108:46-57.
- *Soni MG, Mehendale HM. 1993. Hepatic failure leads to lethality of chlordecone-amplified hepatotoxicity of carbon tetrachloride. *Fundam Appl Toxicol* 21:442-450.
- Sonich C, Kraemer DF, Lucas JB. 1980. An epidemiologic study of acute effects of a low level exposure to carbon tetrachloride (CCl₄). *Am J Epidemiol* 112(3):445.

9. REFERENCES

- Spicer CW, Buxton BE, Holdren MW, et al. 1996. Variability of hazardous air pollutants in an urban area. *Atmos Environ* 30(20):3443-3456.
- *SRI. 1988. Chemical economics handbook. Manual of current indicators. Menlo Park, CA: SRI International.
- *SRI. 2002. Chemical economics handbook. Manual of current indicators. Menlo Park, CA: SRI International.
- *Srivastava SP, Chen NQ, Holtzman JL. 1990. The *in vitro* NADPH-dependent inhibition by CCl₄ of the ATP-dependent calcium uptake of hepatic microsomes from male rats. *J Biol Chem* 265:8392-8399.
- *Staples CA, Werner F, Hooghem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142.
- Steup DR, Hall P, McMillan DA, et al. 1993. Time course of hepatic injury and recovery following coadministration of carbon tetrachloride and trichloroethylene in Fischer-344 Rats. *Toxicol Pathol* 21:327-334.
- Steup DR, Wiersma D, McMillan DA, et al. 1991. Pretreatment with drinking water solutions containing trichloroethylene or chloroform enhances the hepatotoxicity of carbon tetrachloride in Fischer 344 rats. *Fundam Appl Toxicol* 16:798-809.
- *Stevens H, Forster FM. 1953. Effect of carbon tetrachloride on the nervous system. *Arch Neurol Psychiat* 70:635-649.
- *Stewart A, Witts LJ. 1944. Chronic carbon tetrachloride intoxication. *Br J Ind Med* 1:11-19.
- Stewart PA, Lee JS, Marano DE, et al. 1991. Retrospective cohort mortality study of workers at an aircraft maintenance facility. II Exposures and their assessment. *Br J Ind Med* 48:531-537.
- *Stewart RD, Dodd HC. 1964. Absorption of carbon tetrachloride, trichloroethylene, tetrachloroethylene, methylene chloride and 1,1,1-trichloroethane through the human skin. *Am Ind Hyg Assoc J* 25:439-446.
- *Stewart RD, Boettner EA, Southworth RR, et al. 1963. Acute carbon tetrachloride intoxication. *J Am Med Assoc* 183:94-97.
- *Stewart RD, Dodd HC, Erley DS, et al. 1965. Diagnosis of solvent poisoning. *J Am Med Assoc* 193:115-118.
- *Stewart, RD, Gay HH, Erley DS, et al. 1961. Human exposure to carbon tetrachloride vapor. *J Occup Expos* 3:586-590.
- Stoyanovsky DA, Cederbaum AI. 1996. Thiol oxidation and cytochrome P450-dependent metabolism of CCl₄ triggers Ca²⁺ release from liver microsomes. *Biochemistry* 35(49):15839-15845.
- Stoyanovsky DA, Cederbaum AI. 1999. Metabolism of carbon tetrachloride to trichloromethyl radical: an ESR and HPLC-EC study. *Chem Res Toxicol* 12:730-736.

9. REFERENCES

- *Straus B. 1954. Aplastic anemia following exposure to carbon tetrachloride. *J Am Med Assoc* 155:737-739.
- *Striker GE, Smuckler EA, Kohnen PW, et al. 1968. Structural and functional changes in rat kidney during CCl₄ intoxication. *Am J Pathol* 53:769-789.
- Suda H, Masui T, Ikawa E, et al. 1987. Compared promoting potential of D-galactosamine, carbon tetrachloride and partial hepatectomy in rapid induction of preneoplastic liver lesions in the rat. *Cancer Lett* 37:163-171.
- *Sutheimer C, Bost R, Sunshine I. 1982. Volatiles by headspace chromatography. In: Sunshine I, Jatlow PI, eds. *Methodology for analytical technology*. Volume II. Boca Raton, FL: CRC Press Inc., 1-9.
- Summerhays J. 1991. Evaluation of risks from urban air pollutants in the Southeast Chicago area. *J Air Waste Manage Assoc* 41:844-850.
- *Sundari PN, Wilfred G, Ramakrishna B. 1997. Does oxidative protein damage play a role in the pathogenesis of carbon tetrachloride-induced liver injury in the rat? *Biochim Biophys Acta* 1362(2-3):169-176.
- Suntres ZE, Lui EM. 1990. Biochemical mechanism of metallothionein-carbon tetrachloride interaction *in vitro*. *Biochem Pharmacol* 39:833-840.
- *Suzuki H, Hirano N, Watanabe C, et al. 1997. Carbon tetrachloride does not induce micronucleus in either mouse bone marrow or peripheral blood. *Mutat Res* 394(1-3):77-80.
- *Svirbely JL, Highman B, Alford WC, et al. 1947. The toxicity and narcotic action of monochloromonobromomethane with special reference to inorganic and volatile bromide in blood, urine and brain. *Journal of Industrial Hygiene* 29:382-389.
- *Sweet CW, Vermette SJ. 1990. Monitoring toxic VOCs in urban air in Illinois. U.S. Environmental Protection Agency. Research Triangle Institute; Proceedings of the 1990 EPA/AWMA International Symposium, 536-540. EPA/600/9-90/026. PB91-120279.
- *Sweet CW, Vermette SJ. 1992. Toxic volatile organic compounds in urban air in Illinois. *Environ Sci Technol* 26:165-173.
- Symons JM, Bellar TA, Carswell JK, et al. 1975. National organics reconnaissance survey for halogenated organics. *Journal of American Water Works Association* 67:634-647.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53:1503-1518.
- *Tajima S, Nishimura N, Ito K. 1985. Suppression of delayed-type hypersensitivity mediated by macrophage-like cells in mice with experimental liver injury. *Immunology* 54:57-64.
- Takei N, Watanabe A, Sakata T, et al. 1983. Brain tyrosine hydroxylase activity and calculated amount of brain dopa synthesized in carbon tetrachloride-intoxicated rats. *Gastroenterol Jpn* 18(1):11-14.

9. REFERENCES

- *Takizawa S, Watanabe H, Naito Y, et al. 1975. Preparative action of carbon tetrachloride in liver tumorigenesis by a single application of n-butyl nitrosourea in male ICR/JCL strain mice. *Gann* 66:603-614.
- Tanaka E. 1997. Short communication: Simultaneous determination of carbamazepine and its metabolites in plasma from carbon tetrachloride-intoxicated rats using a new reversed-phase chromatographic column of 2- μ m porous microspherical silica gel. *J Chromatogr B Biomed Sci Appl* 688(1):155-160.
- Tanaka E, Sakamoto N, Inubushi M, et al. 1995. Short communication simultaneous determination of plasma phenytoin and its primary hydroxylated metabolites in carbon tetrachloride-intoxicated rats by high-performance liquid chromatography. *J Chromatogr B Biomed Appl* 673(1):147-151.
- *Tancrede M, Yanagisawa Y, Wilson R. 1992. Volatilization of volatile organic compounds from showers - I. Analytical method and quantitative assessment. *Atmos Environ* 26a:1103-1111.
- Tang N. 1987. DDT and ethanol potentiation of the hepatotoxicity of carbon tetrachloride. *Chin J Prev Med* 21:196-198.
- Tanka E. 2001. Chlorzoxazone: A probe drug the metabolism of which can be used to monitor one-point blood sampling in the carbon tetrachloride -intoxicated rat. *Hum Exp Toxicol* 20:381-385.
- *Taylor HF. 1925. A case of hypersensitiveness to carbon tetrachloride. *J Am Med Assoc* 84:280.
- *Taylor SL, Tappel AL. 1976. Effect of dietary antioxidants and phenobarbital pretreatment on microsomal lipid peroxidation and activation by carbon tetrachloride. *J Life Sci* 19:1151-1160.
- *Teschke R, Vierke W, Goldermann L. 1983. Carbon tetrachloride (CCl₄) levels and serum activities of liver enzymes following activities CCl₄ intoxication. *Toxicol Lett* 17:175-180.
- Teta MJ, Ott MG. 1988. A mortality study of a research, engineering, and metal fabrication facility in Western New York State. *Am J Epidemiol* 127:540-551.
- *Tezuka M, Ishii S, Okada S. 1991a. Chromium (III) decreases carbon tetrachloride-originated trichloromethyl radical in mice. *J Inorganic Biochem* 44:261-265.
- *Tezuka M, Momiyama K, Edano T, et al. 1991b. Protective effect of chromium(III) on acute lethal toxicity of carbon tetrachloride in rats and mice. *J Inorganic Biochem* 42:1-8.
- *Thakore KN, Mehendale HM. 1991. Role of hepatocellular regeneration in CCl₄ autoprotection. *Toxicol Pathol* 19:47-58.
- Theocharis SE, Kanelli H, Margeli AP. 2000. Metallothionein and heat shock protein expression during acute liver injury and regeneration in rats. *Clin Chem Lab Med* 38(11):1137-1140.
- Theocharis SE, Margeli AP, Skaltsas SD, et al. 2001. Induction of metallothionein in the liver of carbon tetrachloride intoxicated rats: an immunohistochemical study. *Toxicology* 161:129-138.
- Thomas MJ. 1995. The role of free radicals and antioxidants: How do we know that they are working? *Crit Rev Food Sci Nutr* 35:21-39.

9. REFERENCES

- Thomas CE, Aust SD. 1986. Free radicals and environmental toxins. *Ann Emerg Med* 15:1075-1083.
- Thomas KW, Pellizzari ED, Cooper SD. 1991. A canister-based method for collection and GC/MS analysis of volatile organic compounds in human breath. *J Anal Toxicol* 15:54-59.
- Thrall KD, Kenny DV. 1996. Evaluation of a carbon tetrachloride physiologically based pharmacokinetic model using real-time breath-analysis monitoring of the rat. *Inhal Toxicol* 8:251-261.
- *Thrall KD, Vucelick ME, Gies RA, et al. 2000. Comparative metabolism of carbon tetrachloride in rats, mice, and hamsters using gas uptake and PBPK modeling. *J Toxicol Environ Health A* 60:531-548.
- Tomasi A, Albano E, Banni S, et al. 1987. Free-radical metabolism of carbon tetrachloride in rat liver mitochondria. A study of the mechanism of action. *Biochem J* 246:313-317.
- *Tomenson JA, Baron CE, O'Sullivan J, et al. 1995. Hepatic function in workers occupationally exposed to carbon tetrachloride. *Occup Environ Med* 52:508-514.
- Tortoriello PJ, Riebow JF, Advani S, et al. 1991. The anomaly of pyridine nucleotide synergism in carbon tetrachloride metabolism. *Free Radic Biol Med* 10:387-396.
- *Towner RA, Reinke LA, Janzen EG, et al. 1991. Enhancement of carbon tetrachloride-induced liver injury by a single dose of ethanol: proton magnetic resonance imaging (MRI) studies *in vivo*. *Acta Biochem Biophys* 1096:222-230.
- Towner RA, Reinke LA, Janzen EG, et al. 1994. In vivo magnetic resonance imaging study of Kupffer cell involvement in CCl₄-induced hepatotoxicity. *Can J Physiol Pharmacol* 72(5):441-446.
- *Tracey, JP, Sherlock P. 1968. Hepatoma following carbon tetrachloride poisoning. *NYJ Med* 68:2202-2204.
- *Traiger GJ, Bruckner JV. 1976. The participation of 2-butanone in 2-butanol-induced potentiation of carbon tetrachloride hepatotoxicity. *J Pharmacol Exp Therap* 196:493-500.
- *Traiger GJ, Plaa GL. 1971. Differences in the potentiation of carbon tetrachloride in rats by ethanol and isopropanol pretreatment. *Toxicol Appl Pharmacol* 20:105-112.
- Traiger GJ, Bruckner JV, Jiang WD, et al. 1989. Effect of 2-butanol and 2-butanone on rat hepatic ultrastructure and drug metabolizing enzyme activity. *J Toxicol Environ Health* 28:235-248.
- TRI90. 1992. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI01. 2003. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- Triger DR, Wright R. 1973. Studies on hepatic uptake of antigen. II. The effect of hepatotoxins on the immune response. *Immunology* 25:951-956.

9. REFERENCES

- *Tsuda H, Masui T, Ikawa E, et al. 1987. Compared promoting potential of d-galactosamine, carbon tetrachloride and partial hepatectomy in rapid induction of preneoplastic liver lesions in the rat. *Cancer Lett* 37:163-171.
- *Tsuruta H. 1975. Percutaneous absorption of organic solvents. Comparative study of the *in vivo* percutaneous absorption of chlorinated solvents in mice. *Industrial Health* 13:227-236.
- *Uehleke H, Hellmer KH, Tabarelli S. 1973. Binding of ¹⁴C-carbon tetrachloride to microsomal proteins *in vitro* and formation of CHC13 by reduced liver microsomes. *Xenobiotica* 3:1-11.
- *Uehleke H, Werner T, Greim H, et al. 1977. Metabolic activation of haloalkanes and tests in vitro for mutagenicity. *Xenobiotica* 7:393-400.
- *Uemitsu N. 1986. Inhalation pharmacokinetics of carbon tetrachloride in rats based on arterial blood: inhaled air concentration ratios. *Toxicol Appl Pharmacol* 83:20-29.
- Uemitsu N, Nishimura C, Nakayoshi H. 1986. Evaluation of liver weight changes following repeated administration of carbon tetrachloride in rats and body-liver weight relationship. *Toxicology* 40:181-190.
- *Umiker W, Pearce J. 1953. Nature and genesis of pulmonary alterations in carbon tetrachloride poisoning. *Arch Pathol* 55:203-217.
- Uryvaeva IV, Delone GV. 1995. An improved method of mouse liver micronucleus analysis: an application to age-related genetic alteration and polyploidy study. *Mutat Res* 334(1):71-80.
- *USC. 2003. Hazardous air pollutants. Washington, DC: United States Code. 42 USC 7412. <http://www4.law.cornell.edu/uscode/>. June 6, 2003.
- *USITC. 1986. Synthetic organic chemicals. United States production and sales. 1986. Washington, DC: U.S. International Trade Commission, publication 2009, 212.
- *USITC. 1991. Synthetic organic chemicals. United States production and sales. 1990. Washington, DC: U.S. International Trade Commission, publication 2470, 15-8, 15-30.
- *USITC. 2002. Synthetic organic chemicals. United States production and sales. Washington, DC: U.S. International Trade Commission.
- *USITC. 2003. Synthetic organic chemicals. United States production and sales. Washington, DC: U.S. International Trade Commission.
- Valdivia E, Sonnad J. 1966. Fatty change of the granular pneumocyte in carbon tetrachloride intoxication. *Arch Pathol* 81:514-519.
- Vannelli T, Logan M, Arciero DM, et al. 1990. Degradation of halogenated aliphatic compounds by the ammonia-oxidizing bacterium *nitrosomonas europaea*. *Appl Environ Microbiol* 56:1169-1171.
- Van Stee EW, Boorman GA, Moorman MP, et al. 1982. Time-varying concentration profile as a determinant of the inhalation toxicity of carbon tetrachloride. *J Toxicol Environ Health* 10:785-795.
- *Vazquez C, Bujan J, Vallejo D. 1990. Blood coagulation variations induced by carbon tetrachloride inhalation in Wistar rats. *Toxicol Appl Pharmacol* 103:206-213.

9. REFERENCES

Veng-Pedersen P, Paustenback DJ, Carlson GP, et al. 1987. A linear systems approach to analyzing the pharmacokinetics of carbon tetrachloride in the rat following repeated exposures of 8 and 11.5 h/day. *Arch Toxicol* 60:355-364.

*Verschueren K. 1983. Handbook of environmental data on organic chemicals. New York: Van Nostrand Reinhold Company.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of *CYP2E1* in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238:476-483.

Villarruel MC, Fernandez G, Aguilar EG, et al. 1987. Early biochemical alternations in liver mitochondria from carbon tetrachloride poisoned rats. *J Appl Toxicol* 7:173-177.

*Vittozzi L, Nastainczyk W. 1987. Binding of reactive metabolites of CCl₄ to specific microsomal proteins. *Biochem Pharmacol* 36:1401-1406.

Vohra BPS, Hui X. 2001. Taurine protects against carbon tetrachloride toxicity in the cultured neurons and *in vivo* *Arch Physiol Biochem* 109(1):90-94.

*Volkering F, Breure AM, Rulkens WH, et al. 1998. Microbiological aspects of surfactant use for biological soil remediation. *Biodegradation* 8(6):410-417.

*von Oettingen WF. 1964. The halogenated hydrocarbons of industrial and toxicological importance. In: Browning E, ed. Elsevier monographs on toxic agents. New York, NY: Elsevier Publishing Co.

*von Oettingen WF, Powell CC, Sharpless NE, et al. 1949. Relation between the toxic action of chlorinated methanes and their chemical and physicochemical properties. *National Inst Health Bull No.* 191.

von Oettingen WF, Powell CC, Sharpless NE, et al. 1950. Comparative studies of the toxicity and pharmacodynamic action of chlorinated methanes with special reference to their physical and chemical characteristics. *Arch Int Pharmacodyn* 81:17-34.

*Wacker M, Wanek P, Eder E. 2001. Detection of 1, N₂-propanodeoxyguanosine adducts of *trans*-4-hydroxy-2-nonenal after gavage of *trans*-4-hydroxy-2-nonenal or induction of lipid peroxidation with carbon tetrachloride in F344 rats. *Chem Biol Interact* 137:269-283.

Wackett LP, Logan M, Blocki F et al. 1992. A mechanistic perspective on bacterial metabolism of chlorinated methanes. *Biodegradation* 3:19-36.

*Wahlberg JE, Boman A. 1979. Comparative percutaneous toxicity of ten industrial solvents in the guinea pig. *Scand J Work Environ Health* 5:345-351.

Walker BL, Cooper CD. 1992. Air pollution emission factors for medical waste incinerators. *J Air Waste Manage Assoc* 42:784-791.

*Wallace LA. 1986. Personal exposures, indoor and outdoor air concentrations and exhaled breath concentrations of selected volatile organic compounds measured for 600 residents of New Jersey, North Dakota, North Carolina and California. *Toxicol Environ Chem* 12:215-236.

9. REFERENCES

- *Wallace LA. 1991. Comparison of risks from outdoor and indoor exposure to toxic chemicals. *Environ Health Perspect* 95:7-13.
- *Wallace L, Buckley T, Pellizzari IE, et al. 1996. Breath measurements as volatile organic compounds biomarkers. *Environ Health Perspect* 104:861-869.
- Wallace LA, Pellizzari ED, Hartwell TD, et al. 1989. The influence of personal activities on exposure to volatile organic compounds. *Environ Res* 50:37-55.
- *Wallace LA, Pellizzari ED, Leaderer B, et al. 1987. Emissions of volatile organic compounds from building materials and consumer products. *Atmos Environ* 21:385-393.
- *Waller RL, Glende EA Jr., Recknagel RO. 1983. Carbon tetrachloride and bromotrichloromethane toxicity. *Biochem Pharmacol* 32:1613-1617.
- *Walters SM. 1986. Cleanup of samples. In: Zweig G, Shema J, eds. *Analytical methods for pesticides and plant growth regulators*. New York, NY: Academic Press, 67-110.
- *Walton BT, Hendricks MS, Anderson TA, et al. 1992. Soil sorption of volatile and semivolatile organic compounds in a mixture. *J Environ Qual* 21:552-558.
- Wang B, Gao Z, Zou Q et al. 2003. Quantitative diagnosis of fatty liver with dual-energy CT. *Acta Radiol* 44:92-97
- Wang D-H, Ishii K, Zhen L-X, et al. 1996. Enhanced liver injury in acatalasemic mice following exposure to carbon tetrachloride. *Arch Toxicol* 70:189-194.
- *Wang P-Y, Kaneko T, Tsukada H, et al. 1997a. Dose- and route-dependent alterations in metabolism and toxicity of chemical compounds in ethanol-treated rats: Difference between highly (chloroform) and poorly (carbon tetrachloride) metabolized hepatotoxic compounds. *Toxicol Appl Pharmacol* 142:13-21.
- Wang P-Y, Kaneko T, Tsukada H, et al. 1997b. Time courses of hepatic injuries induced by chloroform and by carbon tetrachloride: comparison of biochemical and histopathological changes. *Arch Toxicol* 71:638-645.
- *Ware JH, Spengler JD, Neas LM, et al. 1993. Respiratory and irritant health effects of ambient volatile organic compounds. *Am J Epidemiol* 137:1287-1301.
- Waring JF, Jolly RA, Ciurlionis R, et al. 2001. Clustering of hepatotoxins based on mechanism of toxicity using gene expression profiles. *Toxicol Appl Pharmacol* 175(1):28-42.
- Washall JW, Wampler TP. 1988. Purge and trap analysis of aqueous samples with cryofocusing. *Am Lab*, July:70-74.
- *Watanabe A, Shiota T, Takei N, et al. 1986. Blood to brain transfer of carbon tetrachloride and lipoperoxidation in rat brain. *Res Comm Chem Path Pharmacol* 51:137-140.
- Watanabe T, Niioka M, Hozawa S, et al. 2000. Gene expression of interstitial collagenase in both progressive and recovery phase of rat liver fibrosis induced by carbon tetrachloride. *J Hepatol* 33(2):224-235.

9. REFERENCES

- Waterfield CJ, Mesquita M, Parnham P, et al. 1993. Taurine protects against the cytotoxicity of hydrazine, 1,4-naphthoquinone and carbon tetrachloride in isolated rat hepatocytes. *Biochem Pharmacol* 46(4):589-595.
- *Waterfield CJ, Turton JA, Scales MD, et al. 1991. Taurine, a possible urinary marker of liver damage: a study of taurine excretion in carbon tetrachloride-treated rats. *Arch Toxicol* 65:548-555.
- Weast RC. 1985. *CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data*. Boca Raton, FL: CRC Press, Inc.:C-349, C-350.
- Weaver VM, Buckley TJ, Groopman JD. 1998. Approaches to environmental exposure assessment in children. *Environ Health Perspect* 106 (Suppl.3):827-832.
- *Weber FL, Macechko PT, Kelson SR, et al. 1992. Increased muscle protein catabolism caused by carbon tetrachloride hepatic injury in rats. *Gastroenterology* 102:1700-1706.
- *Weber LWD, Boll M, Stampfl A. 2003. Hepatotoxicity and mechanism of action of haloalkanes: Carbon tetrachloride as a toxicological model. *Crit Rev Toxicol* 33(2):105-136.
- Weiner FR, Giambrone M-A, Czaja MJ, et al. 1990. Ito-cell gene expression and collagen regulation. *Hepatology* 11:111-117.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *Westrick JJ, Mello JW, Thomas RF. 1984. The groundwater supply survey. *Journal of American Water Works Association* 76:52-59.
- WHO. 1984. *Guidelines for drinking-water quality. Volume 1. Recommendations*. Geneva: World Health Organization.
- *WHO. 1993. *Guidelines for drinking water quality. Carbon tetrachloride*. Geneva, Switzerland: World Health Organization. <http://www.who.int/en/>. June 6, 2003.
- *WHO. 2000. *Air quality guidelines*. Geneva, Switzerland: World Health Organization. <http://www.who.int/en/>. June 6, 2003.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: An advanced treatise. Volume II: The elements Part A*. New York: Academic Press.
- *Wilcosky TC, Checkoway H, Marshall EG, et al. 1984. Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J* 45(12):809-811.
- Williams CA, Jones HD, Freeman RW, et al. 1994. The EPC approach to estimating safety from exposure to environmental chemicals. *Regul Toxicol Pharmacol* 20(3) (Suppl. Part 1):259-280.
- *Wilson JG. 1954. Influence of the offspring of altered physiologic states during pregnancy in the rat. *Ann NY Acad Sci* 57:517-525.

9. REFERENCES

- *Wirth KJ, Bickel M, Hropot M, et al. 1997. The bradykinin B₂ receptor antagonist Icatibant (HOE 140) corrects avid Na⁺ retention in rats with CCl₄-induced liver cirrhosis: Possible role of enhanced microvascular leakage. *Eur J Pharmacol* 337(1):45-53.
- *Wirtschafter ZT. 1933. Toxic amblyopia and accompanying physiological disturbances in carbon tetrachloride intoxication. *Am J Public Health* 22:1035-1038.
- Wirtschafter ZT, DeMeritt MG. 1959. Reticuloendothelial response to carbon tetrachloride. *Arch Pathol* 67:146-158.
- *Withey JR, Collins BT, Collins PG. 1983. Effects of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of rat. *J Appl Toxicol* 3:249-253.
- *Wolf CR, Mansuy D, Nastainczyk W, et al. 1977. The reduction of polyhalogenated methanes by liver microsomal cytochrome P-450. *Mol Pharmacol* 13:698-705.
- Wolff MS, Weston A. 1997. Breast cancer risk and environmental exposures. *Environ Health Perspect Suppl* 105(4):891-896.
- Wolfgang GH, Donarski WJ, Petry TW. 1990. Effects of novel antioxidants on carbon tetrachloride-induced lipid peroxidation and toxicity in precision-cut rat liver slices. *Toxicol Appl Pharmacol* 106:63-70.
- Wong LCK, DiStefano V. 1966. Rapid accumulation of renal fat in cats after single inhalations of carbon tetrachloride. *Toxicol Appl Pharmacol* 9:485-494.
- *Wong FWY, Chan WY, Lee SST. 1998. Resistance to carbon tetrachloride-induced hepatotoxicity in mice which lack CYP2E1 expression. *Toxicol Appl Pharmacol* 153(1):109-118.
- Woodruff TJ, Axelrad DA, Caldwell J, et al. 1998. Public health implications of 1990 air toxics concentrations across the United States. *Environ Health Perspect* 106:245-251.
- Wright PB, Moore L. 1991. Potentiation of the toxicity of model hepatotoxicants by acetaminophen. *Toxicol Appl Pharmacol* 109:327-335.
- Wu C, Miyagawa C, Kennedy DO, et al. 1997. Involvement of polyamines in the protection of taurine against the cytotoxicity of hydrazine or carbon tetrachloride in isolated rat hepatocytes. *Chem Biol Interact* 103(3):213-224.
- Wynder E, Goldsmith R. 1977. The epidemiology of bladder cancer: A second look. *Cancer* 40:1246-1268.
- Wyrebowska J, Jerykowski T. 1980. Some properties of aminopropanol dehydrogenase in rat serum studied in normal conditions and in acute carbon tetrachloride poisoning. *J Toxicol Environ Health* 6:613-620.
- Xu R-J, Cranwell PD. 1990. Development of gastric acid secretion in pigs from birth to thirty six days of age: The response to pentagastrin. *J Dev Physiol* 13:315-326
- *Yamada M, Ishiwada A, Hobo T, et al. 1982. Novel chemiluminescence detector for determination of volatile polyhalogenated hydrocarbons by gas chromatography. *J Chromatogr* 238:347-356.

9. REFERENCES

- Yamagishi F, Komoda T, Ohnishi K, et al. 1994. Correlation between various ratios of serum thyroid hormones and liver cytochrome P-450 in CCl₄ treated and untreated rats. *Res Commun Chem Pathol Pharmacol* 83(2):237-240.
- *Yamamoto HA. 1990a. Brain phenylalanine and tyrosine levels and hepatic encephalopathy induced by CCl₄ in rats. *Toxicology* 61:241-247.
- *Yamamoto HA. 1990b. Relation of Ca⁺⁺ accumulation and lipid peroxidation with CCl₄-induced toxicity in the rat liver. *Pharmacol Toxicol* 66:213-216.
- Yamamoto H, Sugihara N. 1987. Blood ammonia levels and hepatic encephalopathy induced by CCl₄ in rats. *Toxicol Appl Pharmacol* 91:461-468.
- *Yamashita S, Ozawa R, Yamaguchi K, et al. 1992. Analysis of volatile organic compounds in air by gas chromatography with thermal desorption cold-trap injection and atomic emission and mass selective detection. *Journal of High Resolution Chromatography* 15:549-551.
- Yano T, Shibagaki T, Kitamura H, et al. 1988. The mechanism of carbon tetrachloride induced pulmonary clara cell damage: biochemical and morphologic studies. *Res Commun Chem Pathol Pharmacol* 62:483-493.
- Yata Y, Takahara T, Furui K, et al. 1999. Expression of matrix metalloproteinase-13 and tissue inhibitor of metalloproteinase-1 in acute liver injury. *J Hepatol* 30:419-424.
- *Yaws C, Yang H-C, Pan X. 1991. Henry's law constants for 362 organic compounds in water. *Chem Eng* 179-185.
- Yoshida T, Adachi E, Nigi H, et al. 1999. Changes of sinusoidal basement membrane collagens in early hepatic fibrosis induced with CCl₄ in cynomolgus monkeys. *Pathology* 31:29-35.
- Yoshida T, Andoh K, Fukuhara M. 1999. Estimation of absorption of trihalomethanes and carbon tetrachloride in low-level exposure by inhalation pharmacokinetic analysis in rats. *Arch Environ Contam Toxicol* 36:347-354.
- *Young RA, Mehendale HM. 1989. Carbon tetrachloride metabolism in partially hepatectomized and sham-operated rats pre-exposed to chlordecone (kepone). *J Biochem Toxicol* 4:211-219.
- *Yuen ST, Gogo AR, Luk ISC, et al. 1995. The effect of nicotine and its interaction with carbon tetrachloride in the rat liver. *Pharmacol Toxicol* 77:225-230.
- Zalatnai A, Sarosi I, Rot A, et al. 1991. Inhibitory and promoting effects of carbon tetrachloride-induced liver cirrhosis on the diethylnitrosamine hepatocarcinogenesis in rats. *Cancer Lett* 57:67-73.
- *Zangar RC, Benson JM, Burnett VL, et al. 2000. Cytochrome P450 2E1 is the primary enzyme responsible for low-dose carbon tetrachloride metabolism in human liver microsomes. *Chem Biol Interact* 125:233-243.
- *Zhang C, Valsaraj KT, Constant WD, et al. 1998. Nutrient and surfactant enhancement for the biodegradation of chlorinated hydrocarbons in the wastewater from a Louisiana superfund site. *J Hazard Mater* 62:41-58.

9. REFERENCES

*Zhao ZS, O'Brien PJ. 1996. The prevention of CCl₄-induced liver necrosis in mice by naturally occurring methylenedioxybenzenes. *Toxicol Appl Pharmacol* 140(2):411-421.

Zhu W, Fung PCW. 2000. The roles played by crucial free radicals like lipid free radicals, nitric oxide, and enzymes NOS and NADPH in CCl₄-induced acute liver injury of mice. *Free Radic Biol Med* 29(9):870-880.

*Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.

*Zielinska AB, Fujita E, Sagebiel J, et al. 1998. Arizona hazardous air pollutants monitoring program. *J Air Waste Manage Assoc* 48:1038-1050.

*Zlatkis A, Kim K. 1976. Column elution and concentration of volatile compounds in biological fluids. *J Chromatogr* 126:475-485.