

## 8. REFERENCES

- \*Abdel-Rahman MS, Skowronski GA, Turkall RM. 1993. A comparative study of the kinetic and bioavailability of pure and soil-adsorbed benzene, toluene, and *m*-xylene after dermal exposure. In: Wang RGM, Knaak JB, Maibach HI, eds. Health risk assessment: Dermal and inhalation exposure and absorption of toxicants. Boca Raton: CRC Press, 105-116.
- \*Abdul AS, Gibson TL, Rai DN. 1987. Statistical correlations for predicting the partition coefficient for nonpolar organic contaminants between aquifer organic carbon and water. Hazard Waste Hazard Mater 4:211-222.
- \*Abu Al Ragheb S, Salhab AS, Amr SS. 1986. Suicide by xylene ingestion: A case report and review of literature. Am J Forensic Med Pathol 7:327-329.
- \*ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. American Conference on Governmental Industrial Hygienists. Cincinnati, OH.
- \*ACGIH. 1991. Threshold limit values for chemical substances and physical agents and biological exposure indices for 1991-1992. American Conference of Governmental Industrial Hygienists. Cincinnati, OH, 36-39, 68-69.
- \*Acton DW, Barker JF. 1992. In *situ* biodegradation potential of aromatic-hydrocarbons in anaerobic groundwaters. J Contam Hydrol 9:325-352.
- Altshuller AP, Cohen IR. 1963. Structural effects on the rate of nitrogen dioxide formation in the photooxidation of organic compound-nitric oxide mixtures in air. International Journal of Air and Water Pollution 7:787-797.
- \*Altshuller AP, Cohen IR, Sleva SF, et al. 1962. Air pollution: Photooxidation of aromatic hydrocarbons. Sci 138:442-443.
- Altshuller AP, Lonneman WA, Sutterfield FD, et al. 1971. Hydrocarbon composition of the atmosphere of the Los Angeles Basin-1967. Environmental Science and Technology 5:1009-1016.
- \*Alvarez PJJ, Vogel TM. 1991. Substrate interactions of benzene, toluene, and para-xylenes during microbial degradation by pure cultures and mixed culture aquifer slurries. Appl Environ Microbiol 57:2981-2985.
- American Industrial Hygiene Association. 1971. Xylene, (xylol, dimethylbenzene): Hygienic guide series. Am Ind Hyg Assoc J 29:702-705.
- \*Amin TA, Narang RS. 1985. Determination of volatile organics in sediment at nanogram-per-gram concentrations by gas chromatography. Anal Chem 57:648-651.

\*Amoozegar A, Warrick AW, Fuller WH. 1986. Movement of selected organic liquids into dry soils. *Hazard Waste Hazard Mater* 3:29-41.

\*Anderson BE, Zeiger E, Shelby MD, et al. 1990. Chromosome aberration and sister chromatid exchange test results with 42 chemicals. *Environ Mol Mutagen* 16:55-137.

\*Anderson C, Sundberg K, Groth O. 1986. Animal model for assessment of skin irritancy. *Contact Dermatitis* 15:143-151.

Anderson GE, Liu CS, Holman HY, et al. 1980. Human exposure to atmospheric concentrations of selected chemicals. Report to Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC, prepared by Systems Applications, Inc, San Rafael, CA.

\*Anderson TA, Beuchamp JJ, Walton BT. 1991. Organic chemicals in the environment: Fate of volatile and semivolatile organic chemicals in soils: Abiotic versus biotic losses. *J Environ Qual* 20:420-424.

\*Andersson K, Fuxe K, Nilsen OG, et al. 1981. Production of discrete changes in dopamine and noradrenaline levels and turnover in various parts of the rat brain following exposure to xylene, ortho-, meta-, and para-xylene, and ethylbenzene. *Toxicol Appl Pharmacol* 60:535-548.

\*Andrews L, Keefer R. 1949. Cation complexes of compounds containing carbon-carbon double bonds: IV. The argentation of aromatic hydrocarbons. *J Amer Chem Soc* 71:3644-3647.

Angerer J. 1990. Analytical procedures for environmental and biological monitoring. *Fresenius J Anal Chem* 337:589-593.

\*Antoine SR, DeLeon IR, O'Dell-Smith RM. 1986. Environmentally significant volatile organic pollutants in human blood. *Bull Environ Contam Toxicol* 36:364-371.

\*APHA. 1992. Standard Methods for the Examination of Water and Wastewater. 18th ed. Greenberg AE, Clesceri LS, Eaton AD, eds. American Public Health Association, American Water Works Association, Water Environment Federation, Washington DC, 6-26-6-36, 6-42-6-46, 6-55-6-57.

\*Arp EW Jr, Wolf PH, Chekaway H. 1983. Lymphocytic leukemia and exposures to benzene and other solvents in the rubber industry. *J Occup Med* 25:598-602.

\*Arthur LJ, Curnock DA. 1982. Xylene-induced epilepsy following innocent glue sniffing. *Br Med J* 284:1787.

\*Arthur CL, Killam LM, Motlagh S, et al. 1992. Analysis of substituted benzene compounds in groundwater using solid-phase microextraction. *Environmental Science and Technology* 26:979-983.

Ashby J, Tennant RW. 1991. Definitive relationships among chemical structure, carcinogenicity and mutagenicity for 301 chemicals tested by the U.S. National Toxicology Program. *Mutat Res* 257:229-306.

Ashby J, Tennant RW, Zeiger E, et al. 1989. Classification according to chemical structure, mutagenicity to salmonella and level of carcinogenicity of a further 42 chemicals tested for carcinogenicity by the U.S. National Toxicology Program. *Mutat Res* 223:73-103.

\*Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample production by using purge and trap gas chromatography/mass spectrometry. *Anal Chem* 64:1021-1029.

\*Askergren A. 1981. Studies on kidney function in subjects exposed to organic solvents: III. Excretion of cells in the urine. *Acta Med Stand* 210:103-106.

\*Askergren A. 1982. Organic solvents and kidney function. In: Mehlman MA, ed. *Advances in modern environmental toxicology*. Vol. 2. Princeton Junction, NJ: Senate Press, 157-172.

Askergren A, Allgen L-G, Bergstrom J. 1981a. Studies on kidney function in subjects exposed to organic solvents: II. The effect of desmopressin in a concentration test and the effect of exposure to organic solvents on renal concentrating ability. *Acta Med Stand* 209:485-488.

\*Askergren A, Allgen L-G, Karlsson C, et al. 1981b. Studies on kidney function in subjects exposed to organic solvents: I. Excretion of albumin and beta-2-microglobulin in the urine. *Acta Med Stand* 209:479-483.

\*Askergren A, Brandt R, Gullquist R, et al. 1981c. Studies on kidney function in subjects exposed to organic solvents: IV. Effect on 51-Cr-EDTA clearance. *Acta Med Stand* 210:373-376.

\*Assmuth T, Kalevi K. 1992. Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas. *Chemosphere* 24:1207-1216.

\*Astier A. 1992. Simultaneous high-performance liquid chromatographic determination of urinary metabolites of benzene, nitrobenzene, toluene, xylene and styrene. *J Chromatogr* 573:318-322.

\*Astrand I. 1982. Work load and uptake of solvents in tissues of man. In: Mehlman MA, ed. *Advances in modern environmental toxicology*. Vol. 2. Princeton Junction, NJ: Senate Press, 141-152.

\*Astrand I, Engstrom J, Ovrum P. 1978. Exposure to xylene and ethylbenzene: I. Uptake, distribution and elimination in man. *Stand J Work Environ Health* 4:185-194.

Atkinson R. 1990. Gas-phase tropospheric chemistry of organic compounds: A review. *Atmos Environ* 24A:l-41.

\*Atkinson R, Aschmann SM, Arey J. 1991. Formation of ring-retaining products from the OH radical-initiated reactions of ortho-xylene, meta-xylene, and para-xylene. *Int J Chem Kinet* 23:77-97.

\*Atkinson R, Aschmann SM, Fitz DR, et al. 1982. Rate constants for the gas-phase reactions of OH with selected organics at 296 K. *International Journal of Chemical Kinetics* 14:13-18.

\*ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Atlanta, GA.

- Au WW, Ward JB, Ramanujam VMS, et al. 1988. Genotoxic effects of a sub-acute low-level inhalation exposure to a mixture of carcinogenic chemicals. *Mutat Res* 203:103-115.
- \*Aurelius MW, Brown KW. 1987. Fate of spilled xylene as influenced by soil moisture content. *Water Air Soil Pollut* 36:23-31.
- \*Austem BM, Dobbs RA, Cohen JM. 1975. Gas chromatographic determination of selected organic compounds added to wastewater. *Environmental Science and Technology* 9:588-590.
- Babeu L, Vaishnav DD. 1987. Prediction of biodegradability for selected organic chemicals. *Journal of Industrial Microbiology* 2:107-115.
- \*Backes WL, Sequeira DJ, GF Cawley, et al. 1993. Relationship between hydrocarbon structure and induction of P-450: Effects on protein levels and enzyme activities. *Xenobiotica* 23(12):1352-1366.
- \*Bakke OM, Scheline RR. 1970. Hydroxylation of aromatic hydrocarbons in the rat. *Toxicol Appl Pharmacol* 16:691-700.
- \*Balogh T, Tatrai E, Barczai G, et al. 1982. [Study of the embryotoxic effect of xylene mixtures.] *Egeszsegstudomány* 26:42-48. HSE Translation No. 12339B. (Hungarian)
- \*Bandow H, Washida N. 1985. Ring-cleavage reactions of aromatic hydrocarbons studied by FT-IR spectroscopy: II. Photooxidation of *o*, *m*, and *p*-xylenes in the NO<sub>x</sub>-air system. *Bull Chem Soc Jpn* 58:2541-2548.
- Bandow H, Washida N, Akimoto H. 1985. Ring-cleavage reactions of aromatic hydrocarbons studied by FT-IR spectroscopy: I. Photooxidation of toluene and benzene in the NO<sub>x</sub>-air system. *Bull Chem Soc Jpn* 58:2531-2540.
- \*Barbee GC, Brown KW. 1986. Movement of xylene through unsaturated soils following simulated spills. *Water Air Soil Pollut* 29:321-331.
- \*Barker JF. 1987. Volatile aromatic and chlorinated organic contaminants in groundwater at six Ontario landfills. *Water Pollution Research Journal of Canada* 22:33-48.
- \*Barlow SM, Sullivan FM. 1982. Reproductive hazards of industrial chemicals: An evaluation of animal and human data. London: Academic Press, 1-42.
- \*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- Barnes D, Bellin J, DeRosa C, et al. 1987. Reference dose (RfD): Description and use in health risk assessments. Appendix A: Integrated risk information system supportive documentation. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86-032a.
- Bartulewicz J, Bartulewicz E, Gawlowski J, et al. 1992. Determination of volatile hydrocarbons in the atmospheric air. *Chemia Analityczna* 37:405-418.

- Batchelor JJ. 1927. The relative toxicity of benzol and its higher homologues. *American Journal of Hygiene* 7:276-298.
- Bell GM, Shillaker RO, Padgham MDJ, et al. 1992. *Xylenes*. London, United Kingdom: HMSO Books, Health and Safety Executive.
- \*Bellanca JA, Davis PL, Donnelly B, et al. 1982. Detection and quantitation of multiple volatile compounds in tissues by GC and GC/MS. *J Anal Toxicol* 6:238-240.
- \*Belier H, Edwards E, Grbic-Galic D, et al. 1991. Microbial degradation of alkylbenzenes under sulfate-reducing and methanogenic conditions. Ada, OK: U.S. Environmental Protection Agency. EPA/600/2-91/027.
- \*Bentur Y, Koren G. 1991. The three most common occupational exposures reported by pregnant women: An update. *Am J Obstet Gynecol* 165:429-437.
- \*Berenblum I. 1941. The cocarcinogenic action of croton resin. *Cancer Res* 1:44-48.
- \*Bergert KD, Nestler K. 1991. Solvent uptake in relation to physical activity. *Sci Total Environ* 101:111-119.
- \*Bernard AM, de Russis R, Normand JC, et al. 1989. Evaluation of the subacute nephrotoxicity of cyclohexane and other industrial solvents in the female Sprague-Dawley rat. *Toxicol Lett* 45:271-280.
- \*Bernardelli BC, Gennari MC. 1987. Death caused by ingestion of endosulfan. *J Forensic Sci* 32:1109-1112.
- Bertsch W, Anderson E, Holzer G. 1975. Trace analysis of organic volatiles in water by gas chromatography-mass spectrometry with glass capillary columns. *J Chromatogr* 112:701-718.
- Bertsch W, Chang RC, Zlatkis A. 1974. The determination of organic volatiles in air pollution studies: Characterization of profiles. *J Chromatogr Sci* 12:175182.
- \*Beyerle-Pfner R, Huster TK, Moza PN, et al. 1989. The role of oxygen species in the degradation of selected environmental chemicals. *Toxicol Environ Chem* 20:129-34.
- \*Bieniek G, Wilczok T. 1981. Thin-layer chromatography of hippuric and m-methylhippuric acid in urine after mixed exposure to toluene and xylene. *Br J Ind Med* 38:304-306.
- \*Bio/dynamics Inc. 1983. Parental and fetal reproduction toxicity study in rats with mixed xylenes. EPA/OTS public files. East Millstone, NJ: Bio/dynamics Inc. Document # FYI-AX-0983-0209.
- Blackman WJ, Gamas RL, Preston JE, et al. 1984. Chemical composition of drum samples from hazardous waste sites. Washington, DC: Fifth National Conference on Management of Uncontrolled Hazardous Waste Sites, 39-44.
- \*Blanchard KT, Morris JB. 1994. Effects of *m*-xylene on rat nasal cytochrome P-450 mixed function oxidase activity. *Toxicol Lett* 70:253-259.

- Bleeker ML, Bolla KI, Agnew J. 1991. Dose-related subclinical neurobehavioral effects of chronic exposure to low levels of organic solvents. *Am J Ind Med* 19:715-728.
- \*Bonnet P, Raoult G, Gradiski D. 1979. [Lethal concentration 50 of main aromatic hydrocarbons.] *Arch Ma1 Prof* 40:805-810. (French)
- Boorman GA, Eustis SL. 1984. Proliferative lesions of the exocrine pancreas in male F344/N rats. *Environ Health Perspect* 56:213-217.
- \*Bos RP, Brouns RME, Van Doorn R, et al. 1981. Nonmutagenicity of toluene, *o*-xylene, *m*-xylene, *p*-xylene, *o*-methylbenzylalcohol and *o*-methyl benzylsulfate in the Ames assay. *Mutat Res* 88:273-280.
- Bouchard DC, Enfield CG, Piwoni MD. 1989. Transport processes involving organic chemicals. In: Reactions and movement of organic chemicals in soil. SSSA Special Publication No. 22, 349-371.
- \*Bowers DJ, Cannon MS, Jones DH. 1982. Ultrastructural changes in livers of young and aging rats exposed to methylated benzenes. *Am J Vet Res* 43:679-683.
- \*Brasington RD Jr, Thorpe-Swenson AJ. 1991. Systemic sclerosis associated with cutaneous exposure to solvent: Case report and review of the literature. *Arthritis Rheum* 34:631-633.
- Brass HJ. 1982. Procedures for analyzing organic contaminants in drinking water. *Journal of American Water Works Association* 74:107-112.
- \*Bray HG, Humphris BG, Thorpe WV. 1949. Metabolism of derivatives of toluene:3. *o*-, *m*-, and *p*-Xylenes. *Biochem J* 45:241-244.
- Bray HG, Humphris BG, Thorpe WV. 1950. Metabolism of derivatives of toluene:5. The fate of the xylenols in the rabbit, with further observations on the metabolism of the xylenes. *Biochem J* 47:395-399.
- \*Breum NO, Soehrich E, Madsen TL. 1990. Differences in organic vapor concentrations in the breathing zone resulting from convective transport from spillage on clothing. *Appl Occup Environ Hyg* 5:298-302.
- \*Bridie AL, Wolff CJM, Winter M. 1979. BOD and COD of some petrochemicals. *Water Research* 13:627-630.
- Broda P, Bayley S, Duggleby CJ, et al. 1977. Plasmid-coded degradation of toluene and xylenes in soil pseudomonads. In: Mitsuhashi S, ed. *Plasmids: Medical and Theoretical Aspects*, 403-406.
- \*Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: The C.V. Mosby Company, 221-222.
- Brooke DN, Dobbs AJ, Williams N. 1986. Octanol:water partition coefficients (P): Measurement, estimation, and interpretation, particularly for chemicals with P>105. *Ecotox Environ Safety* 11:251-260.

## 8. REFERENCES

- \*Brown RH. 1988a. Determination of benzene, toluene and xylene in industrial air by charcoal tube, solvent desorption and gas chromatography. IARC Sci Pub1 85:225-233.
- \*Brown RH. 1988b. Determination of benzene, toluene and xylene in industrial air by porous polymer adsorption tube, thermal desorption and gas chromatography. IARC Sci Pub1 85:235-242.
- \*Budavari S, ed. 1989. The Merck index. 11th ed. Rahway, NJ: Merck & Co., Inc., 1590.
- \*Bushnell, PJ. 1989. Behavioral effects of acute *p*-xylene inhalation in rats: Autoshaping, motor activity, and reversal learning. Neurotoxicol Teratol 10:569-577.
- Bushnell PJ, Peele DB. 1988. Conditioned flavor aversion induced by inhaled *p*-xylene in rats. Neurotoxicol Teratol 10:273-277.
- \*Calabrese AJ. 1978. Pollutants and high-risk groups. New York, NY: John Wiley & Sons, Inc., 4-8.
- Calvert JG. 1976. Hydrocarbon involvement in photochemical smog formation in Los Angeles atmosphere. Environmental Science and Technology 10:256-262.
- Camarasa JG. 1987. Contact dermatitis from dimethylformamide. Contact Dermatitis 16:234.
- \*Cameron GR, Paterson JLH, DeSaram GSW, et al. 1938. The toxicity of some methyl derivatives of benzene with special reference to pseudocumene and heavy coal tar naphtha. J Pathol Bacteriol 46:95-107.
- \*Campbell L, Wilson HK, Samuel AM, et al. 1988. Interactions of *m*-xylene and aspirin metabolism in man. Br J Ind Med 45:127-132.
- Cannon Laboratories, Incorporated. 1976. Report on rabbit eye irritation. EPA/OTS public files. Reading, PA: Cannon Laboratories, Incorporated. Document No. 878210542
- \*Caperos JR, Fernandez JG. 1977. Simultaneous determination of toluene and xylene metabolites in urine by gas chromatography. Br J Ind Med 34:229-233.
- \*Carlone MF, Fouts JR. 1974. *In vitro* metabolism of *p*-xylene by rabbit lung and liver. Xenobiotica 4:705-715.
- \*Carlsson A. 1981, Distribution and elimination of <sup>14</sup>C-xylene in rat. Stand J Work Environ Health 7:51-55.
- \*Carpenter CP, Kinkead ER, Geary DJ, et al. 1975a. Petroleum hydrocarbon toxicity studies: V. Animal and human response to vapors of mixed xylenes. Toxicol Appl Pharmacol 33:543-558.
- Carpenter CP, Kinkead ER, Geary DJ, et al. 1975b. Petroleum hydrocarbon toxicity studies: I. Methodology. Toxicol Appl Pharmacol 32:246-262.
- \*CESARS. 1988. Chemical Evaluation Search and Retrieval System. Chemical Information Systems, Inc., Baltimore, MD. April 1982.

## 8. REFERENCES

- \*Ghan CC, Vainer L, Martin JW, et al. 1990. Determination of organic contaminants in residential indoor air using an adsorption-thermal desorption technique. *Journal of the Air and Waste Management Association* 40:62-7.
- \*Chao J, Lin CT, Chung TH. 1983. Vapor pressure of coal chemicals. *Journal of Physical and Chemical Reference Data* 12:1033-1063.
- \*Charney W, Lipnowski M, Wugofski L. 1990. Biological exposure index testing: Two case studies. In: Chamey W, Schirmer J, eds. *Essentials of modern hospital safety*. Chelsea, MI: Lewis Publishers, Inc., 273-281.
- \*CHEMFATE. 1988. Syracuse Research Corporation, Syracuse, NY. December 1988.
- Chiang CY, Salanitro JP, Chai EY, et al. 1989. Aerobic biodegradation of benzene, toluene, and xylene in a sandy aquifer data analysis and computer modeling. *Ground Water* 27:823-34.
- \*Chiou CT, Schmedding DW, Manes M. 1982. Partitioning of organic compounds in octanol-water systems. *Environmental Science and Technology* 16:4-10.
- Clark AI, McIntyre AE, Lester JN, et al. 1984a. Ambient air measurements of aromatic and halogenated hydrocarbons at urban, rural, and motorway locations. *Sci Total Environ* 39:265-279.
- Clark AI, McIntyre AE, Perry R, et al. 1984b. Monitoring and assessment of ambient atmospheric concentrations of aromatic and halogenated hydrocarbons at urban, rural, and motorway locations. *Environ Pollut (Series B)* 7:141-158.
- \*Cobb GP, Braman RS. 1991. Determination of multiple atmospheric diffusion coefficients using the carbon hollow tube gas chromatography method. *J Air Waste Manage Assoc* 41:967-971.
- \*Condie LW, Hill JR, Borzelleca JF. 1988. Oral toxicology studies with xylene isomers and mixed xylenes. *Drug Chem Toxicol* 11:329-354.
- Cone JE. 1986. Health hazards of solvents. *State Art Rev Occup Med* 1:69-87
- \*Connor TH, Theiss JC, Hanna HA, et al. 1985. Genotoxicity of organic chemicals frequently found in the air of mobile homes. *Toxicol Lett* 25:33-40.
- \*Consumer Products Testing. 1976. Primary dermal irritation (rabbit); Ocular irritation (rabbit). EPA/OTS public files. Fairfield, NJ: Consumer Products Testing. Document No. 878210552.
- Cox RA, Derwent RG, Williams MR. 1980. Atmospheric photooxidation reactions: Rates, reactivity, and mechanism for reaction of organic compounds with hydroxyl radicals. *Environmental Science and Technology* 14:57-61.
- \*Cramer PH, Boggess KE, Hosenfeld JM, et al. 1988. Determination of organic chemicals in human whole blood: Preliminary method development for volatile organics. *Bull Environ Contam Toxicol* 40:612-618.

- \*CRISP. 1992. Computer Retrieval of Information on Science Projects. Subfile of Toxline Database. National Library of Medicine, National Institutes of Health, Bethesda, MD. December 1992.
- Crutzen PJ, Delany AC, Greenberg J, et al. 1985. Tropospheric chemical composition measurements in Brazil during the dry season. *J Atmos Chem* 2:233-256.
- Cucueco MTS, Espinosa NC, Villanueva MBG, et al. 1993. Urinary metabolite levels and symptoms in Filipino workers using organic solvents. *Int Arch Occup Environ Health* 65:S167-S170.
- \*CUS. 1993. Chemical Update System. U.S. Environmental Protection Agency, Information Management Division, Washington, DC. February 19, 1993.
- \*Daniel I W, Stebbins A, Kalman D, et al. 1992. The contributions to solvent uptake by skin and inhalation exposure. *Am Ind Hyg Assoc J* 53:124-129.
- \*Darnall KR, Atkinson R, Pitts JN Jr. 1979. Observation of biacetyl from the reaction of OH radicals with *o*-xylene: Evidence for ring cleavage. *J Phys Chem* 83:1943-1946.
- \*Davey JF, Gibson DT. 1974. Bacterial metabolism of para- and meta-xylene: Oxidation of a methyl substituent. *J Bacteriol* 119:923-929.
- \*David A, Flek J, Frantik E, et al. 1979. Influence of phenobarbital on xylene metabolism in man and rats. *Int Arch Occup Environ Health* 44:117-125.
- \*Davis RS, Hossler FE, Stone RW. 1968. Metabolism of *p*- and *m*-xylene by species of *Pseudomonas*. *Can J Microbiol* 14:1005-1009.
- Day BJ, Carlson GP. 1992. Effect of para-xylene metabolites, para-methylbenzyl alcohol and 2,5-dimethylphenol, on rat hepatic and pulmonary microsomal metabolism. *Res Commun Chem Pathol Pharmacol* 76:117-120.
- \*Day BJ, DeNicola DB, Marcus CB, et al. 1992. Effect of *p*-xylene on the bioactivation of bromobenzene in rat lung and liver. *Fundam Appl Toxicol* 19:50-56.
- Dean BJ. 1978. Genetic toxicology of benzene, toluene, xylenes and phenols. *Mutat Res* 47:75-97.
- Dean BJ. 1985. Recent findings on the genetic toxicology of benzene, toluene, xylenes and phenols. *Mutat Res* 154:153-181.
- Debus O, Wanner O. 1992. Degradation of xylene by a biofilm growing on a gas-permeable membrane. *Wat Sci Tech* 26(3-4):607-616.
- \*de Carvalho D, Lanchote VL, Bonato PS, et al. 1991. A new derivatization procedure for the analysis of hippuric acid and *m*-methyl-hippuric acid by gas chromatography. *Int Arch Occup Environ Health* 63:133-37.
- \*De Ceaurriz JC, Micillino JC, Bonnet P, et al. 1981. Sensory irritation caused by various industrial airborne chemicals. *Toxicol Lett* 9:137-143.

## 8. REFERENCES

- \*De Ceaurriz J, Desiles JP, Bonnet P, et al. 1983. Concentration-dependent behavioral changes in mice following short-term inhalation exposure to various industrial solvents. *Toxicol Appl Pharmacol* 67:383-389.
- DeGandarias JM, Echevarria E, Irazusta J, et al. 1993. Brain aminopeptidase activity after subacute xylene exposure. *Neurotoxicology and Teratology* 15:51-53.
- \*DeMarini DM, Lawrence BK, Brooks HG, et al. 1991. Compatibility of organic solvents with the microscreen prophage-induction assay: Solvent-mutagen interactions. *Mutat Res* 263:107-113.
- Dencker L, Danielsson BR. 1987. Transfer of drugs to the embryo and fetus after placentation. *Pharmacokin in Teratogen* 1:55-69.
- \*Desi I, Kovacs F, Zahumenszky Z, et al. 1967. Maze learning in rats exposed to xylene intoxication. *Psychopharmacologia (Berl)* 11:224-230.
- Dewalle FB, Chian ESK. 1981. Detection of trace organics in well water near a solid waste landfill. *J Am Water Works Assoc* 73:206-211.
- Dilling WL, Bredeweg CJ, Tefertiller NB. 1976. Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other compounds. *Environmental Science and Technology* 10:351-356.
- Dodge MC. 1984. Combined effects of organic reactivity and NMHC/NO<sub>x</sub> ratio on photochemical oxidant formation—a modeling study. *Atmos Environ* 18:1657-1666.
- \*Dolara P, Lodovici M, Buffoni F, et al. 1982. Variations of some parameters of enzyme induction in chemical workers. *Ann Occup Hyg* 25:27-32.
- Dowty BJ, Laseter JL, Storer J. 1976. The transplacental migration and accumulation in blood of volatile organic constituents. *Pediat Res* 10:696-701.
- Driscoll JN, Wameck P. 1973. The analysis of PPM levels of gases in air by photoionization mass spectrometry. *J Air Pollut Control Assoc* 23:858-863.
- \*Dudek B, Gralewicz K, Jakubowski M, et al. 1990. Neurobehavioral effects of experimental exposure to toluene, xylene and their mixture. *Pol J Occup Med* 3:109-116.
- Dunovant VS, Clark CS, Quehee SS, et al. 1986. Volatile organics in the wastewater and airspaces of three wastewater plants. *J Water Pollut Control Fed* 58:886-895.
- \*Dutkiewicz T, Tyras H. 1968. Skin absorption of toluene, styrene, and xylene by man. *Br J Ind Med* 25:243.
- Dworzanski JP, Debowski MT. 1981. Semiautomated preparation technique of urine samples for gas chromatographic determination of toluene and xylene metabolites. *Chemia Anal* 26:319-325.
- \*Dyer RS, Bercegea MS, Mayo LM. 1988. Acute exposures to *p*-xylene and toluene alter visual information processing. *Neurotoxicol Teratol* 10:147-153.

- \*ECETOC. 1986. Joint assessment of commodity chemicals: No. 6. Xylenes. Brussels, Belgium: European Chemical Industry Ecology and Toxicology Centre.
- Eckardt RE. 1976. Recommendations for a xylene standard: Commentary 2. *J Occup Med* 18:572.
- \*Edwards EA, Grbic-Galic D. 1994. Anaerobic degradation of toluene and *o*-xylene by a methanogenic consortium. *Applied and Environmental Microbiology* 60(1):313-322.
- \*Edwards EA, Wills LE, Reinhard M, et al. 1992. Anaerobic degradation of toluene and xylene by aquifer microorganisms under sulfate-reducing conditions. *Appl Environ Microbiol* 58:794-800.
- Ehrenreich T. 1977. Renal disease from exposure to solvents. *Ann Clin Lab Sci* 7:6-16.
- \*Eichmann R, Neuling P, Ketseridis G, et al. 1979. n-Alkane studies in the troposphere: I. Gas and particulate concentrations in North Atlantic air. *Atmos Environ* 13:587-599.
- \*Eichmann R, Ketseridis G, Schebeske G, et al. 1980. n-Alkane studies in the troposphere: II. Gas and particulate concentrations in Indian Ocean air. *Atmos Environ* 14:695-703.
- \*Ellenhorn MJ, Barceloux DG. 1988. *Medical toxicology: Diagnosis and treatment of human poisoning*. New York, NY: Elsevier, 962-964.
- \*Elovaara E. 1982. Dose-related effects of *m*-xylene inhalation on the xenobiotic metabolism of the rat. *Xenobiotica* 12:345-352.
- \*Elovaara E, Collan Y, Pfaffli P, et al. 1980. The combined toxicity of technical grade xylene and ethanol in the rat. *Xenobiotica* 10:435-445.
- \*Elovaara E, Engstrom K, Hayri L, et al. 1989. Metabolism of antipyrine and *m*-xylene in rats after prolonged pretreatment with xylene alone or xylene with ethanol, phenobarbital, or 3-methylcholanthrene. *Xenobiotica* 19:945-960.
- Elovaara E, Engstrom K, Vainio H. 1982a. Unaltered metabolism of *m*-xylene in the presence of ethylbenzene. *Biochemical and Biophysical Environmental Implications* 23:765-768.
- Elovaara E, Engstrom K, Vainio H. 1984. Metabolism and disposition of simultaneously inhaled *m*-xylene and ethylbenzene in the rat. *Toxicol Appl Pharmacol* 75:466-478.
- Elovaara E, Pfaffli P, Savolainen H, et al. 1982b. Marginal role of impaired aldehyde metabolism in *m*-xylene vapour-induced biochemical effects in the rat. *J Appl Toxicol* 2:27-33.
- \*Elovaara E, Zitting A, Nickels J, et al. 1987. *m*-Xylene inhalation destroys cytochrome P-450 in rat lung at low exposure. *Arch Toxicol* 61:21-26.
- \*Engstrom J, Bjurstrom R. 1978. Exposure to xylene and ethylbenzene: II. Concentration in subcutaneous adipose tissue. *Stand J Work Environ Health* 4:195-203.

## 8. REFERENCES

Engstrom J, Riihimaki V. 1979. Distribution of *m*-xylene to subcutaneous adipose tissue in short-term experimental human exposure. *Stand J Work Environ Health* 5:126-134.

Engstrom K, Husman K, Pfaffli P, et al. 1978. Evaluation of occupational exposure to xylene by blood, exhaled air and urine analysis. *Stand J Work Environ Health* 4:114-121.

\*Engstrom K, Husman K, Rantanen J. 1976. Measurement of toluene and xylene metabolites by gas chromatography. *Int Arch Occup Environ Hlth* 36:153-160.

\*Engstrom K, Husman K, Riihimaki V. 1977. Percutaneous absorption of *m*-xylene in man. *Int Arch Occup Environ Hlth* 39:181-189.

\*Engstrom K, Riihimaki V, Laine A. 1984. Urinary disposition of ethylbenzene and *m*-xylene in man following separate and combined exposure. *Int Arch Occup Environ Health* 54:355-363.

\*EPA. 1971. Exemptions from the requirement of a tolerance. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.1001.

\*EPA. 1978. Initial report of the TSCA interagency testing committee to the administrator, Environmental Protection Agency. Washington, D.C.: National Science Foundation, U.S. Environmental Protection Agency. EPA 560-lo-78/001.

EPA. 1980a. Guidelines and methodology used in the preparation of health effect assessment chapters of the consent decree water criteria documents. U.S. Environmental Protection Agency. Code of Federal Regulations. Federal Register 45:79347-79357.

\*EPA. 1980b. Discarded commercial chemical products. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33.

\*EPA. 1981a. Advisory opinion for xylenes (dimethylbenzenes). An Office of Drinking Water health effects advisory. Washington, D.C: U.S. Environmental Protection Agency, Office of Drinking Water, 1-11.

\*EPA. 1981b. Engineering handbook for hazardous waste incineration. Washington, DC: U.S. Environmental Protection Agency. PB 81-248163.

\*EPA. 1981c. Hazardous wastes from nonspecific sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.31.

\*EPA. 1981d. Hazardous wastes from specific sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.32.

\*EPA. 1981e. Exposure analysis modeling system (EXAMS). Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory. EPA 600/3-82-023.

\*EPA. 1982. Chemical information and rules: Chemical lists and reporting periods, U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 712.30.

- \*EPA. 1983. Volatile organic chemicals in the atmosphere: An assessment of available data. Research Triangle Park, NC.: U.S. Environmental Protection Agency, Office of Research and Development, Environmental Sciences Research Laboratory. EPA 600/3-83-027a.
- \*EPA. 1984a. Health effects assessment for xylene. Cincinnati, OH, and Washington, DC: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Office of Research and Development, and Office of Emergency and Remedial Response. EPA 540/1-86-006.
- \*EPA. 1984b. Proposed guidelines for carcinogenic risk. U.S. Environmental Protection Agency. Federal Register 49:46294-46299.
- \*EPA. 1985a. Drinking water criteria document for xylenes. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office for the Office of Drinking Water, Washington, DC. EPA-600/X-84-185 PB86-117942.
- \*EPA. 1985b. Xylene; exemption from the requirement of a tolerance. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.1025.
- EPA. 1985c. National primary drinking water regulations. U.S. Environmental Protection Agency. Federal Register 50:46936-47022.
- \*EPA. 1985d. Toxic pollutants and hazardous substances required to be identified by existing dischargers if expected to be present. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122 Appendix D.
- \*EPA. 1986a. Health and environmental effects profile for xylenes (*o*-, *m*-, *p*-). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. EPA/600/X-86/216, PB88-246186.
- EPA. 1986b. Reference values for risk assessment (final draft). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Solid Waste. ECAO-CIN-477.
- EPA. 1987a. Toxic chemical release reporting; Community right-to-know; Proposed rule. U.S. Environmental Protection Agency. Federal Register 52:21152-21208.
- EPA. 1987b. Health advisory for xylenes. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water, March 31, 1987.
- \*EPA. 1987c. List of hazardous constituents for ground-water monitoring. U.S. Environmental Protection Agency. Federal Register 52:25942-25953.
- \*EPA. 1987d. Drinking water criteria document for xylene. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office for the Office of Drinking Water, Washington, DC. ECAO-CIN-416.

## 8. REFERENCES

- \*EPA. 1988a. Review of the draft drinking water criteria document for xylenes. Washington, DC: U.S. Environmental Protection Agency, Science Advisory Board, Environmental Health Committee, Drinking Water Subcommittee. PB89-113765.
- EPA. 1988b. Genetic evaluation of DOW Coming 65 additive in bacterial reverse mutation assays with attachments and cover letter. EPA/OTS public files. Washington, DC: U.S. Environmental Protection Agency. Microfiche number OTS0517347.
- \*EPA. 1989a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- \*EPA. 1989b. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- \*EPA. 1989c. Updated health effects assessment for xylene. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. EPA/600/8-89/098.
- \*EPA. 1990. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/8-90/066A.
- \*EPA. 1991. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50-141.60.
- \*EPA. 1992. Health and safety data reporting: Substances and listed mixtures to which this subpart applies. US. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 712.120.
- \*Epler JL, Rao TK, Gem-in MR. 1979. Evaluation of feasibility of mutagenic testing of shale oil products and effluents. *Environ Health Perspect* 30:179-184.
- \*Esposito GG, Jacobs BW. 1977. Chromatographic determination of aromatic hydrocarbons in ambient air. *Am Ind Hyg Assoc J* 38:401-407.
- Evans PJ, Ling W, Goldschmidt B, et al. 1992. Metabolites formed during anaerobic transformation of toluene and *o*-xylene and their proposed relationship to the initial steps of toluene mineralization. *Appl Environ Microbiol* 58:496-501.
- \*Evans PJ, Mang DT, Young LY. 1991. Degradation of toluene and *m*-xylene and transformation of *o*-xylene by denitrifying enrichment cultures. *Appl Environ Microbiol* 57:450-454.
- Fabacher DL, Hodgson E. 1977. Hepatic mixed-function oxidase activity in mice treated with methylated benzenes and methylated naphthalenes. *J Toxicol Environ Health* 2:1143-1146.
- Fairhall LT. 1969. *Industrial toxicology*. 2nd ed. New York, NY: Hafner Publishing Co, 357-358.
- \*Faust SD. 1977. Chemical mechanisms affecting the fate of organic pollutants in natural aquatic environments. In: Suffet IH, ed. *Advances in environmental science and technology*. Vol. 8. New York, NY: John Wiley & Sons, Inc, 317-365.

- \*FDA. 1977a. Xylene-fomaldehyde resins condensed with 4,4'-isopropylidenediphenol-epichlorohydrin epoxy resins. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.380.
- \*FDA. 1977b. Substances for use only as components of adhesives. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- \*FEDRIP. 1994. Federal Research in Progress. Dialog Information Service, Incorporated. December 1994.
- \*Feldt EG. 1986. [Evaluation of the mutagenic hazards of benzene and some of its derivatives.] *Gig Sanit (7)*:21-23. HSE Translation No. 11635. (Russian)
- \*Fishbein L. 1985. An overview of environmental and toxicological aspects of aromatic hydrocarbons: III. Xylene. *Sci Total Environ* 43:165-183.
- \*Fishbein L. 1988. Xylenes: Uses, occurrence and exposure. In: Fishbein L, O'Neill IK, eds. *Environmental carcinogens: Methods of analysis and exposure measurement. Volume 10: Benzene and alkylated benzenes.* Lyon, France: World Health Organization, International Agency for Research on Cancer, 109-120.
- Flick EW. 1991. *Industrial solvents handbook.* 4th edition. Park Ridge, NJ: Noyes Data Corp
- \*Florin I, Rutberg L, Curvall M, et al. 1980. Screening of tobacco smoke constituents for mutagenicity using the Ames' test. *Toxicol* 18:219-232.
- \*Food and Drug Research Laboratories Incorporated. 1976a. Primary skin irritation study with rabbits. EPA/OTS public files. Waverly, NY: Food and Drug Research Laboratories Incorporated. Document No. 878210553.
- \*Food and Drug Research Laboratories Incorporated. 1976b. Rabbit eye irritation study. EPA/OTS public files. Waverly, NY: Food and Drug Research Laboratories Incorporated. Document No. 87-7800190.
- \*Först C, Stieglitz L, Roth W, et al. 1989a. Determination of volatile organic pollutants in leachate from different landfills. *Vom Wasser* 72:295-305.
- \* Först C, Stieglitz L, Roth W, et al. 1989b. Quantitative analysis of volatile organic compounds in landfill leachates. *Int J Environ Anal Chem* 37:287-293.
- Forde JP. 1973. Xylene affected platelet count. *Occup Health* 11:429-433.
- \*Fox DL, Gary M, Jeffries HE. 1984. Organic aerosol formation: OH vs. ozone oxidation pathways. Report to Coordinating Research Council, Inc., Atlanta, GA, by Department of Environmental Sciences and Engineering, University of North Carolina, Chapel Hill, NC.
- \*Franchini I, Cavatorta A, Falzoi M, et al. 1983. Early indicators of renal damage in workers exposed to organic solvents. *Int Arch Occup Environ Health* 52:1-9.

- Freed VH, Chiou CT. 1982. Physicochemical factors in routes and rates of human exposure to chemicals. In: McKinney JD, ed. Environmental Health Chemistry. Ann Arbor, MI: Ann Arbor Science, 59-74.
- \*Freundt KJ, Romer KG, Federsel RJ. 1989. Decrease of inhaled toluene, ethyl benzene, *m*-xylene, or mesitylene in rat blood after combined exposure to ethyl acetate. Bull Environ Contam Toxicol 42: 495-498.
- \*FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Regulatory Alliance Committee, Washington, DC. February 1990.
- \*Fuentes HR, Polzer WL, Smith JL. 1991. Laboratory measurements of diffusion coefficients for trichloroethylene and orthoxylene in undisturbed turf. Journal of Environmental Quality 20:215-221.
- \*Furnas DW, Hine CH. 1958. Neurotoxicity of some selected hydrocarbons. Arch Ind Health 18:9-15.
- Galloway SM, Bloom AD, Resnick M, et al. 1985. Development of a standard protocol for *in vitro* cytogenetic testing with Chinese hamster ovary cells: Comparison of results for 22 compounds in two laboratories. Environ Mutagen 7: 1-51.
- \*Gamberale F, Annwall G, Hultengren M. 1978. Exposure to xylene and ethylbenzene: III. Effects on central nervous functions. Stand J Work Environ Health 4:204-211.
- Gart JJ, Chu KC, Tarone RE. 1979. Statistical issues in interpretation of chronic bioassay tests for carcinogenicity. JNCI 62:957-974.
- \*Gerarde HW. 1959. Toxicological studies on hydrocarbons: III. The biochemorphology of the phenylalkanes and phenylalkenes. Arch Ind Health 19:403-418.
- \*Gerarde HW. 1960. Toxicology and biochemistry of aromatic hydrocarbons. London, United Kingdom: Elsevier Publishing Co., 171-180.
- \*Gerner-Smidt P, Friedrich U. 1978. The mutagenic effect of benzene, toluene and xylene studied by the SCE technique. Mutat Res 58:313-316.
- \*Gersberg RM, Dawsey WJ, Bradley MD. 1991. Biodegradation of monoaromatic hydrocarbons in groundwater under denitrifying conditions. Bull Environ Contam Toxicol 47:230-237.
- \*Gery MW, Fox DL, Kamens RM, et al. 1987. Investigation of hydroxyl radical reactions with *o*-xylene and *m*-xylene in a continuous stirred tank reactor. Environmental Science and Technology 21:339-348.
- \*Ghantous H, Danielsson BR. 1986. Placental transfer and distribution of toluene, xylene and benzene, and their metabolites during gestation in mice. Biol Res Pregnancy Perinatol 7:98-105.
- \*Ghantous H, Dencker L, Gabrielsson J, et al. 1990. Accumulation and turnover of metabolites of toluene and xylene in nasal mucosa and olfactory bulb in the mouse. Pharmacol Toxicol 66:87-92.

- \*Gherini SA, Summers KV, Munson RK, et al. 1989. Chemical data for predicting the fate of organic compounds in water: Volume 1, Technical basis: Final report. Palo Alto, CA: Electrical Power Research Institute. EPRI-EA-5818.
- \*Gholson AR, Albritton JR, Jayanty RKM, et al. 1991. Evaluation of an enclosure method for measuring emissions of volatile organic compounds from quiescent liquid surfaces. *Environmental Science and Technology* 25:519-24.
- \*Ghosh TK, Copeland RJ, Parui RN, et al. 1987. Effects of xylene inhalation on fixed-ratio responding in rats. *Pharmacol Biochem Behav* 27:653-657.
- \*Gibson DT, Mahadevan V, Davey JF. 1974. Bacterial metabolism of para- and meta-xylene: Oxidation of the aromatic ring. *J Bacteriol* 119:930-936.
- \*Giger W, Schaffner C. 1981. Groundwater pollution by volatile organic chemicals. *Studies in Environmental Science* 17:517-522.
- Gitelson S, Aladjemoff L, Ben Hador S, et al. 1966. Poisoning by a malathion-xylene mixture. *JAMA* 197:819-821.
- Giulliani S, Santicioli P, Lippe IT, et al. 1993. Effect of bradykinin and tachykinin receptor antagonists on xylene-induced cystitis in rats. *Journal of Urology* 150:1014-1017.
- \*Glaser RA, Arnold JE. 1989. Investigation of charcoal cloth as a sorbent for integrated sampling of solvent vapors in mixed-expired breath using a new stainless steel sampler. *Am Ind Hyg Assoc J* 50:112-21.
- Glaser RA, Arnold JE, Shulman SA. 1988. Direct sampling of organic solvents in expired breath with a new solid sorbent sampling device. *Stand J Work Environ Health* 14 (Suppl 1):63-65.
- \*Glaser RA, Arnold JE, Shulman SA. 1990. Comparison of 3 sampling and analytical methods for measuring metu-xylene in expired air of exposed humans. *Am Ind Hyg Assoc J* 51:139-150.
- \*Gleason MN, Gosselin RE, Hodge HC, et al. 1969. *Clinical toxicology of commercial products: Acute poisoning*. 3rd ed. Baltimore, MD: Williams and Wilkins, 227-230.
- \*Goldfrank LR, Kulberg AG, Bresnitz EA. 1990. Hydrocarbons. In: Goldfrank LR, ed. *Goldfrank's toxicologic emergencies*. Norwalk, CT: Appleton and Lange, 759-768.
- \*Goldie I. 1960. Can xylene (xylol) provoke convulsive seizures. *Ind Med Surg* 29:33-35.
- \*Gosselin RE, Smith RP, Hodge HC. 1984. *Clinical toxicology of commercial products*. 5th ed. Baltimore, MD: Williams & Wilkins, 397-404.
- \*Gossett RW, Brown DA, Young DR. 1983. Predicting the bioaccumulation of organic compounds in marine organisms using octanol/water partition coefficients. *Marine Pollut Bull* 14:387-392.
- Grasso P, Sharrat M, Davies D, et al. 1984. Neurophysiological and psychological disorders and occupational exposure to organic solvents. *Food Chem Toxicol* 22:819-852.

- Gray DC. 1974. Solvent evaporation rates. *Am Ind Hyg Assoc J* 35:695-710.
- \*Green WJ, Lee GF, Jones RA. 1981. Clay-soils permeability and hazardous waste storage. *J Water Pollut Control Fed* 53:1347-1354.
- Green WJ, Lee GF, Jones RA, et al. 1983. Interaction of clay soils with water and organic solvents: Implications for the disposal of hazardous wastes. *Environmental Science and Technology* 17:278-282.
- \*Greenberg JP, Zimmerman PR. 1984. Nonmethane hydrocarbons in remote tropical, continental and marine atmospheres. *J Geophys Res* 89:4767-4778.
- Greenberg JP, Zimmerman PR, Heidt L, et al. 1984. Hydrocarbon and carbon monoxide emissions from biomass burning in Brazil. *J Geophys Res* 89:1350-1354.
- Gregersen P. 1988. Neurotoxic effects of organic solvents in exposed workers: Two controlled followup studies after 5.5 and 10.6 years. *Am J Ind Med* 14:681-702.
- \*Griffin RA, Hughes RE, Follmer IR, et al. 1984. Migration of industrial chemicals and soil-waste interactions at Wilsonville, Illinois. In: Land disposal of hazardous waste. Proceedings of the Tenth Annual Research Symposium, Ft. Mitchell, KY. p. 61-77.
- \*Grosjean D. 1991. Atmospheric fate of toxic aromatic-compounds. *Sci Total Environ* 100:367-414.
- \*Grosjean D, Fung K. 1984. Hydrocarbons and carbonyls in Los Angeles air. *J Air Pollut Control Assoc* 34:37-543.
- \*Guisti DM, Conway RA, Lawson CT. 1974. Activated carbon adsorption of petrochemicals. *J Water Pollut Control Fed* 46:947-965.
- \*Gupta BN, Kumar P, Srivastava AK. 1990. An investigation of the neurobehavioral effects on workers exposed to organic solvents. *J Sot Occup Med* 40:94-96.
- Gupta BN, Shanker R, Viswanathan PN, et al. 1987. Safety evaluation of a barrier cream. *Contact Dermatitis* 17:10-12.
- Haag F, Reinhard M, McCarty PL. 1991. Environmental chemistry: Degradation of toluene and *p*-xylene in anaerobic microcosms: Evidence for sulfate as a terminal electron acceptor. *Environ Toxicol Chem* 10:1379-1389.
- \*Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. Second edition. Philadelphia, PA: W .B. Saunders Company, 1224-1226.
- \*Haglund U, Lundberg I, Zech L. 1980. Chromosome aberrations and sister chromatid exchanges in Swedish paint industry workers. *Stand J Work Environ Health* 6:291-298.
- \*Haigler BE, Pettigrew CA, Spain JC. 1992. Biodegradation of mixtures of substituted benzenes by *Pseudomonas sp.* Strain JS150. *Appl Environ Microbiol* 58:2237-2244.

## 8. REFERENCES

- \*Hajimiragha H, Ewers U, Brockhaus A, et al. 1989. Levels of benzene and other volatile aromatic compounds in the blood of non-smokers and smokers. *Int Arch Occup Environ Health* 61:513-518.
- \*Hake CLR, Stewart RD, Wu A, et al. 1981. *p*-Xylene: Development of a biological standard for the industrial worker. Report to the National Institute for Occupational Safety and Health, Cincinnati, OH, by the Medical College of Wisconsin, Inc., Milwaukee, WI. PB82-152844.
- Halder CA, Van Gorp GS, Hatoum NS, et al. 1986. Gasoline vapor exposures: Part I. Characterization of workplace exposures. *Am Ind Hyg Assoc J* 47:164-172.
- Hampel CA, Hawley GG. 1973. The encyclopedia of chemistry. 3rd ed. New York, NY: Van Nostrand Reinhold Company, 819-820.
- \*Hampton CV, Pierson WR, Harvey TM, et al. 1982. Hydrocarbon gases emitted from vehicles on the road: I. A qualitative gas chromatography/mass spectrometry survey. *Environmental Science and Technology* 16:287-298.
- Hansch C, Leo A. 1979. Substituent constants for correlation analysis in chemistry and biology. New York, NY: John Wiley & Sons, 232.
- Hansen DA, Atkinson R, Pitts JJ. 1975. Rate constants for the reaction of OH radicals with a series of aromatic hydrocarbons. *J Phys Chem* 79:1763-1766.
- Harkov R, Kebbekus B, Bozzelli JW, et al. 1984. Comparison of selected volatile organic compounds during the summer and winter at urban sites in New Jersey. *Sci Total Environ* 38:259-274.
- Harmsen J. 1983. Identification of organic compounds in leachate from a waste tip. *Water Research* 17:699-705.
- \*Harper C, Drew RT, Fouts JR. 1975. Benzene and *p*-xylene: A comparison of inhalation toxicities and *in vitro* hydroxylations. In: Jollow J, ed. *Biological reactive intermediates: Formation, toxicity, and inactivation*. Proceedings of an International Conference, Turku, Finland, July 26-27, 1975. New York, NY: Plenum Press, 302-311.
- Harton EJ, Rawl RR, eds. 1976. Toxicological and skin corrosion testing of selected hazardous materials. Report to U.S. Department of Transportation, Office of Hazardous Materials Operations, Washington, D.C., by Biological Services Division, United States Testing Company, Inc., Hoboken, NJ. DOT/MTB/OHMO-76/2, PB-264 975.
- Hartwell TD, Pellizzari ED, Perritt RL, et al. 1987. Comparison of volatile organic levels between sites and seasons for the total exposure assessment methodology (TEAM) study. *Atmos Environ* 21:2413-2424.
- Hasanen E, Karlsson V, Leppamaki E, et al. 1981. Benzene, toluene and xylene concentrations in car exhausts and in city air. *Atmos Environ* 15:1755-1757.
- Haseman JK, Tharrington EC, Huff JE, et al. 1986. Comparison of site-specific and overall tumor incidence analyses for 81 recent National Toxicology Program carcinogenicity studies. *Regul Toxicol Pharmacol* 6:155-170.

- \*Hass U, Jakobsen BM. 1993. Prenatal toxicity of xylene inhalation in the rat: A teratogenicity and postnatal study. *Pharmacology and Toxicology* 73:20-23.
- \*Hastings L, Cooper GP, Burg W. 1986. Human sensory response to selected petroleum hydrocarbons. In: MacFarland HN, ed. *Advances in modern environmental toxicology*. Vol. 6. Applied toxicology of petroleum hydrocarbons. Princeton, NJ: Princeton Scientific Publishers, 255-270.
- Hauser TR, Bromberg SM. 1982. Environmental Protection Agency monitoring program at Love Canal New-York, USA 1980. *Environmental Monitoring and Assessment* 2:249-272.
- \*Hawley GG. 1981. *The condensed chemical dictionary*. 10th ed. New York, NY: Van Nostrand Reinhold Co., 1101.
- \*Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen (Suppl)* 1:3-142.
- \*HAZDAT. 1993. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA. March 1993.
- HEAST. 1992. Health Effects Assessment Tables. U.S. Environmental Protection Agency, Washington, DC. FY-1992 Annual. March 1992.
- \*Hejtmankova N, Simanek V, Holcik J, et al. 1979. Antifungal and mutagenic activity of phenolic substances with different alkyl groups: II. A study of the relationship between the biological activity and the constitution of the investigated compounds. *Acta Univ Palacki Olomuc Fat Med* 90:75-87.
- Hendry DG, Mill T, Piskiewicz L, et al. 1974. A critical review of H-atom transfer in the liquid phase: Chlorine atom, alkyl, trichloromethyl, alkoxy, and alkylperoxy radicals. *J Phys Chem Ref Data* 3:937-978.
- \*Herman DC, Mayfield CI, Inniss WE. 1991. The relationship between toxicity and bioconcentration of volatile aromatic-hydrocarbons by the alga *Selenastrum-cupricornutum*. *Chemosphere* 22:665-676.
- \*Hester NE, Meyer RA. 1979. A sensitive technique for measurement of benzene and alkylbenzenes in air. *Environmental Science and Technology* 13:107-109.
- \*Hiatt MH. 1983. Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography/mass spectrometry. *Anal Chem* 55:506-516.
- \*Higgins E, Griest WH, Olerich G. 1983. Applications of Tenax trapping to analysis of gas phase organic compounds. *J Assoc Off Anal Chem* 66:1074-1083.
- \*Hine CH, Zuidema HH. 1970. The toxicological properties of hydrocarbon solvents. *Ind Medicine* 39:39-44.
- Hine J, Mookerjee P. 1975. The intrinsic hydrophilic character of organic compounds: Correlations in terms of structural contributions. *J Org Chem* 40:292-298.

- \*Hipolito RN. 1980. Xylene poisoning in laboratory workers: Case reports and discussion. *Lab Med* 11593-595.
- Hites RA, Lopez-Avila V. 1980. Sedimentary accumulation of industrial organic compounds discharged into a river system. In: Baker RA, ed. *Contaminants and sediments*. Vol. 1. Ann Arbor, MI: Ann Arbor Science, 53-66.
- \*Hedge HC, Sterner JH. 1949. Tabulation of toxicity classes. *American Industrial Hygiene Association, Quarterly* 10:93-96.
- Hollowell CD, Miksch RR. 1981. Sources and concentrations of organic compounds in indoor environments. *Bull NY Acad Med* 57:962-977.
- Holmberg PC. 1979. Central-nervous-system defects in children born to mothers exposed to organic solvents during pregnancy. *Lancet* ii:177-179.
- \*Holmberg PC, Nurminen M. 1980. Congenital defects of the central nervous system and occupational factors during pregnancy, case-referent study. *Am J Ind Med* 1:167-176.
- \*Honma T, Sudo A, Miyagawa M, et al. 1983. Significant changes in the amounts of neurotransmitter and related substances in rat brain induced by subacute exposure to low levels of toluene and xylene. *Ind Health* 21:143-151.
- Hood RD, Ottley MS. 1985. Developmental effects associated with exposure to xylene: A review. *Drug Chem Toxicol* 8:281-297.
- Hormes JT, Filley CM, Rosenberg NL. 1986. Neurologic sequelae of chronic solvent vapor abuse. *Neurology* 36:698-702.
- \*HSDB. 1988. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information System, Bethesda, MD. July 6, 1988.
- \*HSDB. 1992. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information System, Bethesda, MD. December 10, 1992.
- \*Hudak A, Ungvary G. 1978. Embryotoxic effects of benzene and its methyl derivatives: Toluene, xylene. *Toxicol* 11:55-63.
- Hudak A, Tatrai E, Lorincz M, et al. 1980. [Study of the embryotoxic effect of *o*-xylene.] *Morphol Igazsagugyi Orv Sz* 20:204-209. (Hungarian)
- Huff JE, Eastin W, Roycroft J, et al. 1988. Carcinogenesis studies of benzene, methyl benzene, and dimethyl benzenes. *Ann NY Acad Sci* 534:427-440.
- \*Hung IF, Liao MH. 1991. Aromatic hydrocarbons in indoor air. *J Environ Sci Health A26*:487-492.
- \*Hutchins SR. 1991. Optimizing BTEX biodegradation under denitrifying conditions. *Environ Tox Chem* 10:1437-1448.

Hutchins SR, Wilson JT. 1991. Laboratory and field studies on BTEX biodegradation in a fuel-contaminated aquifer under denitrifying conditions. In: Butterworth-Heinemann, ed. *In Situ bioreclamation: Applications and investigations for hydrocarbon and contaminated site remediation*. 157-172. EPA/600/D-91/256. NTIS Publication No. PB92-121227.

\*Hutchins SR, Moolenarr SW, Rhodes DE. 1992. Column studies on BTEX biodegradation under microaerophilic and denitrifying conditions. Ada, OK: U.S. Environmental Protection Agency. EPA/600/A-92/080.

\*Hutchins SR, Sewell GW, Kovacs DA, et al. 1991. Biodegradation of aromatic hydrocarbons by aquifer microorganisms under denitrifying conditions. *Environmental Science and Technology* 25:68-76.

Hutchinson TC, Helleburst JA, Tam D, et al. 1978. The correlation of the toxicity to algae of hydrocarbons and halogenated hydrocarbons with their physical-chemical properties. In: Afgan BK, Mackay D, eds. *Hydrocarbons and halogenated hydrocarbons in the aquatic environment*. New York, NY: Plenum Press, 577-586.

\*Hwang ST, Falco JW, Navman CH. 1986. Development of advisory levels for polychlorinated biphenyls (PCBs). Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment.

\*IARC. 1989. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 47: Some organic solvents, resin monomers and related compounds, pigments and occupational exposures in paint manufacturing and painting. Lyon, France: World Health Organization, International Agency for Research on Cancer.

\*IARC. 1991. Directory of on-going research in cancer epidemiology 1991. Lyon, France: World Health Organization, International Agency for Research on Cancer 219:250-278.

Imbriani M, Ghittori S, Pezzagno G, et al. 1987. [Urinary elimination of xylene in experimental and occupational exposure.] *Med Lav* 78:239-249. (Italian)

Ince N, Inel Y. 1989. Volatilization of organic chemicals from water. *Water Air Soil Pollut* 47:71-79.

\*Inoue O, Seiji K, Kawai T et al. 1993. Excretion of methylhippuric acids in urine of workers exposed to a xylene mixture: Comparison among three xylene isomers and toluene. *Int Arch Occup Environ Health* 64:533-539.

\*IRIS. 1994. Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, D.C. February 1, 1993.

\*ISHOW. 1990. Information System for Hazardous Organics in Water. Chemical Information Systems, Inc., Baltimore, MD. September 1990.

Jacobs GA. 1992. OECD skin irritation tests on three aromatic hydrocarbons. *Acute Toxic Data* 1:188-189.

\*Jakubowski M, Kostrzewski P. 1989. Excretion of methylbenzoic acid in urine as a result of single and combined exposure to *m*-xylene. *Pol J Occup Med* 2:238-247.

- Jamison VW, Raymond RL, Hudson JO. 1969. Microbial hydrocarbon co-oxidation: III. Isolation and characterization of an alpha, alpha'-dimethyl-cis, cis-muonic acid-producing strain of *Nocardia corallina*. *Appl Microbiol* 17:853-856.
- Jelovsek FR, Mattison DR, Chen JJ. 1989. Prediction of risk for human developmental toxicity: How important are animal studies for hazard identification? *Obstet Gynecol* 74:624-636.
- Jeltes R, Burghardt E, Thijsse TR, et al. 1977. Application of capillary gas chromatography in the analysis of hydrocarbons. *Chromatographia* 10:430-437.
- \*Jenkins KB, Michelsen DL, Novak JT. 1993. Application of oxygen microbubbles for *in situ* biodegradation of *p*-xylene-contaminated groundwater in a soil column. *Biotechnol Prog* 9:394-400.
- \*Jenkins LJ, Jones RA, Siegel J. 1970. Long-term inhalation screening studies of benzene, toluene, *o*-xylene, and cumene on experimental animals. *Toxicol Appl Pharmacol* 16:818-823.
- Johansson I. 1978. Determination of organic compounds in indoor air with potential reference to air quality. *Atmos Environ* 12:1371-1377.
- Johnson EM, Gabel BEG, Christian MS, et al. 1986. The developmental toxicity of xylene and xylene isomers in the hydra assay. *Toxicol Appl Pharmacol* 82:323-328.
- \*Jonai H, Sato M. 1988. Exposure indices for painters exposed to toluene and xylene at low concentrations. *Ind Health* 26:197-202.
- Jones RD. 1990. Xylene/amitraz: A pharmacologic review and profile. *Vet Hum Toxicol* 32:446-448.
- \*Jorgensen C, Aamand J. 1991. Cometabolic transformation of *o*-xylene in groundwater. *Developmental Geochemistry* 6:239-244.
- \*Jori A, Calamari D, Di Domenico A, et al. 1986. Ecotoxicological profile of xylenes: Working party on ecotoxicological profiles of chemicals. *Ecotoxicol Environ Safety* 11:44-80.
- Junk GA, Ford CS. 1980. A review of organic emissions from selected combustion processes. *Chemosphere* 9:187-230.
- \*Kaneko T, Endoh K, Sato A. 1991a. Biological monitoring of exposure to organic solvent vapors. I. A physiological simulation model of *m*-xylene pharmacokinetics in man. *Yamanashi Medical Journal* 6(3):127-135.
- \*Kaneko T, Endoh K, Sato A. 1991b. Biological monitoring of exposure to organic solvent vapors. II. Simulation studies using a physiological pharmacokinetic model for *m*-xylene. *Yamanashi Medical Journal* 6(3):137-149.
- \*Kaneko T, Wang P-Y, Sato A. 1993. Enzyme induction by ethanol consumption affects the pharmacokinetics of inhaled *m*-xylene only at high levels of exposure. *Arch Toxicol* 67:473-477.
- \*Kango RA, Quinn JG. 1989. Adsorption studies of xylenes and ethylbenzene on soil and humic-acid by a purge and trap gas-chromatographic method. *Chemosphere* 19:1269-1276.

## 8. REFERENCES

- \*Kappeler T, Wuhrmann K. 1978a. Microbial degradation of the water-soluble fraction of gas oil-I. *Water Res* 12:327-333.
- Kappeler T, Wuhrmann K. 1978b. Microbial degradation of the water-soluble fraction of gas oil-II. Bioassays with pure strains. *Water Res* 12:335-342.
- Karickhoff SW, Brown DS, Scott TA. 1979. Sorption of hydrophobic pollutants on natural sediments. *Water Res* 13:241-248.
- \*Karlson U, Frankenberger WT Jr. 1989. Microbial degradation of benzene and toluene in groundwater. *Bull Environ Contam Toxicol* 43:505-510.
- \*Kataoka H, Manabe K, Nakase S, et al. 1991. Determination of hippuric acid and *o*-, *m*- and *p*-methylhippuric acids in urine by capillary gas chromatography. *J Pharm Biomed Anal* 9:699-704.
- \*Kawai T, Mizunuma K, Yasugi T, et al. 1991. Urinary methylhippuric acid isomer levels after occupational exposure to a xylene mixture. *Int Arch Occup Environ Health* 63:69-75.
- \*Kawai T, Yasugi T, Mizunuma K. 1992. Comparative evaluation of urinalysis and blood analysis as means of detecting exposure to organic solvents at low concentrations. *Int Arch Occup Environ Health* 64:223-234.
- Kawamura K, Kaplan IR. 1983. Organic compounds in the rainwater of Los Angeles. *Environmental Science and Technology* 17:497-501.
- \*Keith LH, Garrison AW, Allen FR, et al. 1976. Identification of organic compounds in drinking water from thirteen U.S. cities. In: Keith LH, ed. Identification and analysis of organic pollutants in water. Ann Arbor, MI:329-373.
- Kenley RA, Davenport JE, Hendry DG. 1981. Gas phase hydroxyl radical reactions: Products and pathways for the reaction of OH with aromatic hydrocarbons. *J Phys Chem* 85:2740-2746.
- Kennedy GL Jr. Graepel GJ. 1991. Acute toxicity in the rat following either oral or inhalation exposure. *Toxicol Lett* 56:317-326.
- \*Kilburn KH, Seidman BC, Warshaw R. 1985. Neurobehavioral and respiratory symptoms of formaldehyde and xylene exposure in histology technicians. *Arch Env Health* 40:229-233.
- Kimura ET, Ebert DM, Dodge PW. 1971. Acute toxicity and limits of solvent residue for 16 organic solvents. *Toxicol Appl Pharmacol* 19:699-704.
- \*Kira S. 1977. Measurement by gas chromatography of urinary hippuric acid and methylhippuric acid as indices of toluene and xylene exposure. *Br J Ind Med* 34:305-309.
- \*Klaucke DN, Johansen M, Vogt RL. 1982. An outbreak of xylene intoxication in a hospital. *Am J Ind Med* 3:173-178.
- \*Klimisch H-J, Pauluhn J, Hollander HW, et al. 1988. Inhalation hazard test: Interlaboratory trial with OECD method 403. *Arch Toxicol* 61:318-320.

## 8. REFERENCES

- \*Koe LCC, Tan NC. 1990. GC-MS Identification of gaseous volatiles in wastewater. *Environmental Monitoring and Assessment* 15:13-24.
- \*Konemann H. 1981. Quantitative structure-activity relationships in fish toxicity studies: Part 1. Relationship for 50 industrial pollutants. *Toxicology* 19:209-221.
- Kool HJ, van Kreijl CF, Zoeteman BCJ. 1982. Toxicology assessment of organic compounds in drinking water. *CRC Critical Reviews of Environmental Control* 12:307-357.
- \*Kopczynski SL. 1964. Photooxidation of alkylbenzene-nitrogen dioxide mixtures in air. *Int J Air Water Pollut* 8:107-120.
- Kopecky J, Bocek K, Vlachova D. 1965. Chemical structure and biological activity on *m*- and *p*-disubstituted derivations of benzene. *Nature* 207:981.
- Kopfler FC, Melton RG, Mullaney JL, et al. 1977. Human exposure to water pollutants. *Adv Environ Sci Technol* 8:419-433.
- \*Korsak Z, Sokal JA, Dedyk A, et al. 1988. Toxic effects of combined exposure to toluene and xylene in animals: I. Acute inhalation study. *Pol J Occup Med* 1:45-50.
- \*Korsak Z, Sokal JA, Got-try R. 1992. Toxic effects of combined exposure to toluene and *m*-xylene in animals. III. Subchronic inhalation study. *Polish Journal of Occupational Medicine and Environmental Health* 5(1):27-33.
- \*Korsak Z, Sokal JA, Swiercz R. 1991. The toxic effects of combined exposure to toluene and *m*-xylene in animals: II. Blood toluene and *m*-xylene during single and combined exposure in rats. *Pol J Occup Med* 4:377-381.
- \*Korsak Z, Sokal JA, Wasiela T, et al. 1990. Toxic effects of acute exposure to particular xylene isomers in animals. *Pol J Occup Med* 3:221-226.
- \*Korsak Z, Swiercz R, Jedrychowski R. 1993. Effects of acute combined exposure to *n*-butyl alcohol and *m*-xylene. *Polish Journal of Occupational Medicine and Environmental Health* 6(1):35-41.
- Korte F, Boedefeld E. 1978. Ecotoxicological review of global impact of petroleum industry and its products. *Ecotoxicol Environ Safety* 2:55-103.
- Korytov LI. 1990. [Impulsive neuron activity of several structures of the brain after administration of benzene and its homologues]. *Biull Eksp Biol Med* 110(7):17-19. (Russian)
- Kroneld R. 1989. Volatile pollutants in suburban and industrial air. *Bull Environ Contam Toxicol* 42:868-872.
- Kroneld R, Reunanen M. 1990. Determination of volatile pollutants in human and animal milk by GC-MS. *Bull Environ Contam Toxicol* 44:917-923.

- Krotoszynski BK, O'Neill HJ. 1982. Involuntary bioaccumulation of environmental pollutants in nonsmoking heterogeneous human population. *J Environ Sci Health (Part A)* 17:855-883.
- Krotoszynski BK, Bruneau BM, O'Neill HJ. 1979. Measurement of chemical inhalation exposure in urban population in the presence of endogenous effluents. *J Anal Toxicol* 3:225-234.
- \*Kucera J. 1968. Exposure to fat solvents: A possible cause for sacral agenesis in man. *J Pediatr* 72:857-859.
- \*Kurppa K, Husman K. 1982. Car painters' exposure to a mixture of organic solvents: Serum activities of liver enzymes. *Stand J Work Environ Health* 8:137-140.
- Kyrklund T, Haglid KG. 1990. Brain lipid changes after organic solvent exposure. *Ups J Med Sci Suppl* 481267-227.
- \*Kyrklund T, Kjellstrand P, Haglid K. 1987. Brain lipid changes in rats exposed to xylene and toluene. *Toxicology* 45:123-133.
- \*LaGrone FS. 1991. Potential community exposure to toxic chemicals. *Environmental Science and Technology* 25:366-368.
- Laham S. 1960. Comparative metabolism of benzene homologs in the Syrian golden hamster. *Proceedings of the International Congress of Occupational Health* 13:735-738.
- Laham S. 1970. Metabolism of industrial solvents:1. The biotransformations of benzene and benzene substitutes. *Occup Health Rev* 21:24-28.
- \*Laine A, Savolainen K, Riihimaki V, et al. 1993. Acute effects of *m*-xylene inhalation on body sway, reaction times, and sleep in man. *Int Arch Occup Environ Health* 65:179-188.
- \*Lapare S, Tardiff R, Brodeur J. 1993. Effect of various exposure scenarios on the biological monitoring of organic solvents in alveolar air. I. Toluene and *m*-xylene. *Int Arch Environ Health* 64:569-580.
- Lauwerys R, Buchet JP. 1988. Biological monitoring of exposure to benzene, toluene and xylene. *IARC Sci Pub* 1 85:205-222.
- Lee S-H, Lee SH. 1993. A study on the neurobehavioral effects of occupational exposure to organic solvents in Korean workers. *Environmental Research* 60:227-232.
- Lehmann E, Gmehling J, Weidlich U. 1986. Survey on organic solvents in various products and methods for estimating workplace exposures. *Prog Clin Biol Res* 220:31-41.
- Leo A, Hansch C, Elkins D. 1971. Partition coefficients and their uses. *Chem Rev* 71:525-616.
- \*Leung HW, Paustenbach DJ. 1988. Application of pharmacokinetics to derive biological exposure indexes from threshold limit values. *Am Ind Hyg Assoc J* 49:445-450.

- \*Liira J, Elovaara E, Raunio H, et al. 1991. Metabolic interaction and disposition of methylethylketone and *m*-xylene in rats at single and repeated inhalation exposures. *Xenobiotica* 21:53-64.
- \*Liira J, Riihimaki V, Engstrom K, et al. 1988. Coexposure of man to *m*-xylene and methyl ethyl ketone: Kinetics and metabolism. *Stand J Work Environ Health* 14:322-327.
- \*Litton Bionetics. 1978a. Teratology study in rats xylene (final report). EPA/OTS public files. Kensington, MD: Litton Bionetics. Document No. 878210350.
- \*Litton Bionetics. 1978b. Mutagenicity evaluation of xylene. EPA/OTS public files. Kensington, MD: Litton Bionetics. Document No. 878210347.
- Lonneman WA, Bellar TA, Alshuller AP. 1968. Aromatic hydrocarbons in the atmosphere of the Los Angeles basin. *Environmental Science and Technology* 2:1017-1020.
- \*Lonneman WA, Kopczynski SL, Darley PE, et al. 1974. Hydrocarbon composition of urban air pollution. *Environmental Science and Technology* 8:229-236.
- Low LK, Meeks JR, Mackerer CR. 1989. Health effects of the alkylbenzenes: II. Xylenes. *Toxicol Ind Health* 5:85-105.
- Lundberg I, Sollenberg J. 1986. Correlation of xylene exposure and methyl hippuric acid excretion in urine among paint industry workers. *Stand J Work Environ Health* 12:149-153.
- Lundberg I, Ekdahl M, Kronevi T, et al. 1986. Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure in rats. *Environ Res* 40:411-420.
- \*Lysyj I, Perkins G, Farlow JS. 1980. Trace analysis for aromatic hydrocarbons in natural waters. *Environment International* 4:407-416.
- \*Mackay D, Leinonen PJ. 1975. Rate of evaporation of low-solubility contaminants from water bodies to atmosphere. *Environmental Science and Technology* 9:1178-1180.
- Mackay D, Paterson S. 1981. Calculating fugacity. *Environmental Science and Technology* 15:1006-1014.
- Mackay D, Wolkoff AW. 1973. Rate of evaporation of low-solubility contaminants from water bodies to atmosphere. *Environmental Science and Technology* 7:611-614.
- \*Mackison R, Stricoff R, Partridge LJ Jr, eds. 1981. Occupational health guidelines for chemical hazards. Vol. 3. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, and U.S. Department of Labor.
- \*Malaney GW. 1960. Oxidative abilities of aniline-acclimated activated sludge. *J Water Pollut Control Fed* 32:1300-1311.
- Malaney GW, Gerhold RM. 1969. Structural determinants in the oxidation of aliphatic compounds by activated sludge. *J Water Pollut Control Fed (Pt 2)* 41:R18-R33.

- \*Malaney GW, McKinney RE. 1966. Oxidative abilities of benzene-acclimated activated sludge. *Water Sewage Works* 113:302-309.
- \*Maltoni C, Conti B, Cotti G. 1983. Benzene: A multipotential carcinogen: Results of long-term bioassays performed at the Bologna Institute of Oncology. *Am J Ind Med* 4589-630.
- \*Maltoni C, Conti B, Cotti G, et al. 1985. Experimental studies on benzene carcinogenicity at the Bologna Institute of Oncology: Current results and ongoing research. *Am J Ind Med* 7:415-446.
- \*Marion CV, Malaney GW. 1964. Ability of activated sludge microorganisms to oxidize aromatic organic compounds. *Proceedings of the 18th Industrial Waste Conference, England* p. 297-308.
- \*Marks TA, Ledoux TA, Moore JA. 1982. Teratogenicity of a commercial xylene mixture in the mouse. *J Toxicol Environ Health* 9:97-105.
- \*Martinez JS, Sala JGG, Vea AM, et al. 1989. Renal tubular acidosis with an elevated anion gap in a 'glue sniffer': Letter to editor. *Human Toxicol* 8:139-140.
- \*Matiella JE, Hsieh CY. 1991. Volatile compounds in scrambled eggs. *J Food Sci* 56:387-390.
- \*Mattie DR, Bates GD Jr., Jepson GW, et al. 1994. Determination of skin:air partition coefficients for volatile chemicals: Experimental method and applications. *Fundam Appl Toxicol* 22:51-57.
- Maxwell MH. 1978. Safer substitutes for xylene and propylene oxide in histology, haematology, and electron microscopy. *Med Lab Sci* 35:401.
- MB Research Laboratories Incorporated. 1975. Report on rabbit eye irritation. EPA/OTS public files. Spinnerstown, PA: MB Research Laboratories Incorporated. Document No. 878210543.
- \*McCarroll NE, Keech BJ, Piper CE. 1981a. A microsuspension adaptation of the *Bacillus subtilis* "ret" assay. *Environ Mutagen* 3:607-616.
- \*McCarroll NE, Piper CE, Keech BH. 1981b. An *E coli* microsuspension assay for the detection of DNA damage induced by direct-acting agents and promutagens. *Environ Mutagen* 3:429-444.
- McConnell EE, Solleveld HA, Swenberg JA, et al. 1986. Guidelines for combining neoplasms for evaluation of rodent carcinogenesis studies. *JNCI* 76:283-289.
- McCreary JJ, Jackson JG, Zoltek JJ. 1983. Toxic chemicals in an abandoned phenolic waste site. *Chemosphere* 12:1619-1632.
- \*McDougal JN, Jepson GW, Clewell III HJ, et al. 1990. Dermal absorption of organic chemical vapors in rats and humans. *Fund Appl Toxicol* 14:299-308.
- McMichael AJ. 1988. Carcinogenicity of benzene, toluene and xylene: Epidemiological and experimental evidence. *IARC Sci Pub* 1 85:3-18.
- Merian E. 1982. The environmental chemistry of volatile hydrocarbons. *Toxicol Environ Chem* 5:167-175.

- \*Merian E, Zander M. 1982. Volatile aromatics. In: Hutzinger G, ed. Handbook of environmental chemistry. Vol. 3 (Pt B). Berlin, Germany: Springer, 117-161.
- Mikulski PR, Wiglusz R, Dublewska A, et al. 1972. Investigation of exposure of ships' painters to organic solvents. *Br J Ind Med* 29:450-453.
- \*Mill T. 1980. Chemical and photo oxidation. In: Hutzinger O, ed. Handbook of environmental chemistry. Vol. 2. Berlin, Germany: Springer-Verlag, 77-105.
- Mill T. 1982. Hydrolysis and oxidation processes in the environment. *Environ Toxicol Chem* 1:135-141.
- \*Mirkova E, Hinkova L, Vassileva L, et al. 1979. Xylene neurotoxicity in pregnant rats and fetuses. *Activ Nerv Supp (Praha)* 21:265-268.
- \*Mirkova E, Zaikov C, Antov G, et al. 1983. Prenatal toxicity of xylene. *J Hyg Epidemiol Microbiol Immunol* 27:337-343.
- \*Mohtashampur E, Northpoth K, Woelke U, et al. 1985. Effects of ethylbenzene, toluene, and xylene on the induction of micronuclei in bone marrow polychromatic erythrocytes of mice. *Arch Toxicol* 58:106-109.
- \*Molnar J, Paksy KA, Naray M. 1986. Changes in the rat's motor behavior during 4-hr inhalation exposure to preanesthetic concentrations of benzene and its derivatives. *Acta Physiol Hung* 67:349-354.
- \*Morgan DL, Cooper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. *Environ Res* 55:51-63.
- \*Morgan P, Lewis ST, Watkinson RJ. 1993. Biodegradation of benzene, toluene, ethylbenzene and xylenes in gas-condensate-contaminated ground-water. *Environmental Pollution* 82:181-190.
- \*Morikawa K, Fukuoka M, Kakiuchi M, et al. 1990. Detrusor hyperreflexia induced by intravesical instillation of xylene in conscious rats. *Jpn J Pharmacol* 52:587-595.
- \*Morin M, Chambon P, Chambon R, et al. 1981. Measurement of exposure to xylenes by separate determination of *m*- and *p*-methyl hippuric-acid in urine. *J Chromatogr* 210:346-349.
- \*Morley R, Eccleston DW, Douglas CP, et al. 1970. Xylene poisoning: A report on one fatal case and two cases of recovery after prolonged unconsciousness. *Br Med J* 3:442-443.
- \*Morvai V, Hudak A, Ungvary G, et al. 1976. ECG changes in benzene, toluene and xylene poisoned rats. *Acta Med Acad Sci Hung* 33:275-286.
- \*Morvai V, Ungvary G, Herrmann HJ, et al. 1987. Effects of quantitative undernourishment, ethanol and xylene on coronary microvessels of rats. *Acta Morphol Hung* 35:199-206.
- Moser VC, Coggeshall EM, Balster RL. 1985. Effects of xylene isomers on operant responding and motor performance in mice. *Toxicol Appl Pharmacol* 80:293-298.

- \*Moszczynski P, Lisiewicz J. 1983. Occupational exposure to benzene, toluene and xylene and the T lymphocyte functions. *J Clin Hematol Oncol* 13:37-41.
- \*Moszczynski P, Lisiewicz J. 1984a. Occupational exposure to benzene, toluene and xylene and the T lymphocyte functions. *Haematologia* 17:449-453.
- Moszczynski P, Lisiewicz J. 1984b. [Cytochemical and immunological tests of those exposed to paint-and-varnish organic solvents: IV. Activity of nonspecific esterase in lymphocytes.] *Med Pr* 35:273-278. (Polish)
- Munnecke DM, Hsieh DPH. 1975. Microbial metabolism of a parathion-xylene pesticide formulation. *Appl Microbiol* 30:575-580.
- \*Muralidhara, Krishnakumari MK. 1980. Mammalian toxicity of aromex and xylene used in pesticidal formulations. *Indian J Exp Biol* 18:1148-1 151.
- Myhr B, McGregor D, Bowers L, et al. 1990. L 5178Y mouse lymphoma cell mutation assay results with 41 compounds. *Environ Mol Mutagen* 16:138-167.
- Nakajima T, Sato A. 1979a. Enhanced activity of liver drug-metabolizing enzymes for aromatic and chlorinated hydrocarbons following food deprivation. *Toxicol Appl Pharm* 50:549-556.
- \*Nakajima T, Sato A. 1979b. [Metabolic antagonism among benzene, toluene and *m*-xylene *in vitro*.] *Jpn J Ind Health* 21:546-547. (Japanese)
- \*NAS/NRC. 1989. Biological markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- \*Nathwani JS, Phillips CR. 1977. Adsorption-desorption of selected hydrocarbons in crude oil in soils. *Chemosphere* 4:157-162.
- \*NATICH. 1993. National Air Toxics Information Clearinghouse. Report 11: Acceptable ambient concentration guidelines or standards by pollutant. U.S. Environmental Protection Agency, Research Triangle Park, NC. February 3, 1993.
- Natusch DFS. 1978. Potentially carcinogenic species emitted to the atmosphere by fossil-fueled power plants. *Environ Health Perspect* 22:79-90.
- NCI. 1976. Guidelines for carcinogen bioassay in small rodents: NCI carcinogenesis technical report series No. 1. Department of Health, Education, and Welfare, Public Health Service, National Institutes of Health, National Cancer Institute, Bethesda, MD.
- Nelson PF, Quigley SM. 1983. The *m,p*-xylenes: Ethylbenzene ratio: A technique for estimating hydrocarbon age in ambient atmospheres. *Atmos Environ* 17:659-662.
- \*Nelson KW, Ege JF Jr, Ross M, et al. 1943. Sensory response to certain industrial solvent vapors. *J Ind Hyg Toxicol* 25:282-285.

- \*Nersesian W, Booth H, Hoxie D, et al. 1985. Illness in office attributed to xylene [Letter]. *Occup Health Saf* 5488.
- \*Nestmann ER, Lee EG-H. 1983. Mutagenicity of constituents of pulp and paper mill effluent in growing cells of *Saccharomyces cerevisiae*. *Mutat Res* 119:273-280.
- \*Nestmann ER, Lee EG-H, Matula TI, et al. 1980. Mutagenicity of constituents identified in pulp and paper mill effluents using the *Salmonella*/mammalian-microsome assay. *Mutat Res* 79:203-212.
- \*New Jersey State Drinking Water Quality Institute. 1994. Maximum contaminant level recommendations for hazardous contaminants in drinking water: Part II, Appendix A:A-15-A-17.
- Nilsen OG, Toftgard R. 1980. The influence of organic solvents on cytochrome P-450-mediated metabolism. 4th International Symposium: Microsomes, drug oxidations, and chemical carcinogenesis. *Academic Press* 2:1235-1238.
- \*NIOSH. 1975. Criteria for a recommended standard--occupational exposure to xylene. Rockville, MD: U.S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health. NIOSH 75-168, PB246-702.
- \*NIOSH. 1976. National occupational hazard survey (1970). Cincinnati, OH: National Institute for Occupational Safety and Health, Department of Health and Human Services.
- \*NIOSH. 1984. National occupational exposure survey (1980-83). Cincinnati, OH: National Institute for Occupational Safety and Health, Department of Health and Human Services.
- NIOSH. 1985. NIOSH pocket guide to chemical hazards. Washington, D.C: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. DHEW (NIOSH) Publ. No. 78-210., 236-237.
- NIOSH. 1989. FACE report: Painter dies in a 140-foot fall at a municipal water tower, September 22, 1988. Division of Safety Research, National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services, Morgantown, West Virginia. Report No. FACE-89-5.
- \*NIOSH. 1990a. Indoor air quality and work environment study. Volume 2: Results of indoor air environmental monitoring. Cincinnati, OH: U.S. Department of Health and Human Services, Hazards Evaluation and Technical Assistance Branch, National Institute for Occupational Safety and Health. NTIS/PB92-103183.
- \*NIOSH. 1990b. NIOSH pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. DHHS (NIOSH) Publ. No. 90-117.
- \*NIOSH. 1992. NIOSH recommendations for occupational safety and health: Compendium of policy documents and statements. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Standards Development and Technology Transfer. NTIS/PB92-162536.

## 8. REFERENCES

- \*NIOSH. 1994. NIOSH manual of analytical methods. 4th ed. U.S. Department of Health and Human Services. Methods 1501 and 8301.
- \*NJDEP. 1984. Annual report for the governor and the legislature on the amendments to the New Jersey safe drinking water act (A-280). Trenton, NJ: NJ Department of Environmental Protection, Office of Science and Research.
- NJDEP. 1986. Results of initial testing for contaminants in public water supplies under Assembly Bill A-280 through January 9, 1985. Trenton, NJ: NJ Department of Environmental Protection, Office of Science and Research and Division of Water Resources.
- \*Norppa H, Vainio H. 1983. Induction of sister-chromatid exchanges by styrene analogues in cultured human lymphocytes. *Mutat Res* 116:379-387.
- \*Norstrom A, Scheepers PTJ. 1990. Determination of n-decane and Mz-xylene in blood using amberlite XAD-2. *Chemosphere* 21:459-466.
- \*Norstrom A, Andersson B, Aringer L, et al. 1988. Determination of specific mercapturic acids in human urine after experimental exposure to toluene or *o*-xylene. In: Bartsch H, Hemminki K, O'Neill IK, eds. *Methods for detecting DNA damaging agents in humans: Applications in cancer epidemiology and prevention; Symposium on detection of DNA-damaging agents in man*. Lyon, France: World Health Organization, International Agency for Research on Cancer, Scientific Publications 89:232-234.
- \*Norstrom A, Andersson B, Levin JO, et al. 1989. Biological monitoring of *o*-xylene after experimental exposure in man: Determination of urinary excretion products. *Chemosphere* 18:1513-1523.
- NPL. 1988. National Priorities Listing Technical Database. U.S. Environmental Protection Agency, Washington, DC. August 1988.
- \*NRC. 1980. *Drinking water and health*. Vol. 3. Washington, DC: National Research Council, National Academy Press, 178-181, 231-261.
- \*NTDB. 1994. Xylenes. National Trade Data Bank: The Export Connection.
- \*NTP. 1986. National Toxicology Program technical report on the toxicology and carcinogenesis studies of xylenes (mixed) (60% *m*-xylene, 14% *p*-xylene, 9% *o*-xylene, and 17% ethylbenzene) (CAS No. 1330-20-7) in F344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Toxicology Program. NTP TR 327. NIH Publication No. 87-2583.
- NTP. 1988. National Toxicology Program: Review of current DHHS, DOE, and EPA research related to toxicology: Fiscal year 1988. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. NTP-88-201.
- \*Nunes P, Benville PJ. 1979. Uptake and depuration of petroleum hydrocarbons in the manila clam, *Tapes semidecussata* reeve. *Bull Environ Contam Toxicol* 21:719-726.
- \*Nutmagul W, Cronn DR, Hill HJ. 1983. Photoionization/flame-ionization detection of atmospheric hydrocarbons after capillary gas chromatography. *Anal Chem* 55:2160-2164.

- \*Nylen P, Hagman M. 1994. Function of the auditory and visual systems, and of peripheral nerve, in rats after long-term combined exposure to n-hexane and methylated benzene derivatives. II. Xylene. *Pharmacology and Toxicology* 74:124-129.
- \*Nylen P, Ebendal T, Eriksdotter-Nilsson M, et al. 1989. Testicular atrophy and loss of nerve growth factor-immunoreactive germ cell line in rats exposed to n-hexane and a protective effect of simultaneous exposure to toluene or xylene. *Arch Toxicol* 63:296-307.
- Ogata M. 1981. Quantitative determination of urinary metabolites in subjects exposed to organic solvents. *Acta Med Okayama* 35:385-394.
- Ogata M. 1984. Estimation of solvent concentrations in ambient air from urinary metabolite levels of workers exposed to solvents [Letter]. *Ind Health* 22:319-324.
- Ogata M, Fugii T. 1979. Urinary excretion of hippuric acid and Ivz-methylhippuric acid after administration of toluene and *m*-xylene mixture to rats. *Int Arch Occup Environ Health* 43:45-51
- Ogata M, Hobara T. 1979. A new direct method for calorimetric determination of hippuric acid and methylhippuric acid as indices of toluene and *m*-xylene, and its application to workers using thinner. *Ind Health* 17:61-72.
- Ogata M, Miyake Y. 1975. Compound from floating petroleum accumulating in fish. *Water Research* 9:1075-1078.
- \*Ogata M, Miyake Y. 1978. Disappearance of aromatic hydrocarbons and organic sulfur compounds from fish flesh reared in crude oil suspension. *Water Research* 12:1041-1044.
- \*Ogata M, Taguchi T. 1987. Quantitation of urinary metabolites of toluene, xylene, styrene, ethylbenzene, benzene and phenol by automated high performance liquid chromatography. *Int Arch Occup Environ Health* 59:263-272.
- Ogata M, Taguchi T. 1988. Simultaneous determination of urinary creatinine and metabolites of toluene, xylene, styrene, ethylbenzene and phenol by automated high performance liquid chromatography. *Int Arch Occup Environ Health* 61:131-140.
- Ogata M, Tomokuni K, Takatsuka Y. 1969. Quantitative determination in urine of hippuric acid and *m*- or *p*- methylhippuric acid, metabolites of toluene and *m*- or *p*-xylene. *Brit J Ind Med* 26:330-334.
- \*Ogata M, Tomokuni K, Takatsuka Y. 1970. Urinary excretion of hippuric acid and *m*- or *p*-methylhippuric acid in the urine of persons exposed to vapours of toluene and *m*- or *p*-xylene as a test of exposure. *Br J Ind Med* 27:43-50.
- \*Ogata M, Yamasaki Y, Meguro T, et al. 1979. Quantitation of urinary *o*-xylene metabolites in rats and human beings by high-performance liquid chromatography. *Ind Health* 17:123-125.
- Ogata M, Yamazaki Y, Sugihara R, et al. 1980. Quantitation of urinary *o*-xylene metabolites of rats and human beings by high performance liquid chromatography. *Int Arch Occup Environ Health* 46:127-139.

## 8. REFERENCES

OHM/TADS. 1988. Oil and Hazardous Materials/Technical Assistance Data System. Baltimore, MD: Chemical Information System, Inc. December 1985.

Oldham RG, Spraggins RL, Parr JL, et al. 1979. Analysis of organics in ambient air. Austin, TX: Radian Corporation.

\*Olson BA, Gamberale F, Iregren A. 1985. Coexposure to toluene and *p*-xylene in man: Central nervous functions. *Br J Ind Med* 42:117-122.

\*Omori T, Yamada K. 1970. Studies on the utilization of hydrocarbons by microorganisms: Part XVI. Detection of metabolic intermediates of xylene and pseudocumene. *Agric Biol Chem* 34:659-663.

\*OSHA. 1992. Toxic and hazardous substances: Air contaminants. U.S. Department of Labor, Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.

\*Otson R, Williams DT. 1981. Evaluation of a liquid-liquid extraction technique for water pollutants. *J Chromatogr* 212:187-197.

\*Otson R, Williams DT. 1982. Headspace chromatographic determination of water pollutants. *Anal Chem* 54:942-946.

\*Otson R, Williams DT, Biggs DC. 1982a. Relationships between raw water quality, treatment, and occurrence of organics in Canadian potable water. *Bull Environ Contam Toxicol* 28:396-403.

\*Otson R, Williams DT, Bothwell PD. 1982b. Volatile organic compounds in water at thirty Canadian potable water treatment facilities. *J Assoc Off Anal Chem* 65:1370-1374.

\*Otson R, Williams DT, Bothwell PD. 1983. Charcoal tube technique for simultaneous determination of selected organics. *Am Ind Hyg Assoc J* 44:489-494.

\*Padilla SS, Lyerly DP. 1989. Effects of *p*-xylene inhalation on axonal transport in the rat retinal ganglion cells. *Toxicol Appl Pharmacol* 101:390-398.

Padilla SS, Lyerly DP. 1990. Effects of *p*-xylene inhalation on axonal transport in the rat retinal ganglion cells. *Toxicol Appl Pharmacol* 101:390-398.

Paksy KA, Molnar J, Nary M, et al. 1982. Comparative study on the acute effects of benzene, toluene and *m*-xylene in the rat. *Acta Physiol Acad Sci Hung* 59:317-324.

\*Palmer KT, Rycroft RJG. 1993. Occupational airborne contact urticaria due to xylene. *Contact Dermatitis* 28:44.

Pannwitz K-H. 1984. Sampling and analysis of organic solvent vapours in the atmosphere: Comparison of active and passive sampling devices. *Drager Review* 52:19-28.

\*Pap M, Varga C. 1987. Sister-chromatid exchanges in peripheral lymphocytes of workers occupationally exposed to xylenes. *Mutat Res* 187:223-225.

## 8. REFERENCES

- \*Pate1 JM, Harper C, Drew RT. 1978. The biotransformation of *p*-xylene to a toxic aldehyde. *Drug Metab Dispos* 6:368-374.
- \*Pate1 JM, Harper C, Gupta BN, et al. 1979. Changes in serum enzymes after inhalation exposure of *p*-xylene. *Bull Environ Contam Toxicol* 21:17-24.
- Pathiratne A, Puyear RL, Brammer JD. 1986. A comparative study of the effects of benzene, toluene, and xylenes on their *in vitro* metabolism and drug-metabolizing enzymes in rat liver. *Toxicol Appl Pharmacol* 82:272-280.
- Pedersen PS, Ingwersen J, Nielsen T, et al. 1980. Effects of fuel, lubricant, and engine operating parameters on the emission of polycyclic aromatic hydrocarbons. *Environmental Science and Technology* 14:71-79.
- \*Pellizzari ED, Wallace LA, Gordon SM. 1992. Elimination kinetics of volatile organics in humans using breath measurements. *J Exposure Anal Environ Epidemiol* 2:341-355.
- \*Pellizzari ED, Zweidinger RA, Sheldon LS. 1988. Determination of benzene, toluene, and xylene in breath samples by gas chromatography/mass spectrometry. *IARC Sci Publ* 85:267-279.
- \*Pennell KD, Rhue RD, Rao PSC, et al. 1992. Vapor-phase sorption of para-xylene and water on soils and clay-minerals. *Environmental Science and Technology* 26:756-763.
- Perry RA, Atkinson R, Pitts JN Jr. 1977. Kinetics and mechanism of the gas phase reaction of OH radicals with aromatic hydrocarbons over the temperature range 296-473 K. *J Phys Chem* 81:296-304.
- Persaud TV. 1990. Industrial and occupational hazards. In: Persaud TV, ed. *Environmental causes of human birth defects*. Springfield, IL: Charles C. Thomas, 73-95.
- \*Pezzagno G, Imbriani M, Ghittori S, et al. 1988. Urinary concentration, environmental concentration, and respiratory uptake of some solvents: Effect of the work load. *Am Ind Hyg Assoc J* 49:546-52.
- \*Pleil JD, Oliver KD, McClenny WA. 1988. Ambient air analyses using nonspecific flame ionization and electron capture detection compared to specific detection by mass spectrometry. *J Air Pollut Control Assoc* 38:1006-1010.
- Plum CN, Sanhueza E, Atkinson R, et al. 1983. OH radical rate constants and photolysis rates of  $\alpha$ -dicarbonyls. *Environmental Science and Technology* 17:479-484.
- \*Poggi G, Giusiani M, Palagi U, et al. 1982. High-performance liquid chromatography for the quantitative determination of the urinary metabolites of toluene, xylene, and styrene. *Int Arch Occup Environ Health* 50:25-31.
- \*Polak J, Lu BCY. 1973. Mutual solubilities of hydrocarbons and water at 0 and 25°C. *Can J Chem* 51:4018-4033.
- \*Pool BL, Lin PZ. 1982. Mutagenicity testing in the *Salmonella typhimurium* assay of phenolic compounds and phenolic fractions obtained from smokehouse smoke condensates. *Food Chem Toxicol* 20:383-391.

## 8. REFERENCES

- \*Pound AW. 1970. Induced cell proliferation and the initiation of skin tumour formation in mice by ultraviolet light. *Pathology* 2:269-275.
- \*Pound AW, Withers HR. 1963. The influence of some irritant chemicals and scarification on tumour initiation by urethane in mice. *Br J Cancer* 17:460-470.
- \*Price L. 1976. Aqueous solubility of petroleum as applied to its origin and primary migration. *Amer Assoc Petrol Geol Bull* 60:213-244.
- \*Pryor GT, Rebert CS, Howd RA. 1987. Hearing loss in rats caused by inhalation of mixed xylene and styrene. *J Appl Toxicol* 7:55-61.
- \*Pyykko K. 1980. Effects of methylbenzenes on microsomal enzymes in rat liver, kidney and lung. *Biochim Biophys Acta* 633: 1-9.
- Pyykko K, Paavilainen S, Metsa-Ketela T, et al. 1987. The increasing and decreasing effects of aromatic hydrocarbon solvents on pulmonary and hepatic cytochrome P-450 in the rat. *Pharmacol Toxicol* 60:288-293.
- \*Rank J. 1985. Xylene induced feeding and drinking behavior and central adrenergic receptor binding. *Neurobehav Toxicol Teratol* 7:421-426.
- \*Rankin C, Sacks R. 1991. Computer-controlled, high speed, repetitive gas chromatography system. *LC-GC* 9:428, 430, 432-434.
- \*Ransley DL. 1984. Xylenes and ethylbenzene. In: Grayson M, ed. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 24, 3rd ed. New York, NY: John Wiley & Sons, 709-744.
- \*Rappaport SM, Fraser DA. 1977. Air sampling and analysis in a rubber vulcanization area. *Am Ind Hyg Assoc J* 38:205-210.
- Ravishankara AR, Wagner S, Fischer S, et al. 1978. A kinetics study of the reactions of OH with several aromatic and olefinic compounds. *International Journal of Chemical Kinetics* 10:783-804.
- Raymond RL, Jamison VW, Hudson JO. 1971. Hydrocarbon cooxidation in microbial systems. *Lipids* 6:453-457.
- Recchia G, Perbellini L, Prati GF, et al. 1985. [Coma due to accidental ingestion of xylene: Treatment with charcoal hemoperfusion.] *Med Lav* 76:67-73. (Italian)
- Reinhard M, Goodman NL, Barker JF. 1984. Occurrence and distribution of organic chemicals in two landfill leachate plumes. *Environmental Science and Technology* 18:953-961.
- \*Reisch MS. 1992. Top 50 chemicals production stagnated last year. *Chemical and Engineering News* 70:16-22.
- \*Rhue RD, Rao PSC, Smith RE. 1988. Vapor-phase adsorption of alkylbenzenes and water on soils and clays. *Chemosphere* 17:727-741.

- \*Richer C-L, Chakrabarti S, Senecal-Quevillon M, et al. 1993. Cytogenetic effects of low-level exposure to toluene, xylene and their mixture on human blood lymphocytes. *Int Arch Occup Environ Health* 64:581-585.
- \*Riihimäki V. 1979a. Conjugation and urinary excretion of toluene and *m*-xylene metabolites in a man. *Stand J Work Environ Health* 5:135-142.
- \*Riihimäki V. 1979b. Percutaneous absorption of *m*-xylene from a mixture of *m*-xylene and isobutyl alcohol in man. *Stand J Work Environ Health* 5:143-150.
- \*Riihimäki V, Hanninen O. 1987. Xylenes. In: Browning E. Toxicity and metabolism of industrial solvents. Vol. 1. Amsterdam: Elsevier Science Publishers B.V., 64-84.
- \*Riihimäki V, Pfaffli P. 1978. Percutaneous absorption of solvent vapors in man. *Stand J Work Environ Health* 4:73-85.
- \*Riihimäki V, Savolainen K. 1980. Human exposure to *m*-xylene: Kinetics and acute effects on the central nervous system. *Ann Occup Hyg* 23:411-422.
- \*Riihimäki V, Laine A, Savolainen K, et al. 1982a. Acute solvent-ethanol interactions with special references to xylene. *Stand J Work Environ Health* 8:77-79.
- \*Riihimäki V, Pfaffli P, Savolainen K. 1979a. Kinetics of *m*-xylene in man: Influence of intermittent physical exercise and changing environmental concentrations on kinetics. *Stand J Work Environ Health* 5:232-248.
- \*Riihimäki V, Pfaffli P, Savolainen K, et al. 1979b. Kinetics of *m*-xylene in man: General features of absorption, distribution, biotransformation and excretion in repetitive inhalation exposure. *Stand J Work Environ Health* 5:217-231.
- \*Riihimäki V, Savolainen K, Pfaffli P, et al. 1982b. Metabolic interaction between *m*-xylene and ethanol. *Arch Toxicol* 49:253-263.
- \*Roberts JM, Fehsenfeld FC, Liu SC, et al. 1984. Measurements of aromatic hydrocarbon ratios and NO<sub>x</sub> concentrations in the rural troposphere: Observation of air mass photochemical aging and NO<sub>x</sub> removal. *Atmos Environ* 18:2421-2432.
- \*Roberts FP, Lucas EG, Marsden CD, et al. 1988. Near-pure xylene causing reversible neuropsychiatric disturbance [Letter]. *Lancet* ii:273.
- \*Romer KG, Federsel RJ, Freundt KJ. 1986. Rise of inhaled toluene, ethyl benzene, *m*-xylene, or mesitylene in rat blood after treatment with ethanol. *Bull Environ Contam Toxicol* 37:874-876.
- \*Rosen AA, Peter JB, Middleton FM. 1962. Odor thresholds of mixed organic chemicals. *J Water Pollut Control Fed* 34:7-14.
- \*Rosen MB, Crofton KM, Chernoff N. 1986. Postnatal evaluation of prenatal exposure to *p*-xylene in the rat. *Toxicol Lett* 34:223-229.

## 8. REFERENCES

- \*Rosengren LE, Kjellstrand P, Aurell A, et al. 1986. Irreversible effects of xylene on the brain after long term exposure: A quantitative study of DNA and the glial cell marker proteins S-100 and GFA. *Neurotoxicology* 7:121-136.
- Rosenkranz HS, Klopman G. 1990. Structural alerts to genotoxicity: The interaction of human and artificial intelligence. *Mutagenesis* 5:333-361.
- Rossmann TG, Molina M, Meyer L, et al. 1991. Performance of 133 compounds in the lambda prophage induction endpoint of the microscreen assay and a comparison with *S. typhimurium* mutagenicity and rodent carcinogenicity assays. *Mutat Res* 260:349-367.
- Roychowdhury M. 1990. Reproductive hazards in the work environment. *Professional Safety* 35:17-22.
- Rumsey TS, Cabell CA, Bond J. 1969. Effects of an organic phosphorus systemic insecticide on reproductive performance in rats. *Am J Vet Res* 30:2209-2214.
- \*Rydzynski K, Korsak Z, Jedlinska U, et al. 1992. The toxic effects of combined exposure to toluene and *m*-xylene in animals. IV. Liver ultrastructure after subchronic inhalatory exposure. *Polish Journal of Occupational Medicine and Environmental Health* 5(1):35-42.
- SAI. 1981. Human exposure to atmospheric concentrations of selected chemicals. Vol. 2. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, 29.
- \*Sack TM, Steel DH. 1991. Indoor air pollutants from household product sources. Washington, DC: U.S. Environmental Protection Agency. EPA/600/4-9 1/025.
- \*Sack TM, Steel DH, Hammerstrom K, et al. 1992. A survey of household products for volatile organic-compounds. *Atmospheric Environment Part A-General Topics* 26:1063-1070.
- Sakai T, Takeuchi Y, Ikeya Y, et al. 1989. [Method for simultaneous determination of six metabolites of toluene, xylene and ethylbenzene, and its application to exposure monitoring of workers in a printing factory with gravure machines]. *Sangyo Igaku* 31:9-16. (Japanese)
- \*Samfield MM. 1992. Indoor air quality data base for organic compounds. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA/600/R-92/025.
- Samini B, Falbo L. 1982. Monitoring of workers exposure to low levels of airborne monomers in a polystyrene production plant. *Am Ind Hyg Assoc J* 43:858-862.
- \*Sanborn HR, Malins DC. 1980. The disposition of aromatic hydrocarbons in adult spot shrimp (*Pandalus platyceros*) and the formation of metabolites of naphthalene in adult and larval spot shrimp. *Xenobiotica* 10:193-200.
- \*Sandmeyer EE. 1981. Aromatic hydrocarbons. In: Clayton GD, Clayton FE, eds. *Patty's industrial hygiene and toxicology*. Vol. 2B, 3rd revised ed. New York, NY: John Wiley & Sons, 3253-3431.
- \*Sanemasa I, Araki M, Deguchi T, et al. 1982. Solubility measurements of benzene and the alkylbenzenes in water by making use of solute vapor. *Bull Chem Soc Jpn* 55:1054-1062.

- \*Sangster J. 1989. Octanol-water partition coefficients of simple organic compounds. J Phys Chem IS:1111-1230.
- Sangster B, Meulenbelt J. 1988. Acute pulmonary intoxications overview and practical guidelines. Neth J Med 33:91-100.
- \*Santodonato J, Bosch S, Meylan W, et al. 1985. Monograph on human exposure to chemicals in the workplace: Xylene. Report to National Cancer Institute, Division of Cancer Etiology, Bethesda, MD, by Syracuse Research Corporation, Syracuse, NY. SRC-TR-84-1126, PB86-155124.
- Sato A. 1988. Toxicokinetics of benzene, toluene and xylenes. IARC Sci Pub1 85:47-64.
- Sato A, Nakajima T. 1979. Partition coefficients of some aromatic hydrocarbons and ketones in water, blood and oil. Br J Ind Med 36:231-234.
- \*Sauer TJ, Sackett WM, Jeffrey LM. 1978. Volatile liquid hydrocarbons in the surface coastal waters of the Gulf of Mexico. Marine Chem 7:1-16.
- \*Saunders RA, Blachly CH, Kovacina TA, et al. 1975. Identification of volatile organic contaminants in Washington, D.C. municipal water. Water Res 9:1143-1145.
- Savage GM, Sharpe H. 1987. Assessment of non-regulated hazardous wastes in the Seattle area. Waste Manage Res 5:159-171.
- \*Savolainen K. 1980. Combined effects of xylene and alcohol on the central nervous system. Acta Pharmacol Toxicol 46:366-372.
- \*Savolainen H, Pfaffli P. 1980. Dose-dependent neurochemical changes during short-term inhalation exposure to *m*-xylene. Arch. Toxicol. 45:117-122.
- \*Savolainen H, Seppalainen AM. 1979. Biochemical and physiological effects of organic solvents on rat axon membranes isolated by a new technique. Neurotoxicology 1:467-477.
- \*Savolainen K, Linnavuo M. 1979. Effects of *m*-xylene on human equilibrium measured with a quantitative method. Acta Pharmacol Toxicol 44:315-318.
- \*Savolainen K, Riihimaki V. 1981a. An early sign of xylene effect on human equilibrium. Acta Pharmacol Toxicol 48:279-283.
- \*Savolainen K, Riihimaki V. 1981b. Xylene and alcohol involvement of the human equilibrium system. Acta Pharmacol Toxicol 49:447-451.
- \*Savolainen H, Pfaffli P, Helojoki M, et al. 1979a. Neurochemical and behavioral effects of long-term intermittent inhalation. Acta Pharmacol Toxicol 44:200-207.
- \*Savolainen H, Vainio H, Helojoki M, et al. 1978. Biochemical and toxicological effects of short-term, intermittent xylene inhalation exposure and combined ethanol intake. Arch Toxicol 41:195-205.

## 8. REFERENCES

- \*Savolainen K, Kekoni J, Riihimaki V, et al. 1984. Immediate effects of *m*-xylene on the human central nervous system. *Arch Toxicol Suppl* 7:412-417.
- \*Savolainen K, Riihimaki V, Laine A. 1982a. Biphasic effects of inhaled solvents on human equilibrium. *Acta Pharmacol Toxicol* 51:237-242.
- \*Savolainen K, Riihimaki V, Laine A, et al. 1982b. Short-term exposure of human subjects to *m*-xylene and 1,1,1-trichloroethane. *Arch Toxicol (Suppl)* 5:96-99.
- \*Savolainen K, Riihimaki V, Linnoila M. 1979b. Effects of short-term xylene exposure on psychophysiological functions in man. *Int Arch Occup Environ Health* 44:201-211.
- Savolainen K, Riihimaki V, Luukkonen R, et al. 1985a. Changes in the sense of balance correlate with concentrations of *m*-xylene. *Br J Ind Med* 42:765-769.
- Savolainen K, Riihimaki V, Muona O, et al. 1985b. Conversely exposure-related effects between atmospheric *m*-xylene concentrations and human body sense of balance. *Acta Pharmacol Toxicol* 57:67-71.
- \*Savolainen K, Riihimaki V, Seppalainen AM, et al. 1980a. Effects of short-term *m*-xylene exposure and physical exercise on the central nervous system. *Int Arch Occup Environ Health* 45:105-121.
- \*Savolainen K, Riihimaki V, Vaheri E, et al. 1980b. Effects of xylene and alcohol on vestibular and visual functions in man. *Stand J Work Environ Health* 6:94-103.
- Sax NI. 1979. *Dangerous properties of industrial materials*. 5th ed. New York, NY: Van Nostrand Reinhold Co.
- Sax NI, Lewis RJ Sr. 1986. *Rapid guide to hazardous chemicals in the workplace*. New York, NY: Van Nostrand Reinhold Co., 178-179.
- \*Sax NI, Lewis RJ Sr. 1989. *Dangerous properties of industrial materials*. Vol. III, 7th ed. New York, NY: Van Nostrand Reinhold Company, 3495-3497.
- Schardein JL, Keller KA. 1989. Potential human developmental toxicants and the role of animal testing in their identification and characterization. *CRC Crit Rev Toxicol* 19:251-339.
- Schramm M, Warrick AW, Fuller WH. 1986. Permeability of soils to four organic liquids and water. *Hazard Waste Hazard Mater* 3:21-27.
- Schwarzenbach RP, Westall J. 1981. Transport of nonpolar organic compounds from surface water to groundwater: Laboratory sorption studies. *Environmental Science and Technology* 15:1360-1367.
- Sedivec V, Flek J. 1976a. Exposure test for xylenes. *Int Arch Occup Environ Health* 37:219-232.
- \*Sedivec V, Flek J. 1976b. The absorption, metabolism, and excretion of xylenes in man. *Int Arch Occup Environ Health* 37:205-217.

- Seidenberg JM, Becker RA. 1987. A summary of the results of 55 chemicals screened for developmental toxicity in mice. *Teratogen, Carcinogen Mutagen* 7:17-28.
- \*Seidenberg JM, Anderson DG, Becker RA. 1986. Validation of an *in vivo* developmental toxicity screen in the mouse. *Teratogen, Carcinogen Mutagen* 6:361-374.
- \*Seifert B, Abraham H-J. 1982. Indoor air concentrations of benzene and some other aromatic hydrocarbons. *Ecotoxicol Environ Saf* 6:190-192.
- Seifert B, Abraham H-J. 1983. Use of passive samplers for the determination of gaseous organic substances. *Int J Environ Anal Chem* 13:237-253.
- Seila RL. 1979. Non-urban hydrocarbon concentrations in ambient air north of Houston, Texas. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Environmental Sciences Research Laboratory-RTP, NC. EPA 600/3-79-010 PB 293227.
- \*Seila RL, Lonneman WA, Meeks SA. 1989. Determination of C2 to C12 ambient air hydrocarbons in 39 U.S. cities, from 1984 through 1986. Project summary. Atmospheric Research and Exposure Assessment Laboratory, Research Triangle Park, NC. EPA/600/S3-89/058.
- \*Seip HM, Alstad J, Carlberg GE, et al. 1986. Measurement of mobility of organic compounds in soils. *Sci Total Environ* 50:87-101.
- \*Selgrade MJ, Daniels MJ, Jaskot RH, et al. 1993. Enhanced mortality and liver damage in virusinfected mice exposed to *p*-xylene. *Journal of Toxicology and Environmental Health* 40:129-144.
- \*Senczuk W, Orłowski J. 1978. Absorption of *m*-xylene vapours through the respiratory track and excretion. *Br J Ind Med* 35:50-55.
- Seppalainen AM. 1988. Neurophysiological approaches to the detection of early neurotoxicity in humans. *CRC Crit Rev Toxicol* 18:245-298.
- \*Seppalainen AM, Laine A, Salmi T, et al. 1989. Changes induced by short-term xylene exposure in human evoked potentials. *Int Arch Environ Health* 61:443-449.
- \*Seppalainen AM, Laine A, Salmi T, et al. 1991. Electroencephalographic findings during experimental human exposure to meta-xylene. *Arch Environ Health* 46:16-24.
- \*Seppalainen AM, Salmi T, Savolainen K, et al. 1983. Visual evoked potentials in short-term exposure of human subjects to *m*-xylene and 1,1,1-trichloroethane. *Appl Behav Pharmacol Toxicol* 1983:349-352.
- \*Seppalainen AM, Savolainen K, Kovala T. 1981. Changes induced by xylene and alcohol in human evoked potentials. *Electroencephalogr Clin Neurophysiol* 51:148-155.
- \*Sevcik P, Hep A, Peslova M. 1992. Intravenous xylene poisoning. *Intensive Care Medicine* 18:377-378.

Shackelford WM, Keith LH. 1976. Frequency of organic compounds identified in water. Athens, GA: Environmental Protection Agency. EPA 600/4-76-062.

Shah JJ, Heyerdahl EK. 1988. National ambient volatile organic compounds (VOCs) database update. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Sciences Research Laboratory. EPA/600/3-88/010.

Shen TT. 1982. Air quality assessment for land disposal of industrial wastes. *Environ Management* 6:297-305.

\*Shepson PB, Edney EO, Corse EW. 1984. Ring fragmentation reactions on the photooxidations of toluene and *o*-xylene. *J Phys Chem* 88:4122-4126.

\*Shimizu H, Suzuki Y, Takemura N, et al. 1985. The results of microbial mutation test for forty-three industrial chemicals. *Jpn J Ind Health* 27:400-419.

\*Silverman DM, Schatz RA. 1991. Pulmonary microsomal alterations following short-term low-level inhalation of para-xylene in rats. *Toxicology* 65:271-281.

\*Simmons JE, Allis JW, Grose EC, et al. 1991. Assessment of the hepatotoxicity of acute and short-term exposure to inhaled *p*-xylene in F-344 rats. *J Toxicol Environ Health* 32:295-306.

\*Singh HB, Salas LJ, Cantrell Bk, et al. 1985. Distribution of aromatic hydrocarbons in the ambient air. *Atmos Environ* 11:1911-1919.

Singh HB, Salas LJ, Smith AJ, et al. 1981. Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ* 15:601-612.

Sittig M. 1985. Handbook of toxic and hazardous chemicals and carcinogens. Park Ridge, NJ: Noyes Publications, 931-933.

\*Skender LJ, Karacic V, Bosner B. 1993. A selection of biological indicators in occupational exposure to toluene and xylene. *Archives of Industrial Hygiene and Toxicology (Arh Hig Rada Toksikol)* 44:27-33.

\*Skowronski GA, Turkall RM, Kadry AR, et al. 1990. Effects of soil on the dermal bioavailability of *m*-xylene in male rats. *Environ Res* 51:182-193.

Slorach SA. 1991. Measurement of metabolites as indicators of exposure to chemicals. *Scope* 46:323-330.

Smith BR, Bend JR. 1981. Metabolic Interactions of hydrocarbons with mammalian lung. *Rev Biochem Toxicol* 3:77-122.

\*Smith BR, Plummer JL, Wolf CR, et al. 1982. *p*-Xylene metabolism by rabbit lung and liver and its relationship to the selective destruction of pulmonary cytochrome P-450. *J Pharmacol Exp Ther* 223:736-742.

- \*Smolik R, Grzybek-Hryniewicz K, Lange A, et al. 1973. Serum complement level in workers exposed to benzene, toluene and xylene. *Int Arch Arbeitsmed* 31:243-247.
- \*Smyth HJ, Carpenter CP, Weil CS, et al. 1962. Range-finding toxicity data: List VI. *Am Ind Hyg Assoc J* 23:95-107.
- \*SRI. 1992. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 1052-1054.
- \*SRI. 1994. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 997-998.
- Stedman DH, Niki H. 1973. Ozonolysis rates of some atmospheric gases. *Environ Lett* 4:303-310.
- Stetkiewicz J, Domanska A. 1988. [Morphometric evaluation of the lungs of rats exposed to xylene vapors.] *Med Pr* 39:297-308. (Russian)
- \*Stevens RK, Vossler TL. 1991. DOAS urban pollution measurements. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA/600/D-91/044.
- \*Stickney JA, Roberts AE, Silverman DM, et al. 1989. The effect of *m*-xylene on rat lung benzo[a]pyrene metabolism and microsomal membrane lipids: Comparison with *p*-xylene. *Toxicology* 58:155-165.
- \*Stickney JA, Silverman DM, Schatz RA. 1991. Role of isozyme-specific inhibition of cytochrome-P450IIB 1 activity in *meta*-xylene-induced alterations in rat pulmonary benzo(a)pyrene metabolism. *Xenobiotica* 21:641-649.
- \*Stuart BJ, Bowlen GF, Kosson DS. 1991. Competitive sorption of benzene, toluene and the xylenes onto soil. *Environ Progr* 10:104-109.
- Stuermer DH, Ng DJ, Morris CJ. 1982. Organic contaminants in groundwater near an underground coal gasification site in northeastern Wyoming. *Environmental Science and Technology* 16:582-587.
- \*Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 298-299.
- \*Sugihara R, Ogata M. 1978. Quantitation of urinary *m*- and *p*-methylhippuric acids as indices of *m*- and *p*-xylene exposure. *Int Arch Occup Environ Health* 41:281-286.
- \*Sweet CW, Vermette SJ. 1992. Toxic volatile organic compounds in urban air in Illinois. *Environmental Science and Technology* 26:165-173.
- Szilard S, Szentgyorgyi D, Demeter I. 1988. Protective effect of Legalon in workers exposed to organic solvents. *Acta Med Hung* 45:249-256.
- \*Szybalski W. 1958. Special microbiological systems: II. Observations on chemical mutagenesis in microorganisms. *Ann NY Acad Sci* 76:465-489.

## 8. REFERENCES

- Tabacova S. 1986. Maternal exposure to environmental chemicals. *Neurotoxicology* 7:421-440.
- \*Tagaki H, Washida N, Akimoto H, et al. 1980. Photooxidation of *o*-xylene in the NO-H<sub>2</sub>O-air system. *J Phys Chem* 84:478-483.
- \*Tahti H. 1992. The neurotoxicity of organic-solvents, studied with *in vitro* models. *Alternatives to Labor Anim* 20:290-296.
- \*Tanaka M, Shimizu M, Tsujimoto Y. 1990. High-performance liquid chromatographic determination of urinary mercapturic acids in rat. *J Chromatogr* 526:289-292.
- \*Tardif R, Brodeur J, Plaa GL. 1989. Simultaneous high-performance liquid chromatographic analysis of hippuric acid and *ortho*-, *meta*-, and para-methylhippuric acids in urine. *J Anal Toxicol* 13:313-316.
- \*Tardif R, Lapare S, Krishnan K, et al. 1993a. Physiological based modeling of the toxicokinetic interaction between toluene and *m*-xylene in the rat. *Toxicol Appl Pharmacol* 120:266-273.
- \*Tardif R, Lapare S, Krishnan K, et al. 1993b. A descriptive and mechanistic study of the interaction between toluene and xylene in humans. *Int Arch Occup Environ Health*, 65:S135-S137.
- \*Tardif R, Lapare S, Plaa GL, et al. 1991. Effect of simultaneous exposure to toluene and xylene on their respective biological exposure indices in humans. *Int Arch Occup Environ Health* 63:279-284.
- \*Tardif R, Plaa GL, Brodeur J. 1992. Influence of various mixtures of inhaled toluene and xylene on the biological monitoring of exposure to these solvents in rats. *Can J Physiol Pharmacol* 70:385-393.
- \*Taskinen H, Anttila A, Lindbohm ML, et al. 1989. Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. *Stand J Work Environ Health* 15:345-352.
- \*Taskinen H, Kyyronen P, Hemminki K, et al. 1994. Laboratory work and pregnancy outcome. *Journal of Occupational Medicine* 36(3):311-319.
- \*Tatrai E, Ungvary G. 1980. Changes induced by *o*-xylene inhalations in the rat liver. *Acta Med Acad Sci Hung* 37:211-216.
- \*Tatrai E, Ungvary G, Cseh IR, et al. 1981. The effects of long-term inhalation of *ortho*-xylene on the liver. *Ind Envir Xenobiotica, Proceedings of International Conference, Prague, Czechoslovakia, May 27-30, 1980*. New York, NY: Springer-Verlag, 293-300.
- Tham R, Bunnfors I, Eriksson B, et al. 1984. Vestibulo-ocular disturbances in rats exposed to organic solvents. *Acta Pharmacol Toxicol* 54:58-63.
- Thorburn S, Colenutt BA. 1979. A gas chromatographic comparison of volatile organic compounds in urban and rural atmospheres. *Int J Environ Stud* 13:265-271.
- \*Toftgard R, Gustafsson J-A. 1980. Biotransformation of organic solvents: A review. *Stand J Work Environ Health* 6:1-18.

\*Toftgard R, Nilsen OG. 1981. Induction of cytochrome P-450 in rat liver after inhalation of aromatic organic solvents. In: *Ind Environ Xenobiotics, Proceedings of International Conference, Prague, Czechoslovakia, May 27-30, 1980*. New York, NY: Springer-Verlag, 307-317.

\*Toftgard R, Nilsen OG. 1982. Effects of xylene and xylene isomers on cytochrome P-450 and *in vitro* enzymatic activities in rat liver, kidney, and lung. *Toxicology* 23:197-212.

Toftgard R, Haaparanta T, Halpert J. 1986. Rat lung and liver cytochrome P-450 isozymes involved in the hydroxylation. *Toxicology* 39:225-231.

Toftgard R, Halpert J, Gustafsson JA. 1983a. Xylene induces a cytochrome P-450 isozyme in rat liver similar to the major isozyme induced by phenobarbital. *Mol Pharmacol* 23:265-271.

Toftgard R, Nilsen OG, Glaumann H, et al. 1983b. Induction of cytochrome P-450 in the rat liver after exposure to xylenes, dose-response relationship and dependence on endocrine factors. *Toxicology* 27:119-137.

\*Toftgard R, Nilsen OG, Gustafsson J-A. 1981. Changes in rat liver microsomal cytochrome P-450 and enzymatic activities after the inhalation of n-hexane, xylene, methyl ethyl ketone and methylchloroform for four weeks. *Stand J Work Environ Health* 7:31-37.

\*TRI90. 1992. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. February 1993.

\*TRI92. 1994. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.

Triebig G, Schaller K-H. 1986. Air monitoring of solvent exposed workers with passive samplers in comparison to "biological monitoring (BM)". *Toxicol Environ Chem* 12:285-312.

\*Triebig G, Barocka A, Erbguth F, et al. 1992a. Neurotoxicity of solvent mixtures in spray painters. II. Neurologic, psychological, and neuroradiologic findings. *Int Arch Occup Environ Health* 64:361-372.

\*Triebig G, Schaller KH, Weltle D. 1992b. Neurotoxicity of solvent mixtures in spray painters. I. Study, design, workplace exposure, and questionnaire. *Int Arch Occup Environ Health* 64(5):353-359.

\*Tsuruta H. 1982. Percutaneous absorption of organic solvents: III. On the penetration rates. *Ind Health* 20:335-345.

\*Tsuruta H, Iwasaki K. 1984. A procedure for determining volatile solvents in mouse whole body. *Ind Health* 22:219-222.

\*Tuazon EC, Atkinson R, MacLeod H, et al. 1984. Yields of glyoxal and methylglyoxal from the NO<sub>x</sub>-air photooxidations of toluene and m- and p-xylene. *Environmental Science and Technology* 18:981-984.

- \*Tuazon EC, McLeod H, Atkinson R, et al. 1986. *a*-Dicarbonyl yields from the NO<sub>x</sub>-air photooxidation of a series of aromatic hydrocarbons in air. *Environmental Science and Technology* 20:383-393.
- \*Turkall RM, Skowronski GA, Kadry ARM, et al. 1992. Sex-differences in the bioavailability of soil-adsorbed meta-xylene in orally exposed rats. *Toxicol Lett* 63:57-67.
- \*Uchida Y, Nakatsuka H, Ukai H, et al. 1993. Symptoms and signs in workers exposed predominantly to xylenes. *Int Arch Occup Environ Health* 64:597-605.
- \*Ungvary G. 1985. The possible contribution of industrial chemicals (organic solvents) to the incidence of congenital defects caused by teratogenic drugs and consumer goods--an experimental study. *Prog Clin Biol Res* 160:295-300.
- \*Ungvary G. 1990. The effect of xylene exposure on the liver. *Acta Morphol Hung* 38:245-258.
- Ungvary G, Donath T. 1984. Effect of benzene and its methyl-derivatives (toluene, para-xylene) on postganglionic noradrenergic nerves. *Z Mikrosk-Anat Forsch (Leipzig)* 98:755-763.
- \*Ungvary G, Tatrai E. 1985. On the embryotoxic effects of benzene and its alkyl derivatives in mice, rats, and rabbits. *Arch Toxicol [Supplement to]* 8:425-430.
- \*Ungvary G, Cseh J, Manyai S, et al. 1980a. Enzyme induction by *o*-xylene inhalation. *Acta Med Acad Sci Hung* 37:115-120.
- \*Ungvary G, Tatrai E, Hudak A, et al. 1980b. Studies on the embryotoxic effects of ortho-, meta- and para-xylene. *Toxicology* 18:61-74.
- \*Ungvary G, Varga B, Horvath E, et al. 1981. Study on the role of maternal sex steroid production and metabolism in the embryotoxicity of para-xylene. *Toxicology* 19:263-268.
- \*USITC. 1991. Synthetic organic chemicals: United States production and sales, 1990. Washington, DC: U.S. International Trade Commission. USITC Publication 2470.
- Utiddjian H. 1976. I. Recommendations for a xylene standard. *J Occ Med* 18:567-572.
- Utkin IB, Yakimov MM, Matveeva LN, et al. 1992. [Degradation of benzene, toluene and *o*-xylene by *Pseudomonas* species Y 13.1. *Prikl Biokhim Mikrobiol* 28:367-370. (Russian)
- \*Van der Hoek JP, Urlings LGCM, Grobben CM. 1989. Biological removal of polycyclic aromatic hydrocarbons, benzene, toluene, ethylbenzene, xylene and phenolic compounds from heavily contaminated ground water and soil. *Environ Technol Lett* 10:185-194.
- \*van Doorn R, Bos RP, Brouns RME, et al. 1980. Effect of toluene and xylenes on liver glutathione and their urinary excretion as mercapturic acids in the rat. *Arch Toxicol* 43:293-304.
- van Doorn R, Leijdekkers CM, Bos RP, et al. 1981. Alcohol and sulfate intermediates in the metabolism of toluene and xylenes to mercapturic acids. *J Appl Toxicol* 1:236-242.

- Van Roosmalen PB, Drummond I. 1978. Simultaneous determination by gas chromatography of the major metabolites. *Br J Ind Med* 35:56-60.
- Vanbeelen P. 1990. Degradation of organic pollutants in ground water. *Stygologia* 5:199-212.
- Veith GD, Defoe DL, Bergstadt BV. 1979. Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fish Res Board Can* 36:1040-1048.
- Venkataramani ES, Ahlert RC. 1984. Rapid aerobic biostabilization of high-strength industrial landfill leachate. *J Water Pollut Control Fed* 56:1178-1184.
- \*Verschuieren K. 1983. *Handbook of environmental data on organic chemicals*. 2nd ed. New York, NY: Van Nostrand Reinhold Company, 1188-1195.
- \*Van Burg R. 1982. Toxicology updates: Xylene. *J Appl Toxicol* 2:269-271.
- Vowles PD, Mantoura RFC. 1987. Sediment-water partition coefficients and HPLC retention factors of aromatic hydrocarbons. *Chemosphere* 16:109-116.
- Wallace L. 1986. Personal exposures, indoor and outdoor air concentrations and exhaled breath concentrations of selected volatile organic compounds measured for 600 residents of New Jersey, North Dakota, North Carolina, and California. *Toxicol Environ Chem* 12:215-236.
- \*Wallace L, Clayton CA. 1987. Volatile organic chemicals in 600 U.S. homes: Major sources of personal exposure. Report to U.S. Environmental Protection Agency, Office of Acid Deposition, Environmental Monitoring and Quality Assurance, Washington, D.C., by Research Triangle Institute, Research Triangle Park, NC. EPA/600/D-87055.
- Wallace L, Jungers R, Sheldon L, et al. 1987a. Volatile organic chemicals in 10 public-access buildings. Report to U.S. Environmental Protection Agency, Office of Research and Development, Office of Deposition, Environmental Monitoring and Quality Assurance, Washington, D.C., by Research Triangle Institute, Research Triangle Park, NC. EPA/600/D-87/152.
- \*Wallace L, Nelson W, Ziegenfus R, et al. 1991. The Los Angeles team study: Personal exposures, indoor-outdoor air concentrations, and breath concentrations of 25 volatile organic compounds. *J Exposure Anal Environ Epidemiol* 1:157-142.
- Wallace L, Pellizzari E, Hartwell T, et al. 1985. Personal exposures, indoor-outdoor relationships, and breath levels of toxic air pollutants measured for 355 persons in New Jersey. *Atmos Environ* 19:1651-1661.
- \*Wallace L, Pellizzari E, Hartwell T, et al. 1986. Concentrations of 20 volatile organic compounds in the air and drinking water of 350 residents of New Jersey compared with concentrations in their exhaled breath. *J Occup Med* 28:603-608.
- Wallace L, Pellizzari E, Hartwell T, et al. 1987b. Exposures to benzene and other volatile compounds from active and passive smoking. *Arch Environ Health* 42:272-279.

## 8. REFERENCES

- \*Wallace L, Pellizzari E, Hartwell T, et al. 1987c. The TEAM study: Personal exposures to toxic substances in air, drinking water, and breath of 400 residents of New Jersey, North Carolina, and North Dakota. *Environ Res* 43:290-307.
- \*Wallace L, Pellizzari E, Hartwell T, et al. 1988. The California team study: Breath concentrations and personal exposures to 26 volatile compounds in air and drinking water of 188 residents of Los Angeles, Antioch, and Pittsburg, CA. *Atmos Environ* 22:2141-2163.
- \*Wallen M, Holm S, Byfalt Nordqvist M. 1985. Coexposure to toluene and *p*-xylene in man: Uptake and elimination. *Br J Ind Med* 42:111-116.
- Ware GW, ed. 1988. Xylenes. In: *Reviews of environmental contamination and toxicology*. New York, NY: Springer-Verlag, 106:213-222.
- \*Washington WJ, Murthy RC, Doye A, et al. 1983. Induction of morphologically abnormal sperm in rats exposed to *o*-xylene. *Arch Andrology* 11:233-237.
- Wathne BM. 1983. Measurements of benzene, toluene and xylenes in urban air. *Atmos Environ* 17:1713-1722.
- \*Weast RC, ed. 1988. *CRC handbook of chemistry and physics*. 6th ed. Boca Raton, FL: CRC Press, Inc, C548-C550.
- Weiss G, ed. 1986. *Hazardous chemicals data book*. 2nd ed. Park Ridge, NJ: Noyes Data Corporation, 1023-1025.
- \*Weschler CJ, Shields HC, Rainer D. 1990. Concentrations of volatile organic compounds at a building with health and comfort complaints. *Am Ind Hyg Assoc J* 51:261-268.
- \*Whitehead LW, Ball GL, Fine LJ, et al. 1984. Solvent vapor exposures in booth spray painting and spray glueing, and associated operations. *Am Ind Hyg Assoc J* 45:767-772.
- \*Whitman NE, Johnston AE. 1964. Sampling and analysis of aromatic vapors in air: A gas-liquid chromatographic method. *Am Ind Hyg Assoc J* 25:464-469.
- WHO. 1981. *Recommended health-based limits in occupational exposure to selected organic solvents*. Geneva, Switzerland: World Health Organization, 1-84.
- \*Wilcosky TC, Checkoway H, Marshall EG, et al. 1984. Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J* 45:809-811.
- Williams PA, Morsey MJ. 1976. Ubiquity of plasmids in coding for toluene and xylene metabolism in soil bacteria: Evidence for the existence of new TOL plasmids. *J Bacterial* 125:818-828.
- \*Williams DT, Nestmann ER, LeBel GL, et al. 1982. Determination of mutagenic potential and organic contaminants of Great Lakes drinking water. *Chemosphere* 11:263-276.
- \*Wimolwattanapun S, Ghosh TK, Mookherjee S, et al. 1987. Effect of inhalation of xylene on intracranial self-stimulation behavior in rat. *Neuropharmacology* 26:1629-1632.

- \*Windham GC, Shusterman D, Swan SH, et al. 1991. Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med* 20:241-259.
- \*Wisniewska-Knyp I JM, Wronska-Nofer T, Jajte J, et al. 1989. The effect of combined exposures to ethanol and xylene on rat hepatic microsomal monooxygenase activities. *Alcohol* 6:347-352.
- \*Wolf MA, Rowe VK, McCollister DD, et al. 1956. Toxicological studies of certain alkylated benzenes and benzene: Experiments on laboratory animals. *Arch Ind Health* 14:387-398.
- \*Wolfe GW. 1988a. Subchronic toxicity study in rats with *m*-xylene. Report by Hazleton Laboratories America, Inc., Rockville MD. Sponsored by Dynamac Corporation, Rockville, MD.
- \*Wolfe GW. 1988b. Subchronic toxicity study in rats with *p*-xylene. Report by Hazleton Laboratories America, Inc., Rockville MD. Sponsored by Dynamac Corporation, Rockville, MD.
- \*Wronska-Nofer T, Rosin J, Bartosz G. 1991. Interaction of ethanol and xylene in their effects on erythrocytes and other haematological parameters in the rat. *J Appl Toxicol* 11:289-292.
- \*Yalkowsky SH, Valvani SC. 1976. Partition coefficients and surface areas of some alkylbenzenes. *J Med Chem* 19:727-728.
- Yanagihara S, Shimada I, Shinoyama E, et al. 1977. Photochemical reactivities of hydrocarbons. *Proc Int Clean Air Congr*:472-477.
- Yaws C, Yang HC, Pan X. 1991. Henry's law constant for 362 organic compounds in water. *Chem Engin*, 179-185.
- Zeiger E. 1990. Mutagenicity of 42 chemicals in *Salmonella*. *Environ Mol Mutagen* 16:32-54.
- \*Zhong B, Baozhen, Tang, et al. 1980. A comparative study of the cytogenetic effects of benzene, toluene and xylene. *Chlung* 2:29-31.

