CHAPTER 8. REFERENCES

- *ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, Inc.
- *ACGIH. 2016. Dichloroethyl ether. TLVs and BEIs based on the documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, May 11, 2017.
- *AIHA. 2015. Current ERPG Values (2015). Fairfax, VA: American Industrial Hygiene Association. https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Documents/2015%20 ERPG%20Levels.pdf. March 22, 2016.
- *Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compare with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. J Appl Toxicol 3:272-290.
- AOAC. 1984. Fumigant residues. Volatile fumigants in grain. Gas chromatographic method. Section 29.071. Official methods of analysis of the Association of Official Analytical Chemists, 14th ed. Arlington, VA: Association of Official Analytical Chemists Inc., 547-548.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. Fed Regist 54(174):37618-37634.
- *ATSDR. 2017. Bis(2-chloroethyl)ether. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention. http://www.atsdr.cdc.gov/SPL/resources/index.html. October 6, 2017.
- *Ballering LA, Nivard MJ, Vogel EW. 1996. Characterization by two-endpoint comparisons of the genetic toxicity profiles of vinyl chloride and related etheno-adduct forming carcinogens in *Drosophila*. Carcinogenesis 17(5):1083-1092.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8(4):471-486.
- *Barnes D, Bellin J, DeRosa C, et al. 1987. Reference dose (RfD): description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation.
- Washington, DC: US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA 600886032a.
- +Bell A, Jones AT. 1958. Fumigation with dichloroethyl ether and chlordane: Hysterical sequelae. Med J Australia 2:258-263.
- *Berck B. 1965. Determination of fumigant gases by gas chromatography. J Agric Food Chem 13:373-377.
- Berg GL, ed. 1981. Farm chemicals handbook. Willoughby, OH: Meister Publishing Company, C-109.
- *Betowski LD, Pyle SM, Ballard JM, et al. 1987. Thermospray LC/MS/MS/ analysis of wastewater for disperse azo dyes. Biomed Environ Mass Spectrom 14:343-354.
- *Bolt HM. 1984. Metabolism of genotoxic agents: Halogenated compounds. In: Monitoring human exposure to carcinogenic and mutagenic agents. Proceedings of a Joint Symposium, Espoo, Finland, December 1983. IARC Scientific Publication 59.
- *Browning E. 1965. Toxicity and metabolism of industrial solvents. New York: Elsevier, 513.
- *Buckman Laboratories. 1988. Selected information on DCEE. Letter from Buckman Laboratories to D. Ozolins, USEPA. October 20, 1988.

+ Cited in supplemental document

^{*}Cited in text

- *Callahan MA, Slimak MW, Gabrel NW, et al. 1979. Halogenated aliphatic hydrocarbons, halogenated ethers, monocyclic aromatics, phthalate sters, polycyclic aromatic hydrocarbons, nitrosamines, and miscellaneous compounds. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standards, 65-1 to 65-7. PB80204381.
- +*Carpenter CP, Smyth HF. 1946. Chemical burns of the rabbit cornea. Am J Opthamol 29:1363-1372.
- *Carpenter CP, Smyth HF, Pozzani UC. 1949. The assay of acute vapor toxicity and the grading and interpretation of results of 96 chemical components. J Ind Hyg Toxicol 31:343-346.
- *Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1(4):111-131.
- *CLPSD. 1988. Contract laboratory program statistical database. Viar and Company. Alexandria, VA. August 10.
- DeWalle FB, Chian ESK. 1981. Detection of trace organics in well water near a solid waste landfill. J Am Water Works Assoc 73:206-211.
- *DOE. 2016a. Table 3: Protective Action Criteria (PAC) Rev. 29 based on applicable 60-minute AEGLs, ERPGs, or TEELs. The chemicals are listed by CASRN. May 2016. Oak Ridge, TN: U.S. Department of Energy. https://sp.eota.energy.gov/pac/teel/Revision_29_Table3.pdf. February 28, 2017.
- *DOE. 2016b. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 29 for Chemicals of Concern May 2016. Oak Ridge, TN: U.S. Department of Energy. https://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-29-chemicals-concernmay-2016. February 28, 2017.
- *Dojlido JR. 1979. Investigations of biodegradability and toxicity of organic compounds. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA600279163...
- +*Dow Chemical. 1958. Results of repeated exposures of laboratory animals to the vapor of dichlorodiethyl ether at a concentration of 69 mm. Midland, MI: The Dow Chemical Company.
- *Drake KD, Myer JR. 1992. Acute oral toxicity of DCEE (dichloroethyl ether) in rats and mice. Int J Toxicol 1(3):163-164.
- *Dressman RC, Fair J, McFarren EF. 1977. Determinative method for analysis of aqueous sample extracts for bis(2-chloro)ethers and dichlorobenzenes. Environ Sci Technol 11:719-721.
- *Elkins HB. 1959. The chemistry of industrial toxicology. New York, NY: John Wiley and Sons, Inc.
- EPA. 1975. Initial scientific and miniorganic review of dolpat. Draft Report. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Programs.
- *EPA. 1980a. Ambient water quality criteria for chloroalkyl ethers. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA 440580030.
- *EPA. 1980b. Hazardous waste; identification and listing; final and interim rules. U.S. Environmental Protection Agency. Fed Regist 45:33084-33133.
- *EPA. 1980c. Guidelines and methodology used in the preparation of health effect assessment chapters of the consent decree water criteria documents. U.S. Environmental Protection Agency. Fed Regist 45:79347-79357.
- *EPA. 1982a. Haloethers-Method 611. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, 611-1 to 611-7. EPA600482057.
- *EPA. 1982b. Base/neutrals and acids-method 625. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, 625-1 to 625-19. EPA600482057.
- EPA. 1983. Treatability manual, volume I, treatability data. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600282001a.
- *EPA. 1984. Semivolatile organic compounds by isotope dilution GC-MS Method 1625, Revision B. Washington, DC: U.S. Environmental Protection Agency, 1625-1 to 1625-44.
- *EPA. 1985. Notification requirements; reportable quantity adjustments; final rule and proposed rule. Part II. U.S. Environmental Protection Agency. Fed Regist 50:13456-13522.

- *EPA. 1986a. Gas chromatography/mass spectrometry for semivolatile organics: packed column technique-Method 8250. Test methods for evaluating solid wastes, SW-846, 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, 8250-1 to 8250-30.
- *EPA. 1986b. Gas chromatography/mass spectrometry for semivolatile organics: capillary column technique-Method 8270. Test methods for evaluating solid wastes, SW-846, 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, 8270-1 to 8270-32.
- *EPA. 1986c. Capillary column analysis of semivolatile organic compounds by gas chromatography/fourier transform infrared (GC/FT-IR) spectrometry Method 8410. Test methods for evaluating solid wastes, SW-846, 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, 8410-1 to 8410-17.
- *EPA. 1987a. Health and environmental effects document for haloethers. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. ECAOGINGo14.
- *EPA. 1987b. Extremely hazardous substances list and threshold planning quantities; emergency planning and release notification requirements; final rule. Part II. U.S. Environmental Protection Agency. Fed Regist 52:13378-13410.
- *EPA. 1987c. Hazardous substances; reportable quantity adjustments; proposed rule. U.S. Environmental Protection Agency. Fed Regist 50:8140-8171.
- *EPA. 1987d. Part II. List (Phase 1) of hazardous constituents for ground-water monitoring; final rule. U.S. Environmental Protection Agency. Fed Regist 52:25942-25953.
- *EPA. 1988, Integrated Risk Information System -- computer printout for bis(2-chloroethyl) ether. Washington, DC: U.S. Environmental Protection Agency. August, 1988.
- *EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.
- *EPA. 2009. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F090004. https://www.epa.gov/sites/production/files/2016-06/documents/npwdr_complete_table.pdf. February 28, 2017.
- *EPA. 2012. Drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA822S12001. https://www.epa.gov/sites/production/files/2015-09/documents/dwstandards2012.pdf. May 11, 2017
- *EPA. 2016. Acute Exposure Guideline Levels (AEGLs) values. U.S. Environmental Protection Agency. https://www.epa.gov/aegl/access-acute-exposure-guideline-levels-aegls-values#chemicals. February 28, 2017.
- *FDA. 2013. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. http://www.accessdata.fda.gov/scripts/fcn/fcnnavigation.cfm?rpt=eafuslisting. February 28, 2017.
- *Foureman P, Mason JM, Valencia R, et al. 1994. Chemical mutagenesis testing in *Drosophila*. IX. Results of 50 coded compounds tested for the National Toxicology Program. Environ Mol Mutagen 23(1):51-63.
- *FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Regulatory Alliance Committee. March, 1988.
- *Gurka DF, Titus R, Griffiths PR, et al. 1987. Evaluation of an improved single-beam gas chromatography/fourier transform infrared interface for environmental analysis. Anal Chem 59:2362-2369.

- +*Gwinner LM, Laib RJ, Filser JG, et al. 1983. Evidence of chloroethylene oxide being the reactive metabolite of vinyl chloride toward DNA: Comparative studies with 2,2-dichlorodiethyl ether. Carcinogenesis 4:1483-1486.
- *Hake CL, Rowe BK. 1963. Ethers. In: Patty FA (ed). Industrial Hygiene and Toxicology (2nd revised edition), Vol II. New York: John Wiley and Sons, 1673-1677.
- Hawley GG. 1977. Condensed chemical dictionary. 9th ed. New York: Van Nostrand Reinhold Company, 280.
- *Hawthorne SB. 1988. 1988 Workshop on supercritical fluid chromatography. Amer Lab 88:6-8.
- *HSDB. 1988. Hazardous Substances Data Base computer printout for bis(2-chloroethyl) ether. August, 1988.
- *IARC. 1975. IARC monographs on the evaluation of the carcinogenic risk of chemicals to man: some aziridines, N-, S- and O-mustards and selenium. Volume 9. Bis(2-chloroethyl) ether. Lyon, France: International Agency for Research on Cancer, 117-123.
- *IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Overall evaluations of carcinogenicity: An updating of IARC monographs volumes 1 to 42. Supplement 7. Lyon, France: International Agency for Research on Cancer, 56-74.
- *IARC. 1999. Bis(2-chloroethyl)ether. IARC Monographs on the evaluation of carcinogenic risks to humans. Volume 71. Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide. Lyon, France: International Agency for Research on Cancer. http://monographs.iarc.fr/ENG/Monographs/vol71/mono71-66.pdf. May 10, 2017.
- *IARC. 2017. Agents classified by the IARC Monographs, Volumes 1–118. Lyon, France: International Agency for Research on Cancer. http://monographs.iarc.fr/ENG/Classification/List_of_Classifications.pdf. May 10, 2017.
- *IRIS. 2002. Bis(chloroethyl)ether (BCEE); CASRN 111-44-4. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0137_summary.pdf. May 11, 2017.
- +*Innes JRM, Ulland BM, Valerio MG, et al. 1969. Bioassay of pesticides and industrial chemicals for tumorigenicity in mice. J Natl Cancer Inst 42:1101-1114.
- Jorgenson TA, Rushbrook CJ, Newell GW, et al. 1977. Study of the mutagenic potential of bis(2-chloroethyl) and bis(chloroisopropy1) ethers in mice by the heritable translocation test. (Abstract). Toxicol Appl Pharmacol 41:196-197.
- +*Jorgenson TA, Rushbrook CJ, Newell GW, et al. 1978. Study of the mutagenic potential of bis(2-chloroethyl) and bis(2-chloroisopropyl) ethers in mice by the heritable translocation test. Mutat Res 53:124. (Abstract).
- *Kincannon DF, Lin YS. 1986. Microbial degradation of hazardous wastes by land treatment. In: Proceedings of the 40th industrial waste conference (May 14, 15, 16, 1985). Boston, MA: Ann Arbor Science.
- Kleopper RD, Fairless BJ. 1972. Characterization of organic components in a municipal water supply. Environ Sci Technol 6:1036-1037.
- *Korfmacher WA, Holder CL, Betowski LD, et al. 1987. Identification of two glucuronide metabolites of doxylamine via thermospray/mass spectrometry and thermospray/mass spectrometry/mass spectrometry. J Anal Toxicol 11:182-184.
- *Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches. San Diego, CA: Academic Press, 399-437.
- *Lingg RD, Kaylor WH, Pyle SM, et al. 1979. Thiodiglycolic acid: A major metabolite of bis(2-chloroethyl) ether. Toxicol Appl Pharmacol 47:23-34.
- +*Lingg RD, Kaylor WJ, Pyle SM, et al. 1982. Metabolism of bis(2-chloroethyl) ether and bis(chloroisopropyl) ether in the rat. Arch Environ Contam Toxicol 11:173-183.
- *Ludzack FJ, Ettinger MB. 1963. Biodegradability of organic chemicals isolated from rivers. Purdue University. Eng Bull Ext Ser 115:278-282.

- *Mabey WR, Smith JH, Podoll RT et al. 1982. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA440481014. PB87169090.
- *Maronpot RR, Haseman JK, Boorman GA, et al. 1987. Liver lesions in B6C3Fl mice: The National Toxicology Program, experience and position. Arch Toxicol (Supplement 10):10-26.
- *McNally ME, Wheeler JR. 1988. Supercritical fluid extraction coupled with supercritical fluid chromatography for the separation of sulfonylurea herbicides and their metabolites from complex matrices. J Chromatogr 435:63-71.
- *Michael LC, Pellizari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. Environ Sci Technol 22:565-570.
- *Monsen RM. 1986. The Chlorex treatability study: Environmental fate in facultative anaerobic and aerobic waste stabilization ponds. (Ph.D. dissertation). Available from University Microfilms International, Dissertation Information Service, Ann Arbor, MI.
- *Muller G, Norpoth K. 1979. Identification of S-(carboxymethyl)-Lcysteine and thiodiglycolic acid, urinary metabolites of 2,2'-bis-(chloroethyl)-ether in the rat. Cancer Lett 7:299-305.
- NAS. 1977. National Academy of Sciences. Drinking water and health. Washington, DC: National Academy Press, 711.
- *NAS/NRC. 1989. Report of the oversight committee. Biologic markers in reproductive toxicology. Washington, DC, 15-35.
- *NATICH. 1987. NATICH data base report on state, local and EPA air toxic activities. July, 1987. Research Triangle Park, NC: National Air Toxic Information Clearinghouse. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards.
- *NIOSH. 1984. sym-Dichloroethyl ether-method 1004. NIOSH Manual of Analytical Methods, 3rd ed. Cincinnati, OH: National Institute for Occupational Safety and Health, 1004-1 to 1004-3.
- *NIOSH. 1985. Pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.
- *NIOSH. 2016. Dichloroethyl ether. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. https://www.cdc.gov/niosh/npg/npgd0196.html. May 11, 2017.
- *NLM. 1988. National Library of Medicine Chemline database printout for bis(2-chloroethyl) ether. August, 1988.
- +*Norpoth K, Heger M, Muller G, et al. 1986. Investigations of metabolism, genotoxic effects and carcinogenicity of 2,2-dichlorodiethyl ether. J Cancer Res Clin Oncol 112:125-130.
- *NTP. 2016. Report on Carcinogens, Fourteenth Edition. CASRN Index in MS Excel. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. https://ntp.niehs.nih.gov/pubhealth/roc/index-1.html#P. February 28, 2017.
- *OSHA. 2016a. Subpart Z Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1910.1000 https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol6/pdf/CFR-2016-title29-vol6-sec1910-1000.pdf. March 6, 2017.
- *OSHA. 2016b. Subpart D Occupational health and environment controls. Section 1926.55 Gases, vapors, fumes, dusts, and mists. Appendix A to Part 1926.55 threshold limit values of airborne contaminants for construction. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1926.55 https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol8/pdf/CFR-2016-title29-vol8-sec1926-55.pdf. March 6, 2017.
- *OSHA. 2016c. Subpart Z Toxic and hazardous substances. Air contaminants. Table Z Shipyards. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1915.1000 https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol7/pdf/CFR-2016-title29-vol7-sec1915-1000.pdf. March 6, 2017.

- *Pellizzari ED, Sheldon LS, Bursey JR et al. 1985, Master scheme for the analysis of organic compounds in water. Part I. State-of-the-art review of analytical operation. Athens, GA: U.S. Environmental Protection Agency, Environmental Research Laboratory.
- *Quinto I, Radman M. 1987. Carcinogenic potency in rodents versus genotoxic potency in E. coli: A correlation analysis for bifunctional alkylating agents. Mutat Res 181:235-242.
- Rannug U, Gothe R, Wachtmeister CA. 1976. The mutagenicity of chloroethylene oxide, chloroacetaldehyde, 2-chloroethanol and chloroacetic acid, conceivable metabolites of vinyl chloride. Chem Biol Interact 12:251-263.
- *Sakazaki H, Ueno H, Umetani K, et al. 2001. Immunotoxicological evaluation of environmental chemicals utilizing mouse lymphocyte mitogenesis test. J Health Sci 47(3):258-271.
- +*Schrenk HH, Patty FA, Yant WP. 1933. Acute response of guinea pigs to vapors of some new commercial organic compounds. Public Health Reports 48:1389-1398.
- Shirasu Y, Moriya M, Kato K, et al. 1975. Mutagenicity screening of pesticides in microbial systems. (Abstract). Mutat Res 31:268-269.
- *Simmon VF, Kauhanen K, Tardiff RG. 1977. Mutagenic activity of chemicals identified in drinking water. In: Scott D, Bridges BA, Sobels FH (eds). Progress in genetic toxicology, 249-258.
- Simmon VF. 1978. Structured correlations of carcinogenic and mutagenic alkyl halides. In: Structural correlates of carcinogenesis and mutagenesis. A guide to testing priorities. Washington, DC: U.S. Food and Drug Administration. FDA781046.
- Sittig M, ed. 1980. Chloroalkyl ethers. In: Priority toxic pollutants: Heath impacts and allowable limits. Park Ridge, NJ: Noyes Data Corp.
- Sittig M. 1985, Bis(2-chloroethyl)ether. Handbook of toxic hazardous chemicals and carcinogens, 2nd ed. Park Ridge NJ: Noyes Data Publication 323-325.
- +*Smyth HF, Carpenter CP. 1948. Further experience with the range finding test in the industrial toxicology laboratory. J Ind Hyg Toxicol 30:63-68.
- *Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. Environ Toxicol Chem 4:131-142.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. J Water Pollut Control Fed 53:1503-1518.
- *Ternay AL. 1976. Contemporary organic chemistry. Philadelphia, PA: W.B, Saunders Company, 146-147.
- +*Theiss JC, Stoner GD, Shimkin MB, et al. 1977. Test for carcinogenicity of organic contaminants of United State drinking waters by pulmonary tumor response in strain A mice. Cancer Res 37:2717-2720.
- *TRI16 2017. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. http://www.epa.gov/triexplorer/. September 29, 2017.
- +*Union Carbide. 1948. The toxicity of dichloroethyl ether. Union Carbide Corporation, Danbury CT. Rpt 11-39 (updated on 3-12-48, and also subsequently to address FIFRA regulations).
- +*Van Duuren BL, Katz C, Goldschmidt BM, et al. 1972. Carcinogenicity of halo-ethers. II. Structure-activity relationship of analogues of bis(chloromethyl)ether. J Natl Cancer Inst 48:1431-1439.
- *Vanderlaan M, Watkins BE, Stanker L. 1988. Environmental monitoring by immunoassay. Environ Sci Technol 22:247-254.
- *Veith GD, Macek KJ, Petrocelli SR, et al. 1980. An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. In: Aquatic toxicology. Proceedings of the third annual symposium on aquatic toxicology. Philadelphia, PA: American Society for Testing and Materials, 116-129.
- *Verschueren K. 1977. Handbook of environmental data on organic chemicals. New York: Van Nostrand Reinhold Company, 232-233.

- Verschueren K. 1983. Bis(2-chloroethyl)ether. Handbook of environmental data on organic chemicals. New York: Van Nostrand Reinhold Company, 489-490.
- Walters SM. 1986. Cleanup of samples. Analytical methods for pesticides and plant growth regulators, Vol 15. Zweig, G, Sherma E, Eds., Chapter 3. New York, NY: Academic Press, 67-110.
- *Weast RC, ed. 1985. CRC handbook of chemistry and physics. 66th ed. Boca Raton, FL: CRC Press.
- +*Weisburger EK, Ulland BM, Nam J, et al. 1981. Carcinogenicity tests of certain environmental and industrial chemicals. J Natl Cancer Inst 67:75-88.
- *WHO. 2010. Guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. January 08, 2014.
- *WHO. 2017. Guidelines for drinking-water quality. Fourth edition incorporating the first addendum. Geneva, Switzerland: World Health Organization. http://apps.who.int/iris/bitstream/10665/254637/1/9789241549950-eng.pdf?ua=1. February 28, 2017.
- *Wilson JT, Enfield CG, Dunlap WJ, et al. 1981. Transport and fate of selected organic pollutants in a sandy soil. J Environ Qual 10:501-506.
- *Windholz M, ed. 1983. The Merck Index. Tenth edition. Rahway, NJ: Merck & Co., Inc.