

CHAPTER 8. REFERENCES

- ACC. 2019. The economic benefits of ethylene oxide and the potential cost of deselection. American Chemistry Council. <https://www.americanchemistry.com/EO/Ethylene-Oxide-and-the-Potential-Cost-of-Deselection.pdf>. February 27, 2020.
- Adkins B, Van Stee EW, Simmons JE, et al. 1986. Oncogenic response of strain A/J mice to inhaled chemicals. *J Toxicol Environ Health* 17(2-3):311-322. <http://doi.org/10.1080/15287398609530825>.
- Agurell E, Cederberg H, Ehrenberg L, et al. 1991. Genotoxic effects of ethylene oxide and propylene oxide: a comparative study. *Mutat Res* 250(1-2):229-237. [http://doi.org/10.1016/0027-5107\(91\)90180-v](http://doi.org/10.1016/0027-5107(91)90180-v).
- Alexander M. 1977. Transformation of hydrocarbons. In: *Introduction to soil microbiology*. 2nd ed. New York, NY: John Wiley & Sons, 207.
- Alomar A, Camarasa JM, Noguera J, et al. 1981. Ethylene oxide dermatitis. *Contact Dermatitis* 7:205-207.
- Alwis KU, Blount BC, Britt AS, et al. 2012. Simultaneous analysis of 28 urinary VOC metabolites using ultra high performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry (UPLC-ESI/MSMS). *Anal Chim Acta* 750:152-160. <http://doi.org/10.1016/j.aca.2012.04.009>.
- Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl Toxicol* 3:272-290.
- Anbar M, Neta P. 1967. A compilation of specific biomolecular rate constants for the reactions of hydrated electrons, hydrogen atoms and hydroxyl radicals with inorganic and organic compounds in aqueous solution. *Int J Appl Radiat Isot* 18:493-523.
- Angerer J, Bader M, Kramer A. 1998. Ambient and biochemical effect monitoring of workers exposed to ethylene oxide. *Int Arch Occup Environ Health* 71(1):14-18. <http://doi.org/10.1007/s004200050244>.
- Appelgren L, Eneroth G, Grant C. 1977. Studies on ethylene oxide: Whole body autoradiography and dominant lethal test in mice. *Arch Toxicol* 18:315-317.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- ATSDR. 2018. Letter health consultation: "Evaluation of potential health impacts from ethylene oxide emissions" Sterigenics International, Inc., Willowbrook, Illinois. Atlanta, GA: Agency for Toxic Substances and Disease Registry. https://www.atsdr.cdc.gov/HAC/pha/sterigenic/Sterigenics_International_Inc-508.pdf. March 21, 2019.
- ATSDR. 2019. Ethylene oxide. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486.
- Bastlova T, Andersson B, Lambert B, et al. 1993. Molecular analysis of ethylene oxide-induced mutations at the HPRT locus in human diploid fibroblasts. *Mutat Res* 287(2):283-292. [http://doi.org/10.1016/0027-5107\(93\)90021-7](http://doi.org/10.1016/0027-5107(93)90021-7).
- Belen B, Polat M. 2015. Type I allergic hypersensitivity reactions due to ethylene oxide sterilised leucocyte filters in patients with thalassaemia: report of four cases. *BMJ Case Rep* 2015:27. <http://doi.org/10.1136/bcr-2014-208490>.
- Bennett DH, Margni MD, McKone TE, et al. 2002. Intake fraction for multimedia pollutants: a tool for life cycle analysis and comparative risk assessment. *Risk Anal* 22(5):905-918. <http://doi.org/10.1111/1539-6924.00260>.

8. REFERENCES

- Benson LO, Teta MJ. 1993. Mortality due to pancreatic and lymphopoietic cancers in chlorohydrin production workers. *Br J Ind Med* 50(8):710-716. <http://doi.org/10.1136/oem.50.8.710>.
- Bird MJ. 1952. Chemical production of mutations in *Drosophila*: Comparison of techniques. *J Genet* 50:480-485.
- Bisanti L, Maggini M, Raschetti R, et al. 1993. Cancer mortality in ethylene oxide workers. *Br J Ind Med* 50(4):317-324. <http://doi.org/10.1136/oem.50.4.317>.
- Blackwood JD, Erskine EB. 1938. Carboxide poisoning. *U S Nav Med Bull* 36:44-45.
- Bogan DJ, Hand CW. 1978. Absolute rate constant, kinetic isotope effect, and mechanism of the reaction of ethylene oxide with oxygen (³P) atoms. *J Phys Chem* 82:2037-2073.
- Bono R, Vincenti M, Meineri V, et al. 1999. Formation of N-(2-hydroxyethyl)valine due to exposure to ethylene oxide via tobacco smoke: A risk factor for onset of cancer. *Environ Res* 81(1):62-71. <http://doi.org/10.1006/enrs.1998.3937>.
- Bono R, Vincenti M, Saglia U, et al. 2002. Tobacco smoke and formation of N-(2-hydroxyethyl)valine in human hemoglobin. *Arch Environ Health* 57(5):416-421. <http://doi.org/10.1080/00039890209601430>.
- Bono R, Vincenti M, Schiliro T, et al. 2005. Cotinine and N-(2-hydroxyethyl)valine as markers of passive exposure to tobacco smoke in children. *J Expo Anal Environ Epidemiol* 15(1):66-73. <http://doi.org/10.1038/sj.jea.7500344>.
- Boogaard PJ. 2002. Use of haemoglobin adducts in exposure monitoring and risk assessment. *J Chromatogr B Analyt Technol Biomed Life Sci* 778(1-2):309-322. [http://doi.org/10.1016/s0378-4347\(01\)00445-5](http://doi.org/10.1016/s0378-4347(01)00445-5).
- Boogaard PJ, Rocchi PS, van Sittert NJ. 1999. Biomonitoring of exposure to ethylene oxide and propylene oxide by determination of hemoglobin adducts: correlations between airborne exposure and adduct levels. *Int Arch Occup Environ Health* 72(3):142-150. <http://doi.org/10.1007/s004200050353>.
- Brashear A, Unverzagt FW, Farber MO, et al. 1996. Ethylene oxide neurotoxicity: a cluster of 12 nurses with peripheral and central nervous system toxicity. *Neurology* 46(4):992-998. <http://doi.org/10.1212/wnl.46.4.992>.
- Brown AM, Bruch C, Jacobson E, et al. 1979. Increased mutation frequency due to ethylene oxide absorbed to plastics. *In Vitro* 15:220-221.
- Brown CD, Wong BA, Fennell TR. 1996. In vivo and in vitro kinetics of ethylene oxide metabolism in rats and mice. *Toxicol Appl Pharmacol* 136(1):8-19. <http://doi.org/10.1006/taap.1996.0002>.
- Brown CD, Asgharian B, Turner MJ, et al. 1998. Ethylene oxide dosimetry in the mouse. *Toxicol Appl Pharmacol* 148(2):215-221. <http://doi.org/10.1006/taap.1997.8349>.
- Brugnone F, Perbellini L, Faccini G, et al. 1985. Concentration of ethylene oxide in the alveolar air of occupationally exposed workers. *Am J Ind Med* 8(1):67-72. <http://doi.org/10.1002/ajim.4700080109>.
- Brugnone F, Perbellini L, Faccini GB, et al. 1986. Ethylene oxide exposure. Biological monitoring by analysis of alveolar air and blood. *Int Arch Occup Environ Health* 58(2):105-112. <http://doi.org/10.1007/BF00380761>.
- CARB. 1992. Assessment of ethylene oxide concentrations and emissions from sterilization and fumigation processes. Sacramento, CA: California Air Resources Board. <https://ww3.arb.ca.gov/research/apr/past/a832-125.pdf>. June 26, 2019.
- Caroli UM, Berner D, Volz T, et al. 2005. Delayed-type hypersensitivity dermatitis to ethylene oxide. *Contact Dermatitis* 53(5):303-304. <http://doi.org/10.1111/j.0105-1873.2005.0654e.x>.
- CDC. 2022. Updated ethylene oxide hemoglobin adduct data tables published. Centers for Disease Control and Prevention. https://www.cdc.gov/exposurereport/whats_new_060622_1.html. July 11, 2022.
- CDPHE. 2018. Ethylene oxide/Terumo BCT air sampling study pre- and post-control air monitoring report. Colorado Department of Public Health and Environment. <https://www.colorado.gov/pacific/cdphe/ethylene-oxide>. October 25, 2019.

8. REFERENCES

- Celanese Chem Co. 1972. Primary skin irritation tests with eighteen materials in albino rabbits. Celanese Chemical Company. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0206028. EPA Document No. 878212151.
- Cherrie JW, Sewell C, Ritchie P, et al. 2001. Retrospective collection of exposure data from industry: results from a feasibility study in the United Kingdom. *Appl Occup Environ Hyg* 16(2):144-148. <http://doi.org/10.1080/104732201460235>.
- Chien YC, Liu HH, Lin YC, et al. 2007. Ethylene oxide sterilization in the medical-supply manufacturing industry: assessment and control of worker exposure. *J Biomed Mater Res B Appl Biomater* 83(2):527-537. <http://doi.org/10.1002/jbm.b.30825>.
- Chien YC, Su PC, Lee L, et al. 2009. Emission characteristics of plastic syringes sterilized with ethylene oxide-A controlled study. *J Biomed Mater Res* 91B(2):579-586. <http://doi.org/10.1002/jbm.b.31432>.
- Clare MG, Dean BJ, de Jong G, et al. 1985. Chromosome analysis of lymphocytes from workers at an ethylene oxide plant. *Mutat Res* 156:109-116.
- Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131. <http://doi.org/10.1177/074823378500100408>.
- Coggon D, Harris EC, Poole J, et al. 2004. Mortality of workers exposed to ethylene oxide: extended follow up of a British cohort. *Occup Environ Med* 61(4):358-362. <http://doi.org/10.1136/oem.2003.008268>.
- Conway RA, Waggy GT, Spiegel MH, et al. 1983. Environmental fate and effects of ethylene oxide. *Environ Sci Technol* 17(2):107-112. <http://doi.org/10.1021/es00108a009>.
- Crystal HA, Schaumburg HH, Grober E, et al. 1988. Cognitive impairment and sensory loss associated with chronic low-level ethylene oxide exposure. *Neurology* 38(4):567-569. <http://doi.org/10.1212/wnl.38.4.567>.
- Csanady GA, Denk B, Putz C, et al. 2000. A physiological toxicokinetic model for exogenous and endogenous ethylene and ethylene oxide in rat, mouse, and human: formation of 2-hydroxyethyl adducts with hemoglobin and DNA. *Toxicol Appl Pharmacol* 165(1):1-26. <http://doi.org/10.1006/taap.2000.8918>.
- Cumming RB, Sega GA, Horton CY, et al. 1981. Degree of alkylation of DNA in various tissues of the mouse following inhalation exposure to ethylene oxide. *Environ Mutagen* 3:343.
- Cummins K, Burroughs GE, Tremblay J. 1993. A field comparison of methods for monitoring ethylene oxide concentration. *Appl Occup Environ Hyg* 8(5):463-471. <http://doi.org/10.1080/1047322X.1993.10388142>.
- Dagregorio G, Guillet G. 2004. Allergic suture material contact dermatitis induced by ethylene oxide. *Allergy* 59(11):1239. <http://doi.org/10.1111/j.1398-9995.2004.00598.x>.
- Dauvois C, Chaigneau M, Le Moan G. 1982. [Sterilization of dressings by ethylene oxide. I. Physisorption]. *Ann Pharm Fr* 40(2):125-132. (French)
- De Bont JA, Albers RA. 1976. Microbial metabolism of ethylene. *Antonie Van Leeuwenhoek* 42(1-2):73-80. <http://doi.org/10.1007/BF00399450>.
- De Flora S. 1981. Study of 106 organic and inorganic compounds in the Salmonella/microsome test. *Carcinogenesis* 2(4):283-298. <http://doi.org/10.1093/carcin/2.4.283>.
- de Serres FJ, Brockman HE. 1995. Ethylene oxide: induction of specific-locus mutations in the ad-3 region of heterokaryon 12 of *Neurospora crassa* and implications for genetic risk assessment of human exposure in the workplace. *Mutat Res* 328(1):31-47. [http://doi.org/10.1016/0027-5107\(94\)00194-a](http://doi.org/10.1016/0027-5107(94)00194-a).
- Deschamps D, Rosenberg N, Soler P, et al. 1992. Persistent asthma after accidental exposure to ethylene oxide. *Br J Ind Med* 49(7):523-525. <http://doi.org/10.1136/oem.49.7.523>.
- Dickson WM, Patterson EB, Stern JR, et al. 1954. The effect of terramycin or fish solubles, or both, on the growth, adrenal glands and gonads of the rat. *J Nutr* 54(4):631-641. <http://doi.org/10.1093/jn/54.4.631>.

8. REFERENCES

- Dietz DD, Abdo KM, Haseman JK, et al. 1991. Comparative toxicity and carcinogenicity studies of tetracycline and oxytetracycline in rats and mice. *Fundam Appl Toxicol* 17(2):335-346. [http://doi.org/10.1016/0272-0590\(91\)90223-q](http://doi.org/10.1016/0272-0590(91)90223-q).
- DOE. 2018a. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 29A, June 2018. Oak Ridge, TN: U.S. Department of Energy. <https://sp.eota.energy.gov/pac/>. July 26, 2018.
- DOE. 2018b. Table 3: Protective Action Criteria (PAC) Rev. 29a based on applicable 60-minute AEGLs, ERPGs, or TEELs. June 2018. Oak Ridge, TN: U.S. Department of Energy. https://sp.eota.energy.gov/pac/docs/Revision_29A_Table3.pdf. July 26, 2018.
- Donner EM, Wong BA, James RA, et al. 2010. Reciprocal translocations in somatic and germ cells of mice chronically exposed by inhalation to ethylene oxide: implications for risk assessment. *Mutagenesis* 25(1):49-55. <http://doi.org/10.1093/mutage/geb042>.
- Dretchen KL, Balter NJ, Schwartz SL, et al. 1992. Cognitive dysfunction in a patient with long-term occupational exposure to ethylene oxide. Role of ethylene oxide as a causal factor. *J Occup Med* 34(11):1106-1113. <http://doi.org/10.1097/00043764-199211000-00014>.
- Dunkelberg H. 1982. Carcinogenicity of ethylene oxide and 1,2-propylene oxide upon intragastric administration to rats. *Br J Cancer* 46(6):924-933. <http://doi.org/10.1038/bjc.1982.303>.
- Eckert E, Schmid K, Schaller B, et al. 2011. Mercapturic acids as metabolites of alkylating substances in urine samples of German inhabitants. *Int J Hyg Environ Health* 214(3):196-204. <http://doi.org/10.1016/j.ijheh.2011.03.001>.
- Ehrenberg L, Hiesche KD, Osterman-Golkar S, et al. 1974. Evaluation of genetic risks of alkylating agents: tissue doses in the mouse from air contaminated with ethylene oxide. *Mutat Res* 24(2):83-103. [http://doi.org/10.1016/0027-5107\(74\)90123-7](http://doi.org/10.1016/0027-5107(74)90123-7).
- Embree JW, Lyon JP, Hine CH. 1977. The mutagenic potential of ethylene oxide using the dominant-lethal assay in rats. *Toxicol Appl Pharmacol* 40:261-267.
- EPA. 1980. Investigation of selected potential environmental contaminants: Epoxides. U.S. Environmental Protection Agency. EPA5601180005. PB80183197. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB80183197.xhtml>. March 21, 2019.
- EPA. 1984a. Ethylene oxide; response to the interagency testing committee. U.S. Environmental Protection Agency. *Fed Regist* 49:200-205.
- EPA. 1984b. Health and environmental effects profile for oxirane. Cincinnati, OH: U.S. Environmental Protection Agency. EPA600X84222. PB88162318. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB88162318.xhtml>. March 21, 2019.
- EPA. 1984c. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. *Fed Regist* 49(218):44718-44721.
- EPA. 1985. Health assessment document for ethylene oxide. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600884009F. PB86102597. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB86102597.xhtml>. March 21, 2019.
- EPA. 1989. Land disposal restrictions for second third scheduled wastes. U.S. Environmental Protection Agency. *Fed Regist* 54:1056-1119.
- EPA. 1994. Data evaluation report: Ethylene oxide (EtO): Range-finding/developmental studies in rats (MRID #427977-01 and -02). D192811. Two generation reproduction study in rats (MRID #427881-01). D192453 (Previous 189547). Washington, DC: U.S. Environmental Protection Agency.
- EPA. 2004. Ethylene oxide commercial sterilization and fumigation operations NESHAP. Implementation document. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA456R97004. PB98103385. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB98103385.xhtml>. March 21, 2019.
- EPA. 2005a. Data evaluation record: Ethylene oxide/042301 [OPPTS 870-6200a (S81-8): Study type: Acute inhalation neurotoxicity study in rats. MRID 44256402]. U.S. Environmental Protection Agency.

8. REFERENCES

- EPA. 2005b. Data evaluation record: Ethylene oxide/042301 [OPPTS 870-6200a (S81-8): Study type: Subchronic inhalation neurotoxicity study in rats. MRID 44256401 (range-finding study); MRID 44359401 (main-study)]. U.S. Environmental Protection Agency.
- EPA. 2005c. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act. U.S. Environmental Protection Agency. EPA260B05001.
- EPA. 2006. Report of the food quality protection act (FQPA) tolerance reassessment and risk management decision (TRED) for ethylene oxide. U.S. Environmental Protection Agency. EPA730R06032. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100BIA1.txt>. April 22, 2020.
- EPA. 2007. Method 8015C. Nonhalogenated organics by gas chromatography. Hazardous waste test methods. U.S. Environmental Protection Agency. <https://www.epa.gov/sites/production/files/2015-12/documents/8015c.pdf>. March 21, 2019.
- EPA. 2008. Reregistration eligibility decision for ethylene oxide. U.S. Environmental Protection Agency. EPA738R08003. <https://archive.epa.gov/pesticides/reregistration/web/pdf/ethylene-oxide-red.pdf>. March 20, 2019.
- EPA. 2009. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency. EPA816F090004. https://www.epa.gov/sites/production/files/2016-06/documents/npwdr_complete_table.pdf. September 7, 2017.
- EPA. 2014. 2012 Chemical data reporting results. U.S. Environmental Protection Agency. <https://www.epa.gov/chemical-data-reporting/chemical-data-reporting-previously-collected-data>. February 28, 2019.
- EPA. 2016. Evaluation of the inhalation carcinogenicity of ethylene oxide (CASRN 75-21-8) in support of summary information on the Integrated Risk Information System (IRIS). Washington, DC: U.S. Environmental Protection Agency. EPA635R16350F. https://cfpub.epa.gov/ncea/iris/iris_documents/documents/toxreviews/1025tr.pdf. June 24, 2019.
- EPA. 2017a. 2016 Chemical data reporting results. U.S. Environmental Protection Agency. <https://www.epa.gov/chemical-data-reporting>. February 28, 2019.
- EPA. 2017b. Ethylene oxide: 75-21-8. U.S. Environmental Protection Agency. <https://www.epa.gov/sites/production/files/2016-09/documents/ethylene-oxide.pdf>. March 20, 2017.
- EPA. 2018a. Air toxics - Data analysis: Massachusetts, New Hampshire, Rhode Island. U.S. Environmental Protection Agency. <https://www3.epa.gov/ttn/amtic/toxdat.html#data>. October 25, 2019.
- EPA. 2018b. Technical support document EPA's 2014 national air toxics assessment. Research Triangle Park, NC: U.S. Environmental Protection Agency. 2014 NATA TSD. https://www.epa.gov/sites/production/files/2018-09/documents/2014_nata_technical_support_document.pdf. March 21, 2019.
- EPA. 2018c. Ethylene oxide. [Emission estimates 2014 NATA]. Pollutant specific results. U.S. Environmental Protection Agency. <https://www.epa.gov/national-air-toxics-assessment/2014-nata-assessment-results#pollutant>. February 26, 2019.
- EPA. 2018d. 2018 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA822S12001. <https://www.epa.gov/sites/production/files/2018-03/documents/dwtable2018.pdf>. July 25, 2018.
- EPA. 2018e. Acute Exposure Guideline Levels (AEGLs) values. U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2018-08/documents/compiled_aegls_update_27jul2018.pdf. February 11, 2021.
- EPA. 2018f. About Acute Exposure Guideline Levels (AEGLs). U.S. Environmental Protection Agency. <https://www.epa.gov/aegl/about-acute-exposure-guideline-levels-aegls>. July 26, 2018.
- EPA. 2019a. Method TO-15A: Determination of volatile organic compounds (VOCs) in air collected in specially prepared canisters and analyzed by gas chromatography/mass spectrometry (GC-MS). U.S. Environmental Protection Agency. EPA457B19005. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100YDPO.txt>. August 3, 2020.

8. REFERENCES

- EPA. 2019b. Risk assessment report for the Sterigenics facility in Willowbrook, Illinois. U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2019-08/documents/risk_assessment_for_sterigenics_willowbrook_il.pdf. October 25, 2019.
- EPA. 2020a. 2017 National emissions inventory (NEI) data, April 2020 version. U.S. Environmental Protection Agency. <https://www.epa.gov/air-emissions-inventories/2017-national-emissions-inventory-nei-data>. August 3, 2020.
- EPA. 2020b. Ethylene oxide ambient concentrations at national air toxics trends stations and urban air toxics monitoring program stations. U.S. Environmental Protection Agency. https://www.epa.gov/sites/default/files/2019-11/documents/data_summary_stations.pdf. October 19, 2021.
- EPA. 2020c. Memorandum: Ethylene oxide (EtO). Draft human health and ecological risk assessment in support of registration review. U.S. Environmental Protection Agency. <https://www.epa.gov/sites/default/files/2020-11/documents/d458706-eto-final-dra-nov-3-2020.pdf>. July 16, 2021.
- Estrin WJ, Cavalieri SA, Wald P, et al. 1987. Evidence of neurologic dysfunction related to long-term ethylene oxide exposure. *Arch Neurol* 44(12):1283-1286. <http://doi.org/10.1001/archneur.1987.00520240057012>.
- Fahmy OG, Fahmy MJ. 1956. Cytogenetic analysis of the action of carcinogens and tumour inhibitors in *Drosophila melanogaster*. *J Genet* 54:146-164.
- Fahmy OG, Fahmy MJ. 1970. Gene elimination in carcinogenesis: reinterpretation of the somatic mutation theory. *Cancer Res* 30(1):195-205.
- Farmer PB, Cordero R, Autrup H. 1996. Monitoring human exposure to 2-hydroxyethylating carcinogens. *Environ Health Perspect* 104 Suppl 3(Suppl 3):449-452. <http://doi.org/10.1289/ehp.96104s3449>.
- Farooqi Z, Tornqvist M, Ehrenberg L, et al. 1993. Genotoxic effects of ethylene oxide and propylene oxide in mouse bone marrow cells. *Mutat Res* 288(2):223-228. [http://doi.org/10.1016/0027-5107\(93\)90088-w](http://doi.org/10.1016/0027-5107(93)90088-w).
- FDA. 2021. Ethylene oxide-NLFG. Substances added to food. U.S. Food and Drug Administration. <https://www.cfsanappsexternal.fda.gov/scripts/fdcc/index.cfm?set=FoodSubstances&id=ETHYLENEOXIDENLFG>. February 17, 2021.
- Fennell TR, Brown CD. 2001. A physiologically based pharmacokinetic model for ethylene oxide in mouse, rat, and human. *Toxicol Appl Pharmacol* 173(3):161-175. <http://doi.org/10.1006/taap.2001.9184>.
- Fennell TR, MacNeela JP, Morris RW, et al. 2000. Hemoglobin adducts from acrylonitrile and ethylene oxide in cigarette smokers: effects of glutathione S-transferase T1-null and M1-null genotypes. *Cancer Epidemiol Biomarkers Prev* 9(7):705-712.
- Fennell TR, Snyder RW, Parkinson C, et al. 2004. The effect of ethylene exposure on ethylene oxide in blood and on hepatic cytochrome P450 in Fischer rats. *Toxicol Sci* 81(1):7-13. <http://doi.org/10.1093/toxsci/kfh170>.
- Filser JG, Bolt HM. 1984. Inhalation pharmacokinetics based on gas uptake studies. VI. Comparative evaluation of ethylene oxide and butadiene monoxide as exhaled reactive metabolites of ethylene and 1,3-butadiene in rats. *Arch Toxicol* 55:219-223.
- Filser JG, Klein D. 2018a. A physiologically based toxicokinetic model for inhaled ethylene and ethylene oxide in mouse, rat, and human. *Toxicol Lett* 286:54-79. <http://doi.org/10.1016/j.toxlet.2017.07.896>.
- Filser JG, Klein D. 2018b. Appendix B. Supplementary data: A physiologically based toxicokinetic model for inhaled ethylene and ethylene oxide in mouse, rat, and human. *Toxicol Lett* 286:Appendix B. <https://ars.els-cdn.com/content/image/1-s2.0-S0378427417311426-mmc1.docx>. March 21, 2019.

8. REFERENCES

- Filser JG, Denk B, Törnqvist M, et al. 1992. Pharmacokinetics of ethylene in man; body burden with ethylene oxide and hydroxyethylation of hemoglobin due to endogenous and environmental ethylene. *Arch Toxicol* 66(3):157-163.
- Filser JG, Kessler W, Artati A, et al. 2013. Ethylene oxide in blood of ethylene-exposed B6C3F1 mice, Fischer 344 rats, and humans. *Toxicol Sci* 136(2):344-358. <http://doi.org/10.1093/toxsci/kft218>.
- Filser JG, Artati A, Li Q, et al. 2015. Novel and existing data for a future physiological toxicokinetic model of ethylene and its metabolite ethylene oxide in mouse, rat, and human. *Chem Biol Interact* 241:76-86. <http://doi.org/10.1016/j.cbi.2015.04.002>.
- Finelli PF, Morgan TF, Yaar I, et al. 1983. Ethylene oxide-induced polyneuropathy. A clinical and electrophysiologic study. *Arch Neurol* 40(7):419-421. <http://doi.org/10.1001/archneur.1983.04050070049010>.
- Florack EI, Zielhuis GA. 1990. Occupational ethylene oxide exposure and reproduction. *Int Arch Occup Environ Health* 62(4):273-277. <http://doi.org/10.1007/BF00640833>.
- Fritz B, Lorenz K, Steinert W, et al. 1982. Laboratory kinetic investigations of the tropospheric oxidation of selected industrial emissions. In: Versino B, Ott H, eds. *Physico-chemical behaviour of atmospheric pollutants: Proceedings of the second European Symposium held in Varese, Italy, September-October 1981*. Netherlands: Springer, 192-202.
- Fuchs J, Wullenweber U, Hengstler JG, et al. 1994. Genotoxic risk for humans due to work place exposure to ethylene oxide: remarkable individual differences in susceptibility. *Arch Toxicol* 68(6):343-348. <http://doi.org/10.1007/s002040050080>.
- Fujishiro K, Mori K, Inoue N. 1990. Chronic inhalation effects of ethylene oxide on porphyrin-heme metabolism. *Toxicology* 61(1):1-11. [http://doi.org/10.1016/0300-483x\(90\)90002-x](http://doi.org/10.1016/0300-483x(90)90002-x).
- Galloway SM, Berry PK, Nichols WW, et al. 1986. Chromosome aberrations in individuals occupationally exposed to ethylene oxide, and in a large control population. *Mutat Res* 170(1-2):55-74. [http://doi.org/10.1016/0165-1218\(86\)90082-0](http://doi.org/10.1016/0165-1218(86)90082-0).
- Gardner MJ, Coggon D, Pannett B, et al. 1989. Workers exposed to ethylene oxide: a follow up study. *Br J Ind Med* 46(12):860-865. <http://doi.org/10.1136/oem.46.12.860>.
- Garman RH, Snellings WM, Maronpot RR. 1985. Brain tumors in F344 rats associated with chronic inhalation exposure to ethylene oxide. *Neurotoxicology* 6(1):117-137.
- Garman RH, Snellings WM, Maronpot RR. 1986. Frequency, size and location of brain tumours in F-344 rats chronically exposed to ethylene oxide. *Food Chem Toxicol* 24(2):145-153. [http://doi.org/10.1016/0278-6915\(86\)90349-2](http://doi.org/10.1016/0278-6915(86)90349-2).
- Garry VF, Hozier J, Jacobs D, et al. 1979. Ethylene oxide: evidence of human chromosomal effects. *Environ Mutagen* 1(4):375-382. <http://doi.org/10.1002/em.2860010410>.
- Garry VF, Opp CW, Wiencke JK, et al. 1982. Ethylene oxide induced sister chromatid exchange in human lymphocytes using a membrane dosimetry system. *Pharmacology* 25(4):214-221. <http://doi.org/10.1159/000137745>.
- Generoso WM, Cain KT, Krishna M, et al. 1980. Heritable translocation and dominant-lethal mutation induction with ethylene oxide in mice. *Mutat Res* 73(1):133-142. [http://doi.org/10.1016/0027-5107\(80\)90142-6](http://doi.org/10.1016/0027-5107(80)90142-6).
- Generoso WM, Cumming RB, Bandy JA, et al. 1983. Increased dominant-lethal effects due to prolonged exposure of mice to inhaled ethylene oxide. *Mutat Res* 119:377-379.
- Generoso WM, Cain KT, Hughes LA, et al. 1986. Ethylene oxide dose and dose-rate effects in the mouse dominant-lethal test. *Environ Mutagen* 8(1):1-7. <http://doi.org/10.1002/em.2860080102>.
- Generoso WM, Cain KT, Cornett CV, et al. 1990. Concentration-response curves for ethylene-oxide-induced heritable translocations and dominant lethal mutations. *Environ Mol Mutagen* 16(2):126-131. <http://doi.org/10.1002/em.2850160209>.
- Georgia EPD. 2021. Ethylene oxide data study. Georgia Environmental Protection Division.
- Godderis L, Aka P, Mateuca R, et al. 2006. Dose-dependent influence of genetic polymorphisms on DNA damage induced by styrene oxide, ethylene oxide and gamma-radiation. *Toxicology* 219(1-3):220-229. <http://doi.org/10.1016/j.tox.2005.11.021>.

8. REFERENCES

- Greenberg HL, Ott MG, Shore RE. 1990. Men assigned to ethylene oxide production or other ethylene oxide related chemical manufacturing: a mortality study. *Br J Ind Med* 47(4):221-230. <http://doi.org/10.1136/oem.47.4.221>.
- Gresie-Brusin DF, Kielkowski D, Baker A, et al. 2007. Occupational exposure to ethylene oxide during pregnancy and association with adverse reproductive outcomes. *Int Arch Occup Environ Health* 80(7):559-565. <http://doi.org/10.1007/s00420-006-0163-y>.
- Gross JA, Haas ML, Swift TR. 1979. Ethylene oxide neurotoxicity: report of four cases and review of the literature. *Neurology* 29(7):978-983. <http://doi.org/10.1212/wnl.29.7.978>.
- Hagmar L, Welinder H, Linden K, et al. 1991. An epidemiological study of cancer risk among workers exposed to ethylene oxide using hemoglobin adducts to validate environmental exposure assessments. *Int Arch Occup Environ Health* 63(4):271-277. <http://doi.org/10.1007/BF00386377>.
- Hagmar L, Mikoczy Z, Welinder H. 1995. Cancer incidence in Swedish sterilant workers exposed to ethylene oxide. *Occup Environ Med* 52(3):154-156. <http://doi.org/10.1136/oem.52.3.154>.
- Hallier E, Langhof T, Dannappel D, et al. 1993. Polymorphism of glutathione conjugation of methyl bromide, ethylene oxide and dichloromethane in human blood: influence on the induction of sister chromatid exchanges (SCE) in lymphocytes. *Arch Toxicol* 67(3):173-178. <http://doi.org/10.1007/BF01973304>.
- Hanifin JM. 1971. Ethylene oxide dermatitis [Letter]. *J Am Med Assoc* 217:213.
- Hansch C, Leo A. 1979. Appendix II. In: *Substituent constants for correlation analysis in chemistry and biology*. New York, NY: John Wiley & Sons, Inc., 176.
- Hansen JP, Allen J, Brock K, et al. 1984. Normal sister chromatid exchange levels in hospital sterilization employees exposed to ethylene oxide. *J Occup Med* 26(1):29-32. <http://doi.org/10.1097/00043764-198401000-00007>.
- Hatch GG, Conklin PM, Christensen CC, et al. 1986. Mutation and enhanced virus transformation of cultured hamster cells by exposure to gaseous ethylene oxide. *Environ Mutagen* 8(1):67-76. <http://doi.org/10.1002/em.2860080107>.
- Haufroid V, Merz B, Hofmann A, et al. 2007. Exposure to ethylene oxide in hospitals: biological monitoring and influence of glutathione S-transferase and epoxide hydrolase polymorphisms. *Cancer Epidemiol Biomarkers Prev* 16(4):796-802. <http://doi.org/10.1158/1055-9965.EPI-06-0915>.
- Hemminki K, Mutanen P, Saloniemi I, et al. 1982. Spontaneous abortions in hospital staff engaged in sterilising instruments with chemical agents. *Br Med J (Clin Res Ed)* 285(6353):1461-1463. <http://doi.org/10.1136/bmj.285.6353.1461>.
- Hengstler JG, Fuchs J, Tanner B, et al. 1997. Analysis of DNA single-strand breaks in human venous blood: a technique which does not require isolation of white blood cells. *Environ Mol Mutagen* 29(1):58-62. [http://doi.org/10.1002/\(sici\)1098-2280\(1997\)29:1<58::aid-em8>3.0.co;2-9](http://doi.org/10.1002/(sici)1098-2280(1997)29:1<58::aid-em8>3.0.co;2-9).
- Herrero ME, Arand M, Hengstler JG, et al. 1997. Recombinant expression of human microsomal epoxide hydrolase protects V79 Chinese hamster cells from styrene oxide- but not from ethylene oxide-induced DNA strand breaks. *Environ Mol Mutagen* 30(4):429-439. [http://doi.org/10.1002/\(sici\)1098-2280\(1997\)30:4<429::aid-em8>3.0.co;2-d](http://doi.org/10.1002/(sici)1098-2280(1997)30:4<429::aid-em8>3.0.co;2-d).
- Hinz R, Mannelje A, Glass B, et al. 2020. Exposures to fumigants and residual chemicals in workers handling cargo from shipping containers and export logs in New Zealand. *Ann Work Expo Health* 64(8):826-837. <http://doi.org/10.1093/annweh/wxaa052>.
- Hochberg V, Shi XC, Moorman W, et al. 1990. Induction of micronuclei in rat bone marrow and spleen cells by varied dose-rate of ethylene oxide. *Environ Mol Mutagen* 15:26.
- Hogstedt LC. 1988. Epidemiological studies on ethylene oxide and cancer: an updating. *IARC Sci Publ* 89(89):265-270.
- Hogstedt C, Maimqvist N, Wadman B. 1979a. Leukemia in workers exposed to ethylene oxide. *J Am Med Assoc* 241(11):1132-1133.
- Hogstedt C, Rohlen O, Berndtsson BS, et al. 1979b. A cohort study of mortality and cancer incidence in ethylene oxide production workers. *Br J Ind Med* 36:276-280.

8. REFERENCES

- Hogstedt C, Aringer L, Gustavsson A. 1986. Epidemiologic support for ethylene oxide as a cancer-causing agent. *J Am Med Assoc* 255(12):1575-1578.
- Hogstedt B, Bergmark E, Tornqvist M, et al. 1990. Chromosomal aberrations and micronuclei in lymphocytes in relation to alkylation of hemoglobin in workers exposed to ethylene oxide and propylene oxide. *Hereditas* 113(2):133-138. <http://doi.org/10.1111/j.1601-5223.1990.tb00076.x>.
- Hollingsworth RL, Rowe VK, Oyen F, et al. 1956. Toxicity of ethylene oxide determined on experimental animals. *AMA Arch Ind Health* 13(3):217-227.
- Hughes TJ, Simmons DM, Monteith LG, et al. 1987. Vaporization technique to measure mutagenic activity of volatiles organic chemicals in the Ames/Salmonella assay. *Environ Mutagen* 9(4):421-441. <http://doi.org/10.1002/em.2860090408>.
- IARC. 1976. Ethylene oxide. IARC monographs on the evaluation of carcinogenic risk of chemicals to man: Cadmium, nickel, some epoxides, miscellaneous industrial chemicals and general considerations of volatile anaesthetics. Lyon, France: International Agency for Research on Cancer. Vol. 11, 157-167. <https://monographs.iarc.fr/wp-content/uploads/2018/06/mono11.pdf>. March 20, 2019.
- IARC. 1985. Ethylene oxide. IARC monographs on the evaluation of carcinogenic risk of chemicals to man: Allyl compounds, aldehydes, epoxides, peroxides. Lyon, France: International Agency for Research on Cancer. Vol. 36, 189-226. <https://monographs.iarc.fr/wp-content/uploads/2018/06/mono36.pdf>. March 20, 2019.
- IARC. 1987. Ethylene oxide (Group 2A). In: IARC monographs on the evaluation of carcinogenic risks to humans: Overall evaluations of carcinogenicity: An updating of IARC monographs volumes 1 to 42. Supplement 7. Lyon, France: International Agency for Research on Cancer, 205-207.
- IARC. 1994. Ethylene oxide. IARC monographs on the evaluation of carcinogenic risks to humans: Some industrial chemicals. International Agency for Research on Cancer. Vol. 60, 73-159. <https://monographs.iarc.fr/wp-content/uploads/2018/06/mono60-7.pdf>. March 20, 2019.
- IARC. 2008. Ethylene oxide. IARC monographs on the evaluation of carcinogenic risks to humans: 1,3-Butadiene, ethylene oxide and vinyl halides (vinyl fluoride, vinyl chloride and vinyl bromide). Lyon, France: International Agency for Research on Cancer. Vol. 97, 185-309. <https://monographs.iarc.fr/wp-content/uploads/2018/06/mono97-7.pdf>. March 20, 2019.
- IARC. 2012. Ethylene oxide. IARC monographs on the evaluation of carcinogenic risks to humans: Chemical agents and related occupations. Lyon, France: International Agency for Research on Cancer. Vol. 100F, 379-400. <https://monographs.iarc.fr/wp-content/uploads/2018/06/mono100F-28.pdf>. December 11, 2018.
- IARC. 2021. Agents classified by the IARC Monographs, volumes 1-128. International Agency for Research on Cancer. <https://monographs.iarc.fr/list-of-classifications>. February 3, 2021.
- IRIS. 2021. Alphabetical index. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. https://cfpub.epa.gov/ncea/iris_drafts/atoz.cfm. February 3, 2021.
- Jacobson KH, Hackley WB, Feinsilver L. 1956. The toxicity of inhaled ethylene oxide and propylene oxide vapors: Acute and chronic toxicity of ethylene oxide and acute toxicity of propylene oxide. *AMA Arch Ind Health* 13(3):237-244.
- Jay WM, Swift TR, Hull DS. 1982. Possible relationship of ethylene oxide exposure to cataract formation. *Am J Ophthalmol* 93(6):727-732. [http://doi.org/10.1016/0002-9394\(82\)90468-8](http://doi.org/10.1016/0002-9394(82)90468-8).
- J-CHECK. 2019. #28: Biodegradation in water: Screening tests [CASRN 75-21-8]. Japan CHEMicals Collaborative Knowledge database. Tokyo, Japan: National Institute of Technology and Evaluation. <https://www.nite.go.jp/chem/jcheck/template.action?ano=479&mno=2-218&cno=75-21-8&r>. February 18, 2019.
- Jenssen D, Ramel C. 1980. The micronucleus test as part of a short-term mutagenicity test program for the prediction of carcinogenicity evaluated by 143 agents tested. *Mutat Res* 75(2):191-202. [http://doi.org/10.1016/0165-1110\(80\)90014-7](http://doi.org/10.1016/0165-1110(80)90014-7).

8. REFERENCES

- Joshi SB, Dodge MC, Bufalini JJ. 1982. Reactivities of selected organic compounds and contamination effects. *Atmos Environ* 16:1301-1310.
- Joyner RE. 1964. Chronic toxicity of ethylene oxide: A study of human responses to long-term low-level exposures. *Arch Environ Health* 8:700-710. <http://doi.org/10.1080/00039896.1964.10663741>.
- Kaido M, Mori K, Koide O. 1992. Testicular damage caused by inhalation of ethylene oxide in rats: light and electron microscopic studies. *Toxicol Pathol* 20(1):32-43. <http://doi.org/10.1177/019262339202000105>.
- Kamel MM, Hewehy MAI, Hussein AHM, et al. 2011. Biological monitoring of the ethylene oxide gas effects on medical utilities sterilization exposed staff. *East J Med* 16(1):44-52.
- Karacalar A, Karacalar SA. 2000. Chemical burns due to blood pressure cuff sterilized with ethylene oxide. *Burns* 26(8):760-763. [http://doi.org/10.1016/s0305-4179\(00\)00054-1](http://doi.org/10.1016/s0305-4179(00)00054-1).
- Karelova J, Jablonicka A, Vargova M. 1987. Results of cytogenetic testing of workers exposed to ethylene oxide. *J Hyg Epidemiol Microbiol Immunol* 31(2):119-126.
- Kelsey KT, Wiencke JK, Eisen EA, et al. 1988. Persistently elevated sister chromatid exchanges in ethylene oxide-exposed primates: The role of a subpopulation of high frequency calls. *Cancer Res* 48:5045-5050.
- Kelsey KT, Wiencke JK, Eisen EA, et al. 1989. Sister chromatid exchange in chronic ethylene oxide-exposed primates: unexpected effects of in vitro culture duration, incubation temperature, and serum supplementation. *Cancer Res* 49(7):1727-1731.
- Kerre S, Goossens A. 2009. Allergic contact dermatitis to ethylene oxide. *Contact Dermatitis* 61(1):47-48. <http://doi.org/10.1111/j.1600-0536.2009.01545.x>.
- Khan FI, Husain T, Abbasi SA. 2002. Design and evaluation of safety measures using a newly proposed methodology "SCAP". *J Loss Prev Process Ind* 15(2):129-146. [http://doi.org/10.1016/S0950-4230\(01\)00026-2](http://doi.org/10.1016/S0950-4230(01)00026-2).
- Kiesselbach N, Ulm K, Lange HJ, et al. 1990. A multicentre mortality study of workers exposed to ethylene oxide. *Br J Ind Med* 47(3):182-188. <http://doi.org/10.1136/oem.47.3.182>.
- Kilbey BJ, Kolmark HG. 1968. A mutagenic after-effect associated with ethylene oxide in *Neurospora crassa*. *Mol Gen Genet* 101(2):185-188. <http://doi.org/10.1007/BF00336584>.
- Kirman CR, Hays SM. 2017. Derivation of endogenous equivalent values to support risk assessment and risk management decisions for an endogenous carcinogen: Ethylene oxide. *Regul Toxicol Pharmacol* 91:165-172. <http://doi.org/10.1016/j.yrtph.2017.10.032>.
- Kirman CR, Li AA, Sheehan PJ, et al. 2021. Ethylene oxide review: characterization of total exposure via endogenous and exogenous pathways and their implications to risk assessment and risk management. *J Toxicol Environ Health* 24(1):1-29. <http://doi.org/10.1080/10937404.2020.1852988>.
- Kligerman AD, Erexson GL, Phelps ME, et al. 1983. Sister-chromatid exchange induction in peripheral blood lymphocytes of rats exposed to ethylene oxide by inhalation. *Mutat Res* 120(1):37-44. [http://doi.org/10.1016/0165-7992\(83\)90071-4](http://doi.org/10.1016/0165-7992(83)90071-4).
- Koga M, Hori H, Tanaka I, et al. 1987. [Analysis of urinary metabolites of rats exposed to ethylene oxide]. *J UOEH* 9(2):167-170. <http://doi.org/10.7888/juoeh.9.167>. (Japanese)
- Kolman A. 1984. Protective effect of low doses in mutagenesis with ethylene oxide in *E. coli*. *Mutat Res* 139(4):167-171. [http://doi.org/10.1016/0165-7992\(84\)90122-2](http://doi.org/10.1016/0165-7992(84)90122-2).
- Kolman A. 1985. Effect of deficiency in excision repair and *umuC* function on the mutagenicity with ethylene oxide in the *lacI* gene of *E. coli*. *Mutat Res* 146(1):43-46. [http://doi.org/10.1016/0167-8817\(85\)90053-7](http://doi.org/10.1016/0167-8817(85)90053-7).
- Kolman A, Naslund M. 1987. Mutagenicity testing of ethylene oxide in *Escherichia coli* strains with different repair capacities. *Environ Mol Mutagen* 10(3):311-315. <http://doi.org/10.1002/em.2850100310>.
- Kolman A, Naslund M, Granath F. 1989a. Modifying action of gamma-radiation in mutagenesis of *E. coli* WU36-10 induced by ethylene oxide, ethyl methanesulfonate and methyl methanesulfonate. *Mutat Res* 212(2):269-274.

8. REFERENCES

- Kolman A, Naslund M, Osterman-Golkar S, et al. 1989b. Comparative studies of in vitro transformation by ethylene oxide and gamma-radiation of C3H/10T1/2 cells. *Mutagenesis* 4(1):58-61.
- Kolman A, Naslund M, Osterman-Golkar S. 1990. Studies of the rad-equivalence of ethylene oxide in the presence and absence of 12-O-tetradecanoylphorbol-13-acetate (TPA) in C3H/10T1/2 cells. *Toxicol Lett* 53(3):307-313. [http://doi.org/10.1016/0378-4274\(90\)90235-e](http://doi.org/10.1016/0378-4274(90)90235-e).
- Kolman A, Bohusova T, Lambert B, et al. 1992. Induction of 6-thioguanine-resistant mutants in human diploid fibroblasts in vitro with ethylene oxide. *Environ Mol Mutagen* 19(2):93-97. <http://doi.org/10.1002/em.2850190203>.
- Kolmark G, Westergaard M. 1953. Further studies on chemically induced reversions at the adenine locus of *Neurospora*. *Hereditas* 39:209-224.
- Kolmark HG, Kilbey BJ. 1968. Kinetic studies of mutation induction by epoxides in *Neurospora crassa*. *Mol Gen Genet* 101(2):89-98. <http://doi.org/10.1007/BF00336573>.
- Krell K, Jacobson ED, Selby K. 1979. Mutagenic effect on L5178Y mouse lymphoma cells by growth in ethylene oxide-sterilized polycarbonate flasks. *In Vitro* 15(5):326-328. <http://doi.org/10.1007/BF02616138>.
- Krishnan K, Gargas ML, Fennell TR, et al. 1992. A physiologically based description of ethylene oxide dosimetry in the rat. *Toxicol Ind Health* 8(3):121-140. <http://doi.org/10.1177/074823379200800301>.
- Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Kuzuhara S, Kanazawa I, Nakanishi T, et al. 1983. Ethylene oxide polyneuropathy. *Neurology* 33(3):377-380. <http://doi.org/10.1212/wnl.33.3.377>.
- LakeCounty. 2020. EtO monitoring results. Waukegan, IL: Lake County Health Department & Community Health Center. <https://www.lakecountyil.gov/4188/EtO-Monitoring-Results>. July 12, 2021.
- Lambert B, Lindblad A. 1980. Sister chromatid exchange and chromosome aberrations in lymphocytes of laboratory personnel. *J Toxicol Environ Health* 6(5-6):1237-1243. <http://doi.org/10.1080/15287398009529942>.
- Lambert B, Andersson B, Bastlova T, et al. 1994. Mutations induced in the hypoxanthine phosphoribosyl transferase gene by three urban air pollutants: acetaldehyde, benzo[a]pyrene diolepoxide, and ethylene oxide. *Environ Health Perspect* 102 Suppl 4:135-138. <http://doi.org/10.1289/ehp.94102s4135>.
- LaMontagne AD, Oakes JM, Lopez Turley RN. 2004. Long-term ethylene oxide exposure trends in US hospitals: relationship with OSHA regulatory and enforcement actions. *Am J Public Health* 94(9):1614-1619. <http://doi.org/10.2105/ajph.94.9.1614>.
- Laurent C. 1988. SCE increases after an accidental acute inhalation exposure to ethylene oxide and recovery to normal after 2 years. *Mutat Res* 204:711-717.
- Laurent C, Frederic J, Leonard AY. 1984. Sister chromatid exchange frequency in workers exposed to high levels of ethylene oxide, in a hospital sterilization service. *Int Arch Occup Environ Health* 54(1):33-43. <http://doi.org/10.1007/BF00378726>.
- Lerda D, Rizzi R. 1992. Cytogenetic study of persons occupationally exposed to ethylene oxide. *Mutat Res* 281(1):31-37. [http://doi.org/10.1016/0165-7992\(92\)90033-e](http://doi.org/10.1016/0165-7992(92)90033-e).
- Lerman Y, Ribak J, Skulsky M, et al. 1995. An outbreak of irritant contact dermatitis from ethylene oxide among pharmaceutical workers. *Contact Dermatitis* 33(4):280-281.
- Lewis SE, Barnett LB, Felton C, et al. 1986. Dominant visible and electrophoretically expressed mutations induced in male mice exposed to ethylene oxide by inhalation. *Environ Mutagen* 8(6):867-872. <http://doi.org/10.1002/em.2860080609>.
- Lewis SE, Barnett LB, Akesson EC, et al. 1990. A new dominant neurological mutant induced in the mouse by ethylene oxide. *Mutat Res* 229(2):135-139. [http://doi.org/10.1016/0027-5107\(90\)90088-1](http://doi.org/10.1016/0027-5107(90)90088-1).

8. REFERENCES

- Li F, Segal A, Solomon JJ. 1992. In vitro reaction of ethylene oxide with DNA and characterization of DNA adducts. *Chem Biol Interact* 83(1):35-54. [http://doi.org/10.1016/0009-2797\(92\)90090-8](http://doi.org/10.1016/0009-2797(92)90090-8).
- Long FA, Pritchard JG. 1956. Hydrolysis of substituted ethylene oxides in H₂O solutions. *J Am Chem Soc* 78:2663-2667.
- Lorenti Garcia C, Darroudi F, Tates AD, et al. 2001. Induction and persistence of micronuclei, sister-chromatid exchanges and chromosomal aberrations in splenocytes and bone-marrow cells of rats exposed to ethylene oxide. *Mutat Res* 492(1-2):59-67. [http://doi.org/10.1016/s1383-5718\(01\)00149-8](http://doi.org/10.1016/s1383-5718(01)00149-8).
- Lynch DW, Lewis TR, Moorman WJ, et al. 1984a. Effects on monkeys and rats of long-term inhalation exposure to ethylene oxide: Major findings of the NIOSH study. In: *Inhospital ethylene oxide sterilization-current issues in ethylene oxide toxicity and occupational exposure*. Arlington, VA: Association for the Advancement of Medical Instrumentation, 7-10.
- Lynch DW, Lewis TR, Moorman WJ, et al. 1984b. Carcinogenic and toxicologic effects of inhaled ethylene oxide and propylene oxide in F344 rats. *Toxicol Appl Pharmacol* 76:69-84.
- Lynch DW, Lewis TR, Moorman WJ, et al. 1984c. Sister-chromatid exchanges and chromosome aberrations in lymphocytes from monkeys exposed to ethylene oxide and propylene oxide by inhalation. *Toxicol Appl Pharmacol* 76:85-95.
- Major J, Jakab MG, Tompa A. 2001. Genotoxicological investigation of hospital nurses occupationally exposed to ethylene oxide. II. HPRT mutation frequencies *Cent Eur J Occup Environ Med* 7(3/4):195-208.
- Marsh GM, Keeton KA, Riordan AS, et al. 2019. Ethylene oxide and risk of lympho-hematopoietic cancer and breast cancer: a systematic literature review and meta-analysis. *Int Arch Occup Environ Health* 92(7):919-939. <http://doi.org/10.1007/s00420-019-01438-z>.
- Mashima S, Ikeda Y. 1958. Selection of mutagenic agents by the *Streptomyces* reverse mutation test. *Appl Microbiol* 6(1):45-49. <http://doi.org/10.1128/am.6.1.45-49.1958>.
- Matsuoka M. 1988. [Effects of chronic exposure of ethylene oxide, especially on heme metabolism]. *J UEOH* 10(1):77-88. (Japanese)
- Matsuoka M, Igisu H, Inoue N, et al. 1990. Inhibition of creatine kinase activity by ethylene oxide. *Br J Ind Med* 47(1):44-47. <http://doi.org/10.1136/oem.47.1.44>.
- Mayer J, Warburton D, Jeffrey AM, et al. 1991. Biologic markers in ethylene oxide-exposed workers and controls. *Mutat Res* 248(1):163-176. [http://doi.org/10.1016/0027-5107\(91\)90098-9](http://doi.org/10.1016/0027-5107(91)90098-9).
- McCarver DG, Hines RN. 2002. The ontogeny of human drug-metabolizing enzymes: phase II conjugation enzymes and regulatory mechanisms. *J Pharmacol Exp Ther* 300(2):361-366. <http://doi.org/10.1124/jpet.300.2.361>.
- McDonald TO, Kasten K, Hervey R, et al. 1977. Acute ocular toxicity for normal and irritated rabbit eyes and subacute ocular toxicity for ethylene oxide, ethylene chlorohydrin, and ethylene glycol. *Bull Parenter Drug Assoc* 31(1):25-32.
- McLaughlin RS. 1946. Chemical burns of the human cornea. *Am J Ophthalmol* 29(11):1355-1362. [http://doi.org/10.1016/0002-9394\(46\)92031-4](http://doi.org/10.1016/0002-9394(46)92031-4).
- Mertes I, Fleischmann R, Glatt HR, et al. 1985. Interindividual variations in the activities of cytosolic and microsomal epoxide hydrolase in human liver. *Carcinogenesis* 6(2):219-223. <http://doi.org/10.1093/carcin/6.2.219>.
- Migliore L, Rossi AM, Loprieno N. 1982. Mutagenic action of structurally related alkene oxides on *Schizosaccharomyces pombe*: The influence, 'in vitro', of mouse-liver metabolizing system. *Mutat Res* 102:425-437.
- Mikoczy Z, Tinnerberg H, Bjork J, et al. 2011. Cancer incidence and mortality in Swedish sterilant workers exposed to ethylene oxide: updated cohort study findings 1972-2006. *Int J Environ Res Public Health* 8(6):2009-2019. <http://doi.org/10.3390/ijerph8062009>.
- Morgan RW, Claxton KW, Divine BJ, et al. 1981. Mortality among ethylene oxide workers. *J Occup Med* 23(11):767-770. <http://doi.org/10.1097/00043764-198111000-00011>.

8. REFERENCES

- Mori K, Kaido M, Fujishiro K, et al. 1991a. Dose dependent effects of inhaled ethylene oxide on spermatogenesis in rats. *Br J Ind Med* 48(4):270-274.
- Mori K, Kaido M, Fujishiro K, et al. 1991b. Preventive effects of methylcobalamin on the testicular damage induced by ethylene oxide. *Arch Toxicol* 65(5):396-401.
- Morpurgo G. 1963. Induction of mitotic crossing-over in *Aspergillus nidulans* by bifunctional alkylating agents. *Genetics* 48(9):1259-1263.
- Muller M, Kramer A, Angerer J, et al. 1998. Ethylene oxide-protein adduct formation in humans: influence of glutathione-S-transferase polymorphisms. *Int Arch Occup Environ Health* 71(7):499-502. <http://doi.org/10.1007/s004200050312>.
- Nagata H, Ohkoshi N, Kanazawa I, et al. 1992. Rapid axonal transport velocity is reduced in experimental ethylene oxide neuropathy. *Mol Chem Neuropathol* 17(3):209-217. <http://doi.org/10.1007/BF03160011>.
- Nakashima K, Furutani A, Higashi K, et al. 1987. Glutathione contents in rat livers after acute and chronic exposure to ethylene oxide. *J UOEH* 9(4):355-359. <http://doi.org/10.7888/juoe.9.355>.
- NAS/NRC. 1989. Report of the oversight committee. In: *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, 15-35.
- Neeper-Bradley TL, Kubena MF. 1993. Ethylene oxide: Developmental toxicity study of maternally inhaled vapor in CD rats. Praxair. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0537695. EPA Document No. 86-930000252.
- NIOSH. 1981. Ethylene oxide (EtO): Evidence of carcinogenicity. NIOSH current intelligence bulletin 35. Cincinnati, OH: National Institute for Occupational Safety and Health. PB85119121. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB85119121.xhtml>. March 21, 2019.
- NIOSH. 1982. Teratogenic study of ethylene and propylene oxide and n-butyl acetate. Cincinnati, OH: National Institute for Occupational Safety and Health. PB83258038.
- NIOSH. 1987. A pharmacokinetic/mechanism-based analysis of the carcinogenic risk of ethylene oxide. National Institute for Occupational Safety and Health. PB88188784. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB88188784.xhtml>. March 21, 2019.
- NIOSH. 1994. Ethylene oxide. Immediately Dangerous to Life or Health concentrations (IDLH). Atlanta, GA: National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/idlh/75218.html>. December 11, 2018.
- NIOSH. 2007. Ethylene oxide. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2005-149/pdfs/2005-149.pdf>. March 20, 2019.
- NIOSH. 2016. Ethylene oxide. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0275.html>. December 11, 2018.
- NIOSH. 2019. Ethylene oxide. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0275.html>. February 17, 2021.
- Nivard MJ, Czene K, Segerback D, et al. 2003. Mutagenic activity of ethylene oxide and propylene oxide under XPG proficient and deficient conditions in relation to N-7-(2-hydroxyalkyl)guanine levels in *Drosophila*. *Mutat Res* 529(1-2):95-107. [http://doi.org/10.1016/s0027-5107\(03\)00111-8](http://doi.org/10.1016/s0027-5107(03)00111-8).
- NLM. 2021. PubChem data: Ethylene oxide (CASRN 75-21-8). National Library of Medicine. <https://pubchem.ncbi.nlm.nih.gov/compound/Ethylene-oxide>. July 12, 2021.
- Norman SA, Berlin JA, Soper KA, et al. 1995. Cancer incidence in a group of workers potentially exposed to ethylene oxide. *Int J Epidemiol* 24(2):276-284. <http://doi.org/10.1093/ije/24.2.276>.
- NTP. 1987 Toxicology and carcinogenesis studies of ethylene oxide in B6C3F1 mice (inhalation studies). National Toxicology Program. NTP TR 326. https://ntp.niehs.nih.gov/ntp/htdocs/lt_rpts/tr326.pdf. June 25, 2019.

8. REFERENCES

- NTP. 2013. Draft OHAT approach for systematic review and evidence integration for literature-based health assessments - February 2013. National Toxicology Program. <https://ntp.niehs.nih.gov/pubhealth/hat/review/index-2.html>. March 21, 2019.
- NTP. 2015. OHAT risk of bias rating tool for human and animal studies. National Toxicology Program. https://ntp.niehs.nih.gov/ntp/ohat/pubs/riskofbiastool_508.pdf. March 19, 2019.
- NTP. 2016. Ethylene oxide. Report on carcinogens, 14th edition. Research Triangle Park, NC: National Toxicology Program. <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/ethyleneoxide.pdf>. December 11, 2018.
- Nygren J, Cedervall B, Eriksson S, et al. 1994. Induction of DNA strand breaks by ethylene oxide in human diploid fibroblasts. *Environ Mol Mutagen* 24(3):161-167. <http://doi.org/10.1002/em.2850240304>.
- OEHHA. 2008. Appendix D.3 Chronic RELs and toxicity summaries using the previous version of the Hot Spots Risk Assessment guidelines (OEHHA 1999). Technical supporting document for noncancer RELs Sacramento, CA: Office of Environmental Health Hazard Assessment, California Environmental Protection Agency. <https://oehha.ca.gov/media/downloads/crn/appendixd3final.pdf>. March 19, 2019.
- Ohnishi A, Inoue N, Yamamoto T, et al. 1985. Ethylene oxide induces central-peripheral distal axonal degeneration of the lumbar primary neurones in rats. *Br J Ind Med* 42(6):373-379. <http://doi.org/10.1136/oem.42.6.373>.
- Ohnishi A, Inoue N, Yamamoto T, et al. 1986. Ethylene oxide neuropathy in rats. Exposure to 250 ppm. *J Neurol Sci* 74(2-3):215-221. [http://doi.org/10.1016/0022-510x\(86\)90106-1](http://doi.org/10.1016/0022-510x(86)90106-1).
- Olsen GW, Lacy SE, Bodner KM, et al. 1997. Mortality from pancreatic and lymphopietic cancer among workers in ethylene and propylene chlorohydrin production. *Occup Environ Med* 54(8):592-598. <http://doi.org/10.1136/oem.54.8.592>.
- Ong T, Bi HK, Xing S, et al. 1993. Induction of sister chromatid exchange in spleen and bone marrow cells of rats exposed by inhalation to different dose rates of ethylene oxide. *Environ Mol Mutagen* 22(3):147-151. <http://doi.org/10.1002/em.2850220306>.
- OSHA. 1988. Occupational exposure to ethylene oxide. Occupational Safety and Health Administration. *Fed Regist* 53(13):1724-1737.
- OSHA. 2018a. 1910.1047 Ethylene oxide. Occupational safety and health standards. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1047. <https://www.gpo.gov/fdsys/pkg/CFR-2018-title29-vol6/pdf/CFR-2018-title29-vol6-sec1910-1047.pdf>. December 11, 2018.
- OSHA. 2018b. 1915.1047 Ethylene oxide. Occupational safety and health standards for shipyard employment. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1047. <https://www.gpo.gov/fdsys/pkg/CFR-2018-title29-vol7/pdf/CFR-2018-title29-vol7-sec1915-1047.pdf>. December 11, 2018.
- OSHA. 2018c. 1926.1147 Ethylene oxide. Safety and health regulations for construction. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.1147. <https://www.gpo.gov/fdsys/pkg/CFR-2018-title29-vol8/pdf/CFR-2018-title29-vol8-sec1926-1147.pdf>. December 11, 2018.
- OSHA. 2021a. Safety and health regulations for construction. Subpart Z - Toxic and Hazardous Substances. Ethylene oxide. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.1147. <https://www.osha.gov/laws-regs/regulations/standardnumber/1926/1926.1147>. February 17, 2021.
- OSHA. 2021b. Occupational safety and health standards for shipyard employment. Subpart Z - Toxic and hazardous substances. Ethylene oxide. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1047. <https://www.osha.gov/laws-regs/regulations/standardnumber/1915/1915.1047>. February 17, 2021.
- OSHA. 2021c. Occupational safety and health standards. Subpart Z - Toxic and hazardous substances. Ethylene oxide. Occupational Safety and Health Administration. Code of Federal Regulations. 29

8. REFERENCES

- CFR 1910.1047. <https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.1047>. February 17, 2021.
- Osterman-Golkar SM, Bond JA, Ward JB, et al. 1993. Use of haemoglobin adducts for biomonitoring exposure to 1,3-butadiene. *IARC Sci Publ* 127(127):127-134.
- Parod RJ. 2014. Ethylene oxide. In: *Encyclopedia of toxicology*. 3rd ed. London, England: Elsevier Inc., 535-538. <http://doi.org/10.1016/B978-0-12-386454-3.00021-X>.
- Pero RW, Widegren B, Högstedt B, et al. 1981. In vivo and in vitro ethylene oxide exposure of human lymphocytes assessed by chemical stimulation of unscheduled DNA synthesis. *Mutat Res* 83(2):271-289. [http://doi.org/10.1016/0027-5107\(81\)90011-7](http://doi.org/10.1016/0027-5107(81)90011-7).
- Pfeiffer EH, Dunkelberg H. 1980. Mutagenicity of ethylene oxide and propylene oxide and of the glycols and halohydrins formed from them during the fumigation of foodstuffs. *Food Cosmet Toxicol* 18:115-118.
- Picut CA, Aoyama H, Holder JW, et al. 2003. Bromoethane, chloroethane and ethylene oxide induced uterine neoplasms in B6C3F1 mice from 2-year NTP inhalation bioassays: pathology and incidence data revisited. *Exp Toxicol Pathol* 55(1):1-9. <http://doi.org/10.1078/0940-2993-00303>.
- Poirier V, Papadopoulo D. 1982. Chromosomal aberrations induced by ethylene oxide in a human amniotic cell line in vitro. *Mutat Res* 104(4-5):255-260. [http://doi.org/10.1016/0165-7992\(82\)90153-1](http://doi.org/10.1016/0165-7992(82)90153-1).
- Popp W, Vahrenholz C, Przygoda H, et al. 1994. DNA-protein cross-links and sister chromatid exchange frequencies in lymphocytes and hydroxyethyl mercapturic acid in urine of ethylene oxide-exposed hospital workers. *Int Arch Occup Environ Health* 66(5):325-332. <http://doi.org/10.1007/BF00378365>.
- Potter D, Blair D, Davies R, et al. 1989. The relationships between alkylation of haemoglobin and DNA in Fischer 344 rats exposed to [14C]ethylene oxide. *Arch Toxicol Suppl* 13:254-257. http://doi.org/10.1007/978-3-642-74117-3_44.
- Preston RJ. 1999. Cytogenetic effects of ethylene oxide, with an emphasis on population monitoring. *Crit Rev Toxicol* 29(3):263-282. <http://doi.org/10.1080/10408449991349212>.
- Rajendran S, Muthu M. 1981. Detection of acrylonitrile and ethylene oxide in air and fumigated foodstuffs. *Bull Environ Contam Toxicol* 27(3):426-431. <http://doi.org/10.1007/BF01611043>.
- Ramboll. 2019. Ambient air monitoring report ethylene oxide background concentrations in Chicago metro area. Ramboll US Corporation. Sterigenics US, LLC. <https://static1.squarespace.com/static/5b8457322714e5cbd33c889a/t/5c4c5cad1ae6cfaa21e6cd7e/1548508356697/EO+background+study+report+1-24-19.pdf>. February 27, 2020.
- Rannug U, Göthe R, Wachtmeister CA. 1976. The mutagenicity of chloroethylene oxide, chloroacetaldehyde, 2-chloroethanol and chloroacetic acid, conceivable metabolites of vinyl chloride. *Chem Biol Interact* 12:251-263.
- Recio L, Donner M, Abernethy D, et al. 2004. In vivo mutagenicity and mutation spectrum in the bone marrow and testes of B6C3F1 lacI transgenic mice following inhalation exposure to ethylene oxide. *Mutagenesis* 19(3):215-222. <http://doi.org/10.1093/mutage/geh017>.
- RePORTER. 2021. Ethylene oxide. National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. March 19, 2019.
- Ribeiro LR, Rabello-Gay MN, Salvadori DMF, et al. 1987. Cytogenic effects of inhaled ethylene oxide in somatic and germ cells of mice. *Arch Toxicol* 59:332-335.
- Ribeiro LR, Salvadori DM, Rios AC, et al. 1994. Biological monitoring of workers occupationally exposed to ethylene oxide. *Mutat Res* 313(1):81-87. [http://doi.org/10.1016/0165-1161\(94\)90035-3](http://doi.org/10.1016/0165-1161(94)90035-3).
- Richmond GW, Abrahams RH, Nemenzo JH, et al. 1985. An evaluation of possible effects on health following exposure to ethylene oxide. *Arch Environ Health* 40(1):20-25. <http://doi.org/10.1080/00039896.1985.10545884>.
- Romaguera C, Vilaplana J. 1998. Airborne occupational contact dermatitis from ethylene oxide. *Contact Dermatitis* 39(2):85. <http://doi.org/10.1111/j.1600-0536.1998.tb05841.x>.

8. REFERENCES

- Rooney AA, Boyles AL, Wolfe MS, et al. 2014. Systematic review and evidence integration for literature-based environmental health science assessments. *Environ Health Perspect* 122(7):711-718. <http://doi.org/10.1289/ehp.1307972>.
- Rowland AS, Baird DD, Shore DL, et al. 1996. Ethylene oxide exposure may increase the risk of spontaneous abortion, preterm birth, and postterm birth. *Epidemiology* 7(4):363-368. <http://doi.org/10.1097/00001648-199607000-00005>.
- Russell LB, Cumming RB, Hunsicker PR. 1984. Specific-locus mutation rates in the mouse following inhalation of ethylene oxide, and application of the results to estimation of human genetic risk. *Mutat Res* 129(3):381-388. [http://doi.org/10.1016/0027-5107\(84\)90093-9](http://doi.org/10.1016/0027-5107(84)90093-9).
- Rusyn I, Asakura S, Li Y, et al. 2005. Effects of ethylene oxide and ethylene inhalation on DNA adducts, apurinic/apyrimidinic sites and expression of base excision DNA repair genes in rat brain, spleen, and liver. *DNA Repair (Amst)* 4(10):1099-1110. <http://doi.org/10.1016/j.dnarep.2005.05.009>.
- Rutledge JC, Generoso WM. 1989. Fetal pathology produced by ethylene oxide treatment of the murine zygote. *Teratology* 39(6):563-572. <http://doi.org/10.1002/tera.1420390607>.
- Saillenfait AM, Gallissot F, Bonnet P, et al. 1996. Developmental toxicity of inhaled ethylene oxide in rats following short-duration exposure. *Fundam Appl Toxicol* 34(2):223-227. <http://doi.org/10.1006/faat.1996.0191>.
- Salinas E, Sasich L, Hall DH, et al. 1981. Acute ethylene oxide intoxication. *Drug Intell Clin Pharm* 15(5):384-386. <http://doi.org/10.1177/106002808101500509>.
- Sarto F, Cominato I, Pinton AM, et al. 1984. Workers exposed to ethylene oxide have increased incidence of sister chromatid exchange. *IARC Sci Publ* 59(59):413-419.
- Sarto F, Cionfero E, Bartolucci GB, et al. 1987. Sister chromatid exchanges and DNA repair capability in sanitary workers exposed to ethylene oxide: Evaluation of the dose-effect relationship. *Am J Ind Med* 12(5):625-637. <http://doi.org/10.1002/ajim.4700120515>.
- Sarto F, Tomanin R, Giacomelli L, et al. 1990. The micronucleus assay in human exfoliated cells of the nose and mouth: application to occupational exposures to chromic acid and ethylene oxide. *Mutat Res* 244(4):345-351. [http://doi.org/10.1016/0165-7992\(90\)90083-v](http://doi.org/10.1016/0165-7992(90)90083-v).
- Sarto F, Tornqvist MA, Tomanin R, et al. 1991. Studies of biological and chemical monitoring of low-level exposure to ethylene oxide. *Scand J Work Environ Health* 17(1):60-64. <http://doi.org/10.5271/sjweh.1733>.
- Scheick C, Spitteller G, Dasenbrock C. 1997. Thiodiacetic acid--a metabolite of Ethylene oxide. *Z Naturforsch C J Biosci* 52(1-2):70-76.
- Schröder JM, Hoheneck M, Weis J, et al. 1985. Ethylene oxide polyneuropathy: clinical follow-up study with morphometric and electron microscopic findings in a sural nerve biopsy. *J Neurol* 232(2):83-90. <http://doi.org/10.1007/BF00313906>.
- Schulte PA, Boeniger M, Walker JT, et al. 1992. Biologic markers in hospital workers exposed to low levels of ethylene oxide. *Mutat Res* 278(4):237-251. [http://doi.org/10.1016/s0165-1218\(10\)80003-5](http://doi.org/10.1016/s0165-1218(10)80003-5).
- Scudamore KA, Heuser SG. 1971. Ethylene oxide and its persistent reaction products in wheat flour and other commodities: Residues from fumigation or sterilisation, and effects of processing. *Pestic Sci* 2(2):80-91. <http://doi.org/10.1002/ps.2780020207>.
- Sega GA, Generoso EE. 1988. Measurement of DNA breakage in spermiogenic germ-cell stages of mice exposed to ethylene oxide, using an alkaline elution procedure. *Mutat Res* 197:93-99.
- Sega GA, Generoso EE, Brimer PA. 1988. Inhalation exposure-rate of ethylene oxide affects the level of DNA breakage and unscheduled DNA synthesis in spermiogenic stages of the mouse. *Mutat Res* 209(3-4):177-180. [http://doi.org/10.1016/0165-7992\(88\)90038-3](http://doi.org/10.1016/0165-7992(88)90038-3).
- Sega GA, Brimer PA, Generoso EE. 1991. Ethylene oxide inhalation at different exposure-rates affects binding levels in mouse germ cells and hemoglobin. Possible explanation for the effect. *Mutat Res* 249(2):339-349. [http://doi.org/10.1016/0027-5107\(91\)90009-d](http://doi.org/10.1016/0027-5107(91)90009-d).

8. REFERENCES

- Segerback D. 1983. Alkylation of DNA and hemoglobin in the mouse following exposure to ethene and ethene oxide. *Chem Biol Interact* 45(2):139-151. [http://doi.org/10.1016/0009-2797\(83\)90064-9](http://doi.org/10.1016/0009-2797(83)90064-9).
- Segerback D. 1990. Reaction products in hemoglobin and DNA after in vitro treatment with ethylene oxide and N-(2-hydroxyethyl)-N-nitrosourea. *Carcinogenesis* 11(2):307-312. <http://doi.org/10.1093/carcin/11.2.307>.
- Sexton RJ, Henson EV. 1949. Dermatological injuries by ethylene oxide. *J Ind Hyg Toxicol* 31(5):297-300.
- Sexton RJ, Henson EV. 1950. Experimental ethylene oxide human skin injuries. *AMA Arch Ind Hyg Occup Med* 2(5):549-564.
- Shore RE, Gardner MJ, Pannett B. 1993. Ethylene oxide: an assessment of the epidemiological evidence on carcinogenicity. *Br J Ind Med* 50(11):971-997. <http://doi.org/10.1136/oem.50.11.971>.
- Shupack JL, Andersen SR, Romano SJ. 1981. Human skin reactions to ethylene oxide. *J Lab Clin Med* 98:723-729.
- Simmon VF. 1981. Applications of the Salmonella/microsome assay. In: Stich HP, San RHC, eds. *Short-term tests for chemical carcinogens*. New York, NY: Springer, 120-126. http://doi.org/10.1007/978-1-4612-5847-6_12.
- Sisk SC, Pluta LJ, Meyer KG, et al. 1997. Assessment of the in vivo mutagenicity of ethylene oxide in the tissues of B6C3F1 lacI transgenic mice following inhalation exposure. *Mutat Res* 391(3):153-164. [http://doi.org/10.1016/s1383-5718\(97\)00063-6](http://doi.org/10.1016/s1383-5718(97)00063-6).
- Smyth HF, Seaton J, Fischer L. 1941. The single dose toxicity of some glycols and derivatives. *J Ind Hyg Toxicol* 23:259-268.
- Snellings WM, Maronpot RR, Zelenak JP, et al. 1982a. Teratology study in Fischer 344 rats exposed to ethylene oxide by inhalation. *Toxicol Appl Pharmacol* 64:476-481.
- Snellings WM, Zelenak JP, Weil CS. 1982b. Effects on reproduction in Fischer 344 rats exposed to ethylene oxide by inhalation for one generation. *Toxicol Appl Pharmacol* 63:382-388.
- Snellings WM, Weil CS, Maronpot RR. 1984a. A subchronic inhalation study on the toxicologic potential of ethylene oxide in B6C3F1 mice. *Toxicol Appl Pharmacol* 76:510-518.
- Snellings WM, Weil CS, Maronpot RR. 1984b. A two-year inhalation study of the carcinogenic potential of ethylene oxide in Fischer 344 rats. *Toxicol Appl Pharmacol* 75(1):105-117.
- Snellings WM, Nachreiner DJ, Pottenger LH. 2011. Ethylene oxide: acute four-hour and one-hour inhalation toxicity testing in rats. *J Toxicol* 2011:910180. <http://doi.org/10.1155/2011/910180>.
- Staples CA, Gullledge W. 2006. An environmental fate, exposure and risk assessment of ethylene oxide from diffuse emissions. *Chemosphere* 65(4):691-698. <http://doi.org/10.1016/j.chemosphere.2006.01.047>.
- Stayner L, Steenland K, Greife A, et al. 1993. Exposure-response analysis of cancer mortality in a cohort of workers exposed to ethylene oxide. *Am J Epidemiol* 138(10):787-798. <http://doi.org/10.1093/oxfordjournals.aje.a116782>.
- Steenland K, Stayner L, Greife A, et al. 1991. Mortality among workers exposed to ethylene oxide. *N Engl J Med* 324(20):1402-1407. <http://doi.org/10.1056/NEJM199105163242004>.
- Steenland K, Whelan E, Deddens J, et al. 2003. Ethylene oxide and breast cancer incidence in a cohort study of 7576 women (United States). *Cancer Causes Control* 14(6):531-539. <http://doi.org/10.1023/a:1024891529592>.
- Steenland K, Stayner L, Deddens J. 2004. Mortality analyses in a cohort of 18 235 ethylene oxide exposed workers: follow up extended from 1987 to 1998. *Occup Environ Med* 61(1):2-7.
- Stolley PD, Soper KA, Galloway SM, et al. 1984. Sister-chromatid exchanges in association with occupational exposure to ethylene oxide. *Mutat Res* 129(1):89-102. [http://doi.org/10.1016/0027-5107\(84\)90127-1](http://doi.org/10.1016/0027-5107(84)90127-1).
- Swaen GM, Slangen JM, Ott MG, et al. 1996. Investigation of a cluster of ten cases of Hodgkin's disease in an occupational setting. *Int Arch Occup Environ Health* 68(4):224-228. <http://doi.org/10.1007/BF00381432>.

8. REFERENCES

- Swaen GM, Burns C, Teta JM, et al. 2009. Mortality study update of ethylene oxide workers in chemical manufacturing: a 15 year update. *J Occup Environ Med* 51(6):714-723. <http://doi.org/10.1097/JOM.0b013e3181a2ca20>.
- Tan EL, Cumming RB, Hsie AW. 1981. Mutagenicity and cytotoxicity of ethylene oxide in the CHO/HGPRT system. *Environ Mutagen* 3:683-686.
- Tanooka H. 1979. Application of *Bacillus subtilis* spores in the detection of gas mutagens: A case of ethylene oxide. *Mutat Res* 64:433-435.
- Tardif R, Goyal R, Brodeur J, et al. 1987. Species differences in the urinary disposition of some metabolites of ethylene oxide. *Fundam Appl Toxicol* 9:448-453.
- Tates AD, Grummt T, Tornqvist M, et al. 1991. Biological and chemical monitoring of occupational exposure to ethylene oxide. *Mutat Res* 250(1-2):483-497. [http://doi.org/10.1016/0027-5107\(91\)90205-3](http://doi.org/10.1016/0027-5107(91)90205-3).
- Tates AD, Boogaard PJ, Darroudi F, et al. 1995. Biological effect monitoring in industrial workers following incidental exposure to high concentrations of ethylene oxide. *Mutat Res* 329(1):63-77. [http://doi.org/10.1016/0027-5107\(95\)00018-e](http://doi.org/10.1016/0027-5107(95)00018-e).
- Tates AD, van Dam FJ, Natarajan AT, et al. 1999. Measurement of HPRT mutations in splenic lymphocytes and haemoglobin adducts in erythrocytes of Lewis rats exposed to ethylene oxide. *Mutat Res* 431(2):397-415. [http://doi.org/10.1016/s0027-5107\(99\)00182-7](http://doi.org/10.1016/s0027-5107(99)00182-7).
- Tavares R, Ramos P, Palminha J, et al. 1994. Transplacental exposure to genotoxins. Evaluation in haemoglobin of hydroxyethylvaline adduct levels in smoking and non-smoking mothers and their newborns. *Carcinogenesis* 15(6):1271-1274. <http://doi.org/10.1093/carcin/15.6.1271>.
- Taylor JS. 1977. Dermatologic hazards from ethylene oxide. *Cutis* 19(2):189-192.
- TCEQ. 2020. Ethylene oxide carcinogenic dose-response assessment. Texas Commission On Environmental Quality. <https://www.tceq.texas.gov/assets/public/implementation/tox/dsd/final/eto.pdf>. July 14, 2021.
- Teta MJ, Benson LO, Vitale JN. 1993. Mortality study of ethylene oxide workers in chemical manufacturing: a 10 year update. *Br J Ind Med* 50(8):704-709. <http://doi.org/10.1136/oem.50.8.704>.
- Teta MJ, Sielken RL, Valdez-Flores C. 1999. Ethylene oxide cancer risk assessment based on epidemiological data: application of revised regulatory guidelines. *Risk Anal* 19(6):1135-1155. <http://doi.org/10.1023/a:1007086728854>.
- Thier R, Bolt HM. 2000. Carcinogenicity and genotoxicity of ethylene oxide: new aspects and recent advances. *Crit Rev Toxicol* 30(5):595-608. <http://doi.org/10.1080/10408440008951121>.
- Thier R, Lewalter J, Kempkes M, et al. 1999. Haemoglobin adducts of acrylonitrile and ethylene oxide in acrylonitrile workers, dependent on polymorphisms of the glutathione transferases GSTT1 and GSTM1. *Arch Toxicol* 73(4-5):197-202. <http://doi.org/10.1007/s002040050606>.
- Thier R, Balkenhol H, Lewalter J, et al. 2001. Influence of polymorphisms of the human glutathione transferases and cytochrome P450 2E1 enzyme on the metabolism and toxicity of ethylene oxide and acrylonitrile. *Mutat Res* 482(1-2):41-46. [http://doi.org/10.1016/s0027-5107\(01\)00208-1](http://doi.org/10.1016/s0027-5107(01)00208-1).
- Thiess AM. 1963. [Observations on the health hazards of ethylene oxide]. *Arch Toxikol* 20:127-140. (German)
- Thiess AM, Schwegler H, Fleig I, et al. 1981. Mutagenicity study of workers exposed to alkylene oxides (ethylene oxide/propylene oxide) and derivatives. *J Occup Med* 23(5):343-347.
- Tomkins DJ, Haines T, Lawrence M, et al. 1993. A study of sister chromatid exchange and somatic cell mutation in hospital workers exposed to ethylene oxide. *Environ Health Perspect* 101 Suppl 3(Suppl 3):159-164. <http://doi.org/10.1289/ehp.93101s3159>.
- Tompá A, Major J, Jakab MG. 1999. Is breast cancer cluster influenced by environmental and occupational factors among hospital nurses in Hungary? *Pathol Oncol Res* 5(2):117-121. <http://doi.org/10.1053/paor.1999.0182>.
- TRI19. 2021. Ethylene oxide. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: U.S. Environmental Protection Agency. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. October 11, 2018.

8. REFERENCES

- Tucker JD, Xu J, Stewart J, et al. 1986. Detection of sister chromatid exchanges induced by volatile genotoxicants. *Teratog Carcinog Mutagen* 6(1):15-21. <http://doi.org/10.1002/tcm.1770060103>.
- Tyler TR, McKelvey JA. 1982. Dose dependent disposition of ¹⁴C labeled ethylene oxide in rats. Union Carbide Corp. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0206060. EPA Document No. 878212056, 251-271.
- Union Carbide. 1980. Long-term ethylene oxide inhalation study on rats: Report on cytogenetic studies of bone marrow cells: 12-month sacrifice interval. Union Carbide Corp. Submitted to the U.S. Environmental Protection Agency under TSCA section 8D. OTS0206060. EPA Document No. 878212057, 273-315.
- van Duuren B, Orris L, Nelson N. 1965. Carcinogenicity of epoxides, lactones, and peroxy compounds. Part II. *J Natl Cancer Inst* 35:707-717.
- Van Sittert NJ, de Jong G, Clare MG, et al. 1985. Cytogenetic, immunological, and haematological effects in workers in an ethylene oxide manufacturing plant. *Br J Ind Med* 42(1):19-26. <http://doi.org/10.1136/oem.42.1.19>.
- van Sittert NJ, Boogaard PJ, Natarajan AT, et al. 2000. Formation of DNA adducts and induction of mutagenic effects in rats following 4 weeks inhalation exposure to ethylene oxide as a basis for cancer risk assessment. *Mutat Res* 447(1):27-48. [http://doi.org/10.1016/s0027-5107\(99\)00208-0](http://doi.org/10.1016/s0027-5107(99)00208-0).
- Verschueren K. 1983. Ethylene oxide. In: *Handbook of environmental data on organic chemicals*. 2nd ed. New York, NY: Van Nostrand Reinhold Company, 652-655.
- Victorin K, Stahlberg M. 1988. A method for studying the mutagenicity of some gaseous compounds in *Salmonella typhimurium*. *Environ Mol Mutagen* 11:65-77.
- Vogel EW, Nivard MJ. 1997. The response of germ cells to ethylene oxide, propylene oxide, propylene imine and methyl methanesulfonate is a matter of cell stage-related DNA repair. *Environ Mol Mutagen* 29(2):124-135. [http://doi.org/10.1002/\(sici\)1098-2280\(1997\)29:2<124::aid-em3>3.0.co;2-e](http://doi.org/10.1002/(sici)1098-2280(1997)29:2<124::aid-em3>3.0.co;2-e).
- Vogel EW, Nivard MJ. 1998. Genotoxic effects of inhaled ethylene oxide, propylene oxide and butylene oxide on germ cells: sensitivity of genetic endpoints in relation to dose and repair status. *Mutat Res* 405(2):259-271. [http://doi.org/10.1016/s0027-5107\(98\)00143-2](http://doi.org/10.1016/s0027-5107(98)00143-2).
- Von Oettingen W. 1939. Ethylene oxide. In: *Supplement to occupation and health: Encyclopedia of hygiene, pathology, and social welfare*. Geneva, Switzerland: International Labor Office, 2-4.
- von Stedingk H, Vikstrom AC, Rydberg P, et al. 2011. Analysis of hemoglobin adducts from acrylamide, glycidamide, and ethylene oxide in paired mother/cord blood samples from Denmark. *Chem Res Toxicol* 24(11):1957-1965. <http://doi.org/10.1021/tx200284u>.
- Walker VE, Skopek TR. 1993. A mouse model for the study of in vivo mutational spectra: sequence specificity of ethylene oxide at the hprt locus. *Mutat Res* 288(1):151-162. [http://doi.org/10.1016/0027-5107\(93\)90216-3](http://doi.org/10.1016/0027-5107(93)90216-3).
- Walker VE, Fennell TR, Boucheron JA, et al. 1990. Macromolecular adducts of ethylene oxide: a literature review and a time-course study on the formation of 7-(2-hydroxyethyl)guanine following exposures of rats by inhalation. *Mutat Res* 233(1-2):151-164. [http://doi.org/10.1016/0027-5107\(90\)90159-2](http://doi.org/10.1016/0027-5107(90)90159-2).
- Walker VE, MacNeela JP, Swenberg JA, et al. 1992a. Molecular dosimetry of ethylene oxide: formation and persistence of N-(2-hydroxyethyl)valine in hemoglobin following repeated exposures of rats and mice. *Cancer Res* 52(16):4320-4327.
- Walker VE, Fennell TR, Upton PB, et al. 1992b. Molecular dosimetry of ethylene oxide: Formation and persistence of 7-(2-hydroxyethyl)guanine in DNA following repeated exposures of rats and mice. *Cancer Res* 52(16):4328-4334.
- Walker VE, Sisk SC, Upton PB, et al. 1997. In vivo mutagenicity of ethylene oxide at the hprt locus in T-lymphocytes of B6C3F1 lacI transgenic mice following inhalation exposure. *Mutat Res* 392(3):211-222. [http://doi.org/10.1016/s1383-5718\(97\)00062-4](http://doi.org/10.1016/s1383-5718(97)00062-4).
- Watson WAF. 1966. Further evidence of an essential difference between the genetical effects of mono- and bifunctional alkylating agents. *Mutat Res* 3:455-457.

8. REFERENCES

- Weast RC. 1985. Physical constants of organic compounds. In: CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data. 66th ed. Boca Raton, FL: CRC Press, C-273.
- WHO. 1985. Environmental health criteria 55: Ethylene oxide. Geneva, Switzerland: World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc55.htm>. March 21, 2019.
- WHO. 2003. Ethylene oxide. Concise International Chemical Assessment Document. Geneva, Switzerland: World Health Organization. CICAD 54. <https://www.who.int/ipcs/publications/cicad/en/cicad54.pdf?ua=1>. July 14, 2021.
- WHO. 2010. Guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. April 25, 2012.
- WHO. 2017. Guidelines for drinking-water quality. Fourth edition incorporating the first addendum. Geneva, Switzerland: World Health Organization. <http://apps.who.int/iris/bitstream/10665/254637/1/9789241549950-eng.pdf?ua=1>. February 28, 2017.
- Wong O, Trent LS. 1993. An epidemiological study of workers potentially exposed to ethylene oxide. *Br J Ind Med* 50(4):308-316. <http://doi.org/10.1136/oem.50.4.308>.
- Yager JW. 1987. Effect of concentration-time parameters on sister-chromatid exchanges induced in rabbit lymphocytes by ethylene oxide inhalation. *Mutat Res* 182(6):343-352. [http://doi.org/10.1016/0165-1161\(87\)90076-8](http://doi.org/10.1016/0165-1161(87)90076-8).
- Yager JW, Benz RD. 1982. Sister chromatid exchanges induced in rabbit lymphocytes by ethylene oxide after inhalation exposure. *Environ Mutagen* 4(2):121-134. <http://doi.org/10.1002/em.2860040204>.
- Yager JW, Hines CJ, Spear RC. 1983. Exposure to ethylene oxide at work increases sister chromatid exchanges in human peripheral lymphocytes. *Science* 219(4589):1221-1223.
- Yong LC, Schulte PA, Wiencke JK, et al. 2001. Hemoglobin adducts and sister chromatid exchanges in hospital workers exposed to ethylene oxide: effects of glutathione S-transferase T1 and M1 genotypes. *Cancer Epidemiol Biomarkers Prev* 10(5):539-550.
- Yong LC, Schulte PA, Kao CY, et al. 2007. DNA adducts in granulocytes of hospital workers exposed to ethylene oxide. *Am J Ind Med* 50(4):293-302. <http://doi.org/10.1002/ajim.20443>.
- Yoshida K, Bryant HE, Visser ND, et al. 1989. Determination of worker exposure to instantaneously emitted ethylene oxide in sterilization facilities. *Appl Ind Hyg* 4(7):166-170. <http://doi.org/10.1080/08828032.1989.10390416>.
- Zampollo A, Zacchetti O, Pisati G. 1984. On ethylene oxide neurotoxicity: report of two cases of peripheral neuropathy. *Ital J Neurol Sci* 5(1):59-62. <http://doi.org/10.1007/BF02043971>.
- Zey JN, Mortimer VD, Elliott LJ. 1994. Ethylene oxide exposures to hospital sterilization workers from poor ventilation design. *Appl Occup Environ Hyg* 9(9):633-641. <http://doi.org/10.1080/1047322X.1994.10388386>.
- Zhang LH, Jenssen D. 1994. Studies on intrachromosomal recombination in SP5/V79 Chinese hamster cells upon exposure to different agents related to carcinogenesis. *Carcinogenesis* 15(10):2303-2310. <http://doi.org/10.1093/carcin/15.10.2303>.
- Zhong BZ, Gu ZW, Whong WZ, et al. 1991. Comparative study of micronucleus assay and chromosomal aberration analysis in V79 cells exposed to ethylene oxide. *Teratog Carcinog Mutagen* 11(5):227-233. <http://doi.org/10.1002/tcm.1770110502>.
- Zhong G, James MO, Smeltz MG, et al. 2018. Age-related changes in expression and activity of human hepatic mitochondrial glutathione transferase zeta. *Drug Metab Dispos* 46(8):1118-1128. <http://doi.org/10.1124/dmd.118.08181>.
- Zijlstra JA, Vogel EW. 1988. The ratio of induced recessive lethals to ring-X loss has prognostic value in terms of functionality of chemical mutagens in *Drosophila melanogaster*. *Mutat Res* 201:27-38.