

CHAPTER 8. REFERENCES

- Abanobi SE, Farber E, Sarma DS. 1979. Persistence of DNA damage during development of liver angiosarcoma in rats fed dimethylnitrosamine. *Cancer Res* 39(5):1592-1596.
- Abdu SB, Al-Bogami FM. 2019. Influence of resveratrol on liver fibrosis induced by dimethylnitrosamine in male rats. *Saudi J Biol Sci* 26(1):201-209.
<http://doi.org/10.1016/j.sjbs.2017.09.003>.
- Abe S, Sasaki M. 1982. Induction of sister-chromatid exchanges by indirect mutagens/carcinogens in cultured rat hepatoma and esophageal tumor cells and in Chinese hamster Don cells co-cultivated with rat cells. *Mutat Res* 93(2):409-418. [http://doi.org/10.1016/0027-5107\(82\)90154-3](http://doi.org/10.1016/0027-5107(82)90154-3).
- Abusallout I, Hua G. 2016. Photolytic dehalogenation of disinfection byproducts in water by natural sunlight irradiation. *Chemosphere* 159:184-192. <http://doi.org/10.1016/j.chemosphere.2016.05.090>.
- Adair GM, Carver JH. 1983. Induction and expression of mutations at multiple drug-resistance marker loci in Chinese hamster ovary cells. *Environ Mutagen* 5(2):161-175.
<http://doi.org/10.1002/em.2860050206>.
- Adami HO, Trolle Andersen I, Heide-Jørgensen U, et al. 2021. Ranitidine use and risk of upper gastrointestinal cancers. *Cancer Epidemiol Biomarkers Prev* 30(12):2302-2308.
<http://doi.org/10.1158/1055-9965.Epi-21-0831>.
- Alaneme FO, Maduagwu EN. 2004. Pharmacokinetics of biliary excretion of N-nitrosodimethylamine in rats fed diets containing levels of protein. *Malawi Med J* 16(1):6-8.
- Aleksandrov VA. 1974. [Embryotoxic and transplacental oncogenic action of symmetrical dialkylnitrosamines on the progeny of rats]. *Bull Exp Biol Med* 78:1308-1310. (Russian)
- Althoff J, Pour P, Grandjean C, et al. 1977. Transplacental effects of nitrosamines in Syrian hamsters. III. Dimethyl- and dipropylnitrosamine. *Z Krebsforsch Klin Onkol Cancer Res Clin Oncol* 90(1):79-86. <http://doi.org/10.1007/bf00306022>.
- Amacher DE, Paillet SC. 1983. The activation of procarcinogens to mutagens by cultured rat hepatocytes in the L5178Y/TK mutation assay. *Mutat Res* 113(1):77-88.
[http://doi.org/10.1016/0165-1161\(83\)90242-x](http://doi.org/10.1016/0165-1161(83)90242-x).
- Anderson LM. 1988. Increased numbers of N-nitrosodimethylamine-initiated lung tumors in mice by chronic co-administration of ethanol. *Carcinogenesis* 9(9):1717-1719.
<http://doi.org/10.1093/carcin/9.9.1717>.
- Anderson ER, Shah YM. 2013. Iron homeostasis in the liver. *Compr Physiol* 3(1):315-330.
<http://doi.org/10.1002/cphy.c120016>.
- Anderson LM, Giner-Sorolla A, Ebeling D. 1978. Effects of imipramine, nitrite, and dimethylnitrosamine on reproduction in mice. *Res Commun Chem Pathol Pharmacol* 19(2):311-327.
- Anderson LM, Harrington GW, Pylypiw HM, et al. 1986. Tissue levels and biological effects of N-nitrosodimethylamine in mice during chronic low or high dose exposure with or without ethanol. *Drug Metab Dispos* 14(6):733-739.
- Anderson LM, Hagiwara A, Kovatch RM, et al. 1989. Transplacental initiation of liver lung neurogenic and connective tissue tumors by N-nitroso compounds in mice. *Fundam Appl Toxicol* 12(3):604-620.
- Anderson LM, Carter JP, Logsdon DL, et al. 1992a. Characterization of ethanol's enhancement of tumorigenesis by N-nitrosodimethylamine in mice. *Carcinogenesis* 13(11):2107-2111.
<http://doi.org/10.1093/carcin/13.11.2107>.
- Anderson LM, Koseniauskas R, Burak ES, et al. 1992b. Reduced blood clearance and increased urinary excretion of N-nitrosodimethylamine in patas monkeys exposed to ethanol or isopropyl alcohol. *Cancer Res* 52(6):1463-1468.
- Anderson LM, Souliotis VL, Chhabra SK, et al. 1996. N-Nitrosodimethylamine-derived O(6)-methylguanine in DNA of monkey gastrointestinal and urogenital organs and enhancement by

8. REFERENCES

- ethanol. *Int J Cancer* 66(1):130-134. [http://doi.org/10.1002/\(SICI\)1097-0215\(19960328\)66:1<130::AID-IJC22>3.0.CO;2-G](http://doi.org/10.1002/(SICI)1097-0215(19960328)66:1<130::AID-IJC22>3.0.CO;2-G).
- Anderson LM, Diwan BA, Fear NT, et al. 2000. Critical windows of exposure for children's health: cancer in human epidemiological studies and neoplasms in experimental animal models. *Environ Health Perspect* 108(suppl 3):573-594. <http://doi.org/10.1289/ehp.00108s3573>.
- Andrae U, Schwarz LR. 1981. Induction of DNA repair synthesis in isolated rat hepatocytes by 5-diazouracil and other DNA damaging compounds. *Cancer Lett* 13(3):187-193. [http://doi.org/10.1016/0304-3835\(81\)90017-3](http://doi.org/10.1016/0304-3835(81)90017-3).
- Andrae U, Jahnel P, Greim H. 1979. Induction of DNA repair synthesis in human lymphoblastoid cells by metabolically activated chemicals as short-term test for DNA-damaging compounds [abstract]. *Mutat Res* 64:125.
- Annola K, Heikkinen AT, Partanen H, et al. 2009. Transplacental transfer of nitrosodimethylamine in perfused human placenta. *Placenta* 30(3):277-283. <http://doi.org/10.1016/j.placenta.2008.12.012>.
- Arai M, Aoki Y, Nakanishi K, et al. 1979. Long-term experiment of maximal non-carcinogenic dose of dimethylnitrosamine for carcinogenesis in rats. *Gann* 70(4):549-558.
- Araki A, Muramatsu M, Matsushima T. 1984. Comparison of mutagenicities of N-nitrosamines on *Salmonella typhimurium* TA100 and *Escherichia coli* WP2 uvrA/pKM101 using rat and hamster liver S9. *Gann* 75(1):8-16.
- Asakura S, Sawada S, Daimon H, et al. 1994. Effects of dietary restriction on induction of unscheduled DNA synthesis (UDS) and replicative DNA synthesis (RDS) in rat liver. *Mutat Res* 322(4):257-264. [http://doi.org/10.1016/0165-1218\(94\)90101-5](http://doi.org/10.1016/0165-1218(94)90101-5).
- Asakura S, Daimon H, Sawada S, et al. 1998. A short-term assessment of tumor-promotion activity in the livers of rats treated with two genotoxic methylating agents: Dimethylnitrosamine and methylnitrosourea. *Toxicol Lett* 98(3):155-167. [http://doi.org/10.1016/s0378-4274\(98\)00112-x](http://doi.org/10.1016/s0378-4274(98)00112-x).
- Ashby J, Short JM, Jones NJ, et al. 1994. Mutagenicity of o-anisidine to the bladder of lacI-transgenic B6C3F1 mice: Absence of 14C or 32P bladder DNA adduction. *Carcinogenesis* 15(10):2291-2296.
- Atkinson R, Carter WPL. 1984. Kinetics and mechanisms of the gas-phase reactions of ozone with organic compounds under atmospheric conditions. *Chem Rev* 84(5):437-470. <http://doi.org/10.1021/cr00063a002>.
- Atkinson AJ, Fischer N, Donovan S, et al. 2020. Purification and removal of the low molecular weight fraction of polyDADMAC reduces N-nitrosodimethylamine formation during water treatment. *Environ Sci* 6(9):2492-2498. <http://doi.org/10.1039/d0ew00392a>.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- ATSDR. 2019. N-Nitrosodimethylamine. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/SPL/resources/index.html>. April 13, 2020.
- Ayanaba A, Alexander M. 1974. Transformation of methylamines and formation of a hazardous product, dimethylnitrosamine, in samples of treated sewage and lake water. *J Environ Qual* 3(1):83-89. <http://doi.org/10.2134/jeq1974.00472425000300010022x>.
- Bakke JP, Mirsalis JC. 1984. Measurement of unscheduled DNA synthesis (UDS) in fetal and maternal liver following in vivo exposure to genotoxic agents [abstract]. *Environ Mutagen* 6:446.
- Bamborschke S, O'Connor PJ, Margison GP, et al. 1983. DNA methylation by dimethylnitrosamine in the Mongolian gerbil (*Meriones unguiculatus*): indications of a deficient, noninducible hepatic repair system for O6-methylguanine. *Cancer Res* 43(3):1306-1311.
- Barbin A, Béreziat JC, Bartsch H. 1983. Evaluation of DNA damage by the alkaline elution technique in liver, kidneys and lungs of rats and hamsters treated with N-nitrosodialkyl-amines. *Carcinogenesis* 4(5):541-545. <http://doi.org/10.1093/carcin/4.5.541>.
- Barnes JM, Magee PN. 1954. Some toxic properties of dimethylnitrosamine. *Br J Ind Med* 11(3):167-174. <http://doi.org/10.1136/oem.11.3.167>.

8. REFERENCES

- Barnes DG, Dourson M. 1988. Reference dose (RfD): description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486. [http://doi.org/10.1016/0273-2300\(88\)90047-5](http://doi.org/10.1016/0273-2300(88)90047-5).
- Bartsch H, Malaveille C, Camus AM, et al. 1980. Validation and comparative studies on 180 chemicals with *S. typhimurium* strains and V79 Chinese hamster cells in the presence of various metabolizing systems. *Mutat Res* 76(1):1-50. [http://doi.org/10.1016/0165-1110\(80\)90002-0](http://doi.org/10.1016/0165-1110(80)90002-0).
- Bauknecht T, Vogel W, Bayer U, et al. 1977. Comparative in vivo mutagenicity testing by SCE and micronucleus induction in mouse bone marrow. *Hum Genet* 35(3):299-307. <http://doi.org/10.1007/bf00446622>.
- Baxter ED, Slaiding IR, Travers V. 2007. Current incidence of N-nitrosodimethylamine in beers worldwide. *Food Addit Contam* 24(8):807-811. <http://doi.org/10.1080/02652030701278354>.
- Bean CL, Bradt CI, Hill R, et al. 1994. Chromosome aberrations: persistence of alkylation damage and modulation by O6-alkylguanine-DNA alkyltransferase. *Mutat Res* 307(1):67-81. [http://doi.org/10.1016/0027-5107\(94\)90279-8](http://doi.org/10.1016/0027-5107(94)90279-8).
- Beebe LE, Kim YE, Amin S, et al. 1993. Comparison of transplacental and neonatal initiation of mouse lung and liver tumors by N-nitrosodimethylamine (NDMA) and 4-(methylnitrosamo)-1-(3-pyridyl)-1-butanone (NNK) and promotability by a polychlorinated biphenyls mixture (Aroclor 1254). *Carcinogenesis* 14(8):1545-1548. <http://doi.org/10.1093/carcin/14.8.1545>.
- Bellec G, Dreano Y, Lozach P, et al. 1996. Cytochrome P450 metabolic dealkylation of nine N-nitrosodialkylamines by human liver microsomes. *Carcinogenesis* 17(9):2029-2034. <http://doi.org/10.1093/carcin/17.9.2029>.
- Bermudez E, Mirsalis JC, Eales HC. 1982. Detection of DNA damage in primary cultures of rat hepatocytes following in vivo and in vitro exposure to genotoxic agents. *Environ Mutagen* 4(6):667-679. <http://doi.org/10.1002/em.2860040606>.
- Bhattacharyya K. 1965. Foetal and neonatal responses to hepatotoxic agents. *J Pathol Bacteriol* 90(1):151-161.
- Bianchini F, Wild CP. 1994. Effect of route of administration of environmental methylating agents on 7-methylguanine formation in white blood cells and internal organs: implications for molecular epidemiology. *Cancer Lett* 87(2):131-137. [http://doi.org/10.1016/0304-3835\(94\)90213-5](http://doi.org/10.1016/0304-3835(94)90213-5).
- Blanco JG, Harrison PL, Evans WE, et al. 2000. Human cytochrome P450 maximal activities in pediatric versus adult liver. *Drug Metab Dispos* 28(4):379-382.
- Blazak W, Stewart B, DiBiasio-Erwin D, et al. 1985. Induction of sister chromatid exchanges (SCE) by dimethylnitrosamine (DMN) in Chinese hamster cells co-cultured with primary human hepatocytes (PHH) [abstract]. *Environ Mutagen* 7:32.
- Blount JL, Woodruff RC, Hudson SJ. 1985. Interaction between mobile DNA-element-induced lethal mutations and chemical mutagens in the hybrid dysgenic system of *Drosophila melanogaster*. *Mutat Res* 149(1):33-40. [http://doi.org/10.1016/0027-5107\(85\)90006-5](http://doi.org/10.1016/0027-5107(85)90006-5).
- Boeing H, Schlehofer B, Blettner M, et al. 1993. Dietary carcinogens and the risk for glioma and meningioma in Germany. *Int J Cancer* 53(4):561-565. <http://doi.org/10.1002/ijc.2910530406>.
- Bolognesi C, Rossi L, Santi L. 1988. A new method to reveal the genotoxic effects of N-nitrosodimethylamine in pregnant mice. *Mutat Res* 207(2):57-62. [http://doi.org/10.1016/0165-7992\(88\)90042-5](http://doi.org/10.1016/0165-7992(88)90042-5).
- Boniol M, Koechlin A, Boyle P. 2017. Meta-analysis of occupational exposures in the rubber manufacturing industry and risk of cancer. *Int J Epidemiol* 46(6):1940-1947. <http://doi.org/10.1093/ije/dyx146>.
- Bontoyan WR, Law MW, Wright DP. 1979. Nitrosamines in agricultural and home-use pesticides. *J Agric Food Chem* 27(3):631-635. <http://doi.org/10.1021/jf60223a009>.
- Boothe DM, Jenkins WL, Green RA, et al. 1992. Dimethylnitrosamine-induced hepatotoxicosis in dogs as a model of progressive canine hepatic disease. *Am J Vet Res* 53(3):411-420.
- Boothe DM, Cullen JM, Calvin JA, et al. 1994. Antipyrine and caffeine dispositions in clinically normal dogs and dogs with progressive liver disease. *Am J Vet Res* 55(2):254-261.

8. REFERENCES

- Borlakoglu JT, Scott A, Henderson CJ, et al. 1993. Expression of P450 isoenzymes during rat liver organogenesis. *Int J Biochem* 25(11):1659-1668. [http://doi.org/10.1016/0020-711x\(93\)90525-j](http://doi.org/10.1016/0020-711x(93)90525-j).
- Bosan WS, Shank RC, MacEwen JD, et al. 1987. Methylation of DNA guanine during the course of induction of liver cancer in hamsters by hydrazine or dimethylnitrosamine. *Carcinogenesis* 8(3):439-444. <http://doi.org/10.1093/carcin/8.3.439>.
- Bradley MO, Dysart G, Fitzsimmons K, et al. 1982. Measurements by filter elution of DNA single- and double-strand breaks in rat hepatocytes: effects of nitrosamines and gamma-irradiation. *Cancer Res* 42(7):2592-2597.
- Brain KR, Walters KA, James VJ, et al. 1995. Percutaneous penetration of dimethylnitrosamine through human skin in vitro: application from cosmetic vehicles. *Food Chem Toxicol* 33(4):315-322. [http://doi.org/10.1016/0278-6915\(94\)00146-f](http://doi.org/10.1016/0278-6915(94)00146-f).
- Braithwaite I, Ashby J. 1988. A non-invasive micronucleus assay in the rat liver. *Mutat Res* 203(1):23-32.
- Brambilla G, Carlo P, Finollo R. 1992. Effect of ten thiocompounds on rat liver DNA damage induced by a small dose of N-nitrosodimethylamine. *Arch Toxicol* 66(4):286-290. <http://doi.org/10.1007/bf02307175>.
- Brambilla G, Cavanna M, Pino A, et al. 1981. Quantitative correlation among DNA damaging potency of six N-nitroso compounds and their potency in inducing tumor growth and bacterial mutations. *Carcinogenesis* 2(5):425-429. <http://doi.org/10.1093/carcin/2.5.425>.
- Brambilla G, Carlo P, Finollo R, et al. 1987. Dose-response curves for liver DNA fragmentation induced in rats by sixteen n-nitroso compounds as measured by viscometric and alkaline elution analyses. *Cancer Res* 47(13):3485-3491.
- Braunstein LZ, Kantor ED, O'Connell K, et al. 2021. Analysis of ranitidine-associated n-nitrosodimethylamine production under simulated physiologic conditions. *JAMA Netw Open* 4(1):e2034766. <http://doi.org/10.1001/jamanetworkopen.2020.34766>.
- Brendler SY, Tompa A, Hutter KF, et al. 1992. In vivo and in vitro genotoxicity of several N-nitrosamines in extrahepatic tissues of the rat. *Carcinogenesis* 13(12):2435-2441. <http://doi.org/10.1093/carcin/13.12.2435>.
- Brewer WS, Draper AC, Wey SS. 1980. The detection of dimethylnitrosamine and diethylnitrosamine in municipal sewage sludge applied to agricultural soils. *Environ Pollut B Chem Phys* 1(1):37-43. [http://doi.org/10.1016/0143-148x\(80\)90019-1](http://doi.org/10.1016/0143-148x(80)90019-1).
- Brinzeu F, Simon S. 2022. *Salmonella typhimurium* TA100 and *E. coli* WP2 uvrA are highly sensitive to detect the mutagenicity of short Alkyl-N-Nitrosamines in the Bacterial Reverse Mutation Test. *Toxicol Rep* 9:250-255. <http://doi.org/10.1016/j.toxrep.2022.02.005>.
- Brodberg RK, Mitchell MJ, Smith SL, et al. 1987. Specific reduction of N,N-dimethylnitrosamine mutagenicity in *Drosophila melanogaster* by dimethyl sulfoxide. *Environ Mol Mutagen* 10(4):425-432.
- Brunnemann KD, Masaryk J, Hoffmann D. 1983. Role of tobacco stems in the formation of N-nitrosamines in tobacco and cigarette mainstream and sidestream smoke. *J Agric Food Chem* 31(6):1221-1224. <http://doi.org/10.1021/jf00120a020>.
- Butler-Howe LM, Boothe HW, Boothe DM, et al. 1993. Effects of vena caval banding in experimentally induced multiple portosystemic shunts in dogs. *Am J Vet Res* 54(10):1774-1783.
- Butterworth BE, Templin MV, Constan AA, et al. 1998. Long-term mutagenicity studies with chloroform and dimethylnitrosamine in female lacI transgenic B6C3F1 mice. *Environ Mol Mutagen* 31(3):248-256. [http://doi.org/10.1002/\(sici\)1098-2280\(1998\)31:3<248::aid-em6>3.0.co;2-g](http://doi.org/10.1002/(sici)1098-2280(1998)31:3<248::aid-em6>3.0.co;2-g).
- Bysshe SB. 1982. Bioconcentration factor in aquatic organisms. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw Hill Book Co., 5-6.
- Camus AM, Bereziat JC, Shuker DE, et al. 1990. Effects of a high fat diet on liver DNA methylation in rats exposed to N-nitrosodimethylamine. *Carcinogenesis* 11(12):2093-2095. <http://doi.org/10.1093/carcin/11.12.2093>.

8. REFERENCES

- Camus AM, Geneste O, Honkakoski P, et al. 1993. High variability of nitrosamine metabolism among individuals: role of cytochromes P450 2A6 and 2E1 in the dealkylation of N-nitrosodimethylamine and N-nitrosodiethylamine in mice and humans. *Mol Carcinog* 7(4):268-275.
<http://doi.org/10.1002/mc.2940070410>.
- CARB. 1986. Inhalation uptake of selected chemical vapors at trace levels: Final report to California Air Resources Board. Sacramento, CA: California Air Resources Board. PB86209863. UCD-472-507.
<https://ntrlntris.gov/NTRL/dashboard/searchResults/titleDetail/PB86209863.xhtml>. April 17, 2020.
- Cardwell CR, McDowell RD, Hughes CM, et al. 2021. Exposure to ranitidine and risk of bladder cancer: A nested case-control study. *Am J Gastroenterol* 116(8):1612-1619.
<http://doi.org/10.14309/ajg.00000000000001310>.
- Carlton WW, Price PS. 1973. Dietary copper and the induction of neoplasms in the rat by acetylaminofluorene and dimethylnitrosamine. *Food Cosmet Toxicol* 11(5):827-840.
[http://doi.org/10.1016/0015-6264\(73\)90141-7](http://doi.org/10.1016/0015-6264(73)90141-7).
- Carpenter SP, Savage DD, Schultz ED, et al. 1997. Ethanol-mediated transplacental induction of CYP2E1 in fetal rat liver. *J Pharmacol Exp Ther* 282(2):1028-1036.
- Carter RL, Percival WH, Roe FJ. 1969. Exceptional sensitivity of mink to the hepatotoxic effects of dimethylnitrosamine. *J Pathol* 97(1):79-88. <http://doi.org/10.1002/path.1710970110>.
- Carver JH, Salazar EP, Knize MG, et al. 1981. Mutation induction at multiple gene loci in Chinese hamster ovary cells: The genetic activity of 15 coded carcinogens and noncarcinogens. *Prog Mutat Res* 1:594-601.
- Castegnaro M, Eisenbrand G, Ellen G, et al. 1982. Laboratory decontamination and destruction of carcinogens in laboratory wastes: some N-nitrosamines. *IARC Sci Publ* 43:1-73.
- Cesarone CF, Bolognesi C, Santi L. 1979. DNA repair synthesis in mice spermatids after treatment with N-methyl-N-nitroso-urea and N-N-dimethyl-nitrosamine: preliminary results. *Toxicology* 12(2):183-186. [http://doi.org/10.1016/0300-483x\(79\)90045-3](http://doi.org/10.1016/0300-483x(79)90045-3).
- Cesarone CF, Bolognesi C, Santi L. 1982. Evaluation of damage to DNA after in vivo exposure to different classes of chemicals. *Archives of Toxicology Suppl* 5:355-359.
http://doi.org/10.1007/978-3-642-68511-8_66.
- Chen B, You L, Wang Y, et al. 1994. Allele-specific activation and expression of the K-ras gene in hybrid mouse lung tumors induced by chemical carcinogens. *Carcinogenesis* 15(9):2031-2035.
<http://doi.org/10.1093/carcin/15.9.2031>.
- Chen B, Lee W, Westerhoff PK, et al. 2010. Solar photolysis kinetics of disinfection byproducts. *Water Res* 44(11):3401-3409. <http://doi.org/10.1016/j.watres.2010.03.014>.
- Chen Y, Zhou Z, Mo Q, et al. 2018. Gallic acid attenuates dimethylnitrosamine-induced liver fibrosis by alteration of Smad phosphoisoform signaling in rats. *Biomed Res Int* 2018:1682743.
<http://doi.org/10.1155/2018/1682743>.
- Cheung KS, Leung WK. 2019. Long-term use of proton-pump inhibitors and risk of gastric cancer: a review of the current evidence. *Therap Adv Gastroenterol* 12:1756284819834511.
<http://doi.org/10.1177/1756284819834511>.
- Chhabra SK, Souliotis VL, Harbaugh JW, et al. 1995. O6-methylguanine DNA adduct formation and modulation by ethanol in placenta and fetal tissues after exposure of pregnant rhesus monkeys to N-nitrosodimethylamine. *Cancer Res* 55(24):6017-6020.
- Chhabra SK, Anderson LM, Perella C, et al. 2000. Coexposure to ethanol with N-nitrosodimethylamine or 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone during lactation of rats: marked increase in O(6)-methylguanine-DNA adducts in maternal mammary gland and in suckling lung and kidney. *Toxicol Appl Pharmacol* 169(2):191-200. <http://doi.org/10.1006/taap.2000.9068>.
- Chin W, Lee VM, Archer MC. 1993. Evidence that the hepatotoxicity of N-nitrosodimethylamine in the rat is unrelated to DNA methylation. *Chem Res Toxicol* 6(3):372-375.
<http://doi.org/10.1021/tx00033a019>.

8. REFERENCES

- Chowdhury S. 2014. N-Nitrosodimethylamine (NDMA) in food and beverages: A comparison in context to drinking water. *Hum Ecol Risk Assess* 20(5):1291-1312.
<http://doi.org/10.1080/10807039.2013.817144>.
- Clapp NK, Toya RE. 1970. Effect of cumulative dose and dose rate on dimethylnitrosamine oncogenesis in RF mice. *J Natl Cancer Inst* 45(3):495-498.
- Clawson GA, Blankenship LJ, Rhame JG, et al. 1992. Nuclear enlargement induced by hepatocarcinogens alters ploidy. *Cancer Res* 52(5):1304-1308.
- Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131. <http://doi.org/10.1177/074823378500100408>.
- Cliet I, Melcion C, Cordier A. 1993. Lack of predictivity of bone marrow micronucleus test versus testis micronucleus test: comparison with four carcinogens. *Mutat Res* 292(2):105-111.
[http://doi.org/10.1016/0165-1161\(93\)90137-o](http://doi.org/10.1016/0165-1161(93)90137-o).
- Cliet I, Fournier E, Melcion C, et al. 1989. In vivo micronucleus test using mouse hepatocytes. *Mutat Res* 216(6):321-326. [http://doi.org/10.1016/0165-1161\(89\)90042-3](http://doi.org/10.1016/0165-1161(89)90042-3).
- Clive D, Johnson KO, Spector JF, et al. 1979. Validation and characterization of the L5178Y/TK+/- mouse lymphoma mutagen assay system. *Mutat Res* 59(1):61-108. [http://doi.org/10.1016/0027-5107\(79\)90195-7](http://doi.org/10.1016/0027-5107(79)90195-7).
- Coccia P, Salmona M, Diomede L, et al. 1988. Liver DNA alkylation after a single carcinogenic dose of dimethylnitrosamine to newborn and adult CFW Swiss mice. *Chem Biol Interact* 68(3-4):259-271.
- Cohen SZ, Zweig G. 1978. Analytical determination of N-nitroso compounds in pesticides by the United States Environmental Protection Agency--a preliminary study. *IARC Sci Publ* 19:333-342.
- Cohen Sedgh R, Moon J, Jackevicius CA. 2021. Neoplasm reports in Food and Drug Administration adverse event reporting system following angiotensin receptor blocker recalls. *Circ Cardiovasc Qual Outcomes* 14(8):e007476. <http://doi.org/10.1161/CIRCOUTCOMES.120.007476>.
- Cooper SW, Kimbrough RD. 1980. Acute dimethylnitrosamine poisoning outbreak. *J Forensic Sci* 25(4):874-882.
- Crampton RF. 1980. Carcinogenic dose-related response to nitrosamines. *Oncology* 37(4):251-254.
<http://doi.org/10.1159/000225446>.
- Crofton-Sleigh C, Doherty A, Ellard S, et al. 1993. Micronucleus assays using cytochalasin-blocked MCL-5 cells, a proprietary human cell line expressing five human cytochromes P-450 and microsomal epoxide hydrolase. *Mutagenesis* 8(4):363-372.
- Cunningham ML, Hayward JJ, Shane BS, et al. 1996. Distinction of mutagenic carcinogens from a mutagenic noncarcinogen in the Big Blue transgenic mouse. *Environ Health Perspect* 104(3):683-686.
- Dahlhaus M, Appel KE. 1993. N-Nitrosodimethylamine, N-nitrosodiethylamine, and N-nitrosomorpholine fail to generate 8-hydroxy-2'-deoxyguanosine in liver DNA of male F344 rats. *Mutat Res* 285(2):295-302. [http://doi.org/10.1016/0027-5107\(93\)90118-y](http://doi.org/10.1016/0027-5107(93)90118-y).
- Dai N, Mitch WA. 2013. Relative importance of N-nitrosodimethylamine compared to total N-nitrosamines in drinking waters. *Environ Sci Technol* 47(8):3648-3656.
<http://doi.org/10.1021/es305225b>.
- Dai WD, Lee V, Chin W, et al. 1991. DNA methylation in specific cells of rat liver by N-nitrosodimethylamine and N-nitrosomethylbenzylamine. *Carcinogenesis* 12(7):1325-1329.
<http://doi.org/10.1093/carcin/12.7.1325>.
- Dangtakot R, Intuyod K, Chamgramol Y, et al. 2021. CagA(+) Helicobacter pylori infection and N-nitrosodimethylamine administration induce cholangiocarcinoma development in hamsters. *Helicobacter* 26(4):e12817. <http://doi.org/10.1111/hel.12817>.
- Dass SB, Hammons GJ, Bucci TJ, et al. 1998. Susceptibility of C57BL/6 mice to tumorigenicity induced by dimethylnitrosamine and 2-amino-1-methyl-6-phenylimidazo [4,5-*b*]pyridine in the neonatal bioassay. *Cancer Lett* 124(1):105-110. [http://doi.org/10.1016/s0304-3835\(97\)00462-x](http://doi.org/10.1016/s0304-3835(97)00462-x).

8. REFERENCES

- Daugherty JP, Clapp NK. 1976. Studies on nitrosamine metabolism. I. Subcellular distribution of radioactivity in tumor-susceptible tissues of RFM mice following administration of [14C]dimethylnitrosamine. *Life Sci* 19(2):265-271. [http://doi.org/10.1016/0024-3205\(76\)90399-4](http://doi.org/10.1016/0024-3205(76)90399-4).
- Davies B, Morris T. 1993. Physiological parameters in laboratory animals and humans. *Pharm Res* 10(7):1093-1095. <http://doi.org/10.1023/a:1018943613122>.
- Davies R, Clothier B, Smith AG. 2000. Mutation frequency in the lacI gene of liver DNA from lambda/lacI transgenic mice following the interaction of PCBs with iron causing hepatic cancer and porphyria. *Mutagenesis* 15(5):379-383. <http://doi.org/10.1093/mutage/15.5.379>.
- Davies RL, Crespi CL, Rudo K, et al. 1989. Development of a human cell line by selection and drug-metabolizing gene transfection with increased capacity to activate promutagens. *Carcinogenesis* 10(5):885-891. <http://doi.org/10.1093/carcin/10.5.885>.
- De Flora S, Zanacchi P, Camoirano A, et al. 1984. Genotoxic activity and potency of 135 compounds in the Ames reversion test and in a bacterial DNA-repair test. *Mutat Res* 133(3):161-198. [http://doi.org/10.1016/0165-1110\(84\)90016-2](http://doi.org/10.1016/0165-1110(84)90016-2).
- De Stefani E, Deneo-Pellegrini H, Carzoglio JC, et al. 1996. Dietary nitrosodimethylamine and the risk of lung cancer: a case-control study from Uruguay. *Cancer Epidemiol Biomarkers Prev* 5(9):679-682.
- De Stefani E, Boffetta P, Mendilaharsu M, et al. 1998. Dietary nitrosamines, heterocyclic amines, and risk of gastric cancer: a case-control study in Uruguay. *Nutr Cancer* 30(2):158-162. <http://doi.org/10.1080/01635589809514656>.
- de Vocht F, Burstyn I, Straif K, et al. 2007. Occupational exposure to NDMA and NMor in the European rubber industry. *J Environ Monit* 9(3):253-259. <http://doi.org/10.1039/b615472g>.
- Dean-Raymond D, Alexander M. 1976. Plant uptake and leaching of dimethylnitrosamine. *Nature* 262(5567):394-396. <http://doi.org/10.1038/262394a0>.
- Delker DA, Geter DR, Kleinert KM, et al. 2008. Frequency and spectrum of lacI mutations in the liver of Big Blue mice following the administration of genotoxic carcinogens singly and in series. *Int J Toxicol* 27(1):35-42. <http://doi.org/10.1080/10915810701876620>.
- Den Engelse L, Hollander CF, Misdorp W. 1974. A sex-dependent difference in the type of tumours induced by dimethylnitrosamine in the livers of C3Hf mice. *Eur J Cancer* 10(2):129-135. [http://doi.org/10.1016/0014-2964\(74\)90064-4](http://doi.org/10.1016/0014-2964(74)90064-4).
- Desjardins R, Fournier M, Denizeau F, et al. 1992. Immunosuppression by chronic exposure to N-nitrosodimethylamine (NDMA) in mice. *J Toxicol Environ Health* 37(3):351-361. <http://doi.org/10.1080/15287399209531676>.
- Devereux TR, Anderson MW, Belinsky SA. 1991. Role of ras protooncogene activation in the formation of spontaneous and nitrosamine-induced lung tumors in the resistant C3H mouse. *Carcinogenesis* 12(2):299-303. <http://doi.org/10.1093/carcin/12.2.299>.
- Diaz Gomez MI, Tamayo D, Castro JA. 1986. Administration of N-nitrosodimethylamine, N-nitrosopyrrolidine, or N'-nitrosonornicotine to nursing rats: their interactions with liver and kidney nucleic acids from sucklings. *J Natl Cancer Inst* 76(6):1133-1136.
- Dickins M, Wright K, Phillips M, et al. 1985. Toxicity and mutagenicity of 6 anti-cancer drugs in Chinese hamster V79 cells co-cultured with rat hepatocytes. *Mutat Res* 157(2-3):189-197. [http://doi.org/10.1016/0165-1218\(85\)90115-6](http://doi.org/10.1016/0165-1218(85)90115-6).
- Dobo KL, Eastmond DA, Grosovsky AJ. 1997. The influence of cellular apoptotic capacity on N-nitrosodimethylamine-induced loss of heterozygosity mutations in human cells. *Carcinogenesis* 18(9):1701-1707. <http://doi.org/10.1093/carcin/18.9.1701>.
- Dobo KL, Eastmond DA, Grosovsky AJ. 1998. Sequence specific mutations induced by N-nitrosodimethylamine at two marker loci in metabolically competent human lymphoblastoid cells. *Carcinogenesis* 19(5):755-764. <http://doi.org/10.1093/carcin/19.5.755>.
- DOE. 2018a. Table 3: Protective action criteria (PAC) rev. 29a based on applicable 60-minute AEGLs, ERPGs, or TEELs. The chemicals are listed by CASRN. June 2018. U.S. Department of Energy. https://edms3.energy.gov/pac/docs/Revision_29A_Table3.pdf. July 6, 2022.

8. REFERENCES

- DOE. 2018b. Protective action criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 29A, June 2018. U.S. Department of Energy. <https://edms3.energy.gov/pac/>. July 6, 2022.
- Doolittle DJ, Muller G, Scribner HE. 1987. A comparative study of hepatic DNA repair, DNA replication and hepatotoxicity in the CD-1 mouse following multiple administrations of dimethylnitrosamine. *Mutat Res* 188(2):141-147. [http://doi.org/10.1016/0165-1218\(87\)90103-0](http://doi.org/10.1016/0165-1218(87)90103-0).
- Doolittle DJ, Bermudez E, Working PK, et al. 1984. Measurement of genotoxic activity in multiple tissues following inhalation exposure to dimethylnitrosamine. *Mutat Res* 141(2):123-127. [http://doi.org/10.1016/0165-7992\(84\)90023-x](http://doi.org/10.1016/0165-7992(84)90023-x).
- Druckrey H, Preussmann R, Ivankovic S, et al. 1967. [Organotropic carcinogenic effects of 65 various N-nitroso-compounds on BD rats]. *Z Krebsforsch* 69(2):103-201. (German)
- Du J, Shi X, Wang Y, et al. 2022. Effects of chlorination on the nitrosamines formation from two algae species in drinking water source-M. aeruginosa and C. meneghiniana. *Chemosphere* 287(Pt 1):132093. <http://doi.org/10.1016/j.chemosphere.2021.132093>.
- Ducos P, Gaudin R, Maire C, et al. 1988. Occupational exposure to volatile nitrosamines in foundries using the "Ashland" core-making process. *Environ Res* 47(1):72-78.
- Eckl PM, Strom SC, Michalopoulos G, et al. 1987. Induction of sister chromatid exchanges in cultured adult rat hepatocytes by directly and indirectly acting mutagens/carcinogens. *Carcinogenesis* 8(8):1077-1083. <http://doi.org/10.1093/carcin/8.8.1077>.
- Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15(1):30-38. <http://doi.org/10.1021/es00083a002>.
- Elshazly SM, Mahmoud AA. 2014. Antifibrotic activity of hesperidin against dimethylnitrosamine-induced liver fibrosis in rats. *Naunyn Schmiedebergs Arch Pharmacol* 387(6):559-567. <http://doi.org/10.1007/s00210-014-0968-2>.
- Emery M, Fisher JM, Chien JY, et al. 2003. CYP2E1 activity before and after weight loss in morbidly obese subjects with nonalcoholic fatty liver disease. *Hepatology* 38(2):428-435. <http://doi.org/10.1053/jhep.2003.50342>.
- EPA. 1978. Survey for airborne nitrosamines. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600179040. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000AS1M.txt>. April 16, 2020.
- EPA. 1979. Water-related environmental fate of 129 priority pollutants. Volume II. Halogenated aliphatic hydrocarbons, halogenated ethers, monocyclic aromatics, phthalate esters, polycyclic aromatic hydrocarbons, nitrosamines, and miscellaneous compounds. Washington, DC: U.S. Environmental Protection Agency. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000K6JL.txt>. April 17, 2020.
- EPA. 1985. Sampling of automobile interiors for organic emissions report. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600385008. PB85172567. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=940054Z7.txt>. April 17, 2020.
- EPA. 1996. Method 8070A: Nitrosamines by gas chromatography. U.S. Environmental Protection Agency. SW846. <https://www.epa.gov/sites/production/files/2015-12/documents/8070a.pdf>. April 15, 2020.
- EPA. 2004. Method 521: Determination of nitrosamines in drinking water by solid phase extraction and capillary column gas chromatography with large volume injection and chemical ionization tandem mass spectrometry (MS/MS). Cincinnati, OH: U.S. Environmental Protection Agency. EPA600R05054. https://cfpub.epa.gov/si/si_public_record_report.cfm?Lab=NERL&dirEntryId=103912. April 15, 2020.
- EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. EPA260B05001.

8. REFERENCES

- EPA. 2007. Provisional peer-reviewed toxicity values for N-nitrosodimethylamine (CASRN 62-75-9). Washington, DC: U.S. Environmental Protection Agency. EPA690R07024F. <https://cfpub.epa.gov/ncea/pprtv/documents/NitrosodimethylamineN.pdf>. April 10, 2020.
- EPA. 2009. National primary drinking water regulations. U.S. Environmental Protection Agency. EPA816F090004. https://www.epa.gov/sites/production/files/2016-06/documents/npwdr_complete_table.pdf. September 7, 2017.
- EPA. 2014a. Technical fact sheet: N-nitroso-dimethylamine (NDMA). U.S. Environmental Protection Agency. EPA505F14005. https://www.epa.gov/sites/production/files/2014-03/documents/ffrrfactsheet_contaminant_ndma_january2014_final.pdf. April 13, 2020.
- EPA. 2014b. 2014 National Emissions Inventory (NEI) Data. U.S. Environmental Protection Agency. <https://www.epa.gov/air-emissions-inventories/2014-national-emissions-inventory-nei-data>. July 22, 2022.
- EPA. 2016. Six-year review 3 technical support document for nitrosamines. U.S. Environmental Protection Agency. EPA810R16009A. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100QN5C.txt>. June 9, 2020.
- EPA. 2017. 2017 National Emissions Inventory (NEI) Data. U.S. Environmental Protection Agency. <https://www.epa.gov/air-emissions-inventories/2017-national-emissions-inventory-nei-data>. July 22, 2022.
- EPA. 2018a. 2018 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA822F18001. <https://www.epa.gov/system/files/documents/2022-01/dwtable2018.pdf>. June 15, 2022.
- EPA. 2018b. Compiled AEGL values. U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2018-08/documents/compiled_aegls_update_27jul2018.pdf. April 12, 2020.
- Epstein SS, Arnold E, Andrea J, et al. 1972. Detection of chemical mutagens by the dominant lethal assay in the mouse. *Toxicol Appl Pharmacol* 23(2):288-325. [http://doi.org/10.1016/0041-008x\(72\)90192-5](http://doi.org/10.1016/0041-008x(72)90192-5).
- Erkekoglu P, Baydar T. 2010. Evaluation of the protective effect of ascorbic acid on nitrite- and nitrosamine-induced cytotoxicity and genotoxicity in human hepatoma line. *Toxicol Mech Methods* 20(2):45-52. <http://doi.org/10.3109/15376510903583711>.
- Fadlallah S, Lachapelle M, Krzystyniak K, et al. 1994. O⁶-methylguanine-DNA adducts in rat lymphocytes after in vivo exposure to N-nitrosodimethylamine (NDMA). *Int J Immunopharmacol* 16(7):583-591. [http://doi.org/10.1016/0192-0561\(94\)90109-0](http://doi.org/10.1016/0192-0561(94)90109-0).
- Fan CC, Lin TF. 2018. N-nitrosamines in drinking water and beer: Detection and risk assessment. *Chemosphere* 200:48-56. <http://doi.org/10.1016/j.chemosphere.2018.02.025>.
- Fan CY, Butler WH, O'Connor PJ. 1989. Cell and tissue specific localization of O⁶-methylguanine in the DNA of rats given N-nitrosodimethylamine: effects of protein deficient and normal diets. *Carcinogenesis* 10(10):1967-1970. <http://doi.org/10.1093/carcin/10.10.1967>.
- Farren NJ, Ramírez N, Lee JD, et al. 2015. Estimated exposure risks from carcinogenic nitrosamines in urban airborne particulate matter. *Environ Sci Technol* 49(16):9648-9656. <http://doi.org/10.1021/acs.est.5b01620>.
- FDA. 2005a. CPG Sec 500.450: Volatile n-nitrosamines in rubber baby bottle nipples. U.S. Food and Drug Administration. <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/cpg-sec-500450-volatile-n-nitrosamines-rubber-baby-bottle-nipples>. May 9, 2020.
- FDA. 2005b. CPG Sec 510.600: Dimethylnitrosamine in malt beverages. U.S. Food and Drug Administration. <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/cpg-sec-510600-dimethylnitrosamine-malt-beverages>. May 9, 2020.
- FDA. 2019a. Laboratory analysis of valsartan products. U.S. Food and Drug Administration. <https://www.fda.gov/drugs/drug-safety-and-availability/laboratory-analysis-valsartan-products>. May 9, 2020.

8. REFERENCES

- FDA. 2019b. Laboratory analysis of ranitidine and nizatidine products. U.S. Food and Drug Administration. <https://www.fda.gov/drugs/drug-safety-and-availability/laboratory-tests-ranitidine>. May 9, 2020.
- FDA. 2020a. Laboratory analysis of metformin products. U.S. Food and Drug Administration. <https://www.fda.gov/drugs/drug-safety-and-availability/laboratory-tests-metformin>. May 9, 2020.
- FDA. 2020b. Substances added to food. Washington, DC: U.S. Food and Drug Administration. <https://www.accessdata.fda.gov/scripts/fdcc/?set=FoodSubstances>. April 12, 2020.
- FDA. 2021. Control of nitrosamine impurities in human drugs, revision 1. U.S. Food and Drug Administration. <https://www.fda.gov/media/141720/download>. August 27, 2022.
- Fine DH, Rounbehler DP, Pellizzari ED, et al. 1976. N-Nitrosodimethylamine in air. *Bull Environ Contam Toxicol* 15(6):739-746. <http://doi.org/10.1007/bf01685626>.
- Fine DH, Rounbehler DP, Rounbehler A, et al. 1977a. Determination of dimethylnitrosamine in air, water, and soil by thermal energy analysis: measurements in Baltimore, MD. *Environ Sci Technol* 11:581-584.
- Fine DH, Rounbehler DP, Fan T, et al. 1977b. Human exposure to N-nitroso compounds in the environment. In: Hiatt HH, Watson JD, Winsten JA, eds. *Origins of human cancer. Book A. Incidence of cancer in humans*. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 293-307.
- Fiume L, Campadelli-Fiume G, Magee PN, et al. 1970. Cellular injury and carcinogenesis. Inhibition of metabolism of dimethylnitrosamine by aminoacetonitrile. *Biochem J* 120:601-605. <http://doi.org/10.1042/bj1200601>.
- Fletcher K, Tinwell H, Ashby J. 1998. Mutagenicity of the human bladder carcinogen 4-aminobiphenyl to the bladder of MutaTMMouse transgenic mice. *Mutat Res Fundam Mol Mech Mutagen* 400(1-2):245-250. [http://doi.org/10.1016/s0027-5107\(98\)00070-0](http://doi.org/10.1016/s0027-5107(98)00070-0).
- Florian J, Matta MK, DePalma R, et al. 2021. Effect of oral ranitidine on urinary excretion of n-nitrosodimethylamine (NDMA): A randomized clinical trial. *JAMA* 326(3):240-249. <http://doi.org/10.1001/jama.2021.9199>.
- Frank CW, Berry CM. 1981. N-Nitrosamines. In: Clayton GD, Clayton FE, eds. *Patty's industrial hygiene and toxicology*. 3rd ed. New York, NY: John Wiley & Sons, 3117-3133.
- Frank N, Tsuda M, Ohgaki H, et al. 1990. Detoxifying potential of thioproline against N-nitroso compounds, N-nitrosodimethylamine and N-nitrosocimetidine. *Cancer Lett* 50(3):167-172. [http://doi.org/10.1016/0304-3835\(90\)90260-5](http://doi.org/10.1016/0304-3835(90)90260-5).
- Freund HA. 1937. Clinical manifestations and studies in parenchymatous hepatitis. *Ann Intern Med* 10(8):1144-1155. <http://doi.org/10.7326/0003-4819-10-8-1144>.
- Frezza D, Smith B, Zeiger E. 1983. The intrasanguineous host mediated assay procedure using *Saccharomyces cerevisiae*: comparison with two other metabolic activation systems. *Mutat Res* 108(1-3):161-168. [http://doi.org/10.1016/0027-5107\(83\)90117-3](http://doi.org/10.1016/0027-5107(83)90117-3).
- Friedman MA, Staub J. 1976. Inhibition of mouse testicular DNA synthesis by mutagens and carcinogens as a potential sample mammalian assay for mutagenesis. *Mutat Res* 37(1):67-76. [http://doi.org/10.1016/0027-5107\(76\)90055-5](http://doi.org/10.1016/0027-5107(76)90055-5).
- Fritzenschaf H, Kohlpoth M, Rusche B, et al. 1993. Testing of known carcinogens and noncarcinogens in the Syrian hamster embryo (SHE) micronucleus test in vitro; correlations with in vivo micronucleus formation and cell transformation. *Mutat Res* 319(1):47-53. [http://doi.org/10.1016/0165-1218\(93\)90029-d](http://doi.org/10.1016/0165-1218(93)90029-d).
- Fritzsche M, Blom G, Keitel J, et al. 2022. NDMA analytics in metformin products: Comparison of methods and pitfalls. *Eur J Pharm Sci* 168:106026. <http://doi.org/10.1016/j.ejps.2021.106026>.
- Fujioka T, Masaki S, Kodamatani H, et al. 2017. Degradation of n-nitrosodimethylamine by UV-based advanced oxidation processes for potable reuse: A short review. *Curr Pollut Rep* 3(2):79-87. <http://doi.org/10.1007/s40726-017-0052-x>.
- Fujita K, Kamataki T. 2001. Role of human cytochrome P450 (CYP) in the metabolic activation of N-alkylnitrosamines: application of genetically engineered *Salmonella typhimurium* YG7108

8. REFERENCES

- expressing each form of CYP together with human NADPH-cytochrome P450 reductase. *Mutat Res* 483(1-2):35-41. [http://doi.org/10.1016/s0027-5107\(01\)00223-8](http://doi.org/10.1016/s0027-5107(01)00223-8).
- Fukushima S, Wanibuchi H, Morimura K, et al. 2005. Lack of potential of low dose N-nitrosodimethylamine to induce preneoplastic lesions, glutathione S-transferase placental form-positive foci, in rat liver. *Cancer Lett* 222(1):11-15. <http://doi.org/10.1016/j.canlet.2004.08.035>.
- Fussgaenger RD, Ditschuneit H. 1980. Lethal exitus of a patient with N-nitrosodimethylamine poisoning, 2.5 years following the first ingestion and signs of intoxication. *Oncology* 37(4):273-277. <http://doi.org/10.1159/000225451>.
- Gallo V, Khan A, Gonzales C, et al. 2008. Validation of biomarkers for the study of environmental carcinogens: a review. *Biomarkers* 13(5):505-534. <http://doi.org/10.1080/13547500802054611>.
- Gan J, Bondarenko S, Ernst F, et al. 2006. Leaching of N-nitrosodimethylamine (NDMA) in turfgrass soils during wastewater irrigation. *J Environ Qual* 35(1):277-284. <http://doi.org/10.2134/jeq2005.0264>.
- Gao Z, Karfunkle M, Ye W, et al. 2021. In vitro analysis of n-nitrosodimethylamine (NDMA) formation from ranitidine under simulated gastrointestinal conditions. *JAMA Netw Open* 4(6):e2118253. <http://doi.org/10.1001/jamanetworkopen.2021.18253>.
- Gao M, Jiang Z, Liao X, et al. 2022. NDMA formation during ozonation of DMAPA: Influencing factors, mechanisms, and new pathway exploration. *Sci Total Environ* 825:153881. <http://doi.org/10.1016/j.scitotenv.2022.153881>.
- Garland WA, Norkus EP, Kuenzig WA, et al. 1988. The effect of N-acetylcysteine on the toxicity induced by N-nitrosodimethylamine. *Drug Metab Dispos* 16(1):162-165.
- Genualdi S, Matos MPV, Mangrum JB, et al. 2020. Investigation into the concentrations and sources of nitrates and nitrites in milk and plant-based powders. *J Agric Food Chem* 68(6):1725-1730. <http://doi.org/10.1021/acs.jafc.9b07460>.
- George J, Stern R. 2004. Serum hyaluronan and hyaluronidase: very early markers of toxic liver injury. *Clin Chim Acta* 348(1-2):189-197. <http://doi.org/10.1016/j.cccn.2004.05.018>.
- George J, Tsuchishima M, Tsutsumi M. 2019. Molecular mechanisms in the pathogenesis of N-nitrosodimethylamine induced hepatic fibrosis. *Cell Death Dis* 10(1):18. <http://doi.org/10.1038/s41419-018-1272-8>.
- George J, Suguna L, Ramachandran J, et al. 2006. Efficacy of silymarin and curcumin on dimethyl nitrosamine induced liver fibrosis in rats. *Biomedicine* 26(3-4):18-26.
- Georgiadis P, Samoli E, Kaila S, et al. 2000. Ubiquitous presence of O⁶-methylguanine in human peripheral and cord blood DNA. *Cancer Epidemiol Biomarkers Prev* 9(3):299-305.
- Georgiadis P, Kaila S, Makedonopoulou P, et al. 2010. Development and validation of a new, sensitive immunochemical assay for O⁶-methylguanine in DNA and its application in a population study. *Cancer Epidemiol Biomarkers Prev* 20(1):82-90. <http://doi.org/10.1158/1055-9965.epi-10-0788>.
- Gerson SL, Trey JE, Miller K, et al. 1986. Comparison of O⁶-alkylguanine-DNA alkyltransferase activity based on cellular DNA content in human, rat and mouse tissues. *Carcinogenesis* 7(5):745-749. <http://doi.org/10.1093/carcin/7.5.745>.
- Giles GG, McNeil JJ, Donnan G, et al. 1994. Dietary factors and the risk of glioma in adults: results of a case-control study in Melbourne, Australia. *Int J Cancer* 59(3):357-362. <http://doi.org/10.1002/ijc.2910590311>.
- Gkamprela E, Deutsch M, Pectasides D. 2017. Iron deficiency anemia in chronic liver disease: etiopathogenesis, diagnosis and treatment. *Ann Gastroenterol* 30:405-413. <http://doi.org/10.20524/aog.2017.0152>.
- Gollapudi BB, Jackson KM, Stott WT. 1998. Hepatic lacI and cII mutation in transgenic (lambdaLIZ) rats treated with dimethylnitrosamine. *Mutat Res* 419(1-3):131-135. [http://doi.org/10.1016/s1383-5718\(98\)00132-6](http://doi.org/10.1016/s1383-5718(98)00132-6).
- Golob N, Grahek R, Ross M, et al. 2022. Nitrocellulose blister material as a source of N-nitrosamine contamination of pharmaceutical drug products. *Int J Pharm* 618:121687. <http://doi.org/10.1016/j.ijpharm.2022.121687>.

8. REFERENCES

- Gombar CT, Pylypiw HM, Harrington GW. 1987. Pharmacokinetics of N-nitrosodimethylamine in beagles. *Cancer Res* 47(2):343-347.
- Gombar CT, Harrington GW, Pylypiw HM, et al. 1988. Pharmacokinetics of N-nitrosodimethylamine in swine. *Carcinogenesis* 9(8):1351-1354. <http://doi.org/10.1093/carcin/9.8.1351>.
- Gombar CT, Harrington GW, Pylypiw HM, et al. 1990. Interspecies scaling of the pharmacokinetics of N-nitrosodimethylamine. *Cancer Res* 50(14):4366-4370.
- Gomez MID, Swann PF, Magee PN. 1977. The absorption and metabolism in rats of small oral doses of dimethylnitrosamine. Implication for the possible hazard of dimethylnitrosamine in human food. *Biochem J* 164(3):497-500. <http://doi.org/10.1042/bj1640497>.
- Gomm W, Röthlein C, Schüssel K, et al. 2021. N-nitrosodimethylamine-contaminated valsartan and the risk of cancer - a longitudinal cohort study based on German health insurance data. *Dtsch Arztbl Int* 118(21):357-362. <http://doi.org/10.3238/arztebl.m2021.0129>.
- Goto Y, Matsuda T, Ito K, et al. 1999. Mutagenicities of N-nitrosodimethylamine and N-nitrosodiethylamine in *Drosophila* and their relationship to the levels of O-alkyl adducts in DNA. *Mutat Res* 425(1):125-134. [http://doi.org/10.1016/s0027-5107\(99\)00032-9](http://doi.org/10.1016/s0027-5107(99)00032-9).
- Greene S, Alexander M, Leggett D. 1981. Formation of N-nitrosodimethylamine during treatment of municipal waste water by simulated land application. *J Environ Qual* 10(3):416-421. <http://doi.org/10.2134/jeq1981.00472425001000030035x>.
- Griciute L, Castegnaro M, Bereziat JC. 1981. Influence of ethyl alcohol on carcinogenesis with N-nitrosodimethylamine. *Cancer Lett* 13(4):345-352. [http://doi.org/10.1016/0304-3835\(81\)90063-x](http://doi.org/10.1016/0304-3835(81)90063-x).
- Gushgari AJ, Halden RU. 2018. Critical review of major sources of human exposure to N-nitrosamines. *Chemosphere* 210:1124-1136. <http://doi.org/10.1016/j.chemosphere.2018.07.098>.
- Gushgari AJ, Halden RU, Venkatesan AK. 2017. Occurrence of N-nitrosamines in U.S. freshwater sediments near wastewater treatment plants. *J Hazard Mater* 323(Pt A):109-115. <http://doi.org/10.1016/j.jhazmat.2016.03.091>.
- Haggerty HG, Holsapple MP. 1990. Role of metabolism in dimethylnitrosamine-induced immunosuppression: a review. *Toxicology* 63(1):1-23. [http://doi.org/10.1016/0300-483X\(90\)90064-n](http://doi.org/10.1016/0300-483X(90)90064-n).
- Hamada S, Ohyama W, Takashima R, et al. 2015. Evaluation of the repeated-dose liver and gastrointestinal tract micronucleus assays with 22 chemicals using young adult rats: summary of the collaborative study by the Collaborative Study Group for the Micronucleus Test (CSGMT)/The Japanese Environmental Mutagen Society (JEMS) - Mammalian Mutagenicity Study Group (MMS). *Mutat Res Genet Toxicol Environ Mutagen* 780-781:2-17. <http://doi.org/10.1016/j.mrgentox.2015.01.001>.
- Hamada S, Shigano M, Wako Y, et al. 2022. Detection of hepatocarcinogens by combination of liver micronucleus assay and histopathological examination in 2-week or 4-week repeated dose studies. *Genes Environ* 44(1):2. <http://doi.org/10.1186/s41021-021-00222-1>.
- Hamilton A, Hardy HL. 1974. Dimethyl-nitrosamine. In: *Industrial toxicology*. 3rd ed. Acton, MA: Publishing Science Group, Inc., 311.
- Hanigan D, Zhang J, Herckes P, et al. 2012. Adsorption of N-nitrosodimethylamine precursors by powdered and granular activated carbon. *Environ Sci Technol* 46(22):12630-12639. <http://doi.org/10.1021/es302922w>.
- Hanigan D, Thurman EM, Ferrer I, et al. 2015. Methadone contributes to N-nitrosodimethylamine formation in surface waters and wastewaters during chloramination. *Environ Sci Tech Lett* 2(6):151-157. <http://doi.org/10.1021/acs.estlett.5b00096>.
- Hansch C, Leo A, Hoekman D. 1995. N-Nitrosodimethylamine. In: *Exploring QSAR: Hydrophobic, electronic, and steric constants*. Washington, DC: American Chemical Society, 10.
- Hanst PL, Spence JW, Miller M. 1977. Atmospheric chemistry of N-nitroso dimethylamine. *Environ Sci Technol* 11(4):403-405. <http://doi.org/10.1021/es60127a007>.
- Harrington GW, Magee PN, Pylypiw HM, et al. 1987. The pig as an animal model for the study of nitrosamine metabolism. *IARC Sci Publ* 84:132-134.

8. REFERENCES

- Harrington GW, Magee PN, Pylypiw HM, et al. 1990. The formation, disposition, and hepatic metabolism of dimethylnitrosamine in the pig. *Drug Metab Dispos* 18(5):626-631.
- Haruta S, Gan J, Chang AC, et al. 2011. Evaluating Henry's law constant of N-nitrosodimethylamine (NDMA). *Water Sci Technol* 64(8):1636-1641. <http://doi.org/10.2166/wst.2011.742>.
- Hashimoto N, Ishikawa Y, Utsunomiya J. 1989. Effects of portacaval shunt, transposition, and dimethylnitrosamine-induced chronic liver injury on pancreatic hormones and amino acids in dog. *J Surg Res* 46(1):35-40. [http://doi.org/10.1016/0022-4804\(89\)90179-0](http://doi.org/10.1016/0022-4804(89)90179-0).
- Hawley GG. 1981. N-Nitrosodimethylamine. In: *The condensed chemical dictionary*. 10th ed. New York, NY: Van Nostrand Reinhold Company, Inc., 737.
- Hayward JJ, Shane BS, Tindall KR, et al. 1995. Differential in vivo mutagenicity of the carcinogen/non-carcinogen pair 2,4- and 2,6-diaminotoluene. *Carcinogenesis* 16(10):2429-2433. <http://doi.org/10.1093/carcin/16.10.2429>.
- He Y, Ding H, Xia X, et al. 2021. GFP-fused yeast cells as whole-cell biosensors for genotoxicity evaluation of nitrosamines. *Appl Microbiol Biotechnol* 105(13):5607-5616. <http://doi.org/10.1007/s00253-021-11426-4>.
- Heading CE, Phillips JC, Lake BG, et al. 1974. Some aspects of the metabolism of dimethylnitrosamine in the rat. *Biochem Soc Trans* 2(4):607-610. <http://doi.org/10.1042/bst0020607>.
- Heath DF. 1962. The decomposition and toxicity of dialkynitrosamines in rats. *Biochem J* 85:72. <http://doi.org/10.1042/bj0850072>.
- Hemminki K. 1982. Dimethylnitrosamine adducts excreted in rat urine. *Chem Biol Interact* 39(2):139-148. [http://doi.org/10.1016/0009-2797\(82\)90117-x](http://doi.org/10.1016/0009-2797(82)90117-x).
- Herron DC, Shank RC. 1980. Methylated purines in human liver DNA after probable dimethylnitrosamine poisoning. *Cancer Res* 40(9):3116-3117.
- Hidajat M, McElvenny DM, Ritchie P, et al. 2019a. Lifetime exposure to rubber dusts, fumes and N-nitrosamines and cancer mortality in a cohort of British rubber workers with 49 years follow-up. *Occup Environ Med* 76(4):250-258. <http://doi.org/10.1136/oemed-2018-105181>.
- Hidajat M, McElvenny DM, Mueller W, et al. 2019b. Job-exposure matrix for historical exposures to rubber dust, rubber fumes and n-Nitrosamines in the British rubber industry. *Occup Environ Med* 76(4):259-267. <http://doi.org/10.1136/oemed-2018-105182>.
- Hidajat M, McElvenny DM, Ritchie P, et al. 2020. Lifetime cumulative exposure to rubber dust, fumes and N-nitrosamines and non-cancer mortality: a 49-year follow-up of UK rubber factory workers. *Occup Environ Med* 77(5):316-323. <http://doi.org/10.1136/oemed-2019-106269>.
- Hindle RW, Armstrong JF, Peake AA. 1987. Determination of N-nitrosodimethylamine levels in some Canadian 2,4-D amine formulations. *J Assoc Off Anal Chem* 70(1):49-51.
- Hino K, Karaki Y, Hatanaka T, et al. 2000. Salivary excretion of N-nitrosodimethylamine in dogs. *Eur J Cancer Prev* 9(4):275-281. <http://doi.org/10.1097/00008469-200008000-00008>.
- Hinuma K, Matsuda J, Tanida N, et al. 1990. N-Nitrosamines in the stomach with special reference to in vitro formation, and kinetics after intragastric or intravenous administration in rats. *Gastroenterol Jpn* 25(4):417-424. <http://doi.org/10.1007/bf02779329>.
- Hobbie KR, DeAngelo AB, George MH, et al. 2012. Neoplastic and nonneoplastic liver lesions induced by dimethylnitrosamine in Japanese medaka fish. *Vet Pathol* 49(2):372-385. <http://doi.org/10.1177/0300985811409443>.
- Hong SW, Jung KH, Zheng HM, et al. 2010. The protective effect of resveratrol on dimethylnitrosamine-induced liver fibrosis in rats. *Arch Pharm Res* 33(4):601-609. <http://doi.org/10.1007/s12272-010-0415-y>.
- Hooi JK, Lai WY, Ng WK, et al. 2017. Global prevalence of Helicobacter pylori infection: Systematic review and meta-analysis. *Gastroenterology* 153(2):420-429. <http://doi.org/10.1053/j.gastro.2017.04.022>.
- Horeshovsky G, Recio L, Everitt J, et al. 1995. p53 status in spontaneous and dimethylnitrosamine-induced renal cell tumors from rats. *Mol Carcinog* 12(4):236-240. <http://doi.org/10.1002/mc.2940120408>.

8. REFERENCES

- Hruday SE, Bull RJ, Cotruvo JA, et al. 2013. Drinking water as a proportion of total human exposure to volatile N-nitrosamines. Risk analysis : an official publication of the Society for Risk Analysis 33(12):2179-2208. <http://doi.org/10.1111/risa.12070>.
- Hsie AW, Machanoff R, Couch DB, et al. 1978. Mutagenicity of dimethylnitrosamine and ethyl methanesulfonate as determined by the host-mediated CHO/HGPRT assay. Mutat Res 51(1):77-84. [http://doi.org/10.1016/0027-5107\(78\)90010-6](http://doi.org/10.1016/0027-5107(78)90010-6).
- Hsieh M, Lai WW, Lin AY. 2020. Sunlight photolysis mitigates the formation of N-nitrosodimethylamine (NDMA) during the chloramination of methadone. Chem Eng J 384:123307. <http://doi.org/10.1016/j.cej.2019.123307>.
- Huang PH, Catalano A. 1994. Changes in secondary structure of DNA of rat embryos following treatment with 1,2-diethylhydrazine and dimethylnitrosamine in vivo. Teratog Carcinog Mutagen 14(2):53-64. <http://doi.org/10.1002/tcm.1770140202>.
- Hutchings JW, Ervens B, Straub D, et al. 2010. N-nitrosodimethylamine occurrence, formation and cycling in clouds and fogs. Environ Sci Technol 44(21):8128-8133. <http://doi.org/10.1021/es101698q>.
- IARC. 1978. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: some N-nitroso compounds. Lyon, France: International Agency for Research on Cancer. Vol. 17, <https://publications.iarc.fr/35>. June 10, 2020.
- IARC. 1982. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: the rubber industry. Lyon, France: International Agency for Research on Cancer. Vol. 28, <https://publications.iarc.fr/46>. August 24, 2022.
- IARC. 1987. Overall evaluations of carcinogenicity: an updating of IARC Monographs volumes 1 to 42. IARC Monogr Eval Carcinog Risks Hum Suppl 7:40-74.
- IARC. 2004. Tobacco smoke and involuntary smoking. IARC monographs on the evaluation of carcinogenic risks to humans: Volume 83. Lyon, France: International Agency for Research on Cancer. https://www.ncbi.nlm.nih.gov/books/NBK316407/pdf/Bookshelf_NBK316407.pdf. May 21, 2021.
- Ikeuchi T, Sasaki M. 1981. Differential inducibility of chromosome aberrations and sister-chromatid exchanges by indirect mutagens in various mammalian cell lines. Mutat Res 90(2):149-161. [http://doi.org/10.1016/0165-1218\(81\)90078-1](http://doi.org/10.1016/0165-1218(81)90078-1).
- Inoue K, Shibata T, Abe T. 1983. Induction of sister-chromatid exchanges in human lymphocytes by indirect carcinogens with and without metabolic activation. Mutat Res 117(3-4):301-309. [http://doi.org/10.1016/0165-1218\(83\)90129-5](http://doi.org/10.1016/0165-1218(83)90129-5).
- Inui N, Nishi Y, Taketomi M, et al. 1979. Transplacental action of sodium nitrite on embryonic cells of Syrian golden hamster. Mutat Res 66(2):149-158. [http://doi.org/10.1016/0165-1218\(79\)90060-0](http://doi.org/10.1016/0165-1218(79)90060-0).
- Ireton HJ, McGiven AR, Davies DJ. 1972. Renal mesenchymal tumours induced in rats by dimethylnitrosamine: light- and electron-microscope studies. J Pathol 108(3):181-185. <http://doi.org/10.1002/path.1711080302>.
- IRIS. 1987. N-Nitrosodimethylamine; CASRN 62-75-9. Chemical assessment summary. Integrated Risk Information. U.S. Environmental Protection Agency. https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0045_summary.pdf. April 15, 2020.
- Ishidate M, Yoshikawa K. 1980. Chromosome aberration tests with Chinese hamster cells in vitro with and without metabolic activation--a comparative study on mutagens and carcinogens. Arch Toxicol Suppl 4:41-44. http://doi.org/10.1007/978-3-642-67729-8_8.
- Ishiwata H, Mizushiro H, Tanimura A, et al. 1978. Metabolic fate of the precursors of N-nitroso compounds. II. Salivary secretion and urinary excretion of nitrosatable compounds in man. Shokuhin Eiseigaku Zasshi 19(1):91-97. <http://doi.org/10.3358/shokueishi.19.91>.
- Ito N, Fukushima S, Tsuda H, et al. 1982. Induction of preneoplastic and neoplastic lesions in rats treated N-nitroso compounds. IARC Sci Publ 41:597-601.

8. REFERENCES

- Iversen OH. 1980. Tumorigenicity of N-nitroso-diethyl, -dimethyl and -diphenyl-amines in skin painting experiments. A study utilizing the tetrazolium test and skin applications on hairless mice. *Eur J Cancer* 16(5):695-698. [http://doi.org/10.1016/0014-2964\(80\)90211-x](http://doi.org/10.1016/0014-2964(80)90211-x).
- Iwagami M, Kumazawa R, Miyamoto Y, et al. 2021. Risk of cancer in association with ranitidine and nizatidine vs other H2 blockers: analysis of the Japan Medical Data Center claims database 2005-2018. *Drug Saf* 44(3):361-371. <http://doi.org/10.1007/s40264-020-01024-0>.
- Iwakuma T, Sakumi K, Nakatsuru Y, et al. 1997. High incidence of nitrosamine-induced tumorigenesis in mice lacking DNA repair methyltransferase. *Carcinogenesis* 18(8):1631-1635. <http://doi.org/10.1093/carcin/18.8.1631>.
- Jacobson KH, Wheelwright HJ, Clem JH, et al. 1955. Studies on the toxicology of N-nitrosodimethylamine vapor. *AMA Arch Ind Health* 12(6):617-622.
- Jagannath DR, Vultaggio DM, Brusick DJ. 1981. Genetic activity of 42 coded compounds in the mitotic gene conversion assay using *Saccharomyces cerevisiae* strain D4. *Prog Mutat Res* 1:456-467.
- Jakszyn P, Bingham S, Pera G, et al. 2006. Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. *Carcinogenesis* 27(7):1497-1501. <http://doi.org/10.1093/carcin/bgl019>.
- Jakszyn P, Gonzalez CA, Lujan-Barroso L, et al. 2011. Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Cancer Epidemiol Biomarkers Prev* 20(3):555-559. <http://doi.org/10.1158/1055-9965.EPI-10-0971>.
- Jang JJ, Cho KJ, Myong NH, et al. 1990. Enhancement of dimethylnitrosamine-induced glutathione S-transferase P-positive hepatic foci by *Clonorchis sinensis* infestation in F344 rats. *Cancer Lett* 52(2):133-138. [http://doi.org/10.1016/0304-3835\(90\)90255-v](http://doi.org/10.1016/0304-3835(90)90255-v).
- Jannetti RA, Anderson LM. 1981. Dimethylnitrosamine demethylase activity in fetal, suckling, and maternal mouse liver and its transplacental and transmammary induction by polychlorinated biphenyls. *J Natl Cancer Inst* 67(2):461-466.
- Jenkins SA, Grandison A, Baxter JN, et al. 1985. A dimethylnitrosamine-induced model of cirrhosis and portal hypertension in the rat. *J Hepatol* 1(5):489-499. [http://doi.org/10.1016/s0168-8278\(85\)80747-9](http://doi.org/10.1016/s0168-8278(85)80747-9).
- Jiao J, Glickman BW, Anderson MW, et al. 1993. Mutational specificity of N-nitrosodimethylamine: Comparison between in vivo and in vitro assay. *Mutat Res* 301(1):27-31.
- Jiao J, Douglas GR, Gingerich JD, et al. 1997. Analysis of tissue-specific lacZ mutations induced by N-nitrosodibenzylamine in transgenic mice. *Carcinogenesis* 18(11):2239-2245. <http://doi.org/10.1093/carcin/18.11.2239>.
- Johansson EB, Tjalve H. 1978. The distribution of [14C]dimethylnitrosamine in mice. Autoradiographic studies in mice with inhibited and noninhibited dimethylnitrosamine metabolism and a comparison with the distribution of [14C]formaldehyde. *Toxicol Appl Pharmacol* 45(2):565-575. [http://doi.org/10.1016/0041-008x\(78\)90118-7](http://doi.org/10.1016/0041-008x(78)90118-7).
- Johnson KW, Munson AE, Holsapple MP. 1987. Primary cellular target responsible for dimethylnitrosamine-induced immunosuppression in the mouse. *Immunopharmacology* 13(1):47-60. [http://doi.org/10.1016/0162-3109\(87\)90026-9](http://doi.org/10.1016/0162-3109(87)90026-9).
- Johnson TE, Umbenhauer DR, Galloway SM. 1996. Human liver S-9 metabolic activation: proficiency in cytogenetic assays and comparison with phenobarbital/beta-naphthoflavone or aroclor 1254 induced rat S-9. *Environ Mol Mutagen* 28(1):51-59. [http://doi.org/10.1002/\(SICI\)1098-2280\(1996\)28:1<51::AID-EM8>3.0.CO;2-H](http://doi.org/10.1002/(SICI)1098-2280(1996)28:1<51::AID-EM8>3.0.CO;2-H).
- Jönsson LS, Lindh CH, Bergendorf U, et al. 2009. N-nitrosamines in the southern Swedish rubber industries - exposure, health effects, and immunologic markers. *Scand J Work Environ Health* 35(3):203-211. <http://doi.org/10.5271/sjweh.1323>.

8. REFERENCES

- Kanan S. 2010. Occurrence and formation of disinfection by-products in indoor U.S. swimming pools. TigerPrints. Clemson University. All Dissertations 532. https://tigerprints.clemson.edu/all_dissertations/532. May 26, 2020.
- Kaplan DL, Kaplan AM. 1985. Biodegradation of N-nitrosodimethylamine in aqueous and soil systems. *Appl Environ Microbiol* 50(4):1077-1086.
- Katic J, Cemeli E, Baumgartner A, et al. 2010. Evaluation of the genotoxicity of 10 selected dietary/environmental compounds with the in vitro micronucleus cytokinesis-block assay in an interlaboratory comparison. *Food Chem Toxicol* 48(10):2612-2623. <http://doi.org/10.1016/j.fct.2010.06.030>.
- Katoh Y, Tanaka M, Takayama S. 1982. Higher efficiency of hamster hepatocytes than rat hepatocytes for detecting dimethylnitrosamine and diethylnitrosamine in hepatocyte-mediated Chinese hamster V79 cell mutagenesis assay. *Mutat Res* 105(4):265-269. [http://doi.org/10.1016/0165-7992\(82\)90040-9](http://doi.org/10.1016/0165-7992(82)90040-9).
- Kay JE, Corrigan JJ, Armijo AL, et al. 2021. Excision of mutagenic replication-blocking lesions suppresses cancer but promotes cytotoxicity and lethality in nitrosamine-exposed mice. *Cell Rep* 34(11):108864. <http://doi.org/10.1016/j.celrep.2021.108864>.
- Keefer LK, Lijinsky W, Garcia H. 1973. Deuterium isotope effect on the carcinogenicity of dimethylnitrosamine in rat liver. *J Natl Cancer Inst* 51(1):299-302. <http://doi.org/10.1093/jnci/51.1.299>.
- Keefer LK, Anjo T, Wade D, et al. 1987. Concurrent generation of methylamine and nitrite during denitrosation of N-nitrosodimethylamine by rat liver microsomes. *Cancer Res* 47(2):447-452.
- Keire DA, Bream R, Wollein U, et al. 2022. International regulatory collaboration on the analysis of nitrosamines in metformin-containing medicines. *AAPS J* 24(3):56. <http://doi.org/10.1208/s12248-022-00702-4>.
- Keszei AP, Goldbohm RA, Schouten LJ, et al. 2013. Dietary N-nitroso compounds, endogenous nitrosation, and the risk of esophageal and gastric cancer subtypes in the Netherlands Cohort Study. *Am J Clin Nutr* 97(1):135-146. <http://doi.org/10.3945/ajcn.112.043885>.
- Khanna SD, Puri D. 1966. The hepatotoxic effects of dimethylnitrosamine in the rat. *J Pathol Bacteriol* 91(2):605-608. <http://doi.org/10.1002/path.1700910238>.
- Khorol'skii MD, Anan'ina OV, Chaplenko AA, et al. 2019. Comparison of approaches to determining N-nitrosodimethylamine impurity in valsartan drug substance by GC-MS methods. *Pharm Chem J* 53(8):766-770. <http://doi.org/10.1007/s11094-019-02076-y>.
- Kim BS, Yang KH, Haggerty HG, et al. 1989. Production of DNA single-strand breaks in unstimulated splenocytes by dimethylnitrosamine. *Mutat Res* 213(2):185-193. [http://doi.org/10.1016/0027-5107\(89\)90150-4](http://doi.org/10.1016/0027-5107(89)90150-4).
- Kim H, Tcha J, Shim MY, et al. 2019. Dry-heat cooking of meats as a source of airborne N-nitrosodimethylamine (NDMA). *Atmosphere* 10(2):91. <http://doi.org/10.3390/atmos10020091>.
- Kim S, Lee S, Hong J, et al. 2021a. Effect of ranitidine intake on the risk of gastric cancer development. *Healthcare (Basel)* 9(8):1071. <http://doi.org/10.3390/healthcare9081071>.
- Kim YD, Wang J, Shibli F, et al. 2021b. No association between chronic use of ranitidine, compared with omeprazole or famotidine, and gastrointestinal malignancies. *Aliment Pharmacol Ther* 54(5):606-615. <http://doi.org/10.1111/apt.16464>.
- Kimbrough RD. 1982. Pathological changes in human beings acutely poisoned by dimethylnitrosamine. In: Magee KD, ed. Nitrosamines and human cancer. Banbury Report. Vol. 12. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 25-36.
- Klaude M, Persson G, von der Decken A. 1989. Combined effect of dimethylnitrosamine and a lysine-restricted diet on O6-methylguanine-DNA methyltransferase levels in mouse tissues. *Mutat Res* 218(2):135-142. [http://doi.org/10.1016/0921-8777\(89\)90019-0](http://doi.org/10.1016/0921-8777(89)90019-0).
- Klein RG. 1982. Calculations and measurements on the volatility of N-nitrosamines and their aqueous solutions. *Toxicology* 23(2-3):135-147. [http://doi.org/10.1016/0300-483x\(82\)90093-2](http://doi.org/10.1016/0300-483x(82)90093-2).

8. REFERENCES

- Klein RG, Schmezer P. 1984. Quantitative measurement of the exhalation rate of volatile N-nitrosamines in inhalation experiments with anaesthetized Sprague-Dawley rats. IARC Sci Publ 57:513-517.
- Klein RG, Janowsky I, Schmezer P, et al. 1989. Effect of long-term inhalation of N-nitrosodimethylamine (NDMA) and SO₂/NO_x in rats. *Exp Pathol* 37(1-4):273-280. [http://doi.org/10.1016/s0232-1513\(89\)80067-2](http://doi.org/10.1016/s0232-1513(89)80067-2).
- Klein RG, Janowsky I, Pool-Zobel BL, et al. 1991. Effects of long-term inhalation of N-nitrosodimethylamine in rats. IARC Sci Publ 105:322-328.
- Kma L, Sharan RN. 2014. Dimethylnitrosamine-induced reduction in the level of poly-ADP-ribosylation of histone proteins of blood lymphocytes--a sensitive and reliable biomarker for early detection of cancer. *Asian Pac J Cancer Prev* 15(15):6429-6436. <http://doi.org/10.7314/apjcp.2014.15.15.6429>.
- Knek P, Jarvinen R, Dich J, et al. 1999. Risk of colorectal and other gastro-intestinal cancers after exposure to nitrate, nitrite and N-nitroso compounds: a follow-up study. *Int J Cancer* 80(6):852-856. [http://doi.org/10.1002/\(sici\)1097-0215\(19990315\)80:6<852::aid-ijc9>3.0.co;2-s](http://doi.org/10.1002/(sici)1097-0215(19990315)80:6<852::aid-ijc9>3.0.co;2-s).
- Kobayashi M, Tchan Y. 1978. Formation of dimethylnitrosamine in polluted environment and the role of photosynthetic bacteria. *Water Res* 12(3):199-201. [http://doi.org/10.1016/0043-1354\(78\)90009-X](http://doi.org/10.1016/0043-1354(78)90009-X).
- Koike R, Uchiyama T, Arimoto-Kobayashi S, et al. 2018. Increase of somatic cell mutations in oxidative damage-sensitive drosophila. *Genes Environ* 40:3. <http://doi.org/10.1186/s41021-017-0090-z>.
- Koppang N, Rimeslatten H. 1976. Toxic and carcinogenic effects of nitrosodimethylamine in mink. IARC Sci Publ 14:443-452.
- Kornbrust D, Dietz D. 1985. Aroclor 1254 pretreatment effects on DNA repair in rat hepatocytes elicited by in vivo or in vitro exposure to various chemicals. *Environ Mutagen* 7(6):857-870. <http://doi.org/10.1002/em.2860070607>.
- Korsrud GO, Grice HG, Goodman TK, et al. 1973. Sensitivity of several serum enzymes for the detection of thioacetamide-, dimethylnitrosamine- and diethanolamine-induced liver damage in rats. *Toxicol Appl Pharmacol* 26(2):299-313. [http://doi.org/10.1016/0041-008x\(73\)90265-2](http://doi.org/10.1016/0041-008x(73)90265-2).
- Krasner SW, Mitch WA, McCurry DL, et al. 2013. Formation, precursors, control, and occurrence of nitrosamines in drinking water: a review. *Water Res* 47(13):4433-4450. <http://doi.org/10.1016/j.watres.2013.04.050>.
- Krasner SW, Westerhoff P, Mitch WA, et al. 2018. Behavior of NDMA precursors at 21 full-scale water treatment facilities. *Environ Sci* 4(12):1966-1978. <http://doi.org/10.1039/c8ew00442k>.
- Krishna G, Theiss JC. 1995. Concurrent analysis of cytogenetic damage in vivo: a multiple endpoint-multiple tissue approach. *Environ Mol Mutagen* 25(4):314-320. <http://doi.org/10.1002/em.2850250408>.
- Krishna G, Kropko ML, Theiss JC. 1990. Dimethylnitrosamine-induced micronucleus formation in mouse bone marrow and spleen. *Mutat Res* 242(4):345-351. [http://doi.org/10.1016/0165-1218\(90\)90053-5](http://doi.org/10.1016/0165-1218(90)90053-5).
- Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Kroeger-Koepke MB, Michejda CJ. 1979. Evidence for several demethylase enzymes in the oxidation of dimethylnitrosamine and phenylmethylnitrosamine by rat liver fractions. *Cancer Res* 39(5):1587-1591.
- Kroeger-Koepke MB, Koepke SR, Hernandez L, et al. 1992. Activation of a beta-hydroxyalkylnitrosamine to alkylating agents: evidence for the involvement of a sulfotransferase. *Cancer Res* 52(12):3300-3305.
- Krul CA, Zeilmaker MJ, Schothorst RC, et al. 2004. Intragastric formation and modulation of N-nitrosodimethylamine in a dynamic in vitro gastrointestinal model under human physiological conditions. *Food Chem Toxicol* 42(1):51-63.

8. REFERENCES

- Kulka U, Paul D, Bauchinger M. 1993. Development of short-term mutagenicity test systems in vitro: Metabolic activation of indirectly acting mutagens by three immortal rat hepatocyte lines. *Mutagenesis* 8(3):193-197. <http://doi.org/10.1093/mutage/8.3.193>.
- Kuroki T, Drevon C, Montesano R. 1977. Microsome-mediated mutagenesis in V79 Chinese hamster cells by various nitrosamines. *Cancer Res* 37(4):1044-1050.
- Kyrtopoulos SA. 1998. DNA adducts in humans after exposure to methylating agents. *Mutat Res* 405(2):135-143.
- La Vecchia C, D'Avanzo B, Airoldi L, et al. 1995. Nitrosamine intake and gastric cancer risk. *Eur J Cancer Prev* 4(6):469-474. <http://doi.org/10.1097/00008469-199512000-00005>.
- Lachapelle M, Fadlallah S, Krzystyniak K, et al. 1992. Colloidal gold ultraimmunocytochemical localization of DNA and RNA adducts in rat hepatocytes. *Carcinogenesis* 13(12):2335-2339. <http://doi.org/10.1093/carcin/13.12.2335>.
- Lachapelle M, Marion M, Krzystyniak K, et al. 1994. Immunocytochemical evidence for a nuclear and a cytoplasmic O6-methylguanine repair mechanism in cultured rat hepatocytes. *J Toxicol Environ Health* 43(4):441-451. <http://doi.org/10.1080/15287399409531933>.
- Lakritz L, Pensabene JW. 1984. Survey of human milk for volatile N-nitrosamines and the influence of diet on their formation. *Food Chem Toxicol* 22(9):721-724. [http://doi.org/10.1016/0278-6915\(84\)90199-6](http://doi.org/10.1016/0278-6915(84)90199-6).
- Lakritz L, Simenhoff ML, Dunn SR, et al. 1980. N-Nitrosodimethylamine in human blood. *Food Cosmet Toxicol* 18(1):77-79. [http://doi.org/10.1016/0015-6264\(80\)90014-0](http://doi.org/10.1016/0015-6264(80)90014-0).
- Lambert IB, Singer TM, Boucher SE, et al. 2005. Detailed review of transgenic rodent mutation assays. *Mutat Res* 590(1-3):1-280. <http://doi.org/10.1016/j.mrrev.2005.04.002>.
- Langenbach R. 1986. Mutagenic activity and structure-activity relationships of short-chain dialkyl N-nitrosamines in a hamster hepatocyte V79 cell-mediated system. *Mutat Res* 163(3):303-311. [http://doi.org/10.1016/0027-5107\(86\)90029-1](http://doi.org/10.1016/0027-5107(86)90029-1).
- Langenbach R, Leavitt S, Hix C, et al. 1986. Rat and hamster hepatocyte-mediated induction of SCEs and mutation in V79 cells and mutation of salmonella by aminofluorene and dimethylnitrosamine. *Mutat Res* 161(1):29-37. [http://doi.org/10.1016/0027-5107\(86\)90097-7](http://doi.org/10.1016/0027-5107(86)90097-7).
- Larsson SC, Bergkvist L, Wolk A. 2006. Processed meat consumption, dietary nitrosamines and stomach cancer risk in a cohort of Swedish women. *Int J Cancer* 119(4):915-919. <http://doi.org/10.1002/ijc.21925>.
- Lawson T, Kolar C. 1992. Mutation of V79 cells by N-dialkylnitrosamines after activation by hamster pancreas duct cells. *Mutat Res* 272(2):139-144. [http://doi.org/10.1016/0165-1161\(92\)90042-k](http://doi.org/10.1016/0165-1161(92)90042-k).
- Le Hegaret L, Dumont J, Josse R, et al. 2010. Assessment of the genotoxic potential of indirect chemical mutagens in HepaRG cells by the comet and the cytokinesis-block micronucleus assays. *Mutagenesis* 25(6):555-560. <http://doi.org/10.1093/mutage/geq039>.
- Leavey-Roback SL, Sugar CA, Krasner SW, et al. 2016. NDMA formation during drinking water treatment: A multivariate analysis of factors influencing formation. *Water Res* 95:300-309. <http://doi.org/10.1016/j.watres.2016.02.060>.
- Lee HS. 2019. Literature compilation of volatile N-nitrosamines in processed meat and poultry products - an update. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 36(10):1491-1500. <http://doi.org/10.1080/19440049.2019.1649472>.
- Lee U, Oh E. 2015. Pharmacokinetic changes of drugs in a rat model of liver cirrhosis induced by dimethylnitrosamine, alone and in combination with diabetes mellitus induced by streptozotocin. *Biopharm Drug Dispos* 36(1):1-14. <http://doi.org/10.1002/bdd.1901>.
- Lee VM, Keefer LK, Archer MC. 1996. An evaluation of the roles of metabolic denitrosation and α -hydroxylation in the hepatotoxicity of N-nitrosodimethylamine. *Chem Res Toxicol* 9(8):1319-1324. <http://doi.org/10.1021/tx960077u>.
- Lee WR, Abrahamson S, Valencia R, et al. 1983. The sex-linked recessive lethal test for mutagenesis in *Drosophila melanogaster*. A report of the U.S. Environmental Protection Agency Gene-Tox Program. *Mutat Res* 123(2):183-279. [http://doi.org/10.1016/0165-1110\(83\)90025-8](http://doi.org/10.1016/0165-1110(83)90025-8).

8. REFERENCES

- Lee C, Choi W, Kim YG, et al. 2005. UV photolytic mechanism of N-nitrosodimethylamine in water: dual pathways to methylamine versus dimethylamine. *Environ Sci Technol* 39(7):2101-2106.
- Lefevre PA, Tinwell H, Galloway SM, et al. 1994. Evaluation of the genetic toxicity of the peroxisome proliferator and carcinogen methyl clofenapate, including assays using Muta mouse and Big Blue transgenic mice. *Hum Exp Toxicol* 13(11):764-775.
- Levallois P, Ayotte P, Van MJMS, et al. 2000. Excretion of volatile nitrosamines in a rural population in relation to food and drinking water consumption. *Food Chem Toxicol* 38(11):1013-1019.
[http://doi.org/10.1016/s0278-6915\(00\)00089-2](http://doi.org/10.1016/s0278-6915(00)00089-2)
- Liangpunsakul S, Kolwankar D, Pinto A, et al. 2005. Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: A comparison with nonalcoholics. *Hepatology* 41(5):1144-1150. <http://doi.org/10.1002/hep.20673>.
- Liew D, Culbert J, Linge K, et al. 2015. National occurrence of N-nitrosodimethylamine (NDMA): An investigation of 38 Australian drinking water supplies. *ACS Symp Ser* 1190:135-149.
<http://doi.org/10.1021/bk-2015-1190.ch008>.
- Lijinsky W, Reuber MD. 1984. Carcinogenesis in rats by nitrosodimethylamine and other nitrosomethylalkylamines at low doses. *Cancer Lett* 22(1):83-88. [http://doi.org/10.1016/0304-3835\(84\)90047-8](http://doi.org/10.1016/0304-3835(84)90047-8).
- Lijinsky W, Kovatch RM. 1989. Carcinogenesis by nitrosamines and azoxyalkanes by different routes of administration to rats. *Biomed Environ Sci* 2(2):154-159.
- Lijinsky W, Kovatch RM, Riggs CW. 1987. Carcinogenesis by nitrosodialkylamines and azoxyalkanes given by gavage to rats and hamsters. *Cancer Res* 47(15):3968-3972.
- Liviac D, Creus A, Marcos R. 2011. Genotoxic evaluation of the non-halogenated disinfection by-products nitrosodimethylamine and nitrosodiethylamine. *J Hazard Mater* 185(2-3):613-618.
<http://doi.org/10.1016/j.jhazmat.2010.09.062>.
- Loh YH, Jakuszyn P, Luben RN, et al. 2011. N-Nitroso compounds and cancer incidence: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk study. *Am J Clin Nutr* 93(5):1053-1061. <http://doi.org/10.3945/ajcn.111.012377>.
- Lorr NA, Miller KW, Chung HR, et al. 1984. Potentiation of the hepatotoxicity of N-nitrosodimethylamine by fasting, diabetes, acetone, and isopropanol. *Toxicol Appl Pharmacol* 73(3):423-431. [http://doi.org/10.1016/0041-008x\(84\)90095-4](http://doi.org/10.1016/0041-008x(84)90095-4).
- Lotlikar PD, Hong YS, Baldy WJ. 1978. Effect of dimethylnitrosamine concentration on its demethylation by liver microsomes from control and 3-methylcholanthrene pretreated rats, hamsters and guinea pigs. *Cancer Lett* 4(6):355-361. [http://doi.org/10.1016/s0304-3835\(78\)95777-4](http://doi.org/10.1016/s0304-3835(78)95777-4).
- Lyman WJ. 1982. Adsorption coefficient for soils and sediments. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw-Hill Book, Co., 4-9.
- Lyman WJ. 1985. Estimation of physical properties. In: Neely WB, Blau GE, eds. *Environmental exposure from chemicals*. Vol. 1. Boca Raton, FL: CRC Press, Inc., 30-31.
- Ma XL, Baraona E, Lasker JM, et al. 1991. Effects of ethanol consumption on bioactivation and hepatotoxicity of N-nitrosodimethylamine in rats. *Biochem Pharmacol* 42(3):585-591.
[http://doi.org/10.1016/0006-2952\(91\)90321-u](http://doi.org/10.1016/0006-2952(91)90321-u).
- Ma F, Zhang Z, Jiang J, et al. 2015. Chromium (VI) potentiates the DNA adducts (O(6)-methylguanine) formation of N-nitrosodimethylamine in rat: implication on carcinogenic risk. *Chemosphere* 139:256-259. <http://doi.org/10.1016/j.chemosphere.2015.06.077>.
- Madden JW, Gertman PM, Peacock EE. 1970. Dimethylnitrosamine-induced hepatic cirrhosis: a new canine model of an ancient human disease. *Surgery* 68(1):260-267; discussion 267-268.
- Madle E, Kasper P, Madle S, et al. 1987. Hepatocyte-mediated SCE induction by indirect mutagens: importance of hepatocyte density and cell-to-cell contact. *Mutat Res* 188(2):153-160.
[http://doi.org/10.1016/0165-1218\(87\)90105-4](http://doi.org/10.1016/0165-1218(87)90105-4).

8. REFERENCES

- Maduagwu EN, Bassir O. 1980. A comparative assessment of toxic effects of dimethylnitrosamine in six different species. *Toxicol Appl Pharmacol* 53(2):211-219. [http://doi.org/10.1016/0041-008x\(80\)90421-4](http://doi.org/10.1016/0041-008x(80)90421-4).
- Magee PN. 1956. Toxic liver injury; the metabolism of dimethylnitrosamine. *Biochem J* 64(4):676-682. <http://doi.org/10.1042/bj0640676>.
- Magee PN, Barnes JM. 1956. The production of malignant primary hepatic tumours in the rat by feeding dimethylnitrosamine. *Br J Cancer* 10(1):114-122. <http://doi.org/10.1038/bjc.1956.15>.
- Magee PN, Hultin T. 1962. Toxic liver injury and carcinogenesis. Methylation of proteins of rat-liver slices by dimethylnitrosamine in vitro. *Biochem J* 83:106-114. <http://doi.org/10.1042/bj0830106>.
- Maling HM, Stripp B, Sipes IG, et al. 1975. Enhanced hepatotoxicity of carbon tetrachloride, thioacetamide, and dimethylnitrosamine by pretreatment of rats with ethanol and some comparisons with potentiation by isopropanol. *Toxicol Appl Pharmacol* 33(2):291-308. [http://doi.org/10.1016/0041-008x\(75\)90096-4](http://doi.org/10.1016/0041-008x(75)90096-4).
- Mallik MA, Tesfai K. 1981. Transformation of nitrosamines in soil and in vitro by soil microorganisms. *Bull Environ Contam Toxicol* 27(1):115-121. <http://doi.org/10.1007/bf01610996>.
- Martelli A, Robbiano L, Giuliano L, et al. 1985. DNA fragmentation by N-nitrosodimethylamine and methyl methanesulfonate in human hepatocyte primary cultures. *Mutat Res* 144(3):209-211. [http://doi.org/10.1016/0165-7992\(85\)90142-3](http://doi.org/10.1016/0165-7992(85)90142-3).
- Martelli A, Robbiano L, Gazzaniga GM, et al. 1988. Comparative study of DNA damage and repair induced by ten N-nitroso compounds in primary cultures of human and rat hepatocytes. *Cancer Res* 48(15):4144-4152.
- Martino PE, Diaz Gomez MI, Tamayo D, et al. 1988. Studies on the mechanism of the acute and carcinogenic effects of N-nitrosodimethylamine on mink liver. *J Toxicol Environ Health* 23(2):183-192. <http://doi.org/10.1080/15287398809531105>.
- Matsuoka A, Hayashi M, Ishidate M. 1979. Chromosomal aberration tests on 29 chemicals combined with S9 mix in vitro. *Mutat Res* 66(3):277-290. [http://doi.org/10.1016/0165-1218\(79\)90089-2](http://doi.org/10.1016/0165-1218(79)90089-2).
- Matsuoka A, Sofuni T, Ishidate M. 1986. Effect of surfactants on the induction of chromosomal aberrations in Chinese hamster cells in culture [abstract]. *Mutat Res* 164:273-274.
- Matsushima T, Hayashi M, Matsuoka A, et al. 1999. Validation study of the in vitro micronucleus test in a Chinese hamster lung cell line (CHL/IU). *Mutagenesis* 14(6):569-580. <http://doi.org/10.1093/mutage/14.6.569>.
- McCormick A, Nicholson MJ, Baylis MA, et al. 1973. Nitrosamines in cigarette smoke condensate. *Nature* 244(5413):237-238. <http://doi.org/10.1038/244237a0>.
- McGiven AR, Ireton HJ. 1972. Renal epithelial dysplasia and neoplasia in rats given dimethylnitrosamine. *J Pathol* 108(3):187-190. <http://doi.org/10.1002/path.1711080303>.
- McGwin G. 2020. The association between ranitidine use and gastrointestinal cancers. *Cancers (Basel)* 13(1):24. <http://doi.org/10.3390/cancers13010024>.
- McLaren J, Boulikas T, Vamvakas S. 1994. Induction of poly(ADP-ribosyl)ation in the kidney after in vivo application of renal carcinogens. *Toxicology* 88(1-3):101-112. [http://doi.org/10.1016/0300-483x\(94\)90113-9](http://doi.org/10.1016/0300-483x(94)90113-9).
- McNamee JP, Bellier PV. 2015. Use of a standardized JaCVAM in vivo rat comet assay protocol to assess the genotoxicity of three coded test compounds; ampicillin trihydrate, 1,2-dimethylhydrazine dihydrochloride, and N-nitrosodimethylamine. *Mutat Res Genet Toxicol Environ Mutagen* 786-788:158-164. <http://doi.org/10.1016/j.mrgentox.2015.02.005>.
- McQueen CA, Kreiser DM, Williams GM. 1983. The hepatocyte primary culture/DNA repair assay using mouse or hamster hepatocytes. *Environ Mutagen* 5(1):1-8. <http://doi.org/10.1002/em.2860050102>.
- Mehta R, Silinskas KC, Zucker PF, et al. 1987. Micronucleus formation induced in rat liver and esophagus by nitrosamines. *Cancer Lett* 35(3):313-320. [http://doi.org/10.1016/0304-3835\(87\)90133-9](http://doi.org/10.1016/0304-3835(87)90133-9).

8. REFERENCES

- Michaud DS, Holick CN, Batchelor TT, et al. 2009. Prospective study of meat intake and dietary nitrates, nitrites, and nitrosamines and risk of adult glioma. *Am J Clin Nutr* 90(3):570-577. <http://doi.org/10.3945/ajcn.2008.27199>.
- Mico BA, Swagzdis JE, Hu HS, et al. 1985. Low-dose in vivo pharmacokinetic and deuterium isotope effect studies of N-nitrosodimethylamine in rats. *Cancer Res* 45(12 Pt 1):6280-6285.
- Mills AL, Alexander M. 1976. Factors affecting dimethylnitrosamine formation in samples of soil and water. *J Environ Qual* 5(4):437-440. <http://doi.org/10.2134/jeq1976.00472425000500040024x>.
- Mirsalis JC, Butterworth BE. 1980. Detection of unscheduled DNA synthesis in hepatocytes isolated from rats treated with genotoxic agents: an in vivo- in vitro assay for potential carcinogens and mutagens. *Carcinogenesis* 1(7):621-625. <http://doi.org/10.1093/carcin/1.7.621>.
- Mirsalis JC, Tyson CK, Steinmetz KL, et al. 1989. Measurement of unscheduled DNA synthesis and S-phase synthesis in rodent hepatocytes following in vivo treatment: Testing of 24 compounds. *Environ Mol Mutagen* 14(3):155-164. <http://doi.org/10.1002/em.2850140305>.
- Mirsalis JC, Provost GS, Matthews CD, et al. 1993. Induction of hepatic mutations in lacI transgenic mice. *Mutagenesis* 8(3):265-271. <http://doi.org/10.1093/mutage/8.3.265>.
- Mirvish SS. 1975. Formation of N-nitroso compounds: Chemistry, kinetics, and in vivo occurrence. *Toxicol Appl Pharmacol* 31(3):325-351. [http://doi.org/10.1016/0041-008x\(75\)90255-0](http://doi.org/10.1016/0041-008x(75)90255-0).
- Mirvish SS, Issenberg P, Sornson HC. 1976. Air-water and ether-water distribution of N-nitroso compounds: implications for laboratory safety, analytic methodology, and carcinogenicity for the rat esophagus, nose, and liver. *J Natl Cancer Inst* 56(6):1125-1129. <http://doi.org/10.1093/jnci/56.6.1125>.
- Mitch WA, Sharp JO, Trussell RR, et al. 2003. N-Nitrosodimethylamine (NDMA) as a drinking water contaminant: A review. *Environ Eng Sci* 20(5):389-404. <http://doi.org/10.1089/109287503768335896>.
- Moiseev GE, Benemanskii VV. 1975. [The carcinogenic activity of small concentrations of nitrosodimethylamine when inhaled]. *Vopr Onkol* 21(6):107-109. (Russian)
- Moniuszko-Jakoniuk J, Roszczenko A, Dzieciol J. 1999. Influence of low concentrations of N-nitrosodimethylamine on the iron level and histopathological picture of rats liver, spleen and bone marrow. *Acta Pol Toxicol* 7(2):179-186.
- Moon SH, Lee CM, Park SH, et al. 2019. Effects of hepatocyte growth factor gene-transfected mesenchymal stem cells on dimethylnitrosamine-induced liver fibrosis in rats. *Growth Factors* 37(3-4):105-119. <http://doi.org/10.1080/08977194.2019.1652399>.
- Morrison V, Ashby J. 1994. Reconciliation of five negative and four positive reports of the activity of dimethylnitrosamine in the mouse bone marrow micronucleus assay. *Mutagenesis* 9(4):361-365. <http://doi.org/10.1093/mutage/9.4.361>.
- Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludges. *Arch Environ Contam Toxicol* 13(1):75-83. <http://doi.org/10.1007/bf01055648>.
- Nakatsuru Y, Matsukuma S, Nemoto N, et al. 1993. O⁶-Methylguanine-DNA methyltransferase protects against nitrosamine-induced hepatocarcinogenesis. *Proc Natl Acad Sci U S A* 90(14):6468-6472. <http://doi.org/10.1073/pnas.90.14.6468>.
- Napalkov NP, Alexandrov VA. 1968. On the effects of blastomogenic substances on the organism during embryogenesis. *Z Krebsforsch* 71(1):32-50. <http://doi.org/10.1007/bf00524500>.
- NAS/NRC. 1989. Report of the oversight committee. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press. 15-35.
- Nasr NEH, Metwaly MG, Ahmed EO, et al. 2021. Investigating the root cause of N-nitrosodimethylamine formation in metformin pharmaceutical products. *Expert Opin Drug Saf* 20(7):855-862. <http://doi.org/10.1080/14740338.2021.1917547>.

8. REFERENCES

- Neal SB, Probst GS. 1983. Chemically-induced sister-chromatid exchange in vivo in bone marrow of Chinese hamsters. An evaluation of 24 compounds. *Mutat Res* 113(1):33-43. [http://doi.org/10.1016/0165-1161\(83\)90239-x](http://doi.org/10.1016/0165-1161(83)90239-x).
- Negishi T, Shiotani T, Fujikawa K, et al. 1991. The genotoxicities of N-nitrosamines in *Drosophila melanogaster* in vivo: the correlation of mutagenicity in the wing spot test with the DNA damages detected by the DNA-repair test. *Mutat Res* 252(2):119-128. [http://doi.org/10.1016/0165-1161\(91\)90012-w](http://doi.org/10.1016/0165-1161(91)90012-w).
- Negishi T, Yamada K, Miyamoto K, et al. 2020. Mismatch repair systems might facilitate the chromosomal recombination induced by N-nitrosodimethylamine, but not by N-nitrosodiethylamine, in *Drosophila*. *Mutagenesis* 35(2):197-206. <http://doi.org/10.1093/mutage/geaa008>.
- Ng WL, Fong LY, Newberne PM. 1984. Forestomach squamous papillomas in the rat: effect of dietary zinc deficiency on induction. *Cancer Lett* 22(3):329-332. [http://doi.org/10.1016/0304-3835\(84\)90170-8](http://doi.org/10.1016/0304-3835(84)90170-8).
- NIOSH. 2019. N-Nitrosodimethylamine. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0461.html>. April 11, 2020.
- Nishie K. 1983. Comparison of the effects of N-nitrosodimethylamine on pregnant and nonpregnant Holtzman rats. *Food Chem Toxicol* 21(4):453-462. [http://doi.org/10.1016/0278-6915\(83\)90102-3](http://doi.org/10.1016/0278-6915(83)90102-3).
- Nishie K, Norred WP, Wasserman A, et al. 1972. Phototoxicity and differential hepatotoxicity as biological indicators of nitrosamine activity. *Toxicol Appl Pharmacol* 23(4):680-691. [http://doi.org/10.1016/0041-008x\(72\)90108-1](http://doi.org/10.1016/0041-008x(72)90108-1).
- Nivard MJ, Pastink A, Vogel EW. 1996. Mutational spectra induced under distinct excision repair conditions by the 3 methylating agents N-methyl-N-nitrosourea, N-methyl-N'-nitro-N-nitrosoguanidine and N-nitrosodimethylamine in postmeiotic male germ cells of *Drosophila*. *Mutat Res* 352(1-2):97-115. [http://doi.org/10.1016/0027-5107\(96\)00011-5](http://doi.org/10.1016/0027-5107(96)00011-5).
- Nørgaard M, Andersen IT, Heide-Jørgensen U, et al. 2022. Ranitidine and risk of bladder and kidney cancer: A population-based cohort study. *Cancer Epidemiol Biomarkers Prev* 31(1):45-50. <http://doi.org/10.1158/1055-9965.Epi-21-0737>.
- NTP. 2016. N-Nitrosamines: 15 listings. In: Report on carcinogens. 14th ed. National Toxicology Program, <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/nitrosamines.pdf>. April 11, 2020.
- NTP. 2021. N-Nitrosamines: 15 listings. In: Report on carcinogens. 15th ed. National Toxicology Program, <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/nitrosamines.pdf>. August 27, 2022.
- O'Connor PJ, Chu YH, Cooper DP, et al. 1982. Species differences in the inducibility of hepatic O⁶-alkylguanine repair in rodents. *Biochimie* 64(8-9):769-773. [http://doi.org/10.1016/s0300-9084\(82\)80127-2](http://doi.org/10.1016/s0300-9084(82)80127-2).
- Odagiri Y, Adachi S, Katayama H, et al. 1986. Detection of the cytogenetic effect of inhaled aerosols by the micronucleus test. *Mutat Res* 170(1-2):79-83. [http://doi.org/10.1016/0165-1218\(86\)90084-4](http://doi.org/10.1016/0165-1218(86)90084-4).
- Ohsawa K, Furihata C, Mori M, et al. 1993. Ability of N-methyl-N'-nitro-N-nitrosoguanidine, 4-nitroquinoline 1-oxide, dimethylnitrosamine, and NaCl to induce unscheduled DNA synthesis, stimulate replicative DNA synthesis, and produce DNA single-strand breaks in pyloric mucosa of rat stomach. *Mutat Res* 287(2):307-319. [http://doi.org/10.1016/0027-5107\(93\)90023-9](http://doi.org/10.1016/0027-5107(93)90023-9).
- Okabe A, Kiriyama Y, Suzuki S, et al. 2019. Short-term detection of gastric genotoxicity using the DNA double-strand break marker gamma-H2AX. *J Toxicol Pathol* 32(2):91-99. <http://doi.org/10.1293/tox.2019-0007>.
- Okinaka RT, Barnhart BJ, Chen DJ. 1981. Comparison between sister-chromatid exchange and mutagenicity following exogenous metabolic activation of promutagens. *Mutat Res* 91(1):57-61. [http://doi.org/10.1016/0165-7992\(81\)90071-3](http://doi.org/10.1016/0165-7992(81)90071-3).
- Oliver JE. 1979. Volatilization of some herbicide-related nitrosamines from soils. *J Environ Qual* 8(4):596-601. <http://doi.org/10.2134/jeq1979.00472425000800040031x>.
- Oliver JE, Kearney PC, Kontson A. 1979. Degradation of herbicide-related nitrosamines in aerobic soils. *J Agric Food Chem* 27(4):887-891. <http://doi.org/10.1021/jf60224a018>.

8. REFERENCES

- Omori Y, Takahashi A, Ohno Y, et al. 1979. Drug-nitrite interactions: species and sex differences in the formation of dimethylnitrosamine and its effects on the hepatic enzyme activities. *Arch Toxicol Suppl* 2(2):349-354. http://doi.org/10.1007/978-3-642-67265-1_35.
- O'Neil MJ. 2013. N-Nitrosodimethylamine. In: *The Merck index: An encyclopedia of chemicals, drugs, and biologicals*. 15th ed. Cambridge, UK: Royal Society of Chemistry, 1147.
- O'Neill JP, Machanoff R, San Sebastian JR, et al. 1982. Cytotoxicity and mutagenicity of dimethylnitrosamine in mammalian cells (CHO/HGPRT system); enhancement by calcium phosphate. *Environ Mutagen* 4(1):7-18. <http://doi.org/10.1002/em.2860040103>.
- OSHA. 2021a. Occupational safety and health standards. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z-1: Limits for air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. <https://www.govinfo.gov/content/pkg/CFR-2021-title29-vol6/pdf/CFR-2021-title29-vol6-sec1910-1000.pdf>. August 28, 2022.
- OSHA. 2021b. Occupational safety and health standards for shipyard employment. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. <https://www.govinfo.gov/content/pkg/CFR-2021-title29-vol7/pdf/CFR-2021-title29-vol7-sec1915-1000.pdf>. August 28, 2022.
- OSHA. 2021c. Safety and health regulations for construction. Subpart D - Occupational health and environment controls. Gases, vapors, fumes, dusts, and mists. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55. <https://www.govinfo.gov/content/pkg/CFR-2021-title29-vol8/pdf/CFR-2021-title29-vol8-sec1926-55.pdf>. August 28, 2022.
- OSHA. 2021d. Occupational safety and health standards. 13 Carcinogens. Code of Federal Regulations 29 CFR 1910.1003. Occupational Safety and Health Administration. <https://www.govinfo.gov/content/pkg/CFR-2021-title29-vol6/pdf/CFR-2021-title29-vol6-sec1910-1003.pdf>. August 28, 2022.
- Otsuka H, Kuwahara A. 1971. Hemangiomatous lesions of mice treated with nitrosodimethylamine. *Gann* 62(3):147-156.
- Oury B, Limasset JC, Protois JC. 1997. Assessment of exposure to carcinogenic N-nitrosamines in the rubber industry. *Int Arch Occup Environ Health* 70(4):261-271.
- Özbay S, Sireli UT. 2021. Volatile N-nitrosamines in processed meat products and salami from Turkey. *Food Addit Contam Part B Surveill* 14(2):110-114. <http://doi.org/10.1080/19393210.2021.1885502>.
- Palli D, Saieva C, Coppi C, et al. 2001. O⁶-Alkylguanines, dietary N-nitroso compounds, and their precursors in gastric cancer. *Nutr Cancer* 39(1):42-49. http://doi.org/10.1207/S15327914nc391_6.
- Pancholy SK. 1978. Formation of carcinogenic nitrosamines in soils. *Soil Biol Biochem* 10(1):27-32. [http://doi.org/10.1016/0038-0717\(78\)90006-8](http://doi.org/10.1016/0038-0717(78)90006-8).
- Park SJ, Jeong MJ, Park SR, et al. 2018. Release of N-nitrosamines and N-nitrosatable substances from baby bottle teats and rubber kitchen tools in Korea. *Food Sci Biotechnol* 27(5):1519-1524. <http://doi.org/10.1007/s10068-018-0373-6>.
- Parr MK, Joseph JF. 2019. NDMA impurity in valsartan and other pharmaceutical products: Analytical methods for the determination of N-nitrosamines. *J Pharm Biomed Anal* 164:536-549. <http://doi.org/10.1016/j.jpba.2018.11.010>.
- Pedal I, Besserer K, Goerttler K, et al. 1982. Fatal nitrosamine poisoning. *Arch Toxicol* 50(2):101-112. <http://doi.org/10.1007/bf00373392>.
- Pegg AE, Hui G. 1978. Removal of methylated purines from rat liver DNA after administration of dimethylnitrosamine. *Cancer Res* 38(7):2011-2017.
- Pegg AE, Perry W. 1981. Alkylation of nucleic acids and metabolism of small doses of dimethylnitrosamine in the rat. *Cancer Res* 41(8):3128-3132.
- Pegg AE, Perry W, Bennett RA. 1981. Effect of partial hepatectomy on removal of O⁶-methylguanine from alkylated DNA by rat liver extracts. *Biochem J* 197(1):195-201. <http://doi.org/10.1042/bj1970195>.

8. REFERENCES

- Pelkonen P, Kirby GM, Wild CP, et al. 1994. Metabolism of nitrosamines and aflatoxin B1 by hamster liver CYP2A enzymes. *Chem Biol Interact* 93(1):41-50. [http://doi.org/10.1016/0009-2797\(94\)90084-1](http://doi.org/10.1016/0009-2797(94)90084-1).
- Peto R, Gray R, Brantom P, et al. 1984. Nitrosamine carcinogenesis in 5120 rodents: chronic administration of sixteen different concentrations of NDEA, NDMA, NPYR and NPIP in the water of 4440 inbred rats, with parallel studies on NDEA alone of the effect of age of starting (3, 6 or 20 weeks) and of species (rats, mice or hamsters). *IARC Sci Publ* 57:627-665.
- Peto R, Gray R, Brantom P, et al. 1991a. Effects on 4080 rats of chronic ingestion of N-nitrosodiethylamine or N-nitrosodimethylamine: a detailed dose-response study. *Cancer Res* 51(23 Pt 2):6415-6451.
- Peto R, Gray R, Brantom P, et al. 1991b. Dose and time relationships for tumor induction in the liver and esophagus of 4080 inbred rats by chronic ingestion of N-nitrosodiethylamine or N-nitrosodimethylamine. *Cancer Res* 51(23 Pt 2):6452-6469.
- Petzold GL, Swenberg JA. 1978. Detection of DNA damage induced in vivo following exposure of rats to carcinogens. *Cancer Res* 38(6):1589-1594.
- Phillips JC, Lake BG, Heading CE, et al. 1975. Studies on the metabolism of dimethylnitrosamine in the rat. I. Effect of dose, route of administration and sex. *Food Cosmet Toxicol* 13(2):203-209. [http://doi.org/10.1016/s0015-6264\(75\)80005-8](http://doi.org/10.1016/s0015-6264(75)80005-8).
- Plumlee MH, Reinhard M. 2007. Photochemical attenuation of N-nitrosodimethylamine (NDMA) and other nitrosamines in surface water. *Environ Sci Technol* 41(17):6170-6176.
- Pobel D, Riboli E, Cornee J, et al. 1995. Nitrosamine, nitrate and nitrite in relation to gastric cancer: a case-control study in Marseille, France. *Eur J Epidemiol* 11(1):67-73. <http://doi.org/10.1007/bf01719947>.
- Polo J, Chow YL. 1976. Efficient photolytic degradation of nitrosamines. *J Natl Cancer Inst* 56(5):997-1001. <http://doi.org/10.1093/jnci/56.5.997>.
- Pool BL, Brendler S, Klein RG, et al. 1988. Effects of SO₂ or NO_x on toxic and genotoxic properties of chemical carcinogens. II. Short term in vivo studies. *Carcinogenesis* 9(7):1247-1252. <http://doi.org/10.1093/carcin/9.7.1247>.
- Pool BL, Brendler SY, Liegibel UM, et al. 1990. Employment of adult mammalian primary cells in toxicology: in vivo and in vitro genotoxic effects of environmentally significant N-nitrosodialkylamines in cells of the liver, lung, and kidney. *Environ Mol Mutagen* 15(1):24-35.
- Pool-Zobel BL, Klein RG, Liegibel UM, et al. 1992. Systemic genotoxic effects of tobacco-related nitrosamines following oral and inhalational administration to Sprague-Dawley rats. *Clin Investig* 70(3-4):299-306. <http://doi.org/10.1007/bf00184666>.
- Pottegård A, Kristensen KB, Ernst MT, et al. 2018. Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. *BMJ* 362:k3851. <http://doi.org/10.1136/bmj.k3851>.
- Prival MJ, Mitchell VD. 1981. Influence of microsomal and cytosolic fractions from rat, mouse, and hamster liver on the mutagenicity of dimethylnitrosamine in the *Salmonella* plate incorporation assay. *Cancer Res* 41(11 Pt 1):4361-4367.
- Qiu Y, Bei E, Xie S, et al. 2019. Contributions of volatilization, photolysis, and biodegradation to N-nitrosodimethylamine removal in conventional drinking water treatment plants. *Sci Total Environ* 697:133993. <http://doi.org/10.1016/j.scitotenv.2019.133993>.
- Ramakrishna G, Bialkowska A, Perella C, et al. 2000. Ki-ras and the characteristics of mouse lung tumors. *Mol Carcinog* 28(3):156-167. [http://doi.org/10.1002/1098-2744\(200007\)28:3<156::aid-mc4>3.0.co;2-m](http://doi.org/10.1002/1098-2744(200007)28:3<156::aid-mc4>3.0.co;2-m).
- Rana SV, Kumar A. 2000. Metallothionein induced by cadmium or zinc inhibits lipid peroxidation in rats exposed to dimethylnitrosamine. *Arh Hig Rada Toksikol* 51(3):279-286.
- Rana SV, Kumar A. 2001. Effect of cadmium and zinc-metallothionein on methemoglobin and nitric oxide in dimethylnitrosamine treated rats. *Indian J Exp Biol* 39(5):487-489.

8. REFERENCES

- Rao GS, Osborn JC, Adatia MR. 1982. Drug-nitrite interactions in human saliva: effects of food constituents on carcinogenic N-nitrosamine formation. *J Dent Res* 61(6):768-771. <http://doi.org/10.1177/00220345820610062301>.
- Reh BD, Fajen JM. 1996. Worker exposures to nitrosamines in a rubber vehicle sealing plant. *Am Ind Hyg Assoc J* 57(10):918-923. <http://doi.org/10.1080/15428119691014431>.
- Reny R, Plumlee MH, Kodamatani H, et al. 2021. NDMA and NDMA precursor attenuation in environmental buffers prior to groundwater recharge for potable reuse. *Sci Total Environ* 762:144287. <http://doi.org/10.1016/j.scitotenv.2020.144287>.
- RePORTER. 2022. N-Nitrosodimethylamine. Research Portfolio Online Reporting Tools, National Institutes of Health. <http://projectreporter.nih.gov/reporter.cfm>. April 9, 2020.
- Robbiano L, Mereto E, Migliazza Morando A, et al. 1997. An in vivo micronucleus assay for detecting the clastogenic effect in rat kidney cells. *Mutat Res* 390(1-2):51-57. [http://doi.org/10.1016/s0165-1218\(96\)00165-6](http://doi.org/10.1016/s0165-1218(96)00165-6).
- Robbiano L, Baroni D, Novello L, et al. 2006. Correlation between induction of DNA fragmentation in lung cells from rats and humans and carcinogenic activity. *Mutat Res* 605(1-2):94-102. <http://doi.org/10.1016/j.mrgentox.2006.03.001>.
- Rodriguez-Arnaliz R, Soto PO, Oyarzun JC, et al. 1996. Analysis of mitotic recombination induced by several mono- and bifunctional alkylating agents in the *Drosophila* wing-spot test. *Mutat Res* 351(2):133-145. [http://doi.org/10.1016/0027-5107\(95\)00217-0](http://doi.org/10.1016/0027-5107(95)00217-0).
- Rogers MA, Vaughan TL, Davis S, et al. 1995. Consumption of nitrate, nitrite, and nitrosodimethylamine and the risk of upper aerodigestive tract cancer. *Cancer Epidemiol Biomarkers Prev* 4(1):29-36.
- Roscher E, Wiebel FJ. 1989. H4IIEC3 rat hepatoma cells activate N-nitrosodimethylamine but are resistant to the genotoxic products. *Mutagenesis* 4(4):292-296. <http://doi.org/10.1093/mutage/4.4.292>.
- Ross RD, Morrison J, Rounbehler DP, et al. 1977. N-Nitroso-compound impurities in herbicide formulations. *J Agric Food Chem* 25(6):1416-1418. <http://doi.org/10.1021/jf60214a013>.
- Rossberger S, Andrae U, Wiebel FJ. 1987. Comparison of the continuous rat hepatoma cell line 2sFou with primary rat hepatocyte cultures for the induction of DNA repair synthesis by nitrosamines, benzo[a]pyrene and hydroxyurea. *Mutat Res* 182(1):41-51. [http://doi.org/10.1016/0165-1161\(87\)90006-9](http://doi.org/10.1016/0165-1161(87)90006-9).
- Rostkowska K, Zwierz K, Arciuch LP, et al. 1998. Activity of lysosomal exoglycosidases of rat alimentary tract in chronic exposure to N-nitrosodimethylamine. *Pol J Environ Stud* 7(5):313-316.
- Roszczenko A, Jablonski J, Moniuszko-Jakoniuk J. 1996a. [Effect of n-nitrosodimethylamine (NDMA) on activity of selected enzymes in blood serum of the rat]. *Med Pr* 47(1):49-53. (Polish)
- Roszczenko A, Jablonski J, Moniuszko-Jakoniuk J, et al. 1996b. The influence of low doses of n-nitrosodimethylamine on the chosen parameters of iron balance in rat. *Pol J Environ Stud* 5(5):37-40.
- Rothfuss A, O'Donovan M, De BM, et al. 2010. Collaborative study on fifteen compounds in the rat-liver Comet assay integrated into 2- and 4-week repeat-dose studies. *Mutat Res* 702(1):40-69. <http://doi.org/10.1016/j.mrgentox.2010.07.006>.
- Rounbehler DP, Reisch J, Fine DH. 1980. Nitrosamines in new motor-cars. *Food Cosmet Toxicol* 18(2):147-151. [http://doi.org/10.1016/0015-6264\(80\)90068-1](http://doi.org/10.1016/0015-6264(80)90068-1).
- Rounbehler DP, Krull IS, Goff EU, et al. 1979. Exposure to n-nitrosodimethylamine in a leather tannery. *Food Cosmet Toxicol* 17(5):487-491. [http://doi.org/10.1016/0015-6264\(79\)90008-7](http://doi.org/10.1016/0015-6264(79)90008-7).
- Sack S, Avisar D, Kaplan A, et al. 2021. Detection of N-nitrosodimethylamine (NDMA) and its formation potential in hospital wastewater. *Environ Sci Pollut Res Int* 28(11):14199-14206. <http://doi.org/10.1007/s11356-021-12785-1>.
- Saha JK, Xia J, Sandusky GE, et al. 2007. Study of plasma protein C and inflammatory pathways: biomarkers for dimethylnitrosamine-induced liver fibrosis in rats. *Eur J Pharmacol* 575(1-3):158-167. <http://doi.org/10.1016/j.ejphar.2007.07.052>.

8. REFERENCES

- Sakai H, Takamatsu T, Kosaka K, et al. 2012. Effects of wavelength and water quality on photodegradation of N-Nitrosodimethylamine (NDMA). *Chemosphere* 89(6):702-707. <http://doi.org/10.1016/j.chemosphere.2012.06.025>.
- Sasaki YF. 1991. Micronucleus test with mouse peripheral blood erythrocytes: summary report of the fifth collaborative study by CSGMT/JEMS.MMS. *Mutat Res* 253(3):283. [http://doi.org/10.1016/0165-1161\(91\)90231-v](http://doi.org/10.1016/0165-1161(91)90231-v).
- Sato S, Taketomi M, Morita T. 1992. Simplified mouse peripheral reticulocyte micronucleus test with dimethylnitrosamine. *Mutat Res* 278(2-3):103-107.
- Sawada S, Furihata C, Matsushima T. 1989. In vivo short-term assays of repair and replication of rat liver DNA. *J Cancer Res Clin Oncol* 115(4):345-350. <http://doi.org/10.1007/bf00400961>.
- Sawada S, Yamanaka T, Yamatsu K, et al. 1991. Chromosome aberrations, micronuclei and sister-chromatid exchanges (SCEs) in rat liver induced in vivo by hepatocarcinogens including heterocyclic amines. *Mutat Res* 251(1):59-69. [http://doi.org/10.1016/0027-5107\(91\)90215-a](http://doi.org/10.1016/0027-5107(91)90215-a).
- Sawada S, Asakura S, Daimon H, et al. 1995. Comparison of autoradiography, liquid scintillation counting and immunoenzymatic staining of 5-bromo-2'-deoxyuridine for measurement of unscheduled DNA synthesis and replicative DNA synthesis in rat liver. *Mutat Res* 344(3-4):109-116. [http://doi.org/10.1016/0165-1218\(95\)00039-9](http://doi.org/10.1016/0165-1218(95)00039-9).
- Sawicki E, Belsky T, Friedel RA, et al. 1977. N-Nitrosodimethylamine an ambient air. Analytical method. *Health Lab Sci* 14(1):59-63.
- Scanlan RA. 1983. Formation and occurrence of nitrosamines in food. *Cancer Res* 43(5 Suppl):2435s-2440s.
- SCCP. 2007. Opinion on the presence and release of nitrosamines and nitrosatable compounds from rubber balloons. Scientific Committee on Consumer Products. https://ec.europa.eu/health/ph_risk/committees/04_sccp/docs/sccp_o_121.pdf. September 15, 2020.
- Scherer E, Van Den Berg T, Vermeulen E, et al. 1989. Immunocytochemical analysis of O6-alkylguanine shows tissue specific formation in and removal from esophageal and liver DNA in rats treated with methylbenzylnitrosamine, dimethylnitrosamine, diethylnitrosamine and ethylnitrosourea. *Cancer Lett* 46(1):21-29. [http://doi.org/10.1016/0304-3835\(89\)90210-3](http://doi.org/10.1016/0304-3835(89)90210-3).
- Scherer G, Urban M, Hagedorn HW, et al. 2010. Determination of methyl-, 2-hydroxyethyl- and 2-cyanoethylmercapturic acids as biomarkers of exposure to alkylating agents in cigarette smoke. *J Chromatogr* 878:2520-2528. <http://doi.org/10.1016/j.jchromb.2010.02.023>.
- Schlingemann J, Boucley C, Hickert S, et al. 2022. Avoiding N-nitrosodimethylamine formation in metformin pharmaceuticals by limiting dimethylamine and nitrite. *Int J Pharm* 620:121740. <http://doi.org/10.1016/j.ijpharm.2022.121740>.
- Schreiber IM, Mitch WA. 2006. Occurrence and fate of nitrosamines and nitrosamine precursors in wastewater-impacted surface waters using boron as a conservative tracer. *Environ Sci Technol* 40(10):3203-3210. <http://doi.org/10.1021/es052078r>.
- SEPA. 2015. Review of amine emissions from carbon capture systems. Scottish Environment Protection Agency. <https://www.sepa.org.uk/media/155585/review-of-amine-emissions-from-carbon-capture-systems.pdf>. June 22, 2022.
- Sgroi M, Roccaro P, Oelker GL, et al. 2014. N-Nitrosodimethylamine formation upon ozonation and identification of precursors source in a municipal wastewater treatment plant. *Environ Sci Technol* 48(17):10308-10315. <http://doi.org/10.1021/es5011658>.
- Sgroi M, Roccaro P, Oelker G, et al. 2016. N-Nitrosodimethylamine (NDMA) formation during ozonation of wastewater and water treatment polymers. *Chemosphere* 144:1618-1623. <http://doi.org/10.1016/j.chemosphere.2015.10.023>.
- Sgroi M, Vagliasindi FGA, Snyder SA, et al. 2018. N-Nitrosodimethylamine (NDMA) and its precursors in water and wastewater: A review on formation and removal. *Chemosphere* 191:685-703. <http://doi.org/10.1016/j.chemosphere.2017.10.089>.

8. REFERENCES

- Shaddock JG, Feuers RJ, Chou MW, et al. 1993. Effects of aging and caloric restriction on the genotoxicity of four carcinogens in the in vitro rat hepatocyte/DNA repair assay. *Mutat Res* 295(1):19-30. [http://doi.org/10.1016/0921-8734\(93\)90008-q](http://doi.org/10.1016/0921-8734(93)90008-q).
- Shane BS, de Boer JG, Glickman BW, et al. 1999. Oxazepam is mutagenic in vivo in Big Blue® transgenic mice. *Carcinogenesis* 20(7):1315-1321. <http://doi.org/10.1093/carcin/20.7.1315>.
- Shane BS, Smith-Dunn DL, deBoer JG, et al. 2000a. Subchronic administration of phenobarbital alters the mutation spectrum of lacI in the livers of Big Blue® transgenic mice. *Mutat Res Fundam Mol Mech Mutagen* 448(1):69-80. [http://doi.org/10.1016/s0027-5107\(00\)00002-6](http://doi.org/10.1016/s0027-5107(00)00002-6).
- Shane BS, Smith-Dunn DL, de Boer JG, et al. 2000b. Mutant frequencies and mutation spectra of dimethylnitrosamine (DMN) at the lacI and cII loci in the livers of Big Blue transgenic mice. *Mutat Res* 452(2):197-210. [http://doi.org/10.1016/s0027-5107\(00\)00081-6](http://doi.org/10.1016/s0027-5107(00)00081-6).
- Shapley D. 1976. Nitrosamines: scientists on the trail of prime suspect in urban cancer. *Science* 191(4224):268-270. <http://doi.org/10.1126/science.191.4224.268>.
- Sharma RK, Lemmon M, Bakke J, et al. 1983. Studies of in utero sister chromatid exchange induction and cell replication kinetics [abstract]. *Environ Mutagen* 5:406.
- Sharma S, Salehi F, Scheithauer BW, et al. 2009. Role of MGMT in tumor development, progression, diagnosis, treatment and prognosis. *Anticancer Res* 29(10):3759-3768.
- Sharpless CM, Linden KG. 2003. Experimental and model comparisons of low- and medium-pressure Hg lamps for the direct and H₂O₂ assisted UV photodegradation of N-nitrosodimethylamine in simulated drinking water. *Environ Sci Technol* 37(9):1933-1940.
- Shen L, Liao X, Qi H, et al. 2019. NDMA formation from 4,4'-hexamethylenebis (HDMs) during ozonation: influencing factors and mechanisms. *Environ Sci Pollut Res Int* 26(2):1584-1594. <http://doi.org/10.1007/s11356-018-3684-5>.
- Shephard SE, Gunz D, Schlatter C. 1995. Genotoxicity of agaritine in the lacI transgenic mouse mutation assay: Evaluation of the health risk of mushroom consumption. *Food Chem Toxicol* 33(4):257-264. [http://doi.org/10.1016/0278-6915\(94\)00142-b](http://doi.org/10.1016/0278-6915(94)00142-b).
- Sheweita SA, El-Bendery HA, Mostafa MH. 2014. Novel study on N-nitrosamines as risk factors of cardiovascular diseases. *Biomed Res Int* 2014:817019. <http://doi.org/10.1155/2014/817019>.
- Sheweita SA, El Banna YY, Balbaa M, et al. 2017. N-Nitrosamines induced infertility and hepatotoxicity in male rabbits. *Environ Toxicol* 32(9):2212-2220. <http://doi.org/10.1002/tox.22436>.
- Shimizu RW, Sun JD, Li AP, et al. 1984. The use of sister-chromatid exchange in Chinese hamster primary lung cell cultures to measure genotoxicity. *Mutat Res* 130(5):333-342. [http://doi.org/10.1016/0165-1161\(84\)90019-0](http://doi.org/10.1016/0165-1161(84)90019-0).
- Singh J, Roscher E. 1991. Induction of DNA damage by N-nitrosodiethylamine in rat hepatoma cells: correlation with cytochrome P450-mediated aldrin epoxidase activity. *Mutagenesis* 6(2):117-121. <http://doi.org/10.1093/mutage/6.2.117>.
- Sirianni SR, Huang CC. 1987. Comparison of S9 fractions from rats, mice, and Chinese hamsters to metabolize dimethylnitrosamine and diethylnitrosamine to intermediates that induce sister-chromatid exchanges in V79 cells. *Mutat Res* 188(1):7-11. [http://doi.org/10.1016/0165-1218\(87\)90108-x](http://doi.org/10.1016/0165-1218(87)90108-x).
- Skaare JU, Nafstad I. 1978. Interaction of vitamin E and selenium with the hepatotoxic agent dimethylnitrosamine. *Acta Pharmacol Toxicol (Copenh)* 43(2):119-128. <http://doi.org/10.1111/j.1600-0773.1978.tb02245.x>.
- Smith CJ, Perfetti TA, Rumple MA, et al. 2000. "IARC group 2A Carcinogens" reported in cigarette mainstream smoke. *Food Chem Toxicol* 38(4):371-383. [http://doi.org/10.1016/s0278-6915\(99\)00156-8](http://doi.org/10.1016/s0278-6915(99)00156-8).
- Soltermann F, Lee M, Canonica S, et al. 2013. Enhanced N-nitrosamine formation in pool water by UV irradiation of chlorinated secondary amines in the presence of monochloramine. *Water Res* 47(1):79-90. <http://doi.org/10.1016/j.watres.2012.09.034>.
- Song P, Wu L, Guan W. 2015. Dietary nitrates, nitrites, and nitrosamines intake and the risk of gastric cancer: A meta-analysis. *Nutrients* 7(12):9872-9895. <http://doi.org/10.3390/nu7125505>.

8. REFERENCES

- Sørensen L, Zahlsen K, Hyldbakk A, et al. 2015. Photodegradation in natural waters of nitrosamines and nitramines derived from CO₂ capture plant operation. *Int J Greenhouse Gas Control* 32:106-114. <http://doi.org/10.1016/j.ijggc.2014.11.004>.
- Souliotis VL, Chhabra S, Anderson LM, et al. 1995. Dosimetry of O6-methylguanine in rat DNA after low-dose, chronic exposure to N-nitrosodimethylamine (NDMA). Implications for the mechanism of NDMA hepatocarcinogenesis. *Carcinogenesis* 16(10):2381-2387. <http://doi.org/10.1093/carcin/16.10.2381>.
- Souliotis VL, van Delft JH, Steenwinkel MJ, et al. 1998. DNA adducts, mutant frequencies and mutation spectra in lambda lacZ transgenic mice treated with N-nitrosodimethylamine. *Carcinogenesis* 19(5):731-739. <http://doi.org/10.1093/carcin/19.5.731>.
- Souliotis VL, Henneman JR, Reed CD, et al. 2002. DNA adducts and liver DNA replication in rats during chronic exposure to N-nitrosodimethylamine (NDMA) and their relationships to the dose-dependence of NDMA hepatocarcinogenesis. *Mutat Res* 500(1-2):75-87. [http://doi.org/10.1016/s0027-5107\(01\)00301-3](http://doi.org/10.1016/s0027-5107(01)00301-3).
- Spiegelhalder B, Preussman R. 1983. II.1.a Analysis of airborne N-nitrosamines: general aspects and sampling strategies. *IARC Sci Publ* 45:41-53.
- Spiegelhalder B, Eisenbrand G, Preussmann R. 1982. Urinary excretion of N-nitrosamines in rats and humans. *IARC Sci Publ* 41:443-449.
- Steinmetz KL, Mirsalis JC. 1984. Induction of unscheduled DNA synthesis in primary cultures of rat pancreatic cells following in vivo and in vitro treatment with genotoxic agents. *Environ Mutagen* 6(3):321-330. <http://doi.org/10.1002/em.2860060308>.
- Stott W, Watanabe PG. 1980. Kinetic interaction of chemical mutagens with mouse sperm in vivo as it relates to animal mutagenic effects. *Toxicol Appl Pharmacol* 55(3):411-416. [http://doi.org/10.1016/0041-008x\(80\)90042-3](http://doi.org/10.1016/0041-008x(80)90042-3).
- Straif K, Weiland S, Werner B, et al. 1999. Elevated mortality from nonalcohol-related chronic liver disease among female rubber workers: Is it associated with exposure to nitrosamines? *Am J Ind Med* 35(3):264-271. [http://doi.org/10.1002/\(sici\)1097-0274\(199903\)35:3<264::aid-ajim6>3.0.co;2-x](http://doi.org/10.1002/(sici)1097-0274(199903)35:3<264::aid-ajim6>3.0.co;2-x).
- Straif K, Weiland SK, Bungers M, et al. 2000. Exposure to high concentrations of nitrosamines and cancer mortality among a cohort of rubber workers. *Occup Environ Med* 57(3):180-187. <http://doi.org/10.1136/oem.57.3.180>.
- Streeter AJ, Nims RW, Sheffels PR, et al. 1990a. Metabolic denitrosation of N-nitrosodimethylamine in vivo in the rat. *Cancer Res* 50(4):1144-1150.
- Streeter AJ, Nims RW, Wu PP, et al. 1990b. Toxicokinetics of N-nitrosodimethylamine in the Syrian golden hamster. *Arch Toxicol* 64(7):562-566. <http://doi.org/10.1007/bf01971835>.
- Stripp B, Sipes G, Maling HM, et al. 1974. Dibenamine impairment of rat hepatic microsomal enzymes and its relation to hepatotoxicity induced by CCl₄ and dimethylnitrosamine. *Drug Metab Dispos* 2(5):464-467.
- Strombeck DR, Harrold D, Rogers Q, et al. 1983. Plasma amino acid, glucagon, and insulin concentrations in dogs with nitrosamine-induced hepatic disease. *Am J Vet Res* 44(11):2028-2036.
- Stuff JE, Goh ET, Barrera SL, et al. 2009. N-Nitroso compounds: Assessing agreement between food frequency questionnaires and 7-day food records. *J Am Diet Assoc* 109:1179-1183. <http://doi.org/10.1016/j.jada.2009.04.006>.
- Stumpf R, Margison GP, Montesano R, et al. 1979. Formation and loss of alkylated purines from DNA of hamster liver after administration of dimethylnitrosamine. *Cancer Res* 39(1):50-54.
- Sulc M, Hodek P, Stiborova M. 2010. The binding affinity of carcinogenic N-nitrosodimethylamine and N-nitrosomethylaniline to cytochromes P450 2B4, 2E1 and 3A6 does not dictate the rate of their enzymatic N-demethylation. *Gen Physiol Biophys* 29(2):175-185. http://doi.org/10.4149/gpb_2010_02_175.
- Sulc M, Kubickova B, Maslova V, et al. 2004. Rabbit liver microsomal system: study of interaction with two model N-nitrosamines and their metabolism. *Gen Physiol Biophys* 23(4):423-433.

8. REFERENCES

- Sumi Y, Miyakawa M. 1983. Susceptibility of germ-free rats to the hepatotoxic effects of dimethylnitrosamine or dimethylamine plus sodium nitrite administered orally. *Cancer Res* 43(6):2942-2946.
- Surh YJ, Lee RC, Park KK, et al. 1995. Chemoprotective effects of capsaicin and diallyl sulfide against mutagenesis or tumorigenesis by vinyl carbamate and N-nitrosodimethylamine. *Carcinogenesis* 16(10):2467-2471. <http://doi.org/10.1093/carcin/16.10.2467>.
- Suzuki T, Itoh T, Hayashi M, et al. 1996. Organ variation in the mutagenicity of dimethylnitrosamine in Big Blue mice. *Environ Mol Mutagen* 28(4):348-353. [http://doi.org/10.1002/\(SICI\)1098-2280\(1996\)28:4<348::AID-EM8>3.0.CO;2-7](http://doi.org/10.1002/(SICI)1098-2280(1996)28:4<348::AID-EM8>3.0.CO;2-7).
- Suzuki T, Miyata Y, Saeki K, et al. 1998. In vivo mutagenesis by the hepatocarcinogen quinoline in the lacZ transgenic mouse: evidence for its in vivo genotoxicity. *Mutat Res* 412(2):161-166. [http://doi.org/10.1016/s1383-5718\(97\)00185-x](http://doi.org/10.1016/s1383-5718(97)00185-x).
- Suzuki H, Ikeda N, Kobayashi K, et al. 2005. Evaluation of liver and peripheral blood micronucleus assays with 9 chemicals using young rats. A study by the Collaborative Study Group for the Micronucleus Test (CSGMT)/Japanese Environmental Mutagen Society (JEMS)-Mammalian Mutagenicity Study Group (MMS). *Mutat Res* 583(2):133-145. <http://doi.org/10.1016/j.mrgentox.2005.03.012>.
- Suzuki H, Takasawa H, Kobayashi K, et al. 2009. Evaluation of a liver micronucleus assay with 12 chemicals using young rats (II): a study by the Collaborative Study Group for the Micronucleus Test/Japanese Environmental Mutagen Society-Mammalian Mutagenicity Study Group. *Mutagenesis* 24(1):9-16. <http://doi.org/10.1093/mutage/gen047>.
- Swann PF, Coe AM, Mace R. 1984. Ethanol and dimethylnitrosamine and diethylnitrosamine metabolism and disposition in the rat. Possible relevance to the influence of ethanol on human cancer incidence. *Carcinogenesis* 5(10):1337-1343. <http://doi.org/10.1093/carcin/5.10.1337>.
- Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Res Rev* 85:17-28. http://doi.org/10.1007/978-1-4612-5462-1_3.
- Swedmark S, Romert L, Beije B, et al. 1994. Comparison of co-cultivation of V79 cells with rat hepatocytes and rat H4IIE hepatoma cells for studying nitrosamine-induced hprt gene mutations. *Mutagenesis* 9(4):281-287. <http://doi.org/10.1093/mutage/9.4.281>.
- Szczuka A, Huang N, MacDonald JA, et al. 2020. N-Nitrosodimethylamine formation during UV/hydrogen peroxide and UV/chlorine advanced oxidation process treatment following reverse osmosis for potable reuse. *Environ Sci Technol* 54(23):15465-15475. <http://doi.org/10.1021/acs.est.0c05704>.
- Takahashi S, Hall J, Montesano R. 1996. Temporal cell-type-specific mRNA expression of O6-methylguanine-DNA methyltransferases in liver of rats treated with dimethylnitrosamine. *Am J Pathol* 148(2):497-507.
- Takahashi S, Ikeda Y, Orita S, et al. 2000. Enhancing effects of 2-amino-4,5-diphenylthiazole-induced polycystic kidneys on renal carcinogenesis in rats treated with dimethylnitrosamine. *Toxicol Appl Pharmacol* 167(1):12-17. <http://doi.org/10.1006/taap.2000.8983>.
- Takashima R, Takasawa H, Kawasako K, et al. 2015. Evaluation of a repeated dose liver micronucleus assay in rats treated with two genotoxic hepatocarcinogens, dimethylnitrosamine and 2-acetylaminofluorene: the possibility of integrating micronucleus tests with multiple tissues into a repeated dose general toxicity study. *Mutat Res Genet Toxicol Environ Mutagen* 780-781:18-24. <http://doi.org/10.1016/j.mrgentox.2014.10.007>.
- Takayama S, Oota K. 1965. Induction of malignant tumors in various strains of mice by oral administration of N-nitrosodimethylamine and N-nitrosodiethylamine. *Gann* 56:189-199.
- Tan S, Jiang S, Lai Y, et al. 2019. Formation potential of nine nitrosamines from polyacrylamide during chloramination. *Sci Total Environ* 670:1103-1110. <http://doi.org/10.1016/j.scitotenv.2019.03.281>.
- Tate RL, Alexander M. 1975. Stability of nitrosamines in samples of lake water, soil, and sewage. *J Natl Cancer Inst* 54(2):327-330.

8. REFERENCES

- Tates AD, Neuteboom I, Hofker M. 1980. A micronucleus technique for detecting clastogenic effects of mutagens/carcinogens (DEN, DMN) in hepatocytes of rat liver in vivo. *Mutat Res* 74(1):11-20. [http://doi.org/10.1016/0165-1161\(80\)90187-9](http://doi.org/10.1016/0165-1161(80)90187-9).
- Terao K, Aikawa T, Kera K. 1978. A synergistic effect of nitrosodimethylamine on sterigmatocystin carcinogenesis in rats. *Food Cosmet Toxicol* 16(6):591-596. [http://doi.org/10.1016/s0015-6264\(78\)80228-4](http://doi.org/10.1016/s0015-6264(78)80228-4).
- Terracini B, Palestro G, Gigliardi MR, et al. 1966. Carcinogenicity of dimethylnitrosamine in Swiss mice. *Br J Cancer* 20(4):871-876. <http://doi.org/10.1038/bjc.1966.100>.
- Thomas RG. 1982. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw-Hill Book Co., 15-27.
- Tinwell H, Lefevre PA, Ashby J. 1994a. Mutation studies with dimethyl nitrosamine in young and old lac I transgenic mice. *Mutat Res* 307(2):501-508. [http://doi.org/10.1016/0027-5107\(94\)90261-5](http://doi.org/10.1016/0027-5107(94)90261-5).
- Tinwell H, Lefevre PA, Ashby J. 1994b. Response of the Muta mouse lacZ/galE- transgenic mutation assay to DMN: comparisons with the corresponding Big Blue (lacI) responses. *Mutat Res* 307(1):169-173. [http://doi.org/10.1016/0027-5107\(94\)90289-5](http://doi.org/10.1016/0027-5107(94)90289-5).
- Tinwell H, Lefevre PA, Ashby J. 1998. Relative activities of methyl methanesulphonate (MMS) as a genotoxin, clastogen and gene mutagen to the liver and bone marrow of MutaMouse mice. *Environ Mol Mutagen* 32(2):163-172.
- Tinwell H, Liegibel U, Krebs O, et al. 1995. Comparison of lacI and lacZ transgenic mouse mutation assays: an EU-sponsored interlaboratory study. *Mutat Res* 335(2):185-190. [http://doi.org/10.1016/0165-1161\(95\)90054-3](http://doi.org/10.1016/0165-1161(95)90054-3).
- Tomkins DJ, Kwok SE, Douglas GR, et al. 1982. Sister chromatid exchange response of human diploid fibroblasts and Chinese hamster ovary cells to dimethylnitrosamine and benzo(a)pyrene. *Environ Mutagen* 4(3):203-214. <http://doi.org/10.1002/em.2860040302>.
- Tricker AR, Spiegelhalder B, Preussman R. 1989. Environmental exposure to preformed nitroso compounds. *Cancer Surv* 8(2):251-272.
- Tricker AR, Ditrich C, Preussmann R. 1991. N nitroso compounds in cigarette tobacco and their occurrence in mainstream tobacco smoke. *Carcinogenesis* 12(2):257-261.
- Trzos RJ, Petzold GL, Brunden MN, et al. 1978. The evaluation of sixteen carcinogens in the rat using the micronucleus test. *Mutat Res* 58(1):79-86. [http://doi.org/10.1016/0165-1218\(78\)90097-6](http://doi.org/10.1016/0165-1218(78)90097-6).
- Tsuda S, Murakami M, Matsusaka N, et al. 2001. DNA damage induced by red food dyes orally administered to pregnant and male mice. *Toxicol Sci* 61(1):92-99. <http://doi.org/10.1093/toxsci/61.1.92>.
- Tsutsumi T, Akiyama H, Demizu Y, et al. 2019. Analysis of an impurity, N-nitrosodimethylamine, in valsartan drug substances and associated products using GC-MS. *Biol Pharm Bull* 42(4):547-551. <http://doi.org/10.1248/bpb.b19-00006>.
- Tuazon EC, Carter WP, Atkinson R, et al. 1984. Atmospheric reactions of N-nitrosodimethylamine and dimethylnitramine. *Environ Sci Technol* 18(1):49-54. <http://doi.org/10.1021/es00119a011>.
- Uhl M, Helma C, Knasmuller S. 1999. Single-cell gel electrophoresis assays with human-derived hepatoma (Hep G2) cells. *Mutat Res* 441(2):215-224. [http://doi.org/10.1016/s1383-5718\(99\)00050-9](http://doi.org/10.1016/s1383-5718(99)00050-9).
- Uibu J, Tauts O, Levin A, et al. 1996. N-nitrosodimethylamine, nitrate and nitrate-reducing microorganisms in human milk. *Acta Paediatr* 85(10):1140-1142.
- Ungar H. 1984. Primary portal venopathy in the golden hamster treated with low doses of dimethylnitrosamine. *Liver* 4(4):244-254. <http://doi.org/10.1111/j.1600-0676.1984.tb00934.x>.
- Ungar H. 1986. Venoocclusive disease of the liver and phlebectatic peliosis in the golden hamster exposed to dimethylnitrosamine. *Pathol Res Pract* 181(2):180-187. [http://doi.org/10.1016/S0344-0338\(86\)80008-5](http://doi.org/10.1016/S0344-0338(86)80008-5).

8. REFERENCES

- Vaidya R, Wilson CA, Salazar-Benites G, et al. 2021. Factors affecting removal of NDMA in an ozone-biofiltration process for water reuse. *Chemosphere* 264(Pt 1):128333. <http://doi.org/10.1016/j.chemosphere.2020.128333>.
- Valentin-Severin I, Le Hegarat L, Lhuguenot JC, et al. 2003. Use of HepG2 cell line for direct or indirect mutagens screening: comparative investigation between comet and micronucleus assays. *Mutat Res* 536(1-2):79-90. [http://doi.org/10.1016/s1383-5718\(03\)00031-7](http://doi.org/10.1016/s1383-5718(03)00031-7).
- van Breda SG, Mathijs K, Sági-Kiss V, et al. 2019. Impact of high drinking water nitrate levels on the endogenous formation of apparent N-nitroso compounds in combination with meat intake in healthy volunteers. *Environ Health* 18(1):87. <http://doi.org/10.1186/s12940-019-0525-z>.
- Van Huy N, Murakami M, Sakai H, et al. 2011. Occurrence and formation potential of N-nitrosodimethylamine in ground water and river water in Tokyo. *Water Res* 45(11):3369-3377. <http://doi.org/10.1016/j.watres.2011.03.053>.
- Veid J, Karttunen V, Myohanen K, et al. 2011. Acute effects of ethanol on the transfer of nicotine and two dietary carcinogens in human placental perfusion. *Toxicol Lett* 205(3):257-264. <http://doi.org/10.1016/j.toxlet.2011.06.014>.
- Venkatesan AK, Pycke BF, Halden RU. 2014. Detection and occurrence of N-nitrosamines in archived biosolids from the targeted national sewage sludge survey of the U.S. Environmental Protection Agency. *Environ Sci Technol* 48(9):5085-5092. <http://doi.org/10.1021/es5001352>.
- Vermeer IT, Pachen DM, Dallinga JW, et al. 1998. Volatile N-nitrosamine formation after intake of nitrate at the ADI level in combination with an amine-rich diet. *Environ Health Perspect* 106(8):459-463. <http://doi.org/10.1289/ehp.106-1533225>.
- Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver. Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238(2):476-483. <http://doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vogel EW, Barbin A, Nivard MJ, et al. 1990. Nucleophilic selectivity of alkylating agents and their hypermutability in *Drosophila* as predictors of carcinogenic potency in rodents. *Carcinogenesis* 11(12):2211-2217. <http://doi.org/10.1093/carcin/11.12.2211>.
- Wade GG, Mandel R, Ryser HJ. 1987. Marked synergism of dimethylnitrosamine carcinogenesis in rats exposed to cadmium. *Cancer Res* 47(24 Pt 1):6606-6613.
- Wagner ED, Osiol J, Mitch WA, et al. 2014. Comparative in vitro toxicity of nitrosamines and nitramines associated with amine-based carbon capture and storage. *Environ Sci Technol* 48(14):8203-8211. <http://doi.org/10.1021/es5018009>.
- Wang HY, Qin M, Dong L, et al. 2017. Genotoxicity of a low-dose nitrosamine mixture as drinking water disinfection byproducts in NIN3T3 cells. *Int J Med Sci* 14(10):961-969. <http://doi.org/10.7150/ijms.20121>.
- Waynfirth HB, Magee PN. 1974. The effect of N-nitroso-N-methylurea and N-dimethylnitrosamine on cell mediated and humoral immune responses in rats and mice. *Br J Cancer* 30(6):512-523. <http://doi.org/10.1038/bjc.1974.230>.
- Weast RC. 1983. Dimethyl amine N-nitroso or Dimethylnitrosoamine. In: CRC handbook of chemistry and physics. 64th ed. Boca Raton, FL: CRC Press, C-270.
- Webster RP, Gawde MD, Bhattacharya RK. 1996. Protective effect of rutin, a flavonol glycoside, on the carcinogen-induced DNA damage and repair enzymes in rats. *Cancer Lett* 109(1-2):185-191.
- White CM. 2020. Understanding and preventing (N-nitrosodimethylamine) NDMA contamination of medications. *Ann Pharmacother* 54(6):611-614. <http://doi.org/10.1177/1060028019892222>.
- WHO. 2002. Concise international chemical assessment document: N-Nitrosodimethylamine. World Health Organization. CICAD 38. <https://www.who.int/ipcs/publications/cicad/en/cicad38.pdf?ua=1>. April 17, 2020.
- WHO. 2008. N-Nitrosodimethylamine (NDMA). Guidelines for drinking-water quality. World Health Organization. https://www.who.int/water_sanitation_health/dwq/chemicals/ndmasummary_2ndadd.pdf. April 15, 2020.

8. REFERENCES

- WHO. 2010. Guidelines for indoor air quality: Selected pollutants. World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. April 25, 2012.
- WHO. 2022. Guidelines for drinking-water quality. Fourth edition incorporating the first and second addenda. World Health Organization. <https://www.who.int/publications/i/item/9789240045064>. June 22, 2022.
- Wild D. 1978. Cytogenetic effects in the mouse of 17 chemical mutagens and carcinogens evaluated by the micronucleus test. *Mutat Res* 56(3):319-327. [http://doi.org/10.1016/0027-5107\(78\)90200-2](http://doi.org/10.1016/0027-5107(78)90200-2).
- Windholz M. 1983. N-Nitrosodimethylamine. In: The Merck index. 10th ed. Rahway, NJ: Merck and Co, Inc., 952, 864, 1387-1388.
- Winton DJ, Gooderham NJ, Boobis AR, et al. 1990. Mutagenesis of mouse intestine in vivo using the Dlb-1 specific locus test: studies with 1,2-dimethylhydrazine, dimethylnitrosamine, and the dietary mutagen 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline. *Cancer Res* 50(24):7992-7996.
- Wishnok JS, Rogers AE, Sanchez O, et al. 1978. Dietary effects on the pharmacokinetics of three carcinogenic nitrosamines. *Toxicol Appl Pharmacol* 43(2):391-398. [http://doi.org/10.1016/0041-008x\(78\)90018-2](http://doi.org/10.1016/0041-008x(78)90018-2).
- Wishnok JS, Tannenbaum SR, Fox JG, et al. 1987. The ferret as a model for endogenous synthesis and metabolism of N-nitrosamines. *IARC Sci Publ* 84:135-137.
- Wolf T, Niehaus-Rolf C, Luepke NP. 2003. Investigating genotoxic and hematotoxic effects of N-nitrosodimethylamine, N-nitrosodiethylamine and N-nitrosodiethanolamine in the hen's egg-micronucleus test (HET-MN). *Food Chem Toxicol* 41(4):561-573. [http://doi.org/10.1016/s0278-6915\(02\)00281-8](http://doi.org/10.1016/s0278-6915(02)00281-8).
- Woodruff RC, Seeger MA. 1991. Test of a semiselective screen for induced aneuploidy in germ cells of *Drosophila melanogaster* females with structurally normal chromosomes. *Mutat Res* 252(1):61-82. [http://doi.org/10.1016/0165-1161\(91\)90252-4](http://doi.org/10.1016/0165-1161(91)90252-4).
- WQP. 2022. Water quality portal: N-Nitroso-dimethylamine. National Water Quality Monitoring Council. <https://www.waterqualitydata.us/>. July 22, 2022.
- Yamane Y, Sakai K, Umeda T, et al. 1984. Suppressive effect of cupric acetate on DNA alkylation, DNA synthesis and tumorigenesis in the liver of dimethylnitrosamine-treated rats. *Gann* 75(12):1062-1069.
- Yang CS, Tu YY, Koop DR, et al. 1985. Metabolism of nitrosamines by purified rabbit liver cytochrome P-450 isozymes. *Cancer Res* 45(3):1140-1145.
- Yang CS, Yoo JS, Ishizaki H, et al. 1990. Cytochrome P450IIe1: roles in nitrosamine metabolism and mechanisms of regulation. *Drug Metab Rev* 22(2-3):147-159. <http://doi.org/10.3109/03602539009041082>.
- Yang J, Marzan TA, Ye W, et al. 2020. A cautionary tale: Quantitative KC-HRMS analytical procedures for the analysis of N-nitrosodimethylamine in metformin. *AAPS J* 22(4):89. <http://doi.org/10.1208/s12248-020-00473-w>.
- Yoo JS, Guengerich FP, Yang CS. 1988. Metabolism of N-nitrosodialkylamines by human liver microsomes. *Cancer Res* 48(6):1499-1504.
- Yoo JS, Ishizaki H, Yang CS. 1990. Roles of cytochrome P450IIe1 in the dealkylation and denitrosation of N-nitrosodimethylamine and N-nitrosodiethylamine in rat liver microsomes. *Carcinogenesis* 11(12):2239-2243. <http://doi.org/10.1093/carcin/11.12.2239>.
- Yoo JS, Ning SM, Patten CJ, et al. 1987. Metabolism and activation of N-nitrosodimethylamine by hamster and rat microsomes: comparative study with weanling and adult animals. *Cancer Res* 47(4):992-998.
- Yoon HJ, Kim JH, Seo GH, et al. 2021. Risk of cancer following the use of n-nitrosodimethylamine (NDMA) contaminated ranitidine products: A nationwide cohort study in South Korea. *J Clin Med* 10(1):153. <http://doi.org/10.3390/jcm10010153>.
- Zeng T, Li RJ, Mitch WA. 2016. Structural modifications to quaternary ammonium polymer coagulants to inhibit N-nitrosamine formation. *Environ Sci Technol* 50(9):4778-4787. <http://doi.org/10.1021/acs.est.6b00602>.

8. REFERENCES

- Zheng J, Stuff J, Tang H, et al. 2019. Dietary N-nitroso compounds and risk of pancreatic cancer: results from a large case-control study. *Carcinogenesis* 40(2):254-262.
<http://doi.org/10.1093/carcin/bgy169>.
- Zheng J, Daniel CR, Hatia RI, et al. 2021. Dietary N-nitroso compounds and risk of hepatocellular carcinoma: A USA-based study. *Hepatology* 74(6):3161-3173. <http://doi.org/10.1002/hep.32046>.
- Zhu Y, Wang PP, Zhao J, et al. 2014. Dietary N-nitroso compounds and risk of colorectal cancer: a case-control study in Newfoundland and Labrador and Ontario, Canada. *Br J Nutr* 111(6):1109-1117.
<http://doi.org/10.1017/S0007114513003462>.
- Zmysłowski A, Książek I, Szterk A. 2020. N-nitrosodimethylamine contamination in the metformin finished products. *Molecules* 25(22):5304. <http://doi.org/10.3390/molecules25225304>.