

CHAPTER 8. REFERENCES

- Abudayyak M, Guzel E, Ozhan G. 2017a. Nickel Oxide Nanoparticles Induce Oxidative DNA Damage and Apoptosis in Kidney Cell Line (NRK-52E). *Biol Trace Elem Res* 178(1):98-104. 10.1007/s12011-016-0892-z.
- Abudayyak M, Guzel E, Ozhan G. 2017b. Nickel oxide nanoparticles are highly toxic to SH-SY5Y neuronal cells. *Neurochem Int* 108:7-14. 10.1016/j.neuint.2017.01.017.
- Abudayyak M, E GU, Ozhan G. 2020. Cytotoxic, Genotoxic, and Apoptotic Effects of Nickel Oxide Nanoparticles in Intestinal Epithelial Cells. *Turk J Pharm Sci* 17(4):446-451. 10.4274/tjps.galenos.2019.76376.
- Adamo P, Dudka S, Wilson MJ, et al. 1996. Chemical and Mineralogical Forms of Cu and Ni in Contaminated Soils from the Sudbury Mining and Smelting Region, Canada. *Environmental Pollution* 91(1):11-19.
- Adams JF, Kissel DE. 1989. Zinc, copper, and nickel availabilities as determined by soil solution and DTPA extraction of a sludge-amended soil. *Communications in Soil Science and Plant Analysis* 20(1-2):139-158. 10.1080/00103628909368074.
- Adeyemi OS, Aroge CS, Akanji MA. 2017. Moringa oleifera-based diet protects against nickel induced hepatotoxicity in rats. *J Biomed Res* 31(4):350-357. 10.7555/JBR.31.20160051.
- Adeyemi OS, Elebiyo TC. 2014. Moringa oleifera Supplemented Diets Prevented Nickel Induced Nephrotoxicity in Wistar Rats. *J Nutr Metab* 2014:958621. 10.1155/2014/958621.
- Adkins B, Richards JH, Gardner DE. 1979. Enhancement of experimental respiratory infection following nickel inhalation. *Environmental Research* 20(1):33-42. [https://doi.org/10.1016/0013-9351\(79\)90083-5](https://doi.org/10.1016/0013-9351(79)90083-5).
- AEGLs. 2018. Compiled AEGL values. U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2018-08/documents/compiled_aegls_update_27jul2018.pdf.
- Ahamed M. 2011. Toxic response of nickel nanoparticles in human lung epithelial A549 cells. *Toxicol In Vitro* 25(4):930-936. 10.1016/j.tiv.2011.02.015.
- Ahamed M, Akhtar MJ, Alhadlaq HA, et al. 2015. Comparative cytotoxic response of nickel ferrite nanoparticles in human liver HepG2 and breast MFC-7 cancer cells. *Chemosphere* 135:278-288. 10.1016/j.chemosphere.2015.03.079.
- Aherrera A, Olmedo P, Grau-Perez M, et al. 2017. The association of e-cigarette use with exposure to nickel and chromium: A preliminary study of non-invasive biomarkers. *Environ Res* 159:313-320. 10.1016/j.envres.2017.08.014.
- Ahlstrom MG, Midander K, Menne T, et al. 2019. Nickel deposition and penetration into the stratum corneum after short metallic nickel contact: An experimental study. *Contact Dermatitis* 80(2):86-93. 10.1111/cod.13136.
- Ahmad J, Alhadlaq HA, Siddiqui MA, et al. 2015. Concentration-dependent induction of reactive oxygen species, cell cycle arrest and apoptosis in human liver cells after nickel nanoparticles exposure. *Environ Toxicol* 30(2):137-148. 10.1002/tox.21879.
- AIHA. 2016. Current ERPG Values (2016). 2016 ERPG/WEEL Handbook. American Industrial Hygiene Association. [%20https://www.aiha.org/get-involved/aiha-guideline-foundation/erpgs](https://www.aiha.org/get-involved/aiha-guideline-foundation/erpgs).

8. REFERENCES

- Akasya-Hillenbrand E, Ozkaya-Bayazit E. 2002. Patch test results in 542 patients with suspected contact dermatitis in Turkey. *Contact Dermatitis* 46(1):17-23. 10.1034/j.1600-0536.2002.460104.x.
- Åkerlund E, Cappellini F, Di Bucchianico S, et al. 2018. Genotoxic and mutagenic properties of Ni and NiO nanoparticles investigated by comet assay, gamma-H2AX staining, Hprt mutation assay and ToxTracker reporter cell lines. *Environ Mol Mutagen* 59(3):211-222. 10.1002/em.22163.
- Åkerlund E, Islam MS, McCarrick S, et al. 2019. Inflammation and (secondary) genotoxicity of Ni and NiO nanoparticles. *Nanotoxicology* 13(8):1060-1072. 10.1080/17435390.2019.1640908.
- Alaraby M, Hernandez A, Marcos R. 2018. Systematic in vivo study of NiO nanowires and nanospheres: biodegradation, uptake and biological impacts. *Nanotoxicology* 12(9):1027-1044. 10.1080/17435390.2018.1513091.
- Alarifi S, Ali D, Alakhtani S, et al. 2014. Reactive oxygen species-mediated DNA damage and apoptosis in human skin epidermal cells after exposure to nickel nanoparticles. *Biol Trace Elem Res* 157(1):84-93. 10.1007/s12011-013-9871-9.
- Alaska Department of Environmental Conservation. 2021. Nickel in fish and shellfish caught in Alaskan waters. Anchorage, AK: State of Alaska Department of Environmental Conservation Fish Monitoring Program.
- Alberici TM, Sopper WE, Storm GL, et al. 1989. Trace Metals in Soil, Vegetation, and Voles from Mine Land Treated with Sewage Sludge. *Journal of Environmental Quality* 18(1):115-120. <https://doi.org/10.2134/jeq1989.00472425001800010021x>.
- Ali AA. 2019. Evaluation of some biological, biochemical, and hematological aspects in male albino rats after acute exposure to the nano-structured oxides of nickel and cobalt. *Environ Sci Pollut Res Int* 26(17):17407-17417. 10.1007/s11356-019-05093-2.
- Alsoltane HM, Altaee AA. 2020a. Histological Study of Pregnant albino Rat Treated with Nickel Oxide Nanoparticles. *Medico Legal Update* 20(1):966-970. 10.37506/mlu.v20i1.496.
- Alsoltane HM, Altaee AA. 2020b. Hormonal and Immunological Study in Serum of Pregnant albino rats Treated with Nickel Oxide Nanoparticles. *Indian Journal of Forensic Medicine & Toxicology* 14(2):640-645. 10.37506/ijfmt.v14i2.2923.
- Amacher DE, Paillet SC. 1980. Induction of trifluorothymidine-resistant mutants by metal ions in L5178Y/TK+/- cells. *Mutation Research/Genetic Toxicology* 78(3):279-288. [https://doi.org/10.1016/0165-1218\(80\)90110-X](https://doi.org/10.1016/0165-1218(80)90110-X).
- Ambrose A, Larson P, Borzelleca J, et al. 1976. Long Term Toxicologic Assessment of Nickel in Rats and Dogs. *Journal of Food Science Technology* 13:181-187.
- American Biogenics Corporation. 1988. Ninety day gavage study in albino rats using nickel. Final report submitted to U.S. Environmental Protection Agency, Office of Solid Waste. Submitted by Research Triangle Institute and American Biogenics Corporation.
- Andersen A, Berge SR, Engeland A, et al. 1996. Exposure to nickel compounds and smoking in relation to incidence of lung and nasal cancer among nickel refinery workers. *Occupational and environmental medicine* 53(10):708-713. 10.1136/oem.53.10.708.
- Andersen I, Svenes KB. 1989. Determination of nickel in lung specimens of thirty-nine autopsied nickel workers. *Int Arch Occup Environ Health* 61(4):289-295. 10.1007/bf00381428.

8. REFERENCES

- Andersen O. 1983. Effects of coal combustion products and metal compounds on sister chromatid exchange (SCE) in a macrophagelike cell line. *Environ Health Perspect* 47:239-253. 10.1289/ehp.8347239.
- Anderson PR, Christensen TH. 1988. Distribution coefficients of Cd, Co, Ni, and Zn in soils. *Journal of Soil Science* 39:15-22.
- Angerer J, Lehnert G. 1990. Occupational chronic exposure to metals. II. Nickel exposure of stainless steel welders--biological monitoring. *Int Arch Occup Environ Health* 62(1):7-10. 10.1007/bf00397842.
- Anttila A, Pukkala E, Aitio A, et al. 1998. Update of cancer incidence among workers at a copper/nickel smelter and nickel refinery. *Int Arch Occup Environ Health* 71(4):245-250. 10.1007/s004200050276.
- Antwi SO, Eckert EC, Sabaque CV, et al. 2015. Exposure to environmental chemicals and heavy metals, and risk of pancreatic cancer. *Cancer Causes Control* 26(11):1583-1591. 10.1007/s10552-015-0652-y.
- Anyachor CP, Dooka DB, Orish CN, et al. 2022. Mechanistic considerations and biomarkers level in nickel-induced neurodegenerative diseases: An updated systematic review *IBRO Neuroscience Report* 13:136-146. doi.org/10.1016/j.ibneur.2022.07.005.
- Arain SS, Kazi TG, Afridi HI, et al. 2015. Estimation of nickel in different smokeless tobacco products and their impact on human health of oral cancer patients. *Nutr Cancer* 67(7):1063-1074. 10.1080/01635581.2015.1073758.
- Arain SS, Kazi TG, Arain JB, et al. 2013. Simultaneous preconcentration of toxic elements in artificial saliva extract of smokeless tobacco product, mainpuri by cloud point extraction method. *Ecotoxicol Environ Saf* 92:289-296. 10.1016/j.ecoenv.2013.03.001.
- Arena VC, Sussman NB, Redmond CK, et al. 1998. Using alternative comparison populations to assess occupation-related mortality risk. Results for the high nickel alloys workers cohort. *J Occup Environ Med* 40(10):907-916. 10.1097/00043764-199810000-00012.
- Arlauskas A, Baker RSU, Bonin AM, et al. 1985. Mutagenicity of metal ions in bacteria. *Environmental Research* 36(2):379-388. [https://doi.org/10.1016/0013-9351\(85\)90032-5](https://doi.org/10.1016/0013-9351(85)90032-5).
- Arnich N, Lanhers MC, Cunat L, et al. 2000. Nickel absorption and distribution from rat small intestine in situ. *Biol Trace Elem Res* 74(2):141-151. 10.1385/bter:74:2:141.
- Arrouijal FZ, Marzin D, Hildebrand HF, et al. 1992. Differences in genotoxic activity of alpha-Ni3S2 on human lymphocytes from nickel-hypersensitized and nickel-unsensitized donors. *Mutagenesis* 7(3):183-187. 10.1093/mutage/7.3.183.
- ATSDR. 2022. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry. October 26, 2022.
- ATSDR. 2021. Guidance for Inhalation Exposures. Atlanta, GA
- Babaahmadifooladi M, Jacxsens L, Van de Wiele T, et al. 2021. Assessment of bioaccessible and dialyzable fractions of nickel in food products and their impact on the chronic exposure of Belgian population to nickel. *Food Chem* 342:128210. 10.1016/j.foodchem.2020.128210.
- Badea M, Luzardo OP, Gonzalez-Antuna A, et al. 2018. Body burden of toxic metals and rare earth elements in non-smokers, cigarette smokers and electronic cigarette users. *Environ Res* 166:269-275. 10.1016/j.envres.2018.06.007.
- Bai YN, Ma L, Wang QY, et al. 2013. The mechanism of acute lung injury induced by nickel carbonyl in rats. *Biomed Environ Sci* 26(7):625-628. 10.3967/0895-3988.2013.07.018.

8. REFERENCES

- Bailey MR, Roy M. 1994. Annex E. Clearance of particles from the respiratory tract. *Annals of the ICRP* 24(1):301-413. [https://doi.org/10.1016/0146-6453\(94\)90043-4](https://doi.org/10.1016/0146-6453(94)90043-4).
- Barceloux DG. 1999. Nickel. *J Toxicol Clin Toxicol* 37(2):239-258. 10.1081/clt-100102423.
- Barrie LA, Lindberg SE, Chan WH, et al. 1987. On the concentration of trace metals in precipitation. *Atmospheric Environment* (1967) 21(5):1133-1135. [https://doi.org/10.1016/0004-6981\(87\)90240-X](https://doi.org/10.1016/0004-6981(87)90240-X).
- Beck M, Rombouts C, Moreels M, et al. 2014. Modulation of gene expression in endothelial cells in response to high LET nickel ion irradiation. *Int J Mol Med* 34(4):1124-1132. 10.3892/ijmm.2014.1893.
- Becker N. 1999. Cancer mortality among arc welders exposed to fumes containing chromium and nickel. Results of a third follow-up: 1989-1995. *J Occup Environ Med* 41(4):294-303. 10.1097/00043764-199904000-00012.
- Bell ML, Belanger K, Ebisu K, et al. 2010. Prenatal exposure to fine particulate matter and birth weight: variations by particulate constituents and sources. *Epidemiology* 21(6):884-891. 10.1097/EDE.0b013e3181f2f405.
- Bell ML, Ebisu K, Peng RD, et al. 2009. Hospital admissions and chemical composition of fine particle air pollution. *Am J Respir Crit Care Med* 179(12):1115-1120. 10.1164/rccm.200808-1240OC.
- Bell ML, Ebisu K, Leaderer BP, et al. 2014. Associations of PM_{2.5} constituents and sources with hospital admissions: analysis of four counties in Connecticut and Massachusetts (USA) for persons ≥ 65 years of age. *Environmental health perspectives* 122(2):138-144. 10.1289/ehp.1306656.
- Belliardo C, Di Giorgio C, Chaspoul F, et al. 2018. Direct DNA interaction and genotoxic impact of three metals: Cadmium, nickel and aluminum. *The Journal of Chemical Thermodynamics* 125:271-277. <https://doi.org/10.1016/j.jct.2018.05.028>.
- Bencko V, Wagner V, Wagnerová M, et al. 1983. Immuno-biochemical findings in groups of individuals occupationally and non-occupationally exposed to emissions containing nickel and cobalt. *J Hyg Epidemiol Microbiol Immunol* 27(4):387-394.
- Bencko V, Wagner V, Wagnerová M, et al. 1986. Human exposure to nickel and cobalt: biological monitoring and immunobiochemical response. *Environ Res* 40(2):399-410. 10.1016/s0013-9351(86)80115-3.
- Bennett BG. 1984. Environmental nickel pathways to man. *IARC Sci Publ*(53):487-495.
- Benson JM, Barr EB, Bechtold WE, et al. 1994. Fate of Inhaled Nickel Oxide and Nickel Subsulfide in F344/N Rats. *Inhalation Toxicology* 6(2):167-183
- Benson JM, Burt DG, Carpenter RL, et al. 1988. Comparative inhalation toxicity of nickel sulfate to F344/N rats and B6C3F1 mice exposed for twelve days. *Fundam Appl Toxicol* 10(1):164-178. 10.1016/0272-0590(88)90261-8.
- Benson JM, Carpenter RL, Hahn FF, et al. 1987. Comparative inhalation toxicity of nickel subsulfide to F344/N rats and B6C3F1 mice exposed for 12 days. *Fundam Appl Toxicol* 9(2):251-265. 10.1016/0272-0590(87)90047-9.
- Benson JM, Chang IY, Cheng YS, et al. 1995a. Particle clearance and histopathology in lungs of F344/N rats and B6C3F1 mice inhaling nickel oxide or nickel sulfate. *Fundam Appl Toxicol* 28(2):232-244. 10.1006/faat.1995.1164.
- Benson JM, Cheng YS, Eidson AF, et al. 1995b. Pulmonary toxicity of nickel subsulfide in F344/N rats exposed for 1-22 days. *Toxicology* 103(1):9-22. 10.1016/0300-483x(95)03098-z..

8. REFERENCES

- Berman E, Rehnberg B. 1983. Fetotoxic effects of nickel in drinking water in mice. National Technical Information Service.
- Bernacki EJ, Parsons GE, Sunderman FW, Jr. 1978. Investigation of exposure to nickel and lung cancer mortality: case control study at aircraft engine factory. *Ann Clin Lab Sci* 8(3):190-194.
- Bernacki EJ, Zygowicz E, Sunderman FW, Jr. 1980. Fluctuations of nickel concentrations in urine of electroplating workers. *Ann Clin Lab Sci* 10(1):33-39.
- Berniyanti T, Palupi R, Kriswandini IL, et al. 2020. Suitability of MDA, 8-OHdG and wild-type p53 as genotoxic biomarkers in metal (Co, Ni and Cr) exposed dental technicians: a cross-sectional study. *BMC Oral Health* 20(65):1-12.
- Biedermann KA, Landolph JR. 1987. Induction of Anchorage Independence in Human Diploid Foreskin Fibroblasts by Carcinogenic Metal Salts. *Cancer Research* 47(14):3815-3823.
- Biggart NW, Costa M. 1986. Assessment of the uptake and mutagenicity of nickel chloride in *Salmonella* tester strains. *Mutation Research Letters* 175(4):209-215. [https://doi.org/10.1016/0165-7992\(86\)90056-4](https://doi.org/10.1016/0165-7992(86)90056-4).
- Biggart NW, Gallick GE, Murphy EC. 1987. Nickel-induced heritable alterations in retroviral transforming gene expression. *Journal of Virology* 61(8):2378
- Biggart NW, Murphy EC, Jr. 1988. Analysis of metal-induced mutations altering the expression or structure of a retroviral gene in a mammalian cell line. *Mutat Res* 198(1):115-129. 10.1016/0027-5107(88)90047-4.
- Bingham E, Barkley W, Zerwas M, et al. 1972. Responses of alveolar macrophages to metals. I. Inhalation of lead and nickel. *Arch Environ Health* 25(6):406-414. 10.1080/00039896.1972.10666195.
- Birge WJ, Black JA. 1980. Aquatic Toxicology of Nickel. In: Nriagu JO, ed. *Nickel in the Environment*. John Wiley & Sons
- Borg K, Tjälve H. 1989. Uptake of $^{63}\text{Ni}^{2+}$ in the central and peripheral nervous system of mice after oral administration: effects of treatments with halogenated 8-hydroxyquinolines. *Toxicology* 54(1):59-68. 10.1016/0300-483x(89)90078-4.
- Borská L, Fiala Z, Smejkalová J, et al. 2003. Health risk of occupational exposure in welding processes I. Genotoxic risk. *Acta Medica (Hradec Kralove)* 46(1):25-29.
- Bowman RS, Essington ME, O'Connor GA. 1981. Soil Sorption of Nickel: Influence of Solution Composition. *Soil Science Society of America Journal* 45:860-865.
- Brito G, Díaz C, Galindo L, et al. 1990. Levels of metals in canned meat products: intermetallic correlations. *Bull Environ Contam Toxicol* 44(2):309-316. 10.1007/bf01700152.
- Bukhari S, Maqsood J, Baig MQ, et al. 2015. Comparison of Characteristics - Lead Acid, Nickel Based, Lead Crystal and Lithium Based Batteries. Paper presented at the 17th UKSIM-AMSS International Conference on Modelling and Simulation, Cambridge, United Kingdom.
- Burrows D, Creswell S, Merrett JD. 1981. Nickel, hands and hip prostheses. *Br J Dermatol* 105(4):437-443. 10.1111/j.1365-2133.1981.tb00775.x.
- Buxton S, Taylor MD, Weinberg JT, et al. 2021. A T-dependent antibody response evaluation in CD-1 mice after an acute whole-body inhalation exposure to nickel (II) chloride hexahydrate. *J Immunotoxicol* 18(1):144-153. 10.1080/1547691X.2021.1984618.
- Buxton S, Voges Y, Donath C, et al. 2020. Gene (HPRT) and chromosomal (MN) mutations of nickel metal powder in V79 Chinese hamster cells. *Mutat Res* 819-820:111688. 10.1016/j.mrfmmm.2020.111688.

8. REFERENCES

- Buxton S, Garman E, Heim KE, et al. 2019. Concise review of nickel human health toxicology and ecotoxicology. *Inorganics* 7(7):89.
- Cabrera-Vique C, Mesias M, Bouzas PR. 2011. Nickel levels in convenience and fast foods: in vitro study of the dialyzable fraction. *Sci Total Environ* 409(8):1584-1588. 10.1016/j.scitotenv.2010.12.035.
- Cahill TA. 1989. *Monitoring of Atmospheric Particles and Ozone in Sequoia National Park: 1985-1987*. University of California, Davis.
- Cahill TA, Barnes DE, Spada NJ, et al. 2011. Very fine and ultrafine metals and ischemic heart disease in the California Central Valley 1: 2003–2007. *Aerosol Science and Technology* 45(9):1123-1134. 10.1080/02786826.2011.582194.
- Cao Z, Fang Y, Lu Y, et al. 2016. Exposure to nickel oxide nanoparticles induces pulmonary inflammation through NLRP3 inflammasome activation in rats. *Int J Nanomedicine* 11:3331-3346. 10.2147/IJN.S106912.
- Capasso L, Camatini M, Gualtieri M. 2014. Nickel oxide nanoparticles induce inflammation and genotoxic effect in lung epithelial cells. *Toxicol Lett* 226(1):28-34. 10.1016/j.toxlet.2014.01.040.
- Caruso RV, O'Connor RJ, Stephens WE, et al. 2013. Toxic metal concentrations in cigarettes obtained from U.S. smokers in 2009: results from the International Tobacco Control (ITC) United States survey cohort. *Int J Environ Res Public Health* 11(1):202-217. 10.3390/ijerph110100202.
- Carvalho SM, Ziemer PL. 1982. Distribution and clearance of ⁶³Ni administered as ⁶³NiCl₂ in the rat: intratracheal study. *Arch Environ Contam Toxicol* 11(2):245-248. 10.1007/bf01054903.
- Castorina A, Giunta S. 2014. Mucin 1 (MUC1) signalling contributes to increase the resistance to cell death in human bronchial epithelial cells exposed to nickel acetate. *BioMetals* 27(6):1149-1158. 10.1007/s10534-014-9776-x.
- Cavallari JM, Eisen EA, Fang SC, et al. 2008. PM_{2.5} metal exposures and nocturnal heart rate variability: a panel study of boilermaker construction workers. *Environ Health* 7:36. 10.1186/1476-069x-7-36.
- Cavallo D, Ursini CL, Setini A, et al. 2003. Evaluation of oxidative damage and inhibition of DNA repair in an in vitro study of nickel exposure. *Toxicol In Vitro* 17(5-6):603-607. 10.1016/s0887-2333(03)00138-3.
- CDC. 2020. National Health and Nutrition Examination Survey 2017-2018. Data documentation, codebook, and frequencies. Nickel - Urine (UNI_J). Centers for Disease Control and Prevention. https://wwwn.cdc.gov/Nchs/Nhanes/2017-2018/UNI_J.htm.
- Cempel M, Nikel G. 2006. Nickel: A Review of Its Sources and Environmental Toxicology. *Polish J. of Environ. Stud.* 15:375-382.
- Chan WH, Tang AJS, Chung DHS, et al. 1986. Concentration and deposition of trace metals in Ontario-1982. *Water, Air, and Soil Pollution* 29(4):373-389. 10.1007/BF00283444.
- Chang X, Zhu A, Liu F, et al. 2017. Role of NF- κ B activation and Th1/Th2 imbalance in pulmonary toxicity induced by nano NiO. *Environ Toxicol* 32(4):1354-1362. 10.1002/tox.22329.
- Chashschin VP, Artunina GP, Norseth T. 1994. Congenital defects, abortion and other health effects in nickel refinery workers. *Sci Total Environ* 148(2-3):287-291. 10.1016/0048-9697(94)90405-7.

8. REFERENCES

- Chen CY, Lin TK, Chang YC, et al. 2010. Nickel(II)-induced oxidative stress, apoptosis, G2/M arrest, and genotoxicity in normal rat kidney cells. *J Toxicol Environ Health A* 73(8):529-539. [10.1080/15287390903421250](https://doi.org/10.1080/15287390903421250).
- Chen CY, Wang YF, Huang WR, et al. 2003. Nickel induces oxidative stress and genotoxicity in human lymphocytes. *Toxicol Appl Pharmacol* 189(3):153-159. [10.1016/s0041-008x\(03\)00086-3](https://doi.org/10.1016/s0041-008x(03)00086-3).
- Chen CS, Yuan TH, Shie RH, et al. 2017. Linking sources to early effects by profiling urine metabolome of residents living near oil refineries and coal-fired power plants. *Environ Int* 102:87-96. [10.1016/j.envint.2017.02.003](https://doi.org/10.1016/j.envint.2017.02.003).
- Cheng Z, Cheng N, Shi D, et al. 2019. The relationship between Nkx2.1 and DNA oxidative damage repair in nickel smelting workers: Jinchang cohort study. *Int J Environ Res Public Health* 16(1). [10.3390/ijerph16010120](https://doi.org/10.3390/ijerph16010120).
- Chin YE, Snow ET, Christie NT. 1994. The stimulatory effect of nickel chloride on DNA replication in human HeLa cells and Escherichia coli. *Carcinogenesis* 15(5):1013-1016. [10.1093/carcin/15.5.1013](https://doi.org/10.1093/carcin/15.5.1013).
- Chovil A, Sutherland RB, Halliday M. 1981. Respiratory cancer in a cohort of nickel sinter plant workers. *Br J Ind Med* 38(4):327-333. [10.1136/oem.38.4.327](https://doi.org/10.1136/oem.38.4.327).
- Christensen OB, Lagesson V. 1981. Nickel concentration of blood and urine after oral administration. *Ann Clin Lab Sci* 11(2):119-125.
- Christensen OB, Möller H. 1975. External and internal exposure to the antigen in the hand eczema of nickel allergy. *Contact Dermatitis* 1(3):136-141. [10.1111/j.1600-0536.1975.tb05354.x](https://doi.org/10.1111/j.1600-0536.1975.tb05354.x).
- Clary JJ. 1975. Nickel chloride-induced metabolic changes in the rat and guinea pig. *Toxicol Appl Pharmacol* 31:55-65.
- Clemens F, Landolph JR. 2003. Genotoxicity of samples of nickel refinery dust. *Toxicol Sci* 73(1):114-123. [10.1093/toxsci/kfg070](https://doi.org/10.1093/toxsci/kfg070).
- Cleveland Clinic. Nickel Allergy. <https://my.clevelandclinic.org/health/diseases/17842>
- Clewell HJ, 3rd, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131. [10.1177/074823378500100408](https://doi.org/10.1177/074823378500100408).
- Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary Findings of the Priority Pollutant Monitoring Project of the Nationwide Urban Runoff Program. *Journal (Water Pollution Control Federation)* 56(7):898-908.
- Conway K, Costa M. 1989. Nonrandom chromosomal alterations in nickel-transformed Chinese hamster embryo cells. *Cancer Research* 49(21):6032.
- Cornell RG. 1984. Mortality patterns around stainless-steel workers. In: Sunderman Jr. FW, Aitio A, & Berlin A, ed. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer, 65-71.
- Cornell RG, Landis JR. 1984. Mortality patterns among nickel/chromium alloy foundry workers. In: Sunderman Jr. FW, Aitio A, & Berlin A, ed. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer, 87-93.
- Correia L, Marrocos P, Montalván Olivares DM, et al. 2018. Bioaccumulation of nickel in tomato plants: risks to human health and agro-environmental impacts. *Environmental Monitoring and Assessment* 190(317). <https://doi.org/10.1007/s10661-018-6658-7>.
- Costa M, Heck JD. 1982. Specific nickel compounds as carcinogens. *Trends in Pharmacological Sciences* 3:408-410. [https://doi.org/10.1016/0165-6147\(82\)91207-X](https://doi.org/10.1016/0165-6147(82)91207-X).

8. REFERENCES

- Costa M, Heck JD, Robison SH. 1982. Selective phagocytosis of crystalline metal sulfide particles and DNA strand breaks as a mechanism for the induction of cellular transformation. *Cancer Res* 42(7):2757-2763.
- Cotton FA, Wilkinson G. 1980. *Advanced inorganic chemistry. A comprehensive text.* New York, NY: John Wiley & Sons, 783-789.
- Covance Laboratories. 2003. *In vivo* rat micronucleus assay with nickel sulfate hexahydrate. Study Number 7454-100 submitted to NiPERA, 4. August, 2003. Vienna, Virginia: Covance Laboratories, Inc.
- Cox JE, Doll R, Scott WA, et al. 1981. Mortality of nickel workers: experience of men working with metallic nickel. *Br J Ind Med* 38(3):235-239. 10.1136/oem.38.3.235.
- Coyle YM, Hynan LS, Euhus DM, et al. 2005. An ecological study of the association of environmental chemicals on breast cancer incidence in Texas. *Breast Cancer Res Treat* 92(2):107-114. 10.1007/s10549-004-8268-z.
- Cragle DL, Hollis DR, Newport TH, et al. 1984. A retrospective cohort study among workers occupationally exposed to metallic nickel powder at the Oak Ridge Gaseous Diffusion Plant. In: Sunderman Jr. FW, Aitio A, & Berlin A, ed. *Nickel in the human environment.* IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer, 57-64.
- Cronin E, DiMichiel AD, Brown SS. 1980. Oral challenge in nickel-sensitive women with hand eczema. In: Brown SS & Sunderman Jr. FW, ed. *Nickel toxicology.* New York, NY: Academic Press, 149-152.
- Cross DP, Ramachandran G, Wattenberg EV. 2001. Mixtures of nickel and cobalt chlorides induce synergistic cytotoxic effects: implications for inhalation exposure modeling. *Ann Occup Hyg* 45(5):409-418.
- Cuevas AK, Liberda EN, Gillespie PA, et al. 2010. Inhaled nickel nanoparticles alter vascular reactivity in C57BL/6 mice. *Inhal Toxicol* 22 Suppl 2:100-106. 10.3109/08958378.2010.521206.
- Cyr F, Mehra MC, Mallet VN. 1987. Leaching of chemical contaminants from a municipal landfill site. *Bulletin of Environmental Contamination and Toxicology* 38(5):775-782. 10.1007/BF01616700.
- Dahdouh F, Attalah S, Djabar MR, et al. 2016. Effect of the joint supplementation of vitamin C and vitamin E on nickel hematotoxicity and nephrotoxicity in male Swiss albino mice. *International Journal of Pharmacy and Pharmaceutical Sciences* 8(6):234-239.
- Daldrup T, Haarhoff K, Szathmary SC. 1983. [Fatal nickel sulfate poisoning]. *Beitr Gerichtl Med* 41:141-144.
- Danadevi K, Rozati R, Saleha Banu B, et al. 2004. In vivo genotoxic effect of nickel chloride in mice leukocytes using comet assay. *Food Chem Toxicol* 42(5):751-757. 10.1016/j.fct.2003.12.013.
- Danielsen TE, Langård S, Andersen A. 1996. Incidence of cancer among Norwegian boiler welders. *Occup Environ Med* 53(4):231-234. 10.1136/oem.53.4.231.
- Davidson CI. 1980. Dry deposition of nickel from the atmosphere. In: Nriagu JO, ed. *Nickel in the environment.* New York: John Wiley & Sons, 137-149.
- De Carli RF, Chaves DDS, Cardozo TR, et al. 2018. Evaluation of the genotoxic properties of nickel oxide nanoparticles in vitro and in vivo. *Mutat Res Genet Toxicol Environ Mutagen* 836(Pt B):47-53. 10.1016/j.mrgentox.2018.06.003.

8. REFERENCES

- de Foy B, Smyth AM, Thompson SL, et al. 2012. Sources of nickel, vanadium and black carbon in aerosols in Milwaukee. *Atmospheric Environment* 59:294-301. <https://doi.org/10.1016/j.atmosenv.2012.06.002>.
- Dede E, Tindall MJ, Cherrie JW, et al. 2018. Physiologically-based pharmacokinetic and toxicokinetic models for estimating human exposure to five toxic elements through oral ingestion. *Environ Toxicol Pharmacol* 57:104-114. 10.1016/j.etap.2017.12.003.
- Deknudt G, Léonard A. 1982. Mutagenicity tests with nickel salts in the male mouse. *Toxicology* 25(4):289-292. 10.1016/0300-483x(82)90106-8.
- Demirjian YA, Westman TR, Joshi AM, et al. 1984. Land treatment of contaminated sludge with wastewater irrigation. *Journal (Water Pollution Control Federation)* 56(4):370-377.
- Deng C, Lee HH, Xian H, et al. 1988. Chromosomal aberrations and sister chromatid exchanges of peripheral blood lymphocytes in Chinese electroplating workers: Effect of nickel and chromium. *Journal of Trace Elements in Experimental Medicine* 1(1):57-62.
- Dhir H, Agarwal K, Sharma A, et al. 1991. Modifying role of *Phyllanthus emblica* and ascorbic acid against nickel clastogenicity in mice. *Cancer Lett* 59(1):9-18. 10.1016/0304-3835(91)90129-6.
- Di Bucchianico S, Gliga AR, Åkerlund E, et al. 2018. Calcium-dependent cyto- and genotoxicity of nickel metal and nickel oxide nanoparticles in human lung cells. Part I. *Fibre Toxicol* 15(1):32. 10.1186/s12989-018-0268-y.
- Di Pietro A, Visalli G, Munaò F, et al. 2009. Oxidative damage in human epithelial alveolar cells exposed in vitro to oil fly ash transition metals. *International Journal of Hygiene and Environmental Health* 212(2):196-208. <https://doi.org/10.1016/j.ijheh.2008.05.005>.
- Diamond GL, Goodrum PE, Felter SP, et al. 1998. Gastrointestinal absorption of metals. *Drug and Chemical Toxicology* 21(2):223-251. 10.3109/01480549809011649.
- Dieter MP, Jameson CW, Tucker AN, et al. 1988. Evaluation of tissue disposition, myelopoietic, and immunologic responses in mice after long-term exposure to nickel sulfate in the drinking water. *J Toxicol Environ Health* 24(3):357-372. 10.1080/15287398809531167.
- Ding AL, Hu H, Xu FP, et al. 2021. Pregnancy complications effect on the nickel content in maternal blood, placenta blood and umbilical cord blood during pregnancy. *World J Clin Cases* 9(28):8340-8348. 10.12998/wjcc.v9.i28.8340.
- DiPaolo JA, Casto BC. 1979. Quantitative Studies of *in Vitro* Morphological Transformation of Syrian Hamster Cells by Inorganic Metal Salts. *Cancer Research* 39(3):1008.
- DOE. 2016. Protective action criteria (PAC): Chemicals with AEGLs, ERPGs, & TEELs. Definition of PACs (AEGLs, ERPGs or TEELs). Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 29 for Chemicals of Concern - May 2016. Oak Ridge, TN: U.S. Department of Energy. <http://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-29-chemicalsconcern-may-2016>.
- DOE. 2018. Table 2: Protective Action Criteria (PAC) Rev. 29a based on applicable 60-minute AEGLs, ERPGs, or TEELs. The chemicals are listed in alphabetical order. June 2018. <https://www.energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels>.
- Dolan DM, Warry ND, Rossmann R. 1986. Lake Huron, 1980: Intensive Survey Summary Report. Windsor, Ontario: Surveillance Work Group.

8. REFERENCES

- Doll R, Mathews JD, Morgan LG. 1977. Cancers of the lung and nasal sinuses in nickel workers: a reassessment of the period of risk. *Br J Ind Med* 34(2):102-105. 10.1136/oem.34.2.102.
- Dolovich J, Evans SL, Nieboer E. 1984. Occupational asthma from nickel sensitivity: I. Human serum albumin in the antigenic determinant. *Br J Ind Med* 41(1):51-55. 10.1136/oem.41.1.51.
- Domshlak MG, Elakov AL, Osipov AN. 2005. Genetic effects induced by nickel sulfate in germline and somatic cells of WR mice. *Russian Journal of Genetics* 41(7):728-734.
- Donat JR, Lao KA, Bruland KW. 1994. Speciation of dissolved copper and nickel in South San Francisco Bay: a multi-method approach. *Analytica Chimica Acta* 284:547-571.
- Doreswamy K, Shrilatha B, Rajeshkumar T, et al. 2004. Nickel-induced oxidative stress in testis of mice: evidence of DNA damage and genotoxic effects. *J Androl* 25(6):996-1003. 10.1002/j.1939-4640.2004.tb03173.x.
- Dostal LA, Hopfer SM, Lin SM, et al. 1989. Effects of nickel chloride on lactating rats and their suckling pups, and the transfer of nickel through rat milk. *Toxicol Appl Pharmacol* 101(2):220-231. 10.1016/0041-008x(89)90271-8.
- Dotterud LK, Falk ES. 1994. Metal allergy in north Norwegian schoolchildren and its relationship with ear piercing and atopy. *Contact Dermatitis* 31(5):308-313. 10.1111/j.1600-0536.1994.tb02025.x.
- Dressler RL, Storm GL, Tzilkowski WM, et al. 1986. Heavy Metals in Cottontail Rabbits on Mined Lands Treated with Sewage Sludge. *Journal of Environmental Quality* 15(3):278-281.
- Duan WX, He MD, Mao L, et al. 2015. NiO nanoparticles induce apoptosis through repressing SIRT1 in human bronchial epithelial cells. *Toxicol Appl Pharmacol* 286(2):80-91. 10.1016/j.taap.2015.03.024.
- Duce RA, Liss PS, Merrill JT, et al. 1991. The atmospheric input of trace species to the world ocean. *Global Biogeochemical Cycles* 5(3):193-259. <https://doi.org/10.1029/91GB01778>.
- Duke JM. 1980a. Nickel in Rocks and Ores. In: Nriagu JO, ed. *Nickel in the Environment*. John Wiley & Sons, 27-50.
- Duke JM. 1980b. Production and Uses of Nickel. In: Nriagu JO, ed. *Nickel in the Environment*. John Wiley & Sons, 52-65.
- Dumala N, Mangalampalli B, Chinde S, et al. 2017. Genotoxicity study of nickel oxide nanoparticles in female Wistar rats after acute oral exposure. *Mutagenesis* 32(4):417-427. 10.1093/mutage/gex007.
- Dumala N, Mangalampalli B, Grover P. 2019a. In vitro genotoxicity assessment of nickel(II) oxide nanoparticles on lymphocytes of human peripheral blood. *J Appl Toxicol* 39(7):955-965. 10.1002/jat.3784.
- Dumala N, Mangalampalli B, Kalyan Kamal SS, et al. 2018. Biochemical alterations induced by nickel oxide nanoparticles in female Wistar albino rats after acute oral exposure. *Biomarkers* 23(1):33-43. 10.1080/1354750X.2017.1360943.
- Dumala N, Mangalampalli B, Kalyan Kamal SS, et al. 2019b. Repeated oral dose toxicity study of nickel oxide nanoparticles in Wistar rats: a histological and biochemical perspective. *J Appl Toxicol* 39(7):1012-1029. 10.1002/jat.3790.
- Dunnick JK, Elwell MR, Benson JM, et al. 1989. Lung toxicity after 13-week inhalation exposure to nickel oxide, nickel subsulfide, or nickel sulfate hexahydrate in F344/N rats

8. REFERENCES

- and B6C3F1 mice. *Fundam Appl Toxicol* 12(3):584-594. 10.1016/0272-0590(89)90031-6.
- Efremenko AY, Campbell JL, Jr., Dodd DE, et al. 2014. Time- and concentration-dependent genomic responses of the rat airway to inhaled nickel subsulfide. *Toxicol Appl Pharmacol* 279(3):441-454. 10.1016/j.taap.2014.06.007.
- Egedahl R, Carpenter M, Lundell D. 2001. Mortality experience among employees at a hydrometallurgical nickel refinery and fertiliser complex in Fort Saskatchewan, Alberta (1954-95). *Occup Environ Med* 58(11):711-715. 10.1136/oem.58.11.711.
- Egedahl RD, Coppock E, Homik R. 1991. Mortality experience at a hydrometallurgical nickel refinery in Fort Saskatchewan, Alberta between 1954 and 1984. *J Soc Occup Med* 41(1):29-33. 10.1093/occmed/41.1.29.
- Egedahl R, Rice E. 1984. Cancer incidence at a hydrometallurgical nickel refinery. In: Sunderman Jr. FW, Aitio A, & Berlin A, ed. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer, 47-55.
- El-Habit OH, Abdel Moneim AE. 2014. Testing the genotoxicity, cytotoxicity, and oxidative stress of cadmium and nickel and their additive effect in male mice. *Biol Trace Elem Res* 159(1-3):364-372. 10.1007/s12011-014-0016-6.
- El Safty AMK, Samir AM, Mekkawy MK, et al. 2018. Genotoxic Effects Due to Exposure to Chromium and Nickel Among Electroplating Workers. *Int J Toxicol* 37(3):234-240. 10.1177/1091581818764084.
- Elias Z, Mur JM, Pierre F, et al. 1989. Chromosome aberrations in peripheral blood lymphocytes of welders and characterization of their exposure by biological samples analysis. *J Occup Med* 31(5):477-483.
- Emmett EA, Risby TH, Jiang L, et al. 1988. Allergic contact dermatitis to nickel: bioavailability from consumer products and provocation threshold. *J Am Acad Dermatol* 19(2 Pt 1):314-322. 10.1016/s0190-9622(88)70178-4.
- English JC, Parker RD, Sharma RP, et al. 1981. Toxicokinetics of nickel in rats after intratracheal administration of a soluble and insoluble form. *Am Ind Hyg Assoc J* 42(7):486-492. 10.1080/15298668191420125.
- Enterline PE, Marsh GM. 1982. Mortality among workers in a nickel refinery and alloy manufacturing plant in West Virginia. *J Natl Cancer Inst* 68(6):925-933.
- EPA. 1981a. Data base for influent heavy metals in publicly owned treatment works. Cincinnati, OH: Municipal Environmental Research Laboratory, U.S. Environmental Protection Agency.
- EPA. 1981b. Treatability manual. Volume I. Treatability data. Washington, DC: Office of Research and Development, U.S. Environmental Protection Agency.
- EPA. 1994. Methods for Derivation of Inhalation Reference Concentrations and Application of Inhalation Dosimetry. Washington DC
- EPA. 1999. Compendium of methods for the determination of inorganic compounds in ambient air. Compendium Method IO-3.3. Determination of metals in ambient particulate matter using x-ray fluorescence (XRF) spectroscopy. Cincinnati, OH: Center for Environmental Research, Information Office of Research and Development, U.S. Environmental Protection Agency.
- EPA. 2000. National air pollutant emission trends, 1900-1998. Research Triangle Park, NC: U.S. Environmental Protection Agency.

8. REFERENCES

- EPA. 2003. Title 40 - Protection of Environment. Subchapter N - Effluent Guidelines & Standards. § 401.15 Toxic pollutants. Environmental Protection Agency. Code of Federal Regulations.
- EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency.
- EPA. 2009. National primary drinking water regulations. Office of Groundwater and Drinking Water, U.S. Environmental Protection Agency.
https://www.epa.gov/sites/production/files/2016-06/documents/npwdr_complete_table.pdf.
- EPA. 2010. Title 40 - Protection of Environment. Subchapter N - Effluent Guidelines & Standards. § 401.12 Law authorizing establishment of effluent limitations guidelines for existing sources, standards of performance for new sources and pretreatment standards of new and existing sources. Environmental Protection Agency. Code of Federal Regulations.
- EPA. 2018. 2018 edition of the drinking water standards and health advisories tables. Washington, DC: Office of Water, U.S. Environmental Protection Agency.
<https://www.epa.gov/system/files/documents/2022-01/dwtable2018.pdf>.
- EPA. 2020a. Air quality system (AQS) : Nickel. U.S. Environmental Protection Agency.
https://aq5.epa.gov/aqsweb/airdata/download_files.html. August 18, 2020.
- EPA. 2020b. Fish Bioconcentration Data Requirement: Guidance for Selection of Number of Treatment Concentrations. EPA 705-G-2020-3708.
- Eun HC, Marks R. 1990. Dose-response relationships for topically applied antigens. *Br J Dermatol* 122(4):491-499. 10.1111/j.1365-2133.1990.tb14726.x.
- Evans JE, Miller ML, Andringa A, et al. 1995. Behavioral, histological, and neurochemical effects of nickel (II) on the rat olfactory system. *Toxicol Appl Pharmacol* 130(2):209-220. 10.1006/taap.1995.1026.
- FDA. 2017a. Total diet study. Elements results summary statistics. Market baskets 2006 through 2013. College Park, MD: U.S. Food and Drug Administration.
- FDA. 2017b. Total Diet Study Data.
- FDA. 2020a. Metals Used in Medical Devices.
- FDA. 2020b. Elemental analysis manual for food and related products. 4.7 Inductively coupled plasma-mass spectrometric determination of arsenic, cadmium, chromium, lead, mercury, and other elements in food using microwave assisted digestion. U.S. Food and Drug Administration.
- FDA. 2021a. Direct food substances affirmed as generally recognized as safe. Subpart B - Listing of specific substances affirmed as GRAS. Nickel. U.S. Food and Drug Administration. Code of Federal Regulations: https://www.ecfr.gov/cgi-bin/text-idx?SID=d3b7ed1c60a3ef53866287962617b32f&mc=true&node=se21.3.184_11537&rgn=div8.
- FDA. 2021b. Indirect food additives: Paper and paperboard components. Subpart B - Substances for use only as components of paper and paperboard. Components of paper and paperboard in contact with dry food. U.S. Food and Drug Administration. Code of Federal Regulations: <https://www.ecfr.gov/cgi-bin/text->

8. REFERENCES

- [idx?SID=790ce509d14031563bcda83507a10e71&mc=true&node=se21.3.176_1180&rgn=div8.](#)
- Feng X, Melander AP, Klaue B. 2000. Contribution of Municipal Waste Incineration to Trace Metal Deposition on the Vicinity. *Water, Air, and Soil Pollution* 119(1):295-316. 10.1023/A:1005211320637.
- Filon FL, D'Agostin F, Crosera M, et al. 2009. In vitro absorption of metal powders through intact and damaged human skin. *Toxicol In Vitro* 23(4):574-579. 10.1016/j.tiv.2009.01.015.
- Fischer T, Rystedt I. 1983. Cobalt allergy in hard metal workers. *Contact Dermatitis* 9(2):115-121. 10.1111/j.1600-0536.1983.tb04316.x.
- Fisher GL, Chrisp CE, McNeill DA. 1986. Lifetime effects of intratracheally instilled nickel subsulfide on B6C3F1 mice. *Environmental Research* 40(2):313-320. [https://doi.org/10.1016/S0013-9351\(86\)80106-2](https://doi.org/10.1016/S0013-9351(86)80106-2).
- Fishwick D, Bradshaw L, Slater T, et al. 2004. Respiratory symptoms and lung function change in welders: are they associated with workplace exposures? *N Z Med J* 117(1193):U872.
- Fletcher GG, Rossetto FE, Turnbull JD, et al. 1994. Toxicity, uptake, and mutagenicity of particulate and soluble nickel compounds. *Environ Health Perspect* 102 Suppl 3(Suppl 3):69-79. 10.1289/ehp.94102s369.
- Flint GN, Packirisamy S. 1995. Systemic nickel: the contribution made by stainless-steel cooking utensils. *Contact Dermatitis* 32(4):218-224. 10.1111/j.1600-0536.1995.tb00672.x.
- Font A, de Hoogh K, Leal-Sanchez M, et al. 2015. Using metal ratios to detect emissions from municipal waste incinerators in ambient air pollution data. *Atmospheric Environment* 113:177-186. <https://doi.org/10.1016/j.atmosenv.2015.05.002>.
- Francis AJ, Dodge CJ. 1990. Anaerobic Microbial Remobilization of Toxic Metals Coprecipitated with Iron Oxide. *Environmental Science & Technology* 24:373-378.
- Frankild S, Andersen KE, Nielsen GD. 1995. Effect of sodium lauryl sulfate (SLS) on in vitro percutaneous penetration of water, hydrocortisone and nickel. *Contact Dermatitis* 32(6):338-345. 10.1111/j.1600-0536.1995.tb00622.x.
- Frenkel K, Karkoszka J, Cohen B, et al. 1994. Occupational exposures to Cd, Ni, and Cr modulate titers of antioxidantized DNA base autoantibodies. *Environ Health Perspect* 102 Suppl 3(Suppl 3):221-225. 10.1289/ehp.94102s3221.
- Fresquez MR, Pappas RS, Watson CH. 2013. Establishment of toxic metal reference range in tobacco from US cigarettes. *J Anal Toxicol* 37(5):298-304. 10.1093/jat/bkt021.
- Fullerton A, Andersen JR, Hoelgaard A, et al. 1986. Permeation of nickel salts through human skin in vitro. *Contact Dermatitis* 15(3):173-177. 10.1111/j.1600-0536.1986.tb01320.x.
- Funakoshi T, Inoue T, Shimada H, et al. 1997. The mechanisms of nickel uptake by rat primary hepatocyte cultures: role of calcium channels. *Toxicology* 124(1):21-26. 10.1016/s0300-483x(97)00131-5.
- Galbreath KC, Zygarlicke CJ. 2004. Formation and chemical speciation of arsenic-, chromium-, and nickel-bearing coal combustion PM2.5. *Fuel Processing Technology* 85(6):701-726. <https://doi.org/10.1016/j.fuproc.2003.11.015>.
- Gathwan KH, Al-Karkhi IHT, Jaffar Al-Mulla EA. 2013. Hepatic toxicity of nickel chloride in mice. *Research on Chemical Intermediates* 39(6):2537-2542. 10.1007/s11164-012-0780-x.

8. REFERENCES

- Gawkrodger DJ, Cook SW, Fell GS, et al. 1986. Nickel dermatitis: the reaction to oral nickel challenge. *Br J Dermatol* 115(1):33-38. 10.1111/j.1365-2133.1986.tb06217.x.
- Gehring U, Beelen R, Eeftens M, et al. 2015. Particulate matter composition and respiratory health: the PIAMA Birth Cohort study. *Epidemiology* 26(3):300-309. 10.1097/ede.0000000000000264.
- Genchi G, Carocci A, Lauria G, et al. 2020. Nickel: Human Health and Environmental Toxicology. *Int J Environ Res Public Health* 17(3). 10.3390/ijerph17030679.
- Gérin M, Fletcher AC, Gray C, et al. 1993. Development and use of a welding process exposure matrix in a historical prospective study of lung cancer risk in European welders. *Int J Epidemiol* 22 Suppl 2:S22-28. 10.1093/ije/22.supplement_2.s22.
- Gerritse RG, Vriesema R, Dalenberg JW, et al. 1982. Effect of Sewage Sludge on Trace Element Mobility in Soils. *Journal of Environmental Quality* 11(3):359-364.
- Ghezzi I, Baldasseroni A, Sesana G, et al. 1989. Behaviour of urinary nickel in low-level occupational exposure. *Med Lav* 80(3):244-250.
- Giusti L, Yang YL, Hewitt CN, et al. 1993. The solubility and partitioning of atmospherically derived trace metals in artificial and natural waters: A review. *Atmospheric Environment. Part A. General Topics* 27(10):1567-1578. [https://doi.org/10.1016/0960-1686\(93\)90156-S](https://doi.org/10.1016/0960-1686(93)90156-S).
- Gladney ES, Gordon GE, Zoller WH. 1978. Coal combustion: Source of toxic elements in urban air? *Journal of Environmental Science and Health. Part A: Environmental Science and Engineering* 13(7):481-491. 10.1080/10934527809374827.
- Gliga AR, Di Bucchianico S, Åkerlund E, et al. 2020. Transcriptome profiling and toxicity following long-term, low dose exposure of human lung cells to Ni and NiO nanoparticles-comparison with NiCl(2). *Nanomaterials (Basel)* 10(4). 10.3390/nano10040649.
- Godbold JH, Jr., Tompkins EA. 1979. A long-term mortality study of workers occupationally exposed to metallic nickel at the Oak Ridge Gaseous Diffusion Plant. *J Occup Med* 21(12):799-806.
- Golomb D, Ryan D, Eby N, et al. 1997. Atmospheric deposition of toxics onto Massachusetts Bay—I. Metals. *Atmospheric Environment* 31(9):1349-1359. [https://doi.org/10.1016/S1352-2310\(96\)00276-2](https://doi.org/10.1016/S1352-2310(96)00276-2).
- Goniewicz ML, Knysak J, Gawron M, et al. 2014a. Levels of selected carcinogens and toxicants in vapour from electronic cigarettes. *Tobacco control* 23(2):133-139. 10.1136/tobaccocontrol-2012-050859.
- Goniewicz ML, Knysak J, Gawron M, et al. 2014b. Levels of selected carcinogens and toxicants in vapour from electronic cigarettes. *Tob Control* 23(2):133-139. 10.1136/tobaccocontrol-2012-050859.
- Goodman JE, Prueitt RL, Thakali S, et al. 2011. The nickel ion bioavailability model of the carcinogenic potential of nickel-containing substances in the lung. *Crit Rev Toxicol* 41(2):142-174. 10.3109/10408444.2010.531460.
- Goutet M, Ban M, Binet S. 2000. Effects of nickel sulfate on pulmonary natural immunity in Wistar rats. *Toxicology* 145(1):15-26. 10.1016/s0300-483x(99)00216-4.
- Graham JA, Miller FJ, Daniels MJ, et al. 1978. Influence of cadmium, nickel, and chromium on primary immunity in mice. *Environmental Research* 16(1):77-87. [https://doi.org/10.1016/0013-9351\(78\)90144-5](https://doi.org/10.1016/0013-9351(78)90144-5).
- Grandjean P. 1984. Human exposure to nickel. *IARC Sci Publ*(53):469-485.

8. REFERENCES

- Grashow R, Zhang J, Fang SC, et al. 2014. Toenail metal concentration as a biomarker of occupational welding fume exposure. *J Occup Environ Hyg* 11(6):397-405. 10.1080/15459624.2013.875182.
- Gray LE, Jr., Kavlok RJ, Ostby J, et al. 1986. An evaluation of figure-eight maze activity and general behavioral development following prenatal exposure to forty chemicals: effects of cytosine arabinoside, dinocap, nitrofen, and vitamin A. *Neurotoxicology* 7(2):449-462.
- Gray N, Halstead M, Gonzalez-Jimenez N, et al. 2019. Analysis of Toxic Metals in Liquid from Electronic Cigarettes. *Int J Environ Res Public Health* 16(22). 10.3390/ijerph16224450.
- Green MHL, Muriel WJ, Bridges BA. 1976. Use of a simplified fluctuation test to detect low levels of mutagens. *Mutation Research/Environmental Mutagenesis and Related Subjects* 38(1):33-42. [https://doi.org/10.1016/0165-1161\(76\)90077-7](https://doi.org/10.1016/0165-1161(76)90077-7).
- Greenberg RR, Zoller WH, Gordon GE. 1978. Composition and size distributions of particles released in refuse incineration. *Environmental Science & Technology* 12(5):566-573. 10.1021/es60141a011.
- Grimsrud TK, Berge SR, Haldorsen T, et al. 2002. Exposure to different forms of nickel and risk of lung cancer. *Am J Epidemiol* 156(12):1123-1132. 10.1093/aje/kwf165.
- Grimsrud TK, Berge SR, Martinsen JI, et al. 2003. Lung cancer incidence among Norwegian nickel-refinery workers 1953-2000. *J Environ Monit* 5(2):190-197. 10.1039/b211722n.
- Grimsrud TK, Berge SR, Resmann F, et al. 2000. Assessment of historical exposures in a nickel refinery in Norway. *Scand J Work Environ Health* 26(4):338-345. 10.5271/sjweh.551.
- Guarneri F, Costa C, Cannavo SP, et al. 2017. Release of nickel and chromium in common foods during cooking in 18/10 (grade 316) stainless steel pots. *Contact Dermatitis* 76(1):40-48. 10.1111/cod.12692.
- Guillamet E, Creus A, Farina M, et al. 2008. DNA-damage induction by eight metal compounds in TK6 human lymphoblastoid cells: results obtained with the alkaline Comet assay. *Mutat Res* 654(1):22-28. 10.1016/j.mrgentox.2008.04.005.
- Gutenmann WH, Rutzke M, Kuntz HT, et al. 1994. Elements and polychlorinated biphenyls in sewage sludges of large cities in the United States. *Chemosphere* 28(4):725-728. [https://doi.org/10.1016/0045-6535\(94\)90225-9](https://doi.org/10.1016/0045-6535(94)90225-9).
- Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: implications for risk assessment.
- Habre R, Coull B, Moshier E, et al. 2014. Sources of indoor air pollution in New York City residences of asthmatic children. *J Expo Sci Environ Epidemiol* 24(3):269-278. 10.1038/jes.2013.74.
- Hack CE, Covington TR, Lawrence G, et al. 2007. A pharmacokinetic model of the intracellular dosimetry of inhaled nickel. *J Toxicol Environ Health A* 70(5):445-464. 10.1080/15287390600870726.
- Hafez HS, Selim EM, Kamel Eid FH, et al. 2011. Cytotoxicity, genotoxicity, and metal release in patients with fixed orthodontic appliances: A longitudinal in-vivo study. *Am J Orthod Dentofacial Orthop* 140(3):298-308. 10.1016/j.ajodo.2010.05.025.
- Haley PJ, Shopp GM, Benson JM, et al. 1990. The Immunotoxicity of Three Nickel Compounds following 13-Week Inhalation Exposure in the Mouse¹. *Toxicological Sciences* 15(3):476-487. 10.1093/toxsci/15.3.476.

8. REFERENCES

- Halim M, Conte P, Piccolo A. 2003. Potential availability of heavy metals to phytoextraction from contaminated soils induced by exogenous humic substances. *Chemosphere* 52:265-275.
- Hamann D, Thyssen JP, Hamann CR, et al. 2015. Jewellery: alloy composition and release of nickel, cobalt and lead assessed with the EU synthetic sweat method. *Contact Dermatitis* 73(4):231-238. 10.1111/cod.12434.
- Hamilton-Koch W, Snyder RD, Lavelle JM. 1986. Metal-induced DNA damage and repair in human diploid fibroblasts and Chinese hamster ovary cells. *Chem Biol Interact* 59(1):17-28. 10.1016/s0009-2797(86)80052-7.
- Han I, Richner D, An Han H, et al. 2020. Evaluation of metal aerosols in four communities adjacent to metal recyclers in Houston, Texas, USA. *J Air Waste Manag Assoc* 70(5):568-579. 10.1080/10962247.2020.1755385.
- Hansen K, Stern RM. 1984. Toxicity and transformation potency of nickel compounds in BHK cells *in vitro*. In: Sunderman Jr. FW, Aitio A, & Berlin A, ed. *Nickel in the human environment*. IARC scientific publication no. 53. Lyon, France: International Agency for Research on Cancer, 193-200.
- Hansen KS, Lauritsen JM, Skytthe A. 1996. Cancer incidence among mild steel and stainless steel welders and other metal workers. *Am J Ind Med* 30(4):373-382. 10.1002/(sici)1097-0274(199610)30:4<373::Aid-ajim1>3.0.Co;2-x.
- Hansen LD, Fisher GL. 1980. Elemental distribution in coal fly ash particles. *Environmental Science & Technology* 14(9):1111-1117. 10.1021/es60169a015.
- Harasim P, Filipek T. 2015. Nickel in the environment. *Journal of Elementology* 20(2):525-534.
- Hargitai L. 1989. The Role of Humus Status of Soils in Binding Toxic Elements and Compounds. *The Science of the Total Environment* 81/82:634-651.
- Hariyani N, Berniyanti T, Setyowati D. 2015. Effects of Occupational Environmental Controls on the Level of Co, Ni and Cr among Dental Technicians. *International Journal of Environmental Science and Development* 6(9):643-647.
- Haro RT, Furst A, Falk HL. 1968. Studies on the acute toxicity of nickelocene. *Proc West Pharmacol Soc* 11:39-42.
- Hartwig A, Beyersmann D. 1989. Enhancement of UV-induced mutagenesis and sister-chromatid exchanges by nickel ions in V79 cells: evidence for inhibition of DNA repair. *Mutat Res* 217(1):65-73. 10.1016/0921-8777(89)90037-2.
- Hassler E, Lind B, Nilsson B, et al. 1983. Urinary and fecal elimination of nickel in relation to air-borne nickel in a battery factory. *Ann Clin Lab Sci* 13(3):217-224.
- Haynes W, Lide D, Bruno T. 2015. *CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data*. 95th ed. Boca Raton, FL: CRC Press
- Heck JE, Park AS, Qiu J, et al. 2015. Retinoblastoma and ambient exposure to air toxics in the perinatal period. *Journal of exposure science & environmental epidemiology* 25(2):182-186. 10.1038/jes.2013.84.
- Heim KE, Bates HK, Rush RE, et al. 2007. Oral carcinogenicity study with nickel sulfate hexahydrate in Fischer 344 rats. *Toxicol Appl Pharmacol* 224(2):126-137. 10.1016/j.taap.2007.06.024.
- Helmers E, Schrems O. 1995. Wet deposition of metals to the tropical North and the South Atlantic ocean. *Atmospheric Environment* 29:2475-2484.

8. REFERENCES

- Hendel RC, Sunderman FW, Jr. 1972. Species variations in the proportions of ultrafiltrable and protein-bound serum nickel. *Res Commun Chem Pathol Pharmacol* 4(1):141-146.
- Hess CA, Olmedo P, Navas-Acien A, et al. 2017. E-cigarettes as a source of toxic and potentially carcinogenic metals. *Environ Res* 152:221-225. 10.1016/j.envres.2016.09.026.
- Hindsén M, Bruze M, Christensen OB. 1997. The significance of previous allergic contact dermatitis for elicitation of delayed hypersensitivity to nickel. *Contact Dermatitis* 37(3):101-106. 10.1111/j.1600-0536.1997.tb00312.x.
- Hindsén M, Bruze M, Christensen OB. 2001. Flare-up reactions after oral challenge with nickel in relation to challenge dose and intensity and time of previous patch test reactions. *J Am Acad Dermatol* 44(4):616-623. 10.1067/mjd.2001.110873.
- Hirano S, Shimada T, Osugi J, et al. 1994. Pulmonary clearance and inflammatory potency of intratracheally instilled or acutely inhaled nickel sulfate in rats. *Arch Toxicol* 68(9):548-554. 10.1007/s002040050112.
- Ho W, Furst A. 1973. Nickel excretion by rats following a single treatment. *Proc West Pharmacol Soc* 16:245-248.
- Holmes AL, The T, Thompson K, et al. 2013. Chronic exposure to particulate nickel induces neoplastic transformation in human lung epithelial cells. *Toxics* 1(1):46-59.
- Horak E, Sunderman FW, Jr., Sarkar B. 1976. Comparisons of antidotal efficacy of chelating drugs upon acute toxicity of Ni(II) in rats. *Res Commun Chem Pathol Pharmacol* 14(1):153-165.
- Horie A, Tanaka I, Haratake J, et al. 1985. Electron microscopy of pulmonary lesions including carcinoma, induced by inhalation exposure of rats to nickel oxide aerosol. In: Brown SS & Sunderman Jr. FW, ed. *Progress in nickel toxicology. Proceedings of the 3rd International Congress on Nickel Metabolism and Toxicology.* Oxford, UK: Blackwell, 41-44.
- Horie M, Fukui H, Endoh S, et al. 2012. Comparison of acute oxidative stress on rat lung induced by nano and fine-scale, soluble and insoluble metal oxide particles: NiO and TiO₂. *Inhal Toxicol* 24(7):391-400. 10.3109/08958378.2012.682321.
- Horie M, Stowe M, Tabei M, et al. 2016. Metal Ion Release of Manufactured Metal Oxide Nanoparticles Is Involved in the Allergic Response to Inhaled Ovalbumin in Mice. *Occupational Diseases and Environmental Medicine* 04(02):17-26. 10.4236/odem.2016.42003.
- Hostýnek JJ, Dreher F, Pelosi A, et al. 2001a. Human stratum corneum penetration by nickel. In vivo study of depth distribution after occlusive application of the metal as powder. *Acta Derm Venereol Suppl (Stockh)*(212):5-10. 10.1080/000155501753279578.
- Hostýnek JJ, Dreher F, Nakada T, et al. 2001b. Human stratum corneum adsorption of nickel salts. Investigation of depth profiles by tape stripping in vivo. *Acta Derm Venereol Suppl (Stockh)*(212):11-18. 10.1080/000155501753279587.
- HSDB. 2000a. Nickel oxide. Hazardous substances data bank (HSDB). National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/1664>. February 24, 2021.
- HSDB. 2000b. Nickel cyanide. Hazardous substances data bank (HSDB). National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/1185>. February 24, 2021.

8. REFERENCES

- HSDB. 2000c. Nickel chloride. Hazardous substances data bank (HSDB). National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/860>. February 24, 2021.
- HSDB. 2000d. Nickel carbonate. Hazardous substances data bank (HSDB). National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/1662>. February 24, 2021.
- HSDB. 2000e. Nickel acetate. Hazardous substances data bank (HSDB). National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/1029>. February 24, 2021.
- HSDB. 2000f. Nickel. Hazardous substances data bank (HSDB). National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/1096>. February 24, 2021.
- HSDB. 2000g. Trinickel disulfide. Hazardous substances data bank (HSDB). National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/2965>. February 24, 2021.
- HSDB. 2000h. Nickel sulfate. Hazardous substances data bank (HSDB). National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/1114>. February 24, 2021.
- HSDB. 2000i. Nickel nitrate. Hazardous substances data bank (HSDB). National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/1829>. February 24, 2021.
- Hsie AW, Johnson NP, Couch DB, et al. 1979. Quantitative mammalian cell mutagenesis and a preliminary study of the mutagenic potential of metallic compounds. In: Kharasch N, ed. Trace metals in health and disease. New York, NY: Raven Press, 55-69.
- Hsieh SH, Chiu TP, Huang WS, et al. 2019. Cadmium (Cd) and Nickel (Ni) Distribution on Size-Fractionated Soil Humic Substance (SHS). *Int J Environ Res Public Health* 16(18): 10.3390/ijerph16183398.
- Hsieh T, Yu CP, Oberdorster G. 1999c. Deposition and Clearance Models of Ni Compounds in the Mouse Lung and Comparisons with the Rat Models. *Aerosol Science and Technology* 31:358-372.
- Hsieh TH, Yu CP, Oberdorster G. 1999a. A dosimetry model of nickel compounds in the rat lung. *Inhal Toxicol* 11(3):229-248. 10.1080/089583799197168.
- Hsieh TH, Yu CP, Oberdorster G. 1999b. Modeling of deposition and clearance of inhaled Ni compounds in the human lung. *Regul Toxicol Pharmacol* 30(1):18-28. 10.1006/rtph.1999.1313.
- Hsu SI, Ito K, Kendall M, et al. 2012a. Factors affecting personal exposure to thoracic and fine particles and their components. *Journal of Exposure Science and Environmental Epidemiology* 22(5):439-447.
- Hsu SI, Ito K, Kendall M, et al. 2012b. Factors affecting personal exposure to thoracic and fine particles and their components. *J Expo Sci Environ Epidemiol* 22(5):439-447. 10.1038/jes.2012.23.
- Hu W, Yu Z, Gao X, et al. 2020. Study on the damage of sperm induced by nickel nanoparticle exposure. *Environ Geochem Health* 42(6):1715-1724. 10.1007/s10653-019-00364-w.
- Huang H-H, Huang J-Y, Lung C-C, et al. 2013. Cell-type specificity of lung cancer associated with low-dose soil heavy metal contamination in Taiwan: An ecological study. *BMC Public Health* 13(1):330. 10.1186/1471-2458-13-330.

8. REFERENCES

- Huang X, Zhang B, Wu L, et al. 2019. Association of exposure to ambient fine particulate matter constituents with semen quality among men attending a fertility center in China. *Environ Sci Technol* 53(10):5957-5965. 10.1021/acs.est.8b06942.
- Huang Z, Zhou Y, Lu Y, et al. 2017. A case-crossover study between fine particulate matter elemental composition and emergency admission with cardiovascular disease. *Acta Cardiologica Sinica* 33(1):66-73. 10.6515/acs20160118b.
- Hueper WC. 1958. Experimental studies in metal cancerogenesis. IX. Pulmonary lesions in guinea pigs and rats exposed to prolonged inhalation of powdered metallic nickel. *AMA Arch Pathol* 65(6):600-607.
- Huggins FE, Galbreath KC, Eylands KE, et al. 2011. Determination of Nickel Species in Stack Emissions from Eight Residual Oil-Fired Utility Steam-Generating Units. *Environmental Science & Technology* 45(14):6188-6195. 10.1021/es200823a.
- Hughson GW, Galea KS, Heim KE. 2010. Characterization and assessment of dermal and inhalable nickel exposures in nickel production and primary user industries. *Ann Occup Hyg* 54(1):8-22. 10.1093/annhyg/mep068.
- Hussain MF, Naeem Ashiq M, Gulsher M, et al. 2020. Exposure to variable doses of nickel oxide nanoparticles disturbs serum biochemical parameters and oxidative stress biomarkers from vital organs of albino mice in a sex-specific manner. *Biomarkers* 25(8):719-724. 10.1080/1354750X.2020.1841829.
- IARC. 1990a. Nickel and Nickel Compounds. In:ed. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Chromium, Nickel, and Welding Vol. 49. International Agency for Research on Cancer
- IARC. 1990b. IARC monographs on the evaluation of carcinogenic risks to humans. Volume 49: Nickel and nickel compounds. Lyon, France: International Agency for Research on Cancer, World Health Organization.
- IARC. 2021. Agents classified by the IARC monographs, volumes 1–129. International Agency for Research on Cancer, World Health Organization. <https://monographs.iarc.who.int/list-of-classifications>. March 29, 2021.
- Iarmarcovai G, Sari-Minodier I, Chaspoul F, et al. 2005. Risk assessment of welders using analysis of eight metals by ICP-MS in blood and urine and DNA damage evaluation by the comet and micronucleus assays; influence of XRCC1 and XRCC3 polymorphisms. *Mutagenesis* 20(6):425-432. 10.1093/mutage/gei058.
- Ilbäck NG, Fohlman J, Friman G. 1992. A common viral infection can change nickel target organ distribution. *Toxicol Appl Pharmacol* 114(1):166-170. 10.1016/0041-008x(92)90110-e.
- Ilbäck NG, Fohlman J, Friman G. 1994. Changed distribution and immune effects of nickel augment viral-induced inflammatory heart lesions in mice. *Toxicology* 91(2):203-219. 10.1016/0300-483x(93)02776-d.
- Institute of Medicine. 2001. Arsenic, Boron, Nickel, Silicon, and Vanadium. In:ed. Dietary Reference Intakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc. Washington, DC: National Academies Press
- International Committee on Nickel Carcinogenesis in Man. 1990. Report of the International Committee on Nickel Carcinogenesis in Man. *Scand J Work Environ Health* 16(1 Spec No):1-82. 10.5271/sjweh.1813.

8. REFERENCES

- IRIS. 1987a. Integrated risk information system (IRIS). Chemical assessment summary. Nickel refinery dust; no CASRN. U.S. Environmental Protection Agency, National Center for Environmental Assessment.
https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0272_summary.pdf.
- IRIS. 1987b. Integrated risk information system (IRIS). Chemical assessment summary. Nickel subsulfide; CASRN 12035-72-2. U.S. Environmental Protection Agency, National Center for Environmental Assessment.
https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0273_summary.pdf.
- IRIS. 1987c. Integrated risk information system (IRIS). Chemical assessment summary. Nickel carbonyl; CASRN 13463-39-3. U.S. Environmental Protection Agency, National Center for Environmental Assessment.
https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0274_summary.pdf.
- IRIS. 1994. Integrated risk information system (IRIS). Chemical assessment summary. Nickel, soluble salts; CASRN Various. U.S. Environmental Protection Agency, National Center for Environmental Assessment.
https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0271_summary.pdf.
- Ishimatsu S, Kawamoto T, Matsuno K, et al. 1995. Distribution of various nickel compounds in rat organs after oral administration. *Biol Trace Elem Res* 49(1):43-52. 10.1007/bf02789001.
- Iyaka YA. 2011. Nickel in soils: A review of its distribution and impacts. *Scientific Research and Essays* 6(33):6774-6777.
- Iyehara Ogawa H, Shibahara T, Iwata H, et al. 1994. Genotoxic activities in vivo of cobaltous chloride and other metal chlorides as assayed in the *Drosophila* wing spot test. *Mutation Research/Genetic Toxicology* 320(1):133-140. [https://doi.org/10.1016/0165-1218\(94\)90065-5](https://doi.org/10.1016/0165-1218(94)90065-5).
- Jacobs L, Buczynska A, Walgraeve C, et al. 2012. Acute changes in pulse pressure in relation to constituents of particulate air pollution in elderly persons. *Environ Res* 117:60-67. 10.1016/j.envres.2012.05.003.
- Jakobsson K, Mikoczy Z, Skerfving S. 1997. Deaths and tumours among workers grinding stainless steel: a follow up. *Occup Environ Med* 54(11):825-829. 10.1136/oem.54.11.825.
- James AC, Stahlhofen W, Rudolf G, et al. 1994. Annexe D. Deposition of inhaled particles. *Annals of the ICRP* 24(1):231-299. [https://doi.org/10.1016/0146-6453\(94\)90042-6](https://doi.org/10.1016/0146-6453(94)90042-6).
- Jasim S, Tjälve H. 1986. Effects of sodium pyridinethione on the uptake and distribution of nickel, cadmium and zinc in pregnant and non-pregnant mice. *Toxicology* 38(3):327-350. 10.1016/0300-483x(86)90148-4.
- Jensen CS, Menné T, Lisby S, et al. 2003. Experimental systemic contact dermatitis from nickel: a dose-response study. *Contact Dermatitis* 49(3):124-132. 10.1111/j.0105-1873.2003.00157.x.
- Jensen P, Hamann D, Hamann CR, et al. 2014. Nickel and cobalt release from children's toys purchased in Denmark and the United States. *Dermatitis* 25(6):356-365. 10.1097/DER.0000000000000084.
- Jia J, Chen J. 2008. Chronic nickel-induced DNA damage and cell death: the protection role of ascorbic acid. *Environ Toxicol* 23(3):401-406. 10.1002/tox.20346.

8. REFERENCES

- Johansson A, Camner P, Jarstrand C, et al. 1980. Morphology and function of alveolar macrophages after long-term nickel exposure. *Environ Res* 23(1):170-180. 10.1016/0013-9351(80)90103-6.
- Johansson A, Curstedt T, Robertson B, et al. 1989. Lung lesions after experimental combined exposure to nickel and trivalent chromium. *Environ Res* 50(1):103-119. 10.1016/s0013-9351(89)80052-0.
- Johansson A, Lundborg M, Skog S, et al. 1987. Lysozyme activity in ultrastructurally defined fractions of alveolar macrophages after inhalation exposure to nickel. *Br J Ind Med* 44(1):47-52. 10.1136/oem.44.1.47.
- Johansson A, Wiernik A, Lundborg M, et al. 1988. Alveolar macrophages in rabbits after combined exposure to nickel and trivalent chromium. *Environ Res* 46(2):120-132. 10.1016/s0013-9351(88)80026-4.
- Jordan WP, Jr., King SE. 1979. Nickel feeding in nickel-sensitive patients with hand eczema. *J Am Acad Dermatol* 1(6):506-508. 10.1016/s0190-9622(79)80093-6.
- Journey WS, Goldman RH. 2014. Occupational handling of nickel nanoparticles: a case report. *Am J Ind Med* 57(9):1073-1076. 10.1002/ajim.22344.
- Julander A, Skare L, Mulder M, et al. 2010. Skin deposition of nickel, cobalt, and chromium in production of gas turbines and space propulsion components. *Ann Occup Hyg* 54(3):340-350. 10.1093/annhyg/meq002.
- Kaaber K, Veien NK, Tjell JC. 1978. Low nickel diet in the treatment of patients with chronic nickel dermatitis. *Br J Dermatol* 98(2):197-201. 10.1111/j.1365-2133.1978.tb01622.x.
- Kadoya C, Lee BW, Ogami A, et al. 2016. Analysis of pulmonary surfactant in rat lungs after inhalation of nanomaterials: Fullerenes, nickel oxide and multi-walled carbon nanotubes. *Nanotoxicology* 10(2):194-203. 10.3109/17435390.2015.1039093.
- Käkelä R, Käkelä A, Hyvärinen H. 1999. Effects of nickel chloride on reproduction of the rat and possible antagonistic role of selenium. *Comp Biochem Physiol C Pharmacol Toxicol Endocrinol* 123(1):27-37. 10.1016/s0742-8413(99)00006-7.
- Kalahasthi RB, Rajmohan HR, Rajanb K. 2006. Assessment of functional integrity of liver among workers exposed to soluble nickel compounds during nickel plating. *Indian Journal of Occupational and Environmental Medicine* 10(2):78-81.
- Kamal M, Tamara S, Shaban D. 2012. Investigation of antioxidant system activity in rats liver exposed to ammonium metavanadate and/ or nickel sulfate. *Advances in Environmental Biology* 6(1):24-32.
- Kanematsu N, Hara M, Kada T. 1980. Rec assay and mutagenicity studies on metal compounds. *Mutat Res* 77(2):109-116. 10.1016/0165-1218(80)90127-5.
- Kang GS, Gillespie PA, Gunnison A, et al. 2011a. Comparative pulmonary toxicity of inhaled nickel nanoparticles; role of deposited dose and solubility. *Inhal Toxicol* 23(2):95-103. 10.3109/08958378.2010.543440.
- Kang GS, Gillespie PA, Gunnison A, et al. 2011b. Long-term inhalation exposure to nickel nanoparticles exacerbated atherosclerosis in a susceptible mouse model. *Environ Health Perspect* 119(2):176-181. 10.1289/ehp.1002508.
- Kapsenberg ML, Van der Pouw-Kraan T, Stiekema FE, et al. 1988. Direct and indirect nickel-specific stimulation of T lymphocytes from patients with allergic contact dermatitis to nickel. *Eur J Immunol* 18(7):977-982. 10.1002/eji.1830180702.

8. REFERENCES

- Karjalainen S, Kerttula R, Pukkala E. 1992. Cancer risk among workers at a copper/nickel smelter and nickel refinery in Finland. *Int Arch Occup Environ Health* 63(8):547-551. 10.1007/bf00386344.
- Kaschl A, Romheld V, Chen Y. 2002. The influence of soluble organic matter from municipal solid waste compost on trace metal leaching in calcareous soils. *The Science of the Total Environment* 291:45-57.
- Kashulin NA, Ratkin NE, Dauvalter VA, et al. 2001. Impact of airborne pollution on the drainage area of subarctic lakes and fish. *Chemosphere* 42(1):51-59. 10.1016/s0045-6535(00)00098-9.
- Kasprzak KS, Waalkes MP, Poirier LA. 1986. Effects of magnesium acetate on the toxicity of nickelous acetate in rats. *Toxicology* 42(1):57-68. 10.1016/0300-483x(86)90092-2.
- Keczkes K, Basheer AM, Wyatt EH. 1982. The persistence of allergic contact sensitivity: a 10-year follow-up in 100 patients. *British Journal of Dermatology* 107(4):461-465. <https://doi.org/10.1111/j.1365-2133.1982.tb00389.x>.
- Kempton S, Sterritt RM, Lester JN. 1987. Heavy Metal Removal in Primary Sedimentation I. The Influence of Metal Solubility. *The Science of the Total Environment* 63:231-246.
- Kettelarj JA, Liden C, Axen E, et al. 2014. Cobalt, nickel and chromium release from dental tools and alloys. *Contact Dermatitis* 70(1):3-10. 10.1111/cod.12111.
- Kettelarj J, Nilsson S, Midander K, et al. 2016. Snapshot of cobalt, chromium and nickel exposure in dental technicians. *Contact Dermatitis* 75(6):370-376. 10.1111/cod.12681.
- Keyhani E, Abdi-Oskouei F, Attar F, et al. 2006. DNA strand breaks by metal-induced oxygen radicals in purified *Salmonella typhimurium* DNA. *Ann N Y Acad Sci* 1091:52-64. 10.1196/annals.1378.054.
- Khandelwal S, Tandon SK. 1984. Effect of cadmium pretreatment on nickel toxicity. *IARC Sci Publ*(53):293-300.
- Khoshgoftarmanesh AH, Aghili F, Sanaeiostovar A. 2009. Daily intake of heavy metals and nitrate through greenhouse cucumber and bell pepper consumption and potential health risks for human. *Int J Food Sci Nutr* 60 Suppl 1:199-208. 10.1080/09637480902755087.
- Kilburn KH, Warshaw R, Boylen CT, et al. 1990. Cross-shift and chronic effects of stainless-steel welding related to internal dosimetry of chromium and nickel. *Am J Ind Med* 17(5):607-615. 10.1002/ajim.4700170506.
- Kim HL, Seo YR. 2011. Synergistic genotoxic effect between gene and environmental pollutant: Oxidative DNA damage induced by thioredoxin reductase 1 silencing under nickel treatment. *Molecular & Cellular Toxicology* 7(3):251. 10.1007/s13273-011-0031-z.
- Kim HL, Seo YR. 2012. Molecular and genomic approach for understanding the gene-environment interaction between Nrf2 deficiency and carcinogenic nickel-induced DNA damage. *Oncology reports* 28(6):1959-1967. 10.3892/or.2012.2057.
- Kim JY, Mukherjee S, Ngo LC, et al. 2004. Urinary 8-hydroxy-2'-deoxyguanosine as a biomarker of oxidative DNA damage in workers exposed to fine particulates. *Environ Health Perspect* 112(6):666-671. 10.1289/ehp.6827.
- Kim K-H, Shon Z-H, Maulida PT, et al. 2014. Long-term monitoring of airborne nickel (Ni) pollution in association with some potential source processes in the urban environment. *Chemosphere* 111:312-319. <https://doi.org/10.1016/j.chemosphere.2014.03.138>.

8. REFERENCES

- King LD. 1988. Retention of Metals by Several Soils of the Southeastern United States. *Journal of Environmental Quality* 17(2):239-246.
- Kodama Y, Ishimatsu S, Matsuno K, et al. 1985a. Pulmonary deposition and clearance of a nickel oxide aerosol by inhalation. *Biol Trace Elem Res* 7(1):1-9. 10.1007/bf02916542.
- Kodama Y, Tanaka I, Matsuno K, et al. 1985b. Pulmonary deposition and clearance of inhaled nickel oxide aerosol. In: Brown SS & Sunderman FW, ed. *Nickel Toxicology*. Oxford, UK: Blackwell, 81-84.
- Kollmeier H, Seemann JW, Müller KM, et al. 1987. Increased chromium and nickel content in lung tissue and bronchial carcinoma. *Am J Ind Med* 11(6):659-669. 10.1002/ajim.4700110607.
- Kong L, Gao X, Zhu J, et al. 2016. Mechanisms involved in reproductive toxicity caused by nickel nanoparticle in female rats. *Environ Toxicol* 31(11):1674-1683. 10.1002/tox.22288.
- Kong L, Hu W, Lu C, et al. 2019. Mechanisms underlying nickel nanoparticle induced reproductive toxicity and chemo-protective effects of vitamin C in male rats. *Chemosphere* 218:259-265. 10.1016/j.chemosphere.2018.11.128.
- Kong L, Tang M, Zhang T, et al. 2014. Nickel nanoparticles exposure and reproductive toxicity in healthy adult rats. *Int J Mol Sci* 15(11):21253-21269. 10.3390/ijms151121253.
- Koptsik S, Koptsik G, Livantsova S, et al. 2003. Heavy metals in soils near the nickel smelter: chemistry, spatial variation, and impacts on plant diversity. *Journal of Environmental Monitoring* 5(3):441-450. 10.1039/B210397B.
- Kresovich JK, Erdal S, Chen HY, et al. 2019. Metallic air pollutants and breast cancer heterogeneity. *Environmental Research* 177:108639. <https://doi.org/10.1016/j.envres.2019.108639>.
- Krishnan K, Clewell HJ, Andersen ME. 1994. Physiologically Based Pharmacokinetic Analyses of Simple Mixtures. *Environmental Health Perspectives* 102:151-155.
- Kuligowski J, Halperin KM. 1992. Stainless steel cookware as a significant source of nickel, chromium, and iron. *Arch Environ Contam Toxicol* 23(2):211-215. 10.1007/bf00212277.
- Kulkarni P, Agrawal S, Bansal A, et al. 2016. Assessment of nickel release from various dental appliances used routinely in pediatric dentistry. *Indian Journal of Dentistry* 7(2):81-85.
- Kulkarni P, Agrawal S, Bansal A, et al. 2016. Assessment of nickel release from various dental appliances used routinely in pediatric dentistry. *Indian J Dent* 7(2):81-85. 10.4103/0975-962X.184649.
- LaBauve JM, Kotuby-Amacher J, Gambrell RP. 1988. The effect of soil properties and a synthetic municipal landfill leachate on the retention of Cd, Ni, Pb, and Zn in soil and sediment materials. *Journal (Water Pollution Control Federation)* 60:379-385.
- Landing WM, Perry JJ, Guentzel JL, et al. 1995. Relationships between the atmospheric deposition of trace elements, major ions, and mercury in florida: The FAMS project (1992-1993). *Water, Air, and Soil Pollution* 80(1):343-352. 10.1007/BF01189684.
- Landsberger S, Jervis RE, Kajrys G, et al. 1983. Characterization of Trace Elemental Pollutants in Urban Snow Using Proton Induced X-ray Emission and Instrumental Neutron Activation Analysis. *International Journal of Environmental Analytical Chemistry* 16(2):95-130. 10.1080/03067318308078354.
- Larese F, Gianpietro A, Venier M, et al. 2007. In vitro percutaneous absorption of metal compounds. *Toxicol Lett* 170(1):49-56. 10.1016/j.toxlet.2007.02.009.

8. REFERENCES

- Larramendy ML, Popescu NC, Dipaolo JA. 1981. Induction by inorganic metal salts of sister chromatid exchanges and chromosome aberrations in human and syrian hamster cell strains. *Environmental Mutagenesis* 3(6):597-606.
<https://doi.org/10.1002/em.2860030602>.
- Larsen PF, Zdanowicz V, Johnson AC. 1983. Trace metal distributions in the surficial sediments of Penobscot Bay, Maine. *Bull. Environ. Contam. Toxicol.*; (United States) 31:5:Medium: X; Size: Pages: 566-573 2016-2004-2027. 10.1007/bf01605476.
- Larsson-Stymne B, Widström L. 1985. Ear piercing--a cause of nickel allergy in schoolgirls? *Contact Dermatitis* 13(5):289-293. 10.1111/j.1600-0536.1985.tb02580.x.
- Latvala S, Hedberg J, Di Bucchianico S, et al. 2016. Nickel Release, ROS Generation and Toxicity of Ni and NiO Micro- and Nanoparticles. *PLoS One* 11(7):e0159684. 10.1371/journal.pone.0159684.
- Latvala S, Vare D, Karlsson HL, et al. 2017. In vitro genotoxicity of airborne Ni-NP in air-liquid interface. *J Appl Toxicol* 37(12):1420-1427. 10.1002/jat.3510.
- Lechner JF, Tokiwa T, McClendon IA, et al. 1984. Effects of nickel sulfate on growth and differentiation of normal human bronchial epithelial cells. *Carcinogenesis* 5(12):1697-1703. 10.1093/carcin/5.12.1697.
- Lee C-P, Lee Y-H, Lian I-B, et al. 2016a. Increased prevalence of esophageal cancer in areas with high levels of nickel in farm soils. *Journal of Cancer* 7(12):1724-1730. 10.7150/jca.15441.
- Lee RE, Goranson SS, Enrione RE, et al. 1972. National Air Surveillance cascade impactor network. II. Size distribution measurements of trace metal components. *Environmental Science & Technology* 6(12):1025-1030. 10.1021/es60071a002.
- Lee RE, Crist HL, Riley AE, et al. 1975. Concentration and size of trace metal emissions from a power plant, a steel plant, and a cotton gin. *Environmental Science & Technology* 9(7):643-647. 10.1021/es60105a012.
- Lee S, Hwang SH, Jeong J, et al. 2016b. Nickel oxide nanoparticles can recruit eosinophils in the lungs of rats by the direct release of intracellular eotaxin. *Part Fibre Toxicol* 13(1):30. 10.1186/s12989-016-0142-8.
- Lee YS, Sung JH, Song KS, et al. 2019. Derivation of occupational exposure limits for multi-walled carbon nanotubes and graphene using subchronic inhalation toxicity data and a multi-path particle dosimetry model. *Toxicol Res (Camb)* 8(4):580-586. 10.1039/c9tx00026g.
- Li H-B, Wang J-Y, Chen X-Q, et al. 2020. Geogenic nickel exposure from food consumption and soil ingestion: A bioavailability based assessment. *Environmental Pollution* 265:114873. <https://doi.org/10.1016/j.envpol.2020.114873>.
- Li Z, Liu H, Qian Y, et al. 2020b. Influence of metals from e-waste dismantling on telomere length and mitochondrial DNA copy number in people living near recycling sites. *Environment International* 140:105769.
<https://doi.org/10.1016/j.envint.2020.105769>.
- Liberda EN, Cuevas AK, Qu Q, et al. 2014. The acute exposure effects of inhaled nickel nanoparticles on murine endothelial progenitor cells. *Inhal Toxicol* 26(10):588-597. 10.3109/08958378.2014.937882.
- Lloyd GK. 1980. Dermal absorption and conjugation of nickel in relation to the induction of allergic contact dermatitis-Preliminary results. In: Brown SS & Sunderman FW, ed. *Nickel Toxicology*. London, United Kingdom: Academic Press, 145-148.

8. REFERENCES

- Long GR, Chang M, Kennen JG. 2000. Trace Elements and Organochlorine Compounds in Bed Sediment and Fish Tissue at Selected Sites in New Jersey Streams - Sources and Effects. U.S. Geological Survey National Water-Quality Assessment Program.
- Lottermoser B. 2002. Exposure Assessment of Naturally Metal Enriched Topsoils, Port Macquarie, Australia. *Environmental Geochemistry and Health* 24:183-190.
- Lou J, Jin L, Wu N, et al. 2013. DNA damage and oxidative stress in human B lymphoblastoid cells after combined exposure to hexavalent chromium and nickel compounds. *Food and Chemical Toxicology* 55:533-540. <https://doi.org/10.1016/j.fct.2013.01.053>.
- Lucassen E, Smolders AJP, Roelofs JGM. 2002. Potential sensitivity of mires to drought, acidification and mobilisation of heavy metals: the sediment S/(Ca + Mg) ratio as diagnostic tool. *Environmental Pollution* 120:635-646.
- Luo J, Hendryx M, Ducatman A. 2011. Association between six environmental chemicals and lung cancer incidence in the United States. *Journal of environmental and public health* 2011:463701-463701. 10.1155/2011/463701.
- M'Bemba-Meka P, Lemieux N, Chakrabarti SK. 2005. Nickel compound-induced DNA single-strand breaks in chromosomal and nuclear chromatin in human blood lymphocytes in vitro: role of oxidative stress and intracellular calcium. *Mutat Res* 586(2):124-137. 10.1016/j.mrgentox.2005.06.001.
- M'Bemba-Meka P, Lemieux N, Chakrabarti SK. 2007. Role of oxidative stress and intracellular calcium in nickel carbonate hydroxide-induced sister-chromatid exchange, and alterations in replication index and mitotic index in cultured human peripheral blood lymphocytes. *Arch Toxicol* 81(2):89-99. 10.1007/s00204-006-0128-7.
- Magaye R, Gu Y, Wang Y, et al. 2016. In vitro and in vivo evaluation of the toxicities induced by metallic nickel nano and fine particles. *J Mol Histol* 47(3):273-286. 10.1007/s10735-016-9671-6.
- Magnus K, Andersen A, Høgetveit AC. 1982. Cancer of respiratory organs among workers at a nickel refinery in Norway. *Int J Cancer* 30(6):681-685. 10.1002/ijc.2910300602.
- Manceau A, Tamura N, Celestre RS, et al. 2003. Molecular-Scale Speciation of Zn and Ni in Soil Ferromanganese Nodules from Loess Soils of the Mississippi Basin. *Environmental Science & Technology* 37:75-80.
- Mann H, Fyfe WS, Kerrich R, et al. 1989. Retardation of toxic heavy metal dispersion from nickel-copper mine tailings, Sudbury District, Ontario: Role of acidophilic microorganisms I. Biological pathway of metal retardation. *Biorecovery* 1:155-172.
- Maret TR, Skinner KD. 2000. Concentrations of Selected Trace Elements in Fish Tissue and Streambed Sediment in the Clark Fork-Pend Oreille and Spokane River Basins, Washington, Idaho, and Montana, 1998. U.S. Geological Survey National Water-Quality Assessment Program.
- Marsh GM, Buchanich JM, Zimmerman S, et al. 2017a. Mortality among hardmetal production workers: US cohort and nested case-control studies. *J Occup Environ Med* 59(12):e306-e326. 10.1097/jom.0000000000001075.
- Marsh GM, Buchanich JM, Zimmerman S, et al. 2017b. Mortality among hardmetal production workers: Pooled analysis of cohort data from an international investigation. *J Occup Environ Med* 59(12):e342-e364. 10.1097/jom.0000000000001151.
- Mart L, Nürnberg HW, Dyrssen D. 1984. Trace metal levels in the Eastern Arctic Ocean. *Science of The Total Environment* 39(1):1-14. [https://doi.org/10.1016/0048-9697\(84\)90020-2](https://doi.org/10.1016/0048-9697(84)90020-2).

8. REFERENCES

- Martino M, Turner A, Millward GE. 2003. Influence of Organic Complexation on the Adsorption Kinetics of Nickel in River Waters. *Environmental Science & Technology* 37:2383-2388.
- Marzin DR, Phi HV. 1985. Study of the mutagenicity of metal derivatives with *Salmonella typhimurium* TA102. *Mutat Res* 155(1-2):49-51. 10.1016/0165-1218(85)90024-2.
- Marzouk A, Sunderman Jr. FW. 1985. Biliary excretion of nickel in rats. *Toxicol Lett* 27(1-3):65-71. 10.1016/0378-4274(85)90121-3.
- Mas A, Peligero MJ, Arola L, et al. 1986. Distribution and kinetics of injected nickel in the pregnant rat. *Clin Exp Pharmacol Physiol* 13(2):91-96. 10.1111/j.1440-1681.1986.tb00321.x.
- Mastromatteo E. 1986. Yant memorial lecture. Nickel. *Am Ind Hyg Assoc J* 47(10):589-601. 10.1080/15298668691390304.
- Matheys J, Timmermans J-M, Van Autenboer W, et al. 2006. Comparison of the Environmental Impact of 5 Electric Vehicle Battery Technologies using LCA. Paper presented at the 13th CIRP International Conference on Life Cycle Engineering, Leuven, Belgium.
- Mathur AK, Agarwal C, Singh A, et al. 1988. Effect of sodium lauryl sulphate and nickel alone and in combination on the skin of guinea pigs. *Toxicol Lett* 42(3):249-256. 10.1016/0378-4274(88)90109-9.
- Mathur AK, Datta KK, Tandon SK, et al. 1977. Effect of nickel sulphate on male rats. *Bull Environ Contam Toxicol* 17(2):241-248. 10.1007/bf01685557.
- Mathur AK, Dikshith TS, Lal MM, et al. 1978. Distribution of nickel and cytogenetic changes in poisoned rats. *Toxicology* 10(2):105-113.
- Mathur AK, Gupta BN. 1994. Dermal toxicity of nickel and chromium in guinea pigs. *Vet Hum Toxicol* 36(2):131-132.
- Mathur AK, Gupta BN, Singh S, et al. 1992. Cutaneous toxicity of sodium lauryl sulphate, nickel, and their combination in guinea pigs: Biochemical and histopathological observations. *Bulletin of Environmental Contamination and Toxicology* 49(6):871-878. 10.1007/BF00203161.
- May TW, Wiedmeyer RH, Gober J, et al. 2001. Influence of mining-related activities on concentrations of metals in water and sediment from streams of the Black Hills, South Dakota. *Arch Environ Contam Toxicol* 40(1):1-9. 10.1007/s002440010142.
- Mayer C, Klein RG, Wesch H, et al. 1998. Nickel subsulfide is genotoxic in vitro but shows no mutagenic potential in respiratory tract tissues of BigBlue rats and Muta Mouse mice in vivo after inhalation. *Mutat Res* 420(1-3):85-98. 10.1016/s1383-5718(98)00140-5.
- McConnell LH, Fink JN, Schlueter DP, et al. 1973. Asthma caused by nickel sensitivity. *Ann Intern Med* 78(6):888-890. 10.7326/0003-4819-78-6-888.
- McGeer JC, Brix KV, Skeaff JM, et al. 2003. Inverse Relationship between Bioconcentration Factor and Exposure Concentration for Metals: Implications for Hazard Assessment of Metals in the Aquatic Environment. *Environmental Toxicology and Chemistry* 22(5):1017-1037.
- McGregor DB, Brown A, Cattanaach P, et al. 1988. Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 coded chemicals. *Environ Mol Mutagen* 12(1):85-154. 10.1002/em.2860120111.
- McIlveen WD, Negusanti JJ. 1994. Nickel in the terrestrial environment. *Sci Total Environ* 148(2-3):109-138. 10.1016/0048-9697(94)90390-5.

8. REFERENCES

- McNeill DA, Chrisp CE, Fisher GL. 1990. Tumorigenicity of nickel subsulfide in Strain A/J mice. *Drug Chem Toxicol* 13(1):71-86. 10.3109/01480549009011070.
- McRae ME. 2020. Nickel. In:ed. U.S. Geological Survey Minerals Yearbook - 2016. USGS
- Medinsky MA, Benson JM, Hobbs CH. 1987. Lung clearance and disposition of ⁶³Ni in F344/N rats after intratracheal instillation of nickel sulfate solutions. *Environ Res* 43(1):168-178. 10.1016/s0013-9351(87)80068-3.
- Meijer C, Bredberg M, Fischer T, et al. 1995. Ear piercing, and nickel and cobalt sensitization, in 520 young Swedish men doing compulsory military service. *Contact Dermatitis* 32(3):147-149. 10.1111/j.1600-0536.1995.tb00804.x.
- Meir KS, Leitersdorf E. 2004. Atherosclerosis in the apolipoprotein-E-deficient mouse: a decade of progress. *Arterioscler Thromb Vasc Biol* 24(6):1006-1014. 10.1161/01.ATV.0000128849.12617.f4.
- Menné T. 1994. Quantitative aspects of nickel dermatitis. Sensitization and eliciting threshold concentrations. *Sci Total Environ* 148(2-3):275-281. 10.1016/0048-9697(94)90403-0.
- Menné T, Brandup F, Thestrup-Pedersen K, et al. 1987. Patch test reactivity to nickel alloys. *Contact Dermatitis* 16(5):255-259. 10.1111/j.1600-0536.1987.tb01448.x.
- Menné T, Calvin G. 1993. Concentration threshold of non-occluded nickel exposure in nickel-sensitive individuals and controls with and without surfactant. *Contact Dermatitis* 29(4):180-184. 10.1111/j.1600-0536.1993.tb03533.x.
- Menzel DB, Deal DL, Tayyeb MI, et al. 1987. Pharmacokinetic modeling of the lung burden from repeated inhalation of nickel aerosols. *Toxicol Lett* 38(1-2):33-43. 10.1016/0378-4274(87)90108-1.
- Méranger JC, Subramanian KS, Chalifoux C. 1981. Survey for Cadmium, Cobalt, Chromium, Copper, Nickel, Lead, Zinc, Calcium, and Magnesium in Canadian Drinking Water Supplies. *Journal of Association of Official Analytical Chemists* 64(1):44-53. 10.1093/jaoac/64.1.44.
- Minigaliyeva IA, Katsnelson BA, Privalova LI, et al. 2014. Toxicodynamic and toxicokinetic descriptors of combined chromium (VI) and nickel toxicity. *Int J Toxicol* 33(6):498-505. 10.1177/1091581814555915.
- Minigaliyeva IA, Katsnelson BA, Privalova LI, et al. 2015. Attenuation of Combined Nickel(II) Oxide and Manganese(II, III) Oxide Nanoparticles' Adverse Effects with a Complex of Bioprotectors. *Int J Mol Sci* 16(9):22555-22583. 10.3390/ijms160922555.
- Misra M, Athar M, Hasan SK, et al. 1988. Alleviation of nickel-induced biochemical alterations by chelating agents. *Fundam Appl Toxicol* 11(2):285-292. 10.1016/0272-0590(88)90153-4.
- Miura T, Patierno SR, Sakuramoto T, et al. 1989. Morphological and neoplastic transformation of C3H/10T1/2 Cl 8 mouse embryo cells by insoluble carcinogenic nickel compounds. *Environ Mol Mutagen* 14(2):65-78. 10.1002/em.2850140202.
- Miyaki M, Akamatsu N, Ono T, et al. 1979. Mutagenicity of metal cations in cultured cells from Chinese hamster. *Mutation Research/Genetic Toxicology* 68(3):259-263. [https://doi.org/10.1016/0165-1218\(79\)90157-5](https://doi.org/10.1016/0165-1218(79)90157-5).
- Mizuguchi Y, Myojo T, Oyabu T, et al. 2013. Comparison of dose-response relations between 4-week inhalation and intratracheal instillation of NiO nanoparticles using polymorphonuclear neutrophils in bronchoalveolar lavage fluid as a biomarker of pulmonary inflammation. *Inhal Toxicol* 25(1):29-36. 10.3109/08958378.2012.751470.

8. REFERENCES

- Mo Y, Jiang M, Zhang Y, et al. 2019. Comparative mouse lung injury by nickel nanoparticles with differential surface modification. *J Nanobiotechnology* 17(1):2. 10.1186/s12951-018-0436-0.
- Mohammad AB, Mohammad SHK, Mohammad MK, et al. 2019. Quantification of Trace Elements in Different Dokha and Shisha Tobacco Products using EDXRF. *J Anal Toxicol* 43(4):e7-e22. 10.1093/jat/bky095.
- Möller H. 1984. Attempts to induce contact allergy to nickel in the mouse. *Contact Dermatitis* 10(2):65-68. 10.1111/j.1600-0536.1984.tb00337.x.
- Morgan LG, Rouge PJ. 1984. Biological monitoring in nickel refinery workers. *IARC Sci Publ*(53):507-520.
- Morimoto Y, Izumi H, Yoshiura Y, et al. 2016. Comparison of pulmonary inflammatory responses following intratracheal instillation and inhalation of nanoparticles. *Nanotoxicology* 10(5):607-618. 10.3109/17435390.2015.1104740.
- Morimoto Y, Nambu Z, Tanaka I, et al. 1995. Effects of nickel oxide on the production of tumor necrosis factor by alveolar macrophages of rats. *Biol Trace Elem Res* 48(3):287-296. 10.1007/bf02789410.
- Morimoto Y, Ogami A, Todoroki M, et al. 2010. Expression of inflammation-related cytokines following intratracheal instillation of nickel oxide nanoparticles. *Nanotoxicology* 4(2):161-176. 10.3109/17435390903518479.
- Morimoto Y, Oyabu T, Ogami A, et al. 2011. Investigation of gene expression of MMP-2 and TIMP-2 mRNA in rat lung in inhaled nickel oxide and titanium dioxide nanoparticles. *Ind Health* 49(3):344-352. 10.2486/indhealth.ms1218.
- Morita T, Asano N, Awogi T, et al. 1997. Evaluation of the rodent micronucleus assay in the screening of IARC carcinogens (groups 1, 2A and 2B) the summary report of the 6th collaborative study by CSGMT/JEMS MMS. Collaborative Study of the Micronucleus Group Test. Mammalian Mutagenicity Study Group. *Mutat Res* 389(1):3-122. 10.1016/s1383-5718(96)00070-8.
- Moulin JJ, Clavel T, Roy D, et al. 2000. Risk of lung cancer in workers producing stainless steel and metallic alloys. *Int Arch Occup Environ Health* 73(3):171-180. 10.1007/s004200050024.
- Moulin JJ, Portefaix P, Wild P, et al. 1990. Mortality study among workers producing ferroalloys and stainless steel in France. *Br J Ind Med* 47(8):537-543. 10.1136/oem.47.8.537.
- Moulin JJ, Wild P, Mantout B, et al. 1993. Mortality from lung cancer and cardiovascular diseases among stainless-steel producing workers. *Cancer Causes Control* 4(2):75-81. 10.1007/bf00053147.
- Mouvet C, Bourg ACM. 1983. Speciation (Including Adsorbed Species) of Copper, Lead, Nickel and Zinc in the Meuse River. *Water Research* 17(6):641-649.
- Mozzanica N, Rizzolo L, Veneroni G, et al. 1990. HLA-A, B, C and DR antigens in nickel contact sensitivity. *Br J Dermatol* 122(3):309-313. 10.1111/j.1365-2133.1990.tb08278.x.
- Muggenburg BA, Benson JM, Barr EB, et al. 2003. Short-term inhalation of particulate transition metals has little effect on the electrocardiograms of dogs having preexisting cardiac abnormalities. *Inhal Toxicol* 15:357-371. 10.1080/08958370390187453.

8. REFERENCES

- Muir DC, Jadon N, Julian JA, et al. 1994. Cancer of the respiratory tract in nickel sinter plant workers: effect of removal from sinter plant exposure. *Occup Environ Med* 51(1):19-22. 10.1136/oem.51.1.19.
- Muir DC, Julian J, Jadon N, et al. 1993. Prevalence of small opacities in chest radiographs of nickel sinter plant workers. *Br J Ind Med* 50(5):428-431. 10.1136/oem.50.5.428.
- Müller-Fassbender M, Elsenhans B, McKie AT, et al. 2003. Different behaviour of ⁶³Ni and ⁵⁹Fe during absorption in iron-deficient and iron-adequate jejunal rat segments ex vivo. *Toxicology* 185(1):141-153. [https://doi.org/10.1016/S0300-483X\(02\)00600-5](https://doi.org/10.1016/S0300-483X(02)00600-5).
- Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludges. *Archives of Environmental Contamination and Toxicology* 13(1):75-83. 10.1007/BF01055648.
- National Academies of Sciences E, and Medicine (NASEM),. 2019. Dietary Reference Intakes for Sodium and Potassium. Washington, DC: The National Academies Press.
- NAS. 1975. Sources and prevalence of nickel in the environment. Nickel. Washington, DC: National Academy Press.
- NAS/NRC. 1989. Biologic Markers in Reproductive Toxicology. Washington (DC): National Academies Press (US) Copyright 1989 by the National Academy of Sciences.
- Ni W, Huang Y, Wang X, et al. 2014. Associations of neonatal lead, cadmium, chromium and nickel co-exposure with DNA oxidative damage in an electronic waste recycling town. *Sci Total Environ* 472:354-362. 10.1016/j.scitotenv.2013.11.032.
- Nielsen FH. 1980. Effect of form of iron on the interaction between nickel and iron in rats: growth and blood parameters. *J Nutr* 110(5):965-973. 10.1093/jn/110.5.965.
- Nielsen FH. 1990. Other trace elements. In: Brown ML, ed. Present knowledge in nutrition 6th ed. Washington, DC: International Life Sciences Institute Press, 294-307.
- Nielsen FH, Hunt CD, Uthus EO. 1980. Interactions between essential trace and ultratrace elements. *Ann N Y Acad Sci* 355:152-164. 10.1111/j.1749-6632.1980.tb21335.x.
- Nielsen GD, Flyvholm M. 1984. Risks of high nickel intake with diet. *IARC Sci Publ*(53):333-338.
- Nielsen GD, Jepsen LV, Jørgensen PJ, et al. 1990. Nickel-sensitive patients with vesicular hand eczema: oral challenge with a diet naturally high in nickel. *Br J Dermatol* 122(3):299-308. 10.1111/j.1365-2133.1990.tb08277.x.
- Nielsen GD, Søderberg U, Jørgensen PJ, et al. 1999. Absorption and retention of nickel from drinking water in relation to food intake and nickel sensitivity. *Toxicol Appl Pharmacol* 154(1):67-75. 10.1006/taap.1998.8577.
- Nielsen NH, Linneberg A, Menné T, et al. 2002. Incidence of allergic contact sensitization in Danish adults between 1990 and 1998; the Copenhagen Allergy Study, Denmark. *Br J Dermatol* 147(3):487-492. 10.1046/j.1365-2133.2002.04668.x.
- Nieminen TM, Ukonmaanaho L, Rausch N, et al. 2007. Biogeochemistry of Nickel and Its Release into the Environment. In:ed. Nickel and Its Surprising Impact in Nature. 1-29.
- Nightingale HI. (1987). Water Quality Beneath Urban Runoff Water Management Basins [Press release]
- NIOSH. 2013. Occupational Exposure to Carbon Nanotubes and Nanofibers.
- NIOSH. 2019a. Nickel metal and other compounds (as Ni). CDC NIOSH pocket guide to chemical hazards. Atlanta, GA: The National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <https://www.cdc.gov/niosh/npg/npgd0445.html>. March 29, 2021.

8. REFERENCES

- NIOSH. 2019b. Copper fume (as Cu). Immediately Dangerous to Life or Health Concentrations (IDLH). Atlanta, GA: The National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention.
<https://www.cdc.gov/niosh/npg/npgd0445.html>. March 29, 2021.
- Niu J, Liberda EN, Qu S, et al. 2013. The role of metal components in the cardiovascular effects of PM_{2.5}. *PLoS One* 8(12):e83782-e83782. 10.1371/journal.pone.0083782.
- Nordin AP, da Silva J, de Souza CT, et al. 2018. In vitro genotoxic effect of secondary minerals crystallized in rocks from coal mine drainage. *J Hazard Mater* 346:263-272. 10.1016/j.jhazmat.2017.12.026.
- Norgaard O. 1955. Investigations with radioactive Ni 57 into the resorption of nickel through the skin in normal and in nickel-hypersensitive persons. *Acta Derm Venereol* 35(2):111-117.
- Norgaard O. 1957. Investigations with radioactive nickel, cobalt and sodium on the resorption through the skin in rabbits, guinea-pigs and man. *Acta Derm Venereol* 37(6):440-445.
- Novey HS, Habib M, Wells ID. 1983. Asthma and IgE antibodies induced by chromium and nickel salts. *J Allergy Clin Immunol* 72(4):407-412. 10.1016/0091-6749(83)90507-9.
- NRC. 1993. Pesticides in the Diets of Infants and Children. Washington (DC): National Academies Press (US) Copyright 1993 by the National Academy of Sciences. All rights reserved.
- Nriagu JO, Coker RD. 1980. Trace Metals in Humic and Fulvic Acids from Lake Ontario Sediments. *Environmental Science & Technology* 14(4):443-446.
- Nriagu JO, Lawson G, Wong HKT, et al. 1996. Dissolved Trace Metals in Lakes Superior, Erie, and Ontario. *Environmental Science & Technology* 30(1):178-187. 10.1021/es950221i.
- Nriagu JO, Pacyna JM. 1988. Quantitative assessment of worldwide contamination of air, water and soils by trace metals. *Nature* 333(6169):134-139. 10.1038/333134a0.
- NTP. 1996a. NTP technical report on the toxicology and carcinogenesis studies of nickel oxide (CAS No. 1313-99-1) in F344/N rats and B6C3F1 mice (inhalation studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health.
- NTP. 1996b. NTP technical report on the toxicology and carcinogenesis studies of nickel subsulfide (CAS No. 12035-72-2) in F344/N rats and B6C3F1 mice (inhalation studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health.
- NTP. 1996c. NTP technical report on the toxicology and carcinogenesis studies of nickel sulfate hexahydrate (CAS No. 10101-97-0) in F344/N rats and B6C3F1 mice (inhalation studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health.
- NTP. 2016. Nickel compounds and metallic nickel. In:ed. Report on carcinogens, fourteenth edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service
- O'Rourke MK, Van de Water PK, Jin S, et al. 1999. Evaluations of primary metals from NHEXAS Arizona: distributions and preliminary exposures. *Journal of Exposure Analysis and Environmental Epidemiology* 9:435-445.
- Obone E, Chakrabarti SK, Bai C, et al. 1999. Toxicity and bioaccumulation of nickel sulfate in Sprague-Dawley rats following 13 weeks of subchronic exposure. *J Toxicol Environ Health A* 57(6):379-401. 10.1080/009841099157593.

8. REFERENCES

- Occelli F, Lanier C, Cuny D, et al. 2020. Exposure to multiple air pollutants and the incidence of coronary heart disease: A fine-scale geographic analysis. *Sci Total Environ* 714:136608. 10.1016/j.scitotenv.2020.136608.
- Ogami A, Morimoto Y, Myojo T, et al. 2009. Pathological features of different sizes of nickel oxide following intratracheal instillation in rats. *Inhal Toxicol* 21(10):812-818. 10.1080/08958370802499022.
- Ogunbileje JO, Sadagoparamanujam VM, Anetor JI, et al. 2013. Lead, mercury, cadmium, chromium, nickel, copper, zinc, calcium, iron, manganese and chromium (VI) levels in Nigeria and United States of America cement dust. *Chemosphere* 90(11):2743-2749. 10.1016/j.chemosphere.2012.11.058.
- Ohanian EV. 1986. Health effects of corrosion products in drinking water. Paper presented at the Annual conference on trace substances in environmental health, Columbia, MO. <https://www.osti.gov/biblio/6013999>.
- Ohno H, Hanaoka F, Yamada M-A. 1982. Inducibility of sister-chromatid exchanges by heavy-metal ions. *Mutation Research Letters* 104(1):141-145. [https://doi.org/10.1016/0165-7992\(82\)90135-X](https://doi.org/10.1016/0165-7992(82)90135-X).
- Ohshima S. 2003. Induction of genetic instability and chromosomal instability by nickel sulfate in V79 Chinese hamster cells. *Mutagenesis* 18(2):133-137. 10.1093/mutage/18.2.133.
- Ojajärvi IA, Partanen TJ, Ahlbom A, et al. 2000. Occupational exposures and pancreatic cancer: a meta-analysis. *Occup Environ Med* 57(5):316-324. 10.1136/oem.57.5.316.
- Oliveira JP, de Siqueira ME, da Silva CS. 2000. Urinary nickel as bioindicator of workers' Ni exposure in a galvanizing plant in Brazil. *Int Arch Occup Environ Health* 73(1):65-68. 10.1007/pl00007940.
- Oller AR, Erexson G. 2007. Lack of micronuclei formation in bone marrow of rats after repeated oral exposure to nickel sulfate hexahydrate. *Mutat Res* 626(1-2):102-110. 10.1016/j.mrgentox.2006.09.001.
- Oller AR, Kirkpatrick DT, Radovsky A, et al. 2008. Inhalation carcinogenicity study with nickel metal powder in Wistar rats. *Toxicol Appl Pharmacol* 233(2):262-275. 10.1016/j.taap.2008.08.017.
- Oller AR, Oberdorster G, Seilkop SK. 2014. Derivation of PM10 size-selected human equivalent concentrations of inhaled nickel based on cancer and non-cancer effects on the respiratory tract. *Inhal Toxicol* 26(9):559-578. 10.3109/08958378.2014.932034.
- Olsen I, Jonsen J. 1982. Whole-body autoradiography of 204Tl in embryos, fetuses and placentas of mice. *Toxicology* 23(4):353-358. 10.1016/0300-483x(82)90073-7.
- Olsson A, Togawa K, Schüz J, et al. 2018. Parental occupational exposure to solvents and heavy metals and risk of developing testicular germ cell tumors in sons (NORD-TEST Denmark). *Scand J Work Environ Health* 44(6):658-669. 10.5271/sjweh.3732.
- OSHA. 2020a. Occupational safety and health standards. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z-1: Limits for air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations: <https://www.osha.gov/annotated-pels/table-z-1>. October 21, 2020.
- OSHA. 2020b. Safety and health regulations for construction. Subpart D - Occupational health and environment controls. Gases, vapors, fumes, dusts, and mists. Occupational Safety and Health Administration. Code of Federal Regulations. <https://www.osha.gov/laws-regs/regulations/standardnumber/1926/1926.55>. October 21, 2020.

8. REFERENCES

- OSHA. 2020c. Occupational safety and health standards for shipyard employment. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. <https://www.osha.gov/laws-regs/regulations/standardnumber/1915/1915.1000>. October 21, 2020.
- Ottolenghi AD, Haseman JK, Payne WW, et al. 1975. Inhalation studies of nickel sulfide in pulmonary carcinogenesis of rats. *J Natl Cancer Inst* 54(5):1165-1172. 10.1093/jnci/54.5.1165.
- Pacyna JM, Ottar B. 1985. Transport and chemical composition of the summer aerosol in the Norwegian Arctic. *Atmospheric Environment* (1967) 19(12):2109-2120. [https://doi.org/10.1016/0004-6981\(85\)90118-0](https://doi.org/10.1016/0004-6981(85)90118-0).
- Pacyna JM, Pacyna EG. 2001. An assessment of global and regional emissions of trace metals to the atmosphere from anthropogenic sources worldwide. *Environmental Reviews* 9(4):269-298. <https://doi.org/10.1139/a01-012>.
- Pandey R, Kumar R, Singh SP, et al. 1999. Male reproductive effect of nickel sulphate in mice. *BioMetals* 12(4):339-346. 10.1023/a:1009291816033.
- Pandey R, Srivastava SP. 2000. Spermatotoxic effects of nickel in mice. *Bull Environ Contam Toxicol* 64(2):161-167. 10.1007/s001289910025.
- Pang D, Burges DC, Sorahan T. 1996. Mortality study of nickel platers with special reference to cancers of the stomach and lung, 1945-93. *Occup Environ Med* 53(10):714-717. 10.1136/oem.53.10.714.
- Pappas RS, Gray N, Halstead M, et al. 2020. Toxic Metal-Containing Particles in Aerosols from Pod-Type Electronic Cigarettes. *Journal of Analytical Toxicology*. 10.1093/jat/bkaa088.
- Pappas RS, Gray N, Halstead M, et al. 2021. Toxic Metal-Containing Particles in Aerosols from Pod-Type Electronic Cigarettes. *J Anal Toxicol* 45(4):337-347. 10.1093/jat/bkaa088.
- Pappas RS, Stanfill SB, Watson CH, et al. 2008. Analysis of toxic metals in commercial moist snuff and Alaskan Iqmik. *Journal of Analytical Toxicology* 32:281-291. <https://doi.org/10.1093/jat/32.4.281>.
- Parent ME, Turner MC, Lavoué J, et al. 2017. Lifetime occupational exposure to metals and welding fumes, and risk of glioma: A 7-country population-based case-control study. *Environ Health* 16(1):90. 10.1186/s12940-017-0300-y.
- Patel MM, Hoepner L, Garfinkel R, et al. 2009. Ambient metals, elemental carbon, and wheeze and cough in New York City children through 24 months of age. *Am J Respir Crit Care Med* 180(11):1107-1113. 10.1164/rccm.200901-0122OC.
- Patierno SR, Costa M. 1985. DNA-protein cross-links induced by nickel compounds in intact cultured mammalian cells. *Chem Biol Interact* 55(1-2):75-91. 10.1016/s0009-2797(85)80121-6.
- Patriarca M, Lyon TD, Fell GS. 1997. Nickel metabolism in humans investigated with an oral stable isotope. *Am J Clin Nutr* 66(3):616-621. 10.1093/ajcn/66.3.616.
- Pavela M, Uitti J, Pukkala E. 2017. Cancer incidence among copper smelting and nickel refining workers in Finland. *Am J Ind Med* 60(1):87-95. 10.1002/ajim.22662.
- Pedersen E, Hogetveit AC, Andersen A. 1973. Cancer of respiratory organs among workers at a nickel refinery in Norway. *Int J Cancer* 12(1):32-41. 10.1002/ijc.2910120104.

8. REFERENCES

- Peltier RE, Lippmann M. 2010a. Residual oil combustion: 2. Distributions of airborne nickel and vanadium within New York City. *J Expo Sci Environ Epidemiol* 20(4):342-350. 10.1038/jes.2009.28.
- Peltier RE, Lippmann M. 2010b. Residual oil combustion: 2. Distributions of airborne nickel and vanadium within New York City. *Journal of Exposure Science and Environmental Epidemiology* 20:342-350.
- Pennington JAT, Jones JW. 1987. Molybdenum, nickel, cobalt, vanadium, and strontium in total diets. *Journal of the American Dietetic Association* 87(12):1644-1650.
- Peralta-Videa JR, Gardea-Torresdey JL, Gomez E, et al. 2002. Effect of mixed cadmium, copper, nickel and zinc at different pHs upon alfalfa growth and heavy metal uptake. *Environmental Pollution* 119:291-301.
- Pereira AMPT, Silva LJG, Simões BDF, et al. 2020. Exposure to nickel through commercial premade baby foods: Is there any risk? *Journal of Food Composition and Analysis* 92. 10.1016/j.jfca.2020.103541.
- Pesch B, Kendzia B, Pohlabeln H, et al. 2019. Exposure to welding fumes, hexavalent chromium, or nickel and risk of lung cancer. *Am J Epidemiol* 188(11):1984-1993. 10.1093/aje/kwz187.
- Peto J, Cuckle H, Doll R, et al. 1984. Respiratory cancer mortality of Welsh nickel refinery workers. *IARC Sci Publ*(53):37-46.
- Phillips JI, Green FY, Davies JC, et al. 2010. Pulmonary and systemic toxicity following exposure to nickel nanoparticles. *Am J Ind Med* 53(8):763-767. 10.1002/ajim.20855.
- Pikálek P, Necásek J. 1983. The mutagenic activity of nickel in *Corynebacterium* sp. *Folia Microbiol (Praha)* 28(1):17-21. 10.1007/bf02877379.
- Pitt R, Field R, Lalor M, et al. 1995. Urban Stormwater Toxic Pollutants: Assessment, Sources, and Treatability. *Water Environment Research* 67(3):260-275.
- Polednak AP. 1981. Mortality among welders, including a group exposed to nickel oxides. *Arch Environ Health* 36(5):235-242. 10.1080/00039896.1981.10667630.
- Pool-Zobel BL, Lotzmann N, Knoll M, et al. 1994. Detection of genotoxic effects in human gastric and nasal mucosa cells isolated from biopsy samples. *Environ Mol Mutagen* 24(1):23-45. 10.1002/em.2850240105.
- Poulton D. 1987. Trace contaminant status of Hamilton Harbour. *Journal of Great Lakes Research* 13(2):193-201.
- Poulton DJ, Simpson KJ, Barton DR, et al. 1988. Trace Metals and Benthic Invertebrates in Sediments of Nearshore Lake Ontario at Hamilton Harbour. *Journal of Great Lakes Research* 14(1):52-65.
- PubChem. 2021a. Compound summary. Nickel sulfamate. National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/compound/Nickel-sulfamate>. February 25, 2021.
- PubChem. 2021b. Compound summary. Nickel acetate. National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/compound/Nickel-acetate>. October 7, 2021.
- PubChem. 2021c. Compound summary. Nickel cyanide. National Library of Medicine, National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/compound/Nickel-cyanide>. October 7, 2021.

8. REFERENCES

- PubChem. 2021d. Compound summary. Nickel sulfate. National Library of Medicine, National Center for Biotechnology Information.
<https://pubchem.ncbi.nlm.nih.gov/compound/Nickel-sulfate>. October 7, 2021.
- PubChem. 2021e. Compound summary. Nickel (II) ammonium sulfate. National Library of Medicine, National Center for Biotechnology Information.
https://pubchem.ncbi.nlm.nih.gov/compound/Nickel_II_-ammonium-sulfate. February 25, 2021.
- PubChem. 2021f. Compound summary. Nickel chloride. National Library of Medicine, National Center for Biotechnology Information.
<https://pubchem.ncbi.nlm.nih.gov/compound/Nickel-chloride>. October 7, 2021.
- PubChem. 2021g. Compound summary. Nickel subsulfide. National Library of Medicine, National Center for Biotechnology Information.
<https://pubchem.ncbi.nlm.nih.gov/compound/Nickel-subsulfide>. October 7, 2021.
- PubChem. 2021h. Compound summary. Nickel nitrate. National Library of Medicine, National Center for Biotechnology Information.
<https://pubchem.ncbi.nlm.nih.gov/compound/Nickel-nitrate>. October 7, 2021.
- PubChem. 2021i. Compound summary. Nickel oxide. National Library of Medicine, National Center for Biotechnology Information.
<https://pubchem.ncbi.nlm.nih.gov/compound/Nickel-oxide>. October 7, 2021.
- Qiao Y, Ma L. 2013. Quantification of metal ion induced DNA damage with single cell array based assay. *Analyst* 138(19):5713-5718. 10.1039/C3AN00967J.
- Raaschou-Nielsen O, Beelen R, Wang M, et al. 2016. Particulate matter air pollution components and risk for lung cancer. *Environ Int* 87:66-73. 10.1016/j.envint.2015.11.007.
- Rai D, Zachara JM. 1984. Chemical Attenuation Rates, Coefficients, and Constants in Leachate Migration. Battelle Pacific Northwest Laboratories.
- Raithel HJ, Schaller KH, Akslen LA, et al. 1989. Analyses of chromium and nickel in human pulmonary tissue. Investigations in lung cancer patients and a control population under special consideration of medical expertise aspects. *Int Arch Occup Environ Health* 61(8):507-512. 10.1007/bf00683120.
- Rao MV, Jhala DD, Patel A, et al. 2008. Cytogenetic alteration induced by nickel and chromium in human blood cultures and its amelioration by curcumin. *International Journal of Human Genetics* 8(3):301-305. 10.1080/09723757.2008.11886044.
- Rasmuson Å. 1985. Mutagenic effects of some water-soluble metal compounds in a somatic eye-color test system in *Drosophila melanogaster*. *Mutation Research/Genetic Toxicology* 157(2):157-162. [https://doi.org/10.1016/0165-1218\(85\)90111-9](https://doi.org/10.1016/0165-1218(85)90111-9).
- Redmond CK. 1984. Site-specific cancer mortality among workers involved in the production of high nickel alloys. *IARC Sci Publ*(53):73-86.
- Rehm S, White TE, Zahalka EA, et al. 2008. Effects of Food Restriction on Testis and Accessory Sex Glands in Maturing Rats. *Toxicol Pathol* 36:687-694. 10.1177/0192623308320275.
- Rendall RE, Phillips JI, Renton KA. 1994. Death following exposure to fine particulate nickel from a metal arc process. *Ann Occup Hyg* 38(6):921-930. 10.1093/annhyg/38.6.921.
- Rezuke WN, Knight JA, Sunderman FW, Jr. 1987. Reference values for nickel concentrations in human tissues and bile. *Am J Ind Med* 11(4):419-426. 10.1002/ajim.4700110404.

8. REFERENCES

- Rice KC. 1999. Trace-Element Concentrations in Streambed Sediment Across the Conterminous United States. *Environmental Science & Technology* 33(15):2499-2504. 10.1021/es990052s.
- Richter RO, Theis TL. 1980. Nickel Speciation in a Soil/Water System. In: Nriagu JO, ed. *Nickel in the Environment*. John Wiley & Sons
- Roberts RS, Julian JA, Muir DC, et al. 1989a. A study of mortality in workers engaged in the mining, smelting, and refining of nickel. II: Mortality from cancer of the respiratory tract and kidney. *Toxicol Ind Health* 5(6):975-993. 10.1177/074823378900500606.
- Roberts RS, Julian JA, Swezey D, et al. 1989b. A study of mortality in workers engaged in the mining, smelting, and refining of nickel. I: Methodology and mortality by major cause groups. *Toxicol Ind Health* 5(6):957-974. 10.1177/074823378900500605.
- Roccoliello E, Nicosia E, Pierdona L, et al. 2022. Tomato (*Solanum lycopersicum* L.) accumulation and allergenicity in response to nickel stress. *Sci Rep* 12(5432). 10.1038/s41598-022-09107-x.
- Rodríguez-Arnaiz R, Ramos P. 1986. Mutagenicity of nickel sulphate in *Drosophila melanogaster*. *Mutat Res* 170(3):115-117. 10.1016/0165-1218(86)90023-6.
- Rohr AC, Habre R, Godbold J, et al. 2014a. Asthma exacerbation is associated with particulate matter source factors in children in New York City. *Air Quality, Atmosphere & Health* 7(2):239-250. 10.1007/s11869-013-0230-y.
- Rohr RP, Saavedra S, Bascompte J. 2014b. On the structural stability of mutualistic systems. *Science* 345(6195). <http://dx.doi.org/10.1126/science.1253497>.
- Rope SK, Arthur WJ, 3rd, Craig TH, et al. 1988. Nutrient and trace elements in soil and desert vegetation of southern Idaho. *Environ Monit Assess* 10(1):1-24. 10.1007/bf00394252.
- Rosa MJ, Benedetti C, Peli M, et al. 2016. Association between personal exposure to ambient metals and respiratory disease in Italian adolescents: a cross-sectional study. *BMC pulmonary medicine* 16:6-6. 10.1186/s12890-016-0173-9.
- Rossman R. 1988. Estimation of trace metal storage in Lake St. Clair post-settlement sediments using composite samples. *J Great Lakes Res* 14(1):66-75.
- RTI. 1986. Two-generation reproduction and fertility study of nickel chloride administered to CD rats in the drinking water: 90-Day exposure of CD rats to nickel chloride administered in the drinking water. Final study report (I of III). Research Triangle Park, NC: Office of Solid Waste Management, U.S. Environmental Protection Agency.
- RTI. 1988a. Two-generation reproduction and fertility study of nickel chloride administered to CD rats in the drinking water: Fertility and reproductive performance of the Po generation. Final study report (II of III). Research Triangle Park, NC: Office of Solid Waste Management, U.S. Environmental Protection Agency.
- RTI. 1988b. Two-generation reproduction and fertility study of nickel chloride administered to CD rats in the drinking water: Fertility and reproductive performance of the F1 generation. Final study report (III of III). Research Triangle Park, NC: Office of Solid Waste Management, U.S. Environmental Protection Agency.
- Rudd T, Lake DL, Mehrotra I, et al. 1988. Characterisation of metal forms in sewage sludge by chemical extraction and progressive acidification. *Science of The Total Environment* 74:149-175. [https://doi.org/10.1016/0048-9697\(88\)90135-0](https://doi.org/10.1016/0048-9697(88)90135-0).
- Sadiq M, Enfield CG. 1984a. Solid Phase Formation and Solution Chemistry of Nickel in Soils: 1. Theoretical. *Soil Science* 138(4):262-270.

8. REFERENCES

- Sadiq M, Enfield CG. 1984b. Solid Phase Formation and Solution Chemistry of Nickel in Soils: 2. Experimental. *Soil Science* 138(5):335-340.
- Salcedo-Bellido I, Gutierrez-Gonzalez E, Garcia-Esquinas E, et al. 2021. Toxic metals in toenails as biomarkers of exposure: A review. *Environ Res* 197:111028. 10.1016/j.envres.2021.111028.
- Salnikow K, Li X, Lippmann M. 2004. Effect of nickel and iron co-exposure on human lung cells. *Toxicol Appl Pharmacol* 196(2):258-265. 10.1016/j.taap.2004.01.003.
- Sanford WE, Nieboer E. 1992. Renal toxicity of nickel in humans. In: Nieboer E & Nriagu JO, ed. *Nickel and human health: Current perspectives: Proceedings of the Fourth International Conference on Nickel Metabolism and Toxicology; September 1988, Helsinki, Finland*. New York: John Wiley & Sons, Inc., 123-134.
- Santucci B, Manna F, Cannistraci C, et al. 1994. Serum and urine concentrations in nickel-sensitive patients after prolonged oral administration. *Contact Dermatitis* 30(2):97-101. 10.1111/j.1600-0536.1994.tb00571.x.
- Sañudo-Wilhelmy SA, Gill GA. 1999. Impact of the Clean Water Act on the Levels of Toxic Metals in Urban Estuaries: The Hudson River Estuary Revisited. *Environmental Science & Technology* 33(20):3477-3481. 10.1021/es981130z.
- Saqib Q, Attia SM, Ansari SM, et al. 2017. p53, MAPKAPK-2 and caspases regulate nickel oxide nanoparticles induce cell death and cytogenetic anomalies in rats. *Int J Biol Macromol* 105(Pt 1):228-237. 10.1016/j.ijbiomac.2017.07.032.
- Saqib Q, Siddiqui MA, Ahmad J, et al. 2018. Nickel Oxide Nanoparticles Induced Transcriptomic Alterations in HEPG2 Cells. *Adv Exp Med Biol* 1048:163-174. 10.1007/978-3-319-72041-8_10.
- Sarkar B. 1984. Nickel metabolism. *IARC Sci Publ*(53):367-384.
- Sax SN, Bennett DH, Chillrud SN, et al. 2006. A cancer risk assessment of inner-city teenagers living in New York City and Los Angeles. *Environ Health Perspect* 114(10):1558-1566. 10.1289/ehp.8507.
- Saxholm HJ, Reith A, Brøgger A. 1981. Oncogenic transformation and cell lysis in C3H/10T 1/2 cells and increased sister chromatid exchange in human lymphocytes by nickel subsulfide. *Cancer Res* 41(10):4136-4139.
- Saylor DM, Craven BA, Chandrasekar V, et al. 2018. Predicting patient exposure to nickel released from cardiovascular devices using multi-scale modeling. *Acta Biomaterialia* 70:304-314. <https://doi.org/10.1016/j.actbio.2018.01.024>.
- Sazakli E, Leotsinidis M. 2017. Hair biomonitoring and health status of a general population exposed to Nickel. *J Trace Elem Med Biol* 43:161-168. 10.1016/j.jtemb.2017.02.001.
- Schachter EN, Rohr A, Habre R, et al. 2020. Indoor air pollution and respiratory health effects in inner city children with moderate to severe asthma. *Air Quality, Atmosphere & Health* 13(2):247-257. 10.1007/s11869-019-00789-3.
- Schmidt JA, Andren AW. 1980. The Atmospheric Chemistry of Nickel. In: Nriagu JO, ed. *Nickel in the Environment*. John Wiley & Sons, 94-135.
- Schroeder HA, Balassa JJ, Vinton WH, Jr. 1964. Chromium, Lead, Cadmium, Nickel and Titanium in Mice: Effect on Mortality, Tumors and Tissue Levels. *The Journal of Nutrition* 83(3):239-250. 10.1093/jn/83.3.239.
- Schroeder HA, Mitchener M. 1971. Toxic Effects of Trace Elements on the Reproduction of Mice and Rats. *Archives of Environmental Health: An International Journal* 23(2):102-106. 10.1080/00039896.1971.10665963.

8. REFERENCES

- Schroeder HA, Mitchener M, Nason AP. 1974. Life-term Effects of Nickel in Rats: Survival, Tumors, Interactions with Trace Elements and Tissue Levels. *The Journal of Nutrition* 104(2):239-243. 10.1093/jn/104.2.239.
- Schroeder WH, Dobson M, Kane DM, et al. 1987. Toxic Trace Elements Associated with Airborne Particulate Matter: A Review. *JAPCA* 37(11):1267-1285. 10.1080/08940630.1987.10466321.
- Schwerdtle T, Hartwig A. 2006. Bioavailability and genotoxicity of soluble and particulate nickel compounds in cultured human lung cells. *Materialwissenschaft und Werkstofftechnik* 37(6):521-525. <https://doi.org/10.1002/mawe.200600030>.
- Scudlark JR, Conko KM, Church TM. 1994. Atmospheric wet deposition of trace elements to Chesapeake Bay: CBAD study year 1 results. *Atmospheric Environment* 28(8):1487-1498. [https://doi.org/10.1016/1352-2310\(94\)90209-7](https://doi.org/10.1016/1352-2310(94)90209-7).
- Sedlak DL, Phinney JT, Bedsworth WW. 1997. Strongly Complexed Cu and Ni in Wastewater Effluents and Surface Runoff. *Environmental Science & Technology* 31:3010-3016.
- Seet RC, Johan A, Teo CE, et al. 2005. Inhalational nickel carbonyl poisoning in waste processing workers. *Chest* 128(1):424-429. 10.1378/chest.128.1.424.
- Seidenberg JM, Anderson DG, Becker RA. 1986. Validation of an in vivo developmental toxicity screen in the mouse. *Teratog Carcinog Mutagen* 6(5):361-374. 10.1002/tcm.1770060503.
- Seilkop SK. 2001. Occupational exposures and pancreatic cancer: a meta-analysis. *Occup Environ Med* 58(1):63-64. 10.1136/oem.58.1.63a.
- Sen P, Conway K, Costa M. 1987. Comparison of the localization of chromosome damage induced by calcium chromate and nickel compounds. *Cancer Res* 47(8):2142-2147.
- Sen P, Costa M. 1986. Pathway of nickel uptake influences its interaction with heterochromatic DNA. *Toxicol Appl Pharmacol* 84(2):278-285. 10.1016/0041-008x(86)90135-3.
- Senoh H, Kano H, Suzuki M, et al. 2017. Comparison of single or multiple intratracheal administration for pulmonary toxic responses of nickel oxide nanoparticles in rats. *J Occup Health* 59(2):112-121. 10.1539/joh.16-0184-OA.
- Serita F, Kyono H, Seki Y. 1999. Pulmonary clearance and lesions in rats after a single inhalation of ultrafine metallic nickel at dose levels comparable to the threshold limit value. *Ind Health* 37(4):353-363. 10.2486/indhealth.37.353.
- Seyedalipour B, Anoosha F, Taravati A, et al. 2017. An Evaluation of Biochemical and Hematological Parameters of Blood in Male Rats after Exposure to Nickel and Nickel Chloride Nanoparticles. *J Babol Univ Med Sci* 19(11):58-66. 10.18869/acadpub.jbums.19.11.58.
- Shannon HS, Julian JA, Roberts RS. 1984a. A mortality study of 11,500 nickel workers. *J Natl Cancer Inst* 73(6):1251-1258.
- Shannon HS, Julian JA, Muir DC, et al. 1984b. A mortality study of Falconbridge workers. *IARC Sci Publ*(53):117-124.
- Shannon HS, Walsh C, Jadon N, et al. 1991. Mortality of 11,500 nickel workers--extended follow up and relationship to environmental conditions. *Toxicol Ind Health* 7(4):277-294. 10.1177/074823379100700404.
- Shiller AM, Boyle EA. 1987. Variability of dissolved trace metals in the Mississippi River. *Geochimica et Cosmochimica Acta* 51:3273-3277.

8. REFERENCES

- Shinohara N, Zhang G, Oshima Y, et al. 2017. Kinetics and dissolution of intratracheally administered nickel oxide nanomaterials in rats. *Part Fibre Toxicol* 14(1):48. 10.1186/s12989-017-0229-x.
- Shirakawa T, Kusaka Y, Fujimura N, et al. 1990. Hard metal asthma: cross immunological and respiratory reactivity between cobalt and nickel? *Thorax* 45(4):267-271. 10.1136/thx.45.4.267.
- Siller GM, Seymour GJ. 1994. Kinetics and specificity of nickel hypersensitivity in the murine model. *Australas J Dermatol* 35(2):77-81. 10.1111/j.1440-0960.1994.tb00901.x.
- Simonato L, Fletcher AC, Andersen A, et al. 1991. A historical prospective study of European stainless steel, mild steel, and shipyard welders. *Br J Ind Med* 48(3):145-154. 10.1136/oem.48.3.145.
- Simonetti V, Manzini BM, Seidenari S. 1998. Patch testing with nickel sulfate: comparison between 2 nickel sulfate preparations and 2 different test sites on the back. *Contact Dermatitis* 39(4):187-191. 10.1111/j.1600-0536.1998.tb05891.x.
- Singh I. 1984. Induction of gene conversion and reverse mutation by manganese sulphate and nickel sulphate in *Saccharomyces cerevisiae*. *Mutat Res* 137(1):47-49. 10.1016/0165-1218(84)90111-3.
- Singla A, Kaur J, Mahmood A. 2006. Alterations in the expression of intestinal enzymes in rats exposed to nickel. *J Appl Toxicol* 26(5):397-401. 10.1002/jat.1148.
- Sjövall P, Christensen OB, Möller H. 1987. Oral hyposensitization in nickel allergy. *Journal of the American Academy of Dermatology* 17(5, Part 1):774-778. [https://doi.org/10.1016/S0190-9622\(87\)70262-X](https://doi.org/10.1016/S0190-9622(87)70262-X).
- Smith MK, George EL, Stober JA, et al. 1993. Perinatal toxicity associated with nickel chloride exposure. *Environmental Research* 61(2):200-211. <https://doi.org/10.1006/enrs.1993.1064>.
- Smith SR. 1994. Effect of Soil pH on Availability to Crops of Metals in Sewage Sludge-Treated Soils. I. Nickel, Copper and Zinc Uptake and Toxicity to Ryegrass. *Environmental Pollution* 85:321-327.
- Sobti RC, Gill RK. 1989. Incidence of micronuclei and abnormalities in the head of spermatozoa caused by the salts of a heavy metal, nickel. *Cytologia* 54(2):249-253. 10.1508/cytologia.54.249.
- Solomons NW, Viteri F, Shuler TR, et al. 1982. Bioavailability of nickel in man: effects of foods and chemically-defined dietary constituents on the absorption of inorganic nickel. *J Nutr* 112(1):39-50. 10.1093/jn/112.1.39.
- Sorahan T. 2004. Mortality of workers at a plant manufacturing Nickel Alloys, 1958–2000. *Occupational Medicine* 54(1):28-34. 10.1093/occmed/kqg127.
- Sorahan T, Williams SP. 2005. Mortality of workers at a nickel carbonyl refinery, 1958-2000. *Occup Environ Med* 62(2):80-85. 10.1136/oem.2004.014985.
- Sörme L, Lagerkvist R. 2002. Sources of heavy metals in urban wastewater in Stockholm. *Science of The Total Environment* 298(1):131-145. [https://doi.org/10.1016/S0048-9697\(02\)00197-3](https://doi.org/10.1016/S0048-9697(02)00197-3).
- Spiegelberg T, Kördel W, Hochrainer D. 1984. Effects of NiO inhalation on alveolar macrophages and the humoral immune systems of rats. *Ecotoxicology and Environmental Safety* 8(6):516-525. [https://doi.org/10.1016/0147-6513\(84\)90011-3](https://doi.org/10.1016/0147-6513(84)90011-3).

8. REFERENCES

- Spiezia L, Campello E, Bon M, et al. 2014. Short-term exposure to high levels of air pollution as a risk factor for acute isolated pulmonary embolism. *Thromb Res* 134(2):259-263. 10.1016/j.thromres.2014.05.011.
- Spiezia L, Campello E, Maggiolo S, et al. 2016. Short-term exposure to high levels of air pollution (nickel) and the risk of acute unprovoked proximal deep vein thrombosis in the legs. *Intern Emerg Med* 11(1):159-162. 10.1007/s11739-015-1363-9.
- Springborn Laboratories. 2000a. A one-generation reproduction range-finding study in rats with nickel sulfate hexahydrate. Spencerville, OH: Springborn Laboratories, Inc.
- Springborn Laboratories. 2000b. An oral (gavage) two-generation reproduction toxicity study in Sprague-Dawley rats with nickel sulfate hexahydrate. Final Report. Volume 1 of 3. Spencerville, OH: Springborn Laboratories, Inc.
- Springborn Laboratories. 2002. A range-finding 90-day oral (gavage) toxicity study in Fischer 344 rats with nickel sulfate hexahydrate. Spencerville, OH: Springborn Laboratories, Inc.
- Spruit D, Bongaarts PJ. 1977. Nickel content of plasma, urine and hair in contact dermatitis. *Dermatologica* 154(5):291-300. 10.1159/000251084.
- Srivastava RC, Husain MM, Srivastava SK, et al. 1995. Effect of pre-exposure to cadmium and silver on nickel induced toxic manifestations in mice: possible role of ceruloplasmin and metallothionein. *Bull Environ Contam Toxicol* 54(5):751-759. 10.1007/bf00206109.
- Stephenson T, Lawson PS, Rudd T, et al. 1987. Mechanism of Metal Removal in Activated Sludge. *Journal of Environmental Engineering* 113(5):1074-1087.
- Stoessel RP, Michaelis W. 1986. Wet and dry deposition of metals. Proceedings of the 2nd International Conference on Environmental Contamination. Amsterdam, The Netherlands: CEP Consultants, Ltd.
- Su C-C, Lin Y-Y, Chang T-K, et al. 2010. Incidence of oral cancer in relation to nickel and arsenic concentrations in farm soils of patients' residential areas in Taiwan. *BMC Public Health* 10(1):67. 10.1186/1471-2458-10-67.
- Suedel BC, Boraczek JA, Peddicord RK, et al. 1994. Tropic Transfer and Biomagnification Potential of Contaminants in Aquatic Ecosystems. *Reviews of Environmental Contamination and Toxicology* 136:21-89.
- Suh M, Casteel S, Dunsmore M, et al. 2019. Bioaccessibility and relative oral bioavailability of cobalt and nickel in residential soil and dust affected by metal grinding operations. *Sci Total Environ* 660:677-689. 10.1016/j.scitotenv.2018.12.317.
- Sumino K, Hayakawa K, Shibata T, et al. 1975. Heavy metals in normal Japanese tissues. Amounts of 15 heavy metals in 30 subjects. *Arch Environ Health* 30(10):487-494. 10.1080/00039896.1975.10666759.
- Sunderman FW, Jr. 1986. Sources of exposure and biological effects of nickel. *IARC Sci Publ*(71):79-92.
- Sunderman FW, Jr. 1993. Biological monitoring of nickel in humans. *Scand J Work Environ Health* 19 Suppl 1:34-38.
- Sunderman FW, Jr., Aitio A, Morgan LG, et al. 1986. Biological monitoring of nickel. *Toxicol Ind Health* 2(1):17-78. 10.1177/074823378600200102.
- Sunderman FW, Jr., Dingle B, Hopfer SM, et al. 1988. Acute nickel toxicity in electroplating workers who accidentally ingested a solution of nickel sulfate and nickel chloride. *Am J Ind Med* 14(3):257-266. 10.1002/ajim.4700140303.

8. REFERENCES

- Sunderman FW, Jr., Hopfer SM, Sweeney KR, et al. 1989b. Nickel absorption and kinetics in human volunteers. *Proc Soc Exp Biol Med* 191(1):5-11. 10.3181/00379727-191-42881.
- Sunderman FW, Jr., Horak E. 1981. Biochemical indices of nephrotoxicity, exemplified by studies of nickel nephropathy. In: Brown SS & Davies DS, ed. *Organ-directed toxicity: Chemical indices and mechanisms*. London, UK: Pergamon Press, 52-64.
- Sunderman FW, Jr., Maenza RM. 1976. Comparisons of carcinogenicities of nickel compounds in rats. *Res Commun Chem Pathol Pharmacol* 14(2):319-330.
- Sunderman FW, Jr., McCully KS. 1983. Effects of manganese compounds on carcinogenicity of nickel subsulfide in rats. *Carcinogenesis* 4(4):461-465. 10.1093/carcin/4.4.461.
- Sunderman FW, Jr., Morgan LG, Andersen A, et al. 1989a. Histopathology of sinonasal and lung cancers in nickel refinery workers. *Ann Clin Lab Sci* 19(1):44-50.
- Sunderman FW, Jr., Oskarsson A. 1991. Nickel. In: Merian E, ed. *Metals and Their Compounds in the Environment*. New York, NY: VCH Verlagsgesellschaft, 1101-1126.
- Sunderman FW, Jr., Shen SK, Mitchell JM, et al. 1978. Embryotoxicity and fetal toxicity of nickel in rats. *Toxicol Appl Pharmacol* 43(2):381-390. 10.1016/0041-008x(78)90017-0.
- Sutunkova MP, Solovyeva SN, Minigalieva IA, et al. 2019. Toxic Effects of Low-Level Long-Term Inhalation Exposures of Rats to Nickel Oxide Nanoparticles. *Int J Mol Sci* 20(7). 10.3390/ijms20071778.
- Svenes KB, Andersen I. 1998. Distribution of nickel in lungs from former nickel workers. *Int Arch Occup Environ Health* 71(6):424-428. 10.1007/s004200050301.
- Sweeney MD, Naidu SA. 1989. Heavy metals in sediments of the inner shelf of the Beaufort Sea, northern arctic Alaska. *Marine Pollution Bulletin* 20(3):140-143. [https://doi.org/10.1016/0025-326X\(88\)90820-X](https://doi.org/10.1016/0025-326X(88)90820-X).
- Szokmáry E, Morvai V, Náráy M, et al. 1995. Haemodynamic effect of nickel chloride in pregnant rats. *Acta Physiol Hung* 83(1):3-12.
- Takenaka S, Hochrainer D, Oldiges H. 1985. Alveolar proteinosis induced in rats by long-term inhalation of nickel oxide. In: Brown SS & Sunderman Jr. FW, ed. *Progress in nickel toxicology. Proceedings of the 3rd International Congress on Nickel Metabolism and Toxicology*. Oxford, UK: Blackwell, 89-92.
- Tallkvist J, Tjälve H. 1994. Nickel absorption from perfused rat jejunal and ileal segments. *Pharmacol Toxicol* 75(5):233-243. 10.1111/j.1600-0773.1994.tb00354.x.
- Tanaka I, Horie A, Haratake J, et al. 1988. Lung burden of green nickel oxide aerosol and histopathological findings in rats after continuous inhalation. *Biol Trace Elem Res* 16(1):19-26. 10.1007/bf02795330.
- Tanaka I, Ishimatsu S, Matsuno K, et al. 1985. Biological half time of deposited nickel oxide aerosol in rat lung by inhalation. *Biol Trace Elem Res* 8(3):203-210. 10.1007/bf02917459.
- Tanojo H, Hostýnek JJ, Mountford HS, et al. 2001. In vitro permeation of nickel salts through human stratum corneum. *Acta Derm Venereol Suppl (Stockh)*(212):19-23. 10.1080/000155501753279596.
- Taylor GJ, Crowder AA. 1983. Accumulation of atmospherically deposited metals in Wetland soils of Sudbury, Ontario. *Water, Air, and Soil Pollution* 19(1):29-42. 10.1007/BF00176793.
- Tedeschi RE, Sunderman FW. 1957. Nickel poisoning. V. The metabolism of nickel under normal conditions and after exposure to nickel carbonyl. *AMA Arch Ind Health* 16(6):486-488.

8. REFERENCES

- Templeton DM, Sunderman FW, Jr., Herber RF. 1994. Tentative reference values for nickel concentrations in human serum, plasma, blood, and urine: evaluation according to the TRACY protocol. *Sci Total Environ* 148(2-3):243-251. 10.1016/0048-9697(94)90400-6.
- Terpilowska S, Siwicki AK. 2018. Interactions between chromium(III) and iron(III), molybdenum(III) or nickel(II): Cytotoxicity, genotoxicity and mutagenicity studies. *Chemosphere* 201:780-789. 10.1016/j.chemosphere.2018.03.062.
- Thomas KW, Pellizzari ED, Berry MR. 1999. Population-based dietary intakes and tap water concentrations for selected elements in the EPA Region V National Human Exposure Assessment Survey (NHEXAS). *Journal of Exposure Analysis and Environmental Epidemiology* 9:402-413.
- Thyssen JP, Johansen JD, Menne T, et al. 2010. Effect of tobacco smoking and alcohol consumption on the prevalence of nickel sensitization and contact sensitization. *Acta Derm Venereol* 90(1):27-33. 10.2340/00015555-0772.
- Thyssen JP, Maibach HI. 2008. Nickel release from earrings purchased in the United States: the San Francisco earring study. *J Am Acad Dermatol* 58(6):1000-1005. 10.1016/j.jaad.2008.03.017.
- Tien JK, Howson TE. 1981. Nickel and Nickel Alloys. In *Kirk-Othmer Encyclopedia of Chemical Technology* (Vol. 15, pp. 787-801).
- Togawa K, Le Cornet C, Feychting M, et al. 2016. Parental occupational exposure to heavy metals and welding fumes and risk of testicular germ cell tumors in offspring: A registry-based case-control study. *Cancer Epidemiol Biomarkers Prev* 25(10):1426-1434. 10.1158/1055-9965.Epi-16-0328.
- Tola S, Kilpiö J, Virtamo M. 1979. Urinary and plasma concentrations of nickel as indicators of exposure to nickel in an electroplating shop. *J Occup Med* 21(3):184-188.
- Toman R, Massanyi P, Adamkovicova M, et al. 2012. Quantitative histological analysis of the mouse testis after the long-term administration of nickel in feed. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 47(9):1272-1279. 10.1080/10934529.2012.672130.
- Torjussen W, Andersen I. 1979. Nickel concentrations in nasal mucosa, plasma, and urine in active and retired nickel workers. *Ann Clin Lab Sci* 9(4):289-298.
- Tramontana M, Bianchi L, Hansel L, et al. 2020. Nickel Allergy: Epidemiology, Pathomechanism, Clinical Patterns, Treatment, and Prevention Programs. *Endocrine, Metabolic & Immune Disorders - Drug Targets* 20(00):1-11. <http://dx.doi.org/10.2174/1871530320666200128141900>.
- TRI19. 2020. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Toxics Release Inventory, U.S. Environmental Protection Agency.
- Tsao YC, Gu PW, Liu SH, et al. 2017. Nickel exposure and plasma levels of biomarkers for assessing oxidative stress in nickel electroplating workers. *Biomarkers* 22(5):455-460. 10.1080/1354750x.2016.1252964.
- Tuchman M, Silverberg JI, Jacob SE, et al. 2015. Nickel contact dermatitis in children. *Clin Dermatol* 33(3):320-326. 10.1016/j.clindermatol.2014.12.008.
- Turk JL, Parker D. 1977. Sensitization with Cr, Ni and Zr salts and allergic type granuloma formation in the guinea pig. *J Invest Dermatol* 68(6):341-345. 10.1111/1523-1747.ep12496465.

8. REFERENCES

- Tyler LD, McBride MB. 1982. Mobility and Extractability of Cadmium, Copper, Nickel, and Zinc in Organic and Mineral Soil Columns. *Soil Science* 134(2):198-205. 31 U.S. Code Title 31 - Money and Finance, (2018).
- USGS. 1998. Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory—Determination of elements in whole-water digests using inductively coupled plasma–optical emission spectrometry and inductively coupled plasma–mass spectrometry. Denver, CO: U.S. Geological Survey.
- USGS. 2000a. Concentrations of selected trace elements in fish tissue and Concentrations of selected trace elements in fish tissue and streambed sediment in the Clark Fork-Pend Oreille and Spokane River Basins, Washington, Idaho, and Montana, 1998.
- USGS. 2000b. Trace elements and organochlorine compounds in bed sediment and fish tissue at selected sites in New Jersey streams- sources and effects.
- USGS. 2006. Determination of elements in natural-water, biota, sediment, and soil samples using collision/reaction cell inductively coupled plasma–mass spectrometry. Chapter 1. Section B, Methods of the national water quality laboratory. Book 5, Laboratory analysis. Reston, VA: U.S. Geological Survey.
- USGS. 2012. Nickel - Makes Stainless Steel Strong. In: USGS Mineral Resources Program.
- USGS. 2021. Mineral Commodity Summaries: Nickel. In: U.S. Geological Survey.
- Uter W, Pfahlberg A, Gefeller O, et al. 2003. Risk factors for contact allergy to nickel - results of a multifactorial analysis. *Contact Dermatitis* 48(1):33-38. 10.1034/j.1600-0536.46.s4.29_102.x.
- Uter W, Wolter J. 2018. Nickel and cobalt release from earrings and piercing jewellery - analytical results of a German survey in 2014. *Contact Dermatitis* 78(5):321-328. 10.1111/cod.12941.
- Vaktskjold A, Talykova LV, Chashchin V, et al. 2006. Genital malformations in newborns of female nickel-refinery workers. *Scand J Work Environ Health* 32(1):41-50. 10.5271/sjweh.975.
- Vaktskjold A, Talykova LV, Chashchin VP, et al. 2007. Small-for-gestational-age newborns of female refinery workers exposed to nickel. *Int J Occup Med Environ Health* 20(4):327-338. 10.2478/v10001-007-0034-0.
- Vaktskjold A, Talykova LV, Chashchin VP, et al. 2008a. Maternal nickel exposure and congenital musculoskeletal defects. *Am J Ind Med* 51(11):825-833. 10.1002/ajim.20609.
- Vaktskjold A, Talykova LV, Chashchin VP, et al. 2008b. Spontaneous abortions among nickel exposed female refinery workers. *Int J Environ Health Res* 18(2):99-115. 10.1080/09603120701498295.
- Valentine R, Fisher GL. 1984. Pulmonary clearance of intratracheally administered ⁶³Ni³S₂ in strain A/J mice. *Environ Res* 34(2):328-334. 10.1016/0013-9351(84)90101-4.
- van Geen A, Rosener P, Boyle E. 1988. Entrainment of trace-metal-enriched Atlantic-shelf water in the inflow to the Mediterranean Sea. *Nature* 331(6155):423-426. 10.1038/331423a0.
- van Hoogstraten IM, von Blomberg BM, Boden D, et al. 1991. Effects of oral exposure to nickel or chromium on cutaneous sensitization. *Curr Probl Dermatol* 20:237-241. 10.1159/000420029.
- Veien NK, Menné T. 1990. Nickel contact allergy and a nickel-restricted diet. *Semin Dermatol* 9(3):197-205.

8. REFERENCES

- Veien NK, Hattel T, Justesen O, et al. 1987. Oral challenge with nickel and cobalt in patients with positive patch tests to nickel and/or cobalt. *Acta Derm Venereol* 67(4):321-325.
- Vong RJ, Baker BM, Brechtel FJ, et al. 1997. Ionic and trace element composition of cloud water collected on the Olympic Peninsula of Washington State. *Atmospheric Environment* 31(13):1991-2001. [https://doi.org/10.1016/S1352-2310\(96\)00337-8](https://doi.org/10.1016/S1352-2310(96)00337-8).
- Vuskovic M, Barbuti AM, Goldsmith-Rooney E, et al. 2013. Plasma Anti-Glycan Antibody Profiles Associated with Nickel level in Urine. *J Proteomics Bioinform* 6(12):302-312. 10.4172/jpb.1000295.
- Vyskocil A, Senft V, Viau C, et al. 1994a. Biochemical renal changes in workers exposed to soluble nickel compounds. *Hum Exp Toxicol* 13(4):257-261. 10.1177/096032719401300406.
- Vyskocil A, Viau C, Cízková M. 1994b. Chronic nephrotoxicity of soluble nickel in rats. *Hum Exp Toxicol* 13(10):689-693. 10.1177/096032719401301007.
- Waalkes MP, Kasprzak KS, Ohshima M, et al. 1985. Protective effects of zinc acetate toward the toxicity of nickelous acetate in rats. *Toxicology* 34(1):29-41. 10.1016/0300-483x(85)90076-9.
- Wahlberg JE. 1976. Sensitization and testing of guinea pigs with nickel sulfate. *Dermatologica* 152(6):321-330. 10.1159/000251278.
- Wahlberg JE, Lidén C. 2000. Cross-reactivity patterns of cobalt and nickel studied with repeated open applications (ROATs) to the skin of guinea pigs. *American Journal of Contact Dermatitis* 11(1):42-48. [https://doi.org/10.1016/S1046-199X\(00\)90031-9](https://doi.org/10.1016/S1046-199X(00)90031-9).
- Waksvik H, Boysen M. 1982. Cytogenetic analyses of lymphocytes from workers in a nickel refinery. *Mutat Res* 103(2):185-190. 10.1016/0165-7992(82)90027-6.
- Waksvik H, Boysen M, Høgetveit AC. 1984. Increased incidence of chromosomal aberrations in peripheral lymphocytes of retired nickel workers. *Carcinogenesis* 5(11):1525-1527. 10.1093/carcin/5.11.1525.
- Wall LM, Calnan CD. 1980. Occupational nickel dermatitis in the electroforming industry. *Contact Dermatitis* 6(6):414-420. 10.1111/j.1600-0536.1980.tb04985.x.
- Wang M, Beelen R, Stafoggia M, et al. 2014. Long-term exposure to elemental constituents of particulate matter and cardiovascular mortality in 19 European cohorts: results from the ESCAPE and TRANSPHORM projects. *Environ Int* 66:97-106. 10.1016/j.envint.2014.01.026.
- Wang Y, Wang S-Y, Jia L, et al. 2016b. Nickel-refining fumes induced DNA damage and apoptosis of NIH/3T3 cells via oxidative stress. *International Journal Of Environmental Research And Public Health* 13(7):629. 10.3390/ijerph13070629.
- Wang YF, Shyu HW, Chang YC, et al. 2012. Nickel (II)-induced cytotoxicity and apoptosis in human proximal tubule cells through a ROS- and mitochondria-mediated pathway. *Toxicol Appl Pharmacol* 259(2):177-186. 10.1016/j.taap.2011.12.022.
- Wang YX, Sun Y, Huang Z, et al. 2016a. Associations of urinary metal levels with serum hormones, spermatozoa apoptosis and sperm DNA damage in a Chinese population. *Environ Int* 94:177-188. 10.1016/j.envint.2016.05.022.
- Wantke F, Hemmer W, Jarisch R, et al. 1996. Patch test reactions in children, adults and the elderly. A comparative study in patients with suspected allergic contact dermatitis. *Contact Dermatitis* 34(5):316-319. 10.1111/j.1600-0536.1996.tb02214.x.
- Warner JS. 1984. Occupational Exposure to Airborne Nickel in Producing and Using Primary Nickel Products. IARC Scientific Publications 53:419-437.

8. REFERENCES

- Webber MD, Shames A. 1987. Heavy metal concentrations in Halton region soils: An assessment for future municipal sludge utilization. *Canadian Journal of Soil Science* 67(4):893-903. 10.4141/cjss87-085.
- Wehner AP, Craig DK. 1972. Toxicology of Inhaled NiO and CoO in Syrian Golden Hamsters. *American Industrial Hygiene Association Journal* 33(3):146-155. 10.1080/0002889728506624.
- Weischer CH, Kördel W, Hochrainer D. 1980. Effects of NiCl₂ and NiO in Wistar rats after oral uptake and inhalation exposure respectively. *Zentralbl Bakteriol Mikrobiol Hyg B* 171(4-5):336-351.
- Weng LP, Wolthoorn A, Lexmond TM, et al. 2004. Understanding the Effects of Soil Characteristics on Phytotoxicity and Bioavailability of Nickel Using Speciation Models. *Environmental Science & Technology* 38:156-162.
- Werner MA, Thomassen Y, Hetland S, et al. 1999. Correlation of urinary nickel excretion with observed 'total' and inhalable aerosol exposures of nickel refinery workers. *J Environ Monit* 1(6):557-562. 10.1039/a906597k.
- Whanger PD. 1973. Effects of dietary nickel on enzyme activities and mineral contents in rats. *Toxicology and Applied Pharmacology* 25(3):323-331. [https://doi.org/10.1016/0041-008X\(73\)90306-2](https://doi.org/10.1016/0041-008X(73)90306-2).
- White AJ, O'Brien KM, Niehoff NM, et al. 2019. Metallic air pollutants and breast cancer risk in a nationwide cohort study. *Epidemiology* 30(1):20-28. 10.1097/ede.0000000000000917.
- Whitehead TP, Ward MH, Colt JS, et al. 2015. Dust metal loadings and the risk of childhood acute lymphoblastic leukemia. *J Expo Sci Environ Epidemiol* 25(6):593-598. 10.1038/jes.2015.9.
- WHO. 2010. WHO guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. https://www.euro.who.int/_data/assets/pdf_file/0009/128169/e94535.pdf.
- WHO. 2017. Guidelines for drinking-water quality. Fourth edition incorporating the first addendum. Geneva, Switzerland: World Health Organization. <https://apps.who.int/iris/bitstream/handle/10665/254637/9789241549950-eng.pdf;jsessionid=8AD40533ABAFCC37B8C6ABE4EFF2AC2F?sequence=1>.
- Windom HL, Schropp SJ, Calder FD, et al. 1989. Natural Trace Metal Concentrations in Estuarine and Coastal Marine Sediments of the Southeastern United States. *Environmental Science & Technology* 23:314-320.
- Wittsiepe J, Schnell K, Hilbig A, et al. 2009. Dietary intake of nickel and zinc by young children--results from food duplicate portion measurements in comparison to data calculated from dietary records and available data on levels in food groups. *J Trace Elem Med Biol* 23(3):183-194. 10.1016/j.jtemb.2009.03.007.
- Wolf K, Stafoggia M, Cesaroni G, et al. 2015. Long-term exposure to particulate matter constituents and the incidence of coronary events in 11 European cohorts. *Epidemiology* 26(4):565-574. 10.1097/ede.0000000000000300.
- Wong PK. 1988. Mutagenicity of heavy metals. *Bull Environ Contam Toxicol* 40(4):597-603. 10.1007/bf01688386.
- Wood JM. 1987. Biological processes involved in the cycling of elements between oil or sediments and the aqueous environment. *Hydrobiologia* 149:31-42.

8. REFERENCES

- WQP. 2021. Water quality portal data: Nickel. Advisory Committee on Water Information (ACWI); Agricultural Research Service (ARS); Environmental Protection Agency (EPA); National Water Quality Monitoring Council (NWQMC); United States Geological Survey (USGS). <https://www.waterqualitydata.us/portal/>. February 10, 2021.
- Wu CF, Li YR, Kuo IC, et al. 2012. Investigating the association of cardiovascular effects with personal exposure to particle components and sources. *Sci Total Environ* 431:176-182. 10.1016/j.scitotenv.2012.05.015.
- Wu S, Bai YN, Pu HQ, et al. 2015. Dynamic changes in DNA damage and repair biomarkers with employment length among nickel smelting workers. *Biomed Environ Sci* 28(9):679-682. 10.3967/bes2015.095.
- Wulf HC. 1980. Sister chromatid exchanges in human lymphocytes exposed to nickel and lead. Preliminary communication. *Dan Med Bull* 27(1):40-42.
- Xu X, Rao X, Wang T-Y, et al. 2012. Effect of co-exposure to nickel and particulate matter on insulin resistance and mitochondrial dysfunction in a mouse model. *Particle and Fibre Toxicology* 9:40-40. 10.1186/1743-8977-9-40.
- Yeats PA. 1988. The distribution of trace metals in ocean waters. *Science of The Total Environment* 72:131-149. [https://doi.org/10.1016/0048-9697\(88\)90012-5](https://doi.org/10.1016/0048-9697(88)90012-5).
- Ying Z, Xu X, Chen M, et al. 2013. A synergistic vascular effect of airborne particulate matter and nickel in a mouse model. *Toxicol Sci* 135(1):72-80. 10.1093/toxsci/kft136.
- Yokota K, Johyama Y, Kunitani Y, et al. 2007. Urinary elimination of nickel and cobalt in relation to airborne nickel and cobalt exposures in a battery plant. *Int Arch Occup Environ Health* 80(6):527-531. 10.1007/s00420-006-0159-7.
- Young TC, DePinto JV, Seger ES. 1982. Transport and Fate of Heavy Metals in Onondaga Lake, New York. *The Bulletin of Environmental Contamination and Toxicology* 29:554-561.
- Yu CP, Hsieh TH, Oller AR, et al. 2001. Evaluation of the human nickel retention model with workplace data. *Regul Toxicol Pharmacol* 33(2):165-172. 10.1006/rtph.2000.1457.
- Yu S, Liu F, Wang C, et al. 2018. Role of oxidative stress in liver toxicity induced by nickel oxide nanoparticles in rats. *Mol Med Rep* 17(2):3133-3139. 10.3892/mmr.2017.8226.
- Zaitseva NV, Zemlyanova MA, Ignatova AM, et al. 2019. Morphological Changes in Lung Tissues of Mice Caused by Exposure to Nano-Sized Particles of Nickel Oxide. *Nanotechnologies in Russia* 13(7-8):393-399. 10.1134/s199507801804016x.
- Zarogian GE, Johnson M. 1984. Nickel Uptake and Loss in the Bivalves *Crassostrea Virginica* and *Mytilus edulis*. *Archives of Environmental Contamination and Toxicology* 13:411-418.
- Zhang Q, Kusaka Y, Donaldson K. 2000. Comparative Injurious and Proinflammatory Effects of Three Ultrafine Metals in Macrophages from Young and Old Rats. *Inhal Toxicol* 12 Suppl 3:267-273. 10.1080/08958378.2000.11463222.
- Zhang X, Tanwar VS, Jose CC, et al. 2022. Transcriptional repression of E-cadherin in nickel-exposed lung epithelial cells mediated by loss of Sp1 binding at the promoter. *Mol Carcinog* 61(1):99-110. 10.1002/mc.23364.
- Zissu D, Cavalier C, De Ceaurriz J. 1987. Experimental sensitization of guinea-pigs to nickel and patch testing with metal samples. *Food Chem Toxicol* 25(1):83-85. 10.1016/0278-6915(87)90309-7.