

## 9. REFERENCES

Abernathy CO, Chappell WR, Meek ME, et al. 1996. Is ingested inorganic arsenic a “threshold” carcinogen? *Fundam Appl Toxicol* 29(2):168-175.

ACGIH. 2004. Arsenic. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

\*Ademuyiwa O, Elsenhans B, Nguyen PT, et al. 1996. Arsenic-copper interaction in the kidney of the rat: Influence of arsenic metabolites. *Pharmacol Toxicol* 78(3):154-160.

Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27(4):532-537.

Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.

Adobe Lumber. 2002. Consumer information sheet for CCA pressure treated lumber. Adobe Lumber. <http://www.adobelumber.com/ccaconsumer.shtml>. August 27, 2007.

Adonis M, Martinez V, Marin P, et al. 2005. CYP1A1 and GSTM1 genetic polymorphisms in lung cancer populations exposed to arsenic in drinking water. *Xenobiotica* 35(5):519-530.

Agahian B, Lee JS, Nelson JH, et al. 1990. Arsenic levels in fingernails as a biological indicator of exposure to arsenic. *Am Ind Hyg Assoc J* 51(12):646-651.

Agency for Toxic Substances and Disease Registry. 1989. Agency for Toxic Substances and Disease Registry. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. *Federal Register* 54(174):37618-37634.

Agency for Toxic Substances and Disease Registry. 1990a. Arsenic toxicity. Case studies in environmental medicine. Atlanta, GA: Agency for Toxic Substances and Disease Registry, U.S. Department of Health & Human Services, Public Health Services. HE20.7917:5 504-U.

Agency for Toxic Substances and Disease Registry. 1990b. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Atlanta, GA: Subcommittee on Biomarkers of Organ Damage and Dysfunction, Agency for Toxic Substances and Disease Registry.

Aguilar MV, Martínez-Para MC, Gonzalez MJ. 1997. Effects of arsenic (V)-chromium (III) interaction on plasma glucose and cholesterol levels in growing rats. *Ann Nutr Metab* 41(3):189-195.

Ahmad S, Anderson WL, Kitchin KT. 1999a. Dimethylarsinic acid effects on DNA damage and oxidative stress related biochemical parameters in B6C3F<sub>1</sub> mice. *Cancer Lett* 139(2):129-135.

---

\*Not cited in profile

## 9. REFERENCES

- Ahmad SA, Bandaranayake D, Khan AW, et al. 1997. Arsenic contamination in ground water and arsenicosis in Bangladesh. *Int J Environ Health Res* 7(4):271-276.
- Ahmad SA, Sayed MH, Barua S, et al. 2001. Arsenic in drinking water and pregnancy outcomes. *Environ Health Perspect* 109(6):629-631.
- Ahmad SKA, Sayed MHSU, Hadi SA, et al. 1999b. Arsenicosis in a village in Bangladesh. *Int J Environ Health Res* 9(3):187-195.
- Ahsan H, Chen Y, Parvez F, et al. 2006. Arsenic exposure from drinking water and risk of premalignant skin lesions in Bangladesh: Baseline results from the health effects of arsenic longitudinal study. *Am J Epidemiol* 163(12):1138-1148.
- Ahsan H, Perrin M, Rahman A, et al. 2000. Associations between drinking water and urinary arsenic levels and skin lesions in Bangladesh. *J Occup Environ Med* 42(12):1195-1205.
- Akkari KH, Frans RE, Lavy TL. 1986. Factors affecting degradation of MSMA in soil. *Weed Sci* 34:781-787.
- Alain G, Tousignant J, Rozenfarb E. 1993. Chronic arsenic toxicity. *Int J Dermatol* 32(12):899-901.
- Albores A, Cebrian ME, Bach PH, et al. 1989. Sodium arsenite induced alterations in bilirubin excretion and heme metabolism. *J Biochem Toxicol* 4(2):73-78.
- Albores A, Koropatnick J, Cherian MG, et al. 1992. Arsenic induces and enhances rat hepatic metallothionein production *in vivo*. *Chem Biol Interact* 85:127-140.
- Almela C, Algora S, Benito V, et al. 2002. Heavy metal, total arsenic, and inorganic arsenic contents of algae food products. *J Agric Food Chem* 50:918-923.
- Altman PK, Dittmer DS. 1974. In: *Biological handbooks: Biology data book*. Vol. III, 2<sup>nd</sup> ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- Amacher DE, Paillet SC. 1980. Induction of trifluorothymidine-resistant mutants by metal ions in L5178Y/TK<sup>+</sup> cells. *Mutat Res* 78:279-288.
- American Wood Preservers Association. 2007. FAQ's: Treated wood uses. American Wood Preserver's Association. <http://www.awpa.com/references/faq.asp#uses>. August 28, 2007.
- Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically-based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York: Marcel Dekker, Inc., 9-25.
- Andersen ME, Clewell HJ, Gargas ML, et al. 1987. Physiologically-based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205.
- Anderson LCD, Bruland KW. 1991. Biogeochemistry of arsenic in natural waters: The importance of methylated species. *Environ Sci Technol* 25:420-427.
- Anderson HA, Falk C, Hanrahan L, et al. 1998. Profiles of Great Lakes critical pollutants: A sentinel analysis of human blood and urine. *Environ Health Perspect* 106(5):279-289.

## 9. REFERENCES

- Andreae MO. 1977. Determination of arsenic species in natural waters. *Anal Chem* 49(6):820-823.
- APHA. 1977. Tentative method of analysis for arsenic content of atmospheric particulate matter. In: Kate M, ed. *Methods of air sampling and analysis*. Washington, DC: American Public Health Association, 435-438.
- APHA. 1989a. Arsenic. In: Clesceri LS, Greenberg AE, Trussell RR, eds. *Standard methods for the examination of water and wastewater*. 17th ed. Washington, DC: American Public Health Association, 3-74-3-78.
- APHA. 1989b. Metals by electrothermal atomic absorption spectrometry. In: Clesceri LS, Greenberg AE, Trussell RR, eds. *Standard methods for the examination of water and wastewater*. 17th ed. Washington, DC: American Public Health Association, 3-32-3-50.
- APHA. 1989c. Metals by hydride generation/atomic absorption spectrometry. In: Clesceri LS, Greenberg AE, Trussell RR, eds. *Standard methods for the examination of water and wastewater*. 17th ed. Washington, DC: American Public Health Association, 3-43-3-50.
- APHA. 1989d. Metals by plasma emission spectrometry. In: Clesceri LS, Greenberg AE, Trussell RR, eds. *Standard methods for the examination of water and wastewater*. 17th ed. Washington, DC: American Public Health Association, 3-53-3-78.
- Aposhian HV. 1989. Biochemical toxicology of arsenic. *Rev Biochem Toxicol* 10:265-299.
- \*Aposhian HV. 1998. Mobilization of mercury and arsenic in humans by sodium 2,3-dimercapto-1-propane sulfonate (DMPS). *Environ Health Perspect Suppl* 106(4):1017-1025.
- Aposhian HV, Arroyo A, Cebrian ME, et al. 1997. DMPS-arsenic challenge test. I: Increased urinary excretion of monomethylarsonic acid in humans given dimercaptopropane sulfonate. *J Pharmacol Exp Ther* 282(1):192-200.
- Aposhian HV, Gurzau ES, Le XC, et al. 2000a. Occurrence of monomethylarsonous acid in urine of humans exposed to inorganic arsenic. *Chem Res Toxicol* 13(8):693-697.
- Aposhian HV, Zheng B, Aposhian MM, et al. 2000b. DMPS-arsenic challenge test. 11. Modulation of arsenic species, including monomethylarsonous acid (MMA)(111), excreted in human urine. *Toxicol Appl Pharmacol* 165(1):74-83.
- \*Apostoli P, Alessio L, Romeo L, et al. 1997. Metabolism of arsenic after acute occupational arsine intoxication. *J Toxicol Environ Health* 52(4):331-342.
- Apostoli P, Bartoli D, Alessio L, et al. 1999. Biological monitoring of occupational exposure to inorganic arsenic. *Occup Environ Med* 56(12):825-832.
- Aranyi C, Bradof JN, O'Shea WJ, et al. 1985. Effects of arsenic trioxide inhalation exposure on pulmonary antibacterial defenses in mice. *J Toxicol Environ Health* 15:163-172.
- \*Arbouine MW, Wilson HK. 1992. The effect of seafood consumption on the assessment of occupational exposure to arsenic by urinary arsenic speciation measurements. *J Trace Elem Electrolytes Health Dis* 6(3):153-160.

## 9. REFERENCES

- Arenas V, Stoeppler M, Bergerhoff G. 1988. Arsenic determination in the ultratrace range by atomic absorption spectrometry after preconcentration of the hydride. *Fresenius Z Anal Chem* 332:447-452.
- \*Armbrust KL, Bridges DC. 2002. Dissipation of monosodium methane arsonate (MSMA) on peanuts. *J Agric Food Chem* 50(7):1959-1963
- Armienta MA, Rodriguez R, Cruz O. 1997. Arsenic content in hair of people exposed to natural arsenic polluted groundwater at Zimapan, Mexico. *Bull Environ Contam Toxicol* 59:583-589.
- Armstrong CW, Stroube RB, Rubio T, et al. 1984. Outbreak of fatal arsenic poisoning caused by contaminated drinking water. *Arch Environ Health* 39(4):276-279.
- Arnold LL, Cano M, St. John M, et al. 1999. Effects of dietary dimethylarsinic acid on the urine and urothelium of rats. *Carcinogenesis* 20(11):2171-2179.
- Arnold LL, Eldan M, Nyska A, et al. 2006. Dimethylarsinic acid: Results of chronic toxicity/oncogenicity studies in F344 rats and B6C3F1 mice. *Toxicology* 223(1-2):82-100.
- Arnold LL, Eldan M, van Gemert M, et al. 2003. Chronic studies evaluating the carcinogenicity of monomethylarsonic acid in rats and mice. *Toxicology* 190:197-219.
- Aschengrau A, Zierler S, Cohen A. 1989. Quality of community drinking water and the occurrence of spontaneous abortion. *Arch Environ Health* 44(5):283-290.
- Aurillo AC, Mason RP, Hemond HF. 1994. Speciation and fate of arsenic in three lakes of the Aberjona Watershed. *Environ Sci Tech* 28(4):577-585.
- Axelsson O, Dahlgren E, Jansson C-D, et al. 1978. Arsenic exposure and mortality: A case referent study from a Swedish copper smelter. *Br J Ind Med* 35:8-15.
- Azcue JM, Nriagu JO. 1994. Arsenic: Historical perspectives. In: Nriagu JO, ed. *Arsenic in the Environment, part 1: Cycling and characterization*. New York, NY: John Wiley and Sons, Inc., 1-15.
- Babich H, Martin-Alguacil N, Borenfreund E. 1989. Arsenic-selenium interactions determined with cultured fish cells. *Toxicol Lett* 45:157-164.
- Bagla P, Kaiser J. 1996. India's spreading health crisis draws global arsenic experts. *Science* 274(5285):174-175.
- Baker BA, Topliff AR, Messing RB, et al. 2005. Persistent neuropathy and hyperkeratosis from distant arsenic exposure. *J Agromedicine* 10(4):43-54.
- \*Baker EL, Hayes CG, Landrigan PJ, et al. 1977. A nationwide survey of heavy metal absorption in children living near primary copper, lead, and zinc smelters. *Am J Epidemiol* 106(4):261-273.
- Baker LW, Fitzell DL, Seiber JN, et al. 1996. Ambient air concentrations of pesticides in California. *Environ Sci Tech* 30(4):1365-1368.
- \*Barbaud A, Mougeolle JM, Schmutz JL. 1995. Contact hypersensitivity to arsenic in a crystal factory worker. *Contact Dermatitis* 33(4):272-273.

## 9. REFERENCES

- Barbey JT, Pezzullo JC, Soignet SL. 2003. Effect of arsenic trioxide on QT interval in patients with advanced malignancies. *J Clin Oncol* 21(19):3609-15.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- Baroni C, van Esch GJ, Saffiotti U. 1963. Carcinogenic tests of two inorganic arsenicals. *Arch Environ Health* 7:668-674.
- Bartolome B, Cordoba S, Nieto S, et al. 1999. Acute arsenic poisoning: Clinical and histopathological features. *Br J Dermatol* 141:1106-1109.
- Barton EN, Gilbert DT, Raju K, et al. 1992. Arsenic: The forgotten poison? *West Indian Med J* 41(1):36-38.
- Bashir S, Sharma Y, Irshad M, et al. 2006. Arsenic induced apoptosis in rat liver following repeated 60 days exposure. *Toxicology* 217(1):63-70.
- Basu A, Ghosh P, Das JK, et al. 2004. Micronuclei as biomarkers of carcinogen exposure in populations exposed to arsenic through drinking water in West Bengal, India: A comparative study in three cell types. *Cancer Epidemiol Biomarkers Prev* 13(5):820-827.
- Bates MN, Rey OA, Biggs ML, et al. 2004. Case-control study of bladder cancer and exposure to arsenic in Argentina. *Am J Epidemiol* 159(4):381-389.
- \*Bates MN, Smith AH, Cantor KP. 1995. Case-control study of bladder cancer and arsenic in drinking water. *Am J Epidemiol* 141(6):523-530.
- Battista G, Bartoli D, Iaia TE, et al. 1996. Art glassware and sinonasal cancer: Report of three cases. *Am J Ind Med* 30(1):31-35.
- Baxley MN, Hood RD, Vedel GC, et al. 1981. Prenatal toxicity of orally administered sodium arsenite in mice. *Bull Environ Contam Toxicol* 26:749-756.
- Beane Freeman LE, Dennis LK, Lynch CF, et al. 2004. Toenail arsenic content and cutaneous melanoma in Iowa. *Am J Epidemiol* 160(7):679-687.
- Beauchemin D, Bednas ME, Berman SS, et al. 1988. Identification and quantitation of arsenic species in a dogfish muscle reference material for trace elements. *Anal Chem* 60:2209-2212.
- Beaudoin AR. 1974. Teratogenicity of sodium arsenate in rats. *Teratology* 10:153-158.
- Beck BD, Boardman PD, Hook GC, et al. 1995. Response to Smith et al. Arsenic risk assessment. *Environ Health Perspect* 103:15-17.
- Beckett WS, Moore JL, Keogh JP, et al. 1986. Acute encephalopathy due to occupational exposure to arsenic. *Br J Ind Med* 43:66-67.
- Beckman L, Nordenson I. 1986. Interaction between some common genotoxic agents. *Hum Hered* 36:397-401.

## 9. REFERENCES

- Beckman G, Beckman L, Nordenson I. 1977. Chromosome aberrations in workers exposed to arsenic. *Environ Health Perspect* 19(5-6):145-146.
- Beerman DH. 1994. Growth regulators (animal). In: Kroschwitz JI, Howe-Grant M, eds. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 12. New York, NY: John Wiley and Sons, 795-815.
- Bekemeier H, Hirschelmann R. 1989. Reactivity of resistance blood vessels *ex vivo* after administration of toxic chemicals to laboratory animals: Arteriolotoxicity. *Toxicol Lett* 49:49-54.
- Bencko V. 2005. Hair and exposure to environmental pollutants. In: Tobin DJ, eds. *Hair in toxicology: An important bio-marker*. Cambridge, MA: RSC Publishing, 159-174.
- Bencko V, Symon K. 1977. Health aspects of burning coal with a high arsenic content 1. Arsenic in hair, urine, and blood in children residing in a polluted area. *Environ Res* 13:378-385.
- Bencko V, Franek P, Rames J. 2005. Non-melanoma skin and lung cancer incidence in relation to arsenic exposure: 20 years of observation. In: Edler L, Kitsos CP, eds. *Recent advances in quantitative methods in cancer and human health risk assessment*. West Sussex, England: John Wiley & Sons, 383-394.
- Bencko V, Geist T, Arbetová D, et al. 1986. Biological monitoring of environmental pollution and human exposure to some trace elements. *J Hyg Epidemiol Microbiol Immunol* 30(1):1-10.
- Bencko V, Symon K, Chlader V, et al. 1977. Health aspects of burning coal with a high arsenic content II. Hearing changes in exposed children. *Environ Res* 13:386-395.
- Bencko V, Symon K, Stalnik L, et al. 1980. Rate of malignant tumor mortality among coal burning power plant workers occupationally exposed to arsenic. *J Hyg Epidemiol Microbiol Immunol* 24(3):278-284.
- Bencko V, Wagner V, Wagnerová M, et al. 1988. Immunological profiles in workers of a power plant burning coal rich in arsenic content. *J Hyg Epidemiol Microbiol Immunol* 32:137-146.
- \*Bennett BG. 1986. Exposure assessment for metals involved in carcinogenesis. *IARC Sci Publ* 71(8):115-127.
- Benramdane L, Accominotti M, Fanton L, et al. 1999a. Arsenic speciation in human organs following fatal arsenic trioxide poisoning--a case report. *Clin Chem* 45(2):301-306.
- Benramdane L, Bressolle F, Vallon J-J. 1999b. Arsenic speciation in humans and food products: A review. *J Chromatogr Sci* 37:330-344.
- Benson AA. 1989. Arsonium compounds in algae. *Proc Natl Acad Sci USA* 86:6131-6132.
- Berg M, Tran HC, Nguyen TC, et al. 2001. Arsenic contamination of groundwater and drinking water in Vietnam: A human health threat. *Environ Sci Technol* 35(13):2621-2626.
- Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag, 3-7.

## 9. REFERENCES

- \*Berry MR, Johnson LS, Jones JW, et al. 1997. Dietary characterizations in a study of human exposures in the lower Rio Grande Valley: I. Foods and beverages. *Environ Int* 23(5):675-692.
- Berti PR, Receveur O, Chan HM, et al. 1998. Dietary exposure to chemical contaminants from traditional food among adult dene/métis in the western Northwest territories, Canada. *Environ Res* A76:131-142.
- Bertolero F, Pozzi G, Sabbioni E, et al. 1987. Cellular uptake and metabolic reduction of pentavalent to trivalent arsenic as determinants of cytotoxicity and morphological transformation. *Carcinogenesis* 8:803-808.
- Bettley FR, O'Shea JA. 1975. The absorption of arsenic and its relation to carcinoma. *Br J Dermatol* 92:563-568.
- Bhumbla DK, Keefer RF. 1994. Arsenic mobilization and bioavailability in soils. In: Nriagu JO, ed. *Arsenic in the environment, part 1: Cycling and characterization*. New York, NY: John Wiley & Sons, Inc., 51-82.
- Bickley LK, Papa CM. 1989. Chronic arsenicism with vitiligo, hyperthyroidism, and cancer. *N J Med* 86(5):377-380.
- \*Biggs ML, Kalman DA, Moore LE, et al. 1997. Relationship of urinary arsenic to intake estimates and a biomarker of effect, bladder cell micronuclei. *Mutat Res* 386(3):185-195.
- \*Binder S, Forney D, Kaye W, et al. 1987. Arsenic exposure in children living near a former copper smelter. *Bull Environ Contam Toxicol* 39:114-121.
- Bird MJ, MacIntosh DL, Williams PL. 2004. Occupational exposures during routine activities in coal-fueled power plants. *J Occup Environ Hyg* 1:403-413.
- Biswas BK, Dhar RK, Samanta G, et al. 1998. Detailed study report of Samta, one of the arsenic-affected villages of Jessore District, Bangladesh. *Curr Sci* 74(2):134-145.
- Biswas S, Talukder G, Sharma A. 1999. Prevention of cytotoxic effects of arsenic by short-term dietary supplementation with selenium in mice *in vivo*. *Mutat Res* 441:155-160.
- Blakley BR. 1987. Alterations in urethan-induced adenoma formation in mice exposed to selenium and arsenic. *Drug Nutr Interact* 5:97-102.
- Bloch P, Shapiro IM. 1986. An x-ray fluorescence technique to measure in situ the heavy metal burdens of persons exposed to these elements in the workplace. *J Occup Med* 28(8):609-614.
- Blom S, Lagerkvist B, Linderholm H. 1985. Arsenic exposure to smelter workers: Clinical and neurophysiological studies. *Scand J Work Environ Health* 11:265-269.
- Bodwell JE, Gosse JA, Nomikos AP, et al. 2006. Arsenic disruption of steroid receptor gene activation: Complex dose-response effects are shared by several steroid receptors. *Chem Res Toxicol* 19:1619-1629.

## 9. REFERENCES

- Bodwell JE, Kingsley LA, Hamilton JW. 2004. Arsenic at very low concentrations alters glucocorticoid receptor (GR)-mediated gene activation but not GR-mediated gene repression: Complex dose-response effects are closely correlated with levels of activated GR and require a functional GR DNA binding domain. *Chem Res Toxicol* 17:1064-1076.
- Bolla-Wilson K, Bleecker ML. 1987. Neuropsychological impairment following inorganic arsenic exposure. *J Occup Med* 29(6):500-503.
- Bolliger CT, van Zijl P, Louw JA. 1992. Multiple organ failure with the adult respiratory distress syndrome in homicidal arsenic poisoning. *Respiration* 59(1):57-61.
- Bonnevie NL, Huntley SL, Found BW, et al. 1994. Trace metal contamination in surficial sediments from Newark Bay, New Jersey. *Sci Total Environ* 144:1-16.
- Borgoño JM, Greiber R. 1972. Epidemiological study of arsenicism in the city of Antofagasta. *Trace Subst Environ Health* 5:13-24.
- Borgoño JM, Venturino H, Vicent P. 1980. [Clinical and epidemiological study of arsenism in northern Chile.] *Rev Med Chile* 108:1039-1048. (Spanish).
- \*Börzsönyi M, Bereczky A, Rudnai P, et al. 1992. Epidemiological studies on human subjects exposed to arsenic in drinking water in southeast Hungary [letter]. *Arch Toxicol* 66(1):77-78.
- Bourrain JL, Morin C, Béani JC, et al. 1998. Airborne contact dermatitis from cacodylic acid. *Contact Dermatitis* 38(6):364-365.
- Boutwell RK. 1963. A carcinogenicity evaluation of potassium arsenite and arsanilic acid. *Agric Food Chem* 11:381-385.
- Braman RS, Foreback CC. 1973. Methylated forms of arsenic in the environment. *Science* 182:1247-1249.
- Braman RS, Johnson DL, Foreback CC, et al. 1977. Separation and determination of nanogram amounts of inorganic arsenic and methylarsenic compounds. *Anal Chem* 49(4):621-625.
- \*Braun W. 1958. Carcinoma of the skin and the internal organs caused by arsenic. *German Med Monthly* 3:321-324.
- \*Brenard R, Laterre PF, Reynaert M, et al. 1996. Increased hepatocytic mitotic activity as a diagnostic marker of acute arsenic intoxication: A report of two cases. *J Hepato* 25(2):218-220.
- Brender JD, Suarez L, Felkner M, et al. 2006. Maternal exposure to arsenic, cadmium, lead, and mercury and neural tube defects in offspring. *Environ Res* 101(1):132-139.
- Breslin VT, Adler-Ivanbrook L. 1998. Release of copper, chromium and arsenic from CCA-C treated lumber in estuaries. *Estuarine Coastal Shelf Sci* 46:111-125.
- Brooks KM. 1996. Evaluating the environmental risks associated with the use of chromated copper arsenate-treated wood products in aquatic environments. *Estuaries* 19(2A):296-305.



## 9. REFERENCES

- Broomhall J, Kovar IZ. 1986. Environmental pollutants in breast milk. *Rev Environ Health* 6(1-4):311-337.
- Brouwer OF, Onkenhout W, Edelbroek PM, et al. 1992. Increased neurotoxicity of arsenic in methylenetetrahydrofolate reductase deficiency. *Clin Neurol Neurosurg* 94(4):307-310.
- Brown CC, Chu KC. 1982. Environmental epidemiology: Risk assessment: Proceedings of a conference. In: Prentice RL, Whittemore AS, eds. Philadelphia, PA: Society for Industrial and Applied Mathematics, 94-106.
- Brown CC, Chu KC. 1983a. A new method for the analysis of cohort studies: Implications of the multistage theory of carcinogenesis applied to occupational arsenic exposure. *Environ Health Perspect* 50:293-308.
- Brown CC, Chu KC. 1983b. Implications of the multistage theory of carcinogenesis applied to occupational arsenic exposure. *J Natl Cancer Inst* 70(3):455-463.
- Brown EJ, Button DK. 1979. A simple method of arsenic speciation. *Bull Environ Contam Toxicol* 21:37-42.
- Brown JL, Kitchin KT. 1996. Arsenite, but not cadmium, induces ornithine decarboxylase and heme oxygenase activity in rat liver: Relevance to arsenic carcinogenesis. *Cancer Lett* 98:227-231.
- Brown KG, Guo H-R, Greene HL. 1997a. Uncertainty in cancer risk at low doses of inorganic arsenic. *Hum Ecol Risk Assess* 3(3):351-362.
- Brown KG, Guo H-R, Kuo T-L, et al. 1997b. Skin cancer and inorganic arsenic: Uncertainty-status of risk. *Risk Anal* 17(1):37-42.
- Brown JL, Kitchin KT, George M. 1997c. Dimethylarsinic acid treatment alters six different rat biochemical parameters: Relevance to arsenic carcinogenesis. *Teratog Carcinog Mutagen* 17:71-84.
- Brown LM, Pottern LM, Blot WJ. 1984. Lung cancer in relation to environmental pollutants emitted from industrial sources. *Environ Res* 34:250-261.
- Brown MM, Rhyne BC, Goyer RA, et al. 1976. Intracellular effects of chronic arsenic administration on renal proximal tubule cells. *J Toxicol Environ Health* 1:505-514.
- Brown RM, Newton D, Pickford CJ, et al. 1990. Human metabolism of arsenobetaine ingested with fish. *Hum Exp Toxicol* 9:41-46.
- Bruce BW, McMahon PB. 1996. Shallow ground-water quality beneath a major urban center: Denver, Colorado, USA. *J Hydrol* 186:129-151.
- Brumbaugh WG, Ingersoll CG, Kemble NE, et al. 1994. Chemical characterization of sediments and pore water from the upper Clark Fork River and Milltown Reservoir, Montana. *Environ Toxicol Chem* 13(12):1971-1983.
- \*Brune O, Nordberg G, Wester PO. 1980. Distribution of 23 elements in kidney, liver and lung of a control group in Northern Sweden and of exposed workers from a smelter and refinery. *Sci Total Environ* 16:13-35.

## 9. REFERENCES

- Buchancová J, Klimentova G, Knizkova M, et al. 1998. Health status of workers of a thermal power station exposed for prolonged periods to arsenic and other elements from fuel. *Cent Eur J Public Health* 6(1):29-36.
- Buchet JP, Lauwerys R. 1985. Study of inorganic arsenic methylation by rat liver *in vitro*: Relevance for the interpretation of observations in man. *Arch Toxicol* 57:125-129.
- Buchet JP, Lauwerys R. 1987. Study of factors influencing the *in vivo* methylation of inorganic arsenic in rats. *Toxicol Appl Pharmacol* 91:65-74.
- Buchet JP, Lauwerys R. 1988. Role of thiols in the *in vitro* methylation of inorganic arsenic by rat liver cytosol. *Biochem Pharmacol* 37(16):3149-3153.
- Buchet JP, Lison D. 1998. Mortality by cancer in groups of the Belgian population with a moderately increased intake of arsenic. *Int Arch Occup Environ Health* 71(2):125-130.
- Buchet JP, Lauwerys R, Mahieu P, et al. 1982. Inorganic arsenic metabolism in man. *Arch Toxicol Suppl* 5:326-327.
- Buchet JP, Lauwerys R, Roels H. 1981a. Comparison of the urinary excretion of arsenic metabolites after a single oral dose of sodium arsenite, monomethylarsonate or dimethylarsinate in man. *Int Arch Occup Environ Health* 48:71-79.
- Buchet JP, Lauwerys R, Roels H. 1981b. Urinary excretion of inorganic arsenic and its metabolites after repeated ingestion of sodium metaarsenite by volunteers. *Int Arch Occup Environ Health* 48:111-118.
- \*Buchet JP, Lison D, Ruggeri M, et al. 1996b. Assessment of exposure to inorganic arsenic, a human carcinogen, due to the consumption of seafood. *Arch Toxicol* 70(11):773-778.
- Buchet JP, Pauwels J, Lauwerys R. 1994. Assessment of exposure to inorganic arsenic following ingestion of marine organisms by volunteers. *Environ Res* 66(1):44-51.
- \*Buchet JP, Staessen J, Roels H, et al. 1996a. Geographical and temporal differences in the urinary excretion of inorganic arsenic: A Belgian population study. *Occup Environ Med* 53(5):320-327.
- Budavari S, O'Neil MJ, Smith A, et al., eds. 2001. *The Merck index an encyclopedia of chemicals, drugs and biologicals*. 13th ed. Whitehouse Station, NJ: Merck & Co., Inc., 440, 462.
- Bulbulyan MA, Jourenkova NJ, Boffetta P, et al. 1996. Mortality in a cohort of Russian fertilizer workers. *Scand J Work Environ Health* 22(1):27-33.
- Burgdorf W, Kurvink K, Cervenka J. 1977. Elevated sister chromatid exchange rate in lymphocytes of subjects treated with arsenic. *Hum Genet* 36:69-72.
- Burger J, Dixon C, Shukla T, et al. 2003. Metals in horseshoe crabs from Delaware Bay. *Arch Environ Contam Toxicol* 44:36-42.
- Burger J, Gaines KF, Boring CS, et al. 2002. Metal levels in fish from the Savannah River: Potential hazards to fish and other receptors. *Environ Res* 89:85-97.

## 9. REFERENCES

- \*Burger J, Gochfeld M, Rooney AA, et al. 2000. Metals and metalloids in tissues of American alligators in three Florida lakes. *Arch Environ Contam Toxicol* 38:501-508.
- Burkhard EG, Dutkiewicz VA, Husain L. 1994. A study of SO<sub>2</sub>, SO<sub>4</sub><sup>2-</sup> and trace elements in clear air and clouds above the midwestern United States. *Atmos Environ* 28(8):1521-1533.
- Burlo F, Guijarro I, Carbonell-Barrachina AA, et al. 1999. Arsenic species: Effects on and accumulation by tomato plants. *J Agric Food Chem* 47:1247-1253.
- Burns LA, Munson AE. 1993. Gallium arsenide selectively inhibits T cell proliferation and alters expression of CD25 (IL-2R/P55). *J Pharmacol Exp Ther* 265(1):178-186.
- Butler ECV. 1988. Determination of inorganic arsenic species in aqueous samples by ion-exclusion chromatography with electrochemical detection. *J Chromatogr* 450:353-360.
- Butte W, Heinzow B. 2002. Pollutants in house dust as indicators of indoor contamination. *Rev Environ Contam Toxicol* 175:1-46.
- Byrd DM, Roegner ML, Griffiths JC, et al. 1996. Carcinogenic risks of inorganic arsenic in perspective. *Int Arch Occup Environ Health* 68(6):484-494.
- Byron WR, Bierbower GW, Brouwer JB, et al. 1967. Pathologic changes in rats and dogs from two-year feeding of sodium arsenite or sodium arsenate. *Toxicol Appl Pharmacol* 10:132-147.
- \*Caffery-Nolan RE, McCoy KL. 1998. Direct exposure to gallium arsenide upregulates costimulatory activity of murine macrophages. *Toxicol Appl Pharmacol* 151:330-339.
- Calderón J, Navarro ME, Jimenez-Capdeville ME, et al. 2001. Exposure to arsenic and lead and neuropsychological development in Mexican children. *Environ Res* 85(Section A):69-76.
- Calderon RL, Hudgens E, Le CX, et al. 1999. Excretion of arsenic in urine as a function of exposure to arsenic in drinking water. *Environ Health Perspect* 107:663-667.
- Campbell JP, Alvarez JA. 1989. Acute arsenic intoxication. *Am Fam Physician* 40(6):93-97.
- Cannon JR, Edmonds JS, Francesconi KA, et al. 1981. Isolation, crystal structure and synthesis of arsenobetaine, a constituent of the western rock lobster, the dusty shark, and some samples of human urine. *Aust J Chem* 34:787-798.
- Cannon JR, Saunders JB, Toia RF. 1983. Isolation and preliminary toxicological evaluation of arsenobetaine- the water-soluble arsenical constituent from the hepatopancreas of the western rock lobster. *Sci Total Environ* 31:181-185.
- Capar SG, Cunningham WC. 2000. Element and radionuclide concentrations in food: FDA Total Diet Study 1991-1996. *J AOAC Int* 83:157-177.
- Carapella SC. 1992. Arsenic and arsenic alloys. In: Kroschwitz JI, Howe-Grant M, eds. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 3. New York, NY: John Wiley and Sons, 624-633.
- Carbonell-Barrachina AA, Burló F, Valero D, et al. 1999. Arsenic toxicity and accumulation in turnip as affected by arsenic chemical speciation. *J Agric Food Chem* 47:2288-2294.

## 9. REFERENCES

- Carbonell-Barrachina AA, Jugsujinda A, Burlo F, et al. 2000. Arsenic chemistry in municipal sewage sludge as affected by redox potential and pH. *Water Res* 34:216-224.
- Carlson-Lynch H, Beck BD, Boardman PD. 1994. Arsenic risk assessment. *Environ Health Perspect* 102(4):354-356.
- Carpenter SJ. 1987. Developmental analysis of cephalic axial dysraphic disorders in arsenic-treated hamster embryos. *Anat Embryol* 176:345-365.
- Casto BC, Meyers J, DiPaolo JA. 1979. Enhancement of viral transformation for evaluation of the carcinogenic or mutagenic potential of inorganic metal salts. *Cancer Res* 39:193-198.
- Cebrián ME, Albores A, Aguilar M, et al. 1983. Chronic arsenic poisoning in the north of Mexico. *Hum Toxicol* 2:121-133.
- Chaineau E, Binet S, Pol D, et al. 1990. Embryotoxic effects of sodium arsenite and sodium arsenate on mouse embryos in culture. *Teratology* 41:105-112.
- Chakraborti D, Hussam A, Alauddin M. 2003b. Arsenic: Environmental health aspects with special reference to groundwater in South Asia. *J Environ Sci Health Part A* 38(1):xi-xv.
- Chakraborti D, Mukherjee SC, Pati S, et al. 2003c. Arsenic groundwater contamination in Middle Ganga Plain, Bihar, India: A future danger? *Environ Health Perspect* 111:1194-1201.
- Chakraborti D, Mukherjee SC, Saha KC, et al. 2003a. Arsenic toxicity from homeopathic treatment. *J Toxicol Clin Toxicol* 41(7):963-967.
- Chakraborty AK, Saha KC. 1987. Arsenical dermatosis from tubewell water in west Bengal. *Indian J Med Res* 85:326-334.
- Chan PC, Huff J. 1997. Arsenic carcinogenesis in animals and in humans: Mechanistic, experimental, and epidemiological evidence. *J Environ Health Sci*, C15(2):83-122.
- Chan TYK. 1994. The prevalence use and harmful potential of some Chinese herbal medicines in babies and children. *Vet Hum Toxicol* 36(3):238-240.
- Chang CC, Ho SC, Tsai SS, et al. 2004. Ischemic heart disease mortality reduction in an arseniasis-endemic area in southwestern Taiwan after a switch in the tap-water supply system. *J Toxicol Environ Health A* 67(17):1353-1361.
- Chao CC. 1996. Inhibition by arsenite of anticancer drug *cis*-diamminedichloroplatinum(II) induced DNA repair and drug resistance in HeLa cells. *Environ Toxicol Pharmacol* 1(3):199-205.
- Chappell WR, Beck BD, Brown KG, et al. 1997. Inorganic arsenic: A need and an opportunity to improve risk assessment. *Environ Health Perspect* 105(10):1060-1067.
- Charbonneau SM, Spencer K, Bryce F, et al. 1978. Arsenic excretion by monkeys dosed with arsenic-containing fish or with inorganic arsenic. *Bull Environ Contam Toxicol* 20:470-477.

## 9. REFERENCES

Chattopadhyay S, Ghosh S, Debnath J, et al. 2001. Protection of sodium arsenite-induced ovarian toxicity by coadministration of L-ascorbate (vitamin C) in mature wistar strain rat. *Arch Environ Contam Toxicol* 41(1):83-89.

ChemIDplus. 2007. ChemIDplus. Bethesda, MD: U.S. National Library of Medicine. <http://sis.nlm.nih.gov/chemical.html>. August 28, 2007.

Chen CJ, Wang CJ. 1990. Ecological correlation between arsenic level in well water and age-adjusted mortality from malignant neoplasms. *Cancer Res* 50:5470-5474.

\*Chen CL, Whanger PD. 1994. Interaction of selenium and arsenic with metallothionein: Effect of vitamin B<sub>12</sub>. *J Inorg Biochem* 54(4):267-276.

Chen CJ, Chen CW, Wu MM, et al. 1992. Cancer potential in liver, lung, bladder and kidney due to ingested inorganic arsenic in drinking water. *Br J Cancer* 66(5):888-892.

Chen CJ, Chiou HY, Chiang MH, et al. 1996. Dose-response relationship between ischemic heart disease mortality and long-term arsenic exposure. *Arterioscler Thromb Vasc Biol* 16(4):504-510.

Chen CJ, Chuang YC, Lin TM, et al. 1985. Malignant neoplasms among residents of a blackfoot disease-endemic area in Taiwan: High-arsenic artesian well water and cancers. *Cancer Res* 45:5895-5899.

Chen CJ, Chuang YC, You SL, et al. 1986. A retrospective study on malignant neoplasms of bladder, lung and liver in blackfoot disease endemic area in Taiwan. *Br J Cancer* 53:399-405.

Chen CJ, Hsu LI, Shih WL, et al. 2005. Biomarkers of exposure, effect, and susceptibility of arsenic-induced health hazards in Taiwan. *Toxicol Appl Pharmacol* 206(2):198-206.

Chen CJ, Hsueh YM, Lai MS, et al. 1995. Increased prevalence of hypertension and long-term arsenic exposure. *Hypertension* 25(1):53-60.

Chen CJ, Kuo T-L, Wu MM. 1988a. Arsenic and cancers [Letter]. *Lancet* (February 20):414-415.

Chen CJ, Wu MM, Lee SS, et al. 1988b. Atherogenicity and carcinogenicity of high-arsenic artesian well water: Multiple risk factors and related malignant neoplasms of blackfoot disease. *Arteriosclerosis* 8:452-460.

\*Chen KS, Huang CC, Liaw CC, et al. 1988c. [Multiple primary cancers in blackfoot endemic area: Report of a case.] *J Formosan Med Assoc* 87:1125-1128. (Chinese)

Chen M, Ma LQ, Harris WG. 1999. Baseline concentrations of 15 trace elements in Florida surface soils. *J Environ Qual* 28:1173-81.

Chen Y, Ahsan H, Parvez F, et al. 2004. Validity of a food-frequency questionnaire for a large prospective cohort study in Bangladesh. *Br J Nutr* 92(5):851-859.

Chen YC, Guo YL, Su HJ, et al. 2003. Arsenic methylation and skin cancer risk in southwestern Taiwan. *J Occup Environ Med* 45(3):241-248.

## 9. REFERENCES

- Chernoff N, Setzer W, Miller DB, et al. 1990. Effects of chemically induced maternal toxicity on prenatal development in the rat. *Teratology* 42:651-658.
- Chhuttani PN, Chawla LS, Sharma TD. 1967. Arsenical neuropathy. *Neurology* 17:269-274.
- \*Ch'i I, Blackwell RQ. 1968. A controlled retrospective study of blackfoot disease, an endemic peripheral gangrene disease in Taiwan. *Am J Epidemiol* 88(1):7-24.
- Chiang CE, Luk HN, Wang TM, et al. 2002. Prolongation of cardiac repolarization by arsenic trioxide. *Blood* 100(6):2249-2252.
- \*Chiang HS, Hong CL, Guo HR, et al. 1988. Comparative study on the high prevalence of bladder cancer in the blackfoot disease endemic area in Taiwan. *J Formosan Med Assoc* 87(11):1074-1080.
- Chiba M, Masironi R. 1992. Toxic and trace elements in tobacco and tobacco smoke. *Bull WHO* 70(2):269-275.
- Chicago Flameproof. 2000. Pressure-treated Supatimber. Montgomery, IL: Chicago Flameproof. <http://www.chicagoflameproof.com/supatimber.html>. July 29, 2005.
- Chilvers DC, Peterson PJ. 1987. Global cycling of arsenic. In: Hutchinson TC, Meema KM, eds. *Lead, mercury, cadmium and arsenic in the environment*. New York, NY: John Wiley & Sons, 279-301.
- Chiou HY, Chiou ST, Hsu YH, et al. 2001. Incidence of transitional cell carcinoma and arsenic in drinking water: A follow-up study of 8,102 residents in an arseniasis-endemic area in northeastern Taiwan. *Am J Epidemiol* 153(5):411-418.
- Chiou HY, Hsueh YM, Liaw KF, et al. 1995. Incidence of internal cancers and ingested inorganic arsenic: A seven-year follow-up study in Taiwan. *Cancer Res* 55(6):1296-1300.
- Chiou HY, Huang WI, Su CL, et al. 1997. Dose-response relationship between prevalence of cerebrovascular disease and ingested inorganic arsenic. *Stroke* 28(9):1717-1723.
- Chirenje T, Ma LQ, Clark C, et al. 2003a. Cu, Cr and As distribution in soils adjacent to pressure-treated decks, fences and poles. *Environ Pollut* 124(3):407-417.
- Chirenje T, Ma LQ, Szulczewski M, et al. 2003b. Arsenic distribution in Florida urban soils: Comparison between Gainesville and Miami. *J Environ Qual* 32:109-119.
- \*Chiu HF, Ho SC, Wang LY, et al. 2004. Does arsenic exposure increase the risk for liver cancer? *J Toxicol Environ Health A* 67(19):1491-1500.
- Choucair AK, Ajax ET. 1988. Hair and nails in arsenical neuropathy. *Ann Neurol* 23(6):628-629.
- Chow NH, Guo YL, Lin JSN, et al. 1997. Clinicopathological features of bladder cancer associated with chronic exposure to arsenic. *Br J Cancer* 75(11):1708-1710.
- Chowdhury UK, Biswas BK, Chowdhury TR, et al. 2000. Groundwater arsenic contamination in Bangladesh and West Bengal, India. *Environ Health Perspect* 108(5):393-397.

## 9. REFERENCES

- Christian JW, Hopenhayn C, Centeno JA, et al. 2006. Distribution of urinary selenium and arsenic among pregnant women exposed to arsenic in drinking water. *Environ Res* 100(1):115-122.
- Chun JS, Killeen JC. 1989a. Salmonella/mammalian-microsome plate incorporation mutagenicity assay (Ames test) with and without metabolic activation with methanearsonic acid (MAA). Fermenta ASC Corporation. Submitted to the U.S. Environmental Protection Agency. MRID41651902.
- Chun JS, Killeen JC. 1989b. *In vitro* chromosomal aberration assay in Chinese hamster ovary (CBO) cells with methanearsonic acid (MAA). Fermenta ASC Corporation. Submitted to the U.S. Environmental Protection Agency. MRID41651903.
- Chun JS, Killeen JC. 1989c. L5178Y TK<sup>\*/-</sup> mouse lymphoma mutagenesis assay with methanearsonic acid. Fermenta ASC Corporation. Submitted to the U.S. Environmental Protection Agency. MRID41651904.
- Chun JS, Killeen JC. 1989d. Unscheduled DNA synthesis assay in rat primary hepatocytes with methanearsonic acid (MAA). Fermenta ASC Corporation. Submitted to the U.S. Environmental Protection Agency. MRID41651905.
- Chung JS, Kalman DA, Moore LE, et al. 2002. Family correlations of arsenic methylation patterns in children and parents exposed to high concentrations of arsenic in drinking water. *Environ Health Perspect* 110(7):729-733.
- Cikrt M, Mravcová A, Malátová I, et al. 1988. Distribution and excretion of <sup>74</sup>As and <sup>75</sup>Se in rats after their simultaneous administration: The effect of arsenic, selenium and combined pretreatment. *J Hyg Epidemiol Microbiol Immunol* 32(1):17-29.
- Civantos DP, Rodríguez AL, Aguado-Borruey JM, et al. 1995. Fulminant malignant arrhythmia and multiorgan failure in acute arsenic poisoning. *Chest* 108(6):1774-1775.
- Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Clewell HJ, Thomas RS, Gentry PR, et al. 2007. Research toward the development of a biologically based dose response assessment for inorganic arsenic carcinogenicity: A progress report. *Toxicol Appl Pharmacol* 222(3):388-398.
- Clyne N, Ericsson F, Lins L, et al. 1989. Plasma trace elements in pre-dialytic uremic patients determined by energy dispersive X-ray fluorescence. *Trace Elem Med* 6(1):37-40.
- Cohen SM, Arnold LL, Eldan M, et al. 2006. Methylated arsenicals: The implications of metabolism and carcinogenicity studies in rodents to human risk assessment. *Crit Rev Toxicol* 36(2):99-133.
- Cohen SM, Yamamoto S, Cano M, et al. 2001. Urothelial cytotoxicity and regeneration induced by dimethylarsinic acid in rats. *Toxicol Sci* 59(1):68-74.
- Cöl M, Cöl C, Soran A, et al. 1999. Arsenic-related Bowen's disease, Palmer keratosis, and skin cancer. *Environ Health Perspect* 107(8):687-689.
- Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.

## 9. REFERENCES

- Coles DG, Ragaini RC, Ondov JM, et al. 1979. Chemical studies of stack fly ash from a coal-fired power plant. *Environ Sci Tech* 13(4):455-459.
- Comber SDW, Howard AG. 1989. Arsenic speciation by hydride generation atomic absorption spectrometry and its application to the study of biological cycling in the coastal environment. *Anal Proc* 26:20-22.
- Concha G, Nermell B, Vahter M. 1998a. Metabolism of inorganic arsenic in children with chronic high arsenic exposure in northern Argentina. *Environ Health Perspect* 106(6):355-359.
- Concha G, Vogler G, Lezcano D, et al. 1999. Exposure to inorganic arsenic metabolites during early human development. *Toxicol Sci* 44:185-190.
- Concha G, Vogler G, Nermell B, et al. 1998b. Low-level arsenic excretion in breast milk of native Andean women exposed to high levels of arsenic in the drinking water. *Int Arch Occup Environ Health* 71(1):42-46.
- Concha G, Vogler G, Nermell B, et al. 2002. Intra-individual variation in the metabolism of inorganic arsenic. *Int Arch Occup Environ Health* 75:576-580.
- Cooper PA. 1991. Leaching of CCA from treated wood: pH effects. *For Prod J* 41(1):30-32.
- Cooper CM, Gillespie WB. 2001. Arsenic and mercury concentrations in major landscape components of an intensively cultivated watershed. *Environ Pollut* 111:67-74.
- Cordier S, Thériault G, Iturra H. 1983. Mortality patterns in a population living near a copper smelter. *Environ Res* 31:311-322.
- Costa M, Zhitkovich A, Harris M, et al. 1997. DNA-protein cross-links produced by various chemicals in cultured human lymphoma cells. *J Toxicol Environ Health* 50(5):433-449.
- Creelius EA. 1977. Changes in the chemical speciation of arsenic following ingestion by man. *Environ Health Perspect* 19:147-150.
- Creelius EA. 1978. Modification of the arsenic speciation technique using hydride generation. *Anal Chem* 50(6):826-827.
- Crown S, Kenan G, Nyska A, et al. 1987. Cacodylic acid toxicity in dietary administration to rats for 13 weeks: A preliminary study. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID42767701.
- Crown S, Nyska A, Waner T. 1990. Methanearsonic acid combined chronic feeding and oncogenicity study in the rat. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID41669001.
- Csanaky I, Gregus Z. 2002. Species variations in the biliary and urinary excretion of arsenate, arsenite and their metabolites. *Comp Biochem Physiol C* 131(3):355-365.



## 9. REFERENCES

- \*Cullen WR. 1998. Arsenic in the environment. In: Bunnett JF, Mikolajczyk M, eds. Arsenic and old mustard: Chemical problems in the destruction of old arsenical and 'mustard' munitions. Netherlands: Kluwer Academic Publishers, 123-134.
- Cullen NM, Wolf LR, St Clair D. 1995. Pediatric arsenic ingestion. *Am J Emerg Med* 13(4):432-435.
- Curatola CJ, Grunder FI, Moffitt AE. 1978. Hydride generation atomic absorption spectrophotometry for determination of arsenic in hair. *Am Ind Hyg Assoc Journal* 39:933-938.
- Cuzick J, Sasieni P, Evans S. 1992. Ingested arsenic, keratoses, and bladder cancer. *Am J Epidemiol* 136(4):417-421.
- \*Czarnecki GL, Baker DH, Garst JE. 1984. Arsenic-sulfur amino acid interactions in the chick. *J Anim Sci* 59:1573-1581.
- Dabeka RW, Lacroix GMA. 1987. Total arsenic in foods after sequential wet digestion, dry ashing, coprecipitation with ammonium pyrrolidine dithiocarbamate, and graphite-furnace atomic absorption spectrometry. *J Assoc Off Anal Chem* 70(5):866-870.
- Dabeka RW, McKenzie AD, Lacroix GM, et al. 1993. Survey of arsenic in total diet food composites and estimation of the dietary intake of arsenic by Canadian adults and children. *J AOAC Int* 76(1):14-25.
- Dallaire L, Beliveau R. 1992. Phosphate transport by capillaries of the blood-brain barrier. *J Biol Chem* 267(31):22323-22327.
- Danan M, Dally S, Conso F. 1984. Arsenic-induced encephalopathy. *Neurology* 34:1524.
- Darland JE, Inskip WP. 1997. Effects of pH and phosphate competition on the transport of arsenate. *J Environ Qual* 26(4):1133-1139.
- Das T, Roychoudhury A, Sharma A, et al. 1993. Modification of clastogenicity of three known clastogens by garlic extract in mice *in vivo*. *Environ Mol Mutagen* 21(4):383-388.
- Datta S, Talukder G, Sharma A. 1986. Cytotoxic effects of arsenic in dietary oil primed rats. *Sci Cult* 52(6):196-198.
- Davey JC, Bodwell JE, Gosse JA, et al. 2007. Arsenic as an endocrine disruptor: Effects of arsenic on estrogen receptor-mediated gene expression *in vivo* and in cell culture. *Toxicol Sci* 98(1):75-86.
- Davidson CI, Goold WD, Mathison TP, et al. 1985. Airborne trace elements in Great Smoky Mountains, Olympic, and Glacier National Parks. *Environ Sci Technol* 19:27-35.
- Davis A, Ruby MV, Bergstrom PD. 1992. Bioavailability of arsenic and lead in soils from the Butte, Montana, mining district. *Environ Sci Technol* 26(3):461-468.
- Davis A, Ruby MV, Bloom M, et al. 1996. Mineralogic constraints on the bioavailability of arsenic in smelter-impacted soils. *Environ Sci Technol* 30(2):392-399.
- Dekundt GH, Leonard A, Arany J, et al. 1986. *In vivo* studies in male mice on the mutagenic effects of inorganic arsenic. *Mutagenesis* 1(1):33-34.

## 9. REFERENCES

- de la Rosa ME, Magnusson J, Ramel C, et al. 1994. Modulating influence of inorganic arsenic on the recombinogenic and mutagenic action of ionizing radiation and alkylating agents in *Drosophila melanogaster*. *Mutat Res* 318(1):65-71.
- de Peyster A, Silvers JA. 1995. Arsenic levels in hair of workers in a semiconductor fabrication facility. *Am Ind Hyg Assoc J* 56(4):377-383.
- Dhar P, Jaitley M, Kalaivani M, et al. 2005. Preliminary morphological and histochemical changes in rat spinal cord neurons following arsenic ingestion. *Neurotoxicology* 26(3):309-320.
- DHHS. 1995. Report to Congress on workers' home contamination study conducted under the workers' family protection act (29 U.S.C. 671a). Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health. September 1995. Pub no. 95-123. PB96192000.
- \*Díaz-Barriga F, Batres L, Calderón J, et al. 1997. The El Paso smelter 20 years later: Residual impact on Mexican children. *Environ Res* 74(1):11-16.
- Dieke SH, Richter CP. 1946. Comparative assays of rodenticides on wild Norway rats. *Public Health Rep* 61:672-679.
- DiPaolo JA, Casto BC. 1979. Quantitative studies of *in vitro* morphological transformation of Syrian hamster cells by inorganic metal salts. *Cancer Res* 39:1008-1013.
- \*Diwan A, Ward JM, Waalkes MP. 2002. Multiorgan transplacental carcinogenesis by arsenic in mice. *Proc Am Assoc Cancer Res* 43:1032.
- Dix K, Cappon CJ, Toribara TY. 1987. Arsenic speciation by capillary gas-liquid chromatography. *J Chromatogr Sci* 25:164-169.
- Dolan SP, Nortrup DA, Bolger PM, et al. 2003. Analysis of dietary supplements for arsenic, cadmium, mercury, and lead using inductively coupled plasma mass spectrometry. *J Agric Food Chem* 51(5):1307-1312.
- \*Domingo JL, Bosque MA, Piera V. 1991. *meso*-2,3-Dimercaptosuccinic acid and prevention of arsenite embryotoxicity and teratogenicity in the mouse. *Fundam Appl Toxicol* 17:314-320.
- Dong JT, Luo XM. 1993. Arsenic-induced DNA-strand breaks associated with DNA-protein crosslinks in human fetal lung fibroblasts. *Mutat Res* 302(2):97-102.
- Dong JT, Luo XM. 1994. Effects of arsenic on DNA damage and repair in human fetal lung fibroblasts. *Mutat Res* 315(1):11-15.
- Dopp E, Hartmann LM, Florea AM, et al. 2004. Uptake of inorganic and organic derivatives of arsenic associated with induced cytotoxic and genotoxic effects in Chinese hamster ovary (CHO) cells. *Toxicol Appl Pharmacol* 201(2):156-165.
- Driesback RH, ed. 1980. Arsenic and arsine. In: *Handbook of poisoning: Prevention, diagnosis and treatment*. 11th ed. Los Altos, CA: Lange Medical Publications, 241-245.

## 9. REFERENCES

- Dueñas C, Pérez-Alvarez JC, Busteros JI, et al. 1998. Idiopathic portal hypertension and angiosarcoma associated with arsenical salts therapy. *J Clin Gastroenterol* 26(4):303-305.
- \*Dulout FN, Grillo CA, Seoane AI, et al. 1996. Chromosomal aberrations in peripheral blood lymphocytes from native Andean women and children from northwestern Argentina exposed to arsenic in drinking water. *Mutat Res* 370(3-4):151-158.
- Dunlap LG. 1921. Perforations of the nasal septum due to inhalation of arsenous oxide. *JAMA* 76(9):568-569.
- \*Durant JL, Chen J, Hemond HF, et al. 1995. Elevated incidence of childhood leukemia in Woburn, Massachusetts: NIEHS Superfund basic research program searches for causes. *Environ Health Perspect* 103(Suppl 6):93-98.
- Dutkiewicz T. 1977. Experimental studies on arsenic absorption routes in rats. *Environ Health Perspect* 19:173-177.
- Ebdon L, Fisher A, Roberts NB, et al. 1999. Determination of organoarsenic species in blood plasma by HPLC-ICP MS. *Appl Organomet Chem* 13:183-187.
- Edelman GM. 1992. Morphoregulation. *Dev Dynamics* 193:2-10.
- Edmonds JS, Francesconi KA. 1987. Transformations of arsenic in the marine environment. *Experientia* 43:553-557.
- Edmonds MS, Baker DH. 1986. Toxic effects of supplemental copper and roxarsone when fed alone or in combination to young pigs. *J Anim Sci* 63:533-537.
- Eguchi N, Kuroda K, Endo G. 1997. Metabolites of arsenic induced tetraploids and mitotic arrest in cultured cells. *Arch Environ Contam Toxicol* 32(2):141-145.
- Eisler R. 1994. A review of arsenic hazards to plants and animals with emphasis on fishery and wildlife. In: Nriagu JO, ed. *Arsenic in the environment: Part II: Human health and ecosystem effects*. New York, NY: John Wiley & Sons, Inc, 185-259.
- Eitzer BD, Iannucci-Berger WA, Mark G, et al. 1997. Fate of toxic compounds during composting. *Bull Environ Contam Toxicol* 58(6):953-960.
- Ellenhorn MJ. 1997. *Ellenhorn's medical toxicology. Diagnosis and treatment of human poisoning*. Baltimore, MD: Williams & Wilkins, 1538-1542.
- Ellenhorn MJ, Barceloux DG. 1988. *Medical toxicology: Diagnosis and treatment of human poisoning*. New York, NY: Elsevier, 1012-1048.
- Endo G, Kuroda K, Okamoto A, et al. 1992. Dimethylarsenic acid induces tetraploids in Chinese hamster cells. *Bull Environ Contam Toxicol* 48(1):131-137.
- Engel RR, Receveur O. 1993. Re: "Arsenic ingestion and internal cancers: A review". *Am J Epidemiol* 138(10):896-897.

## 9. REFERENCES

- Engel RR, Smith AH. 1994. Arsenic in drinking water and mortality from vascular disease: An ecologic analysis in 30 counties in the United States. *Arch Environ Health* 49(5):418-427.
- Enterline PE, Marsh GM. 1982. Cancer among workers exposed to arsenic and other substances in a copper smelter. *Am J Epidemiol* 116(6):895-911.
- Enterline PE, Day R, Marsh GM. 1995. Cancers related to exposure to arsenic at a copper smelter. *Occup Environ Med* 52(1):28-32.
- Enterline PE, Henderson VL, Marsh GM. 1987a. Exposure to arsenic and respiratory cancer: A reanalysis. *Am J Epidemiol* 125(6):929-938.
- Enterline PE, Marsh GM, Esmen NA, et al. 1987b. Some effects of cigarette smoking, arsenic, and SO<sub>2</sub> on mortality among U.S. copper smelter workers. *J Occup Med* 29(10):831-838.
- Environment Canada. 1993. Canadian environmental protection act priority substances list assessment report: Arsenic and its compounds. Ottawa, Canada: Canada Communication Group.
- EPA. 1977a. Selected non-carcinogenic effects of industrial exposure to inorganic arsenic. Washington, DC: U.S. Environmental Protection Agency. PB276988. EPA560677018.
- \*EPA. 1977b. The evaluation of the acute inhalation toxicology of technical grade organoarsenical pesticides. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory.
- EPA. 1979. Water-related environmental fate of 129 priority pollutants: Vol. I. Introduction and technical background, metals and inorganics, pesticides and PCBs. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standard. EPA440479029a.
- EPA. 1980a. Ambient water quality criteria for arsenic. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA440580021.
- \*EPA. 1980b. Lung cancer/mortality in proximity to a pesticide plant. Washington, DC: U.S. Environmental Protection Agency. PB80207376.
- \*EPA. 1980c. STORET. Washington, DC: U.S. Environmental Protection Agency, Monitoring and Data Support Division.
- \*EPA. 1980d. U.S. Environmental Protection Agency. *Fed Regist* 45:33132-33133.
- \*EPA. 1980e. U.S. Environmental Protection Agency: Part V. *Fed Regist* 45:79325-79327.
- EPA. 1980f. Failure to produce arsenic neurotoxicity in the rat. An experimental study. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA5601180022.
- \*EPA. 1980g. Fate of toxic and hazardous materials in the air environment. Research Triangle Park, NC: U.S. Environmental Protection Agency, U.S. Environmental Sciences Research Lab. PB80221948.
- \*EPA. 1980h. Lung cancer mortality in proximity to a pesticide plant. Washington, DC: American Public Health Association and U.S. Environmental Protection Agency, Office of Toxic Substances. PB80207376.

## 9. REFERENCES

- \*EPA. 1981a. Effluent guidelines and standards. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.
- EPA. 1981b. Community health associated with arsenic in drinking water in Millard County, Utah. Cincinnati, OH: U.S. Environmental Protection Agency, Health Effects Research Laboratory. EPA600181064. PB82108374.
- EPA. 1981c. The carcinogen assessment group's final risk assessment on arsenic. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA600681002. PB81206013.
- \*EPA. 1981d. Effluent guidelines and standards. Timber products processing point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 429.
- \*EPA. 1981e. Assessment of exposure to arsenic from CCA-treated wood: Final report. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment.
- \*EPA. 1982a. Effluent guidelines and standards. Inorganic chemicals manufacturing point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 415.
- EPA. 1982b. Exposure and risk assessment for arsenic. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. PB85221711. EPA440485005. 1.1-4.68.
- EPA. 1982c. Inductively coupled plasma-atomic emission spectrometric method for trace element analysis of water and wastes - method 200.7. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory.
- \*EPA. 1982d. Arsenic. In: Intermedia priority pollutant guidance documents. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.
- \*EPA. 1982e. Speciation of arsenic compounds in water supplies. Cincinnati, OH: U.S. Environmental Protection Agency, Health Effects Research Laboratory. EPA6005182010.
- \*EPA. 1983a. Effluent guidelines and standards. Electrical and electronic components point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 469.
- EPA. 1983b. Method 206.2: atomic absorption, furnace technique. In: Methods for chemical analysis of water and wastes. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA600479020.
- EPA. 1983c. Method 206.3: atomic absorption-gaseous hydride. In: Methods for chemical analysis of water and wastes. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA600479020.
- EPA. 1983d. Method 206.4: spectrophotometric - SDDC. In: Methods for chemical analysis of water and wastes. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA600479020.

## 9. REFERENCES

- EPA. 1983e. Method 206.5: sample digestion prior to total arsenic analysis by silver diethyldithiocarbamate or hydride procedures. In: Methods for chemical analysis of water and wastes. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA600479020.
- \*EPA. 1983f. Treatability manual: Vol. I: Treatability data. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, I.4.2.1-I.4.2.6. EPA600282001a.
- EPA. 1983g. Feasibility study to resolve questions on the relationship of arsenic in drinking water to skin cancer. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development.
- \*EPA. 1983h. Compliance monitoring data from federal reporting data system. U.S. Environmental Protection Agency, Office of Drinking Water, State Programs Division.
- EPA. 1984a. Health Assessment Document for Arsenic. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600823021F.
- \*EPA. 1984b. Health assessment document for inorganic arsenic. Final report. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA600883021F. 2-1-3-22, 9-1-9-4.
- \*EPA. 1984c. Health effects assessment for arsenic. Washington, DC: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. EPA540186020.
- \*EPA. 1984d. Occurrence of arsenic in drinking water, food and air. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards.
- \*EPA. 1986a. Evaluation of the potential carcinogenicity of arsenic (7940-38-2) in support of reportable quantity adjustments pursuant to CERCLA Section 102. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. OHEA C-073-5.
- \*EPA. 1986b. Inorganic arsenic risk assessment for primary and secondary zinc smelters, primary lead smelters, zinc oxide plants, cotton gins, and arsenic chemical plants. Research Triangle Park, NC: U.S. Environmental Protection Agency, Strategies and Air Standards Division. PB86245255.
- \*EPA. 1986c. Method 7060 – Arsenic: atomic absorption, furnace technique. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- \*EPA. 1986d. National emission standard for inorganic arsenic emissions from arsenic trioxide and metallic arsenic production facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61, Subpart P.
- \*EPA. 1986e. Creosote, pentachlorophenol, and inorganic arsenicals: Amendment of notice to cancel registrations. U.S. Environmental Protection Agency. Fed Regist 51(7):1334-1348.
- EPA. 1986f. National emission standards for household air pollutants; Standards for inorganic arsenic. U.S. Environmental Protection Agency: Part II. Fed Regist 51(149):27956-27960.

## 9. REFERENCES

- \*EPA. 1986g. National emission standard for inorganic arsenic emissions from primary copper smelters. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61, Subpart O.
- \*EPA. 1987a. U.S. Environmental Protection Agency. Fed Regist 52:12278.
- \*EPA. 1987b. U.S. Environmental Protection Agency: Part II. Fed Regist 52(77):13396-13398, 13402.
- \*EPA. 1987c. List (phase 1) of hazardous constituents for ground-water monitoring. U.S. Environmental Protection Agency: Part II. Fed Regist 52(131):25942-25953.
- \*EPA. 1987d. Land disposal restrictions for certain "California list" hazardous wastes and modifications to the framework. U.S. Environmental Protection Agency: Part V. Fed Regist 52(130):25760-25763.
- EPA. 1987e. The risk assessment guidelines of 1986. Washington, DC: U.S. Environmental Protection Agency. EPA600887045.
- \*EPA. 1987f. Carcinogenic effects of arsenic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Health Effects Research Laboratory. PB87232542. EPA 600187007.
- \*EPA. 1988a. Inorganic arsenicals; Intent to cancel registrations for pesticide products registered for non-wood preservative use; conclusion of special review. U.S. Environmental Protection Agency. Fed Regist 53(126):24787-24796.
- \*EPA. 1988b. U.S. Environmental Protection Agency: Part II. Fed Regist 53:31138-31222.
- \*EPA. 1988c. U.S. Environmental Protection Agency: Part II. Fed Regist 53:4500-4501.
- EPA. 1988d. Special report on ingested inorganic arsenic: Skin cancer; nutritional essentiality. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA625387013F. PB89125975
- EPA. 1988e. Reference physiological parameters in pharmacokinetic modeling. Washington, DC: U.S. Environmental Protection Agency. EPA600688004. PB88196019.
- \*EPA. 1989a. Guidance for the reregistration of wood preservative pesticide products containing arsenic, chromium, and chromated arsenical compounds as the active ingredient. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Programs. PB89102842.
- EPA. 1989b. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA600888066F. PB90145723.
- \*EPA. 1989c. U.S. Environmental Protection Agency: Part II. Fed Regist 54:35988-35992.
- \*EPA. 1989d. Reportable quantity adjustments; Digesting of ammonium trisulfate. U.S. Environmental Protection Agency: Part V. Fed Regist 54(155):33426, 33450, 33453-33454, 33456, 33463-33465, 33470.
- EPA. 1989e. Recognition and management of pesticide poisonings. U.S. Environmental Protection Agency. EPA540988001. PB91145656, 54-62

## 9. REFERENCES

- \*EPA. 1990a. Effluent guidelines and standards. Nonferrous metals manufacturing point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 421.
- \*EPA. 1990b. Calcium arsenate; Revocation of tolerances. U.S. Environmental Protection Agency. Fed Regist 55(158):33332-33335.
- \*EPA. 1990c. Land disposal restrictions for third scheduled wastes. U.S. Environmental Protection Agency: Part II. Fed Regist 55(106):22520-22536, 22683-22714.
- \*EPA. 1990d. Notice of intent to remove certain active ingredients from list B and to those pesticides containing those ingredients. U.S. Environmental Protection Agency: Part V. Fed Regist 55(147):31164-31174.
- EPA. 1990e. Pollutant concentration estimates from the National Sewage Sludge Survey: Arsenic. U.S. Environmental Protection Agency: Part III. Fed Regist 55(218):47229.
- \*EPA. 1990f. Toxics in the community: 1988: National and local perspectives. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances.
- \*EPA. 1990g. National emissions standard for inorganic arsenic emissions from glass manufacturing plants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61. Subpart N.
- \*EPA. 1990h. Standards of performance for volatile organic compounds (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operation. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.667.
- EPA. 1990i. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600/89/066A.
- EPA. 1991. Method 200.8 - Determination of trace elements in waters and wastes by inductively coupled plasma - mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency, EPA monitoring and support laboratory.
- \*EPA. 1993a. Arsenic: Supply, demand, and the environment. In: Mercury and arsenic wastes: removal, recovery, treatment, and disposal. U.S. Environmental Protection Agency Pollution Technology Review No. 214, 67-71.
- EPA. 1993b. Standards for the management of hazardous waste and specific types of hazardous waste facilities. Health-based limits for exclusion of waste-derived residues. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266; Subpart H; Appendix VII.
- EPA. 1994a. Method 6020 - Inductively coupled plasma - mass spectrometry. In: Test methods for evaluating solid waste. 3<sup>rd</sup> ed. SW-846. Washington DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- EPA. 1994b. Method 7060A- Arsenic: atomic absorption, furnace technique. In: Test methods for evaluating solid waste. 3<sup>rd</sup> ed. SW-846. Washington DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.



## 9. REFERENCES

- EPA. 1994c. Method 200.7 - Inductively coupled plasma-atomic emission spectrometric method for trace element analysis of water and wastes. Revision 4.4, EMMC version. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. <http://www.nemi.gov/>. April 6, 2005.
- \*EPA. 1995a. Designation, reportable quantities, and notification. List of hazardous substance and reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- \*EPA. 1995b. Determination of reportable quantities for hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.
- EPA. 1995c. Effluent guidelines and standards. Pesticide chemicals. Metallo-organic pesticide chemicals manufacturing subcategory. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 455, Subpart B.
- \*EPA. 1995d. Toxic chemical release reporting: Community right-to-know. Specific toxic chemical listings. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.
- \*EPA. 1995e. Maximum contaminant levels for inorganic chemicals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141, Subpart B.
- \*EPA. 1995f. Determination of background concentrations of inorganics in soil and sediments at hazardous waste sites. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA540S96500.
- \*EPA. 1996a. Effluent guidelines and standards. Pesticide chemicals. List of appropriate pollution control technologies. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 455, Table 10.
- EPA. 1996b. Proposed guidelines for carcinogen risk assessment. U.S. Environmental Protection Agency. Fed Regist 61(79):17960-18011.
- \*EPA. 1996c. Superfund, emergency planning, and community right-to-know programs. Designation, reportable quantities, and notification. Emergency planning and notification. The list of extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355, Appendix A.
- EPA. 1996d. Method 6010B- Inductively coupled plasma-atomic emission spectrometry. In: Test methods for evaluating solid waste. 3<sup>rd</sup> ed. SW-846. Washington DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- EPA. 1996e. Method 7063- Arsenic in aqueous samples and extracts by anodic stripping voltammetry (ASV). In: Test methods for evaluating solid waste. 3<sup>rd</sup> ed. SW-846. Washington DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- EPA. 1996f. Land disposal restrictions. Prohibitions on storage. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268, Subpart E.

## 9. REFERENCES

\*EPA. 1996g. Land disposal restrictions. Metal bearing wastes prohibited from dilution in a combustion unit according to 40 CFR 268.3(c). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268, Appendix XI.

EPA. 1996h. Method 1632: Inorganic arsenic in water by hydride generation quartz furnace atomic absorption. U.S. Environmental Protection Agency, Office of Water, Engineering and Analysis Division.

\*EPA. 1997a. Identification and listing of hazardous waste. Hazardous constituents. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.

\*EPA. 1997b. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. Ground-water monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, Appendix IX.

\*EPA. 1997c. National emission standards for wood furniture manufacturing operations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63, Subpart JJ.

\*EPA. 1997d. Land disposal restrictions Phase IV: Treatment standards for wood preserving wastes, paperwork reduction and streamlining, exemptions from RCRA for certain processed materials; and miscellaneous hazardous waste provision. U.S. Environmental Protection Agency. Fed Regist 62(91)25998.

\*EPA. 1997e. Fish and wildlife advisory database. U.S. Environmental Protection Agency. <http://www.epa.gov/ost/fishadvice/>. March 31, 2005.

\*EPA. 1997f. Addition of facilities in certain industry sectors; Revised interpretation of otherwise use; Toxic release inventory reporting; Community right-to-know. U.S. Environmental Protection Agency. Fed Regist 62(84):23834.

EPA. 1997g. Relative bioavailability of arsenic in mining wastes. Denver, CO: U.S. Environmental Protection Agency. Document control no. 4500-88-AORH.

EPA. 1997h. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

\*EPA. 1997i. Report on the expert panel on arsenic carcinogenicity: Review and workshop. Washington, DC: U.S. Environmental Protection Agency.

\*EPA. 1998a. List of pesticides banned and severely restricted in the U.S. U.S. Environmental Protection Agency. <http://www.epa.gov.oppfead1/international/piclist.htm>. March 31, 2005.

\*EPA. 1998b. Effluent limitations guidelines, pretreatment standards and new source performance standards for the industrial waste combustor subcategory of the waste combustors point source category. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 444. Fed Regist 63(25)6392.

\*EPA. 1998c. National emission standards for hazardous air pollutants; proposed standards for hazardous air pollutants emissions for the Portland cement manufacturing industry. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63. Fed Regist 63(56)14182.

## 9. REFERENCES

- \*EPA. 1998d. National emissions standards for hazardous air pollutants for primary lead smelters. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63. Fed Regist 63(74)19200.
- \*EPA. 1998e. National emission standards for hazardous air pollutants for source categories: national emission standards for primary copper smelters. U.S. Environmental Protection Agency. Fed Regist 63(75)19582.
- \*EPA. 1998f. Land disposal restrictions phase IV: final rule promulgating treatment standards for metal wastes and mineral processing wastes; mineral processing secondary materials and bevill exclusion issues; treatment standards for hazardous soils, and exclusion of recycled wood preserving wastewaters. U.S. Environmental Protection Agency. Fed Regist 63(100)28556.
- EPA. 1998g. Listing of fish and wildlife advisories - 1997. Washington, DC: U.S. Environmental Protection Agency, Office of Water/Office of Science and Technology. EPA823C98001, version 3.
- \*EPA. 1998h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- \*EPA. 1998i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- EPA. 1998j. Method 6020A- Inductively coupled plasma - mass spectrometry. In: Test methods for evaluating solid waste. 3<sup>rd</sup> ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- EPA. 1998k. Notice of filing of pesticide petitions. U.S. Environmental Protection Agency. Fed Regist 63:40273-40279.
- EPA. 1998l. Method 1632. Chemical speciation of arsenic in water and tissue by hydride generation quartz furnace atomic absorption spectrometry. Revision A. U.S. Environmental Protection Agency. <http://www.epa.gov/waterscience/methods/method/files/1632.pdf>. August 27, 2007.
- \*EPA. 1999a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.
- \*EPA. 1999b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.11.
- \*EPA. 1999c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- \*EPA. 1999d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33.
- \*EPA. 1999e. National Recommended Water Quality Criteria-Correction. U.S. Environmental Protection Agency, Office of Water. EPA822Z99001.
- \*EPA. 1999f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.180.
- \*EPA. 1999g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.3.
- EPA. 1999h. International Pesticide Notice: EPA cancels the last agricultural use of arsenic acid in the United States. U.S. Environmental Protection Agency. <http://www.epa.gov/oppfead1/17b/arsenic.htm>. November 3, 1999.
- \*EPA. 1999i. Pesticide chemicals classified as known, probable or possible human carcinogens. Environmental Protection Agency. <http://www.epa.gov/pesticides/carlist/table.htm>. November 3, 1999.

## 9. REFERENCES

- \*EPA. 2000a. NCOD query results. Arsenic. Drinking water data. National Contaminant Occurrence Database. Public Water Systems. U.S. Environmental Protection Agency. <http://www.epa.gov/ncod/>. March 31, 2005.
- \*EPA. 2000b. National primary drinking water regulations; Arsenic and clarifications to compliance and new source contaminants monitoring; Proposed rule. U.S. Environmental Protection Agency. Fed Regist 65:38888.
- EPA. 2000c. Method 6010C - Inductively coupled plasma-atomic emission spectrometry. U.S. Environmental Protection Agency, Office of Solid Waste. <http://www.nemi.gov/>. April 6, 2005.
- EPA. 2001. National primary drinking water regulations; arsenic and clarifications to compliance and new source contaminants monitoring. U.S. Environmental Protection Agency. Fed Regist 66(14):6976-7066.
- EPA. 2002a. National primary drinking water regulations. Washington, DC: Office of Ground Water and Drinking Water, U.S. Environmental Protection Agency. EPA816F02013. <http://www.epa.gov/safewater/mcl.html>. February 15, 2005.
- EPA. 2002b. National recommended water quality criteria. Washington, DC: Office of Water, Office of Science and Technology, U.S. Environmental Protection Agency. EPA822R02047. <http://www.epa.gov/waterscience/pc/revcom.pdf>. February 15, 2005.
- EPA. 2003a. Response to requests to cancel certain chromated copper arsenate (CCA) wood preservative products and amendments to terminate certain uses of other CCA products. Fed Regist 68 (68):17366-17372.
- EPA. 2003b. Technical summary of information available on the bioaccumulation of arsenic in aquatic organisms. Washington, DC: U.S. Environmental Protection Agency. EPA822R03032. <http://www.epa.gov/waterscience/criteria/arsenic/tech-sum-bioacc.pdf>. August 27, 2007
- EPA. 2004a. Drinking water standards and health advisories. Washington, DC: Office of Water, U.S. Environmental Protection Agency. EPA822R04005. <http://www.epa.gov/waterscience/drinking/standards/dwstandards.pdf>. February 15, 2005.
- EPA. 2004b. Hazardous air pollutants. Washington, DC: U.S. Environmental Protection Agency. United States Code. 42 USC 7412. <http://www.epa.gov/ttn/atw/orig189.html>. February 15, 2005.
- EPA. 2004c. National fish tissue study. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/waterscience/fishstudy/>. April 1, 2005.
- \*EPA. 2004d. Risk assessment guidance for Superfund. Volume I: Human health evaluation manual. Part E: Supplemental guidance for dermal risk assessment. Washington, DC: U.S. Environmental Protection Agency. EPA540R99005. OSWER9285702EP. PB99963312, 3-16, 4-6, 6-2, R-1, R-5, B-20.
- EPA. 2005b. 1996. Emissions of arsenic compounds. Technology Transfer Network. National Air Toxics Assessment. Pollutant-Specific Data Tables. U.S. Environmental Protection Agency. <http://www.epa.gov/ttn/atw/nata/tablemis.html>. March 31, 2005.

## 9. REFERENCES

- EPA. 2005a. Chromated copper arsenate (CCA). U.S. Environmental Protection Agency. <http://www.epa.gov/oppad001/reregistration/cca/>. February 25, 2005.
- EPA. 2005d. Designated as hazardous substances in accordance with Section 311(b)(2)(A) of the Clean Water Act. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4. <http://www.epa.gov/ttn/atw/orig189.html>. February 15, 2005.
- EPA. 2005e. Reportable quantities of hazardous substances designated pursuant to Section 311 of the Clean Water Act. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 117.3. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. February 16, 2005.
- EPA. 2005c. STORET data warehouse. U.S. Environmental Protection Agency. [http://www.epa.gov/storet/dw\\_home.html](http://www.epa.gov/storet/dw_home.html). April 8, 2005.
- EPA. 2005f. Superfund, emergency planning, and community right-to-know programs. Designation, reportable quantities, and notifications. Code of Federal Regulations. 40 CFR 302.4. U.S. Environmental Protection Agency. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. February 15, 2005.
- EPA. 2005g. Superfund, emergency planning, and community right-to-know programs. Extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355, Appendix A. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. February 15, 2005.
- EPA. 2005h. Superfund, emergency planning, and community right-to-know programs. Toxic chemical release reporting. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. February 16, 2005.
- EPA. 2005i. Tolerances and exemptions from tolerances for pesticide chemicals in food. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.311. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. February 15, 2005.
- EPA. 2005j. Tolerances and exemptions from tolerances for pesticide chemicals in food. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.289. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. February 15, 2005.
- EPA. 2005k. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. Office of Environmental Information. EPA260B05001.
- \*EPA. 2005l. Guidelines for carcinogen risk assessment. Washington, DC: U.S. Environmental Protection Agency. EPA630P03001F.
- EPA. 2006. Revised reregistration eligibility decision for MSMA, DSMA, CAMA, and cacodylic acid, August 10, 2006. Washington, DC: U.S. Environmental Protection Agency. [http://www.epa.gov/oppsrrd1/REDS/organic\\_arsenicals\\_red.pdf](http://www.epa.gov/oppsrrd1/REDS/organic_arsenicals_red.pdf). September 12, 2006.
- EPA. 2007a. Chromated copper arsenate (CCA): Consumer awareness program (CAP). U.S. Environmental Protection Agency. <http://www.epa.gov/oppad001/reregistration/cca/cap.htm>. January 16, 2007.

## 9. REFERENCES

- EPA. 2007b. Framework for metals risk assessment. U.S. Environmental Protection Agency. EPA120R07001. <http://www.epa.gov/osa/metalsframework/pdfs/metals-risk-assessment-final.pdf>. August 30, 2007.
- Erdogan S, Celik S, Erdogan Z. 2004. Comparison of selected toxic elements in cow serum and milk samples from industrial and rural regions. *Bull Environ Contam Toxicol* 72(5):931-936.
- Erry BV, Macnair MR, Meharg AA, et al. 1999. Seasonal variation in dietary and body organ arsenic concentrations in wood mice *Apodemus sylvaticus* and bank voles *Clethrionomys glareolus*. *Bull Environ Contam Toxicol* 63:567-574.
- \*Falk H, Caldwell GG, Ishak KG, et al. 1981a. Arsenic-related hepatic angiosarcoma. *Am J Ind Med* 2:43-50.
- Falk H, Herbert JT, Edmonds L, et al. 1981b. Review of four cases of childhood hepatic angiosarcoma—elevated environmental arsenic exposure in one case. *Cancer* 47:382-391.
- Fan S, Ho I, Yeoh FL, et al. 1996. Squalene inhibits sodium arsenite-induced sister chromatid exchanges and micronuclei in Chinese hamster ovary-K1 cells. *Mutat Res* 368(3-4):165-169.
- Farag AM, Woodward DF, Goldstein JN, et al. 1998. Concentrations of metal associated with mining waste in sediments, biofilm, benthic macroinvertebrates, and fish from the Coeur d'Alene River basin, Idaho. *Arch Environ Contam Toxicol* 34:119-127.
- Farago ME. 1997. Arsenic in the marine environment. In: Gianguzza A, Pelizzetti E, Sammartano S, eds. *Marine chemistry*. Netherlands: Kluwer Academic Publishers, 275-291.
- FDA. 2000. FDA approves arsenic trioxide for leukemia treatment in record time for a cancer drug development program. Food and Drug Administration. <http://www.fda.gov/bbs/topics/ANSWERS/ANS01040.html>. August 30, 2007.
- FDA. 2005. Beverages. Bottled water. Final Rule. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110. *Fed Regist* 70:33694-33701. <http://www.fda.gov/OHRMS/DOCKETS/98fr/05-11406.pdf>. September 1, 2005.
- FEDRIP. 2006. Arsenic. Federal Research in Progress database. Springfield, VA: National Technical Information Service.
- FEDRIP. 2007. Arsenic. Federal Research in Progress database. Springfield, VA: National Technical Information Service.
- Feldman RG, Niles CA, Kelly-Hayes M, et al. 1979. Peripheral neuropathy in arsenic smelter workers. *Neurology* 29:939-944.
- Feng X, Melander AP, Klaue B. 2000. Contribution of municipal waste incineration to trace metal deposition on the vicinity. *Water Air Soil Pollut* 119:295-316.
- Ferm VH, Carpenter SJ. 1968. Malformations induced by sodium arsenate. *J Reprod Fertil* 17:199-201.

## 9. REFERENCES

- \*Ferm VH, Hanlon DP. 1985. Constant rate exposure of pregnant hamsters to arsenate during early gestation. *Environ Res* 37:425-432.
- Ferm VH, Saxon A, Smith BM. 1971. The teratogenic profile of sodium arsenate in the golden hamster. *Arch Environ Health* 22:557-560.
- \*Ferrecchio CR, Gonzalez CW, Solari JS, et al. 1995. [Lung cancer in workers exposed to arsenic. A case control study.] *Rev Med Chil* 124:119-123. (Spanish)
- Ferrecchio CR, Gonzalez CW, Solari JS, et al. 1996. [Bronchopulmonary cancer in workers exposed to arsenic: A case control study.] *Rev Med Chil* 124(1):119-123. (Spanish)
- Ferrecchio C, Gonzalez Psych C, Milosavjlevic Stat V, et al. 1998. Lung cancer and arsenic exposure in drinking water: A case-control study in northern Chile. *Cad Saude Publica* 14(Suppl 3):193-198.
- Ferrecchio C, Gonzalez C, Milosavjlevic V, et al. 2000. Lung cancer and arsenic concentrations in drinking water in Chile (Erratum in: *Epidemiology* 12(2):283). *Epidemiology* 11(6):673-679.
- Fincher R, Koerker RM. 1987. Long-term survival in acute arsenic encephalopathy: Follow-up using newer measures of electrophysiologic parameters. *Am J Med* 82:549-552.
- Flora SJS, Tripathi N. 1998. Hepatic and renal metallothionein induction following single oral administration of gallium arsenide in rats. *Biochem Mol Biol Int* 45(6):1121-1127.
- \*Flora SJS, Dube SN, Pant SC, et al. 1994. Effects of multiple gallium arsenide exposure on some biochemical alterations in rat brain [letter]. *Ind Health* 32(4):247-252.
- Flora SJS, Dube SN, Vijayaraghavan R, et al. 1997a. Changes in certain hemetological and physiological variables following single gallium arsenide exposure in rats. *Biol Trace Elem Res* 58:197-208.
- Flora SJS, Kumar P, Kannan GM, et al. 1998. Acute oral gallium arsenide exposure and changes in certain hematological, hepatic, renal and immunological indices at different time intervals in male Wistar rats. *Toxicol Lett* 94:103-113.
- Flora SJS, Pant SC, Malhotra PR, et al. 1997b. Biochemical and histopathological changes in arsenic-intoxicated rats coexposed to ethanol. *Alcohol* 14(6):563-568.
- Florea AM, Yamoah EN, Dopp E. 2005. Intracellular calcium disturbances induced by arsenic and its methylated derivatives in relation to genomic damage and apoptosis induction. *Environ Health Perspect* 113(6):659-664.
- FNB/IOM. 2001. Arsenic, boron, nickel, silicon, and vanadium. Dietary reference intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc (2000). A Report of the Panel on Micronutrients, subcommittees on upper reference levels of nutrients and of interpretation and uses of dietary reference intakes, and the standing committee on the scientific evaluation of dietary reference intakes. Food and Nutrition Board. Institute of Medicine. Washington, DC: National Academy Press, 502-553.  
[http://books.nap.edu/openbook.php?record\\_id=10026&page=R2](http://books.nap.edu/openbook.php?record_id=10026&page=R2). August 30, 2007.

## 9. REFERENCES

- Foà V, Colombi A, Maroni M, et al. 1984. The speciation of the chemical forms of arsenic in the biological monitoring of exposure to inorganic arsenic. *Sci Total Environ* 34:241-259.
- Foà V, Colombi A, Maroni M, et al. 1987. Study of kidney function of workers with chronic low level exposure to inorganic arsenic. In: DeRosa E, Bartolucci GB, Foa V, eds. *Occupational and environmental chemical hazards: Cellular and biochemical indices for monitoring toxicity*. Horwood, NY: Halsted Press, 362-367.
- Fomon SJ. 1966. Body composition of the infant: Part I: The male "reference infant". In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- Fomon, SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- \*Fowler BA, Woods JS. 1977. The transplacental toxicity of methyl mercury to fetal rat liver mitochondria: Morpho-metric and biochemical studies. *Lab Invest* 36:122-130.
- Fowler BA, Woods JS. 1979. The effects of prolonged oral arsenate exposure on liver mitochondria of mice: Morphometric and biochemical studies. *Toxicol Appl Pharmacol* 50:177-187.
- Fowler BA, Woods JS, Schiller CM. 1977. Ultrastructural and biochemical effects of prolonged oral arsenic exposure on liver mitochondria of rats. *Environ Health Perspect* 19:197-204.
- Foy HM, Tarmapai S, Eamchan P, et al. 1992. Chronic arsenic poisoning from well water in a mining area in Thailand. *Asia Pac J Public Health* 6(3):150-152.
- Francesconi KA, Edmonds JS, Morita M. 1994. Determination of arsenic and arsenic species in marine environmental samples. In: Nriagu JO, ed. *Arsenic in the environment: Part II: Human health and ecosystem effects*. New York, NY: John Wiley & Sons, Inc., 185-259.
- Francis CW, White GH. 1987. Leaching of toxic metals from incinerator ashes. *J Water Pollut Control Fed* 59(11):979-986.
- Franklin M, Bean WB, Harden RC. 1950. Fowler's solution as an etiologic agent in cirrhosis. *Am J Med Sci* 219:589-596.
- Franzblau A, Lilis R. 1989. Acute arsenic intoxication from environmental arsenic exposure. *Arch Environ Health* 44(6):385-390.
- Freeman GB, Johnson JD, Killinger JM, et al. 1993. Bioavailability of arsenic in soil impacted by smelter activities following oral administration in rabbits. *Fundam Appl Toxicol* 21(1):83-88.
- Freeman GB, Schoof RA, Ruby MV, et al. 1995. Bioavailability of arsenic in soil and house dust impacted by smelter activities following oral administration in cynomolgus monkeys. *Fundam Appl Toxicol* 28(2):215-222.
- Frey MM, Edwards MA. 1997. Surveying arsenic occurrence. *J Am Water Works Assoc* 89(3):105-117.



## 9. REFERENCES

- \*Frost DV. 1987. Interrelationships of selenium and arsenic in biology. In: Combs GF, Levander OA, Spallholz JE, et al., eds. *Selenium in biology and medicine: Part A: Proceedings of the Third International Symposium, Beijing, China, May 27-June 1, 1984*. New York, NY: Van Nostrand Reinhold Company, 308-323.
- Frost F, Harter L, Milham S, et al. 1987. Lung cancer among women residing close to an arsenic emitting copper smelter. *Arch Environ Health* 42(2):148-152.
- Frost FJ, Muller T, Petersen HV, et al. 2003. Identifying US populations for the study of health effects related to drinking water arsenic. *J Expo Anal Environ Epidemiol* 13(3):231-239.
- \*Fujino Y, Guo X, Liu J, et al. 2004. Mental health burden amongst inhabitants of an arsenic-affected area in Inner Mongolia, China. *Soc Sci Med* 59(9):1963-1973.
- Gailer J, George GN, Pickering IJ, et al. 2002. Biliary excretion of [(GS)<sub>2</sub>AsSe]- after intravenous injection of rabbits with arsenite and selenate. *Chem Res Toxicol* 15:1466-1471.
- Gaines TB. 1960. The acute toxicity of pesticides to rats. *Toxicol Appl Pharmacol* 2:88-99.
- Gallagher RE. 1998. Arsenic--new life for old potion. *N Engl J Med* 339(19):1389-1391.
- Gao S, Burau RG. 1997. Environmental factors affecting rates of arsine evolution from and mineralization of arsenicals in soils. *J Environ Qual* 26(3):753-763.
- Garbarino JR, Bednar AJ, Rutherford DW, et al. 2003. Environmental fate of roxarsone in poultry litter. I. Degradation of roxarsone during composting. *Environ Sci Technol* 37:1509-1514.
- Garcia F, Ortega A, Domingo JL, et al. 2001. Accumulation of metals in autopsy tissues of subjects living in Tarragona county, Spain. *J Environ Sci Health Part A* 36(9):1767-1786.
- García-Vargas GG, Hernández-Zavala A. 1996. Urinary porphyrins and heme biosynthetic enzyme activities measured by HPLC in arsenic toxicity. *Biomed Chromatogr* 10(6):278-284.
- \*García-Vargas GG, Del Razo LM, Cebrián ME, et al. 1994. Altered urinary porphyrin excretion in a human population chronically exposed to arsenic in Mexico. *Hum Exp Toxicol* 13(12):839-847.
- \*Garland M, Morris JS, Rosner BA, et al. 1993. Toenail trace element levels as biomarkers: Reproducibility over a 6-year period. *Cancer Epidemiol Biomarkers Prev* 2(5):493-497.
- Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986. Pesticides, selected elements, and other chemicals in adult total diet samples, October 1980-March 1982. *J Assoc Off Anal Chem* 69(1):146-161.
- Garvey GJ, Hahn G, Lee RV, et al. 2001. Heavy metal hazards of Asian traditional remedies. *Int J Environ Health Res* 11(1):63-71.
- \*Gebel T. 1997. Arsenic and antimony: Comparative approach on mechanistic toxicology. *Chem Biol Interact* 107:131-144.
- Gebel T, Birkenkamp P, Luthin S, et al. 1998a. Arsenic(III), but not antimony(III), induces DNA-protein crosslinks. *Anticancer Res* 18:4253-4258.

## 9. REFERENCES

- Gebel T, Christensen S, Dunkelberg H. 1997. Comparative and environmental genotoxicity of antimony and arsenic. *Anticancer Res* 17(4a):2603-2607.
- Gebel TW, Suchenwirth RHR, Bolten C, et al. 1998b. Human biomonitoring of arsenic and antimony in case of an elevated geogenic exposure. *Environ Health Perspect* 106(1):33-39.
- \*Geiszinger A, Goessler W, Pedersen SN, et al. 2001. Arsenic biotransformation by the brown macroalga, *Fucus serratus*. *Environ Toxicol Chem* 20(10):2255-2262.
- Gentry PR, Covington TR, Mann S, et al. 2004. Physiologically based pharmacokinetic modeling of arsenic in the mouse. *J Toxicol Environ Health A* 67(1):43-71.
- Gerhardsson L, Brune D, Nordberg IGF, et al. 1985. Protective effect of selenium on lung cancer in smelter workers. *Br J Ind Med* 42:617-626.
- Gerhardsson L, Brune D, Nordberg IGF, et al. 1988. Multielemental assay of tissues of deceased smelter workers and controls. *Sci Total Environ* 74:97-110.
- \*Gerhardt RE, Hudson JB, Rao RN, et al. 1978. Chronic renal insufficiency from cortical necrosis induced by arsenic poisoning. *Arch Intern Med* 138:1267-1269.
- \*Germolec DR, Spalding J, Boorman GA, et al. 1997. Arsenic can mediate skin neoplasia by chronic stimulation of keratinocyte-derived growth factors. *Mutat Res* 86(3):209-218.
- Germolec DR, Spalding J, Yu H, et al. 1998. Arsenic enhancement of skin neoplasia by chronic stimulation of growth factors. *Am J Pathol* 153(6):1775-1785.
- Gerr F, Letz R, Ryan PB, et al. 2000. Neurological effects of environmental exposure to arsenic in dust and soil among humans. *Neurotoxicology* 21(4):475-87.
- Geubel AP, Mairlot MC, Buchet JP, et al. 1988. Abnormal methylation capacity in human liver cirrhosis. *Int J Clin Pharmacol Res* 8(2):117-122.
- Ghosh P, Basu A, Mahata J, et al. 2006. Cytogenic damage and genetic variants in the individuals susceptible to arsenic-induced cancer through drinking water. *Int J Cancer* 118(10):2470-2478.
- \*Gianessi LP, Anderson JE. 1995a. Cacodylic acid. Pesticide use in U.S. crop production: National data report. Washington DC: National Center for Food and Agricultural Policy.
- \*Gianessi LP, Anderson JE. 1995b. Pesticide use in U.S. crop production. Washington, DC: National Center for Food and Agricultural Policy.
- Gibson DP, Brauning R, Shaffi HS, et al. 1997. Induction of micronuclei in Syrian hamster embryo cells: Comparison of results in the SHE cell transformation assay for national toxicology program test chemicals. *Mutat Res* 392(1-2):61-70.
- Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- Glazener FS, Ellis JG, Johnson PK. 1968. Electrocardiographic findings with arsenic poisoning. *Calif Med* 109(2):158-162.

## 9. REFERENCES

- Goddard MJ, Tanhehco JL, Dau PC. 1992. Chronic arsenic poisoning masquerading as Landry-Guillain-Barre syndrome. *Electromyogr Clin Neurophysiol* 32(9):419-423.
- Goebel HH, Schmidt PF, Bohl J, et al. 1990. Polyneuropathy due to acute arsenic intoxication: Biopsy studies. *J Neuropathol Exp Neurol* 49(2):137-149.
- Goering PL, Maronpot RR, Fowler BA. 1988. Effect of intratracheal gallium arsenide administration on  $\alpha$ -aminolevulinic acid dehydratase in rats: Relationship to urinary excretion of aminolevulinic acid. *Toxicol Appl Pharmacol* 92:179-193.
- Goldfrank RL, Flomenbaum NE, Lewin NA, et al., eds. 1998. *Goldfrank's toxicologic emergencies*. 6<sup>th</sup> ed. Stamford, CT: Appleton and Lange, 1261-1273.
- Goldsmith JR, Deane M, Thom J, et al. 1972. Evaluation of health implications of elevated arsenic in well water. *Water Res* 6:1133-1136.
- Goldsmith S, From AHL. 1986. Arsenic-induced atypical ventricular tachycardia. *N Engl J Med* 303:1096-1097.
- Golomb D, Ryan D, Eby N, et al. 1997. Atmospheric deposition of toxics onto Massachusetts Bay-I. Metals. *Atmos Environ* 31(9):1349-1359.
- \*Gonsebatt ME, Vega L, Salazar AM, et al. 1997. Cytogenetic effects in human exposure to arsenic. *Mutat Res* 386(3):219-228.
- Gonzalez MJ, Aguilar MV, Martínez Para MC. 1995. Gastrointestinal absorption of inorganic arsenic (V): The effect of concentration and interactions with phosphate and dichromate. *Vet Human Toxicol* 37:131-136.
- Grandjean P, Weihe P, Needham LL, et al. 1995. Relation of a seafood diet to mercury, selenium, arsenic, and polychlorinated biphenyl and other organochlorine concentrations in human milk. *Environ Res* 71(1):29-38.
- \*Greenberg SA. 1996. Acute demyelinating polyneuropathy with arsenic ingestion. *Muscle Nerve* 19(12):1611-1613.
- Groen K, Vaessen HAMG, Kliet JJG, et al. 1993. Bioavailability of inorganic arsenic from bog ore-containing soil in the dog. *Environ Health Perspect* 102(2):182-184.
- Guerin T, Astruc A, Astruc M. 1999. Speciation of arsenic and selenium compounds by HPLC hyphenated to specific detectors: A review of the main separation techniques. *Talanta* 50:1-24.
- Guha Mazumder DN. 1996. Treatment of chronic arsenic toxicity as observed in West Bengal. *J Indian Med Assoc* 94(2):41-42.
- Guha Mazumder DN. 2005. Effect of chronic intake of arsenic-contaminated water on liver. *Toxicol Appl Pharmacol* 206(2):169-175.
- Guha Mazumder DN, Chakraborty AK, Ghose A, et al. 1988. Chronic arsenic toxicity from drinking tubewell water in rural west Bengal. *Bull WHO* 66(4):499-506.

## 9. REFERENCES

- Guha Mazumder DN, Das Gupta J, Santra A, et al. 1998a. Chronic arsenic toxicity in west Bengal--the worst calamity in the world. *J Indian Med Assoc* 96(1):4-7.
- Guha Mazumder DN, Ghoshal UC, Saha J, et al. 1998b. Randomized placebo-controlled trial of 2,3-dimercaptosuccinic acid in therapy of chronic arsenicosis due to drinking arsenic-contaminated subsoil water. *Clin Toxicol* 36(7):683-690.
- Guha Mazumder DN, Haque R, Ghosh N, et al. 1998c. Arsenic levels in drinking water and the prevalence of skin lesions in West Bengal, India. *Int J Epidemiol* 27:871-877.
- Guha Mazumder DN, Steinmaus C, Bhattacharya P, et al. 2005. Bronchiectasis in persons with skin lesions resulting from arsenic in drinking water. *Epidemiology* 16(6):760-765.
- Gunderson EL. 1995a. Dietary intake of pesticides, selected elements, and other chemicals: FDA total diet study, June 1984-April 1986. *J AOAC Int* 78(4):910-921.
- Gunderson EL. 1995b. FDA total diet study, July 1986-April 1991, dietary intakes of pesticides, selected elements, and other chemicals. *J AOAC Int* 78(6):1353-63.
- Gunn TM, Juriloff DM, Harris MJ. 1992. Further genetic studies of the cause of exencephaly in SELH mice. *Teratology* 45:679-686.
- Guo HR. 2004. Arsenic level in drinking water and mortality of lung cancer (Taiwan). *Cancer Causes Control* 15:171-177.
- Guo HR, Tseng YC. 2000. Arsenic in drinking water and bladder cancer: Comparison between studies based on cancer registry and death certificates. *Environ Geochem Health* 22: 83-91.
- Guo HR, Yu HS, Hu H, et al. 2001b. Arsenic in drinking water and skin cancers: Cell-type specificity (Taiwan, R.O.C.). *Cancer Causes Control* 12(10):909-916.
- Guo T, Baasner J, Tsalev DL. 1997. Fast automated determination of toxicologically relevant arsenic in urine by flow injection-hydride generation atomic absorption spectrometry. *Analytica Chimica Acta* 349(1-3):313-318.
- Guo X, Fujino Y, Kaneko S, et al. 2001a. Arsenic contamination of groundwater and prevalence of arsenical dermatosis in the Hetao plain area, Inner Mongolia, China. *Mol Cell Biochem* 222(1-2):137-140.
- Gur E, Nyska A. 1990. Acute oral toxicity study in rats. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID45405601.
- Gur E, Nyska A, Pirak M, et al. 1989a. Cacodylic acid oncogenicity study in the mouse. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID41914601.
- Gur E, Nyska A, Waner T, et al. 1989b. Cacodylic acid combined chronic feeding and oncogenicity study in the rat. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID41862101.

## 9. REFERENCES

- Gur E, Pirak M, Waner T. 1991. Methanearsonic acid oncogenicity study in the mouse. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID42173201.
- Gutleb AC, Helsberg A, Mitchell C. 2002. Heavy metal concentrations in fish from a pristine rainforest valley in Peru: A baseline study before the start of oil-drilling activities. *Bull Environ Contam Toxicol* 69:523-529.
- Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Company, 1024-1027, 18, 92, 97, 98.
- \*Hall JC, Harruff R. 1989. Fatal cardiac arrhythmia in a patient with interstitial myocarditis related to chronic arsenic poisoning. *South Med J* 82(12):1557-1560.
- Hamel SC, Buckley B, Lioy PJ. 1998. Bioaccessibility of metals in soils for different liquid to solid ratios in synthetic gastric fluid. *Environ Sci Tech* 32(3):358-362.
- Hanlon DP, Ferm VH. 1977. Placental permeability of arsenate ion during early embryogenesis in the hamster. *Experientia* 33(9):1221-1222.
- Hanlon DP, Ferm VH. 1986. Teratogen concentration changes as the basis of the heat stress enhancement of arsenate teratogenesis in hamsters. *Teratology* 34:189-193.
- \*Hanlon DP, Ferm VH. 1987. The concentration and chemical status of arsenic in the early placentas of arsenate-dosed hamsters. *Environ Res* 42:546-552.
- Hantson P, Verellen-Dumoulin C, Libouton JM, et al. 1996. Sister chromatid exchanges in human peripheral blood lymphocytes after ingestion of high doses of arsenicals. *Int Arch Occup Environ Health* 68:342-344.
- Hanusch K, Grossmann H, Herbst K, et al. 1985. Arsenic and arsenic compounds. In: Gerhartz W, Yamamoto YS, Campbell FT, et al., eds. *Ullman's encyclopedia of industrial chemistry*. Weinham, Germany: VCH Verlagsgesellschaft, 113-141
- Haque R, Mazumder DN, Samanta S, et al. 2003. Arsenic in drinking water and skin lesions: Dose-response data from West Bengal, India. *Epidemiology* 14(2):174-182.
- Harrington JM, Middaugh JP, Morse DL, et al. 1978. A survey of a population exposed to high concentrations of arsenic in well water in Fairbanks, Alaska. *Am J Epidemiol* 108(5):377-385.
- Harrisson JWE, Packman EW, Abbott DD. 1958. Acute oral toxicity and chemical and physical properties of arsenic trioxides. *Arch Ind Health* 17:118-123.
- Hartmann A, Speit G. 1994. Comparative investigations of the genotoxic effects of metals in the single cell gel (SCG) assay and the sister chromatid exchange (SCE) test. *Environ Mole Mutagen* 23(4):299-305.
- Hartmann A, Speit G. 1996. Effect of arsenic and cadmium on the persistence of mutagen-induced DNA lesions in human cells. *Environ Mol Mutagen* 27(2):98-104.

## 9. REFERENCES

- \*Hartwell TW, Handy RW, Harris BS, et al. 1983. Heavy metal exposure in populations living around zinc and copper smelters. *Arch Environ Health* 38(5):284-295.
- Hartwig A, Gröblichhoff UD, Beyersmann D, et al. 1997. Interaction of arsenic(III) with nucleotide excision repair in UV-irradiated human fibroblasts. *Carcinogenesis* 18(2):399-405.
- Hartwig A, Mullenders L, Asmuá M, et al. 1998. Disruption of DNA repair process by carcinogenic metal compounds. *Fresenius J Anal Chem* 361:377-380.
- Hauptert TA, Wiersma JH, Goldring JM. 1996. Health effects of ingesting arsenic-contaminated groundwater. *Wis Med J* 95(2):100-104.
- Hayakawa T, Kobayashi Y, Cui X, et al. 2005. A new metabolic pathway of arsenite: Arsenite-glutathione complexes are substrates for human arsenic methyltransferase Cyt19. *Arch Toxicol* 79:183-191.
- Hayashi H, Kanisawa M, Yamanaka K, et al. 1998. Dimethylarsinic acid, a main metabolite of inorganic arsenics, has tumorigenicity and progression effects in the pulmonary tumors of A/J mice. *Cancer Lett* 125:83-88.
- HazDat. 2006. Arsenic. ATSDR's Hazardous substance release and health effects database. Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/hazdat.html>. October 16, 2006.
- He X, Logan TJ, Traina SJ. 1995. Physical and chemical characteristics of selected US municipal solid waste compost. *J Environ Qual* 24:543-552.
- Healy SM, Casarez EA, Ayala-Fierro F, et al. 1998. Enzymatic methylation of arsenic compounds. V. Arsenite methyltransferase activity in tissues of mice. *Toxicol Appl Pharmacol* 148(1):65-70.
- Heck JE, Gamble MV, Chen Y, et al. 2007. Consumption of folate-related nutrients and metabolism of arsenic in Bangladesh. *Am J Clin Nutr* 85:1367-1374.
- Hei TK, Liu SX, Waldren C. 1998. Mutagenicity of arsenic in mammalian cells: Role of reactive oxygen species. *Proc Natl Acad Sci U S A* 95:8103-8107.
- Heiny JS, Tate CM. 1997. Concentration, distribution, and comparison of selected trace elements in bed sediment and fish tissue in the South Platte River basin, USA, 1992-1993. *Arch Environ Contam Toxicol* 32(3):246-259.
- Heit M, Klusek C, Baron J. 1984. Evidence of deposition of anthropogenic pollutants in remote Rocky Mountain lakes. *Water Air Soil Pollut* 22:403-416.
- Heitkemper DT, Kaine LA, Jackson DS, et al. 1994. Practical applications of element-specific detection by inductively coupled plasma atomic emission spectroscopy and inductively coupled plasma mass spectrometry to ion chromatography of foods. *J Chromatogr A* 671(1-2):101-108.
- Helgesen H, Larsen EH. 1998. Bioavailability and speciation of arsenic in carrots grown in contaminated soil. *Analyst* 123(5):791-796.

## 9. REFERENCES

- Helleday T, Nilsson R, Jenssen D. 2000. Arsenic [111] and heavy metal ions induce intrachromosomal homologous recombination in the hprt gene V79 Chinese hamster cells. *Environ Mol Mutagen* 35(2):114-122.
- Hemond HF, Solo-Gabriele HM. 2004. Children's exposure to arsenic from CCA-treated wooden decks and playground structures. *Risk Anal* 24(1):51-64.
- Hernández-Zavala A, Del Razo LM, Aguilar C, et al. 1998. Alteration in bilirubin excretion in individuals chronically exposed to arsenic in Mexico. *Toxicol Lett* 99:79-84.
- Hershey JW, Oostdyk TS, Keliher PN. 1988. Determination of arsenic and selenium in environmental and agricultural samples by hydride generation atomic adsorption spectrometry. *J Assoc Off Anal Chem* 71(6):1090-1093.
- Hertz-Picciotto I, Smith AH. 1993. Observations on the dose-response curve for arsenic exposure and lung cancer. *Scand J Work Environ Health* 19(4):217-226.
- \*Hessl SM, Berman E. 1982. Severe peripheral neuropathy after exposure to monosodium methyl arsonate. *J Toxicol Clin Toxicol* 19:281-287.
- Hewitt DJ, Millner GC, Nye AC, et al. 1995. Investigation of arsenic exposure from soil at a Superfund site. *Environ Res* 68(2):73-81.
- Heydorn K. 1970. Environmental variation of arsenic levels in human blood determined by neutron activation analysis. *Clin Chim Acta* 28:349-357.
- Heyman A, Pfeiffer JB, Willett RW, et al. 1956. Peripheral neuropathy caused by arsenical intoxication: A study of 41 cases with observations on the effects of BAL (2,3 dimercapto-propanol). *N Engl J Med* 254(9):401-409.
- Heywood R, Sortwell RJ. 1979. Arsenic intoxication in the Rhesus monkey. *Toxicol Lett* 3:137-144.
- Hill CH. 1975. Interrelationships of selenium with other trace elements. *Fed Proc* 34(11):2096-2100.
- Hindmarsh JT, McCurdy RF. 1986. Clinical and environmental aspects of arsenic toxicity. *CRC Crit Rev Clin Lab Sci* 23:315-347.
- Hindmarsh JT, McLetchie OR, Heffernan LPM, et al. 1977. Electromyographic abnormalities in chronic environmental arsenicalism. *J Anal Toxicol* 1:270-276.
- Hingston JA, Collins CD, Murphy RJ, et al. 2001. Leaching of chromated copper arsenate wood preservatives: A review. *Environ Pollut* 111(1):53-66.
- Hirata M, Hisanaga A, Tanaka A, et al. 1988. Glutathione and methylation of inorganic arsenic in hamsters. *Appl Organomet Chem* 2:315-321.
- Historic Pesticide Contamination Task Force. 1999. Findings and recommendations for the remediation of historic pesticide contamination. New Jersey Department of Environmental Protection. Historic Pesticide Contamination Task Force. <http://www.state.nj.us/dep/special/hpctf/final/hpctf99.pdf>. August 27, 2007.

## 9. REFERENCES

- Hochadel JF, Waalkes MP. 1997. Sequence of exposure to cadmium and arsenic determines the extent of toxic effects in male Fischer rats. *Toxicology* 116:89-98.
- Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- Hoff RM, Strachan WMJ, Sweet CW, et al. 1996. Atmospheric deposition of toxic chemicals to the Great Lakes: A review of data through 1994. *Atmos Environ* 30(20):3505-3527.
- Holland JW. 1904. Arsenic. In: Peterson F, Haines WS, eds. *A textbook of legal medicine and toxicology*. Philadelphia, PA: WB Saunders and Co., 404-433.
- Holland RH, McCall MS, Lanz HC. 1959. A study of inhaled arsenic-74 in man. *Cancer Res* 19:1154-1156.
- Holmberg RE, Ferm VH. 1969. Interrelationships of selenium, cadmium and arsenic in mammalian teratogenesis. *Arch Environ Health* 18:873-877.
- Holmqvist I. 1951. Occupational arsenical dermatitis: A study among employees at a copper ore smelting work including investigations of skin reactions to contact with arsenic compounds. *Acta Derm Venerol* 31(Suppl 26):26-29, 44-45, 110-112, 195-204.
- Holson JF, Stump DG, Clevidence KJ, et al. 2000. Evaluation of the prenatal developmental toxicity of orally administered arsenic trioxide in rats. *Food Chem Toxicol* 38:459-466.
- Holson JF, Stump DG, Ulrich CE, et al. 1999. Absence of prenatal developmental toxicity from inhaled arsenic trioxide in rats. *Toxicol Sci* 51:87-97.
- Hood RD. 1985. Cacodylic acid: Agricultural uses, biological effects and environmental fate. Washington, DC: Agent Orange Projects Office. Veterans Administration Central Office, 1-2, 22-24, 35-49, 95-106.
- \*Hood RD. 1998. Developmental effects of methylated arsenic metabolites in mice. *Bull Environ Contam Toxicol* 61:231-238.
- Hood RD, Bishop SL. 1972. Teratogenic effects of sodium arsenate in mice. *Arch Environ Health* 24:62-65.
- Hood RD, Harrison WP. 1982. Effects of prenatal arsenite exposure in the hamster. *Bull Environ Contam Toxicol* 29:671-678.
- \*Hood RD, Harrison WP, Vedel JC. 1982. Evaluation of arsenic metabolites for prenatal effects in the hamster. *Bull Environ Contam Toxicol* 29:679-687.
- Hood RD, Thacker GT, Patterson BL, et al. 1978. Prenatal effects of oral versus intraperitoneal sodium arsenate in mice. *J Environ Pathol Toxicol* 1:857-864.
- Hood RD, Vedel GC, Zaworotko MJ, et al. 1988. Uptake distribution and metabolism of trivalent arsenic in the pregnant mouse. *J Toxicol Environ Health* 25:423-434.



## 9. REFERENCES

- Hood RD, Vedel-Macranders GC, Zaworotko MJ, et al. 1987. Distribution, metabolism and fetal uptake of pentavalent arsenic in pregnant mice following oral or intraperitoneal administration. *Teratology* 35:19-25.
- Hopenhayn C, Bush HM, Bingcang A, et al. 2006. Association between arsenic exposure from drinking water and anemia during pregnancy. *J Occup Environ Hyg* 48(6):635-643.
- Hopenhayn C, Ferreccio C, Browning SR, et al. 2003a. Arsenic exposure from drinking water and birth weight. *Epidemiology* 14(5):593-602.
- Hopenhayn C, Huang B, Christian J, et al. 2003b. Profile of urinary arsenic metabolites during pregnancy. *Environ Health Perspect* 111(16):1888-1891.
- Hopenhayn-Rich C, Biggs ML, Fuchs A, et al. 1996a. Bladder cancer mortality associated with arsenic in drinking water in Argentina. *Epidemiology* 7(2):117-124.
- Hopenhayn-Rich C, Biggs ML, Smith AH, et al. 1996b. Methylation study of a population environmentally exposed to arsenic in drinking water. *Environ Health Perspect* 104(6):620-628.
- Hopenhayn-Rich C, Biggs ML, Smith AH. 1998. Lung and kidney cancer mortality associated with arsenic in drinking water in Córdoba, Argentina. *Int J Epidemiol* 27:561-569.
- Hopenhayn-Rich C, Browning SR, Hertz-Picciotto I, et al. 2000. Chronic arsenic exposure and risk of infant mortality in two areas of Chile. *Environ Health Perspect* 108(7):667-673.
- Howell GO, Hill CH. 1978. Biological interaction of selenium with other trace elements in chicks. *Environ Health Perspect* 25:147-150.
- HSDB. 2007. Arsenic. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. January 16, 2007.
- \*Hsieh LL, Chen HJ, Hsieh JT, et al. 1994. Arsenic-related Bowen's disease and paraquat-related skin cancerous lesions show no detectable ras and p53 gene alterations. *Cancer Lett* 86:59-65.
- Hsu CH, Yang SA, Wang JY, et al. 1999. Mutational spectrum of p53 gene in arsenic-related skin cancers from the blackfoot disease endemic area of Taiwan. *Br J Cancer* 80(7):1080-1086.
- Hsu YH, Li SY, Chiou HY, et al. 1997. Spontaneous and induced sister chromatid exchanges and delayed cell proliferation in peripheral lymphocytes of Bowen's disease patients and matched controls of arseniasis-hyperendemic villages in Taiwan. *Mutat Res* 386(3):241-251.
- Hsueh YM, Cheng GS, Wu MM, et al. 1995. Multiple risk factors associated with arsenic-induced skin cancer: Effects of chronic liver disease and malnutritional status. *Br J Cancer* 71(1):109-14.
- Hsueh YM, Huang YL, Huang CC, et al. 1998a. Urinary levels of inorganic and organic arsenic metabolites among residents in an arseniasis-hyperendemic area in Taiwan. *J Toxicol Environ Health* 54(6):431-444.
- Hsueh YM, Lin P, Chen HW, et al. 2005. Genetic polymorphisms of oxidative and antioxidant enzymes and arsenic-related hypertension. *J Toxicol Environ Health A* 68(17-18):1471-1484.

## 9. REFERENCES

- Hsueh YM, Wu WL, Huang YL, et al. 1998b. Low serum carotene level and increase risk of ischemic heart disease related to long-term arsenic exposure. *Atherosclerosis* 141:249-257.
- Hu Y, Su L, Snow ET. 1998. Arsenic toxicity is enzyme specific and its effects on ligation are not caused by the direct inhibition of DNA repair enzymes. *Mutat Res* 408:203-218.
- Huang H, Huang CF, Huang JS, et al. 1992. The transition from late G<sub>1</sub> to early S phase is most vulnerable to the coclastogenic effect of ultraviolet radiation plus arsenite. *Int J Radiat Biol* 61(1):57-62.
- Huang H, Huang CF, Wu DR, et al. 1993. Glutathione as a cellular defense against arsenite toxicity in cultured Chinese hamster ovary cells. *Toxicology* 79(3):195-204.
- Huang RN, Ho IC, Yih LH, et al. 1995. Sodium arsenite induces chromosome endoreduplication and inhibits protein phosphatase activity in human fibroblasts. *Environ Mol Mutagen* 25(3):188-196.
- \*Huang SY, Chang CS, Tang JL, et al. 1998. Acute and chronic arsenic poisoning associated with treatment of acute promyelocytic leukaemia. *Br J Haematol* 103:1092-1095.
- Huang YZ, Qian XC, Wang GQ, et al. 1985. Endemic chronic arsenism in Xinjiang. *Chin Med J* 98(3):219-222.
- Huggett DB, Khan IA, Allgood JC, et al. 2001. Organochlorine pesticides and metals in select botanical dietary supplements. *Bull Environ Contam Toxicol* 66:150-155.
- Hughes MF. 2002. Arsenic toxicity and potential mechanisms of action. *Toxicol Lett* 133(1):1-16.
- Hughes MF. 2006. Biomarkers of exposure: A case study with inorganic arsenic. *Environ Health Perspect* 114:1790-1796.
- \*Hughes MF, Kenyon EM. 1998. Dose-dependent effects on the disposition of monomethylarsonic acid and dimethylarsinic acid in the mouse after intravenous administration. *J Toxicol Environ Health* A53(2):95-112.
- Hughes MF, Del Razo LM, Kenyon EM. 2000. Dose-dependent effects on tissue distribution and metabolism of dimethylarsinic acid in the mouse after intravenous administration. *Toxicology* 143(2):155-166.
- Hughes MF, Devesa V, Adair BM, et al. 2005. Tissue dosimetry, metabolism and excretion of pentavalent and trivalent monomethylated arsenic in mice after oral administration. *Toxicol Appl Pharmacol* 208:186-197.
- Hughes MF, Kenyon EM, Edwards BC, et al. 2003. Accumulation and metabolism of arsenic in mice after repeated oral administration of arsenate. *Toxicol Appl Pharmacol* 191(3):202-210.
- Hughes MF, Menache M, Thompson DJ. 1994. Dose-dependent disposition of sodium arsenate in mice following acute oral exposure. *Fundam Appl Toxicol* 22(1):80-89.
- \*Hullinger G, Sangster L, Colvin B, et al. 1998. Bovine arsenic toxicosis from ingestion of ashed copper-chrome-arsenate treated timber. *Vet Hum Toxicol* 40(3):147-148.

## 9. REFERENCES

- Hwang YH, Chen SC. 2000. Monitoring of low level arsenic exposure during maintenance of ion implanters. *Arch Environ Health* 55(5):347-354.
- Hwang YH, Bornschein RL, Grote J, et al. 1997a. Environmental arsenic exposure of children around a former copper smelter site. *Environ Res* 72(1):72-81.
- Hwang YH, Bornschein RL, Grote J, et al. 1997b. Urinary arsenic excretion as a biomarker of arsenic exposure in children. *Arch Environ Health* 52(2):139-147.
- IARC. 1980. Arsenic and arsenic compounds. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Vol. 23. Some metals and metallic compounds. Lyon, France: International Agency for Research on Cancer, 39-141.
- IARC. 2004. Overall evaluations of carcinogenicity to humans: As evaluated in IARC Monographs volumes 1-82 (at total of 900 agents, mixtures and exposures). Lyon, France: International Agency for Research on Cancer. <http://www-cie.iarc.fr/monoeval/crthall.html>. March 08, 2006.
- Ide CW, Bullough GR. 1988. Arsenic and old glass. *J Soc Occup Med* 38:85-88.
- Ihrig MM, Shalat SL, Baynes C. 1998. A hospital-based case-control study of stillbirths and environmental exposure to arsenic using an atmospheric dispersion model linked to a geographical information system. *Epidemiology* 9(3):290-294.
- Inoue Y, Kawabata K, Takahashi H, et al. 1994. Determination of arsenic compounds using inductively coupled plasma mass spectrometry with ion chromatography. *J Chromatog A* 675(1-2):149-154.
- IRIS. 2007. Arsenic. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/iris/subst/index.html>. August 28, 2007.
- Irvine L, Boyer IJ, DeSesso JM. 2006. Monomethylarsonic acid and dimethylarsenic acid: Developmental toxicity studies with risk assessment. *Birth Defects Res B Dev Reprod Toxicol* 77:53-68.
- \*Ishinishi N, Kodama Y, Nobutomo K, et al. 1977. Preliminary experimental study on carcinogenicity of arsenic trioxide in rat lung. *Environ Health Perspect* 19:191-196.
- Ishinishi N, Yamamoto A, Hisanaga A, et al. 1983. Tumorigenicity of arsenic trioxide to the lung in Syrian golden hamsters by intermittent instillations. *Cancer Lett* 21:141-147.
- ITA. 2007a. U.S. trade quick-reference tables: December 2005 imports. 280480: Arsenic. International Trade Association, U.S. Department of Commerce. [http://hq-tpisweb.ita.doc.gov/portal/page/portal/rptsforms/p\\_hsmthly?p\\_year=2005&p\\_hs=2804800000&p\\_month="December"&p\\_flow="imports"&p\\_table=ita.hs\\_10dig\\_mcons\\_mth\\_Dec\\_2005](http://hq-tpisweb.ita.doc.gov/portal/page/portal/rptsforms/p_hsmthly?p_year=2005&p_hs=2804800000&p_month=). February 07, 2007.
- ITA. 2007b. U.S. trade quick-reference tables: December 2005 imports. 281129: Arsenic trioxide. International Trade Association, U.S. Department of Commerce. [http://hq-tpisweb.ita.doc.gov/portal/page/portal/rptsforms/p\\_hsmthly?p\\_year=2005&p\\_hs=2811291000&p\\_month="December"&p\\_flow="imports"&p\\_table=ita.hs\\_10dig\\_mcons\\_mth\\_Dec\\_2005](http://hq-tpisweb.ita.doc.gov/portal/page/portal/rptsforms/p_hsmthly?p_year=2005&p_hs=2811291000&p_month=). February 07, 2007.
- \*Ivankovic S, Eisenbrand G, Preussmann R. 1979. Lung carcinoma induction in BD rats after a single intratracheal instillation of an arsenic-containing pesticide mixture formerly used in vineyards. *Int J Cancer* 24:786-788.

## 9. REFERENCES

- \*Jacobson-Kram D, Montalbano D. 1985. The reproductive effects assessment group's report on the mutagenicity of inorganic arsenic. *Environ Mutagen* 7:787-804.
- Jager JW, Ostrosky-Wegman P. 1997. Arsenic: A paradoxical human carcinogen. *Mutat Res* 386(3):181-184.
- Jaghabir MTW, Abdelghani A, Anderson AC. 1988. Oral and dermal toxicity of MSMA to New Zealand white rabbits, *Oryctolagus cuniculus*. *Bull Environ Contam Toxicol* 40:119-122.
- Jaghabir MTW, Abdelghani AA, Anderson AC. 1989. Histopathological effects of monosodium methanearsonate (MSMA) on New Zealand white rabbits (*Oryctolagus cuniculus*). *Bull Environ Contam Toxicol* 42:289-293.
- Jain A, Loeppert RH. 2000. Effect of competing anions on the adsorption of arsenate and arsenite by ferrihydrite. *J Environ Qual* 29:1422-1430.
- Jain A, Raven KP, Loeppert RH. 1999. Arsenite and arsenate adsorption on ferrihydrite: Surface charge reduction and net OH<sup>-</sup> release stoichiometry. *Environ Sci Technol* 33:1179-1184.
- Jan KY, Huang RY, Lee TC. 1986. Different modes of action of sodium arsenite, 3-aminobenzamide and caffeine on the enhancement of ethyl methanesulfonate clastogenicity. *Cytogenet Cell Genet* 41:202-208.
- Janssen RPT, Peijnenburg WJGM, Posthuma L, et al. 1997. Equilibrium partitioning of heavy metals in Dutch field soils: I. Relationship between metal partition coefficients and soil characteristics. *Environ Toxicol Chem* 16(12):2470-2478.
- Järup L, Pershagen G. 1991. Arsenic exposure, smoking, and lung cancer in smelter workers - a case-control study. *Am J Epid* 134(6):545-551.
- Järup L, Pershagen G, Wall S. 1989. Cumulative arsenic exposure and lung cancer in smelter workers: A dose-response study. *Am J Ind Med* 15:31-41.
- Jelinek CF, Corneliussen PE. 1977. Levels of arsenic in the United States food supply. *Environ Health Perspect* 19:83-87.
- Jenkins RB. 1966. Inorganic arsenic and the nervous system. *Brain* 89:479-498.
- Jensen GE, Hansen ML. 1998. Occupational arsenic exposure and glycosylated haemoglobin. *Analyst* 123(1):77-80.
- Jensen GE, Olsen ILB. 1995. Occupational exposure to inorganic arsenic in wood workers and taxidermists-air sampling and biological monitoring. *J Environ Sci Health A30(4):921-938*.
- Jha AN, Noditi M, Nilsson R, et al. 1992. Genotoxic effects of sodium arsenite on human cells. *Mutat Res* 284(2):215-221.
- \*Jiang JQ. 2001. Removing arsenic from groundwater for the developing world--a review. *Water Sci Technol* 44(6):89-98.

## 9. REFERENCES

- \*Jianhua N, Guoqiang C, Zhiziang S, et al. 1998. Pharmacokinetics of intravenous arsenic trioxide in the treatment of acute promyelocytic leukemia. *Chin Med J* 111(12):1107-1110.
- Jin Y, Xi S, Li X, et al. 2006. Arsenic speciation transported through the placenta from mother mice to their newborn pups. *Environ Res* 101(3):349-355.
- Johansen MG, McGowan JP, Tu SH, et al. 1984. Tumorigenic effect of dimethylarsinic acid in the rat. *Proc West Pharmacol Soc* 27:289-291.
- Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- Johnson LR, Farmer JG. 1989. Urinary arsenic concentrations and speciation in Cornwall residents. *Environ Geochem Health* 11:39-44.
- Jones CA, Inskeep WP, Neuman DR. 1997. Arsenic transport in contaminated mine tailings following liming. *J Environ Qual* 26(2):433-439.
- \*Jonnalagadda SB, Nenzou G. 1996. Studies on arsenic rich mine dumps: III. Effect on the river water. *J Environ Sci Health A31(10):2547-2555*.
- Kachinskas DJ, Qin Q, Phillips MA, et al. 1997. Arsenate suppression of human keratinocyte programming. *Mutat Res* 386(3):253-261.
- Kaise T, Watanabe S, Itoh K. 1985. The acute toxicity of arsenobetaine. *Chemosphere* 14(9):1327-1332.
- Kaise T, Yamauchi H, Horiguchi Y, et al. 1989. A comparative study on acute toxicity of methylarsonic acid, dimethylarsinic acid and trimethylarsine oxide in mice. *Appl Organomet Chem* 3:273-277.
- Kala SV, Neely MW, Kala G, et al. 2000. The MRP2/cMOAT transporter and arsenic-glutathione complex formation are required for biliary excretion of arsenic. *J Biol Chem* 275(43):33404-33408.
- Kalbitz K, Wennrich R. 1998. Mobilization of heavy metals and arsenic in polluted wetland soils and its dependence on dissolved organic matter. *Sci Total Environ* 209:27-39.
- Kalman DA. 1987. Dietary contributions to arsenic species in urine. In: Trace elements in human health and disease: Extended abstracts from the second Nordic symposium, Odense, 17-21 August 1987. Copenhagen: World Health Organization, 136-139, 230-233.
- Kamijo Y, Soma K, Asari Y, et al. 1998. Survival after massive arsenic poisoning self-treated by high fluid intake. *Clin Toxicol* 36(1-2):27-29.
- Kannan GM, Tripathi N, Dube SN, et al. 2001. Toxic effects of arsenic (III) on some hematopoietic and central nervous system variables in rats and guinea pigs. *J Toxicol Clin Toxicol* 37(7):675-682.
- Karagas MR, Morris JS, Weiss JE, et al. 1996. Toenail samples as an indicator of drinking water arsenic exposure. *Cancer Epidemiol Biomarkers Prev* 5(10):849-852.
- Karagas MR, Stukel TA, Morris JS, et al. 2001. Skin cancer risk in relation to toenail arsenic concentrations in a US population-based case-control study. *Am J Epidemiol* 153(6):559-565.

## 9. REFERENCES

- Karagas MR, Tosteson TD, Blum J, et al. 1998. Design of an epidemiologic study of drinking water arsenic exposure and skin and bladder cancer risk in a U.S. population. *Environ Health Perspect Suppl* 106(4):1047-1050.
- Karagas MR, Tosteson TD, Morris JS, et al. 2004. Incidence of transitional cell carcinoma of the bladder and arsenic exposure in New Hampshire. *Cancer Causes Control* 15:465-472.
- Kashiwada E, Kuroda K, Endo G. 1998. Aneuploidy induced by dimethylarsinic acid in mouse bone marrow cells. *Mutat Res* 413:33-38.
- Kasper ML, Schoenfield L, Strom RL, et al. 1984. Hepatic angiosarcoma and bronchioloalveolar carcinoma induced by Fowler's solution. *JAMA* 252(24):3407-3408.
- Kato K, Hayashi H, Hasegawa A, et al. 1994. DNA damage induced in cultured human alveolar (L-132) cells by exposure to dimethylarsinic acid. *Environ Health Perspect* 102(Suppl 3):285-8.
- \*Katsnelson BA. 1998. Re: Arsenic carcinogenicity testing. *Environ Health Perspect* 106(12):582.
- Kavanagh PJ, Farago ME, Thornton I, et al. 1997. Bioavailability of arsenic in soil and mine wastes of the Tamar Valley, SW England. *Chem Speciat Bioavail* 9(3):77-81.
- Kavlock RJ, Chernoff N, Rogers EH. 1985. The effect of acute maternal toxicity on fetal development in the mouse. *Teratog Carcinog Mutagen* 5:3-13.
- Kawaguchi K, Oku N, Rin K, et al. 1996. Dimethylarsenics reveal DNA damage induced by superoxide anion radicals. *Biol Pharm Bull* 19(4):551-553.
- Kennedy S, Rice DA, Cush PF. 1986. Neuropathology of experimental 3-nitro-4-hydroxyphenylarsonic acid toxicosis in pigs. *Vet Pathol* 23:454-461.
- \*Kenyon EM, Hughes MF. 2001. A concise review of the toxicity and carcinogenicity of dimethylarsinic acid. *Toxicology* 160(1-3):227-236.
- Kenyon EM, Del Razo LM, Hughes MF. 2005. Tissue distribution and urinary excretion of inorganic arsenic and its methylated metabolites in mice following acute oral administration of arsenate. *Toxicol Sci* 85(1):468-475.
- \*Kenyon EM, Hughes MF, Levander OA. 1997. Influence of dietary selenium on the disposition of arsenate in the female B6C3F<sub>1</sub> mouse. *J Toxicol Environ Health* 51(3):279-299.
- Kerckaert GA, Brauninger R, LeBoeuf RA, et al. 1996. Use of the Syrian hamster embryo cell transformation assay for carcinogenicity prediction of chemicals currently being tested by the national toxicology program in rodent bioassays. *Environ Health Perspect* 104(Suppl. 5):1075-1084.
- Kerkvliet NI, Steppan LB, Koller LD, et al. 1980. Immunotoxicology studies of sodium arsenate - effects of exposure on tumor growth and cell-mediated tumor immunity. *J Environ Pathol Toxicol* 4:65-79.
- Kerr HD, Saryan LA. 1986. Arsenic content of homeopathic medicines. *Clin Toxicol* 24(5):451-459.

## 9. REFERENCES

- Kerr KB, Cavett JW, Thompson OL. 1963. The toxicity of an organic arsenical, 3-nitro-4-hydroxyl-phenylarsonic acid. I. Acute and subacute toxicity. *Toxicol Appl Pharmacol* 5:507-525.
- Kersjes MP, Maurer JR, Trestrail JH, et al. 1987. An analysis of arsenic exposures referred to the Blodgett Regional Poison Center. *Vet Hum Toxicol* 29(1):75-78.
- Kessel M, Liu SX, Xu A, et al. 2002. Arsenic induces oxidative DNA damage in mammalian cells. *Mol Cell Biochem* 234-235(1-2):301-308.
- Khan AH, Tarafdar SA, Ali M, et al. 1989. The status of trace and minor elements in some Bangladeshi foodstuffs. *J Radioanalyt Nuc Chem* 134(2):367-381.
- Kidwell JM, Phillips LJ, Birchard GF. 1995. Comparative analyses of contaminant levels in bottom feeding and predatory fish using the national contaminant biomonitoring program data. *Bull Environ Contam Toxicol* 54(6):919-923.
- Kim MJ, Nriagu J, Haack S. 2002. Arsenic species and chemistry in groundwater of southeast Michigan. *Environ Pollut* 120(2):379-390.
- Kingston RL, Hall S, Sioris L. 1993. Clinical observations and medical outcome in 149 cases of arsenate ant killer ingestion. *J Toxicol Clin Toxicol* 31(4):581-591.
- Kinney PL, Chillrud SN, Ramstrom S, et al. 2002. Exposures to multiple air toxics in New York City. *Environ Health Perspect* 110(Suppl 4):539-546.
- Kitamura M, Kuroda K, Endo Y, et al. 2002. Cysteine enhances clastogenic activity of dimethylarsinic acid. *Appl Organomet Chem* 16:391-396.
- Kitchin KT. 2001. Recent advances in arsenic carcinogenesis: Modes of action, animal model systems, and methylated arsenic metabolites. *Toxicol Appl Pharmacol* 172(3):249-261.
- \*Kitchin KT, Ahmad S. 2003. Oxidative stress as a possible mode of action for arsenic carcinogenesis. *Toxicol Lett* 137(1-2):3-13.
- Klemmer HW, Leitis E, Pfenninger K. 1975. Arsenic content of house dusts in Hawaii. *Bull Environ Contam Toxicol* 14(4):449-452.
- Ko Y. 1986. A critical review of epidemiologic studies on blackfoot disease. *J Voeh* 8(3):339-353.
- Kochhar TS, Howard W, Hoffman S, et al. 1996. Effect of trivalent and pentavalent arsenic in causing chromosome alterations in cultured Chinese hamster ovary (CHO) cells. *Toxicol Lett* 84(1):37-42.
- Koh E, Kondoh N, Kaihara H, et al. 1989. Ureteral tumor with multiple Bowen's disease forty-two years after exposure to arsenic. *Eur Urol* 16:398-400.
- \*Kollmer WE. 1992. Arsenic in induced hair of the rat and its relation to the content in various organs during chronic exposure. *J Trace Elem Electrolytes Health Dis* 6(1):11-14.
- Komori M, Nishio K, Kitada M et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.

## 9. REFERENCES

- Kraus RJ, Ganther HE. 1989. Synergistic toxicity between arsenic and methylated selenium compounds. *Biol Trace Elem Res* 20:105-113.
- Kraus T, Quidenus G, Schaller KH. 2000. Normal values for arsenic and selenium concentrations in human lung tissue. *Arch Environ Contam Toxicol* 38:384-389.
- Kreiss K, Zack MM, Feldman RG, et al. 1983. Neurologic evaluation of a population exposed to arsenic in Alaskan well water. *Arch Environ Health* 38(2):116-121.
- Kreppel H, Bauman JW, Liu J, et al. 1993. Induction of metallothionein by arsenicals in mice. *Fundam Appl Toxicol* 20:184-189.
- Kreppel H, Liu J, Liu Y, et al. 1994. Zinc induced arsenite tolerance in mice. *Fundam Appl Toxicol* 23:32-37.
- Kreppel H, Reichl FX, Kleine A, et al. 1995. Antidotal efficacy of newly synthesized dimercaptosuccinic acid (DMSA) monoesters in experimental arsenic poisoning in mice. *Fundam Appl Toxicol* 26(2):239-245.
- Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- Krishnan K, Andersen ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Kroemer G, de Thé H. 1999. Arsenic trioxide, a novel mitochondriotoxic anticancer agent? *J Natl Cancer Inst* 91(9):743-745.
- Kroes R, van Logten MJ, Berkvens JM, et al. 1974. Study on the carcinogenicity of lead arsenate and sodium arsenate and on the possible synergistic effect of diethylnitrosamine. *Food Cosmet Toxicol* 12(5-6):671-679.
- Kumana CR, Au WY, Lee NSL, et al. 2002. Systemic availability of arsenic from oral arsenic-trioxide used to treat patients with hematological malignancies. *Eur J Clin Pharmacol* 58:521-526.
- Kumaresan M, Riyazuddin P. 2001. Overview of speciation chemistry of arsenic. *Curr Sci* 80(7):837-846.
- Kuroda K, Yoshida K, Yoshimura M, et al. 2004. Microbial metabolite of dimethylarsinic acid is highly toxic and genotoxic. *Toxicol Appl Pharmacol* 198(3):345-353.
- Kurokawa Y, Takahashi M, Maekawa A, et al. 1989. Promoting effect of metal compounds on liver, stomach, kidney, pancreas, and skin carcinogenesis. *J Am Coll Toxicol* 8(7):1235-1239.
- Kurttio P, Komulain H, Hakala E, et al. 1998. Urinary excretion of arsenic species after exposure to arsenic present in drinking water. *Arch Environ Contam Toxicol* 34:297-305.
- Kurttio P, Pukkala E, Kahelin H, et al. 1999. Arsenic concentrations in well water and risk of bladder and kidney cancer in Finland. *Environ Health Perspect* 107(9):705-710.



## 9. REFERENCES

- Kwon E, Zhang H, Wang Z, et al. 2004. Arsenic on the hands of children after playing in playgrounds. *Environ Health Perspect* 112(14):1375-1380.
- Kyle RA, Pease GL. 1965. Hematologic aspects of arsenic intoxication. *N Engl J Med* 273(1):18-23.
- LaForce MJ, Fendorf SE, Li GC, et al. 1998. A laboratory evaluation of trace element mobility from flooding and nutrient loading of Coeur d'Alene River sediments. *J Environ Qual* 27:318-328.
- Lagerkvist BJ, Zetterlund B. 1994. Assessment of exposure to arsenic among smelter workers: A five-year follow-up. *Am J Ind Med* 25(4):477-488.
- Lagerkvist B, Linderholm H, Nordberg GF. 1986. Vasospastic tendency and Raynaud's phenomenon in smelter workers exposed to arsenic. *Environ Res* 39:465-474.
- Lagerkvist BEA, Linderholm H, Nordberg GF. 1988. Arsenic and Raynaud's phenomenon: Vasospastic tendency and excretion of arsenic in smelter workers before and after the summer vacation. *Int Arch Occup Environ Health* 60:361-364.
- Lai MS, Hsueh YM, Chen CJ, et al. 1994. Ingested inorganic arsenic and prevalence of diabetes mellitus. *Am J Epidemiol* 139(5):484-492.
- \*Lakso JU, Peoples SA. 1975. Methylation of inorganic arsenic by mammals. *J Agric Food Chem* 23:674-676.
- \*Lambert TW, Lane S. 2004. Lead, arsenic, and polycyclic aromatic hydrocarbons in soil and house dust in the communities surrounding the Sydney, Nova Scotia, tar ponds. *Environ Health Perspect* 112(1):35-41.
- \*Lamm SH, Kruse MB. 2004. Ingested arsenic and cancer. What's new? Presentation of the US Senate Committee on the environment and public works. <http://www.ruralwater.org/arsenic/lamm1.ppt>. May 09, 2007.
- Lamm SH, Engel A, Kruse MB, et al. 2004. Arsenic in drinking water and bladder cancer mortality in the United States: An analysis based on 133 U.S. counties and 30 years of observation. *J Occup Environ Med* 46(3):298-306.
- Lander JJ, Stanley RJ, Sumner HW, et al. 1975. Angiosarcoma of the liver associated with Fowler's solution (potassium arsenite). *Gastroenterology* 68(6):1582-1586.
- Landolph JR. 1994. Molecular mechanisms of transformation of C3H/10T1/2 Cl 8 mouse embryo cells and diploid human fibroblasts by carcinogenic metal compounds. *Environ Health Perspect* 102(Suppl3):119-125.
- \*Landrigan PJ. 1981. Arsenic-state of the art. *Am J Ind Med* 2:5-14.
- Landsberger S, Simsons A. 1987. Chromium, nickel, and arsenic determinations in human samples by thermal and epithermal neutron activation analyses. *Biol Trace Elem Res* 13:357-362.

## 9. REFERENCES

- Landsberger S, Wu D. 1995. The impact of heavy metals from environmental tobacco smoke on indoor air quality as determined by Compton suppression neutron activation analysis. *Sci Total Environ* 173-174(1-6):323-337.
- Lantz RC, Hays AM. 2006. Role of oxidative stress in arsenic-induced toxicity. *Drug Metab Rev* 38:791-804.
- Lantzsch H, Gebel T. 1997. Genotoxicity of selected metal compounds in the SOS chromotest. *Mutat Res* 389(2-3):191-197.
- Lanz H, Wallace PC, Hamilton JG. 1950. The metabolism of arsenic in laboratory animals using As<sup>74</sup> as a tracer. *Univ California Publ Pharmacol* 2(29):263-282.
- Laparra JM, Velez D, Montoro R, et al. 2003. Estimation of arsenic bioaccessibility in edible seaweed by an *in vitro* digestion method. *J Agric Food Chem* 51:6080-6085.
- \*Larochette N, Decaudin D, Jacotot E, et al. 1999. Rapid communication: Arsenite induces apoptosis via a direct effect on the mitochondrial permeability transition pore. *Exp Cell Res* 249:413-421.
- Larramendy ML, Popescu NC, DiPaolo J. 1981. Induction by inorganic metal salts of sister chromatid exchanges and chromosome aberrations in human and Syrian hamster strains. *Environ Mutagen* 3:597-606.
- Larsen EH, Moseholm L, Nielsen MM. 1992. Atmospheric deposition of trace elements around point sources and human health risk assessment: II. Uptake of arsenic and chromium by vegetables grown near a wood preservation factory. *Sci Total Environ* 126(3):263-275.
- Lasky T, Sun W, Kadry A, et al. 2004. Mean total arsenic concentrations in chicken 1989-2000 and estimated exposures for consumers of chicken. *Environ Health Perspect* 112(1):18-21.
- Le XC, Lu X, Li XF. 2004. Arsenic speciation. *Anal Chem* 76:27A-33A.
- Lebow S, Williams RS, Lebow P. 2003. Effect of simulated rainfall and weathering on release of preservative elements from CCA treated wood. *Environ Sci Technol* 37:4077-4082.
- Lebow ST, Lebow PT, Foster DO, et al. 2000. Environmental impact of preservative-treated wood in a wetland boardwalk. U.S. Department of Agriculture, Forest Service. FPL-RP-582.
- Lee AM, Fraumeni JF. 1969. Arsenic and respiratory cancer in man: An occupational study. *J Natl Cancer Inst* 42:1045-1052.
- Lee DC, Roberts JR, Kelly JJ, et al. 1995. Whole-bowel irrigation as an adjunct in the treatment of radiopaque arsenic [letter]. *Am J Emerg Med* 13(2):244-245.
- Lee MY, Bae ON, Chung SM, et al. 2002. Enhancement of platelet aggregation and thrombus formation by arsenic in drinking water: A contributing factor to cardiovascular disease. *Toxicol Appl Pharmacol* 179(2):83-88.
- Lee TC, Ho IC. 1994. Differential cytotoxic effects of arsenic on human and animal cells. *Environ Health Perspect* 102(Suppl 3):101-105.

## 9. REFERENCES

- Lee TC, Oshimura M, Barrett JC. 1985. Comparison of arsenic-induced cell transformation, cytotoxicity, mutation and cytogenetic effects in Syrian hamster embryo cells in culture. *Carcinogenesis* 6(10):1421-1426.
- Lee TC, Tanaka N, Lamb PW, et al. 1988. Induction of gene amplification by arsenic. *Science* 241:79-81.
- Lee TC, Wang-Wuu S, Huang RY, et al. 1986. Differential effects of pre- and posttreatment of sodium arsenite on the genotoxicity of methyl methanesulfonate in Chinese hamster ovary cells. *Cancer Res* 46:1854-1857.
- Lee-Chen SF, Gurr JR, Lin IB, et al. 1993. Arsenite enhances DNA double-strand breaks and cell killing of methyl methanesulfonate-treated cells by inhibiting the excision of alkali-labile sites. *Mutat Res* 294(1):21-28.
- Lee-Chen SF, Yu CT, Jan KY. 1992. Effect of arsenite on the DNA repair of UV-irradiated Chinese hamster ovary cells. *Mutagenesis* 7(1):51-55.
- Lee-Chen SF, Yu CT, Wu DR, et al. 1994. Differential effects of luminol, nickel, and arsenite on the rejoining of ultraviolet light and alkylation-induced DNA breaks. *Environ Mol Mutagen* 23(2):116-120.
- Lee-Feldstein A. 1983. Arsenic and respiratory cancer in man: Follow-up of an occupational study. In: Lederer W, Fensterheim R, eds. *Arsenic: Industrial, biomedical and environmental perspectives*. New York, NY: Van Nostrand Reinhold, 245-265.
- Lee-Feldstein A. 1986. Cumulative exposure to arsenic and its relationship to respiratory cancer among copper smelter employees. *J Occup Med* 28(4):296-302.
- Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44:55-77.
- Léonard A, Lauwerys RR. 1980. Carcinogenicity, teratogenicity and mutagenicity of arsenic. *Mutat Res* 75:49-62.
- Le Quesne PM, McLeod JG. 1977. Peripheral neuropathy following a single exposure to arsenic. *J Neurol Sci* 32:437-451.
- Lerda D. 1994. Sister-chromatid exchange (SCE) among individuals chronically exposed to arsenic in drinking water. *Mutat Res* 312(2):111-120.
- Lerman BB, Ali N, Green D. 1980. Megaloblastic, dyserythropoietic anemia following arsenic ingestion. *Ann Clin Lab Science* 10(6):515-517.
- Lerman S, Clarkson TW, Gerson RJ. 1983. Arsenic uptake and metabolism by liver cells is dependent on arsenic oxidation state. *Chem Biol Interact* 45:401-406.
- Leung HW. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantine B, Marro T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- \*Leung PL, Huang HM. 1997. Analysis of trace elements in the hair of volunteers suffering from nasopharyngeal cancer. *Biol Trace Elem Res* 57(1):19-25.

## 9. REFERENCES

- Levander OA. 1977. Metabolic interrelationships between arsenic and selenium. *Environ Health Perspect* 19:159-164.
- Levander OA, Baumann CA. 1966. Selenium metabolism: VI. Effect of arsenic on the excretion of selenium in the bile. *Toxicol Appl Pharm* 9:106-115.
- Levin-Scherz JK, Patrick JD, Weber FH, et al. 1987. Acute arsenic ingestion. *Ann Emerg Med* 16(6):702-704.
- Lewis DR, Southwick JW, Ouellet-Hellstrom R, et al. 1999. Drinking water in Utah: A cohort mortality study. *Environ Health Perspect* 107(5):359-365.
- \*Lewis TA, Hartman CB, McCoy KL. 1998a. Gallium arsenide differentially affects processing of phagolysosomal targeted antigen by macrophages. *J Leukoc Biol* 63:321-330.
- \*Lewis TA, Hartmann CB, McCoy KL. 1998b. Gallium arsenide modulates proteolytic cathepsin activities and antigen processing by macrophages. *J Immunol* 161:2151-2157.
- Li JH, Rossman TG. 1989. Inhibition of DNA ligase activity by arsenite: A possible mechanism of its comutagenesis. *Mol Toxicol* 2:1-9.
- Li JH, Rossman TG. 1991. Comutagenesis of sodium arsenite with ultraviolet radiation in Chinese hamster V79 cells. *Biol Met* 4:197-200.
- Li W, Chou IN. 1992. Effects of sodium arsenite on the cytoskeleton and cellular glutathione levels in cultured cells. *Toxicol Appl Pharmacol* 114(1):132-139.
- Li W, Wanibuchi H, Salim EI, et al. 1998. Promotion of the NCI-Black-Reiter male rat bladder carcinogenesis by dimethylarsinic acid an organic arsenic compound. *Cancer Lett* 134(1):29-36.
- \*Li W, Wei C, Zhang C, et al. 2003. A survey of arsenic species in Chinese seafood. *Food Chem Toxicol* 41(8):1103-1110.
- \*Li YM, Broome JD. 1997. Apoptosis induced in premyelocytic leukemia cells by arsenic and proteasome inhibitors. *Blood* 90(10):203b.
- \*Li YM, Broome JD. 1999. Arsenic targets tubulins to induce apoptosis in myeloid leukemia cells. *Cancer Res* 59:776-780.
- Lianfang W, Jianzhong H. 1994. Chronic arsenism from drinking water in some areas of Xinjiang, China. In: Nriagu JO, ed. *Arsenic in the environment: Part II: Human health and ecosystem effects*. New York, NY: John Wiley and Sons, Inc., 159-172.
- Liao WT, Chang KL, Chen GS, et al. 2004. Arsenic induces human keratinocyte apoptosis by the FAS/FAS ligand pathway, which correlates with alterations in nuclear factor- $\kappa$ B and activator protein-1 activity. *J Invest Dermatol* 122(1):125-129.
- Liebscher K, Smith H. 1968. Essential and nonessential trace elements: A method of determining whether an element is essential or nonessential in human tissue. *Arch Environ Health* 17:881-890.

## 9. REFERENCES

- Lin JK, Tseng S. 1992. Chromosomal aberrations and sister-chromatid exchanges induced by *N*-nitroso-2-acetylaminofluorene and their modifications by arsenite and selenite in Chinese hamster ovary cells. *Mutat Res* 265(2):203-210.
- \*Lin TH, Huang Y, Tseng W. 1995. Arsenic and lipid peroxidation in patients with blackfoot disease. *Bull Environ Contam Toxicol* 54(4):488-493.
- Lindgren A, Danielsson BRG, Dencker L, et al. 1984. Embryotoxicity of arsenite and arsenate: Distribution in pregnant mice and monkeys and effects on embryonic cells *in vitro*. *Acta Pharmacol Toxicol* 54:311-320.
- Lindgren A, Vahter M, Dencker L. 1982. Autoradiographic studies on the distribution of arsenic in mice and hamsters administered <sup>74</sup>As-arsenite or -arsenate. *Acta Pharmacol Toxicol* 51:253-265.
- Liou SH, Lung JC, Chen YH, et al. 1999. Increased chromosome-type chromosome aberration frequencies as biomarkers of cancer risk in a blackfoot endemic area. *Cancer Res* 59(7):1481-1484.
- Lithner G, Holm K, Borg H. 1995. Bioconcentration factors for metals in humic waters at different pH in the Röbbskär area (N. Sweden). *Water, Air and Soil Pollution* 85:785-790.
- Little RE, Kay GN, Cavender JB, et al. 1990. Torsade de pointes and T-U wave alternans associated with arsenic poisoning. *PACE* 13:164-170.
- Liu YC, Huang H. 1997. Involvement of calcium-dependent protein kinase C in arsenite-induced genotoxicity in Chinese hamster ovary cells. *J Cell Biochem* 64(3):423-433.
- Liu YT, Chen Z. 1996. A retrospective lung cancer mortality study of people exposed to insoluble arsenic and radon. *Lung Cancer* 14(Suppl 1):137-148.
- Liu J, Liu Y, Goyer RA, et al. 2000. Metallothionein-I/II null mice are more sensitive than wild-type mice to the hepatotoxic and nephrotoxic effects of chronic oral or injected inorganic arsenicals. *Toxicol Sci* 55(2):460-467.
- \*Liu J, Xie Y, Ducharme DM, et al. 2006. Global gene expression associated with hepatocarcinogenesis in adult male mice induced by in utero arsenic exposure. *Environ Health Perspect* 114(3):404-411.
- Liu J, Zheng B, Aposhian HV, et al. 2002. Chronic arsenic poisoning from burning high-arsenic-containing coal in Guizhou, China. *Environ Health Perspect* 110(2):119-122.
- Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.
- Loebenstein JR. 1994. The materials flow of arsenic in the United States. Washington, DC: Bureau of Mines, Division of Mineral Commodities, United States Department of the Interior. BUMINES-IC-9382.
- Loffredo CA, Aposhian HV, Cebrian ME, et al. 2003. Variability in human metabolism of arsenic. *Environ Res* 92(2):85-91.
- Löfroth G, Ames BN. 1978. Mutagenicity of inorganic compounds in *Salmonella typhimurium*: arsenic, chromium, and selenium. *Mutat Res* 53:65-66.

## 9. REFERENCES

- López-González MA, Gómez MM, Cámara C, et al. 1994. On-line microwave oxidation for the determination of organoarsenic compounds by high-performance liquid chromatography-hydride generation atomic absorption spectrometry. *J Anal Atom Spectrom* 9(3):291-295.
- Lovell MA, Farmer JG. 1985. Arsenic speciation in urine from humans intoxicated by inorganic arsenic compounds. *Hum Toxicol* 4:203-214.
- Lowney YW, Ruby MV, Wester RC, et al. 2005. Percutaneous absorption of arsenic from environmental media. *Toxicol Ind Health* 21(1-2):1-14.
- Lu FJ, Shih SR, Liu TM, et al. 1990. The effect of fluorescent humic substances existing in the well water of blackfoot disease endemic areas in Taiwan on prothrombin time and activated partial thromboplastin time *in vitro*. *Thromb Res* 57:747-753.
- Lu M, Wang H, Li XF, et al. 2004a. Evidence of hemoglobin binding to arsenic as a basis for the accumulation of arsenic in rat blood. *Chem Res Toxicol* 17(12):1733-1742.
- \*Lu SN, Chow NH, Wu WC, et al. 2004b. Characteristics of hepatocellular carcinoma in a high arsenicism area in Taiwan: A case-control study. *J Occup Environ Med* 46(5):437-441.
- \*Lubin JH, Fraumeni JF. 2000. Re: "Estimates of the annual number of clinically recognized pregnancies in the United States, 1981-1991". *Am J Epidemiol* 152(3):297-293.
- Lubin JH, Pottern LM, Stone BJ, et al. 2000. Respiratory cancer in a cohort of copper smelter workers: Results from more than 50 years of follow-up. *Am J Epidemiol* 151(6):554-565.
- Lüchtrath H. 1983. The consequences of chronic arsenic poisoning among Moselle wine growers: Pathoanatomical investigations of post-mortem examinations performed between 1960 and 1977. *J Cancer Res Clin Oncol* 105:173-182.
- Lugo G, Cassady G, Palmisano P. 1969. Acute maternal arsenic intoxication with neonatal death. *Am J Dis Child* 117:328-330.
- Luong KVQ, Nguyen LTH. 1999. Organic arsenic intoxication from bird's nest soup. *Am J Med Sci* 317(4):269-271.
- Luten JB, Riekwel-Booy G, Rauchbaer A. 1982. Occurrence of arsenic in plaice (*Pleuronectes platessa*), nature of organo-arsenic compound present and its excretion by man. *Environ Health Perspect* 45:165-170.
- Lynn S, Lai HT, Gurr JR, et al. 1997. Arsenite retards DNA break rejoining by inhibiting DNA ligation. *Mutagenesis* 12(5):353-358.
- Mabuchi K, Lilienfeld AM, Snell LM. 1979. Lung cancer among pesticide workers exposed to inorganic arsenicals. *Arch Environ Health* 34:312-320.
- MacIntosh DL, Williams PL, Hunter DJ, et al. 1997. Evaluation of a food frequency questionnaire-food composition approach for estimating dietary intake of inorganic arsenic and methylmercury. *Cancer Epidemiol Biomarkers Prev* 6(12):1043-1050.

## 9. REFERENCES

- Maehashi H, Murata Y. 1986. Arsenic excretion after treatment of arsenic poisoning with DMSA or DMPS in mice. *Jpn J Pharmacol* 40:188-190.
- Mahaffey KR, Fowler BA. 1977. Effects of concurrent administration of lead, cadmium, and arsenic in the rat. *Environ Health Perspect* 19:165-171.
- Mahaffey KR, Capar SG, Gladen BC, et al. 1981. Concurrent exposure to lead, cadmium and arsenic. Effects on toxicity and tissue metal concentrations in the rat. *J Lab Clin Med* 98(1):463-481.
- \*Mahajan SK, Aggarwal HK, Wig N, et al. 1992. Arsenic induced neuropathy. *J Assoc Physicians India* 40(4):268-269.
- Mahata J, Basu A, Ghosal S, et al. 2003. Chromosomal aberrations and sister chromatid exchanges in individuals exposed to arsenic through drinking water in West Bengal, India. *Mutat Res* 534(1-2):133-143.
- Maher WA. 1989. Some observations on the determination of total arsenic in biological tissues. *Microchem J* 40:132-135.
- \*Mahieu P, Buchet J, Lauwerys R. 1987. Evolution clinique et biologique d'une intoxication orale aiguë par l'anhydride arsénieux et considérations sur l'attitude thérapeutique. *J Toxicol Clin Exp* 7:273-278.
- Maiorino RM, Aposhian HV. 1985. Dimercaptan metal-binding agents influence the biotransformation of arsenite in the rabbit. *Toxicol Appl Pharmacol* 77:240-250.
- Maitani T, Saito N, Abe M, et al. 1987a. Chemical form-dependent induction of hepatic zinc-thionein by arsenic administration and effect of co-administered selenium in mice. *Toxicol Lett* 39:63-70.
- \*Maitani T, Uchiyama S, Saito Y. 1987b. Hydride generation-flame atomic-absorption spectrometry as an arsenic detector for high-performance liquid chromatography. *J Chromatogr* 391:161-168.
- \*Man ACK, Zheng YH, Mak PK. 1996. Trace elements in scalp hair of professional drivers and university teachers in Hong Kong. *Biol Trace Elem Res* 53(1-3):241-247.
- Mandal BK, Suzuki KT. 2002. Arsenic around the world: A review. *Talanta* 58:201-235.
- Mandal BK, Ogra Y, Suzuki KT. 2001. Identification of dimethylarsinous and monomethylarsonous. *Chem Res Toxicol* 14(4):371-378.
- Mandal BK, Ogra Y, Suzuki KT. 2003. Speciation of arsenic in human nail and hair from arsenic-affected area by HPLC-inductively coupled argon plasma mass spectrometry. *Toxicol Appl Pharmacol* 189(2):73-83.
- Mann S, Droz PO, Vahter M. 1996a. A physiologically based pharmacokinetic model for arsenic exposure. I. Development in hamsters and rabbits. *Toxicol Appl Pharmacol* 137(1):8-22.
- Mann S, Droz PO, Vahter M. 1996b. A physiologically based pharmacokinetic model for arsenic exposure. II. Validation and application in humans. *Toxicol Appl Pharmacol* 140(2):471-486.
- Mappes R. 1977. [Experiments on excretion of arsenic in urine.] *Int Arch Occup Environ Health* 40:267-272. (German)

## 9. REFERENCES

- Marafante E, Vahter M. 1984. The effect of methyltransferase inhibition on the metabolism of [<sup>74</sup>As] arsenite in mice and rabbits. *Chem Biol Interact* 50:49-57.
- Marafante E, Vahter M. 1986. The effect of dietary and chemically induced methylation deficiency on the metabolism of arsenate in the rabbit. *Acta Pharmacol Toxicol* 59(Suppl 7):35-38.
- Marafante E, Vahter M. 1987. Solubility, retention and metabolism of intratracheally and orally administered inorganic arsenic compounds in the hamster. *Environ Res* 42:72-82.
- Marafante E, Lundborg M, Vahter M, et al. 1987a. Dissolution of two arsenic compounds by rabbit alveolar macrophages *in vitro*. *Fundam Appl Toxicol* 8:382-388.
- \*Marafante E, Vahter M, Dencker L. 1984. Metabolism of arsenocholine in mice, rats and rabbits. *Sci Total Environ* 34:223-240.
- Marafante E, Vahter M, Envall J. 1985. The role of the methylation in the detoxication of arsenate in the rabbit. *Chem Biol Interact* 56:225-238.
- Marafante E, Vahter M, Norin H, et al. 1987b. Biotransformation of dimethylarsinic acid in mouse, hamster and man. *J Appl Toxicol* 7(2):111-117.
- Marcus WL, Rispin AS. 1988. Threshold carcinogenicity using arsenic as an example. In: Cothorn CR, Mehlman MA, Marcus WL, eds. *Advances in modern environmental toxicology*. Vol. XV: Risk assessment and risk management of industrial and environmental chemicals. Princeton, NJ: Princeton Scientific Publishing Co., 133-158.
- Margitich DJ, Ackerman LJ. 1991a. Cacodylic acid 21 day toxicity study in rabbit. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID41872801.
- Margitich DJ, Ackerman LJ. 1991b. Methanearsonic acid 21 day dermal toxicity study in rabbits. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID41872701.
- Mariner PE, Holzmer FJ, Jackson RE, et al. 1996. Effects of high pH on arsenic mobility in a shallow sandy aquifer and on aquifer permeability along the adjacent shoreline, Commencement Bay Superfund Site, Tacoma, Washington. *Environ Sci Tech* 30(5):1645-1651.
- \*Marlowe M, Cossairt A, Moon C, et al. 1985. Main and interaction effects of metallic toxins on classroom behavior. *J Abnorm Child Psychol* 13(2):185-198.
- Martin DS, Willis SE, Cline DM. 1990. N-Acetylcysteine in the treatment of human arsenic poisoning. *J Am Board Fam Pract* 3:293-296.
- Martínez V, Creus A, Venegas W, et al. 2004. Evaluation of micronucleus induction in a Chilean population environmentally exposed to arsenic. *Mutat Res* 564(1):65-74.
- Martínez V, Crues A, Venegas W, et al. 2005. Micronuclei assessment in buccal cells of people environmentally exposed to arsenic in northern Chile. *Toxicol Lett* 155:319-327.



## 9. REFERENCES

- Mason RP, Laporte JM, Andres S. 2000. Factors controlling the bioaccumulation of mercury, methylmercury, arsenic, selenium, and cadmium by freshwater invertebrates and fish. *Arch Environ Contam Toxicol* 38:283-97.
- Mason RW, Edwards IR, Fisher LC. 1989. Teratogenicity of combinations of sodium dichromate, sodium arsenate and copper sulphate in the rat. *Comp Biochem Physiol* 93(2):407-411.
- Matanoski G, Landau E, Tonascia J, et al. 1981. Cancer mortality in an industrial area of Baltimore. *Environ Res* 25:8-28.
- Matschullat J. 2000. Arsenic in the geosphere - a review. *Sci Total Environ* 249:297-312.
- Matsui M, Nishigori C, Toyokuni S, et al. 1999. The role of oxidative DNA damage in human arsenic carcinogenesis: Detection of 8-hydroxy-2'-deoxyguanosine in arsenic-related Bowen's disease. *J Invest Dermatol* 113:26-31.
- Matthews EJ, Spalding JW, Tennant RW. 1993. Transformation of BALB/c-3T3 cells: V. Transformation responses of 168 chemicals compared with mutagenicity in *Salmonella* and carcinogenicity in rodent bioassays. *Environ Health Perspect* 101(Suppl 2):347-482.
- May TW, Wiedmeyer RH, Gober J, et al. 2001. Influence of mining-related activities on concentrations of metals in water and sediment from streams of the Black Hills, South Dakota. *Arch Environ Contam Toxicol* 40:1-9.
- Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74:135-149.
- Mazumdar S, Redmond CK, Enterline PE, et al. 1989. Multistage modeling of lung cancer mortality among arsenic-exposed copper-smelter workers. *Risk Anal* 9(4):551-563.
- McDorman EW, Collins BW, Allen JW. 2002. Dietary folate deficiency enhances induction of micronuclei by arsenic in mice. *Environ Mol Mutagen* 40(1):71-77.
- McFall TL, Richards S, Matthews G. 1998. Rehabilitation in an individual with chronic arsenic poisoning: Medical, psychological, and social implications. *J Spinal Cord Med* 21(2):142-147.
- McGeehan SL. 1996. Arsenic sorption and redox reactions: Relevance to transport and remediation. *J Environ Sci Health A31(9):2319-2336*.
- McGeehan SL, Fendorf SE, Naylor DV. 1998. Alteration of arsenic sorption in flooded-dried soils. *Soil Sci Soc Am J* 62:828-833.
- McLaren RG, Naidu R, Smith J, et al. 1998. Fractionation and distribution of arsenic in soils contaminated by cattle dip. *J Environ Qual* 27:348-354.
- Meacher DM, Menzel DB, Dillencourt MD, et al. 2002. Estimation of multimedia inorganic arsenic intake in the U.S. population. *Hum Ecol Risk Assess* 8(7):1697-1721.
- Meharg AA, Rahman M. 2003. Arsenic contamination of Bangladesh paddy field soils: Implications for rice contribution to arsenic consumption. *Environ Sci Technol* 37:229-234.

## 9. REFERENCES

- Meister RT, ed. 1987. Farm chemicals handbook. Willoughby, OH: Meister Publishing. Section C:21, 46-47, 101, 177-178, 230-231.
- Meister RT, ed. 1999. Farm chemicals handbook '99. Willoughby, OH: Meister Publishing Company.
- Meister RT, Sine C, Sharp DT, et al. 2006. Crop protection handbook 2006. Willoughby, OH: Meister Media Worldwide, D 65.
- Meng Z. 1993a. Effects of arsenic on DNA synthesis in human lymphocytes stimulated by phytohemagglutinin. *Biol Trace Elem Res* 39(1):73-80.
- Meng Z. 1993b. Effects of arsenic on DNA synthesis in human lymphocytes. *Arch Environ Contam Toxicol* 25(4):525-528.
- Meng Z. 1994. Effects of arsenic on DNA synthesis in human lymphocytes. In: Nraigu JO, ed. *Arsenic in the environment, part II: Human health and ecosystem effects*. New York, NY: John Wiley & Sons, Inc., 133-142.
- Meng Z, Hsie AW. 1996. Polymerase chain reaction-based deletion analysis of spontaneous and arsenite-enhanced gpt mutants in CHO-As<sub>52</sub> cells. *Mutat Res* 356(2):255-259.
- Menzel DB, Rasmussen RE, Lee E, et al. 1998. Human lymphocyte heme oxygenase 1 as a response biomarker to inorganic arsenic. *Biochem Biophys Res Commun* 250:653-656.
- Menzel DB, Ross M, Oddo SV, et al. 1994. A physiologically based pharmacokinetic model for ingested arsenic. *Environ Geochem Health* 16:209-218.
- Merwin I, Pruyne PT, Ebel JG, et al. 1994. Persistence, phytotoxicity, and management of arsenic, lead and mercury residues in old orchard soils of New York State. *Chemosphere* 29(6):1361-1367.
- \*Meyer I, Heinrich J, Lippold U. 1999. Factors affecting lead, cadmium, and arsenic levels in house dust in a smelter town in eastern Germany. *Environ Res* 81:32-44.
- Michaud DS, Wright ME, Cantor KP, et al. 2004. Arsenic concentrations in prediagnostic toenails and the risk of bladder cancer in a cohort study of male smokers. *Am J Epidemiol* 160(9):853-859.
- Miles AK, Tome MW. 1997. Spatial and temporal heterogeneity in metallic elements in industrialized aquatic bird habitats. *Environ Pollut* 95(1):75-84.
- Milham S, Strong T. 1974. Human arsenic exposure in relation to a copper smelter. *Environ Res* 7:176-182.
- Miller M. 1998. Scientists explore use of arsenic in therapy. *J Natl Cancer Inst* 90(24):1866-1867.
- Milton AH, Rahman M. 2002. Respiratory effects and arsenic contaminated well water in Bangladesh. *Int J Environ Health Res* 12(2):175-179.
- Milton AH, Hasan Z, Shahidullah SM, et al. 2004. Association between nutritional status and arsenicosis due to chronic arsenic exposure in Bangladesh. *Int J Environ Health Res* 14(2):99-108.

## 9. REFERENCES

- Milton AH, Smith W, Rahman B, et al. 2005. Chronic arsenic exposure and adverse pregnancy outcomes in Bangladesh. *Epidemiology* 16(1):82-86.
- Mirkes PE, Cornel L. 1992. A comparison of sodium arsenite- and hyperthermia-induced stress responses
- \*Mitra K, Kundu SN, Khuda Bukhsh AR. 1999. Efficacy of a potentized homoeopathic drug (Arsenic Album-30) in reducing toxic effects produced by arsenic trioxide in mice: II. On alterations in body weight and total protein. *Complement Ther Med* 7:24-34.
- Mitra SR, Mazumder DN, Basu A, et al. 2004. Nutritional factors and susceptibility to arsenic-caused skin lesions in West Bengal, India. *Environ Health Perspect* 112(10):1104-1109.
- Miyazaki K, Ushijima K, Kadono T, et al. 2003. Negative correlation between urinary selenium and arsenic levels of the residents living in an arsenic-contaminated area in Bangladesh. *J Health Sci* 49(3):239-242.
- Mizuta N, Mizuta M, Ito F, et al. 1956. An outbreak of acute arsenic poisoning caused by arsenic-contaminated soy-sauce (shoyu): A clinical report of 220 cases. *Bull Yamaguchi Med Sch* 4(2-3):131-149.
- Mohamed KB. 1998. Occupational contact dermatitis from arsenic in a tin-smelting factory. *Contact Dermatitis* 38:224-225.
- Mok WM, Wai CM. 1994. Mobilization of arsenic in contaminated river waters. In: Nriagu JO, ed. *Arsenic in the environment, part 1: Cycling and characterization*. New York, NY: John Wiley & Sons, Inc., 99-117.
- Mok WM, Riley JA, Wai CM. 1988. Arsenic speciation and quality of groundwater in a lead-zinc mine, Idaho. *Water Res* 22(6):769-774.
- Moore DF, O'Callaghan CA, Berlyne G, et al. 1994a. Acute arsenic poisoning: Absence of polyneuropathy after treatment with 2,3-dimercaptopropanesulphonate (DMPS). *J Neurol Neurosurg Psychiatry* 57(9):1133-1135.
- Moore JN, Ficklin WH, Johns C. 1988. Partitioning of arsenic and metals in reducing sulfidic sediments. *Environ Sci Technol* 22:432-437.
- Moore LE, Lu M, Smith AH. 2002. Childhood cancer incidence and arsenic exposure in drinking water in Nevada. *Arch Environ Health* 57(3):201-206.
- Moore LE, Smith AH, Hopenhayn-Rich C, et al. 1995. Increased bladder cells micronuclei in two populations environmentally exposed to arsenic in drinking water. *Clin Chem* 41(12 Part 2):1915-1917.
- Moore LE, Smith AH, Hopenhayn-Rich C, et al. 1997a. Micronuclei in exfoliated bladder cells among individuals chronically exposed to arsenic in drinking water. *Cancer Epidemiol Biomarkers Prev* 6(1):31-36.
- Moore LE, Warner ML, Smith AH, et al. 1996. Use of the fluorescent micronucleus assay to detect the genotoxic effects of radiation and arsenic exposure in exfoliated human epithelial cells. *Environ Mol Mutagen* 27(3):176-184.

## 9. REFERENCES

- Moore MM, Harrington-Brock K, Doerr CL. 1994b. Genotoxicity of arsenic and its methylated metabolites. *Environ Geochem Health* 16:191-198.
- \*Moore MM, Harrington-Brock K, Doerr CL. 1997b. Relative genotoxic potency of arsenic and its methylated metabolites. *Mutat Res* 386(3):279-290.
- \*Moreira JC. 1996. Threats by heavy metals: Human and environmental contamination in Brazil. *Sci Total Environ* 188(Suppl 1):S61-S71.
- Morris JS, Schmid M, Newman S, et al. 1974. Arsenic and noncirrhotic portal hypertension. *Gastroenterology* 66(1):86-94.
- Morrissey RE, Mottet NK. 1983. Arsenic-induced exencephaly in the mouse and associated lesions occurring during neurulation. *Teratology* 28:399-411.
- Moriss-Kay GM, Wood H, Chen W. 1994. Normal neurulation in mammals. In: Ciba Foundation Symposium, neural tube defects. New York: John Wiley & Sons, 51-69.
- Morse DL, Harrington JM, Housworth J, et al. 1979. Arsenic exposure in multiple environmental media in children near a smelter. *Clin Toxicol* 14(4):389-399.
- Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.
- Morton W, Starr G, Pohl D, et al. 1976. Skin cancer and water arsenic in Lane County, Oregon. *Cancer* 37:2523-2532.
- Morton WE, Caron GA. 1989. Encephalopathy: An uncommon manifestation of workplace arsenic poisoning? *Am J Ind Med* 15:1-5.
- Mottet NK, Ferm VH. 1983. The congenital teratogenicity and perinatal toxicity of metals. In: Clarkson TW, Nordberg GF, Sager PR, eds. *Reproductive and developmental toxicity of metals*. New York, NY: Plenum Press, 93-125.
- Moxon AL, Paynter CR, Halverson AW. 1945. Effect of route of administration on detoxication of selenium by arsenic. *J Pharmacol Exp Ther* 84:115-119.
- Mukherjee S, Das D, Darbar S, et al. 2003. Dietary intervention affects arsenic-generated nitric oxide and reactive oxygen intermediate toxicity in islet cells of rats. *Curr Sci* 85(6):786-793.
- Mukherjee S, Das D, Darbar S, et al. 2004. Arsenic trioxide generates oxidative stress and islet cell toxicity in rabbit. *Curr Sci* 86(6):854-857.
- Mumford JL, Wu K, Xia Y, et al. 2007. Chronic arsenic exposure and cardiac repolarization abnormalities with QT interval prolongation in a population-based study. *Environ Health Perspect* 115(5):690-694.
- Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludges. *Arch Environ Contam Toxicol* 13:75-83.

## 9. REFERENCES

- Murai T, Iwata H, Ootoshi T, et al. 1993. Renal lesions induced in F34/DuCrj rats by 4-weeks oral administration of dimethylarsinic acid. *Toxicol Lett* 66:53-61.
- \*Murata K, Iwazawa T, Takayama T, et al. 1994. Quadruple cancer including Bowen's disease after arsenic injections 40 years earlier: Report of a case. *Surg Today* 24(12):1115-1118.
- Mure K, Uddin AN, Lopez LC, et al. 2003. Arsenite induces delayed mutagenesis and transformation in human osteosarcoma cells at extremely low concentrations. *Environ Mol Mutagen* 41:322-331.
- Murphy MJ, Lyon LW, Taylor JW. 1981. Subacute arsenic neuropathy: Clinical and electrophysiological observations. *J Neurol Neurosurg Psychiatry* 44:896-900.
- Mushak P, Crocetti AF. 1995. Risk and revisionism in arsenic cancer risk assessment. *Environ Health Perspect* 103(7-8):684-689.
- Mushak P, Dessauer K, Walls EL. 1977. Flameless atomic absorption (FAA) and gas-liquid chromatographic studies in arsenic bioanalysis. *Environ Health Perspect* 19:5-10.
- Muzi G, dell'Omo M, Madeo G, et al. 2001. Arsenic poisoning caused by Indian ethnic remedies. *J Pediatr* 139(1):169.
- Nagai N, Usui T, Asahi A, et al. 1956. Comparison of biochemical findings and clinical pictures on subacute or chronic arsenic poisoning of infants due to arsenic containing powdered milk. NTIS no. PB-258710-T.
- Nagymajtényi L, Selypes A, Berencsi G. 1985. Chromosomal aberrations and fetotoxic effects of atmospheric arsenic exposure in mice. *J Appl Toxicol* 5(2):61-63.
- Nakadaira H, Endoh K, Katagiri M, et al. 2002. Elevated mortality from lung cancer associated with arsenic exposure for a limited duration. *J Occup Environ Med* 44(3):291-299.
- Nakamuro K, Sayato Y. 1981. Comparative studies of chromosomal aberrations induced by trivalent and pentavalent arsenic. *Mutat Res* 88:73-80.
- NAS. 1977a. Medical and biologic effects of environmental pollutants: Arsenic. Washington, DC: National Academy of Sciences. <http://www.nap.edu/books/0309026040/html/index.html>. May 12, 2005.
- NAS. 1977b. Arsenic. Drinking water and health. Washington, DC: National Academy of Sciences, 316-344, 428-430.
- NAS/NRC. 1989. Report of the oversight committee. In: *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.
- Navas-Acien A, Sharrett AR, Silbergeld EK, et al. 2005. Arsenic exposure and cardiovascular disease: A systematic review of the epidemiologic evidence. *Am J Epidemiol* 162(11):1037-1049.
- \*Navas-Acien A, Silbergeld EK, Streeter RA, et al. 2006. Arsenic exposure and type 2 diabetes: A systematic review of the experimental and epidemiological evidence. *Environ Health Perspect* 114(5):641-648.

## 9. REFERENCES

Neiger RD, Osweiler GD. 1989. Effect of subacute low level dietary sodium arsenite on dogs. *Fundam Appl Toxicol* 13:439-451.

Neiger RD, Osweiler GD. 1992. Arsenic concentrations in tissues and body fluids of dogs on chronic low level dietary sodium arsenite. *J Vet Diagn Invest* 4:334-337.

\*Nelson WC, Lykins MH, Mackey J, et al. 1973. Mortality among orchard workers exposed to lead arsenate spray: A cohort study. *J Chronic Dis* 26:105-118.

Nemec MD, Holson JF, Farr CH, et al. 1998. Developmental toxicity assessment of arsenic acid in mice and rabbits. *Reprod Toxicol* 12(6):647-658.

Newman JA, Archer VE, Saccomanno G, et al. 1976. Histologic types of bronchogenic carcinoma among members of copper-mining and smelting communities. *Ann N Y Acad Sci* 271:260-268.

Nielson KK, Sanders RW. 1983. Multielement analysis of unweighed biological and geological samples using backscatter and fundamental parameters. *Advances in X-ray Analysis* 26:385-390.

NIOSH. 1984. Arsenic trioxide, as As - method 7901. In: NIOSH manual of analytical methods. 3rd ed. Vol. 1. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication no. 84-100. PB85179018.

NIOSH. 1994a. Method 7900. Arsenic and compounds, as As (except AsH<sub>3</sub> and As<sub>2</sub>O<sub>3</sub>). In: NIOSH manual of analytical methods (NMAM). 4th edition. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/nmam/pdfs/7900.pdf>. August 10, 2007.

NIOSH. 1994b. Method 7901. Arsenic trioxide, as As. In: NIOSH manual of analytical methods (NMAM). 4th edition. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/nmam/pdfs/7901.pdf>. August 10, 2007.

NIOSH. 1994c. Method 5022. Arsenic, organo-. In: NIOSH manual of analytical methods (NMAM). 4th edition. National Institute for Occupational Safety and Health. August 1994. <http://www.cdc.gov/niosh/nmam/pdfs/5022.pdf>. August 10, 2007.

NIOSH. 1994d. Method 6001. Arsine. In: NIOSH manual of analytical methods (NMAM). 4th edition. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/nmam/pdfs/6001.pdf>. August 10, 2007.

\*NIOSH. 1994e. NIOSH Manual of Analytical Methods. 4th ed., August 15, 1994. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS. Method 7300 - Elements by ICP; Method 7900 - Arsenic; method 5022 - Arsenic, organo; Method 7901 - Arsenic trioxide.

NIOSH. 2003. Method 7300. Elements by ICP (nitric/perchloric acid ashing). NIOSH manual of analytical methods (NMAM). 4th ed. Cincinnati, OH: National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication 94-113. <http://www.cdc.gov/niosh/nmam/pdfs/7300.pdf>. March 21, 2006.

## 9. REFERENCES

NIOSH. 2005a. Arsenic. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/npg/npgdname.html>. February 15, 2004.

\*NIOSH. 2005b. International Chemical Safety Cards (ICSCs): U.S. National Version. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/ipcs/nicstart.html>. April 7, 2005.

Nishioka H. 1975. Mutagenic activities of metal compounds in bacteria. *Mutat Res* 31:185-189.

NOES. 1990. National Occupational Exposure Survey, National Institute for Occupational Safety and Health, Cincinnati, OH. July 16, 1990.

Nordenson I, Beckman G, Beckman L, et al. 1978. Occupational and environmental risks in and around a smelter in northern Sweden: II. Chromosomal aberrations in workers exposed to arsenic. *Hereditas* 88:47-50.

Nordenson I, Salmonsson S, Brun E, et al. 1979. Chromosome aberrations in psoriatic patients treated with arsenic. *Hum Genet* 48:1-6.

Nordenson I, Sweins A, Beckman L. 1981. Chromosome aberrations in cultured human lymphocytes exposed to trivalent and pentavalent arsenic. *Scand J Work Environ Health* 7:277-281.

Nordström S, Beckman L, Nordenson I. 1978a. Occupational and environmental risks in and around a smelter in northern Sweden. I. Variations in birthweight. *Hereditas* 88:43-46.

Nordström S, Beckman L, Nordenson I. 1978b. Occupational and environmental risks in and around a smelter in northern Sweden. III. Frequencies of spontaneous abortion. *Hereditas* 88:51-54.

Nordström S, Beckman L, Nordenson I. 1979a. Occupational and environmental risks in and around a smelter in northern Sweden. V. Spontaneous abortion among female employees and decreased birth weight in their offspring. *Hereditas* 90:291-296.

Nordström S, Beckman L, Nordenson I. 1979b. Occupational and environmental risks in and around a smelter in northern Sweden. VI. Congenital malformations. *Hereditas* 90:297-302.

Norin H, Vahter M. 1981. A rapid method for the selective analysis of total urinary metabolites of inorganic arsenic. *Scand J Work Environ Health* 7:38-44.

Norin H, Christakopoulos A, Rondahl L, et al. 1987. Identification and quantification of arsenocholine and acetylarsenocholine in trace amounts in biological material by use of pyrolysis gas chromatography/mass spectrometry. *Biomed Environ Mass Spectrom* 14:117-125.

NPIRS. 2007. Chemical ingredients: Arsenic. National Pesticide Information Retrieval System. <http://ppis.ceris.purdue.edu/htbin/epachem.com>. February 7, 2007.

NRC. 1993. Pesticides in the diets of infants and children. National Research Council. Washington, DC: National Academy Press.

NRC. 1999. Arsenic in drinking water. National Research Council. Washington, DC: National Academy Press.

## 9. REFERENCES

- NRC. 2001. Arsenic in drinking water. 2001 Update. National Research Council. Washington, DC: National Academy Press.
- \*Nriagu JO. 1988. A silent epidemic of environmental metal poisoning? *Environ Pollut* 50:139-161.
- Nriagu JO, Lin T. 1995. Trace metals in wild rice sold in the United States. *Sci Total Environ* 172(2-3):223-228.
- Nriagu JO, Pacyna JM. 1988. Quantitative assessment of worldwide contamination of air, water and soils by trace metals. *Nature* 333:134-139.
- \*NTP. 1989a. National Toxicology Program. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. NTP 89-239.
- NTP. 1989b. National Toxicology Program - technical report series no. 345. Toxicology and carcinogenesis studies of roxarsone (CAS No. 121-19-7) in F344/N rats and B6C3F1 mice (feed studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NTP-TR-345. NIH pub no. 89-2800.
- NTP. 2005. Report on carcinogens. 11 ed. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. <http://ntp-server.niehs.nih.gov/ntp/roc/toc11.html>. February 15, 2004.
- Nygren O, Nilsson CA, Lindahl R. 1992. Occupational exposure to chromium, copper and arsenic during work with impregnated wood in joinery shops. *Ann Occup Hyg* 36(5):509-517.
- Oberly TJ, Hoffman WP, Garriott ML. 1996. An evaluation of the twofold rule for assessing a positive response in the L5178Y TK<sup>\*/-</sup> mouse lymphoma assay. *Mutat Res* 369 (3-4):221-232.
- Oberly TJ, Piper CE, McDonald DS. 1982. Mutagenicity of metal salts in the L5178Y mouse lymphoma assay. *J Toxicol Environ Health* 9:367-376.
- Odanaka Y, Matano O, Goto S. 1980. Biomethylation of inorganic arsenic by the rat and some laboratory animals. *Bull Environ Contam Toxicol* 24:452-459.
- Odanaka Y, Tsuchiya N, Matano O, et al. 1983. Determination of inorganic arsenic and methylarsenic compounds by gas chromatography and multiple ion detection mass spectrometry after hydride generation-heptane cold trap. *Anal Chem* 55:929-932.
- \*O'Day PA, Carroll SA, Waychunas GA. 1998. Rock-water interactions controlling zinc, cadmium, and lead concentrations in surface waters and sediments, U.S. Tri-State Mining District. 1. Molecular identification using x-ray absorption spectroscopy. *Environ Sci Technol* 32(7):943-955.
- Offergelt JA, Roels H, Buchet JP, et al. 1992. Relation between airborne arsenic trioxide and urinary excretion of inorganic arsenic and its methylated metabolites. *Br J Ind Med* 49(6):387-393.
- \*Ohnishi Y, Murakami S, Ohtsuka H, et al. 1997. Merkel cell carcinoma and multiple Bowen's disease: Incidental association or possible relationship to inorganic arsenic exposure? *J Dermatol* 24(5):310-316.



## 9. REFERENCES

- Ohyama S, Ishinishi N, Hisanaga A, et al. 1988. Comparative chronic toxicity, including tumorigenicity, of gallium arsenide and arsenic trioxide intratracheally instilled into hamsters. *Appl Organomet Chem* 2:333-337.
- Okada S, Yamanaka K. 1994. Induction of lung-specific DNA damage by methylarsenics via the production of free radicals. In: Nriagu JO, ed. *Arsenic in the environment*. New York, NY: John Wiley & Sons, Inc., 143-157.
- \*O'Kamura S, Inoue N. 1999. [Hematological disturbances caused by arsenic poisoning.] *Fukuoka Igaku Zasshi* 90(2):33-38. (Japanese)
- Okui T, Fujiwara Y. 1986. Inhibition of human excision DNA repair by inorganic arsenic and the co-mutagenic effect in V79 Chinese hamster cells. *Mutat Res* 172:69-76.
- O'Rourke MK, Rogan SP, Jin S, et al. 1999. Spatial distributions of arsenic exposure and mining communities from NHEXAS Arizona. National Human Exposure Assessment Survey. *J Expo Anal Environ Epidemiol* 9(5):446-455.
- OSHA. 2005a. Air contaminants. Occupational safety and health standards for shipyard employment. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. <http://www.osha.gov/comp-links.html>. February 15, 2005.
- OSHA. 2005b. Gases, vapors, fumes, dusts, and mists. Safety and health regulations for construction. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55, Appendix A. <http://www.osha.gov/comp-links.html>. February 15, 2005.
- OSHA. 2005c. Inorganic arsenic. Occupational safety and health standards. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1018. <http://www.osha.gov/comp-links.html>. March 24, 2005.
- OSHA. 2005d. Limits for air contaminants. Occupational safety and health standards. Washington, DC: Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. <http://www.osha.gov/comp-links.html>. February 15, 2005.
- O'Shaughnessy E, Kraft GH. 1976. Arsenic poisoning: Long-term follow-up of a nonfatal case. *Arch Phys Med Rehabil* 57:403-406.
- OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment. OTA-BA-438.
- Ott MG, Holder BB, Gordon HL. 1974. Respiratory cancer and occupational exposure to arsenicals. *Arch Environ Health* 29:250-255.
- Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- Oya-Ohta Y, Kaise T, Ochi T. 1996. Induction of chromosomal aberrations in cultured human fibroblasts by inorganic and organic arsenic compounds and the different roles of glutathione in such induction. *Mutat Res* 357(1-2):123-129.

## 9. REFERENCES

- Øygaard JK, Lundebye A, Julshamin K. 1999. Determination of inorganic arsenic in marine food samples by hydrochloric acid distillation and flow-injection hydride-generation atomic absorption spectrometry. *J AOAC Int* 82(5):1217-1223.
- Pacyna JM. 1987. Atmospheric emissions of arsenic, cadmium, lead and mercury from high temperature processes in power generation and industry. In: Hutchinson TC, Meema KM, eds. *Lead, mercury, cadmium and arsenic in the environment*. New York: John Wiley & Sons Ltd., 69-87.
- Pacyna JM, Scholtz MT, Li Y. 1995. Global budget of trace metal sources. *Environ Rev* 3(2):145-159.
- Page BJ, Loar GW. 1993. Chromium compounds. In: Kroschwitz JI, Howe-Grant M, eds. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 6. New York, NY: John Wiley and Sons, 297-298.
- Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environ Sci Technol* 15(12):1475-1481.
- Pantsar-Kallio M, Manninen PKG. 1997. Speciation of mobile arsenic in soil samples as a function of pH. *Sci Total Environ* 204(2):193-200.
- Park J, Presley BJ. 1997. Trace metal contamination of sediments and organisms from the Swan Lake area of Galveston Bay. *Environ Pollut* 98(2):209-221.
- Paschal DC, DiPietro ES, Phillips DL, et al. 1989. Age dependence of metals in hair in a selected US population. *Environ Res* 48:17-28.
- Pascoe GA, Blanchet RJ, Linder G. 1994. Bioavailability of metals and arsenic to small mammals at a mining waste-contaminated wetland. *Arch Environ Contam Toxicol* 27:44-50.
- Pedersen GA, Mortensen GK, Larsen EH. 1994. Beverages as a source of toxic trace element intake. *Food Addit Contam* 11(3):351-363.
- \*Pellizzari ED, Smith DJ, Clayton CA, et al. 2001. An assessment of the data quality for NHEXAS-Part I: Exposure to metals and volatile organic chemicals in Region 5. *J Expo Anal Environ Epidemiol* 11:140-154.
- Peoples SA, Maddy KT, Peifer WR, et al. 1979. Occupational exposures to pesticides containing organoarsenicals in California. *Vet Hum Toxicol* 21:417-421. (Retrieval in progress)
- Permapost. 2000. Chromated copper arsenate, CCA-C. Permapost Products Co., Hillsboro, Oregon. <http://www.permapost.com/cca.htm>. March 3, 2005.
- Perry K, Bowler RG, Buckell HM, et al. 1948. Studies in the incidence of cancer in a factory handling inorganic compounds of arsenic--II: Clinical and environmental investigations. *Br J Ind Med* 5:6-15.
- Pershagen G. 1985. Lung cancer mortality among men living near an arsenic-emitting smelter. *Am J Epidemiol* 122(4):684-694.
- Pershagen G, Björklund NE. 1985. On the pulmonary tumorigenicity of arsenic trisulfide and calcium arsenate in hamsters. *Cancer Lett* 27:99-104.

## 9. REFERENCES

- Pershagen G, Bergman F, Klominek J, et al. 1987. Histological types of lung cancer among smelter workers exposed to arsenic. *Br J Ind Med* 44:454-458.
- Pershagen G, Nordberg G, Bjorkland NE. 1984. Carcinomas of the respiratory tract in hamsters given arsenic trioxide and/or benzo[*a*]pyrene by the pulmonary route. *Environ Res* 34:227-241.
- Pershagen G, Wall S, Taube A, et al. 1981. On the interaction between occupational arsenic exposure and smoking and its relationship to lung cancer. *Scand J Work Environ Health* 7:302-309.
- Pesch B, Ranft U, Jakubis P, et al. 2002. Environmental arsenic exposure from a coal-burning power plant as a potential risk factor for nonmelanoma skin carcinoma: Results from a case-control study in the district of Prievidza, Slovakia. *Am J Epidemiol* 155(9):798-809.
- \*Peters RA, Thompson RH, King AJ, et al. 1944. The treatment of post-arsphenamine jaundice with sulphur-containing amino acids. *Q J Med* 14:35-56.
- Peters SC, Blum JD, Klaue B, et al. 1999. Arsenic occurrence in New Hampshire drinking water. *Environ Sci Technol* 33:1328-1333.
- Peterson RG, Rumack BH. 1977. D-penicillamine therapy of acute arsenic poisoning. *J Pediatr* 91(4):661-666.
- Petres J, Baron D, Hagedorn M. 1977. Effects of arsenic cell metabolism and cell proliferation: Cytogenic and biochemical studies. *Environ Health Perspect* 19:223-227.
- Petrick JS, Ayala-Fierro F, Cullen WR, et al. 2000. Monomethylarsenous acid (MMA III) is more toxic than arsenite in Chang human hepatocytes. *Toxicol Appl Pharmacol* 163:203-207.
- Petrick JS, Jagadish B, Mash EA, et al. 2001. Monomethylarsenous acid (MMA<sup>III</sup>) and arsenite: LD<sub>50</sub> in hamsters and *in vitro* inhibition of pyruvate dehydrogenase. *Chem Res Toxicol* 14(6):651-656.
- Philp RB, Leung FY, Bradley C. 2003. A comparison of the metal content of some benthic species from coastal waters of the Florida panhandle using high-resolution inductively coupled plasma mass spectrometry (ICP-MS) analysis. *Arch Environ Contam Toxicol* 44:218-223.
- Pi J, He Y, Bortner C, et al. 2005. Low level, long-term inorganic arsenite exposure causes generalized resistance to apoptosis in cultured human keratinocytes: Potential role in skin co-carcinogenesis. *Int J Cancer* 116:20-26.
- \*Pi J, Yamauchi H, Kumagai Y, et al. 2002. Evidence for induction of oxidative stress caused by chronic exposure of Chinese residents to arsenic contained in drinking water. *Environ Health Perspect* 110:331-336.
- Pinto SS, McGill CM. 1953. Arsenic trioxide exposure in industry. *Ind Med Surg* 22(7):281-287.
- Pinto SS, Enterline PE, Henderson V, et al. 1977. Mortality experience in relation to a measured arsenic trioxide exposure. *Environ Health Perspect* 19:127-130.
- Pinto SS, Henderson V, Enterline PE. 1978. Mortality experience of arsenic-exposed workers. *Arch Environ Health* 33:325-331.

## 9. REFERENCES

- Pinto SS, Varner MO, Nelson KW, et al. 1976. Arsenic trioxide absorption and excretion in industry. *J Occup Med* 18(10):677-680.
- Piontek M, Hengels KJ, Borchard F, et al. 1989. [Noncirrhotic liver fibrosis after chronic arsenic poisoning.] *Dtsch Med Wochenschr* 114:1653-1657. (German)
- Pirrone N, Keeler GJ. 1996. A preliminary assessment of the urban pollution in the Great Lakes region. *Sci Total Environ* 189/190:91-98.
- Pitten F, Müller G, König P, et al. 1999. Risk assessment of former military base contaminated with organoarsenic-based warfare agents: Uptake of arsenic by terrestrial plants. *Sci Total Environ* 226:237-245.
- Poddar S, Mukherjee P, Talukder G, et al. 2000. Dietary protection by iron against clastogenic effects of short-term exposure to arsenic in mice *in vivo*. *Food Chem Toxicol* 38(8):735-737.
- Polissar L, Lowry-Coble K, Kalman DA, et al. 1990. Pathways of human exposure to arsenic in a community surrounding a copper smelter. *Environ Res* 53:29-47.
- Poma K, Degraeve N, Kirsch-Volders M, et al. 1981. Cytogenetic analysis of bone marrow cells and spermatogonia of male mice after *in vivo* treatment with arsenic. *Experientia* 37:129-130.
- Poma K, Degraeve N, Susanne C. 1987. Cytogenetic effects in mice after chronic exposure to arsenic followed by a single dose of ethylmethane sulfonate. *Cytologia* 52:445-449.
- Pomroy C, Charbonneau SM, McCullough RS, et al. 1980. Human retention studies with <sup>74</sup>As. *Toxicol Appl Pharm* 53:550-556.
- Pongratz R. 1998. Arsenic speciation in environmental samples of contaminated soil. *Sci Total Environ* 224:133-141.
- Pouschat P, Zagury GJ. 2006. *In vitro* gastrointestinal bioavailability of arsenic in soils collected near CCA-treated utility poles. *Environ Sci Technol* 40(13):4317-4323.
- Prasad GVR, Rossi NF. 1995. Arsenic intoxication associated with tubulointerstitial nephritis. *Am J Kidney Dis* 26(2):373-376.
- Prier RF, Nees PO, Derse PH. 1963. The toxicity of an organic arsenical, 3-nitro-4-hydroxyphenyl-arsonic acid. II. Chronic toxicity. *Toxicol Appl Pharmacol* 5:526-542.
- Prukop JA, Savage NL. 1986. Some effects of multiple, sublethal doses of monosodium methanearsonate (MSMA) herbicide on hematology, growth, and reproduction of laboratory mice. *Bull Environ Contam Toxicol* 36:337-341.
- PSA. 2000. Excalibur atomic fluorescence: Measurements of arsenic, selenium, antimony, bismuth and tellurium. Orpington, England: PS Analytical Ltd. <http://www.banian.com>. March 31, 2005.
- Qiao Y, Taylor PR, Yao S, et al. 1997. Risk factors and early detection of lung cancer in a cohort of Chinese tin miners. *Ann Epidemiol* 7:533-541.

## 9. REFERENCES

- Quatrehomme G, Ricq O, Lapalus P, et al. 1992. Acute arsenic intoxication: Forensic and toxicologic aspects (an observation). *J Forensic Sci* 37(4):1163-1171.
- Rabano ES, Castillo NT, Torre KJ, et al. 1989. Speciation of arsenic in ambient aerosols collected in Los Angeles. *J Air Pollut Control Assoc* 39:76-80.
- \*Rahman M, Axelson O. 1995. Diabetes mellitus and arsenic exposure: A second look at case-control data from a Swedish copper smelter. *Occup Environ Med* 52(11):773-774.
- Rahman FA, Allan DL, Rosen CJ, et al. 2004. Arsenic availability from chromated copper arsenate (CCA)-treated wood. *J Environ Qual* 33(1):173-180.
- Rahman M, Tondel M, Ahmad SA, et al. 1998. Diabetes mellitus associated with arsenic exposure in Bangladesh. *Am J Epidemiol* 148(2):198-203.
- \*Rahman M, Wingren G, Axelson O. 1996. Diabetes mellitus among Swedish art glass workers—an effect of arsenic exposure? *Scand J Work Environ Health* 22(2):146-149.
- Rahman M, Tondel M, Ahmad SA, et al. 1999. Hypertension and arsenic exposure in Bangladesh. *Hypertension* 33:74-78.
- Raie RM. 1996. Regional variation in As, Cu, Hg, and Se and interaction between them. *Ecotoxicol Environ Saf* 35:248-252.
- Ramirez P, Eastmond DA, Lacleite JP, et al. 1997. Disruption of microtubule assembly and spindle formation as a mechanism for the induction of aneuploid cells by sodium arsenite and vanadium pentoxide. *Mutat Res* 386(3):291-298.
- Ramos-Morales P, Rodríguez-Arnaiz R. 1995. Genotoxicity of two arsenic compounds in germ cells and somatic cells of *Drosophila melanogaster*. *Environ Mol Mutagen* 25(4):288-299.
- Ramsey JC, Andersen ME. 1984. A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol* 73:159-175.
- Rasmussen RE, Menzel DB. 1997. Variation in arsenic-induced sister chromatid exchange in human lymphocytes and lymphoblastoid cell lines. *Mutat Res* 386(3):299-306.
- Rastogi SC, Pritzl G. 1996. Migration of some toxic metals from crayons and water colors. *Bull Environ Contam Toxicol* 56(4):527-533.
- Reddy PRK, Reddy SJ. 1997. Elemental concentrations in medicinally important leafy materials. *Chemosphere* 34(9-10):2193-2212.
- Redman AD, Macalady DL, Ahmann D. 2002. Natural organic matter affects arsenic speciation and sorption onto hematite. *Environ Sci Technol* 36:2889-2896.
- Regelson W, Kim U, Ospina J, et al. 1968. Hemangioendothelial sarcoma of liver from chronic arsenic intoxication by Fowler's solution. *Cancer* 21(3):514-522.
- \*Reichl F, Hunder G, Liebl B, et al. 1995. Effect of DMPS and various adsorbents on the arsenic excretion in guinea-pigs after injection with As<sub>2</sub>O<sub>3</sub>. *Arch Toxicol* 69(10):712-717.

## 9. REFERENCES

- Reimann C, De Caritat P, Halleraker JH, et al. 1997. Rainwater composition in eight arctic catchments in Northern Europe (Finland, Norway and Russia). *Atmos Environ* 31(2):159-170.
- Reimer KJ. 1989. The methylation of arsenic in marine sediments. *Appl Organomet Chem* 3:475-490.
- Reitz RH, Mendrala AL, Corley RA, et al. 1990. Estimating the risk of liver cancer associated with human exposures to chloroform using physiologically based pharmacokinetic modeling. *Toxicol Appl Pharm* 105:443-459.
- Reymann F, M<sup>u</sup>ller R, Nielsen A. 1978. Relationship between arsenic intake and internal malignant neoplasms. *Arch Dermatol* 114:378-381.
- Rhine ED, Phelps CD, Young LY. 2006. Anaerobic arsenite oxidation by novel denitrifying isolates. *Environ Microbiol* 8(5):899-908.
- Rhoads K, Sanders CL. 1985. Lung clearance, translocation and acute toxicity of arsenic, beryllium, cadmium, cobalt, lead, selenium, vanadium, and ytterbium oxides following deposition in rat lung. *Environ Res* 36:359-378.
- Rice DA, Kennedy S, McMurray CH, et al. 1985. Experimental 3-nitro-4-hydroxyphenylarsonic acid toxicosis in pigs. *Res Vet Sci* 39:47-51.
- Rin K, Kawaguchi K, Yamanaka K, et al. 1995. DNA-strand breaks induced by dimethylarsinic acid, a metabolite of inorganic arsenics, are strongly enhanced by superoxide anion radicals. *Biol Pharm Bull* 18(1):45-48.
- Rivara MIZ, Cebrián MG, Corey G, et al. 1997. Cancer risk in an arsenic contaminated area of Chile. In: *International congress on hazardous waste: Impact on human and ecological health. Hazardous waste, impacts on human ecological health: Proceedings of the 2nd International Congress on Hazardous Waste, Impact on Human and Ecological Health*. Princeton, New Jersey: Princeton Scientific Pub. Co., 408-426.
- Roberts SM, Munson JW, Lowney YW, et al. 2007. Relative oral bioavailability of arsenic from contaminated soils measured in the cynomolgus monkey. *Toxicol Sci* 95(1):281-288.
- Roberts SM, Weimar WR, Vinson JRT, et al. 2002. Measurement of arsenic bioavailability in soil using a primate model. *Toxicol Sci* 67:303-310.
- Robertson FN. 1989. Arsenic in ground-water under oxidizing conditions, southwest United States. *Environ Geochem Health* 11:171-185.
- Rodriguez RR, Basta NT, Casteel SW, et al. 1999. An *in vitro* gastrointestinal method to estimate bioavailable arsenic in contaminated soils and solid media. *Environ Sci Technol* 33:642-649.
- Rodriguez VM, Carrizales L, Jimenez-Capdeville ME, et al. 2001. The effects of sodium arsenite exposure on behavioral parameters in the rat. *Brain Res Bull* 55(2):301-308.
- Rodriguez VM, Carrizales L, Mendoza MS, et al. 2002. Effects of sodium arsenite exposure on development and behavior in the rat. *Neurotoxicol Teratol* 24(6):743-750.

## 9. REFERENCES

- \*Rogers CE, Tomita AV, Trowbridge PR, et al. 1997. Hair analysis does not support hypothesized arsenic and chromium exposure from drinking water in Woburn, Massachusetts. *Environ Health Perspect* 105(10):1090-1097.
- Rogers EH, Chernoff N, Kavlock RJ. 1981. The teratogenic potential of cacodylic acid in the rat and mouse. *Drug Chem Toxicol* 4(1):49-61.
- Roper JM, Cherry DS, Simmers JW, et al. 1996. Bioaccumulation of toxicants in the zebra mussel, *Dreissena polymorpha*, at the Times Beach confined disposal facility, Buffalo, New York. *Environ Pollut* 94(2):117-129.
- Rosen BP. 2002. Biochemistry of arsenic detoxification. *FEBS Lett* 529:86-92.
- Rosenbaum AS, Axelrad DA, Woodruff TJ, et al. 1999. National estimates of outdoor air toxics concentrations. *J Air Waste Manage Assoc* 49:1138-1152.
- Rosenberg HG. 1974. Systemic arterial disease and chronic arsenicism in infants. *Arch Pathol* 97:360-365.
- \*Rosner MH, Carter DE. 1987. Metabolism and excretion of gallium arsenide and arsenic oxides by hamsters following intratracheal instillation. *Fundam Appl Toxicol* 9:730-737.
- Rossman TG. 2003. Mechanism of arsenic carcinogenesis: An integrated approach. *Mutat Res* 533:37-65.
- Rossman TG, Uddin AN. 2004. Selenium prevents spontaneous and arsenite-induced mutagenesis. *Int Congr Ser* 1275:173-179.
- Rossman TG, Stone D, Molina M, et al. 1980. Absence of arsenite mutagenicity in E coli and Chinese hamster cells. *Environ Mut* 2:371-379.
- Rossman TG, Uddin AN, Burns FJ. 2004. Evidence that arsenite acts as a cocarcinogen in skin cancer. *Toxicol Appl Pharmacol* 198(3):394-404.
- Rössner P, Bencko V, Havránková H. 1977. Effect of the combined action of selenium and arsenic on suspension culture of mice fibroblasts. *Environ Health Perspect* 19:235-237.
- Roth F. 1957. The sequelae of chronic arsenic poisoning in Moselle Vintners. *Ger Med Mon* 2:172-175.
- Roy P, Saha A. 2002. Metabolism and toxicity of arsenic: A human carcinogen. *Curr Sci* 82(1):38-45.
- RTECS. 2007. Arsenic. Registry of Toxic Effects on Chemical Substances. National Institute of Occupational Safety and Health. MDL Information Systems, Inc. May 8, 2007
- Rubin Y, Gal N, Nyska A, et al. 1989. Cacodylic acid two generation reproduction study in the rat. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID41059501.
- Ruby MV, Davis A, Schoof R, et al. 1996. Estimation of lead and arsenic bioavailability using a physiologically based extraction test. *Environ Sci Technol* 30(2):422-430.

## 9. REFERENCES

- Ruby MV, Schoof R, Brattin W, et al. 1999. Advances in evaluating the oral bioavailability of inorganics in soil for use in human health risk assessment. *Environ Sci Technol* 33(21):3697-3705.
- \*Rudnai P, Borzonyi M. 1980. Carcinogenic effect of arsenic trioxide in transplacentally and neonatally treated CFLP mice. *Nat Sci* 2:11-18.
- Rupa DS, Schuler M, Eastmond DA. 1997. Detection of hyperdiploidy and breakage affecting the 1cen-1q12 region of cultured interphase human lymphocytes treated with various genotoxic agents. *Environ Mole Mutagen* 29(2):161-167.
- Rutherford DW, Bednar AJ, Garbarino JR, et al. 2003. Environmental fate of roxarsone in poultry litter. Part II. Mobility of arsenic in soils amended with poultry litter. *Environ Sci Technol* 37:1515-1520.
- Ryan PB, Scanlon KA, MacIntosh DL. 2001. Analysis of dietary intake of selected metals in the NHEXAS-Maryland investigation. *Environ Health Perspect* 109(2):121-128.
- Saad JJ, Blanke RV, Poklis A. 1989. Estimation of the body burden of arsenic in a child fatally poisoned by arsenite weedkiller. *J Anal Toxicol* 13:310-312.
- Saha KC, Poddar D. 1986. Further studies on chronic arsenical dermatosis. *Indian J Dermatol* 31:29-33.
- Salim EI, Wanibuchi H, Morimura K, et al. 2003. Carcinogenicity of dimethylarsinic acid in p53 heterozygous knockout and wild-type C57BL/6J mice. *Carcinogenesis* 24(2):335-342.
- Samsøe-Petersen L, Larsen EH, Larsen PB, et al. 2002. Uptake of trace elements and PAHs by fruit and vegetables from contaminated soils. *Environ Sci Technol* 36:3057-3063.
- Sanders JG, Riedel GF, Osmann RW. 1994. Arsenic cycling and its impact in estuarine and coastal marine ecosystems. In: Nriagu JO, ed. *Arsenic in the environment, part I: Cycling and characterization*. New York, NY: John Wiley & Sons, Inc., 289-308.
- Sandstrom AIM, Wall SGI, Taube A. 1989. Cancer incidence and mortality among Swedish smelter workers. *Br J Ind Med* 46:82-89.
- Sanok WJ, Ebel JG, JR, Manzell KL, et al. 1995. Residues of arsenic and lead in potato soils on long island. *Chemosphere* 30(4):803-806.
- Santra A, Maiti A, Das S, et al. 2000. Hepatic damage caused by chronic arsenic toxicity in experimental animals. *J Toxicol Clin Toxicol* 38(4):395-405.
- Sardana MK, Drummond GS, Sassa S, et al. 1981. The potent heme oxygenase inducing action of arsenic in parasitocidal arsenicals. *Pharmacology* 23:247-253.
- \*Sarin SK, Sharma G, Banerjee S, et al. 1999. Hepatic fibrogenesis using chronic arsenic ingestion studies in a murine model. *Indian J Exp Biol* 37:147-151.
- Sarkar D, Datta R. 2004. Arsenic fate and bioavailability in two soils contaminated with sodium arsenate pesticide: An incubation study. *Bull Environ Contam Toxicol* 72(2):240-247.
- Sass U, Grosshans E, Simonart JM. 1993. Chronic arsenicism: Criminal poisoning or drug-intoxication? Report of two cases. *Dermatology* 186(4):303-305.



## 9. REFERENCES

- Schmitt CJ, Zajicek JL, May TW, et al. 1999. Organochlorine residues and elemental contaminants in U.S. freshwater fish, 1976-1986: National contaminant biomonitoring program. *Rev Environ Contam Toxicol* 162:43-104.
- Schoenwolf GC, Smith JL. 1990. Mechanisms of neurulation: Traditional viewpoint and recent advances. *Development* 109:243-270.
- Schoof RA, Eickhoff J, Yost LJ, et al. 1999a. Dietary exposure to inorganic arsenic. In: Chappell WR, Abernathy CO, Calderon RL, eds. *Arsenic exposure and health effects*. Amsterdam: Elsevier Science, 81-88.
- Schoof RA, Yost LJ, Crecelius K, et al. 1998. Dietary arsenic intake in Taiwanese districts with elevated arsenic in drinking water. *Hum Ecol Risk Assess* 4(1):117-135.
- Schoof RA, Yost LJ, Eickhoff J, et al. 1999b. A market basket survey of inorganic arsenic in food. *Food Chem Toxicol* 37:839-846.
- Schrauzer GN. 1987. Effects of selenium antagonists on cancer susceptibility: New aspects of chronic heavy metal toxicity. *J UOEH* 9(Suppl):208-215.
- Schrauzer GN, Ishmael D. 1974. Effects of selenium and of arsenic on the genesis of spontaneous mammary tumors in inbred C<sub>3</sub>H mice. *Ann Clin Lab Sci* 4(6):441-447.
- Schrauzer GN, White DA, McGinness JE, et al. 1978. Arsenic and cancer: Effects of joint administration of arsenite and selenite on the genesis of adenocarcinoma in inbred female C<sub>3</sub>H/St mice. *Bioinorg Chem* 9:245-253.
- Schrauzer GN, White DA, Schneider CJ. 1976. Inhibition of the genesis of spontaneous mammary tumors in C<sub>3</sub>H mice: Effects of selenium and of selenium-antagonistic elements and their possible role in human breast cancer. *Bioinorg Chem* 6:265-270.
- \*Schroeder HA, Balassa JJ. 1966. Abnormal trace metals in man: Arsenic. *J Chron Dis* 19:85-106.
- Schroeder HA, Balassa JJ. 1967. Arsenic, germanium, tin and vanadium in mice: Effects on growth, survival and tissue levels. *J Nutr* 92:245-252.
- Schroeder HA, Mitchener M. 1971. Toxic effects of trace elements on the reproduction of mice and rats. *Arch Environ Health* 23:102-106.
- Schroeder HA, Kanisawa M, Frost DV, et al. 1968. Germanium, tin and arsenic in rats: Effects on growth, survival, pathological lesions and life span. *J Nutr* 96:37-45.
- Schroeder RE. 1994. A two-generation reproduction study in rats with methanearsonic acid (MAA). Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID43178301.
- Schroeder WH, Dobson M, Kane DM, et al. 1987. Toxic trace elements associated with airborne particulate matter: A review. *J Air Pollut Control Assoc* 37(11):1267-1285.

## 9. REFERENCES

- Schulz H, Nagymajtenyi L, Institoris L, et al. 2002. A study on behavioral, neurotoxicological, and immunotoxicological effects of subchronic arsenic treatment in rats. *J Toxicol Environ Health A* 65(16):1181-1193.
- Scott N, Hatlelid KM, MacKenzie NE, et al. 1993. Reactions of arsenic (III) and arsenic (V) species with glutathione. *Chem Res Toxicol* 6:102-106.
- Scudlark JR, Church TM. 1988. The atmospheric deposition of arsenic and association with acid precipitation. *Atmos Environ* 22(5):937-943.
- Scudlark JR, Conko KM, Church TM. 1994. Atmospheric wet deposition of trace elements to Chesapeake Bay: CBAD study year 1 results. *Atmos Environ* 28(8):1487-1498.
- Senesi GS, Baldassarre G, Senesi N, et al. 1999. Trace element inputs into soils by anthropogenic activities and implications for human health. *Chemosphere* 39(2):343-377.
- Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society.
- Shahin U, Yi SM, Paode RD, et al. 2000. Long-term elemental dry deposition fluxes measured around Lake Michigan with an automated dry deposition sampler. *Environ Sci Technol* 34:1887-1892.
- Shalat SL, Solo-Gabriele HM, Fleming LE, et al. 2006. A pilot study of children's exposure to CCA-treated wood from playground equipment. *Sci Total Environ* 367(1):80-88.
- Shannon RL, Strayer DS. 1989. Arsenic-induced skin toxicity. *Hum Toxicol* 8:99-104.
- Sheehy JW, Jones JH. 1993. Assessment of arsenic exposures and controls in gallium arsenide production. *Am Ind Hyg Assoc J* 54(2):61-69.
- Shen J, Wanibuchi H, Salim EI, et al. 2003. Induction of glutathione S-transferase placental form positive foci in liver and epithelial hyperplasia in urinary bladder, but no tumor development in male epithelial hyperplasia in urinary bladder, but no tumor development in male Fischer 344 rats treated with monomethylarsonic acid for 104 weeks. *Toxicol Appl Pharmacol* 193(3):335-345.
- \*Shen Z, Chen G, Ni J, et al. 1997. Use of arsenic trioxide (As<sub>2</sub>O<sub>3</sub>) in the treatment of acute promyelocytic leukemia (APL): II. Clinical efficacy and pharmacokinetics in relapsed patients. *Blood* 89(9):3354-3360.
- \*Shi H, Shi X, Liu KJ. 2004. Oxidative mechanism of arsenic toxicity and carcinogenesis. *Mol Cell Biochem* 255(1-2):67-78.
- \*Shibata A, Ohneseit PF, Tsai YC, et al. 1994. Mutational spectrum in the p53 gene in bladder tumors from the endemic area of blackfoot disease in Taiwan. *Carcinogenesis* 15(6):1085-1087.
- Shirachi DY, Johansen MG, McGowan JP, et al. 1983. Tumorigenic effect of sodium arsenite in rat kidney. *Proc West Pharmacol Soc* 26:413-415.
- Shum S, Whitehead J, Vaughn L, et al. 1995. Chelation of organoarsenate with dimercaptosuccinic acid. *Vet Hum Toxicol* 37(3):239-242.

## 9. REFERENCES

- Siewicki TC. 1981. Tissue retention of arsenic in rats fed witch flounder or cacodylic acid. *J Nutr* 111:602-609.
- Sikorski EE, McCay JA, White KL Jr, et al. 1989. Immunotoxicity of the semiconductor gallium arsenide in female B6C3F1 mice. *Fundam Appl Toxicol* 13:843-858.
- Silver AS, Wainman PL. 1952. Chronic arsenic poisoning following use of an asthma remedy. *JAMA* 150(6):584-585.
- Singh I. 1983. Induction of reverse mutation and mitotic gene conversion by some metal compounds in *Saccharomyces cerevisiae*. *Mutat Res* 117:149-152.
- Skeaff JM, Dubreuil AA. 1997. Calculated 1993 emission factors of trace metals for Canadian non-ferrous smelters. *Atmos Environ* 31(10):1449-1457.
- Slayton TM, Beck BD, Reynolds KA, et al. 1996. Issues in arsenic cancer risk assessment. *Environ Health Perspect* 104 (10):1012-1018.
- Smith AH, Biggs ML, Hopenhayn-Rich C, et al. 1995. Correspondence: Arsenic risk assessment. *Environ Health Perspect* 103(1): <http://www.ehponline.org/docs/1995/103-1/correspondence.html>. August 30, 2007.
- Smith AH, Goycolea M, Haque R, et al. 1998. Marked increase in bladder and lung cancer mortality in a region of northern Chile due to arsenic in drinking water. *Am J Epidemiol* 147(7):660-669.
- Smith AH, Hopenhayn-Rich C, Bates MN, et al. 1992. Cancer risks from arsenic in drinking water. *Environ Health Perspect* 97:259-267.
- Smith AH, Marshall G, Yuan Y, et al. 2006. Increased mortality from lung cancer and bronchiectasis in young adults after exposure to arsenic *in utero* and in early childhood. *Environ Health Perspect* 114(8):1293-1296.
- Smith CJ, Livingston SD, Doolittle DJ. 1997. An international literature survey of "IARC group I carcinogens" reported in mainstream cigarette smoke. *Food Chem Toxicol* 35(10-11):1107-1130.
- Smith E, Naidu R, Alston AM. 1999. Chemistry of arsenic in soils: I. Sorption of arsenate and arsenite by four Australian soils. *J Environ Qual* 28:1719-1726.
- Smith E, Naidu R, Alston AM. 2002. Chemistry of inorganic arsenic in soils: II. Effect of phosphorus, sodium, and calcium on arsenic sorption. *J Environ Qual* 31(2):557-563.
- Smith RA, Alexander RB, Wolman MG. 1987. Water-quality trends in the nation's rivers. *Science* 235:1607-1615.
- Smith TJ, Crecelius EA, Reading JC. 1977. Airborne arsenic exposure and excretion of methylated arsenic compounds. *Environ Health Perspect* 19:89-93.
- Sobel W, Bond GG, Baldwin CL, et al. 1988. An update of respiratory cancer and occupational exposure to arsenicals. *Am J Ind Med* 13:263-270.

## 9. REFERENCES

- Sofuni T, Honma M, Hayashi M, et al. 1996. Detection of *in vitro* clastogens and spindle poisons by the mouse lymphoma assay using the microwell method: Interim report of an international collaborative study. *Mutagenesis* 11(4):349-355.
- \*Soignet SL, Maslak P, Wang Z, et al. 1998. Complete remission after treatment of acute promyelocytic leukemia with arsenic trioxide. *N Engl J Med* 339(19):1341-1348.
- Sommers SC, McManus RG. 1953. Multiple arsenical cancers of the skin and internal organs. *Cancer* 6:347-359.
- Somogyi A, Beck H. 1993. Nurturing and breast-feeding: Exposure to chemicals in breast milk. *Environ Health Perspect* 101(Suppl 2):45-52.
- Sotera JJ, Dulude GR, Stux RL. 1988. Determination of toxic elements in biological materials by furnace atomic absorption spectrometry. *Sci Total Environ* 71:45-48.
- SRI. 2006. Directory of chemical producers. Menlo Park, CA: SRI Consulting, 469, 533, 654, 784, 787.
- Steinmaus C, Carrigan K, Kalman D, et al. 2005a. Dietary intake and arsenic methylation in a U.S. population. *Environ Health Perspect* 113(9):1153-1159.
- Steinmaus C, Moore LE, Shipp M, et al. 2007. Genetic polymorphisms in MTHFR 677 and 1298, GSTM1 and T1, and metabolism of arsenic. *J Toxicol Environ Health A* 70:159-170.
- Steinmaus C, Yuan Y, Bates MN, et al. 2003. Case-control study of bladder cancer and drinking water arsenic in the western United States. *Am J Epidemiol* 158(12):1193-1201.
- \*Steinmaus C, Yuan Y, Kalman D, et al. 2005b. Intraindividual variability in arsenic methylation in a U.S. population. *Cancer Epidemiol Biomarkers Prev* 14(4):919-924.
- Steinnes E, Rambaek JP, Hanssen JK. 1992. Large scale multi-element survey of atmospheric deposition using naturally growing moss as a biomonitor. *Chemosphere* 25(5):735-752.
- Sternowsky HJ, Moser B, Szadkowsky D. 2002. Arsenic in breast milk during the first 3 months of lactation. *Int J Hyg Environ Health* 205(5):405-409.
- Stevens JT, DiPasquale LC, Farmer JD. 1979. The acute inhalation toxicology of the technical grade organoarsenical herbicides, cacodylic acid and disodium methanearsonic acid; a route comparison. *Bull Environ Contam Toxicol* 21:304-311.
- Stevens JT, Hall LL, Farmer JD, et al. 1977. Disposition of <sup>14</sup>C and/or <sup>74</sup>As-cacodylic acid in rats after intravenous, intratracheal or peroral administration. *Environ Health Perspect* 19:151-157.
- Stilwell DE, Graetz TJ. 2001. Copper, chromium, and arsenic levels in soil near highway traffic sound barriers built using CCA pressure-treated wood. *Bull Environ Contam Toxicol* 67:303-308.
- Storelli MM, Marcotrigiano GO. 2001. Total, organic, and inorganic arsenic in some commercial species of crustaceans from the Mediterranean Sea (Italy). *J Food Prot* 64(11):1858-1862.

## 9. REFERENCES

- Storer RD, McKelvey TW, Kraynak AR, et al. 1996. Revalidation of the *in vitro* alkaline elution/rat hepatocyte assay for DNA damage: Improved criteria for assessment of cytotoxicity and genotoxicity and results for 81 compounds. *Mutat Res* 368(2):59-101.
- Stump DG, Holson JF, Fleeman TL, et al. 1999. Comparative effects of single intraperitoneal or oral doses of sodium arsenate or arsenic trioxide during in utero development. *Teratology* 60:283-291.
- Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 208-209.
- Styblo M, Thomas DJ. 2001. Selenium modifies the metabolism and toxicity of arsenic in primary rat hepatocytes. *Toxicol Appl Pharmacol* 172(1):52-61.
- Sweins A. 1983. Protective effect of selenium against arsenic-induced chromosomal damage in cultured human lymphocytes. *Hereditas* 98:249-252.
- Szinicz L, Forth W. 1988. Effect of As<sub>2</sub>O<sub>3</sub> on gluconeogenesis. *Arch Toxicol* 61:444-449.
- Szuler IM, Williams CN, Hindmarsh JT, et al. 1979. Massive variceal hemorrhage secondary to presinusoidal portal hypertension due to arsenic poisoning. *Can Med Assoc J* 120:168-171.
- Tabacova S, Hunter ES, Gladen BC. 1996. Developmental toxicity of inorganic arsenic in whole embryo culture: Oxidation state, dose, time, and gestational age dependence. *Toxicol Appl Pharmacol* 138(2):298-307.
- Takahashi K, Yamauchi H, Yamato N, et al. 1988. Methylation of arsenic trioxide in hamsters with liver damage induced by long-term administration of carbon tetrachloride. *Appl Organomet Chem* 2:309-314.
- Tam GKH, Lacroix G. 1982. Dry ashing, hydride generation atomic absorption spectrometric determination of arsenic and selenium in foods. *J Assoc Off Anal Chem* 65(3):647-650.
- \*Tam GK, Charbonneau SM, Lacroix G, et al. 1979a. Confirmation of inorganic arsenic and dimethylarsenic acid in urine and plasma of dog by ion-exchange and TLC. *Bull Environ Contam Toxicol* 21:371-374.
- Tam GKH, Charbonneau SM, Bryce F, et al. 1979b. Metabolism of inorganic arsenic (<sup>74</sup>As) in humans following oral ingestion. *Toxicol Appl Pharmacol* 50:319-322.
- Tam GKH, Charbonneau SM, Bryce F, et al. 1982. Excretion of a single oral dose of fish-arsenic in man. *Bull Environ Contam Toxicol* 28:669-673.
- Tamaki S, Frankenberger WT. 1992. Environmental biochemistry of arsenic. *Rev Environ Contam Toxicol* 124:79-110.
- Tao SS, Bolger PM. 1999. Dietary intakes of arsenic in the United States. *Food Addit Contam* 16:465-472.
- Taubeneck MW, Daston GP, Rogers JM, et al. 1994. Altered maternal zinc metabolism following exposure to diverse developmental toxicants. *Reprod Toxicol* 8(1):25-40.

## 9. REFERENCES

- Tay C, Seah C. 1975. Arsenic poisoning from anti-asthmatic herbal preparations. *Med J Aust* 2:424-428.
- Taylor HE, Antweiler RC, Roth DA, et al. 2001. The occurrence and distribution of selected trace elements in the upper Rio Grande and tributaries in Colorado and northern New Mexico. *Arch Environ Contam Toxicol* 41:410-426
- Taylor PR, Qiao YL, Schatzkin A, et al. 1989. Relation of arsenic exposure to lung cancer among tin miners in Yunnan Province. *Br J Ind Med* 46:881-886.
- Teräsahde P, Pantsar-Kallio M, Manninen PKG. 1996. Simultaneous determination of arsenic species by ion chromatography-inductively coupled plasma mass spectrometry. *J Chromatog A* 750(1-2):83-88.
- Tezuka M, Hanioka K, Yamanaka K, et al. 1993. Gene damage induced in human alveolar type II (L-132) cells by exposure to dimethylarsinic acid. *Biochem Biophys Res Commun* 191(3):1178-1183.
- Thomas DC, Whittemore AS. 1988. Methods for testing interactions, with applications to occupational exposures, smoking, and lung cancer. *Am J Ind Med* 13:131-147.
- Thomas DJ, Li J, Waters SB, et al. 2007. Arsenic (+3 oxidation state) methyltransferase and the methylation of arsenicals. *Exp Biol Med* 232(1):3-13.
- Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 365-394.
- Thomas P, Sniatecki K. 1995. Inductively coupled plasma mass spectrometry: Application to the determination of arsenic species. *Fresenius J Anal Chem* 351 (4-5):410-414.
- Thomas DJ, Waters SB, Styblo M. 2004. Elucidating the pathway for arsenic methylation. *Toxicol Appl Pharmacol* 198(3):319-326.
- Thomas KW, Pellizzari ED, Berry MR. 1999. Population-based dietary intakes and tap water concentrations for selected elements in the EPA Region V National Human Exposure Assessment Survey (NHEXAS). *J Expo Anal Environ Epidemiol* 9:402-413.
- Thompson TS, Le MD, Kasick AR, et al. 1999. Arsenic in well water supplies in Saskatchewan. *Bull Environ Contam Toxicol* 63:478-483.
- Tian D, Ma H, Feng Z, et al. 2001. Analyses of micronuclei in exfoliated epithelial cells from individuals chronically exposed to arsenic via drinking water in inner Mongolia, China. *J Toxicol Environ Health A* 64(6):473-484.
- Tice RR, Yager JW, Andrews P, et al. 1997. Effect of hepatic methyl donor status on urinary excretion and DNA damage in B6C3F1 mice treated with sodium arsenite. *Mutat Res* 386(3):315-334.
- Tintinalli JE, Ruiz E, Krone RL, eds. 1996. *Emergency medicine. A comprehensive study*. American College of Emergency Physicians. 4<sup>th</sup> ed. New York, NY: The McGraw-Hill Companies, Inc.
- Tokunaga H, Roychowdhury T, Chandraskaran N, et al. 2002. Urinary arsenic species in an arsenic-affected area of West Bengal, India. *Appl Organomet Chem* 16:406-414.

## 9. REFERENCES

- Tollestrup K, Daling JR, Allard J. 1995. Mortality in a cohort of orchard workers exposed to lead arsenate pesticide spray. *Arch Environ Health* 50(3):221-229.
- Tondel M, Rahman M, Magnuson A, et al. 1999. The relationship of arsenic levels in drinking water and the prevalence rate of skin lesions in Bangladesh. *Environ Health Perspect* 107(9):727-729.
- \*Trepka MJ, Heinrich J, Schulz C, et al. 1996. Arsenic burden among children in industrial areas of eastern Germany. *Sci Total Environ* 180(2):95-105.
- TRI04. 2006. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. January 31, 2006.
- Trocine RP, Trefry JH. 1996. Metal concentrations in sediment, water and clams from the Indian River Lagoon, Florida. *Mar Pollut Bull* 32(10):754-759.
- Tsai M, Chien R, Hsieh S, et al. 1998a. Primary hepatic angiosarcoma: Report of a case involving environmental arsenic exposure. *Chang Keng I Hsueh Tsa Chih* 21(4):469-474.
- Tsai S, Chou H, The H, et al. 2003. The effects of chronic arsenic exposure from drinking water on the neurobehavioral development in adolescence. *Neurotoxicology* 24:747-753.
- \*Tsai S, Wang T, Ko Y. 1998b. Cancer mortality trends in a blackfoot disease endemic community of Taiwan following water source replacement. *J Toxicol Environ Health* 55:389-404.
- Tsai SM, Wang TN, Ko YC. 1999. Mortality for certain diseases in areas with high levels of arsenic in drinking water. *Arch Environ Health* 54(3):186-193.
- Tseng W. 1977. Effects and dose-response relationships of skin cancer and blackfoot disease with arsenic. *Environ Health Perspect* 19:109-119.
- Tseng W. 1989. Blackfoot disease in Taiwan: A 30-year follow-up study. *Angiology* 40(6):547-558.
- Tseng CH, Chong CK, Chen CJ, et al. 1995. Abnormal peripheral microcirculation in seemingly normal subjects living in blackfoot-disease-hyperendemic villages in Taiwan. *Int J Microcirc Clin Exp* 15(1):21-27.
- Tseng CH, Chong C, Chen CJ, et al. 1996. Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan. *Atherosclerosis* 120:125-133.
- Tseng CH, Chong CK, Tseng CP, et al. 2003. Long-term arsenic exposure and ischemic heart disease in arseniasis-hyperendemic villages in Taiwan. *Toxicol Lett* 137(1-2):15-21.
- Tseng CH, Huang YK, Huang YL, et al. 2005. Arsenic exposure, urinary arsenic speciation, and peripheral vascular disease in blackfoot disease-hyperendemic villages in Taiwan. (Erratum in: *Toxicol Appl Pharmacol* 211(2):175). *Toxicol Appl Pharmacol* 206(3):299-308.

## 9. REFERENCES

- Tseng CH, Tai TY, Chong CK, et al. 2000. Long-term arsenic exposure and incidence of non-insulin dependent diabetes mellitus: A cohort study in arseniasis-hyperendemic villages in Taiwan. *Environ Health Perspect* 108(9):847-851.
- Tseng WP, Chu HM, How SW, et al. 1968. Prevalence of skin cancer in an endemic area of chronic arsenicism in Taiwan. *J Natl Cancer Inst* 40:453-463.
- Tsuda T, Babazono A, Yamamoto E, et al. 1995a. Ingested arsenic and internal cancer: A historical cohort study followed for 33 years. *Am J Epidemiol* 141(3):198-209.
- Tsuda T, Indue T, Kojima M, et al. 1995b. Market basket and duplicate portion estimation of dietary intakes of cadmium, mercury, arsenic, copper, manganese, and zinc by Japanese adults. *J AOAC Int* 78(6):1363-1368.
- Tsuda T, Kume Y, Yamamoto M, et al. 1987. An epidemiological study on cancer in certified arsenic poisoning patients in Toroku. *Jpn J Ind Health* 29:496-497.
- Tsuji JS, Van Kerkhove MD, Kaetzel RS, et al. 2005. Evaluation of exposure to arsenic in residential soil. *Environ Health Perspect* 113(12):1735-1740.
- Tsuruta D, Hamada T, Mochida K, et al. 1998. Merkel cell carcinoma, Bowen's disease and chronic occupational arsenic poisoning. *Br J Dermatol* 139:291-294.
- Uddin AN, Burns FJ, Rossman TG. 2005. Vitamin E and organoselenium prevent the cocarcinogenic activity of arsenite with solar UVR in mouse skin. *Carcinogenesis* 26(12):2179-2186.
- Ueda H, Kuroda K, Endo G. 1997. The inhibitory effect of selenium on induction of tetraploidy by dimethylarsinic acid in Chinese hamster cells. *Anticancer Res* 17(3c):1939-1943.
- Uede K, Furukawa F. 2003. Skin manifestations in acute arsenic poisoning from the Wakayama curry-poisoning incident. *Br J Dermatol* 149(4):757-762.
- Ulitzur S, Barak M. 1988. Detection of genotoxicity of metallic compounds by the bacterial bioluminescence test. *J Biolumin Chemilumin* 2:95-99.
- Ulman C, Gezer S, Anal O, et al. 1998. Arsenic in human and cow's milk: A reflection of environmental pollution. *Water Air Soil Pollut* 101(1-4):411-416.
- Unnikrishnan D, Dutcher JP, Varshneya N, et al. 2001. Torsades de pointes in 3 patients with leukemia treated with arsenic trioxide. *Blood* 97(5):1514-1516.
- Ursitti F, Vanderlinden L, Watson R, et al. 2004. Assessing and managing exposure from arsenic in CCA-treated wood play structures. *Can J Public Health* 95(6):429-433.
- U.S. Bureau of Mines. 1988. Mineral commodity summaries. Washington, DC: U.S. Bureau of Mines, 14-15.
- U.S. Bureau of Mines. 1990. Mineral commodity summaries. Washington, DC: U.S. Bureau of Mines, 22-23.



## 9. REFERENCES

- \*U.S. Congress. 1990. Clean Air Act. Title III. Section 112. National emission standards for hazardous air pollutants. U.S. Congress. 42 USC 7412. Revised by Public Law 101-549. November 15, 1990.
- USDA. 2004. Nonsynthetic substances prohibited for use in organic crop production. U.S. Department of Agriculture. Code of Federal Regulations 7 CFR 205.602. [http://www.access.gpo.gov/nara/cfr/waisidx\\_04/7cfr205\\_04.html](http://www.access.gpo.gov/nara/cfr/waisidx_04/7cfr205_04.html). February 15, 2005.
- USDA/USDT. 2000. Assessment of the Environmental effects associated with wooden bridges preserved with creosote, pentachlorophenol, or chromated copper arsenate. U.S. Department of Agriculture. United States Department of Transportation. FPL-RP-587. <http://www.fpl.fs.fed.us/documnts/fplrp/fplrp587.pdf>. August 27, 2007.
- USGS. 1984. Element concentrations in soils and other surficial materials on of the conterminous United States. U.S. Geological Survey. Professional Paper 1270.
- USGS. 1987. Composition, distribution, and hydrologic effects of contaminated sediments resulting from the discharge of gold milling wastes to Whitewood Creek at Lead and Deadwood, South Dakota. Water-Resources Investigation Report 87-4051. U.S. Geological Survey. <http://pubs.er.usgs.gov/usgspubs/wri/wri874051> August 27, 2007.
- USGS. 1998. Arsenic. U.S. Geological Survey – Mineral Information – 1998. U.S. Geological Survey. <http://minerals.usgs.gov/minerals/pubs/commodity/arsenic/160498.pdf>.
- \*USGS. 1999a. Mineral Commodity Summaries 1999. Arsenic. U.S. Geological Survey. <http://minerals.usgs.gov/minerals/pubs/commodity/arsenic/index.html>.
- USGS. 1999b. Arsenic in ground water of the Willamette Basin, Oregon. U.S. Geological Survey. [http://or.water.usgs.gov/pubs\\_dir/Online/Pdf/98-4205.pdf](http://or.water.usgs.gov/pubs_dir/Online/Pdf/98-4205.pdf). April 7, 2005.
- USGS. 1999c. Arsenic-rich pyrite in the Mississippian Marshall Sandstone: Source of anomalous arsenic in southeastern Michigan ground water. U.S. Geological Survey. <http://minerals.usgs.gov/east/midwest/abstract7.html>. August 23, 1999.
- USGS. 2006a. Arsenic. 2005 Minerals yearbook. U.S. Department of the Interior, U.S. Geological Survey.:7.1-7.4, tables 1-3. <http://minerals.usgs.gov/minerals/pubs/commodity/arsenic/arsenmyb05.pdf>. September 12, 2006.
- USGS. 2006b. Arsenic. Mineral commodity studies. U.S. Geological Survey, 26-27. <http://minerals.usgs.gov/minerals/pubs/commodity/arsenic/arsenmcs06.pdf>. September 12, 2006.
- USGS. 2007a. Arsenic in ground water in the United States. U.S. Geological Survey. [http://water.usgs.gov/nawqa/trace/pubs/geo\\_v46n11/fig2.html](http://water.usgs.gov/nawqa/trace/pubs/geo_v46n11/fig2.html). August 29, 2007.
- USGS. 2007b. The national geochemical survey-database and documentation. U.S. Geological Survey. <http://tin.er.usgs.gov/geochem/doc/home.htm>. August 29, 2007.
- Vaessen HA, van Ooik A. 1989. Speciation of arsenic in Dutch total diets: Methodology and results. *Z Lebensm Unters Forsch* 189:232-235.
- Vahter M. 1981. Biotransformation of trivalent and pentavalent inorganic arsenic in mice and rats. *Environ Res* 25:286-293.

## 9. REFERENCES

- Vahter M. 1983. Metabolism of arsenic. In: Fowler BA, ed. Biological and environmental effects of arsenic. New York, NY: Elsevier Science Publishers, 171-198.
- Vahter M. 1986. Environmental and occupational exposure to inorganic arsenic. *Acta Pharmacol Toxicol* 59:31-34.
- Vahter M. 2002. Mechanisms of arsenic biotransformation. *Toxicology* 181-182:211-217.
- Vahter M, Envall J. 1983. *In vivo* reduction of arsenate in mice and rabbits. *Environ Res* 32:14-24.
- Vahter M, Marafante E. 1983. Intracellular interaction and metabolic fate of arsenite and arsenate in mice and rabbits. *Chem Biol Interact* 47:29-44.
- Vahter M, Marafante E. 1985. Reduction and binding of arsenate in Marmoset monkeys. *Arch Toxicol* 57:119-124.
- Vahter M, Marafante E. 1987. Effects of low dietary intake of methionine, choline or proteins on the biotransformation of arsenite in the rabbit. *Toxicol Lett* 37:41-46.
- Vahter M, Norin H. 1980. Metabolism of <sup>74</sup>As-labeled trivalent and pentavalent inorganic arsenic in mice. *Environ Res* 21:446-457.
- \*Vahter M, Concha G, Nermell B, et al. 1995. A unique metabolism of inorganic arsenic in native Andean women. *Eur J Pharmacol* 293(4):455-462.
- Vahter M, Friberg L, Rahnster B, et al. 1986. Airborne arsenic and urinary excretion of metabolites of inorganic arsenic among smelter workers. *Int Arch Occup Environ Health* 57:79-91.
- \*Vahter M, Marafante E, Dencker L. 1983. Metabolism of arsenobetaine in mice, rats and rabbits. *Sci Total Environ* 30:197-211.
- Vahter M, Marafante E, Dencker L. 1984. Tissue distribution and retention of <sup>74</sup>As-dimethylarsinic acid in mice and rats. *Arch Environ Contam Toxicol* 13:259-264.
- Vahter M, Marafante E, Lindgren A, et al. 1982. Tissue distribution and subcellular binding of arsenic in Marmoset monkeys after injection of <sup>74</sup>As-arsenite. *Arch Toxicol* 51:65-77.
- Valentine JL, Campion DS, Schluchter MD, et al. 1981. Arsenic effects on human nerve conduction. In: Howell JC, Gawthorne JM, White L, eds. Trace element metabolism in man and animals - TEMA 4. Proceedings of the Fourth International symposium on Trace Elements or Man and Animals. Canberra: Australian Academy of Science, 409-411.
- Valentine JL, He S, Reisbord LS, et al. 1992. Health response by questionnaire in arsenic-exposed populations. *J Clin Epidemiol* 45(5):487-94.
- Valentine JL, Kang HK, Spivey G. 1979. Arsenic levels in human blood, urine and hair in response to exposure via drinking water. *Environ Res* 20:24-32.

## 9. REFERENCES

- Valentine JL, Reisbord LS, Kang HK, et al. 1985. Arsenic effects on population health histories. In: Mills CF, Bremner I, Chesters JK, eds. Trace elements in man and animals - TEMA 5: Proceedings of the Fifth International Symposium on Trace Elements in Man and Animals. Slough, UK: Commonwealth Agricultural Bureaux, 289-294.
- Vallee BL, Ulmer DD, Wacker WE. 1960. Arsenic toxicology and biochemistry. Arch Ind Health 21:132-151.
- van Netten C, Cann SAH, Morley DR, et al. 2000. Elemental and radioactive analysis of commercially available seaweed. Sci Total Environ 255:169-175.
- Vantroyen B, Heilier JF, Meulemans A, et al. 2004. Survival after a lethal dose of arsenic trioxide. J Toxicol Clin Toxicol 42(6):889-895.
- \*Vargas M, Hamadeh H, Lee E, et al. 1998. Activation of transcription factors by sodium arsenite in human lymphocytes. Toxicologist 42(1-S):323-324.
- Vega L, Gonshebbatt ME, Ostrosky-Wegman P. 1995. Aneugenic effect of sodium arsenite on human lymphocytes *in vitro*: An individual susceptibility effect detected. Mutat Res 334(3):365-373.
- Versieck J, Hoste J, Vanballenberghe L, et al. 1983. Trace element measurements in serum by neutron activation analysis. In: Harling, OK, Clark L, Von der Hardt P, eds. Use and development of low and medium flux research reactors. Proceedings of the International Symposium on the use and development of low and medium flux research reactors, Massachusetts Institute of Technology, Cambridge, Massachusetts, U.S.A., October 16-19, 1983. Munchen: Karl Thieme, 717-723.
- Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of *CYP2E1* in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238:476-483.
- \*Vienna A, Capucci E, Wolfsperger M, et al. 1995. Heavy metal concentration in hair of students in Rome. Anthropol Anz 53(1):27-32.
- Vig BK, Figueroa ML, Cornforth MN, et al. 1984. Chromosome studies in human subjects chronically exposed to arsenic in drinking water. Am J Ind Med 6:325-338.
- Vinas P, Lopez-Garcia I, Merino-Merono B, et al. 2003. Stability of arsenobetaine levels in manufactured baby foods. J Food Prot 66(12):2321-2324.
- Viren JR, Silvers A. 1994. Unit risk estimates for airborne arsenic exposure: An updated view based on recent data from two copper smelter cohorts. Regul Toxicol Pharmacol 20(2):125-138.
- Viren J, Silvers A. 1999. Nonlinearity in the lung cancer dose-response for airborne arsenic: Apparent confounding by year of hire in evaluating lung cancer risks from arsenic exposure in Tacoma smelter workers. Regul Toxicol Pharmacol 30:117-129.
- von Ehrenstein OS, Guha Mazumder DN, Hira-Smith M, et al. 2006. Pregnancy of outcomes, infant mortality, and arsenic in drinking water in West Bengal, India. Am J Epidemiol 163(7):662-669.
- von Ehrenstein OS, Mazumder DN, Yuan Y, et al. 2005. Decrements in lung function related to arsenic in drinking water in West Bengal, India. Am J Epidemiol 162(6):533-541.

## 9. REFERENCES

- von Ehrenstein O, Poddar S, Yuan Y, et al. 2007. Children's intellectual function in relation to arsenic exposure. *Epidemiology* 18:44-51.
- Von Endt DW, Kearney PC, Kaufman DD. 1968. Degradation of monosodium methanearsonic acid by soil microorganisms. *J Agric Food Chem* 16(1):17-20.
- Vuyyuri SB, Ishaq MKuppala D, Grover P, et al. 2006. Evaluation of micronucleus frequencies and DNA damage in glass workers exposed to arsenic. *Environ Mol Mutagen* 47:562-570.
- Waalkes MP, Harvey MJ, Klaassen CD. 1984. Relative *in vitro* affinity of hepatic metallothionein for metals. *Toxicol Lett* 20:33-39.
- Waalkes MP, Liu J, Ward JM, et al. 2004a. Mechanisms underlying arsenic carcinogenesis: Hypersensitivity of mice exposed to inorganic arsenic during gestation. *Toxicology* 198(1-3):31-38.
- Waalkes MP, Liu J, Ward JM, et al. 2004b. Animal models for arsenic carcinogenesis: Inorganic arsenic is a transplacental carcinogen in mice. *Toxicol Appl Pharmacol* 198(3):377-384.
- Waalkes MP, Liu J, Ward JM, et al. 2006a. Enhanced urinary bladder and liver carcinogenesis in male CD1 mice exposed to transplacental inorganic arsenic and postnatal diethylstilbestrol or tamoxifen. *Toxicol Appl Pharmacol* 215(3):295-305.
- Waalkes MP, Liu J, Ward JM, et al. 2006b. Urogenital carcinogenesis in female CD1 mice induced by in utero arsenic exposure is exacerbated by postnatal diethylstilbestrol treatment. *Cancer Res* 66(3):1337-1345.
- Waalkes MP, Ward JM, Diwan BA. 2004c. Induction of tumors of the liver, lung, ovary and adrenal in adult mice after brief maternal gestational exposure to inorganic arsenic: Promotional effects of postnatal phorbol ester exposure on hepatic and pulmonary, but not dermal cancers. *Carcinogenesis* 25(1):133-141.
- Waalkes MP, Ward JM, Liu J, et al. 2003. Transplacental carcinogenicity of inorganic arsenic in the drinking water: Induction of hepatic, ovarian, pulmonary, and adrenal tumors in mice. *Toxicol Appl Pharmacol* 186(1):7-17.
- Wade HJ, Frazer ES. 1953. Toxipathic hepatitis due to Fowler's solution; A case treated with dimercaprol. *Lancet* (February):269-271.
- Wadge A, Hutton M. 1987. The leachability and chemical speciation of selected trace elements in fly ash from coal combustion and refuse incineration. *Environ Pollut* 48:85-99.
- Wagner SL, Maliner JS, Morton WE, et al. 1979. Skin cancer and arsenical intoxication from well water. *Arch Dermatol* 115:1205-1207.
- Wahlberg JE, Boman A. 1986. Contact sensitivity to arsenical compounds: Clinical and experimental studies. *Derm Beruf Umwelt* 34:10-12.
- Wakao N, Koyatsu H, Komai Y, et al. 1988. Microbial oxidation of arsenite and occurrence of arsenite-oxidizing bacteria in acid mine water from a sulfur-pyrite mine. *Geomicrobiol J* 6:11-24.
- Walker S, Griffin S. 1998. Site-specific data confirm arsenic exposure predicted by the U.S. Environmental Protection Agency. *Environ Health Perspect* 106(3):133-139.

## 9. REFERENCES

- Wall S. 1980. Survival and mortality pattern among Swedish smelter workers. *Int J Epidemiol* 9(1):73-87.
- Walton FS, Waters SB, Jolley SL, et al. 2003. Selenium compounds modulate the activity of recombinant rat As111-methyltransferase and the methylation of arsenite by rat and human hepatocytes. *Chem Res Toxicol* 16(3):261-265.
- Wan B, Christian RT, Soukup SW. 1982. Studies of cytogenetic effects of sodium arsenicals on mammalian cells *in vitro*. *Environ Mutagen* 4:493-498.
- Waner T, Nyska A. 1988. Data evaluation report: Methanearsonic acid fifty-two week chronic oral toxicity study in beagle dogs. Permenta Plant Protection Company. Submitted to the U.S. Environmental Protection Agency. MRID40546101.
- Wang ZY. 2001. Arsenic compounds as anticancer agents. *Cancer Chemother Pharmacol* 48(Suppl 1):S72-S76.
- Wang TS, Huang H. 1994. Active oxygen species are involved in the induction of micronuclei by arsenite in XRS-5 cells. *Mutagenesis* 9(3):253-257.
- Wang CH, Jeng JS, Yip PK, et al. 2002. Biological gradient between long-term arsenic exposure and carotid atherosclerosis. *Circulation* 105:1804-1809.
- Wang SH, Wang ZH, Cheng XT, et al. 2007. Arsenic and fluoride exposure in drinking water: Children's IQ and growth in Shanyin County, Shanxi Province, China. *Environ Health Perspect* 115(4):643-647.
- Wang SL, Chiou JM, Chen CJ, et al. 2003. Prevalence of non-insulin-dependent diabetes mellitus and related vascular diseases in southwestern arseniasis-endemic and nonendemic areas in Taiwan. *Environ Health Perspect* 111(2):155-59.
- Wang TS, Shu YF, Liu YC, et al. 1997. Glutathione peroxidase and catalase modulate the genotoxicity of arsenite. *Toxicology* 121(3):229-237.
- Wang Z, Kown E, Zhang H, et al. 2005. Arsenic on the hands of children: Wang et al. Respond. *Environ Health Perspect* 113(6):364-365.
- Wanibuchi H, Yamamoto S, Chen H, et al. 1996. Promoting effects of dimethylarsinic acid on N-butyl-N-(4-hydroxybutyl)nitrosamine-induced urinary bladder carcinogenesis in rats. *Carcinogenesis* 17(11):2435-2439.
- \*Warner ML, Moore LE, Smith MT, et al. 1994. Increased micronuclei in exfoliated bladder cells of individuals who chronically ingest arsenic-contaminated water in Nevada. *Cancer Epidemiol Biomarkers Prev* 3(7):583-590.
- Washington State. 2006. What is area-wide soil contamination? In: Area-Wide Soil Contamination Project. Washington State. [http://www.ecy.wa.gov/programs/tcp/area\\_wide/AW/toolbox\\_chap1.html](http://www.ecy.wa.gov/programs/tcp/area_wide/AW/toolbox_chap1.html). August 27, 2007.

## 9. REFERENCES

- Wasserman GA, Liu X, Parvez F, et al. 2004. Water arsenic exposure and children's intellectual function in Araihaazar, Bangladesh. *Environ Health Perspect* 112(13):1329-1333.
- Wasserman GA, Liu X, Parvez F, et al. 2007. Water arsenic exposure and intellectual function in 6-year-old children in Araihaazar, Bangladesh. *Environ Health Perspect* 115(2):285-289.
- Watanabe C, Inaoka T, Kadono T, et al. 2001. Males in rural Bangladeshi communities are more susceptible to chronic arsenic poisoning than females: Analyses based on urinary arsenic. *Environ Health Perspect* 109(12):1265-1270.
- Watrous RM, McCaughey MB. 1945. Occupational exposure to arsenic: In the manufacture of arsphenamine and related compounds. *Ind Med* 14(8):639-646.
- Webb DR, Sipes IG, Carter DE. 1984. *In vitro* solubility and *in vivo* toxicity of gallium arsenide. *Toxicol Appl Pharmacol* 76:96-104.
- Webb DR, Wilson SE, Carter DE. 1986. Comparative pulmonary toxicity of gallium arsenide, gallium (III) oxide, or arsenic (III) oxide intratracheally instilled into rats. *Toxicol Appl Pharmacol* 82:405-416.
- Webb DR, Wilson SE, Carter DE. 1987. Pulmonary clearance and toxicity of respirable gallium arsenide particulates intratracheally instilled into rats. *Am Ind Hyg Assoc J* 48(7):660-667.
- Wedepohl KH. 1991. The composition of the upper earth's crust and the natural cycles of selected metals. Metals in natural raw materials. Natural resources. In: Merian E, ed. Metals and their compounds in the environment. Occurrence, analysis, and biological relevance. New York, NY: VCH, 3-17.
- Wei M, Wanibuchi H, Morimura K, et al. 2002. Carcinogenicity of dimethylarsinic acid in male F344 rats and genetic alterations in induced urinary bladder tumors. *Carcinogenesis* 23(8):1387-1397.
- Wei M, Wanibuchi H, Yamamoto S, et al. 1999. Urinary bladder carcinogenicity of dimethylarsinic acid in male F344 rats. *Carcinogenesis* 20(9):1873-1876.
- Weis JS, Weis P, Proctor T. 1998. The extent of benthic impacts of CCA-treated wood structures in Atlantic coast estuaries. *Arch Environ Contam Toxicol* 34(4):313-322.
- \*Weis P, Weis JS, Lores E. 1993. Uptake of metals from chromated-copper-arsenate (CCA)-treated lumber by Epibiota. *Mar Pollut Bull* 26(8):428-430.
- Welch AH, Lico MS, Hughes JL. 1988. Arsenic in groundwater of the western United States. *Ground Water* 26(3):333-347.
- Welch K, Higgins I, Oh M, et al. 1982. Arsenic exposure, smoking and respiratory cancer in copper smelter workers. *Arch Environ Health* 37(6):325-335.
- Wendt PH, Van Dolah RF, Bobo MY, et al. 1996. Wood preservative leachates from docks in an estuarine environment. *Arch Environ Contam Toxicol* 31(1):24-37.
- Werner MA, Knobeloch LM, Erbach T, et al. 2001. Use of imported folk remedies and medications in the Wisconsin Hmong community. *Wis Med J* 100(7):32-34.

## 9. REFERENCES

- West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatrics* 32:10-18.
- Wester RC, Maibach HI, Sedik L, et al. 1993. *In vivo* and *in vitro* percutaneous absorption and skin decontamination of arsenic from water and soil. *Fundam Appl Toxicol* 20(3):336-340.
- Westhoff DD, Samaha RJ, Barnes A. 1975. Arsenic intoxication as a cause of megaloblastic anemia. *Blood* 45(2):241-246.
- Whitman FT. 1994. Subchronic (90-day) inhalation toxicity study in rats with cacodylate 3.25 (MRD-92-416). Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID44700301.
- WHO. 1981. Environmental health criteria 18: Arsenic. IPCS International Programme on Chemical Safety. Geneva, Switzerland: World Health Organization.
- WHO. 2000. Air quality guidelines. 2nd ed. Geneva, Switzerland: World Health Organization. [http://www.euro.who.int/air/Activities/20050104\\_1](http://www.euro.who.int/air/Activities/20050104_1). February 15, 2005.
- WHO. 2001. Arsenic and arsenic compounds. Environmental Health Criteria 224. Geneva: United Nations Environment Programme. International Labour Organisation. World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc224.htm>. August 27, 2007.
- WHO. 2004. Guidelines for drinking-water quality. 3rd ed. Geneva, Switzerland: World Health Organization. [http://www.who.int/water\\_sanitation\\_health/dwq/gdwq3/en/](http://www.who.int/water_sanitation_health/dwq/gdwq3/en/). February 15, 2005.
- \*Wicklund KG, Daling JR, Allard J, et al. 1988. Respiratory cancer among orchardists in Washington state, 1968-1980. *J Occup Med* 30:561-564.
- Wicks MJ, Archer VE, Auerbach O, et al. 1981. Arsenic exposure in a copper smelter as related to histological type of lung cancer. *Am J Ind Med* 2:25-31.
- Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Volume II: The elements Part A. New York: Academic Press.
- Wiencke JK, Yager JW. 1992. Specificity of arsenite in potentiating cytogenetic damage induced by the DNA crosslinking agent diepoxybutane. *Environ Mol Mutagen* 19(3):195-200.
- Wiencke JK, Yager JW, Varkonyi A, et al. 1997. Study of arsenic mutagenesis using the plasmid shuttle vector pZ189 propagated in DNA repair proficient human cells. *Mutat Res* 386(3):335-344.
- Willhite CC. 1981. Arsenic-induced axial skeletal (dysraphic) disorders. *Exp Mol Pathol* 34:145-158.
- Willhite CC, Ferm VH. 1984. Prenatal and developmental toxicology of arsenicals. *Adv Exp Med Biol* 177:205-228.
- Williams L, Schoof RA, Yager JW, et al. 2006. Arsenic bioaccumulation in freshwater fishes. *Hum Ecol Risk Assess* 12:904-923.

## 9. REFERENCES

- Williams TM, Rawlins BG, Smith B, et al. 1998. In-vitro determination of arsenic bioavailability in contaminated soil and mineral beneficiation waste from Ron Phibun, Southern Thailand: A basis for improved human risk assessment. *Environ Geochem Health* 20(4):169-177.
- Wingren G, Axelson O. 1993. Epidemiologic studies of occupational cancer as related to complex mixtures of trace elements in the art glass industry. *Scand J Work Environ Health* 19(Suppl 1):95-100.
- Wlodarczyk BJ, Bennett GD, Calvin JA, et al. 1996. Arsenic-induced neural tube defects in mice: Alterations in cell cycle gene expression. *Reprod Toxicol* 10(6):447-454.
- Wolz S, Fenske RA, Simcox NJ, et al. 2003. Residential arsenic and lead levels in an agricultural community with a history of lead arsenate use. *Environ Res* 93:293-300.
- Wong O, Whorton MD, Foliart DE, et al. 1992. An ecologic study of skin cancer and environmental arsenic exposure. *Int Arch Occup Environ Health* 64(4):235-241.
- Wong SS, Tan KC, Goh CL. 1998a. Cutaneous manifestations of chronic arsenicism: Review of seventeen cases. *J Am Acad Dermatol* 38:179-185.
- Wong ST, Chan HL, Teo SK. 1998b. The spectrum of cutaneous and internal malignancies in chronic arsenic toxicity. *Singapore Med J* 39(4):171-173.
- Woods JS, Fowler BA. 1977. Effects of chronic arsenic exposure on hematopoietic function in adult mammalian liver. *Environ Health Perspect* 19:209-213.
- Woods JS, Fowler BA. 1978. Altered regulation of mammalian hepatic heme biosynthesis and urinary porphyrin excretion during prolonged exposure to sodium arsenate. *Toxicol Appl Pharmacol* 43:361-371.
- Woods JS, Southern MR. 1989. Studies on the etiology of trace metal-induced porphyria: Effects of porphyrinogenic metals on coproporphyrinogen oxidase in rat liver and kidney. *Toxicol Appl Pharmacol* 97:183-190.
- Woolson EA, Kearney PC. 1973. Persistence and reactions of  $^{14}\text{C}$ -cacodylic acid in soils. *Environ Sci Technol* 7:47-50.
- \*Woollons A, Russel-Jones R. 1998. Chronic endemic hydroarsenicism. *Br J Dermatol* 139:1092-1096.
- Woolson EA. 1976. Generation of dimethyl arsine from soil. 1976 Meeting of the Weed Science Society of America. February 3-5, 1976, No. 218.
- WSDOE. 2005. Tacoma Shelter Plume: South King County mainland soil study. Washington State Department of Ecology. [http://www.ecy.wa.gov/programs/tcp/sites/tacoma\\_smelter/soil\\_study.htm](http://www.ecy.wa.gov/programs/tcp/sites/tacoma_smelter/soil_study.htm). July 14, 2005.
- \*Wu MM, Chiou HY, Wang TW, et al. 2001. Association of blood arsenic levels with increased reactive oxidants and decreased antioxidant capacity in a human population of northeastern Taiwan. *Environ Health Perspect* 109(10):1011-1017.
- Wu MM, Kuo TL, Hwang Y, et al. 1989. Dose-response relation between arsenic concentration in well water and mortality from cancers and vascular diseases. *Am J Epidemiol* 130(6):1123-1132.



## 9. REFERENCES

- Wulff M, Högberg U, Sandstrom A. 1996. Cancer incidence for children born in a smelting community. *Acta Oncologica (Stockholm)* 35(2):179-183.
- Wuyi W, Linsheng Y, Shaofan H, et al. 2001. Prevention of endemic arsenism with selenium. *Curr Sci* 81(9):1215-1218.
- Wyatt CJ, Fimbres C, Romo L, et al. 1998b. Incidence of heavy metal contamination in water supplies in Northern Mexico. *Environ Res* A76:114-119.
- Wyatt CJ, Quiroga VL, Acosta RTO, et al. 1998a. Excretion of arsenic (As) in urine of children, 7-11 years, exposed to elevated levels of As in the city water supply in Hermosillo, Sonora, Mexico. *Environ Res* A78:19-24.
- Xuan XZ, Lubin JH, Li JY, et al. 1993. A cohort study in southern China of tin miners exposed to radon and radon decay products. *Health Phys* 64(2):120-131.
- Yager JW, Wiencke JK. 1993. Enhancement of chromosomal damage by arsenic: Implications for mechanism. *Environ Health Perspect* 101(Suppl 3):79-82.
- Yager JW, Wiencke JK. 1997. Inhibition of poly(ADP-ribose) polymerase by arsenite. *Mutat Res* 386(3):345-351.
- Yager JW, Hicks JB, Fabianova E. 1997. Airborne arsenic and urinary excretion of arsenic metabolites during boiler cleaning operations in a Slovak coal-fired power plant. *Environ Health Perspect* 105(8):836-842.
- Yamamoto A, Hisanaga A, Ishinishi N. 1987. Tumorigenicity of inorganic arsenic compounds following intratracheal instillations to the lungs of hamsters. *Int J Cancer* 40:220-223.
- Yamamoto S, Konishi Y, Matsuda T, et al. 1995. Cancer induction by an organic arsenic compound, dimethylarsinic acid (cacodylic acid), in F344/DuCrj rats after pretreatment with five carcinogens. *Cancer Res* 55(6):1271-1276.
- \*Yamamoto S, Wanibuchi H, Hori T, et al. 1997. Possible carcinogenic potential of dimethylarsinic acid as assessed in rat *in vivo* models: A review. *Mutat Res* 386(3):353-361.
- Yamanaka K, Okada S. 1994. Induction of lung-specific DNA damage by metabolically methylated arsenics via the production of free radicals. *Environ Health Perspect* 102(Suppl 3):37-40.
- Yamanaka K, Hasegawa A, Sawamura R, et al. 1989a. Dimethylated arsenics induce DNA strand breaks in lung *via* the production of active oxygen in mice. *Biochem Biophys Res Commun* 165(1):43-50.
- Yamanaka K, Hayashi H, Kato K, et al. 1995. Involvement of preferential formation of apurinic/apyrimidinic sites in dimethylarsenic-induced DNA strand breaks and DNA-protein crosslinks in cultured alveolar epithelial cells. *Biochem Biophys Res Commun* 207(1):244-249.
- Yamanaka K, Hayashi H, Kato K, et al. 1997. DNA single-strand breaks in L-132 cells resulting from inhibition of repair polymerization shortly after exposure to dimethylarsinic acid. *Biol Pharm Bull* 20(2):163-167.

## 9. REFERENCES

- Yamanaka K, Ohba H, Hasegawa A, et al. 1989b. Mutagenicity of dimethylated metabolites of inorganic arsenics. *Chem Pharm Bull* 37(10):2753-2756.
- \*Yamanaka K, Ohtsubo K, Hasegawa A, et al. 1996. Exposure to dimethylarsinic acid, a main metabolite of inorganic arsenics, strongly promotes tumorigenesis initiated by 4-nitroquinoline 1-oxide in the lungs of mice. *Carcinogenesis* 17(4):767-770.
- Yamanaka K, Takabayashi F, Mizoi M, et al. 2001. Oral exposure of dimethylarsinic acid, a main metabolite of inorganic arsenics, in mice leads to an increase in 8-oxo-2'-deoxyguanosine level, specifically in the target organs for arsenic carcinogenesis. *Biochem Biophys Res Commun* 287(1):66-70.
- Yamanaka K, Tezuka M, Kato K, et al. 1993. Crosslink formation between DNA and nuclear proteins by *in vivo* and *in vitro* exposure of cells to dimethylarsinic acid. *Biochem Biophys Res Commun* 191(3):1184-1191.
- Yamauchi H, Yamamura Y. 1984. Metabolism and excretion of orally administered dimethylarsinic acid in the hamster. *Toxicol Appl Pharmacol* 74:134-140.
- Yamauchi H, Yamamura Y. 1985. Metabolism and excretion of orally administered arsenic trioxide in the hamster. *Toxicology* 34:113-121.
- Yamauchi H, Kaise T, Yamamura Y. 1986. Metabolism and excretion of orally administered arsenobetaine in the hamster. *Bull Environ Contam Toxicol* 36:350-355.
- Yamauchi H, Takahashi K, Mashiko M, et al. 1989. Biological monitoring of arsenic exposure of gallium arsenide- and inorganic arsenic-exposed workers by determination of inorganic arsenic and its metabolites in urine and hair. *Am Ind Hyg Assoc J* 50(11):606-612.
- Yamauchi H, Yamato N, Yamamura Y. 1988. Metabolism and excretion of orally and intraperitoneally administered methylarsonic acid in the hamster. *Bull Environ Contam Toxicol* 40:280-286.
- Yan-Chu H. 1994. Arsenic distribution in soils. In: Nriagu JO, ed. *Arsenic in the environment, part 1: Cycling and characterization*. New York, NY: John Wiley & Sons, Inc., 17-49.
- Yang CY, Chang CC, Tsai SS, et al. 2003. Arsenic in drinking water and adverse pregnancy outcome in an arseniasis-endemic area in northeastern Taiwan. *Environ Res* 91(1):29-34.
- Yang JL, Chen MF, Wu CW, et al. 1992. Posttreatment with sodium arsenite alters the mutational spectrum induced by ultraviolet light irradiation in Chinese hamster ovary cells. *Environ Mol Mutagen* 20(3):156-164.
- Yang L, Wang W, Hou S, et al. 2002. Effects of selenium supplementation on arsenism: An intervention trial in inner Mongolia. *Environ Geochem Health* 24:359-374.
- Yee-Chien L, Haimei H. 1996. Lowering extracellular calcium content protects cells from arsenite-induced killing and micronuclei formation. *Mutagenesis* 11(1):75-78.
- Yih LH, Ho IC, Lee TC. 1997. Sodium arsenite disturbs mitosis and induces chromosome loss in human fibroblasts. *Cancer Res* 57(22):5051-5059.

## 9. REFERENCES

- Yokel J, Delistraty DA. 2003. Arsenic, lead, and other trace elements in soils contaminated with pesticide residues at the Hanford site (USA). *Environ Toxicol* 18(2):104-114.
- Yoshida K, Inoue Y, Kuroda K, et al. 1998. Urinary excretion of arsenic metabolites after long-term oral administration of various arsenic compounds to rats. *J Toxicol Environ Health A* 54:179-192.
- Yoshida K, Kuroda K, Inoue Y, et al. 2001. Metabolism of dimethylarsinic acid in rats: Production of unidentified metabolites *in vivo*. *Appl Organomet Chem* 15:539-547.
- Yost LJ, Schoof RA, Aucoin R. 1998. Intake of inorganic arsenic in the North American diet. *Human Ecol Risk Assess* 4(1):137-152.
- Yost LJ, Tao SH, Egan SK, et al. 2004. Estimation of dietary intake of inorganic arsenic in U.S. children. *Hum Ecol Risk Assess* 10:473-483.
- Yu D. 1998a. A realistic risk assessment of inorganic arsenic. *J Environ Sci Health Part A* 33(6):1149-1170.
- Yu D. 1998b. Uncertainties in a pharmacokinetic modeling for inorganic arsenic. *J Environ Sci Health Part A* 33(7):1369-1390.
- Yu D. 1999a. A physiologically based pharmacokinetic model of inorganic arsenic. *Regul Toxicol Pharmacol* 29:128-141.
- Yu D. 1999b. A pharmacokinetic modeling of inorganic arsenic: A short-term oral exposure model for humans. *Chemosphere* 39(15):2737-2747.
- Yu HS, Chang KL, Wang CM, et al. 1992. Alterations of mitogenic responses of mononuclear cells by arsenic in arsenical skin cancers. *J Dermatol* 19(11):710-714.
- Yu HS, Sheu HM, Ko SS, et al. 1984. Studies on blackfoot disease and chronic arsenism in southern Taiwan: With special reference to skin lesions and fluorescent substances. *J Dermatol* 11:361-370.
- Zadorozhnaja TD, Little RE, Miller RK, et al. 2000. Concentrations of arsenic, cadmium, copper, lead, mercury, and zinc in human placentas from two cities in Ukraine. *J Toxicol Environ Health A* 61:255-263.
- Zakharyan R, Wu Y, Bogdan GM, et al. 1995. Enzymatic methylation of arsenic compounds: Assay, partial purification, and properties of arsenite methyltransferase and monomethylarsonic acid methyltransferase of rabbit liver. *Chem Res Toxicol* 8(8):1029-1038.
- Zakharyan RA, Wildfang E, Aposhian HV. 1996. Enzymatic methylation of arsenic compounds. III. The marmoset and tamarin, but not the Rhesus, monkeys are deficient in methyltransferases that methylate inorganic arsenic. *Toxicol Appl Pharmacol* 140(1):77-84.
- Zaldívar R. 1974. Arsenic contamination of drinking water and foodstuffs causing endemic chronic poisoning. *Beitr Pathol* 151:384-400.
- Zaldívar R. 1977. Ecological investigations on arsenic dietary intake and endemic chronic poisoning in man: Dose-response curve. *Zentralbl Bakteriol Hyg* 164:481-484.

## 9. REFERENCES

- Zaldívar R, Guillier A. 1977. Environmental and clinical investigations on endemic chronic arsenic poisoning in infants and children. *Zentralbl Bakteriol Hyg* 165:226-234.
- Zaldívar R, Prunés L, Ghai G. 1981. Arsenic dose in patients with cutaneous carcinomata and hepatic haemangio-endothelioma after environmental and occupational exposure. *Arch Toxicol* 47:145-154.
- Zanzoni F, Jung EG. 1980. Arsenic elevates the sister chromatid exchange (SCE) rate in human lymphocytes *in vitro*. *Arch Dermatol Res* 267:91-95.
- Zartarian VG, Xue J, Ozkaynak H, et al. 2006. A probabilistic arsenic exposure assessment for children who contact CCA-treated playsets and decks, Part 1: Model methodology, variability results, and model evaluation. *Risk Anal* 26(2):515-531.
- \*Zhang X, Cornelis R, De Kimpe J, et al. 1996. Accumulation of arsenic species in serum of patients with chronic renal disease. *Clin Chem* 42(8 Pt 1):1231-1237.
- \*Zhang X, Cornelis R, De Kimpe J, et al. 1997. Speciation of arsenic in serum, urine, and dialysate of patients on continuous ambulatory peritoneal dialysis. *Clin Chem* 43(2):406-408.
- Zheng Y, Wu J, Ng JC, et al. 2002. The absorption and excretion of fluoride and arsenic in humans. *Toxicol Lett* 133(1):77-82.
- Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.
- Zierler S, Theodore M, Cohen A, et al. 1988. Chemical quality of maternal drinking water and congenital heart disease. *Int J Epidemiol* 17(3):589-594.
- Zierold KM, Knobeloch L, Anderson H. 2004. Prevalence of chronic diseases in adults exposed to arsenic-contaminated drinking water. *Am J Public Health* 94(11):1936-1937.
- Zomber G, Nyska A, Waner T, et al. 1989. Cacodylic acid 52-week oral toxicity study in beagle dogs. Luxembourg Industries (Pamol) Ltd. Submitted to the U.S. Environmental Protection Agency. MRID41490901.