TOXICOLOGICAL PROFILE FOR PARATHION

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Agency for Toxic Substances and Disease Registry

PARATHION

DISCLAIMER

Use of trade names is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry, the Public Health Service, or the U.S. Department of Health and Human Services.

PARATHION

UPDATE STATEMENT

A Toxicological Profile for Parathion, Draft for Public Comment was released in October 2014. This edition supersedes any previously released draft or final profile.

Toxicological profiles are revised and republished as necessary. For information regarding the update status of previously released profiles, contact ATSDR at:

Agency for Toxic Substances and Disease Registry
Division of Toxicology and Human Health Sciences
Environmental Toxicology Branch
1600 Clifton Road NE
Mailstop F-57
Atlanta, Georgia 30329-4027

PARATHION

PARATHION v

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for these toxic substances described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a public health statement that describes, in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health are identified by ATSDR.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a toxic substance to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staffs of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Patrick N. Breysse, Ph.D., CIH

PaheleuBnagse

Director, National Center for Environmental Health and Agency for Toxic Substances and Disease Registry Centers for Disease Control and Prevention PARATHION vi

*Legislative Background

The toxicological profiles are developed under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended (CERCLA or Superfund). CERCLA section 104(i)(1) directs the Administrator of ATSDR to "...effectuate and implement the health related authorities" of the statute. This includes the preparation of toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list. In addition, ATSDR has the authority to prepare toxicological profiles for substances not found at sites on the National Priorities List, in an effort to "...establish and maintain inventory of literature, research, and studies on the health effects of toxic substances" under CERCLA Section 104(i)(1)(B), to respond to requests for consultation under section 104(i)(4), and as otherwise necessary to support the site-specific response actions conducted by ATSDR.

PARATHION vii

QUICK REFERENCE FOR HEALTH CARE PROVIDERS

Toxicological Profiles are a unique compilation of toxicological information on a given hazardous substance. Each profile reflects a comprehensive and extensive evaluation, summary, and interpretation of available toxicologic and epidemiologic information on a substance. Health care providers treating patients potentially exposed to hazardous substances will find the following information helpful for fast answers to often-asked questions.

Primary Chapters/Sections of Interest

Chapter 1: Public Health Statement: The Public Health Statement can be a useful tool for educating patients about possible exposure to a hazardous substance. It explains a substance's relevant toxicologic properties in a nontechnical, question-and-answer format, and it includes a review of the general health effects observed following exposure.

- **Chapter 2: Relevance to Public Health**: The Relevance to Public Health Section evaluates, interprets, and assesses the significance of toxicity data to human health.
- **Chapter 3: Health Effects**: Specific health effects of a given hazardous compound are reported by type of health effect (death, systemic, immunologic, reproductive), by route of exposure, and by length of exposure (acute, intermediate, and chronic). In addition, both human and animal studies are reported in this section.

NOTE: Not all health effects reported in this section are necessarily observed in the clinical setting. Please refer to the Public Health Statement to identify general health effects observed following exposure.

Pediatrics: Four new sections have been added to each Toxicological Profile to address child health issues:

Chapter 1 How Can (Chemical X) Affect Children?

Chapter 1 How Can Families Reduce the Risk of Exposure to (Chemical X)?

Section 3.7 Children's Susceptibility Section 6.6 Exposures of Children

Other Sections of Interest:

Section 3.8 Biomarkers of Exposure and Effect Section 3.11 Methods for Reducing Toxic Effects

ATSDR Information Center

Phone: 1-800-CDC-INFO (800-232-4636) or 1-888-232-6348 (TTY)

Internet: http://www.atsdr.cdc.gov

The following additional material is available online at www.atsdr.cdc.gov:

Case Studies in Environmental Medicine—Case Studies are self-instructional publications designed to increase primary care provider's knowledge of a hazardous substance in the environment and to aid in the evaluation of potentially exposed patients.

Managing Hazardous Materials Incidents is a three-volume set of recommendations for on-scene (prehospital) and hospital medical management of patients exposed during a hazardous materials

PARATHION viii

incident. Volumes I and II are planning guides to assist first responders and hospital emergency department personnel in planning for incidents that involve hazardous materials. Volume III—

Medical Management Guidelines for Acute Chemical Exposures—is a guide for health care professionals treating patients exposed to hazardous materials.

Fact Sheets (ToxFAQsTM) provide answers to frequently asked questions about toxic substances.

Other Agencies and Organizations

The National Center for Environmental Health (NCEH) focuses on preventing or controlling disease, injury, and disability related to the interactions between people and their environment outside the workplace. Contact: NCEH, Mailstop F-29, 4770 Buford Highway, NE, Atlanta, GA 30341-3724 • Phone: 770-488-7000 • FAX: 770-488-7015.

The National Institute for Occupational Safety and Health (NIOSH) conducts research on occupational diseases and injuries, responds to requests for assistance by investigating problems of health and safety in the workplace, recommends standards to the Occupational Safety and Health Administration (OSHA) and the Mine Safety and Health Administration (MSHA), and trains professionals in occupational safety and health. Contact: NIOSH, 395 E Street, S.W., Suite 9200, Patriots Plaza Building, Washington, DC 20201 • Phone: (202) 245-0625 or 1-800-CDC-INFO (800-232-4636).

The National Institute of Environmental Health Sciences (NIEHS) is the principal federal agency for biomedical research on the effects of chemical, physical, and biologic environmental agents on human health and well-being. Contact: NIEHS, PO Box 12233, 104 T.W. Alexander Drive, Research Triangle Park, NC 27709 • Phone: 919-541-3212.

Publically Available Information

The Association of Occupational and Environmental Clinics (AOEC) has developed a network of clinics in the United States to provide expertise in occupational and environmental issues. Contact: AOEC, 1010 Vermont Avenue, NW, #513, Washington, DC 20005 • Phone: 202-347-4976 • FAX: 202-347-4950 • e-mail: AOEC@AOEC.ORG • Web Page: http://www.aoec.org/.

- The American College of Occupational and Environmental Medicine (ACOEM) is an association of physicians and other health care providers specializing in the field of occupational and environmental medicine. Contact: ACOEM, 25 Northwest Point Boulevard, Suite 700, Elk Grove Village, IL 60007-1030 Phone: 847-818-1800 FAX: 847-818-9266.
- The American College of Medical Toxicology (ACMT) is a nonprofit association of physicians with recognized expertise in medical toxicology. Contact: ACMT, 10645 North Tatum Boulevard, Suite 200-111, Phoenix AZ 85028 Phone: 844-226-8333 FAX: 844-226-8333 Web Page: http://www.acmt.net.
- The Pediatric Environmental Health Specialty Units (PEHSUs) is an interconnected system of specialists who respond to questions from public health professionals, clinicians, policy makers, and the public about the impact of environmental factors on the health of children and reproductive-aged adults. Contact information for regional centers can be found at http://pehsu.net/findhelp.html.

PARATHION ix

The American Association of Poison Control Centers (AAPCC) provide support on the prevention and treatment of poison exposures. Contact: AAPCC, 515 King Street, Suite 510, Alexandria VA 22314 • Phone: 701-894-1858 • Poison Help Line: 1-800-222-1222.

PARATHION x

PARATHION x

CONTRIBUTORS

CHEMICAL MANAGER(S)/AUTHOR(S):

Sam Keith, M.S., C.H.P.
Malcolm Williams, DVM, Ph.D.
Mike Fay, Ph.D.
Jewell Wilson, Ph.D.
ATSDR, Division of Toxicology and Human Health Sciences, Atlanta, GA

Fernando Llados, Ph.D. Heather Carlson-Lynch, M.S. David W. Wohlers, Ph.D. Courtney Hard, B.S. Mario Citra, Ph.D. SRC, Inc., North Syracuse, NY

THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

- 1. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying end points.
- 2. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific Minimal Risk Levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.
- 3. Data Needs Review. The Environmental Toxicology Branch reviews data needs sections to assure consistency across profiles and adherence to instructions in the Guidance.
- 4. Green Border Review. Green Border review assures the consistency with ATSDR policy.

PARATHION xii

PEER REVIEW

A peer review panel was assembled for parathion. The panel consisted of the following members:

- 1. Dr. Edward Levin, Psychology and Behavioral Sciences, School of Medicine, Duke University, Durham, North Carolina;
- 2. Dr. Falicia Edwards, Center for Environmental Health, College of Science, Engineering and Technology, Jackson State University, Jackson, Mississippi; and
- 3. Dr. Asa Bradman, Center for Environmental Research and Children's Health (CERCH), School of Public Health, University of California, Berkeley, Berkeley, California.

These experts collectively have knowledge of parathion's physical and chemical properties, toxicokinetics, key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

CONTENTS

| DISCLAIMER. | | ii |
|---------------|--|------|
| UPDATE STAT | TEMENT | iii |
| FOREWORD | | v |
| QUICK REFER | ENCE FOR HEALTH CARE PROVIDERS | vii |
| CONTRIBUTO | RS | xi |
| PEER REVIEW | , | xii |
| CONTENTS | | xiii |
| LIST OF FIGUI | RES | xvii |
| LIST OF TABL | ES | xix |
| | | |
| 1. PUBLIC HE | ALTH STATEMENT FOR PARATHION | 1 |
| | | |
| | E TO PUBLIC HEALTH | 7 |
| | GROUND AND ENVIRONMENTAL EXPOSURES TO PARATHION IN THE | |
| | ED STATES | |
| | IARY OF HEALTH EFFECTS | |
| 2.3 MINIM | MAL RISK LEVELS (MRLs) | 12 |
| | | |
| | FECTS | |
| | DUCTION | |
| | SSION OF HEALTH EFFECTS BY ROUTE OF EXPOSURE | |
| | nalation Exposure | |
| 3.2.1.1 | Death | |
| 3.2.1.2 | Systemic Effects | |
| 3.2.1.3 | Immunological and Lymphoreticular Effects | |
| 3.2.1.4 | Neurological Effects | |
| 3.2.1.5 | Reproductive Effects | |
| 3.2.1.6 | Developmental Effects | |
| 3.2.1.7 | Cancer | |
| | al Exposure | |
| 3.2.2.1 | Death | |
| 3.2.2.2 | Systemic Effects | |
| 3.2.2.3 | Immunological and Lymphoreticular Effects | |
| 3.2.2.4 | Neurological Effects | |
| 3.2.2.5 | Reproductive Effects | |
| 3.2.2.6 | Developmental Effects | |
| 3.2.2.7 | Cancer | |
| | ermal Exposure | |
| 3.2.3.1 | Death | |
| 3.2.3.2 | Systemic Effects | |
| 3.2.3.3 | Immunological and Lymphoreticular Effects | |
| 3.2.3.4 | Neurological Effects | |
| 3.2.3.5 | Reproductive Effects | |
| 3.2.3.6 | Developmental Effects | |
| 3.2.3.7 | Cancer | |
| | her Routes of Exposure | |
| | TOXICITY | |
| | COKINETICS | |
| 3.4.1 At | psorption | 80 |

| 3.4.1.1 Inhalation Exposure | |
|--|-----|
| 3.4.1.2 Oral Exposure | |
| 3.4.1.3 Dermal Exposure | 82 |
| 3.4.2 Distribution | |
| 3.4.2.1 Inhalation Exposure | |
| 3.4.2.2 Oral Exposure | |
| 3.4.2.3 Dermal Exposure | |
| 3.4.2.4 Other Routes of Exposure | |
| 3.4.3 Metabolism | |
| 3.4.4 Elimination and Excretion | |
| 3.4.4.1 Inhalation Exposure | |
| 3.4.4.2 Oral Exposure | |
| 3.4.4.3 Dermal Exposure | |
| 3.4.4.4 Other Routes of Exposure | |
| 3.4.5 Physiologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models | 103 |
| 3.5 MECHANISMS OF ACTION | |
| 3.5.1 Pharmacokinetic Mechanisms | |
| 3.5.2 Mechanisms of Toxicity | |
| 3.5.3 Animal-to-Human Extrapolations | |
| 3.6 TOXICITIES MEDIATED THROUGH THE NEUROENDOCRINE AXIS | |
| 3.7 CHILDREN'S SUSCEPTIBILITY | |
| 3.8 BIOMARKERS OF EXPOSURE AND EFFECT | |
| 3.8.1 Biomarkers Used to Identify or Quantify Exposure to Parathion | |
| 3.8.2 Biomarkers Used to Characterize Effects Caused by Parathion | |
| 3.9 INTERACTIONS WITH OTHER CHEMICALS | |
| 3.10 POPULATIONS THAT ARE UNUSUALLY SUSCEPTIBLE | |
| 3.11 METHODS FOR REDUCING TOXIC EFFECTS | |
| 3.11.1 Reducing Peak Absorption Following Exposure | |
| 3.11.2 Reducing Body Burden | |
| 3.11.3 Interfering with the Mechanism of Action for Toxic Effects | |
| | |
| 3.12.1 Existing Information on Health Effects of Parathion | 126 |
| 3.12.2 Identification of Data Needs | |
| 5.12.5 Oligonia studies | 140 |
| 4. CHEMICAL AND PHYSICAL INFORMATION | 151 |
| 4.1 CHEMICAL IDENTITY | |
| 4.2 PHYSICAL AND CHEMICAL PROPERTIES | |
| 4.2 THISICAL AND CHEMICAL I NOI ENTED | 131 |
| 5. PRODUCTION, IMPORT/EXPORT, USE, AND DISPOSAL | 155 |
| 5.1 PRODUCTION | |
| 5.3 USE | |
| 5.4 DISPOSAL | |
| | |
| 6. POTENTIAL FOR HUMAN EXPOSURE | 159 |
| 6.1 OVERVIEW | |
| 6.2 RELEASES TO THE ENVIRONMENT | |
| 6.2.1 Air | |
| 6.2.2 Water | |
| 6.2.3 Soil | |
| 63 ENVIRONMENTAL FATE | |

| 6.3.1 | Transport and Partitioning | 164 |
|------------------|--|-----|
| 6.3.2 | Transformation and Degradation | 169 |
| 6.3.2. | .1 Air | 169 |
| 6.3.2. | 2 Water | 170 |
| 6.3.2. | 3 Sediment and Soil | 172 |
| 6.3.2. | .4 Other Media | 174 |
| 6.4 LE | VELS MONITORED OR ESTIMATED IN THE ENVIRONMENT | 175 |
| 6.4.1 | Air | 175 |
| 6.4.2 | Water | 178 |
| 6.4.3 | Sediment and Soil | 180 |
| 6.4.4 | Other Environmental Media | |
| 6.5 GE | NERAL POPULATION AND OCCUPATIONAL EXPOSURE | 185 |
| 6.6 EX | POSURES OF CHILDREN | 192 |
| 6.7 PO | PULATIONS WITH POTENTIALLY HIGH EXPOSURES | 194 |
| 6.8 AD | DEQUACY OF THE DATABASE | 194 |
| 6.8.1 | Identification of Data Needs | 195 |
| 6.8.2 | Ongoing Studies | 197 |
| 7. ANALY | TICAL METHODS | 199 |
| | OLOGICAL MATERIALS | |
| 7.2 EN | VIRONMENTAL SAMPLES | 201 |
| 7.3 AD | DEQUACY OF THE DATABASE | 209 |
| 7.3.1 | Identification of Data Needs | |
| 7.3.2 | Ongoing Studies | 211 |
| 8. REGULA | ATIONS, ADVISORIES, AND GUIDELINES | 213 |
| 9. REFERE | INCES | 219 |
| 10. GLOSS | ARY | 251 |
| APPENDIC | | |
| | MINIMAL RISK LEVELS AND WORKSHEETS | |
| | GUIDE | |
| $C \Delta CRON$ | YMS ARREVIATIONS AND SYMBOLS | C-1 |

PARATHION xvi

PARATHION xvii

LIST OF FIGURES

| 3-1. | Levels of Significant Exposure to Parathion – Inhalation | 26 |
|------|---|-------|
| 3-2. | Levels of Significant Exposure to Parathion – Oral | 46 |
| 3-3. | Metabolism of Parathion | 95 |
| 3-4. | Conceptual Representation of a Physiologically Based Pharmacokinetic (PBPK) Model for a Hypothetical Chemical Substance | |
| 3-5. | Existing Information on Health Effects of Parathion | . 134 |
| 6-1. | Frequency of NPL Sites with Parathion Contamination. | . 160 |
| 6-2. | Degradation Pathways for Parathion | . 167 |

PARATHION xviii

PARATHION xix

LIST OF TABLES

| 3-1. | Levels of Significant Exposure to Parathion – Inhalation | 24 |
|--------------|--|-----|
| 3-2. | Levels of Significant Exposure to Parathion – Oral | 34 |
| 3-3. | Levels of Significant Exposure to Parathion – Dermal | 65 |
| 3-4. | Genotoxicity of Parathion In Vivo | 77 |
| 3-5. | Genotoxicity of Parathion In Vitro | 79 |
| 3-6. | In Vitro Estimates of Parathion Dermal Permeability | 86 |
| 3-7. | Concentration of Bound ³⁵ S in Tissues of Male Sprague-Dawley Rats 35 Minutes After a Single Dose of 29 mg/kg ³⁵ S Parathion Orally | 89 |
| 3-8. | Tissue Distribution of ¹⁴ C in Piglets 3 Hours After a Single Dose of 0.5 mg/kg ¹⁴ C-Parathion Intravenously | 91 |
| 3-9. | Concentrations of Parathion and its Metabolites in Piglets 3 Hours After a Single Dose of 0.5 mg/kg ¹⁴ C-Parathion Intravenously | 92 |
| 3-10 |). Partition Coefficients for Parathion in Mice and Rats | 93 |
| 3-11 | . CYP-Specific Metabolism of Parathion by Recombinant Human P450s | 97 |
| 3-12 | 2. Urinary Excretion of Parathion Metabolites in Volunteers Exposed Via Ingestion | 102 |
| 3-13 | 3. Ongoing Studies on Parathion | 147 |
| 1 -1. | Chemical Identity of Parathion | 152 |
| 1-2. | Physical and Chemical Properties of Parathion | 153 |
| 5-1. | Facilities that Processed Parathion in 2014 | 156 |
| 5-1. | Parathion Levels in Water, Soil, and Air of National Priorities List (NPL) Sites | 161 |
| 5-2. | Releases to the Environment from Facilities that Produce, Process, or Use Parathion | 163 |
| 5-3. | Bioconcentration Data for Parathion | 166 |
| 5-4. | Parathion Residues in Various Foods from 1994 to 2000 | 183 |
| 5-5. | Geometric Mean and Selected Percentiles of Urine Concentrations of Urinary <i>p</i> -Nitrophenol (in μg/L) for the U.S. Population from the National Health and Nutrition Examination Survey (NHANES IV) | 188 |

PARATHION xx

| 6-6. | Geometric Mean and Selected Percentiles of Urine Concentrations of Urinary <i>p</i> -Nitrophenol (Creatinine Corrected) (in µg/g) for the U.S. Population from the National Health and Nutrition Examination Survey (NHANES IV) | . 190 |
|------|---|-------|
| 7-1. | Analytical Methods for Determining Parathion and Transformation Products in Biological Samples | 200 |
| 7-2. | Analytical Methods for Determining Parathion and Transformation Products in Environmental Samples | 202 |
| 8-1. | Regulations, Advisories, and Guidelines Applicable to Parathion | 215 |