

CHAPTER 8. REFERENCES

- Abdellatif AG, Preat V, Vamecq J, et al. 1990. Peroxisome proliferation and modulation of rat liver carcinogenesis by 2,4-dichlorophenoxyacetic acid, 2,4,5-trichlorophenoxyacetic acid, perfluorooctanoic acid and nafenopin. *Carcinogenesis* 11(11):1899-1902.
- Ahmadi F, Bakhshandeh F. 2009. In vitro study of damaging effects of 2,4-dichlorophenoxyacetic acid on DNA structure by spectroscopic and voltammetric techniques. *DNA Cell Biol* 28(10):527-533. <http://doi.org/10.1089/dna.2009.0892>.
- Ahmed FE, Hart RW, Lewis NJ. 1977. Pesticide induced DNA damage and its repair in cultured human cells. *Mutat Res* 42(2):161-174.
- Alavanja MCR, Samanic C, Dosemeci M, et al. 2003. Use of agricultural pesticides and prostate cancer risk in the agricultural health study cohort. *Am J Epidemiol* 57(9):800-814.
- Alexander BH, Mandel JS, Baker BA, et al. 2007. Biomonitoring of 2,4-dichlorophenoxyacetic acid exposure and dose in farm families. *Environ Health Perspect* 115(3):370-376. <http://doi.org/10.1289/ehp.8869>.
- Amer SM, Aly FA. 2001. Genotoxic effect of 2,4-dichlorophenoxy acetic acid and its metabolite 2,4-dichlorophenol in mouse. *Mutat Res* 494(1-2):1-12.
- Andreotti G, Beane Freeman LE, Hou L, et al. 2009. Agricultural pesticide use and pancreatic cancer risk in the Agricultural Health Study cohort. *Int J Cancer* 124(10):2495-2500.
- Andreotti G, Hoppin JA, Hou L, et al. 2015. Pesticide use and relative leukocyte telomere length in the Agricultural Health Study. *PLoS ONE* 10(7):1-10.
- Aprea C, Sciarra G, Bozzi N. 1997. Analytical methods for the determination of urinary 2,4-dichlorophenoxyacetic acid and 2-methyl-4-chlorophenoxyacetic acid in occupationally exposed subjects and in the general population. *J Anal Toxicol* 21(4):262-267.
- Arbuckle TE, Lin Z, Mery LS. 1999. Exposure to phenoxy herbicides and the risk of spontaneous abortion. *Epidemiology* 10:752-760.
- Arbuckle TE, Bruce D, Ritter L, et al. 2001. An exploratory analysis of the effect of pesticide exposure on the risk of spontaneous abortion in an Ontario farm population. *Environ Health Perspect* 109(8):851-857.
- Arbuckle TE, Savitz DA, Mery LS, et al. 2006. Indirect sources of herbicide exposure for families on Ontario farms. *J Expo Sci Environ Epidemiol* 16(1):98-104. <http://doi.org/10.1038/sj.jea.7500441>.
- Arcury TA, Grzywacz JG, Barr DB, et al. 2007. Pesticide urinary metabolite levels of children in eastern North Carolina farmworker households. *Environ Health Perspect* 115(8):1254-1260. <http://doi.org/10.1289/ehp.9975>.
- Arcury TA, Grzywacz JG, Talton JW, et al. 2010. Repeated pesticide exposure among North Carolina migrant and seasonal farmworkers. *Am J Ind Med* 53(8):802-813. <http://doi.org/10.1002/ajim.20856>.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles: Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- ATSDR. 2019. National Priorities List (NPL) data: 2,4-D. Agency for Toxic Substances and Disease Registry. <https://www.epa.gov/superfund/superfund-national-priorities-list-npl>. July 20, 2018.
- Aylward LL, Morgan MK, Arbuckle TE, et al. 2010. Biomonitoring data for 2,4-dichlorophenoxyacetic acid in the United States and Canada: Interpretation in a public health risk assessment context using biomonitoring equivalents. *Environ Health Perspect* 118(2):177-181. <http://doi.org/10.1289/ehp.0900970>.
- Badawi AF, Cavalieri EL, Rogan EG. 2000. Effect of chlorinated hydrocarbons on expression of cytochrome P450 1A1, 1A2 and 1B1 and 2- and 4-hydroxylation of 17beta-estradiol in female Sprague-Dawley rats. *Carcinogenesis* 21(8):1593-1599.

8. REFERENCES

- Bakke B, De Roos AJ, Barr DB, et al. 2009. Exposure to atrazine and selected non-persistent pesticides among corn farmers during a growing season. *J Expo Sci Environ Epidemiol* 19(6):544-554. <http://doi.org/10.1038/jes.2008.53>.
- Band PR, Abanto Z, Bert J, et al. 2011. Prostate cancer risk and exposure to pesticides in British Columbia farmers. *Prostate* 71(2):168-183. <http://doi.org/10.1002/pros.21232>.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486.
- Bartley TJ, Hattrup AJ. 1970. 2,4-D contamination and persistence in irrigation water. *Proc West Soc Weed Sci* 23:10-33.
- Baur JR, Bovey RW. 1974. Ultraviolet and volatility loss of herbicides. *Arch Environ Contam Toxicol* 2(3):275-288.
- Beard JD, Hoppin JA, Richards M, et al. 2013. Pesticide exposure and self-reported incident depression among wives in the Agricultural Health Study. *Environ Res* 126:31-42.
- Becher H, Flesch-Jany D, Kauppinen T, et al. 1996. Cancer mortality in German male workers exposed to phenoxy herbicides and dioxins. *Cancer Causes Control* 7(3):312-321.
- Bergesse JR, Balegno HF. 1995. 2,4-Dichlorophenoxyacetic acid influx is mediated by an active transport system in Chinese hamster ovary cells. *Toxicol Lett* 81(2-3):167-173.
- Berkley MC, Magee KR. 1963. Neuropathy following exposure to a dimethylamine salt of 2,4-D. *Arch Intern Med* 111(3):351-352. <http://doi.org/10.1001/archinte.1963.03620270077012>.
- Berndt WO, Koschier F. 1973. In vitro uptake of 2,4-dichlorophenoxyacetic acid (2,4-D) and 2,4,5-trichlorophenoxyacetic acid (2,4,5-T) by renal cortical tissue of rabbits and rats. *Toxicol Appl Pharmacol* 26(4):559-570.
- Berwick P. 1970. 2,4-Dichlorophenoxyacetic acid poisoning in man: Some interesting clinical and laboratory findings. *J Am Med Assoc* 214(6):1114-1117.
- Beseler C, Stallones L, Hoppin JA, et al. 2006. Depression and pesticide exposures in female spouses of licensed pesticide applicators in the Agricultural Health Study cohort. *J Occup Environ Med* 48(10):1005-1013.
- Bhatti P, Blair A, Bell EM, et al. 2010. Predictors of 2,4-dichlorophenoxyacetic acid exposure among herbicide applicators. *J Expo Sci Environ Epidemiol* 20(2):160-168. <http://doi.org/10.1038/jes.2009.14>.
- Bidleman TE. 1988. Atmospheric processes. Wet and dry deposition of organic compounds are controlled by their vapor-particle partitioning. *Environ Sci Technol* 22(4):361-367.
- Bloemen LJ, Mandel JS, Bond GG, et al. 1993. An update of mortality among chemical workers potentially exposed to the herbicide 2,4-dichlorophenoxyacetic acid and its derivatives. *J Occup Med* 35(12):1208-1212.
- Boers D, Portengen L, Bueno-de-Mesquita HB, et al. 2010. Cause-specific mortality of Dutch chlorophenoxy herbicide manufacturing workers. *Occup Environ Med* 67(1):24-31. <http://doi.org/10.1136/oem.2008.044222>.
- Bond GG, Wetterstroem NH, Roush GJ, et al. 1988. Cause specific mortality among employees engaged in the manufacture, formulation, or packaging of 2,4-dichlorophenoxyacetic acid and related salts. *Br J Ind Med* 45(2):98-105.
- Bortolozzi AA, Duffard RO, Evangelista De Duffard AM. 1999. Behavioral alterations induced in rats by a pre- and postnatal exposure to 2,4-dichlorophenoxyacetic acid. *Neurotoxicol Teratol* 21(4):451-465.
- Bortolozzi A, Duffard R, Evangelista De Duffard AM. 2003. Asymmetrical development of the monoamine systems in 2,4-dichlorophenoxyacetic acid treated rats. *Neurotoxicology* 24(1):149-157.
- Bortolozzi A, Duffard RO, Rubio M, et al. 1998. Regionally specific changes in central brain monoamine levels by 2,4-dichlorophenoxyacetic acid in acute treated rats. *Neurotoxicology* 19(6):839-851.

8. REFERENCES

- Bortolozzi A, Evangelista de Duffard AM, Dajas F, et al. 2001. Intracerebral administration of 2,4-dichlorophenoxyacetic acid induces behavioral and neurochemical alterations in the rat brain. *Neurotoxicology* 22(2):221-232.
- Bortolozzi A, Duffard R, Antonelli M, et al. 2002. Increased sensitivity in dopamine D2-like brain receptors from 2,4-dichlorophenoxyacetic acid (2,4-D)-exposed and amphetamine-challenged rats. *Ann N Y Acad Sci* 965:314-323.
- Bortolozzi AA, Evangelista De Duffard AM, Duffard RO, et al. 2004. Effects of 2,4-dichlorophenoxyacetic acid exposure on dopamine D2-like receptors in rat brain. *Neurotoxicol Teratol* 26(4):599-605. <http://doi.org/10.1016/j.ntt.2004.04.001>.
- Botre C, Botre F, Mazzei F. 2000. Inhibition-based biosensors for the detection of environmental contaminants: Determination of 2,4-dichlorophenoxyacetic acid. *Environ Toxicol Chem* 19(12):2876-2881.
- Bradberry SM, Watt BE, Proudfoot AT, et al. 2000. Mechanisms of toxicity, clinical features, and management of acute chlorophenoxy herbicide poisoning: A review. *J Toxicol Clin Toxicol* 38(2):111-122.
- Brand RM, Spalding M, Mueller C. 2002. Sunscreens can increase dermal penetration of 2,4-dichlorophenoxyacetic acid. *J Toxicol Clin Toxicol* 40(7):827-832.
- Brand RM, Jendrzejewski JL, Charron AR. 2007a. Potential mechanisms by which a single drink of alcohol can increase transdermal absorption of topically applied chemicals. *Toxicology* 235(3):141-149. <http://doi.org/10.1016/j.tox.2007.03.008>.
- Brand RM, Pike J, Wilson RM, et al. 2003. Sunscreens containing physical UV blockers can increase transdermal absorption of pesticides. *Toxicol Ind Health* 19(1):9-16.
- Brand RM, Charron AR, Dutton L, et al. 2004. Effects of chronic alcohol consumption on dermal penetration of pesticides in rats. *J Toxicol Environ Health A* 67(2):153-161. <http://doi.org/10.1080/15287390490264794>.
- Brand RM, McMahon L, Jendrzejewski JL, et al. 2007b. Transdermal absorption of the herbicide 2,4-dichlorophenoxyacetic acid is enhanced by both ethanol consumption and sunscreen application. *Food Chem Toxicol* 45(1):93-97. <http://doi.org/10.1016/j.fct.2006.08.005>.
- Brown LM, Burmeister LF, Everett GD, et al. 1993. Pesticide exposures and multiple myeloma in Iowa men. *Cancer Causes Control* 4(2):153-156.
- Brusco A, Saavedra JP, Garcia G, et al. 1997. 2,4-Dichlorophenoxyacetic acid through lactation induces astrogliosis in rat brain. *Mol Chem Neuropathol* 30(3):175-185.
- Bucheli TD, Mueller SR, Heberle S, et al. 1998. Occurrence and behavior of pesticides in rainwater, roof runoff, and artificial stormwater infiltration. *Environ Sci Technol* 32(22):3457-3464.
- Bueno De Mesquita HB, Doornbos G, Van Der Kuip DA, et al. 1993. Occupational exposure to phenoxy herbicides and chlorophenols and cancer mortality in the Netherlands. *Am J Ind Med* 23(2):289-300.
- Bugbee GJ, White JC, Krol WJ. 2003. Control of variable watermilfoil in Bashan Lake, CT with 2,4-D: Monitoring of lake and well water. *J Aquat Plant Manage* 41:18-25.
- Buist SCN, Cherrington NJ, Choudhuri S, et al. 2002. Gender-specific and developmental influences on the expression of rat organic anion transporters. *J Pharmacol Exp Ther* 301(1):145-151.
- Burns CJ, Swaen GM. 2012. Review of 2,4-dichlorophenoxyacetic acid (2,4-D) biomonitoring and epidemiology. *Crit Rev Toxicol* 42(9):768-786. <http://doi.org/10.3109/10408444.2012.710576>.
- Burns CJ, Beard KK, Cartmill JB. 2001. Mortality in chemical workers potentially exposed to 2,4-dichlorophenoxyacetic acid (2,4-D) 1945-94: An update. *Occup Environ Med* 58(1):24-30.
- Burns C, Bodner K, Swaen G, et al. 2011. Cancer incidence of 2,4-D production workers. *Int J Environ Res Public Health* 8(9):3579-3590. <http://doi.org/10.3390/ijerph8093579>.
- Cantor KP, Blair A, Everett G, et al. 1992. Pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota. *Cancer Res* 52(9):2447-2455.

8. REFERENCES

- Carlo GL, Cole P, Miller AB, et al. 1992. Review of a study reporting an association between 2,4-dichlorophenoxyacetic acid and canine malignant lymphoma: Report of an expert panel. *Regul Toxicol Pharmacol* 16(3):245-252.
- CDC. 2009. Fourth national report on human exposure to environmental chemicals. Atlanta, GA: Centers for Disease Control and Prevention. <http://www.cdc.gov/exposurereport/pdf/fourthreport.pdf>. August 27, 2015.
- CDC. 2012. 2,4-D; Order denying NRDC's petition to revoke tolerances. 40 CFR Part 180. *Fed Regist* 77(75):23135-23158.
- CDC. 2013. Fourth national report on human exposure to environmental chemicals, updated tables. Atlanta, GA: Centers for Disease Control and Prevention. <http://www.cdc.gov/exposurereport/>. September 21, 2015.
- CDC. 2015. Fourth national report on human exposure to environmental chemicals, updated tables (February 2015). Centers for Disease Control and Prevention. http://www.cdc.gov/biomonitoring/pdf/FourthReport_UpdatedTables_Feb2015.pdf. December 14, 2015.
- CDC. 2019. Fourth national report on human exposure to environmental chemicals, updated tables. January 2019. Centers for Disease Control and Prevention, U.S. Department of Health and Human Services. 17-22, 27. <https://www.cdc.gov/exposurereport/>. May 5, 2019.
- Chamberlain E, Shi H, Wang T, et al. 2012. Comprehensive screening study of pesticide degradation via oxidation and hydrolysis. *J Agric Food Chem* 60(1):354-363. <http://doi.org/10.1021/jf2033158>.
- Charles JM, Bond DM, Jeffries TK, et al. 1996a. Chronic dietary toxicity/oncogenicity studies on 2,4-dichlorophenoxyacetic acid in rodents. *Fundam Appl Toxicol* 33(2):166-172.
- Charles JM, Cunny HC, Wilson RD, et al. 1996b. Comparative subchronic studies on 2,4-dichlorophenoxyacetic acid, amine, and ester in rats. *Fundam Appl Toxicol* 33(2):161-165.
- Charles JM, Dalgard DW, Cunny HC, et al. 1996c. Comparative subchronic and chronic dietary toxicity studies on 2,4-dichlorophenoxyacetic acid, amine, and ester in the dog. *Fundam Appl Toxicol* 29(1):78-85.
- Charles JM, Cunny HC, Wilson RD, et al. 1999a. Ames assays and unscheduled DNA synthesis assays on 2,4-dichlorophenoxyacetic acid and its derivatives. *Mutat Res* 444(1):207-216.
- Charles JM, Cunny HC, Wilson RD, et al. 1999b. In vivo micronucleus assays on 2,4-dichlorophenoxyacetic acid and its derivatives. *Mutat Res* 444(1):227-234.
- Charles JM, Hanley TR, Wilson RD, et al. 2001. Developmental toxicity studies in rats and rabbits on 2,4-dichlorophenoxyacetic acid and its forms. *Toxicol Sci* 60(1):121-131.
- Chaturvedi AK, Kuntz DJ, Rao NGS. 1991. Metabolic aspects of the toxicology of mixtures of parathion, toxaphene and/or 2,4-D in mice. *J Appl Toxicol* 11(4):245-251.
- Chernoff N, Setzer RW, Miller DB, et al. 1990. Effects of chemically induced maternal toxicity on prenatal development in the rat. *Teratology* 42(6):651-658. <http://doi.org/10.1002/tera.1420420610>.
- Clausen M, Leier G, Witte I. 1990. Comparison of the cytotoxicity and DNA-damaging properties of 2,4-D and U 46 D fluid (dimethylammonium salt of 2,4-D). *Arch Toxicol* 64(6):497-501.
- Clewel HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Cocco P, Satta G, Dubois S, et al. 2013. Lymphoma risk and occupational exposure to pesticides: Results of the epilymph study. *Occup Environ Med* 70(2):91-98. <http://doi.org/10.1136/oemed-2012-100845>.
- Coggon D, Pannett B, Winter P. 1991. Mortality and incidence of cancer at four factories making phenoxy herbicides. *Br J Ind Med* 48(3):173-178.
- Cohen S, Svrtcek A, Durborow T, et al. 1999. Water quality impacts by golf courses. *J Environ Qual* 28(3):798-809.
- Collins TF, Williams CH. 1971. Teratogenic studies with 2,4,5-T and 2,4-D in the hamster. *Bull Environ Contam Toxicol* 6(6):559-567.

8. REFERENCES

- Colt JS, Lubin J, Camann D, et al. 2004. Comparison of pesticide levels in carpet dust and self-reported pest treatment practices in four US sites. *J Expo Anal Environ Epidemiol* 14(1):74-83.
<http://doi.org/10.1038/sj.jea.7500307>.
- Crosby DG, Tutass HO. 1966. Photodecomposition of 2,4-dichlorophenoxyacetic acid. *J Agric Food Chem* 14(6):596-599.
- Curwin BD, Hein MJ, Sanderson WT, et al. 2005a. Urinary and hand wipe pesticide levels among farmers and nonfarmers in Iowa. *J Expo Anal Environ Epidemiol* 15(6):500-508.
<http://doi.org/10.1038/sj.jea.7500428>.
- Curwin BD, Hein MJ, Sanderson WT, et al. 2005b. Pesticide contamination inside farm and nonfarm homes. *J Occup Environ Hyg* 2(7):357-367. <http://doi.org/10.1080/15459620591001606>.
- De Roos AJ, Zahm SH, Cantor KP, et al. 2003. Integrative assessment of multiple pesticides as risk factors for non-Hodgkin's lymphoma among men. *Occup Environ Med* 60:E11.
- De Roos AJ, Cooper GS, Alavanja MC, et al. 2005. Rheumatoid arthritis among women in the Agricultural Health Study: Risk associated with farming activities and exposures. *Ann Epidemiol* 15:762-770.
- Dhillon AS, Tarbutton GL, Levin JL, et al. 2008. Pesticide/environmental exposures and Parkinson's disease in east Texas. *J Agromedicine* 13(1):37-48.
- Dickow LM, Podell M, Gerken DF. 2000. Clinical effects and plasma concentration determination after 2,4-dichlorophenoxyacetic acid 200 mg/kg administration in the dog. *J Toxicol Clin Toxicol* 38(7):747-753.
- Dinamarca VM, Hidalgo ME, Cavieres MF. 2007. Lack of effects of 2,4-dichlorophenoxyacetic acid administration on markers of oxidative stress during early pregnancy in mice. *Toxicology* 237(1-3):104-110. <http://doi.org/10.1016/j.tox.2007.05.002>.
- DOE. 2018a. Protective Actions Criteria (PAC): Definitions of terminology. U.S. Department of Energy. <https://sp.eota.energy.gov/pac/>. May 16, 2019.
- DOE. 2018b. Table 3: Protective Action Criteria (PAC) Rev. 29a based on applicable 60-minute AEGLs, ERPGs, or TEELs. U.S. Department of Energy.
https://sp.eota.energy.gov/pac/docs/Revision_29A_Table3.pdf. May 16, 2019.
- Donald DB, Cessna AJ, Sverko E, et al. 2007. Pesticides in surface drinking-water supplies of the northern Great Plains. *Environ Health Perspect* 115(8):1183-1191. <http://doi.org/10.1289/ehp.9435>.
- Doucette WJ. 2000. Soil and sediment sorption coefficients. In: Boethling RS, MacKay D, eds. *Handbook of property estimation methods for chemicals. Environmental and health sciences*. Boca Raton, FL: Lewis Publishers, 141-188.
- Draper WM. 1982. A multiresidue procedure for the determination and confirmation of acidic herbicide residues in human urine. *J Agric Food Chem* 30(2):227-231.
- Drill VA, Hiratzka T. 1953. Toxicity of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. A report on their acute and chronic toxicity in dogs. *AMA Arch Ind Hyg Occup Med* 7(1):61-67.
- Dudley AWJ, Thapar NT. 1972. Fatal human ingestion of 2,4-D, a common herbicide. *Arch Pathol* 94(3):270-275.
- Duff RM, Kissel JC. 1996. Effect of soil loading on dermal absorption efficiency from contaminated soils. *J Toxicol Environ Health* 48(1):93-106. <http://doi.org/10.1080/009841096161492>.
- Duffard R, Garcia G, Rosso S, et al. 1996. Central nervous system myelin deficit in rats exposed to 2,4-dichlorophenoxyacetic acid throughout lactation. *Neurotoxicol Teratol* 18(6):691-696.
- Duggan RE, Corneliusen PE, Duggan MB, et al. 1983. Pesticide residue levels in foods in the United States from July 1, 1969 to June 30, 1976: Summary. *J Assoc Off Anal Chem* 66(6):1534-1535.
- Durakovic Z, Durakovic A, Durakovic S, et al. 1992. Poisoning with 2,4-dichlorophenoxyacetic acid treated by hemodialysis. *Arch Toxicol* 66(7):518-521.
- Durkin P, Hertzberg R, Diamond G. 2004. Application of PBPK model for 2,4-D to estimates of risk in backpack applicators. *Environ Toxicol Pharmacol* 16(1-2):73-91.
<http://doi.org/10.1016/j.etap.2003.09.003>.

8. REFERENCES

- Eder G, Weber K. 1980. Chlorinated phenols in sediments and suspended matter of the Weser estuary. *Chemosphere* 9(2):111-119.
- Ekstrom AM, Eriksson M, Hansson L, et al. 1999. Occupational exposures and risk of gastric cancer in a population-based case-control study. *Cancer Res* 59:5932-5937.
- Ellgehausen H, Guth JA, Esser HO. 1980. Factors determining the bioaccumulation potential of pesticides in the individual compartments of aquatic food chains. *Ecotoxicol Environ Saf* 4:134-157.
- Elo HA, Ylitalo P. 1979. Distribution of 2-methyl-4-chlorophenoxyacetic acid and 2,4-dichlorophenoxyacetic acid in male rats: Evidence for the involvement of the central nervous system in their toxicity. *Toxicol Appl Pharmacol* 51(3):439-446.
- Elo HA, Hervonen H, Ylitalo P. 1988. Comparative study on cerebrovascular injuries by three chlorophenoxyacetic acids (2,4-D, 2,4,5-T and MCPA). *Comp Biochem Physiol C* 90(1):65-68.
- Engel LS, Hill DA, Hoppin JA, et al. 2005. Pesticide use and breast cancer risk among farmers' wives in the Agricultural Health Study. *Am J Epidemiol* 161(2):121-135.
- Ensminger MP, Budd R, Kelley KC, et al. 2013. Pesticide occurrence and aquatic benchmark exceedances in urban surface waters and sediments in three urban areas of California, USA, 2008-2011. *Environ Monit Assess* 185(5):3697-3710. <http://doi.org/10.1007/s10661-012-2821-8>.
- EPA. 1976. Effects, uptake, and metabolism of methoxychlor, mirex, and 2,4-D in seaweeds. Gulf Breeze, FL: U.S. Environmental Protection Agency. EPA600376048.
- EPA. 1980. Adsorption, movement, and biological degradation of large concentrations of selected pesticides in soils. Cincinnati, OH: U.S. Environmental Protection Agency.
- EPA. 1982. Retention and transformations of selected pesticides and phosphorus in soil-water systems: A critical review. Athens, GA: U.S. Environmental Protection Agency. EPA600S382060.
- EPA. 1984. Memorandum: Review of subchronic feeding studies in mice and rats for inclusion in 2,4-D file. [Releasable agency review for MRID 00131303 and 00131304]. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1985. Memorandum: Accession No. No. 254708. Interim 52-week report on 2,4-D acid (2,4-dichlorophenoxy acetic acid). Chronic feeding/oncogenicity study in rats submitted by the 2,4-D industry task force on research data. [Releasable agency review for MRID 00160876]. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1986. Data evaluation report. Effects of 2,4-D on two-generations of reproduction in rats. [Releasable agency review for MRID 00150557]. U.S. Environmental Protection Agency.
- EPA. 1987a. Data evaluation report: Oncogenicity study in mice with 2,4-dichlorophenoxy-acetic acid (2,4-D). [Releasable agency review for MRID 40061801]. U.S. Environmental Protection Agency.
- EPA. 1987b. Data evaluation report. Addendum to the study of 2,4-D on two-generations of reproduction in rats: Correction to histopathology of the kidneys. [Releasable agency for MRID 00163996]. U.S. Environmental Protection Agency.
- EPA. 1988a. Pesticides in ground water data base 1988 interim report. U.S. Environmental Protection Agency. <http://nepis.epa.gov/Adobe/PDF/2000O1PT.PDF>. September 22, 2015.
- EPA. 1991a. 21-Day dermal irritation and dermal toxicity study in rabbits with 2,4-dichlorophenoxyacetic acid. [Releasable agency review for MRID 41735301 and 41735301]. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1991b. Puget Sound Pesticide Reconnaissance Survey, 1990. Seattle, WA: U.S. Environmental Protection Agency. 125. <http://nepis.epa.gov/Exe/ZyPDF.cgi?Dockey=9100YQ44.PDF>. October 1, 2015.
- EPA. 1992. Data evaluation report. 2,4-Dichlorophenoxyacetic acid: Generic data submission as required in the 2,4-D registration standard. [Releasable agency review for MRID 42232701]. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1995a. Method 515.1. Determination of chlorinated acids in water by gas chromatography with an electron capture detector. Cincinnati, OH: U.S. Environmental Protection Agency, National Exposure Research Laboratory, Office of Research and Development. 515.511-511-515.511-534.

8. REFERENCES

- https://owpubauthor.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_11_06_methods_method_515_1.pdf. September 25, 2015.
- EPA. 1996a. Data evaluation record. Combined chronic toxicity/carcinogenicity study on 2,4-dichlorophenoxyacetic acid (2,4-D). U.S. Environmental Protection Agency.
- EPA. 1996b. Data Evaluation Record. Carcinogenicity study - mice. 2,4-Dichlorophenoxyacetic acid (2,4-D) [MRIDs evaluated: 43879801 & 43597201] U.S. Environmental Protection Agency.
- EPA. 2004. Environmental Fate and Effects Division's risk assessment for the Reregistration Eligibility Document for 2,4-dichlorophenoxyacetic acid (2,4-D) U.S. Environmental Protection Agency. EPA200401670003. <http://www.regulations.gov/#/documentDetail;D=EPA-HQ-OPP-2004-0167-0003>. January 27, 2016.
- EPA. 2005a. Reregistration eligibility decision for 2,4-D. U.S. Environmental Protection Agency. http://www.epa.gov/pesticides/reregistration/REDs/24d_red.pdf. August 27, 2015.
- EPA. 2005b. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. EPA260B05001.
- EPA. 2008. Data evaluation record. 2,4-D: Review of a 28-day subchronic inhalation toxicity study in rats via nose only exposures [MRIDs evaluated: 47398701] U.S. Environmental Protection Agency.
- EPA. 2009. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency. EPA816F090004. <http://water.epa.gov/drink/contaminants/upload/mcl-2.pdf>. March 4, 2015.
- EPA. 2012. 2012 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA822S12001. <http://water.epa.gov/action/advisories/drinking/upload/dwstandards2012.pdf>. March 4, 2015.
- EPA. 2015a. Chemical data access tool (CDAT). 2012 Chemical data reporting (CDR), Acetic acid, 2-(2,4-dichlorophenoxy). CAS Number: 94-75-7. U.S. Environmental Protection Agency. http://java.epa.gov/oppt_chemical_search/. December 7, 2015.
- EPA. 2015b. Monitoring unregulated drinking water contaminants. National Contaminant Occurrence Database (NCOD). Six-Year Review 2 Contaminant Occurrence Data (1998-2005). U.S. Environmental Protection Agency. <http://www.epa.gov/dwucmr/national-contaminant-occurrence-database-ncod>. September 16, 2015.
- EPA. 2015c. EDSP: Weight of evidence analysis of potential interaction with estrogen, androgen or thyroid pathways. Chemical: 2,4-Dichlorophenoxy acetic acid (2,4-D). Washington, DC: U.S. Environmental Protection Agency. http://www2.epa.gov/sites/production/files/2015-06/documents/24-d-030001_2015-06-29_txr0057151.pdf. August 27, 2015.
- EPA. 2015d. Memorandum. 2,4-D: Data evaluation records (DERs) for EDSP tier 1 assays [MRIDs evaluated: 48317002, 48614301, 48614302, 48614303, 48614304, 48317001 & 48614305]. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 2016a. Registration of enlist duo. U.S. Environmental Protection Agency. <https://www.epa.gov/ingredients-used-pesticide-products/registration-enlist-duo>. December 6, 2016.
- EPA. 2016b. Compiled Acute Exposure Guideline Levels (AEGLs) values. U.S. Environmental Protection Agency. https://19january2017snapshot.epa.gov/aegl/compiled-acute-exposure-guideline-values-aegls_.html. May 17, 2019.
- EPA. 2017. 2,4-D. Revised human health risk assessment for registration review. U.S. Environmental Protection Agency. EPA-HQ-OPP-2012-0330-0086. DP Barcode: D442471. <https://www.regulations.gov/document?D=EPA-HQ-OPP-2012-0330-0086>. May 16, 2019.
- EPA. 2018. 2018 Edition of the drinking water standards and health advisories tables. Washington, DC: U.S. Environmental Protection Agency. EPA822F18001. <https://www.epa.gov/sites/production/files/2018-03/documents/dwtable2018.pdf>. May 16, 2019.
- Epstein SS, Arnold E, Andrea J, et al. 1972. Detection of chemical mutagens by the dominant lethal assay in the mouse. *Toxicol Appl Pharmacol* 23:288-325.

8. REFERENCES

- Eriksson M, Hardell L, Carlberg M, et al. 2008. Pesticide exposure as risk factor for non-Hodgkin lymphoma including histopathological subgroups analysis. *Int J Cancer* 123(7):1657-1663.
- Evangelista de Duffard AM, Bortolozzi A, Duffard RO. 1995. Altered behavioral responses in 2,4-dichlorophenoxyacetic acid treated and amphetamine challenged rats. *Neurotoxicology* 16(3):479-488.
- Eyres W. 2009. Water chestnut (*Trapa natans L.*) infestation in the Susquehanna River Watershed: Population assessment, control, and effects. Oneonta, NY: State University of New York College at Oneonta. Occasional Paper No. 44. <http://www.oneonta.edu/academics/biofld/PUBS/OP/W.%20Eyres%20Thesis%202009%20OP%204.pdf>. January 26, 2016.
- Fang SC, Lindstrom FT. 1980. In vitro binding of 14C-labeled acidic compounds to serum albumin and their tissue distribution in the rat. *J Pharmacokinet Biopharm* 8(6):583-597.
- Farwell SO, Robinson E, Powell WJ, et al. 1976. Survey of airborne 2,4-D in south-central Washington. *J Air Pollut Control Assoc* 26(3):224-230.
- Faustini A, Settimi L, Pacifici R, et al. 1996. Immunological changes among farmers exposed to phenoxy herbicides: Preliminary observations. *Occup Environ Med* 53(9):583-585.
- FDA. 2005. Total Diet Study Market Baskets 2004-1 through 2005-4. College Park, MD: U.S. Food and Drug Administration. 1-36. <http://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291686.pdf>. September 21, 2015.
- FDA. 2017. Subpart B-Requirements for specific standardized beverages. U.S. Food and Drug Administration. Code of Federal Regulations. CFR 165.110. <https://www.govinfo.gov/content/pkg/CFR-2017-title21-vol2/pdf/CFR-2017-title21-vol2-sec165-110.pdf>. May 16, 2019.
- FDA. 2018. Substances added to food. Silver Spring, MD: U.S. Food and Drug Administration. <https://www.accessdata.fda.gov/scripts/fdcc/?set=FoodSubstances>. May 16, 2019.
- Feldmann RJ, Maibach HI. 1974. Percutaneous penetration of some pesticides and herbicides in man. *Toxicol Appl Pharmacol* 28(1):126-132.
- Ferri A, Duffard R, de Duffard AM. 2007. Selective oxidative stress in brain areas of neonate rats exposed to 2,4-dichlorophenoxyacetic acid through mother's milk. *Drug Chem Toxicol* 30(1):17-30. <http://doi.org/10.1080/01480540601017629>.
- Ferri A, Duffard R, Sturtz N, et al. 2003. Iron, zinc and copper levels in brain, serum and liver of neonates exposed to 2,4-dichlorophenoxyacetic acid. *Neurotoxicol Teratol* 25(5):607-613.
- Figgs LW, Holland NT, Rothmann N, et al. 2000. Increased lymphocyte replicative index following 2,4-dichlorophenoxyacetic acid herbicide exposure. *Cancer Causes & Control* 11(4):373-380.
- Flower KB, Hoppin JA, Lynch CF, et al. 2004. Cancer risk and parental pesticide application in children of Agricultural Health Study participants. *Environ Health Perspect* 112(5):631-635.
- Fofana D, Kobae H, Oku S, et al. 2000. Prenatal developmental effects of pure 2,4-dichlorophenoxyacetic acid (2,4-D) on the rat. *Congenit Anom (Kyoto)* 40(4):287-296.
- Fofana D, Kobae H, Sameshima K, et al. 2002. Postnatal survival of rat offspring prenatally exposed to pure 2,4-dichlorophenoxyacetic acid (2,4-D). *Congenit Anom (Kyoto)* 42(1):32-35.
- Fontana A, Prastaro C, Vineis P, et al. 1998. Incidence rates of lymphomas and environmental measurements of phenoxy herbicides: Ecological analysis and case-control study. *Arch Environ Health* 53(6):384-387.
- Foster RK, McKercher RB. 1973. Laboratory incubation studies of chlorophenoxyacetic acids in chernozemic soils. *Soil Biol Biochem* 5(3):333-337.
- Frank R, Logan L. 1988. Pesticide and industrial chemical residues at the mouth of the Grand, Saugeen and Thames Rivers, Ontario, Canada 1981-1985. *Arch Environ Contam Toxicol* 17(6):741-754.
- Freitag D, Geyer H, Kraus A, et al. 1982. Ecotoxicological profile analysis. VII. Screening chemicals for their environmental behavior by comparative evaluation. *Ecotoxicol Environ Saf* 6:60-81.

8. REFERENCES

- Fukuyama T, Tajima Y, Ueda H, et al. 2009. Allergic reaction induced by dermal and/or respiratory exposure to low-dose phenoxyacetic acid, organophosphorus, and carbamate pesticides. *Toxicology* 261(3):152-161. <http://doi.org/10.1016/j.tox.2009.05.014>.
- Furman OS, Yu M, Teel AL, et al. 2013. Water quality parameters controlling the photodegradation of two herbicides in surface waters of the Columbia Basin, Washington. *Chemosphere* 93(9):1734-1741. <http://doi.org/10.1016/j.chemosphere.2013.05.050>.
- Galloway SM, Armstrong MJ, Reuben C, et al. 1987. Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals. *Environ Mol Mutagen* 10(Suppl 10):1-175.
- Gambini GF, Mantovani C, Pira E, et al. 1997. Cancer mortality among rice growers in Novara Province, northern Italy. *Am J Ind Med* 31(4):435-441.
- Garcia G, Tagliaferro P, Bortolozzi A, et al. 2001. Morphological study of 5-HT neurons and astroglial cells on brain of adult rats perinatal or chronically exposed to 2,4-dichlorophenoxyacetic acid. *Neurotoxicology* 22(6):733-741.
- Garcia G, Tagliaferro P, Ferri A, et al. 2004. Study of tyrosine hydroxylase immunoreactive neurons in neonate rats lactationally exposed to 2,4-dichlorophenoxyacetic Acid. *Neurotoxicology* 25(6):951-957. <http://doi.org/10.1016/j.neuro.2004.05.004>.
- Garcia GB, Konjuh C, Duffard RO, et al. 2006. Dopamine-beta-hydroxylase immunohistochemical study in the locus coeruleus of neonate rats exposed to 2,4-dichlorophenoxyacetic acid through mother's milk. *Drug Chem Toxicol* 29(4):435-442. <http://doi.org/10.1080/01480540600838058>.
- Garrett NE, Stack HF, Waters MD. 1986. Evaluation of the genetic activity profiles of 65 pesticides. *Mutat Res* 168(3):301-325.
- Garry VF, Schreinemachers D, Harkins ME, et al. 1996. Pesticide applicators, biocides, and birth defects in rural Minnesota. *Environ Health Perspect* 104(4):394-399.
- Garry VF, Tarone RE, Kirsch IR, et al. 2001. Biomarker correlations of urinary 2,4-D levels in foresters: Genomic instability and endocrine disruption. *Environ Health Perspect* 109(5):495-500.
- Garry VF, Harkins ME, Erickson LL, et al. 2002. Birth defects, season of conception, and sex of children born to pesticide applicators living in the Red River Valley of Minnesota, USA. *Environ Health Perspect* 110(3):441-449.
- Gilliom RJ, Barbash JE, Kolpin DW, et al. 1999. Testing water quality for pesticide pollution: U.S. Geological Survey investigations reveal widespread contamination of the nation's water resources. *Environ Sci Technol* 33(7):164A-169A.
- Glozier NE, Struger J, Cessna AJ, et al. 2012. Occurrence of glyphosate and acidic herbicides in select urban rivers and streams in Canada, 2007. *Environ Sci Pollut Res Int* 19(3):821-834. <http://doi.org/10.1007/s11356-011-0600-7>.
- Goldner WS, Sandler DP, Yu F, et al. 2010. Pesticide use and thyroid disease among women in the Agricultural Health Study. *Am J Epidemiol* 171(4):455-464.
- Goldner WS, Sandler DP, Yu F, et al. 2013. Hypothyroidism and pesticide use among male private pesticide applicators in the Agricultural Health Study. *J Occup Environ Med* 55(10):1171-1178. <http://doi.org/10.1097/JOM.0b013e31829b290b>.
- Goldstein NP, Jones PH, Brown JR. 1959. Peripheral neuropathy after exposure to an ester of dichlorophenoxyacetic acid. *J Am Med Assoc* 171(10):1306-1309.
- Gonzalez M, Soloneski S, Reigosa MA, et al. 2005. Genotoxicity of the herbicide 2,4-dichlorophenoxyacetic and a commercial formulation, 2,4-dichlorophenoxyacetic acid dimethylamine salt. I. Evaluation of DNA damage and cytogenetic endpoints in Chinese Hamster ovary (CHO) cells. *Toxicol in Vitro* 19(2):289-297. <http://doi.org/10.1016/j.tiv.2004.10.004>.
- Goodman JE, Loftus CT, Zu K. 2015. 2,4-dichlorophenoxyacetic acid and non-Hodgkin's lymphoma, gastric cancer, and prostate cancer: Meta-analyses of the published literature. *Ann Epidemiol* 25:626-636.
- Gorzinski SJ, Kociba RJ, Campbell RA, et al. 1987. Acute, pharmacokinetic, and subchronic toxicological studies of 2,4-dichlorophenoxyacetic acid. *Fundam Appl Toxicol* 9(3):423-435.

8. REFERENCES

- Graham RC, Ulery AL, Neal RH, et al. 1992. Herbicide residue distributions in relation to soil morphology in two California vertisols. *Soil Sci* 153(2):115-121.
- Green LM. 1991. A cohort mortality study of forestry workers exposed to phenoxy acid herbicides. *Br J Ind Med* 48(4):234-238.
- Griffin RJ, Godfrey VB, Kim YC, et al. 1997a. Sex-dependent differences in the disposition of 2,4-dichlorophenoxyacetic acid in Sprague-Dawley rats, B6C3F1 mice, and Syrian hamsters. *Drug Metab Dispos* 25(9):1065-1071.
- Griffin RJ, Salemme J, Clark J, et al. 1997b. Biliary elimination of oral 2,4-dichlorophenoxyacetic acid and its metabolites in male and female Sprague-Dawley rats, B6C3F1 mice, and Syrian hamsters. *J Toxicol Environ Health* 51(4):401-413. <http://doi.org/10.1080/00984109708984033>.
- Grissom REJ, Brownie C, Guthrie FE. 1985. Dermal absorption of pesticides in mice. *Pestic Biochem Physiol* 24(1):119-123.
- Hancock DB, Martin ER, Mayhew GM, et al. 2008. Pesticide exposure and risk of Parkinson's disease: A family-based case-control study. *BMC Neurol* <http://doi.org/10.1186/1471-2377-8-6>.
- Hansen WH, Quaife ML, Habermann RT, et al. 1971. Chronic toxicity of 2,4-dichlorophenoxyacetic acid in rats and dogs. *Toxicol Appl Pharmacol* 20(1):122-129.
- Haque R, Deagen J, Schmedding D. 1975. Binding of 2,4-dichloro- and 2,4,5-trichlorophenoxyacetic acids to bovine serum albumin. A proton magnetic resonance study. *J Agric Food Chem* 23(4):763-766.
- Hardell L, Eriksson M. 1999. A case-control study of non-Hodgkin's lymphoma and exposure to pesticides. *Cancer Metastasis Rev* 85(6):1353-1360.
- Hardell L, Eriksson M, Degerman A. 1994. Exposure to phenoxyacetic acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. *Cancer Res* 54(9):2386-2389.
- Harris SA, Solomon KR. 1992. Percutaneous penetration of 2,4-dichlorophenoxyacetic acid and 2,4-D dimethylamine salt in human volunteers. *J Toxicol Environ Health* 36(3):233-240. <http://doi.org/10.1080/15287399209531634>.
- Harris SA, Solomon KR, Stephenson GR. 1992. Exposure of homeowners and bystanders to 2,4-dichlorophenoxyacetic acid (2,4-D). *J Environ Sci Health B* 27(1):23-38. <http://doi.org/10.1080/03601239209372765>.
- Hartge P, Colt JS, Severson RK, et al. 2005. Residential herbicide use and risk of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev* 14(4):934-937. <http://doi.org/10.1158/1055-9965.epi-04-0730>.
- Hayes HM, Tarone RE, Cantor KP. 1995. On the association between canine malignant lymphoma and opportunity for exposure to 2,4-dichlorophenoxyacetic acid. *Environ Res* 70(2):119-125. <http://doi.org/10.1006/enrs.1995.1056>.
- Hayes HM, Tarone RE, Cantor KP, et al. 1991. Case-control study of canine malignant lymphoma: Positive association with dog owner's use of 2,4-dichlorophenoxyacetic acid herbicides. *J Natl Cancer Inst* 83(17):1226-1231.
- Hays SM, Aylward LL, Driver J, et al. 2012. 2,4-D exposure and risk assessment: comparison of external dose and biomonitoring based approaches. *Regul Toxicol Pharmacol* 64(3):481-489. <http://doi.org/10.1016/j.yrtph.2012.09.001>.
- Health Canada. 2010. Phenoxy herbicide. Report on human biomonitoring of environmental chemicals in Canada. 198-201. http://www.hc-sc.gc.ca/ewh-semt/pubs/contaminants/chms-ecms/section8-eng.php#n8_8. August 28, 2015.
- Hietanen E, Linnainmaa K, Vainio H. 1983. Effects of phenoxyherbicides and glyphosate on the hepatic and intestinal biotransformation activities in the rat. *Acta Pharmacol Toxicol (Copenh)* 53(2):103-112.
- Hill EV, Carlisle H. 1947. Toxicity of 2,4 dichlorophenoxyacetic acid for experimental animals. *J Ind Hyg Toxicol* 29(2):85-95.

8. REFERENCES

- Hill RH, To T, Holler JS, et al. 1989. Residues of chlorinated phenols and phenoxy acid herbicides in the urine of Arkansas children. *Arch Environ Contam Toxicol* 18(4):469-474.
- Hill RH, Jr., Head SL, Baker S, et al. 1995. Pesticide residues in urine of adults living in the United States: Reference range concentrations. *Environ Res* 71(2):99-108.
<http://doi.org/10.1006/enrs.1995.1071>.
- Hoar SK, Blair A, Holmes FF, et al. 1985. Herbicides and colon cancer. *The Lancet* 325(8440):1277-1278. [http://doi.org/10.1016/s0140-6736\(85\)92349-9](http://doi.org/10.1016/s0140-6736(85)92349-9).
- Hoar SK, Blair A, Holmes FF, et al. 1986. Agricultural herbicide use and risk of lymphoma and soft-tissue sarcoma. *J Am Med Assoc* 256(9):1141-1147.
- Holland NT, Duramad P, Rothman N, et al. 2002. Micronucleus frequency and proliferation in human lymphocytes after exposure to herbicide 2,4-dichlorophenoxyacetic acid in vitro and in vivo. *Mutat Res* 521(1-2):165-178.
- Holman RE, Leidy RB, Walker AE. 2000. Evaluation of selected pesticides in North Carolina surface water supplies: Intake study. *J Am Water Resour Assoc* 36(1):75-85.
- Hope BK, Pillsbury L, Boling B. 2012. A state-wide survey in Oregon (USA) of trace metals and organic chemicals in municipal effluent. *Sci Total Environ* 417-418:263-272.
<http://doi.org/10.1016/j.scitotenv.2011.12.028>.
- Hoppin JA, Umbach DM, London SJ, et al. 2006a. Pesticides and adult respiratory outcomes in the agricultural health study. *Ann NY Acad Sci* 1076:343-354.
- Hoppin JA, Umbach DM, London SJ, et al. 2006b. Pesticides associated with wheeze among commercial pesticide applicators in the Agricultural Health Study. *Am J Epidemiol* 163(12):1129-1137.
- Hoppin JA, Umbach DM, London SJ, et al. 2008. Pesticides and atopic and nonatopic asthma among farm women in the Agricultural Health Study. *Am J Respir Crit Care Med* 177:11-18.
- Hoppin JA, Umbach DM, Long S, et al. 2017. Pesticides are associated with allergic and non-allergic wheeze among male farmers. *Environ Health Perspect* 125(4):535-543.
<http://doi.org/10.1289/ehp315>.
- Hou L, Andreotti G, Baccarelli AA, et al. 2013. Lifetime pesticide use and telomere shortening among male pesticide applicators in the Agricultural Health Study. *Environ Health Perspect* 121(8):919-924. <http://doi.org/10.1289/ehp.1206432>.
- HSDB. 2015. 2,4-D. CASRN: 94-75-7. Hazardous Substances Data Bank. U.S. National Library of Medicine. <http://toxnet.nlm.nih.gov>. September 21, 2015.
- IARC. 2018. 2,4-Dichlorophenoxyacetic acid. In: 2,4-Dichlorophenoxyacetic acid (2,4-D) and some organochlorine insecticides. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 113. Lyon, France: International Agency for Research on Cancer, 373-498.
<http://monographs.iarc.fr/ENG/Monographs/vol113/mono113-03.pdf>. December 8, 2016.
- IRIS. 2002. 2,4-Dichlorophenoxyacetic acid (2,4-D) (CASRN 94-75-7). Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency.
<http://www.epa.gov/iris/subst/0150.htm>. July 23, 2015.
- Johnson WG, Lavy TL, Gbur EE. 1995. Sorption, mobility and degradation of triclopyr and 2,4-D on four soils. *Weed Sci* 43:678-684.
- Joshi SC, Tibrewal P, Sharma A, et al. 2012. Evaluation of toxic effect of 2,4-D (2,4-dichlorophenoxyacetic acid) on fertility and biochemical parameters of male reproductive system of albino rats. *Int J Pharm Sci* 4(Suppl 3):338-342.
- Kaioumova DF, Khabutdinova L. 1998. Cytogenetic characteristics of herbicide production workers in Ufa. *Chemosphere* 37(9-12):1755-1759.
- Kaneene JB, Miller R. 1999. Re-analysis of 2,4-D use and the occurrence of canine malignant lymphoma. *Vet Hum Toxicol* 41(3):164-170.
- Kavlock RJ, Short RD JR, Chernoff N. 1987. Further evaluation of an in vivo teratology screen. *Teratog Carcinog Mutagen* 7:7-16.

8. REFERENCES

- Kaya B, Yanikoglu A, Marcos R. 1999. Genotoxicity studies on the phenoxyacetates 2,4-D and 4-CPA in the *Drosophila* wing spot test. *Teratog Carcinog Mutagen* 19(4):305-312.
- Keller T, Skopp G, Wu M, et al. 1994. Fatal overdose of 2,4-dichlorophenoxyacetic acid (2,4-D). *Forensic Sci Int* 65(1):13-18.
- Khanna S, Fang SC. 1966. Metabolism of C14-labeled 2,4-dichlorophenoxyacetic acid in rats. *J Agric Food Chem* 14(5):500-503.
- Kim CS, O'Tuama LA. 1981. Choroid plexus transport of 2,4-dichlorophenoxyacetic acid: Interaction with the organic acid carrier. *Brain Res* 224(1):209-212.
- Kim CS, Keizer RF, Pritchard JB. 1988. 2,4-Dichlorophenoxyacetic acid intoxication increases its accumulation within the brain. *Brain Res* 440(2):216-226.
- Kim CS, Gargas ML, Andersen ME. 1994. Pharmacokinetic modeling of 2,4-dichlorophenoxyacetic acid (2,4-D) in rat and in rabbit brain following single dose administration. *Toxicol Lett* 74(3):189-201.
- Kim CS, Binienda Z, Sandberg JA. 1996. Construction of a physiologically based pharmacokinetic model for 2,4-dichlorophenoxyacetic acid dosimetry in the developing rabbit brain. *Toxicol Appl Pharmacol* 136(2):250-259. <http://doi.org/10.1006/taap.1996.0032>.
- Kim CS, O'Tuama LA, Mann JD, et al. 1983. Saturable accumulation of the anionic herbicide, 2,4-dichlorophenoxyacetic acid (2,4-D), by rabbit choroid plexus: Early developmental origin and interaction with salicylates. *J Pharmacol Exp Ther* 225(3):699-704.
- Kim CS, Slikker W, Binienda Z, et al. 1995. Development of a physiologically based pharmacokinetic model for 2,4-dichlorophenoxyacetic acid dosimetry in discrete areas of the rabbit brain. *Neurotoxicol Teratol* 17(2):111-120.
- Kim CS, Sandberg JA, Slikker W, et al. 2001. Quantitative exposure assessment: Application of physiologically-based pharmacokinetic (PBPK) modeling of low-dose, long-term exposures of organic acid toxicant in the brain. *Environ Toxicol Pharmacol* 9(4):153-160.
- Kimura T, Kuroki K, Doi K. 1998. Dermatotoxicity of agricultural chemicals in the dorsal skin of hairless dogs. *Toxicol Pathol* 26(3):442-447.
- Kirrane EF, Hoppin JA, Kamel F, et al. 2005. Retinal degeneration and other eye disorders in wives of farmer pesticide applicators enrolled in the Agricultural Health Study. *Am J Epidemiol* 161:1020-1029.
- Kitchin KT, Brown JL. 1988. Biochemical effects of three chlorinated phenols in rat liver. *Toxicol Environ Chem* 16(3):165-172.
- Klecka G, Persoon C, Currie RS. 2010. Chemicals of emerging concern in the Great Lakes Basin: An analysis of environmental exposures. *Rev Environ Contam Toxicol* 207:1-85.
- Klucinski P, Kossman S, Tustanowski J, et al. 2001. Humoral and cellular immunity rates in chemical plant workers producing dust pesticides. *Med Sci Monit* 7(6):1270-1274.
- Knopp D. 1994. Assessment of exposure to 2,4-dichlorophenoxyacetic acid in the chemical industry: Results of a five year biological monitoring study. *Occup Environ Med* 51(3):152-159.
- Knopp D, Schiller F. 1992. Oral and dermal application of 2,4-dichlorophenoxyacetic acid sodium and dimethylamine salts to male rats: Investigations on absorption and excretion as well as induction of hepatic mixed-function oxidase activities. *Arch Toxicol* 66(3):170-174.
- Kogevinas M, Kauppinen T, Winkelmann R, et al. 1995. Soft tissue sarcoma and non-Hodgkin's lymphoma in workers exposed to phenoxy herbicides, chlorophenols, and dioxins: Two nested case-control studies. *Epidemiology* 6(4):396-402.
- Kogevinas M, Becher H, Benn T, et al. 1997. Cancer mortality in workers exposed to phenoxy herbicides, chlorophenols, and dioxins. *Am J Epidemiol* 145(12):1061-1075.
- Kohli JD, Khanna RN, Gupta BM, et al. 1974. Absorption and excretion of 2,4-dichlorophenoxyacetic acid in man. *Xenobiotica* 2:97-100.
- Kolberg J, Helgeland K, Jonsen J. 1973. Binding of 2,4-dichloro- and 2,4,5-trichlorophenoxyacetic acid to bovine serum albumin. *Acta Pharmacol Toxicol (Copenh)* 33(5):470-475.

8. REFERENCES

- Kolpin DW, Barbash JE, Gilliom RJ. 2000. Pesticides in ground water of the United States, 1992-1996. *Ground Water* 38(6):858-863.
- Konasewich DE, Traversy WJ, Zar H. 1978. Great Lakes Water Quality Board-Appendix E. Status report on organic and heavy metal contaminants in the Lakes Erie, Michigan, Huron and Superior basins. Great Lakes Water Quality Board.
- Konjuh C, Garcia G, Lopez L, et al. 2008. Neonatal hypomyelination by the herbicide 2,4-dichlorophenoxyacetic acid. Chemical and ultrastructural studies in rats. *Toxicol Sci* 104(2):332-340. <http://doi.org/10.1093/toxsci/kfn085>.
- Korte C, Jalal SM. 1982. 2,4-D induced clastogenicity and elevated rates of sister chromatid exchanges in cultured human lymphocytes. *J Hered* 73(3):224-226.
- Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Kubo T, Urano K, Ulsumi H. 2002. Mutagenicity characteristics of 255 environmental chemicals. *J Health Sci* 48(6):545-554. <http://doi.org/10.1248/jhs.48.545>.
- Kuntz DJ, Rao NGS, Berg IE, et al. 1990. Toxicity of mixtures of parathion, toxaphene and/or 2,4-D in mice. *J Appl Toxicol* 10(4):257-266.
- LaVerda NL, Goldsmith DF, Alavanja MCR, et al. 2015. Pesticide exposures and body mass index (BMI) of pesticide applicators from the Agricultural Health Study. *J Toxicol Environ Health* 78(20):1255-1276.
- Lavy TL, Norris LA, Mattice JD, et al. 1987. Exposure of forestry ground workers to 2,4-D picloram and dichlorprop. *Environ Toxicol Chem* 6(3):209-224.
- Lebov JF, Engel LS, Richardson D, et al. 2015. Pesticide exposure and end-stage renal disease risk among wives of pesticide applicators in the Agricultural Health Study. *Environ Res* 143(Pt A):198-210. <http://doi.org/10.1016/j.envres.2015.10.002>.
- Lee W, Lijinsky W, Heineman E, et al. 2004a. Agricultural pesticide use and adenocarcinomas of the stomach and oesophagus. *Occup Environ Med* 61(9):743-749. <http://doi.org/10.1136/oem.2003.011858>.
- Lee WJ, Cantor KP, Berzofsky JA, et al. 2004b. Non-Hodgkin's lymphoma among asthmatics exposed to pesticides. *Int J Cancer* 111(2):298-302.
- Lee WJ, Sandler DP, Blair A, et al. 2007. Pesticide use and colorectal cancer risk in the Agricultural Health Study. *Int J Cancer* 121(2):339-346. <http://doi.org/10.1002/ijc.22635>.
- Lerda D, Rizzi R. 1991. Study of reproductive function in persons occupationally exposed to 2,4-dichlorophenoxyacetic acid (2,4-D). *Mutat Res* 262(1):47-50.
- Lerro CC, Beane Freeman LE, Portengen L, et al. 2017. A longitudinal study of atrazine and 2,4-D exposure and oxidative stress markers among Iowa corn farmers. *Environ Mol Mutagen* 58(1):30-38. <http://doi.org/10.1002/em.22069>.
- Lindquist NG, Ullberg S. 1971. Distribution of the herbicides 2,4,5-T and 2,4-D in pregnant mice. Accumulation in the yolk sac epithelium. *Experientia* 27(12):1439-1441.
- Linnainmaa K. 1984. Induction of sister chromatid exchanges by the peroxisome proliferators 2,4-D, MCPA, and clofibrate in vivo and in vitro. *Carcinogenesis* 5(6):703-707.
- Liu D, Strachan WMJ, Thomson K, et al. 1981. Determination of the biodegradability of organic compounds. *Environ Sci Technol* 15(7):788-793.
- Loomis D, Guyton K, Grosse Y, et al. 2015. Carcinogenicity of lindane, DDT, and 2,4-dichlorophenoxyacetic acid. *Lancet Oncol* 16(8):891-892. [http://doi.org/10.1016/S1470-2045\(15\)00081-9](http://doi.org/10.1016/S1470-2045(15)00081-9).
- Madrigal-Bujaidar E, Hernandez-Ceruelos A, Chamorro G. 2001. Induction of sister chromatid exchanges by 2,4-dichlorophenoxyacetic acid in somatic and germ cells of mice exposed in vivo. *Food Chem Toxicol* 39(9):941-946.

8. REFERENCES

- Mage DT, Allen RH, Gondy G, et al. 2004. Estimating pesticide dose from urinary pesticide concentration data by creatinine correction in the Third National Health and Nutrition Examination Survey (NHANES-III). *J Expo Anal Environ Epidemiol* 14:457-465.
- Magnusson J, Ramel C, Eriksson A. 1977. Mutagenic effects of chlorinated phenoxyacetic acids in *Drosophila melanogaster*. *Hereditas* 87(1):121-123.
- Maire MA, Rast C, Landkocz Y, et al. 2007. 2,4-Dichlorophenoxyacetic acid: Effects on Syrian hamster embryo (SHE) cell transformation, c-Myc expression, DNA damage and apoptosis. *Mutat Res* 631(2):124-136. <http://doi.org/10.1016/j.mrgentox.2007.03.008>.
- Marouani N, Tebourbi O, Cherif D, et al. 2017. Effects of oral administration of 2,4-dichlorophenoxyacetic acid (2,4-D) on reproductive parameters in male Wistar rats. *Environ Sci Pollut Res Int* 24(1):519-526. <http://doi.org/10.1007/s11356-016-7656-3>.
- Marty MS, Neal BH, Zablotny CL, et al. 2013. An F1-extended one-generation reproductive toxicity study in Crl:CD(SD) rats with 2,4-dichlorophenoxyacetic acid. *Toxicol Sci* 136(2):527-547. <http://doi.org/10.1093/toxsci/kft213>.
- Mattsson JL, Charles JM, Yano BL, et al. 1997. Single-dose and chronic dietary neurotoxicity screening studies on 2,4-dichlorophenoxyacetic acid in rats. *Fundam Appl Toxicol* 40(1):111-119.
- Mazhar FM, Moawad KM, El-Dakdoky MH, et al. 2014. Fetotoxicity of 2,4-dichlorophenoxyacetic acid in rats and the protective role of vitamin E. *Toxicol Ind Health* 30(5):480-488. <http://doi.org/10.1177/0748233712459915>.
- McDuffie HH, Pahwa P, McLaughlin JR, et al. 2001. Non-Hodgkin's lymphoma and specific pesticide exposures in men: Cross-Canada study of pesticides and health. *Cancer Epidemiol Biomarkers Prev* 10(11):1155-1163.
- Meister RT, Sine C, Gill-Totten JA, et al. 2014. 2,4-D. In: *Crop protection handbook*. Volume 100. Willoughby, OH: Meister Media Worldwide, 223-224.
- Mersch-Sundermann V, Schneider U, Klopman G, et al. 1994. SOS induction in *Escherichia coli* and *Salmonella* mutagenicity: A comparison using 330 compounds. *Mutagenesis* 9(3):205-224.
- Metayer C, Colt JS, Buffler PA, et al. 2013. Exposure to herbicides in house dust and risk of childhood acute lymphoblastic leukemia. *J Expo Sci Environ Epidemiol* 23(4):363-370. <http://doi.org/10.1038/jes.2012.115>.
- Meylan WM, Howard PH. 1993. Computer estimation of the atmospheric gas-phase reaction rate of organic compounds with hydroxyl radicals and ozone. *Chemosphere* 26(12):2293-2299.
- Mikalsen SO, Holen I, Sanner T. 1990. Morphological transformation and catalase activity of Syrian hamster embryo cells treated with hepatic peroxisome proliferators, TPA and nickel sulphate. *Cell Biol Toxicol* 6(1):1-13.
- Miles CJ, Pfeuffer RJ. 1997. Pesticides in canals of south Florida. *Arch Environ Contam Toxicol* 32:337-345.
- Miligi L, Costantini AS, Veraldi A, et al. 2006. Cancer and pesticides: An overview and some results of the Italian multicenter case-control study on hematolymphopoietic malignancies. *Ann N Y Acad Sci* 1076:366-377. <http://doi.org/10.1196/annals.1371.036>.
- Mills PK, Yang R. 2005. Breast cancer risk in Hispanic agricultural workers in California. *Int J Occup Environ Health* 11(2):123-131. <http://doi.org/10.1179/oeh.2005.11.2.123>.
- Mills PK, Yang RC. 2007. Agricultural exposures and gastric cancer risk in Hispanic farm workers in California. *Environ Res* 104(2):282-289. <http://doi.org/10.1016/j.envres.2006.11.008>.
- Mills PK, Yang R, Riordan D. 2005. Lymphohematopoietic cancers in the United Farm Workers of America (UFW), 1988-2001. *Cancer Causes Control* 16(7):823-830. <http://doi.org/10.1007/s10552-005-2703-2>.
- Moody RP, Nadeau B, Chu I. 1994. In vitro dermal absorption of pesticides: V. In vivo and in vitro comparison of the herbicide 2,4-dichlorophenoxyacetic acid in rat, guinea pig, pig, human and tissue-cultured skin. *Toxicol in Vitro* 8(6):1219-1224.

8. REFERENCES

- Moody RP, Franklin CA, Ritter L, et al. 1990. Dermal absorption of the phenoxy herbicides 2,4-D, 2,4-D amine, 2,4-D isoctyl, and 2,4,5-T in rabbits, rats, rhesus monkeys, and humans: A cross-species comparison. *J Toxicol Environ Health* 29(3):237-245. <http://doi.org/10.1080/15287399009531387>.
- Morgan MK. 2015. Predictors of urinary levels of 2,4-dichlorophenoxyacetic acid, 3,5,6-trichloro-2-pyridinol, 3-phenoxybenzoic acid, and pentachlorophenol in 121 adults in Ohio. *Int J Hyg Environ Health* 218(5):479-488.
- Morgan MK, Wilson NK, Chuang JC. 2014. Exposures of 129 preschool children to organochlorines, organophosphates, pyrethroids, and acid herbicides at their homes and daycares in North Carolina. *Int J Environ Res Public Health* 11(4):3743-3764. <http://doi.org/10.3390/ijerph110403743>.
- Morgan MK, Sheldon LS, Thomas KW, et al. 2008. Adult and children's exposure to 2,4-D from multiple sources and pathways. *J Expo Sci Environ Epidemiol* 18(5):486-494. <http://doi.org/10.1038/sj.jes.7500641>.
- Morris PC. 1990. Biotechnology and plant protection. *FAO Plant Prot Bull* 38(1):25-38.
- Mustonen R, Kangas J, Vuojolahti P, et al. 1986. Effects of phenoxyacetic acids on the induction of chromosome aberrations in vitro and in vivo. *Mutagenesis* 1(4):241-245.
- Mustonen R, Elovaara E, Zitting A, et al. 1989. Effects of commercial chlorophenolate, 2,3,7,8-TCDD, and pure phenoxyacetic acids on hepatic peroxisome proliferation, xenobiotic metabolism and sister chromatid exchange in the rat. *Arch Toxicol* 63(3):203-208.
- NAS/NRC. 1989. Report of the oversight committee. *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press. 15-35.
- Neal BH, Bus J, Marty MS, et al. 2017. Weight-of-the-evidence evaluation of 2,4-D potential for interactions with the estrogen, androgen and thyroid pathways and steroidogenesis. *Crit Rev Toxicol* 47(5):352-408. <http://doi.org/10.1080/10408444.2016.1272094>.
- Nesbitt HJ, Watson JR. 1980. Degradation of the herbicide 2,4-D in river water - II. The role of suspended sediment, nutrients and water temperature. *Water Res* 14:1689-1694.
- Nielsen K, Kaempe B, Jensen-Holm J. 1965. Fatal poisoning in man by 24-dichlorophenoxyacetic acid (2,4-d): Determination of the agent in forensic materials. *Acta Pharmacol Toxicol (Copenh)* 22:224-234.
- NIH. 2014. Agricultural Health Study. National Institute of Health <http://aghealth.nih.gov/>. August 25, 2014.
- NIOSH. 1994. Method 5001. Issue 2. 2,4-D. NIOSH manual of analytical methods (NMAM). Fourth Edition. National Institute of Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/500124-d.pdf>. October 1, 2015.
- NIOSH. 2016. NIOSH pocket guide to chemical hazards: 2,4-D. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0173.html>. May 16, 2019.
- Nishioka MG, Lewis RG, Brinkman MC, et al. 2001. Distribution of 2,4-D in air and on surfaces inside residences after lawn applications: Comparing exposure estimates from various media for young children. *Environ Health Perspect* 109(11):1185-1191.
- NITE. 2010a. Substance Data. #32: Bioaccumulation: Aquatic/sediment. 2,4-Dichlorophenoxyacetic acid. JCHECK - Japan Chemical Collaborative Knowledge database. Japanese National Institute of Technology and Evaluation. http://www.safe.nite.go.jp/jcheck/template.action?ano=22533&mono=3-927&cno=94-75-7&request_locale=en. June 22, 2015.
- NITE. 2010b. Substance data. #28: Biodegradation in water: Screening tests. (2,4-Dichlorophenoxy)acetic acid. JCHECK - Japan Chemicals Collaborative Knowledge database. Japanese National Institute of Technology and Evaluation. http://www.safe.nite.go.jp/jcheck/template.action?ano=1603&mono=3-927&cno=94-75-7&request_locale=en. June 22, 2015.
- Norris LA, Greiner D. 1967. The degradation of 2,4-D in forest litter. *Bull Environ Contam Toxicol* 2(2):65-74. <http://doi.org/10.1007/bf01684146>.

8. REFERENCES

- NPIC. 2008. 2,4-D Technical fact sheet. National Pesticide Information Center. <http://npic.orst.edu/factsheets/2,4-DTech.pdf>. September 11, 2015.
- NTP. 2014. Report on carcinogens. Thirteenth edition. Research Triangle Park, NC: National Toxicology Program. <http://ntp.niehs.nih.gov/pubhealth/roc/roc13/>. April 9, 2015.
- NTP. 2016. 14th Report on carcinogens. Research Triangle Park, NC: National Toxicology Program. <https://ntp.niehs.nih.gov/pubhealth/roc/index-1.html#P>. May 16, 2019.
- Orberg J. 1980. Observations on the 2,4-dichlorophenoxyacetic acid (2,4-D) excretion in the goat. *Acta Pharmacol Toxicol (Copenh)* 46(1):78-80.
- OSHA. 2018a. 29CFR1910.1000: Occupational safety and health standards. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z-1: Limits for air contaminants Code of Federal Regulations. 29 CFR 1910.1000. Occupational Safety and Health Administration. <https://www.osha.gov/laws-regulations/regulations/standardnumber/1910/1910.1000TABLEZ1>. November 1, 2018.
- OSHA. 2018b. 29CFR1915.1000: Occupational safety and health standards for shipyard employment. Subpart Z - Toxic and hazardous substances. Air contaminants. Code of Federal Regulations. 29 CFR 1915.1000. Occupational Safety and Health Administration. <https://www.osha.gov/laws-regulations/regulations/standardnumber/1915/1915.1000>. November 1, 2018.
- OSHA. 2018c. 29CFR1926.55: Safety and health regulations for construction. Subpart D - Occupational health and environment controls. Gases, vapors, fumes, dusts, and mists. Code of Federal Regulations. 29 CFR 1926.55 Appendix A. Occupational Safety and Health Administration. <https://www.osha.gov/laws-regulations/regulations/standardnumber/1926/1926.55AppA>. November 1, 2018.
- Osterloh J, Lotti M, Pond SM. 1983. Toxicologic studies in a fatal overdose of 2,4-D, MCPP, and chlorpyrifos. *J Anal Toxicol* 7(3):125-129.
- Ou LT. 1984. 2,4-D degradation and 2,4-D degrading microorganisms in soils. *Soil Sci* 137(2):100-107.
- Ozaki K, Mahler JF, Haseman JK, et al. 2001. Unique renal tubule changes induced in rats and mice by the peroxisome proliferators 2,4-dichlorophenoxyacetic acid (2,4-D) and WY-14643. *Toxicol Pathol* 29(4):440-450.
- Pahwa P, McDuffie HH, Dosman JA, et al. 2006. Hodgkin lymphoma, multiple myeloma, soft tissue sarcomas, insect repellents, and phenoxyherbicides. *J Occup Environ Med* 48(3):264-274. <http://doi.org/10.1097/01.jom.0000183539.20100.06>.
- Panuwet P, Ladva C, Barr DB, et al. 2018. Investigation of associations between exposures to pesticides and testosterone levels in Thai farmers. *Arch Environ Occup Health* 73(4):205-218. <http://doi.org/10.1080/19338244.2017.1378606>.
- Patterson TA, Slikker W, Binienda Z, et al. 2000. Distribution of 2,4-dichlorophenoxyacetic acid (2,4-D) in the rat after low-dose, chronic administration. *Toxicologist* 54(1):56.
- Pochettino AA, Hapon MB, Biolatto SM, et al. 2016. Effects of 2,4-dichlorophenoxyacetic acid on the ventral prostate of rats during the peri-pubertal, pubertal and adult stage. *Drug Chem Toxicol* 39(4):392-399. <http://doi.org/10.3109/01480545.2015.1130718>.
- Pont AR, Charron AR, Brand RM. 2004. Active ingredients in sunscreens act as topical penetration enhancers for the herbicide 2,4-dichlorophenoxyacetic acid. *Toxicol Appl Pharmacol* 195(3):348-354. <http://doi.org/10.1016/j.taap.2003.09.021>.
- Poulin P, Krishnan K. 1995. An algorithm for predicting tissue: Blood partition coefficients of organic chemicals from n-octanol: Water partition coefficient data. *J Toxicol Environ Health* 46(1):117-129. <http://doi.org/10.1080/15287399509532021>.
- Pritchard JB. 1980. Accumulation of anionic pesticides by rabbit choroid plexus in vitro. *J Pharmacol Exp Ther* 212:354-359.
- Que Hee SS, Sutherland RG, Vetter M. 1975. GLC analysis of 2,4-D concentrations in air samples from central Saskatchewan in 1972. *Environ Sci Technol* 9(1):62-66.

8. REFERENCES

- Rasmuson B, Svahlin H. 1978. Mutagenicity tests of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid in genetically stable and unstable strains of *Drosophila melanogaster*. *Ecol Bull* 27:190-192.
- RePORTER. 2018. 2,4-Dichlorophenoxyacetic acid. National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. May 9, 2019.
- Reynolds PM, Reif JS, Ramsdell HS, et al. 1994. Canine exposure to herbicide-treated lawns and urinary excretion of 2,4-dichlorophenoxyacetic acid. *Cancer Epidemiol Biomarkers Prev* 3(3):233-237.
- Riihimaki V, Asp S, Hernberg S. 1982. Mortality of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid herbicide applicators in Finland: First report of an ongoing prospective cohort study. *Scand J Work Environ Health* 8(1):37-42.
- Rodgers CA, Stalling DL. 1972. Dynamics of an ester of 2,4-D in organs of three fish species. *Weed Sci* 20(1):101-105.
- Rogers WM, Kendall DC, Salmon GD, et al. 1995. Accumulated pesticide and industrial chemical findings from a ten-year study of ready-to-eat foods. *J AOAC Int* 78(3):614-631.
- Rosenberg A, Alexander M. 1980. 2,4,5-Trichlorophenoxyacetic acid (2,4,5-T) decomposition in tropical soil and its cometabolism by bacteria in vitro. *J Agric Food Chem* 28(4):705-709.
- Ross JH, Driver JH, Harris SA, et al. 2005. Dermal absorption of 2,4-D: A review of species differences. *Regul Toxicol Pharmacol* 41(1):82-91. <http://doi.org/10.1016/j.yrtph.2004.10.001>.
- Rosso SB, Di Paolo OA, Evangelista de Duffard AM, et al. 1997. Effects of 2,4-dichlorophenoxyacetic acid on central nervous system of developmental rats. Associated changes in ganglioside pattern. *Brain Res* 769(1):163-167.
- Rosso SB, Gonzalez M, Bagatolli LA, et al. 1998. Evidence of a strong interaction of 2,4-dichlorophenoxyacetic acid herbicide with human serum albumin. *Life Sci* 63(26):2343-2351.
- Rosso SB, Garcia GB, Madariaga MJ, et al. 2000a. 2,4-Dichlorophenoxyacetic acid in developing rats alters behaviour, myelination and regions brain gangliosides pattern. *Neurotoxicology* 21(1-2):155-163.
- Rosso SB, Caceres AO, de Duffard AM, et al. 2000b. 2,4-Dichlorophenoxyacetic acid disrupts the cytoskeleton and disorganizes the Golgi apparatus of cultured neurons. *Toxicol Sci* 56(1):133-140.
- RTECS. 2009. Acetic acid, (2,4-dichlorophenoxy)- RTECS #: AG682500, Cas#:94-75-7. The Registry of Toxic Effects of Chemical Substances. <http://www.cdc.gov/niosh-rtecs/AG682428.html>. September 11, 2015.
- Saghir SA, Marty MS, Zablotny CL, et al. 2013a. Life-stage-, sex-, and dose-dependent dietary toxicokinetics and relationship to toxicity of 2,4-dichlorophenoxyacetic acid (2,4-D) in rats: Implications for toxicity test dose selection, design, and interpretation. *Toxicol Sci* 136(2):294-307. <http://doi.org/10.1093/toxsci/kft212>.
- Saghir SA, Marty MS, Zablotny CL, et al. 2013b. Supplementary data: Life-stage-, sex-, and dose-dependent dietary toxicokinetics and relationship to toxicity of 2,4-dichlorophenoxyacetic acid (2,4-D) in rats: Implications for toxicity test dose selection, design, and interpretation. *Toxicol Sci* 136. <https://academic.oup.com/toxsci/article/136/2/294/1682156#supplementary-data>.
- Sandal S, Yilmaz B. 2011. Genotoxic effects of chlorpyrifos, cypermethrin, endosulfan and 2,4-D on human peripheral lymphocytes cultured from smokers and nonsmokers. *Environ Toxicol* 26(5):433-442. <http://doi.org/10.1002/tox.20569>.
- Sandberg JA, Duhart HM, Lipe G, et al. 1996. Distribution of 2,4-dichlorophenoxyacetic acid (2,4-D) in maternal and fetal rabbits. *J Toxicol Environ Health* 49(5):497-509.
- Saracci R, Kogevinas M, Bertazzi P, et al. 1991. Cancer mortality in workers exposed to chlorophenoxy herbicides and chlorophenols. *Lancet* 338(8774):1027-1032.
- Sathyaranayana S, Basso O, Karr CJ, et al. 2010. Maternal pesticide use and birth weight in the agricultural health study. *J Agromedicine* 15(2):127-136.
- Sauerhoff MW, Braun WH, Blau GE, et al. 1977. The fate of 2,4-dichlorophenoxyacetic acid (2,4-D) following oral administration to man. *Toxicology* 8(1):3-11.

8. REFERENCES

- Scher DP, Sawchuk RJ, Alexander BH, et al. 2008. Estimating absorbed dose of pesticides in a field setting using biomonitoring data and pharmacokinetic models. *J Toxicol Environ Health A* 71(6):373-383. <http://doi.org/10.1080/15287390701801638>.
- Schop RN, Hardy MH, Goldberg MT. 1990. Comparison of the activity of topically applied pesticides and the herbicide 2,4-D in two short-term in vivo assays of genotoxicity in the mouse. *Fundam Appl Toxicol* 15(4):666-675.
- Schreinemachers DM. 2010. Perturbation of lipids and glucose metabolism associated with previous 2,4-D exposure: a cross-sectional study of NHANES III data, 1988-1994. *Environ Health* 9:11. <http://doi.org/10.1186/1476-069x-9-11>.
- Schultz DP, Whitney EW. 1974. Monitoring 2,4-D residues at Loxahatchee National Wildlife Refuge. *Pestic Monit J* 7(3-4):146-152.
- Schwetz BA, Sparschu G, Gehring PJ. 1971. The effect of 2,4-dichlorophenoxyacetic acid (2,4-D) and esters of 2,4-D on rat embryonal, foetal and neonatal growth and development. *Food Cosmet Toxicol* 9(6):801-807.
- Slager RE, Poole JA, LeVan TD, et al. 2009. Rhinitis associated with pesticide exposure among commercial pesticide applicators in the Agricultural Health Study. *Occup Environ Med* 66(11):718-724. <http://doi.org/10.1136/oem.2008.041798>.
- Smith RA, Lewis D. 1987. Suicide by ingestion of 2,4-D: A case history demonstrating the prudence of using GC/MS as an investigative rather than a confirmatory tool. *Vet Hum Toxicol* 29(3):259-261.
- Smith AM, Smith MT, La Merrill MA, et al. 2017. 2,4-dichlorophenoxyacetic acid (2,4-D) and risk of non-Hodgkin lymphoma: a meta-analysis accounting for exposure levels. *Ann Epidemiol* 27(4):281-289. <http://doi.org/10.1016/j.annepidem.2017.03.003>.
- Soloneski S, Gonzalez NV, Reigosa MA, et al. 2007. Herbicide 2,4-dichlorophenoxyacetic acid (2,4-D)-induced cytogenetic damage in human lymphocytes in vitro in presence of erythrocytes. *Cell Biol Int* 31(11):1316-1322. <http://doi.org/10.1016/j.cellbi.2007.05.003>.
- Squibb RE, Tilson HA, Mitchell CL. 1983. Neurobehavioral assessment of 2,4-dichlorophenoxyacetic acid (2,4-D) in rats. *Neurobehav Toxicol Teratol* 5(3):331-335.
- Stanley CW, Barney JE, Helton MR, et al. 1971. Measurement of atmospheric levels of pesticides. *Environ Sci Technol* 5(5):430-435.
- Steiss JE, Braund KG, Clark EG. 1987. Neuromuscular effects of acute 2,4-D exposure in dogs. *J Neurol Sci* 78(3):295-302.
- Sturtz N, Evangelista de Duffard A, Duffard R. 2000. Detection of 2,4-dichlorophenoxyacetic acid (2,4-D) residues in neonates fed by 2,4-D exposed dams. *Neurotoxicology* 21(1-2):147-154.
- Sturtz N, Bongiovanni B, Rassetto M, et al. 2006. Detection of 2,4-dichlorophenoxyacetic acid in rat milk of dams exposed during lactation and milk analysis of their major components. *Food Chem Toxicol* 44(1):8-16. <http://doi.org/10.1016/j.fct.2005.03.012>.
- Sturtz N, Deis RP, Jahn GA, et al. 2008. Effect of 2,4-dichlorophenoxyacetic acid on rat maternal behavior. *Toxicology* 247(2-3):73-79. <http://doi.org/10.1016/j.tox.2008.02.001>.
- Sturtz N, Jahn GA, Deis RP, et al. 2010. Effect of 2,4-dichlorophenoxyacetic acid on milk transfer to the litter and prolactin release in lactating rats. *Toxicology* 271(1-2):13-20. <http://doi.org/10.1016/j.tox.2010.01.016>.
- Styles JA. 1973. Cytotoxic effects of various pesticides in vivo and in vitro. *Mutat Res* 21(1):50-51.
- Subba-Rao RV, Rubin HE, Alexander M. 1982. Kinetics and extent of mineralization of organic chemicals at trace levels in freshwater and sewage. *Appl Environ Microbiol* 43(5):1139-1150.
- Swan SH, Kruse RL, Liu F, et al. 2003. Semen quality in relation to biomarkers of pesticide exposure. *Environ Health Perspect* 111(12):1478-1484.
- Tanner CM, Ross GW, Jewell SA, et al. 2009. Occupation and risk of parkinsonism: A multicenter case-control study. *Arch Neurol* 66(9):1106-1113. <http://doi.org/10.1001/archneurol.2009.195>.
- Thomas KW, Dosemeci M, Coble JB, et al. 2010a. Assessment of a pesticide exposure intensity algorithm in the agricultural health study. *J Expo Sci Environ Epidemiol* 20(6):559-569. <http://doi.org/10.1038/jes.2009.54>.

8. REFERENCES

- Thomas KW, Dosemeci M, Hoppin JA, et al. 2010b. Urinary biomarker, dermal, and air measurement results for 2,4-D and chlorpyrifos farm applicators in the Agricultural Health Study. *J Expo Sci Environ Epidemiol* 20(2):119-134. <http://doi.org/10.1038/jes.2009.6>.
- Thongsinthusak T, Ross JH, Saiz SG, et al. 1999. Estimation of dermal absorption using the exponential saturation model. *Regul Toxicol Pharmacol* 29:37-43.
- Thorn A, Gustavsson P, Sadigh J, et al. 2000. Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides. *Occup Environ Med* 57:718-720.
- Timchalk C. 2004. Comparative inter-species pharmacokinetics of phenoxyacetic acid herbicides and related organic acids. Evidence that the dog is not a relevant species for evaluation of human health risk. *Toxicology* 200(1):1-19. <http://doi.org/10.1016/j.tox.2004.03.005>.
- Torstensson L. 1978. Effects of phenoxyacetic acid herbicides on soil organisms. *Ecol Bull* 27:263-284.
- Torstensson NTL, Stark J, Goeransson B. 1975. The effect of repeated applications of 2,4-D and MCPA on their breakdown in soil. *Weed Res* 15(3):159-164.
- Tripathy NK, Routray PK, Sahu GP, et al. 1993. Genotoxicity of 2,4-dichlorophenoxyacetic acid tested in somatic and germ-line cells of *Drosophila*. *Mutat Res* 319(3):237-242.
- Troudi A, Ben Amara I, Samet AM, et al. 2012a. Oxidative stress induced by 2,4-phenoxyacetic acid in liver of female rats and their progeny: Biochemical and histopathological studies. *Environ Toxicol* 27(3):137-145. <http://doi.org/10.1002/tox.20624>.
- Troudi A, Sefi M, Ben Amara I, et al. 2012b. Oxidative damage in bone and erythrocytes of suckling rats exposed to 2,4-dichlorophenoxyacetic acid. *Pestic Biochem Physiol* 104(1):19-27.
- Turkula TE, Jalal SM. 1985. Increased rates of sister chromatid exchanges induced by the herbicide 2,4-D. *J Hered* 76(3):213-214.
- Tyynela K, Elo HA, Ylitalo P. 1990. Distribution of three common chlorophenoxyacetic acid herbicides into the rat brain. *Arch Toxicol* 64(1):61-65.
- USDA. 2001. 2,4-D-Acid, CASRN: 94-75-7. ARS Pesticide properties database. U.S. Department of Agriculture. http://www.ars.usda.gov/util/download.cfm?file=SP2UserFiles/ad_hoc/12755100DatabaseFiles/PesticidePropertiesDatabase/IndividualPesticideFiles/2,4-D-ACID.TXT. September 11, 2015.
- USDA. 2014. Pesticide data program. Annual summary, calendar year 2013. U.S. Department of Agriculture. <http://www.ams.usda.gov/sites/default/files/media/2013%20PDP%20Anuual%20Summary.pdf>. September 24, 2015.
- USGS. 1987. Chlorophenoxy acids, total recoverable (0-3105-83) and dissolved (0-11-5-83), gas chromatographic. Techniques of water-resources investigations of the United States Geological Survey. Chapter A3. Methods for the determination of organic substances in water and fluvial sediments. U.S. Geological Survey. 40-43. http://pubs.usgs.gov/twri/twri5a3/pdf/twri_5-A3.pdf. September 11, 2015.
- USGS. 2007. The quality of our nation's waters. Pesticides in the nation's streams and ground water, 1992-2001. U.S. Geological Survey. <https://pubs.er.usgs.gov/publication/cir1291>. May 10, 2019.
- USGS. 2016. Pesticide National Synthesis Project. National Water-Quality Assessment Program. Estimated agricultural use for 2,4-D, 2014. (Preliminary). U.S. Geological Survey. http://water.usgs.gov/nawqa/pnsp/usage/maps/show_map.php?year=2014&map=24D&hilo=L&disp=2,4-D. October 6, 2016.
- Valcin M, Henneberger PK, Kullman GJ, et al. 2007. Chronic bronchitis among nonsmoking farm women in the Agricultural Health Study. *J Occup Environ Med* 49:574-583.
- van Ravenzwaay B, Hardwick TD, Needham D, et al. 2003. Comparative metabolism of 2,4-dichlorophenoxyacetic acid (2,4-D) in rat and dog. *Xenobiotica* 33(8):805-821. <http://doi.org/10.1080/0049825031000135405>.
- Vasudevan D, Cooper EM. 2004. 2,4-D sorption in iron oxide-rich soils: Role of soil phosphate and exchangeable Al. *Environ Sci Technol* 38:163-170.

8. REFERENCES

- Venkat JA, Shami S, Davis K, et al. 1995. Relative genotoxic activities of pesticides evaluated by a modified SOS microplate assay. *Environ Mol Mutagen* 25(1):67-76.
- Venkov P, Topashka-Ancheva M, Georgieva M, et al. 2000. Genotoxic effect of substituted phenoxyacetic acids. *Arch Toxicol* 74(9):560-566.
- Vogel E, Chandler JLR. 1974. Mutagenicity testing of cyclamate and some pesticides in *Drosophila melanogaster*. *Experientia* 6:621-623.
- von Stackelberg K. 2013. A systematic review of carcinogenic outcomes and potential mechanisms from exposure to 2,4-D and MCPA in the environment. *J Toxicol* 2013:371610. <http://doi.org/10.1155/2013/371610>.
- Waite DT, Cessna AJ, Grover R, et al. 2002. Environmental concentrations of agricultural herbicides: 2,4-d and triallate. *J Environ Qual* 31(1):129-144.
- Wang Y, Subb-Rao RV, Alexander M. 1984. Effect of substrate concentration and organic and inorganic compounds on the occurrence and rate of mineralization and cometabolism. *Appl Environ Microbiol* 47(6):1195-1200.
- Watson JR. 1977. Seasonal variation in the biodegradation of 2,4-D in river water. *Water Res* 14:153-157.
- Webber MD, Wang C. 1995. Industrial organic compounds in selected Canadian soils. *Can J Soil Sci* 75:513-524.
- Weisenburger DD. 1990. Environmental epidemiology of non-Hodgkin's lymphoma in eastern Nebraska. *Am J Ind Med* 18(3):303-305.
- Weselak M, Aruckle TE, Wigle DT, et al. 2007. In utero pesticide exposure and childhood morbidity. *Environ Res* 103(1):79-86.
- Weselak M, Arbuckle TE, Wigle DT, et al. 2008. Pre- and post-conception pesticide exposure and the risk of birth defects in an Ontario farm population. *Reprod Toxicol* 25(4):472-480.
- Wester RC, Melendres J, Logan F, et al. 1996. Percutaneous absorption of 2,4-dichlorophenoxyacetic acid from soil with respect to soil load and skin contact time: In vivo absorption in rhesus monkey and in vitro absorption in human skin. *J Toxicol Environ Health* 47(4):335-344.
- WHO. 1989. 2,4-Dichlorophenoxyacetic acid (2,4-D) - environmental aspects. *Environmental Health Criteria* 84. World Health Organization. <http://www.inchem.org/documents/ehc/ehc84.htm>. September 11, 2015.
- WHO. 2003. 2,4-D in drinking-water. Background document for development of WHO Guidelines for drinking-water quality. World Health Organization. WHO/SDE/WSH/03.04/70. http://www.who.int/water_sanitation_health/dwq/chemicals/24D.pdf. September 22, 2015.
- WHO. 2010. WHO guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. September 9, 2014.
- WHO. 2017. Guidelines for drinking-water quality: fourth edition incorporating the first addendum. Geneva, Switzerland: World Health Organization. <http://apps.who.int/iris/bitstream/10665/254637/1/9789241549950-eng.pdf?ua=1>. May 16, 2019.
- Wilson RD, Geronimo J, Armbruster JA. 1997. 2,4-D Dissipation in field soils after applications of 2,4-D dimethylamine salt and 2,4-D 2-ethylhexyl ester. *Environ Toxicol Chem* 16(6):1239-1246.
- Wojtalik TA, Hall TF, Hill LO. 1971. Monitoring ecological conditions associated with widespread applications of DMA 2,4-D to aquatic environments. *Pestic Monit J* 4(4):184-203.
- Woods JS, Polissar L, Severson RK, et al. 1987. Soft tissue sarcoma and non-Hodgkin's lymphoma in relation to phenoxyherbicide and chlorinated phenol exposure in western Washington. *J Natl Cancer Inst* 78:899-910.
- Yang W, Carmichael SL, Roberts EM, et al. 2014. Residential agricultural pesticide exposures and risk of neural tube defects and orofacial clefts among offspring in the San Joaquin Valley of California. *Am J Epidemiol* 179(6):740-748. <http://doi.org/10.1093/aje/kwt324>.

8. REFERENCES

- Yiin JH, Ruder AM, Stewart PA, et al. 2012. The Upper Midwest Health Study: A case-control study of pesticide applicators and risk of glioma. *Environ Health* 11:39. <http://doi.org/10.1186/1476-069x-11-39>.
- Yilmaz HR, Yuksel E. 2005. Effect of 2,4-dichlorophenoxyacetic acid on the activities of some metabolic enzymes for generating pyridine nucleotide pool of cells from mouse liver. *Toxicol Ind Health* 21(9):231-237.
- Ylitalo P, Narhi U, Elo HA. 1990. Increase in the acute toxicity and brain concentrations of chlorophenoxyacetic acids by probenecid in rats. *Gen Pharmacol* 21(5):811-814.
- Zahm SH. 1997. Mortality study of pesticide applicators and other employees of a lawn care service company. *J Occup Environ Med* 39(11):1055-1067.
- Zahm SH, Weisenburger DD, Babbitt PA, et al. 1990. A case-control study of non-Hodgkin's lymphoma and the herbicide 2,4-dichlorophenoxyacetic acid (2,4-D) in eastern Nebraska. *Epidemiology* 1(5):349-356.
- Zeljezic D, Garaj-Vrhovac V. 2004. Chromosomal aberrations, micronuclei and nuclear buds induced in human lymphocytes by 2,4-dichlorophenoxyacetic acid pesticide formulation. *Toxicology* 200(1):39-47. <http://doi.org/10.1016/j.tox.2004.03.002>.
- Zetterberg G. 1978. Genetic effects of phenoxy acids on microorganisms. *Ecol Bull* 27:193-204.
- Zetterberg G, Busk L, Elovson R, et al. 1977. The influence of pH on the effects of 2,4-D (2,4-dichlorophenoxyacetic acid, Na salt) on *Saccharomyces cerevisiae* and *Salmonella typhimurium*. *Mutat Res* 42(1):3-18.