

9. REFERENCES

*Abdul-Wahab SA, Worthing MA, Al-Maamari S. 2005. Mineralogy of atmospheric suspended dust in three indoor and one outdoor location in Oman. Environ Monit Assess 107(1-3):313-327. 10.1007/s10661-005-3112-4.

*Absher MP, Hemenway DR, Leslie KO, et al. 1992. Intrathoracic distribution and transport of aerosolized silica in the rat. Exp Lung Res 18(5):743-757. 10.3109/01902149209031705.

*ACGIH. 2015. Silica. In: TLVs and BEIs based on the documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 52, 89, 90.

*Adler AJ, Berlyne GM. 1986. Silicon metabolism. II. Renal handling in chronic renal failure patients. Nephron 44(1):36-39.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. Environ Health Perspect 103(7):103-112.

*Aggarwal BD. 2014. Lactate dehydrogenase as a biomarker for silica exposure-induced toxicity in agate workers. Occup Environ Med 71(8):578-582. 10.1136/oemed-2014-102190.

*AIHA. 2014. Current ERPG Values (2014). Fairfax, VA: American Industrial Hygiene Association. <https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Documents/2014%20ERP-G%20Values.pdf>. March 4, 2015.

*Akbar-Khanzadeh F, Milz S, Ames A, et al. 2007. Crystalline silica dust and respirable particulate matter during indoor concrete grinding - wet grinding and ventilated grinding compared with uncontrolled conventional grinding. J Occup Environ Hyg 4(10):770-779. 10.1080/15459620701569708.

*Akbar-Khanzadeh F, Milz SA, Wagner CD, et al. 2010. Effectiveness of dust control methods for crystalline silica and respirable suspended particulate matter exposure during manual concrete surface grinding. J Occup Environ Hyg 7(12):700-711. 10.1080/15459624.2010.527552.

*Altindag ZZ, Baydar T, Isimer A, et al. 2003. Neopterin as a new biomarker for the evaluation of occupational exposure to silica. Int Arch Occup Environ Health 76(4):318-322. 10.1007/s00420-003-0434-9.

*Altman PL, Dittmer DS. 1974. 2nd ed. Bethesda, MD: Federation of American Societies of Experimental Biology.

*Altree-Williams S, Sprogis I. 1982. Quartz: Correlation between crystallinity index and fibrogenicity? Ann Occup Hyg 25(4):455-458.

*Amandus H, Costello J. 1991. Silicosis and lung cancer in US metal miners. Arch Environ Health 46(2):82-89. (As cited in Erren et al. 2009a, 2009b; Lacrasse et al. 2005)

* Cited in text

+ Cited in supplemental document

9. REFERENCES

- *Amandus HE, Castellan RM, Shy C, et al. 1992. Reevaluation of silicosis and lung cancer in North Carolina dusty trades workers. *Am J Ind Med* 22(2):147-153. (As cited in Kurihara and Wada 2004)
- *Amandus HE, Shy C, Castellan RM, et al. 1995. Silicosis and lung cancer among workers in North Carolina dusty trades. *Scand J Work Environ Health* 21(2):81-83. (As cited in Kurihara and Wada 2004)
- *Amandus HE, Shy C, Wing S, et al. 1991. Silicosis and lung cancer in North Carolina dusty trades workers. *Am J Ind Med* 20(1):57-70. (As cited in Erren et al. 2009a, 2009b; Lacrasse et al. 2005)
- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, and replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87(2):185-205.
- *Andersson L, Burdorf A, Bryngelsson IL, et al. 2012. Estimating trends in quartz exposure in Swedish iron foundries--predicting past and present exposures. *Ann Occup Hyg* 56(3):362-372. 10.1093/annhyg/mer106.
- *Archer JD, Cooper GS, Reist PC, et al. 2002. Exposure to respirable crystalline silica in eastern North Carolina farm workers. *AIHA J* 63(6):750-755.
- *Armstrong BK, McNulty JC, Levitt LJ, et al. 1979. Mortality in gold and coal miners in Western Australia with special reference to lung cancer. *Br J Ind Med* 36(3):199-205. (As cited in Erren et al. 2009a, 2009b)
- +*Arts JH, Muijser H, Duistermaat E, et al. 2007. Five-day inhalation toxicity study of three types of synthetic amorphous silicas in Wistar rats and post-exposure evaluations for up to 3 months. *Food Chem Toxicol* 45(10):1856-1867. 10.1016/j.fct.2007.04.001.
- +*Aschengrau A, Zierler S, Cohen A. 1989. Quality of community drinking water and the occurrence of spontaneous abortion. *Arch Environ Health* 44(5):283-290. 10.1080/00039896.1989.9935895.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- *Bailey MR, Ansoborlo E, Guilmette RA, et al. 2007. Updating the ICRP human respiratory tract model. *Radiat Prot Dosimetry* 127(1-4):331-334.
- *Bakke B, Ulvestad B, Stewart P, et al. 2004. Cumulative exposure to dust and gasses as determinants of lung function in tunnel construction workers. *Occup Environ Med* 61:262-269.
- *Bang BE, Suhr H. 1998. Quartz exposure in the slate industry in northern Norway. *Ann Occup Hyg* 42(8):557-563.
- *Bang KM, Attfield MD, Wood JM, et al. 2008. National trends in silicosis mortality in the United States, 1981-2004. *Am J Ind Med* 51(9):633-639. 10.1002/ajim.20607.

9. REFERENCES

- *Bang KM, Mazurek JM, Wood JM, et al. 2015. Silicosis mortality trends and new exposures to respirable crystalline silica - United States, 2001-2010. MMWR Morb Mortal Wkly Rep 64(5):117-120.
- *Barredo BF, Polo Diez L. 1980. Routine accurate determination of silica in silicate materials by atomic-absorption spectrophotometry and subsequent computation. Talanta 27:69-70.
- *Bartunkova J, Pelclova D, Fenclova Z, et al. 2006. Exposure to silica and risk of ANCA-associated vasculitis. Am J Ind Med 49(7):569-576. 10.1002/ajim.20327.
- *Basaran N, Shubair M, Undege U, et al. 2003. Monitoring of DNA damage in foundry and pottery workers exposed to silica by the alkaline comet assay. Am J Ind Med 43(6):602-610. 10.1002/ajim.10222.
- *Beaudreuil S, Lasfargues G, Lauzierie L, et al. 2005. Occupational exposure in ANCA-positive patients: A case-control study. Kidney Int 67(5):1961-1966. 10.1111/j.1523-1755.2005.00295.x.
- *Beaudry C, Lavoue J, Sauve JF, et al. 2013. Occupational exposure to silica in construction workers: A literature-based exposure database. J Occup Environ Hyg 10(2):71-77. 10.1080/15459624.2012.747399.
- *Beckett W, Abraham J, Becklake M, et al. 1997. Adverse effects of crystalline silica exposure. Am J Respir Crit Care Med 155(2):761-768.
- *Begin R, Filion R, Ostiguy G. 1995. Emphysema in silica and asbestos-exposed workers seeking compensation. A CT scan study. Chest 108(3):647-655.
- *Begin R, Masse S, Sebastien P, et al. 1987. Sustained efficacy of aluminum to reduce quartz toxicity in the lung. Exp Lung Res 13(2):205-222.
- *Berger GS, ed. 1994. Epidemiology of endometriosis. In: Endometriosis: Modern surgical management of endometriosis. New York, NY: Springer-Verlag, 3-7.
- *Berlyne GM, Adler AJ, Ferran N, et al. 1986. Silicon metabolism. I. Some aspects of renal silicon handling in normal man. Nephron 43(1):5-9.
- *Berry G, Rogers A, Yeung P. 2004. Silicosis and lung cancer: A mortality study of compensated men with silicosis in New South Wales, Australia. Occup Med 54(6):387-394. 10.1093/occmed/kqh029.
- *Beskow R. 1978. Silicosis in diatomaceous earth factory workers in Sweden. Scand J Respir Dis 59(4):216-221.
- *Bhagia LJ. 2009. Non-occupational exposure to silica dust in vicinity of slate pencil industry, India. Environ Monit Assess 151(1-4):477-482. 10.1007/s10661-008-0290-x.
- *Birk T, Guldner K, Mundt KA, et al. 2010. Quantitative crystalline silica exposure assessment for a historical cohort epidemiologic study in the German porcelain industry. J Occup Environ Hyg 7(9):516-528. 10.1080/15459624.2010.487789.
- *Birk T, Mundt KA, Guldner K, et al. 2009. Mortality in the German porcelain industry 1985-2005: First results of an epidemiological cohort study. J Occup Environ Med 51(3):373-385. 10.1097/JOM.0b013e3181973e19.

9. REFERENCES

- *Borm PJ, Tran L. 2002. From quartz hazard to quartz risk: The coal mines revisited. *Ann Occup Hyg* 46(1):25-32.
- *Borm PJ, Tran L, Donaldson K. 2011. The carcinogenic action of crystalline silica: A review of the evidence supporting secondary inflammation-driven genotoxicity as a principal mechanism. *Crit Rev Toxicol* 41(9):756-770. 10.3109/10408444.2011.576008.
- *Boujema W, Lauwers R, Bernard A. 1994. Early indicators of renal dysfunction in silicotic workers. *Scand J Work Environ Health* 20(3):180-183.
- *Bovenzi M, Barbone F, Betta A, et al. 1995. Scleroderma and occupational exposure. *Scand J Work Environ Health* 21(4):289-292. (As cited in McCormic et al. 2010)
- *Bovenzi M, Barbone F, Pisa FE, et al. 2004. A case-control study of occupational exposures and systemic sclerosis. *Int Arch Occup Environ Health* 77(1):10-16. 10.1007/s00420-003-0462-5. (As cited in McCormic et al. 2010)
- *Bratveit M, Moen BE, Mashalla YJ, et al. 2003. Dust exposure during small-scale mining in Tanzania: A pilot study. *Ann Occup Hyg* 47(3):235-240.
- *Braz NF, Carneiro AP, Amorim MR, et al. 2014. Association between inflammatory biomarkers in plasma, radiological severity, and duration of exposure in patients with silicosis. *J Occup Environ Med* 56(5):493-497. 10.1097/jom.0000000000000164.
- *Brody AR, Roe MW, Evans JN, et al. 1982. Deposition and translocation of inhaled silica in rats. Quantification of particle distribution, macrophage participation, and function. *Lab Invest* 47(6):533-542.
- *Brooks SM, Stockwell HG, Pinkham PA, et al. 1992. Sugarcane exposure and the risk of lung cancer and mesothelioma. *Environ Res* 58:195-203.
- *Brown T. 2009. Silica exposure, smoking, silicosis and lung cancer--complex interactions. *Occup Med* 59(2):89-95. 10.1093/occmed/kqn171.
- *Brown GM, Donaldson K. 1996. Modulation of quartz toxicity by aluminum. In: Castranova V, Valliyathan V, Wallace WE, eds. *Silica and silica-induced lung diseases*. Boca Raton, FL: CRC Press, 299-304.
- *Brown TP, Rushton L. 2005. Mortality in the UK industrial silica sand industry: 2. A retrospective cohort study. *Occup Environ Med* 62(7):446-452. 10.1136/oem.2004.017731. (As cited in Lacasse et al. 2009; Pelucci et al. 2006)
- *Brown DP, Kaplan SD, Zumwalde RD, et al. 1986. Retrospective cohort mortality study of underground gold mine workers. In: *Silica, silicosis, and cancer: Controversy in occupational medicine* Vol. 2, 335-350. (As cited in Mannetje et al. 2002b)
- *Brown LM, Gridley G, Olsen JH, et al. 1997. Cancer risk and mortality patterns among silicotic men in Sweden and Denmark. *J Occup Environ Med* 39(7):633-638. (As cited in Kurihara and Wada 2004; Lacasse et al. 2005; McCormic et al. 2010; Pelucci et al. 2006)

9. REFERENCES

- *Bruske-Hohlfeld I, Mohner M, Pohlabeln H, et al. 2000. Occupational lung cancer risk for men in Germany: Results from a pooled case-control study. *Am J Epidemiol* 151(4):384-395. (As cited in Kurihara and Wada 2004; Lacasse et al. 2009; Pelucci et al. 2006)
- *Bruske I, Thiering E, Heinrich J, et al. 2014. Respirable quartz dust exposure and airway obstruction: A systematic review and meta-analysis. *Occup Environ Med* 71(8):583-589. 10.1136/oemed-2013-101796.
- *Burns CJ, Laing TJ, Gillespie BW, et al. 1996. The epidemiology of scleroderma among women: Assessment of risk from exposure to silicone and silica. *J Rheumatol* 23(11):1904-1911. (As cited in McCormic et al. 2010)
- *Bye E, Edholm G, Gylseth B, et al. 1980. On the determination of crystalline silica in the presence of amorphous silica. *Ann Occup Hyg* 23(4):329-334.
- *Cakmak GD, Schins RP, Shi T, et al. 2004. *In vitro* genotoxicity assessment of commercial quartz flours in comparison to standard DQ12 quartz. *Int J Hyg Environ Health* 207(2):105-113. 10.1078/1438-4639-00276.
- *Caldwell DM. 1958. The coalescent lesion of diatomaceous earth pneumoconiosis. *Am Rev Tuberc* 77:644-661.
- *Calvert GM, Rice FL, Boiano JM, et al. 2003. Occupational silica exposure and risk of various diseases: An analysis using death certificates from 27 states of the United States. *Occup Environ Med* 60(2):122-129. (As cited in McCormic et al. 2010; Pelucci et al. 2006)
- *Calvert GM, Steenland K, Palu S. 1997. End-stage renal disease among silica-exposed gold miners. A new method for assessing incidence among epidemiologic cohorts. *J Am Med Assoc* 277(15):1219-1223. (As cited in McCormic et al. 2010)
- *Carta P, Aru G, Manca P. 2001. Mortality from lung cancer among silicotic patients in Sardinia: An update study with 10 more years of follow up. *Occup Environ Med* 58(12):786-793. (As cited in Erren et al. 2009a, 2009b; Lacrasse et al. 2005; Pelucci et al. 2006)
- *Case BW, Dufresne A, Richardson L, et al. 1995. Lung-retained dose following occupational exposure to silica. *Appl Occup Environ Hyg* 10(12):1031-1036.
- *Castranova V, Vallyathan V. 2000. Silicosis and coal workers' pneumoconiosis. *Environ Health Perspect* 108(4):675-684.
- *CDC. 1998a. Silicosis deaths among young adults- United States, 1968-1994. *Morb Mortal Wkly Rep* 47(16):331-335.
- *CDC. 1998b. Silicosis deaths among young adults- United States, 1968-1994. *J Am Med Assoc* 280(1):13-15.
- *Chalupka S. 2012. Occupational silica exposure in hydraulic fracturing. *Workplace Health Saf* 60(10):460. 10.3928/21650799-20120926-70.

9. REFERENCES

- *Chan CK, Leung CC, Tam CM, et al. 2000. Lung cancer mortality among a cohort of men in a silicotic register. *J Occup Environ Med* 42(1):69-75. (As cited in Kurihara and Wada 2004; Erren et al. 2009a, 2009b; Lacrasse et al. 2005; Pelucci et al. 2006)
- *Checkoway H. 2000. Epidemiological evidence on the carcinogenicity of silica: Factors in scientific judgement. *Ann Occup Hyg* 44(6):483-484.
- *Checkoway H, Franzblau A. 2000. Is silicosis required for silica-associated lung cancer? *Am J Ind Med* 37(3):252-259.
- *Checkoway H, Heyer NJ, Demers PA, et al. 1993. Mortality among workers in the diatomaceous earth industry. *Br J Ind Med* 50(7):586-597.
- *Checkoway H, Heyer NJ, Demers PA. 1996a. An updated mortality follow-up study of Florida phosphate industry workers. *Am J Ind Med* 30(4):452-460. (As cited in Pelucci et al. 2006)
- *Checkoway H, Heyer NJ, Demers PA, et al. 1996b. Reanalysis of mortality from lung cancer among diatomaceous earth industry workers, with consideration of potential confounding by asbestos exposure. *Occup Environ Med* 53(9):645-647. (As cited in Mannetje et al. 2002b)
- *Checkoway H, Heyer NJ, Seixas NS, et al. 1997. Dose-response associations of silica with nonmalignant respiratory disease and lung cancer mortality in the diatomaceous earth industry. *Am J Epidemiol* 145(8):680-688.
- *Checkoway H, Hughes JM, Weill H, et al. 1999. Crystalline silica exposure, radiological silicosis, and lung cancer mortality in diatomaceous earth industry workers. *Thorax* 54(1):56-59. (As cited in Erren et al. 2009a, 2009b; Kurihara and Wada 2004; Lacrasse et al. 2005; Pelucci et al. 2006)
- *Chen W, Chen J. 2002. Nested case-control study of lung cancer in four Chinese tin mines. *Occup Environ Med* 59(2):113-118. (As cited in Pelucci et al. 2006)
- *Chen F, Shi X. 2002. NF- κ B, a pivotal transcription factor in silica-induced diseases. *Mol Cell Biochem* 234-235(1):169-176.
- *Chen M, Tse LA. 2012. Laryngeal cancer and silica dust exposure: A systematic review and meta-analysis. *Am J Ind Med* 55(8):669-676. 10.1002/ajim.22037.
- *Chen J, McLaughlin JK, Zhang JY, et al. 1992. Mortality among dust-exposed Chinese mine and pottery workers. *J Occup Med* 34(3):311-316.
- *Chen W, Bochmann F, Sun Y. 2007. Effects of work related confounders on the association between silica exposure and lung cancer: A nested case-control study among Chinese miners and pottery workers. *Int Arch Occup Environ Health* 80(4):320-326. 10.1007/s00420-006-0137-0. (As cited in Lacasse et al. 2009)
- *Chen W, Liu Y, Wang H, et al. 2012. Long-term exposure to silica dust and risk of total and cause-specific mortality in Chinese workers: A cohort study. *PLoS Med* 9(4):e1001206. 10.1371/journal.pmed.1001206.
- *Chen W, Zhuang Z, Attfield MD, et al. 2001. Exposure to silica and silicosis among tin miners in China: Exposure-response analyses and risk assessment. *Occup Environ Med* 58(1):31-37.

9. REFERENCES

- *Cherry N, Harris J, McDonald C, et al. 2013. Mortality in a cohort of Staffordshire pottery workers: Follow-up to December 2008. *Occup Environ Med* 70(3):149-155. 10.1136/oemed-2012-100782.
- *Cherry NM, Burgess GL, Turner S, et al. 1998. Crystalline silica and risk of lung cancer in the potteries. *Occup Environ Med* 55(11):779-785. (As cited in Kurihara and Wada 2004; Pelucci et al. 2006)
- *Chia KS, Ng TP, Jeyaratnam J. 1992. Small airways function of silica-exposed workers. *Am J Ind Med* 22(2):155-162.
- *Chia SE, Chia KS, Phoon WH, et al. 1991. Silicosis and lung cancer among Chinese granite workers. *Scand J Work Environ Health* 17(3):170-174. (As cited in Erren et al. 2009a, 2009b; Lacrasse et al. 2005)
- *Chiazz L, Jr., Watkins DK, Fryar C. 1997. Historical cohort mortality study of a continuous filament fiberglass manufacturing plant. I. White Men. *J Occup Environ Med* 39(5):432-441. (As cited in Pelucci et al. 2006)
- *Chiyotani K, Saito K, Okubo T, et al. 1990. Lung cancer risk among pneumoconiosis patients in Japan, with special reference to silicotics. *IARC Sci Publ* (97):95-104.
- *Choudat D, Frisch C, Barrat G, et al. 1990. Occupational exposure to amorphous silica dust and pulmonary function. *Br J Ind Med* 47(11):763-766.
- *Churchyard GJ, Ehrlich R, teWaterNaude JM, et al. 2004. Silicosis prevalence and exposure-response relations in South African goldminers. *Occup Environ Med* 61(10):811-816. 10.1136/oem.2003.010967.
- *Clark BH, Peacor DR. 1992. Occupational silica exposure in hydraulic fracturing. *Contrib Mineral Petrol* 112:558-568.
- *Clewel HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- *Cocco PL, Carta P, Bario P, et al. 1990. Case-controlled study on silicosis and lung cancer. In: Sakurai H, Okazaki I, Omae K, eds. *Occupational medicine: Proceedings of the 7th international symposium on epidemiology in occupational health*. Amsterdam: Excerpta Medica. (As cited in Erren et al. 2009a, 2009b)
- *Cocco PL, Carta P, Belli S, et al. 1994. Mortality of Sardinian lead and zinc miners: 1960-88. *Occup Environ Med* 51(10):674-682.
- *Cocco P, Rice CH, Chen JQ, et al. 2001. Lung cancer risk, silica exposure, and silicosis in Chinese mines and pottery factories: The modifying role of other workplace lung carcinogens. *Am J Ind Med* 40(6):674-682. (As cited in Erren et al. 2009a, 2009b; Lacasse et al. 2009; Pelucci et al. 2006)
- *Coggiola M, Bosio D, Pira E, et al. 2003. An update of a mortality study of talc miners and millers in Italy. *Am J Ind Med* 44(1):63-69. 10.1002/ajim.10240. (As cited in Pelucci et al. 2006)
- *Collins JF, Salmon AG, Brown JP, et al. 2005. Development of a chronic inhalation reference level for respirable crystalline silica. *Regul Toxicol Pharmacol* 43(3):292-300. 10.1016/j.yrtph.2005.08.003.

9. REFERENCES

- *Conrad K, Mehlhorn J, Luthke K, et al. 1996. Systemic lupus erythematosus after heavy exposure to quartz dust in uranium mines: Clinical and serological characteristics. *Lupus* 5(1):62-69.
- *Cooper WC, Jacobson G. 1977. A 21-year radiographic follow-up of workers in the diatomite industry. *J Occup Med* 19(8):563-566.
- *Cooper WC, Sargent EN. 1984. A 26-year radiographic follow-up of workers in a diatomite mine and mill. *J Occup Med* 26(6):456-460.
- *Cooper GS, Wither J, Bernatsky S, et al. 2010. Occupational and environmental exposures and risk of systemic lupus erythematosus: Silica, sunlight, solvents. *Rheumatology* 49(11):2172-2180. 10.1093/rheumatology/keq214.
- *Costa D, Fubini B, Giamello E, et al. 1991. A novel type of active site at the surface of crystalline SiO₂ (α -quartz) and its possible impact on pathogenicity. *Can J Chem* 69(9):1427-1434.
- *Costa LG, Aschner M, Vitalone A, et al. 2004. Developmental neuropathology of environmental agents. *Annu Rev Pharmacol Toxicol* 44:87-110.
- *Costello J, Graham WGB. 1988. Vermont granite workers' mortality study. *Am J Ind Med* 13(4):483-497.
- *Costello J, Castellan RM, Swecker GS, et al. 1995. Mortality of a cohort of U.S. workers employed in the crushed stone industry, 1940-1980. *Am J Ind Med* 27(5):625-640.
- *Cowie RL. 1987. Silica-dust-exposed mine workers with scleroderma (systemic sclerosis). *Chest* 92(2):260-262.
- *Cowie RL. 1994. The epidemiology of tuberculosis in gold miners with silicosis. *Am J Respir Crit Care Med* 150(5 Pt 1):1460-1462. 10.1164/ajrccm.150.5.7952577.
- *Cowie RL, Hay M, Thomas RG. 1993. Association of silicosis, lung dysfunction, and emphysema in gold miners. *Thorax* 48(7):746-749.
- *Cox LA. 2011. An exposure-response threshold for lung diseases and lung cancer caused by crystalline silica. *Risk Anal* 31(10):1543-1560. 10.1111/j.1539-6924.2011.01610.x.
- *Daniel LN, Mao Y, Saffiotti U. 1993. Oxidative DNA damage by crystalline silica. *Free Radic Biol Med* 14(5):463-472.
- *Daniel LN, Mao Y, Wang TC, et al. 1995. DNA strand breakage, thymine glycol production, and hydroxyl radical generation induced by different samples of crystalline silica *in vitro*. *Environ Res* 71(1):60-73.
- *Dart RC, ed., Cavarvati EM, McGuigan MA, et al. 2004. Silica-related diseases and silicosis. In: Medical toxicology. 3rd ed. Philadelphia, PA: Lippincott Williams & Wilkins, 1192-1193.
- *Das PB, Fletcher AG, Dordhare SG. 1976. Mesothelioma in an agricultural community of India: A clinicopathological study. *Aust N Z J Med* 46:218-226.

9. REFERENCES

- *Davis GS. 1986. Pathogenesis of silicosis: Current concepts and hypotheses. *Lung* 164(3):139-154.
- *Davis BL, Johnson LR, Stevens RK, et al. 1984. The quartz content and elemental composition of aerosols from selected sites of the EPA inhalable particulate network. *Atmos Environ* 18(4):771-782.
- *Davis LK, Wegman DH, Monson RR, et al. 1983. Mortality experience of Vermont granite workers. *Am J Ind Med* 4(6):705-723. (As cited in Mannetje et al. 2002b)
- *Deane KD, El-Gabalawy H. 2014. Pathogenesis and prevention of rheumatic disease: Focus on preclinical RA and SLE. *Nat Rev Rheumatol* 10(4):212-228.
- *Deb U, Lomash V, Raghuvanshi S, et al. 2012. Effects of 28 days silicon dioxide aerosol exposure on respiratory parameters, blood biochemical variables and lung histopathology in rats. *Environ Toxicol Pharmacol* 34(3):977-984. 10.1016/j.etap.2012.07.009.
- *de Klerk NH, Musk AW. 1998. Silica, compensated silicosis, and lung cancer in Western Australian goldminers. *Occup Environ Med* 55(4):243-248.
- *de Klerk NH, Musk AW, Tetlow S, et al. 1995. Preliminary study of lung cancer mortality among Western Australian gold miners exposed to silica. *Scand J Work Environ Health* 21 Suppl 2:66-68.
- *Demircigil GC, Coskun E, Vidinli N, et al. 2010. Increased micronucleus frequencies in surrogate and target cells from workers exposed to crystalline silica-containing dust. *Mutagenesis* 25(2):163-169. 10.1093/mutage/gep057.
- *Demoruelle MK, Deane KD, Holers VM. 2014. When and where does inflammation begin in rheumatoid arthritis? *Curr Opin Rheumatol* 26(1):64-71.
- *De Stefani E, Kogevinas M, Boffetta P, et al. 1996. Occupation and the risk of lung cancer in Uruguay. *Scand J Work Environ Health* 22(5):346-352. (As cited in Kurihara and Wada 2004; Pelucci et al. 2006)
- *Ding M, Chen F, Shi X, et al. 2002. Diseases caused by silica: Mechanisms of injury and disease development. *Int Immunopharmacol* 2(2-3):173-182.
- *Dion C, Dufresne A, Jacob M, et al. 2005. Assessment of exposure to quartz, cristobalite and silicon carbide fibres (whiskers) in a silicon carbide plant. *Ann Occup Hyg* 49(4):335-343. 10.1093/annhyg/meh099.
- *Diot E, Lesire V, Guilmot JL, et al. 2002. Systemic sclerosis and occupational risk factors: A case-control study. *Occup Environ Med* 59(8):545-549.
- *Dobbie JW, Smith MJ. 1982. Silicate nephrotoxicity in the experimental animal: The missing factor in analgesic nephropathy. *Scott Med J* 27(1):10-16.
- *Dobreva M, Burilkov T, Kolev K, et al. 1975. Characteristics of lung dusts and their relation to dust exposure and pathological findings in the lungs. In: *Inhaled Particles IV*. Proceedings of an International Symposium organized by The British Occupational Hygiene Society, Edinburgh, 22-26 September 1975. Vol. 4 Pt 2. Oxford: Pergamon Press, 717-725.

9. REFERENCES

*DOE. 2012a. Table 3: PACs by CASRN (pdf). PAC Rev 27 Tables - PAC data and chemical properties presented in pdf and excel tables. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 27 for Chemicals of Concern - March 2012. Oak Ridge, TN: U.S. Department of Energy. <http://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-27-chemicals-concern-march-2012>. March 4, 2015.

*DOE. 2012b. Protective action criteria (PAC): Chemicals with AEGLs, ERPGs, & TEELs. Definition of PACs (AEGLs, ERPGs or TEELs). Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 27 for Chemicals of Concern - March 2012. Oak Ridge, TN: U.S. Department of Energy. <http://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-27-chemicals-concern-march-2012>. March 24, 2015.

*Donaldson K, Borm PJ. 1998. The quartz hazard: A variable entity. *Ann Occup Hyg* 42(5):287-294.

*Dong D, Xu G, Sun Y, et al. 1995. Lung cancer among workers exposed to silica dust in Chinese refractory plants. *Scand J Work Environ Health* 21(2):69-72. (As cited in Erren et al. 2009a, 2009b; Kurihara and Wada 2004; Lacrasse et al. 2005)

*Dosemeci M, Chen JQ, Hearl F, et al. 1993. Estimating historical exposure to silica among mine and pottery workers in the People's Republic of China. *Am J Ind Med* 24(1):55-66. (As cited in Mannetje et al. 2002b)

*Driscoll KE, Deyo LC, Carter JM, et al. 1997. Effects of particle exposure and particle-elicited inflammatory cells on mutation in rat alveolar epithelial cells. *Carcinogenesis* 18(2):423-430.

*Driscoll T, Nelson DI, Steenland K, et al. 2005. The global burden of non-malignant respiratory disease due to occupational airborne exposures. *Am J Ind Med* 48(6):432-445.

*Dufresne A, Begin R, Dion C, et al. 1998. Angular and fibrous particles in lung in relation to silica-induced diseases. *Int Arch Occup Environ Health* 71(4):263-269.

*Dutra FR. 1965. Diatomaceous earth pneumoconiosis. *Arch Environ Health* 11:613-619.

*Ebihara I, Kawami M. 1998. Lung cancer and immunopathologic diseases among copper miners in a small copper mine, stone masons and pneumoconiotic patients in Japan. In: Chiyotani K, Honda Y, Aizawa Y, eds. *Advances in the prevention of occupational respiratory disease*. Amsterdam: Elsevier Science. (As cited in Kurihara and Wada 2004)

*Ebihara I, Shinokawa E, Kawami M, et al. 1990. A retrospective cohort mortality study of pneumoconioses. *J Sci Labour* 66(9):399-407. (As cited in Kurihara and Wada 2004; Lacrasse et al. 2005)

*Ehrlich RI, Myers JE, te Water Naude JM, et al. 2011. Lung function loss in relation to silica dust exposure in South African gold miners. *Occup Environ Med* 68(2):96-101. 10.1136/oem.2009.048827.

*Eisen EA, Smith TJ, Wegman DH, et al. 1984. Estimation of long term dust exposures in the Vermont granite sheds. *Am Ind Hyg Assoc J* 45(2):89-94. 10.1080/15298668491399424. (As cited in Mannetje et al. 2002b)

9. REFERENCES

- *Eisen EA, Wegman DH, Louis TA, et al. 1995. Healthy worker effect in a longitudinal study of one-second forced expiratory volume (FEV1) and chronic exposure to granite dust. *Int J Epidemiol* 24(6):1154-1161.
- *Ek CJ, Dziegielewska KM, Habgood MD, et al. 2012. Barriers in the developing brain and neurotoxicology. *Neurotoxicology* 33(3):586-604. 10.1016/j.neuro.2011.12.009.
- *Elias Z, Poirot O, Daniere MC, et al. 2000. Cytotoxic and transforming effects of silica particles with different surface properties in Syrian hamster embryo (SHE) cells. *Toxicol in Vitro* 14(5):409-422.
- *Elias Z, Poirot O, Fenoglio I, et al. 2006. Surface reactivity, cytotoxic, and morphological transforming effects of diatomaceous earth products in Syrian hamster embryo cells. *Toxicol Sci* 91(2):510-520. 10.1093/toxsci/kfj177.
- *Eller PM, Feng HA, Song RS, et al. 1999. Proficiency analytical testing (PAT) silica variability, 1990-1998. *Am Ind Hyg Assoc J* 60:533-539.
- *El-Safty IAM, Gadallah M, Shouman AE, et al. 2003. Subclinical nephrotoxicity caused by smoking and occupational silica exposure among Egyptian industrial workers. *Arch Med Res* 34(5):415-421. 10.1016/s0188-4409(03)00077-8.
- *Englert H, Small-McMahon J, Davis K, et al. 2000. Male systemic sclerosis and occupational silica exposure-a population-based study. *Aust N Z J Med* 30(2):215-220.
- *Environment Canada. 2013. Quartz chemical abstracts service registry number 14808-60-7 cristobalite chemical abstracts service registry number 14464-46-1. Environment Canada, Health Canada. https://www.ec.gc.ca/ese-ees/1EB4F4EF-88EE-4679-9A6C-008F0CBC191C/FSAR_B12%20-%2014464-46-1%20%26%2014808-60-7%20%28QC%29_EN.pdf. October 6, 2015.
- *EPA. 1974. Development of emission factors for fugitive dust sources. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air and Waste Management.
- *EPA. 1983. Silica, dissolved. Method 3701. In: Methods for chemical analysis of water and wastes. U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30000Q10.txt>. September 24, 2015.
- *EPA. 1991. R.E.D. facts. Silicon dioxide and silica gel. U.S. Environmental Protection Agency. 738F91107. http://www.epa.gov/pesticides/chem_search/reg_actions/reregistration/fs_G-74_1-Sep-91.pdf. October 6, 2015.
- *EPA. 1994a. Method 200.2. Sample preparation procedure for spectrochemical determination of total recoverable elements. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_07_10_methods_method_200_2.pdf October 6, 2015.
- *EPA. 1994b. Method 200.7. Determination of metals and trace elements in water and wastes by inductively coupled plasma-atomic emission spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_07_10_methods_method_200_7.pdf October 6, 2015.

9. REFERENCES

*EPA. 1996. Ambient levels and noncancer health effects of inhaled crystalline and amorphous silica: Health issue assessment. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600R95115.

http://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4608. October 6, 2015.

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.

*EPA. 2000. Inductively coupled plasma-atomic emission spectrometry. Method 6010C. U.S. Environmental Protection Agency.

*EPA. 2003. Method 200.5. Determination of trace elements in drinking water by axially viewed inductively coupled plasma-atomic emission spectrometry. U.S. Environmental Protection agency, Office of Research and Development. EPA600R06115.

<http://water.epa.gov/scitech/methods/cwa/upload/Determination-of-Trace-Elements-in-Drinking-Water-by-Axially-Viewed-Inductively-Coupled-Plasma-Atomic-Emission-Spectrometry.pdf>. October 6, 2015.

*EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information.

*EPA. 2009. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water.
<http://water.epa.gov/drink/contaminants/upload/mcl-2.pdf>. March 4, 2015.

*EPA. 2011. Exposure Factors Handbook 2011 Edition (Final). U.S. Environmental Protection Agency.
<http://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=236252>. September 22, 2015.

*EPA. 2012. 2012 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water.
<http://water.epa.gov/action/advisories/drinking/upload/dwstandards2012.pdf>. March 4, 2015.

*EPA. 2013a. The Clean Air Act amendments of 1990 list of hazardous air pollutants. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/ttn/atw/orig189.html>. March 4, 2015.

*EPA. 2013b. Subchapter D-water programs. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 116.4.
<http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol22/pdf/CFR-2014-title40-vol22-sec116-4.pdf>. March 4, 2015.

*EPA. 2013c. Subpart A - general provisions. Determination of reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 117.3.
<http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol22/pdf/CFR-2014-title40-vol22-sec117-3.pdf>. March 4, 2015.

*EPA. 2014a. Subchapter J-Superfund, emergency planning, and community right-to-know programs. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.4. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol28/pdf/CFR-2014-title40-vol28-sec302-4.pdf>. March 4, 2015.

9. REFERENCES

- *EPA. 2014b. Subpart B - Manufacturers reporting - preliminary assessment information. Chemical lists and reporting periods. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 712.30. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol31/pdf/CFR-2014-title40-vol31-sec712-30.pdf>. April 9, 2015.
- *EPA. 2015a. Final AEGLs (176). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
http://www.epa.gov/oppt/aegl/pubs/compiled_aegl_update09jun2015.pdf. July 23, 2015.
- *EPA. 2015b. National recommended water quality criteria. Washington, DC: U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology.
<http://water.epa.gov/scitech/swguidance/standards/criteria/current/index.cfm>. July 23, 2015.
- *Erren TC, Glende CB, Morfeld P, et al. 2009a. Is exposure to silica associated with lung cancer in the absence of silicosis? A meta-analytical approach to an important public health question. *Int Arch Occup Environ Health* 82(8):997-1004. 10.1007/s00420-008-0387-0.
- *Erren TC, Glende CB, Morfeld P, et al. 2009b. Electronic supplemental materials. Is exposure to silica associated with lung cancer in the absence of silicosis? A meta-analytical approach to an important public health question. *Int Arch Occup Environ Health* 10.1007/s00420-008-0387-0.
- *Esswein EJ, Breitenstein M, Snawder J, et al. 2013. Occupational exposures to respirable crystalline silica during hydraulic fracturing. *J Occup Environ Hyg* 10(7):347-356. 10.1080/15459624.2013.788352.
- *Fairfax R, Oberbeck B. 2008. OSHA compliance issues. Exposure to crystalline silica in a countertop manufacturing operation. *J Occup Environ Hyg* 5(8):D81-85. 10.1080/15459620802161934.
- *Fanizza C, Ursini CL, Paba E, et al. 2007. Cytotoxicity and DNA-damage in human lung epithelial cells exposed to respirable α -quartz. *Toxicol in Vitro* 21(4):586-594.
- *FDA. 2013. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. <http://www.accessdata.fda.gov/scripts/fcn/fcnnavigation.cfm?rpt=eafuslisting>. January 8, 2014.
- *FDA. 2015a. Silica aerogel. Subpart B-multiple purpose GRAS food substances. Food and Drug Administration. Code of Federal Regulations 21 CFR 182.1711. <http://www.gpo.gov/fdsys/pkg/CFR-2015-title21-vol3/pdf/CFR-2015-title21-vol3-sec182-1711.pdf>. September 23, 2015.
- *FDA. 2015b. Substances migrating to food from paper and paperboard products. Subpart A. Food and Drug Administration. Code of Federal Regulations 21 CFR 182.90. <http://www.gpo.gov/fdsys/pkg/CFR-2015-title21-vol3/pdf/CFR-2015-title21-vol3-sec182-90.pdf>. September 23, 2015.
- *Fechser M, Alaves V, Larson R, et al. 2014. Evaluation of respirable crystalline silica in high school ceramics classrooms. *Int J Environ Res Public Health* 11(2):1250-1260.
- *Fenoglio I, Croce A, DiRenzo F, et al. 2000. Pure silica zeolites (porosils) as model solids for the evaluation of the physicochemical features determining silica toxicity to macrophages. *Chem Res Toxicol* 13:489-500.

9. REFERENCES

- *Fenwick S, Main J. 2000. Increased prevalence of renal disease in silica-exposed workers. *Lancet* 356(9233):913-914.
- *Filios MS, Mazurek JM, Schleiff PL, et al. 2015. Surveillance for silicosis- Michigan and New Jersey 2003-2010. *Morbidity and Mortality Weekly Report* 62(54):81-85.
- *Finckh A, Cooper GS, Chibnik LB, et al. 2006. Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum* 54(11):3648-3654.
- *Finkelstein MM. 1994. Silicosis surveillance in Ontario: Detection rates, modifying factors, and screening intervals. *Am J Ind Med* 25(2):257-266.
- *Finkelstein MM. 1995. Radiographic abnormalities and the risk of lung cancer among workers exposed to silica dust in Ontario. *Can Med Assoc J* 152(1):37-43. (Erren et al. 2009a, 2009b; Kurihara and Wada 2004; Lacrasse et al. 2005)
- *Finkelstein MM. 1998. Radiographic silicosis and lung cancer risk among workers in Ontario. *Am J Ind Med* 34(3):244-251. (As cited in Erren et al. 2009a, 2009b; Pelucci et al. 2006)
- *Finkelstein MM. 2000. Silica, silicosis, and lung cancer: A risk assessment. *Am J Ind Med* 38(1):8-18.
- *Finkelstein MM, Verma DK. 2005. Mortality among Ontario members of the International Union of Bricklayers and Allied Craftworkers. *Am J Ind Med* 47(1):4-9. (As cited in Pelucci et al. 2006)
- *Finkelstein M, Liss GM, Krammer F, et al. 1987. Mortality among workers receiving compensation awards for silicosis in Ontario 1940-85. *Br J Ind Med* 44(9):588-594. (As cited in Erren et al. 2009a, 2009b; Lacrasse et al. 2005)
- *Flanagan ME, Seixas N, Becker P, et al. 2006. Silica exposure on construction sites: Results of an exposure monitoring data compilation project. *J Occup Environ Hyg* 3(3):144-152.
- *Florke OW, Graetsch HA, Brunk F, et al. 2012. Silica. In: Ullmann's encyclopedia of industrial chemistry. Wiley-VCH Verlag GmbH & Co.
http://onlinelibrary.wiley.com/doi/10.1002/14356007.a23_583.pub3/abstract. September 22, 2015.
- *Fomon SJ. 1966. Body composition of the infant: Part 1: The male reference infant. In: Faulkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35(Suppl 5):1169-1175.
- *Forastiere F, Lagorio S, Michelozzi P, et al. 1986. Silica, silicosis and lung cancer among ceramic workers: A case-referent study. *Am J Ind Med* 10(4):363-370. (As cited in Erren et al. 2009a, 2009b; Kurihara and Wada 2004; Lacrasse et al. 2005)
- *Forastiere F, Lagorio S, Michelozzi P, et al. 1989. Mortality pattern of silicotic subjects in the Latium region, Italy. *Br J Ind Med* 46(12):877-880. (As cited in Erren et al. 2009a, 2009b)
- *Foreland S, Bye E, Bakke B, et al. 2008. Exposure to fibres, crystalline silica, silicon carbide and sulphur dioxide in the Norwegian silicon carbide industry. *Ann Occup Hyg* 52(5):317-336.

9. REFERENCES

- *Foster RD, Walker RF. 1984. Quantitative determination of crystalline silica in respirable-size dust samples by infrared spectrophotometry. *Analyst* 109(97):1117-1127.
- *Freeman CS, Grossman EA. 1995. Silica exposures in workplaces in the United States between 1980 and 1992. *Scand J Work Environ Health* 21(2):47-49.
- *Freund A, Zuckerman N, Luo H, et al. 2014. Diesel and silica monitoring at two sites following hurricane Sandy. *J Occup Environ Hyg* 11(9):D131-143.
- *Fu H, Gu X, Jin X, et al. 1994. Lung cancer among tin miners in southeast China: Silica exposure, silicosis, and cigarette smoking. *Am J Ind Med* 26(3):373-381. (As cited in Lacrasse et al. 2005)
- *Fubini B, Bolis V, Cavenago A, et al. 1995. Physicochemical properties of crystalline silica dusts and their possible implication in various biological responses. *Scand J Work Environ Health* 21(SUPPL. 2):9-14.
- *Fujimura N. 2000. Pathology and pathophysiology of pneumoconiosis. *Curr Opin Pulm Med* 6(2):140-144.
- *Fulekar MH. 1999. Occupational exposure to dust in quartz manufacturing industry. *The Ann Occup Hyg* 43(4):269-273.
- *Fulekar MH, Khan MMA. 1995. Occupational exposure to dust in slate pencil manufacture. *Ann Occup Hyg* 39(1):107-114.
- *Gamble JF. 2011. Crystalline silica and lung cancer: A critical review of the occupational epidemiology literature of exposure-response studies testing this hypothesis. *Crit Rev Toxicol* 41(5):404-465.
- *Gamsky TE, McCurdy SA, Samuels SJ, et al. 1992. Reduced FVC among California grape workers. *Am Rev Respir Dis* 145(2):257-262.
- *GBD. 2015. Global, regional, and national age-sex specific all-cause and cause-specific mortality of 240 causes of death, 1990-2013: A systematic analysis for the Global Burden of Disease Study 2013. GBD 2013 Mortality and Causes of Death Collaborators. *Lancet* 385:117-171.
- *George S, Steinberg SM, Hodge V. 2000. The concentration, apparent molecular weight and chemical reactivity of silica from groundwater in southern Nevada. *Chemosphere* 40:57-63.
- *Ghahramani N. 2010. Silica nephropathy. *Int J Occup Environ Med* 1(3):108-115.
- *Gibelin A, Maldini C, Mahr A. 2011. Epidemiology and etiology of Wegener granulomatosis, microscopic polyangiitis, Churg-Strauss syndrome and Goodpasture syndrome: Vasculitides with frequent lung involvement. *Semin Respir Crit Care Med* 32(3):264-273.
- *Giles RD, Sturgill BC, Suratt PM, et al. 1978. Massive proteinuria and acute renal failure in a patient with acute silicoproteinosis. *Am J Med* 64(2):336-342.
- +*Gillette-Guyonnet S, Andrieu S, Nourhashemi F, et al. 2005. Cognitive impairment and composition of drinking water in women: Findings of the EPIDOS Study. *Am J Clin Nutr* 81(4):897-902.

9. REFERENCES

- *Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect* 101(Supp 2):65-71.
- *Gold LS, Ward MH, Dosemeci M, et al. 2007. Systemic autoimmune disease mortality and occupational exposures. *Arthritis Rheum* 56(10):3189-3201.
- *Goldsmith DF, Beaumont JJ, Morrin LA, et al. 1995. Respiratory cancer and other chronic disease mortality among silicotics in California. *Am J Ind Med* 28(4):459-467.
- *Goldsmith JR, Goldsmith DF. 1993. Fiberglass or silica exposure and increased nephritis or ESRD (end-stage renal disease). *Am J Ind Med* 23(6):873-881.
- *Gomez-Puerta JA, Gedmintas L, Costenbader KH. 2013. The association between silica exposure and development of ANCA-associated vasculitis: Systematic review and meta-analysis. *Autoimmun Rev* 12(12):1129-1135. 10.1016/j.autrev.2013.06.016.
- *Gonzalez Huergo D, Rojo Ortega D. 1991. [Experimental study of silica absorption through the digestive tract as a cause of extrapulmonary silicosis]. *Rev Esp Enferm Dig* 80(2):95-98.
- *Grobbelaar JP, Bateman ED. 1991a. Correction: Hot lung: A domestically acquired pneumoconiosis of mixed aetiology. (*Thorax* 46:334-340). *Thorax* 46:544.
- *Grobbelaar JP, Bateman ED. 1991b. Hot lung: A domestically acquired pneumoconiosis of mixed aetiology in rural women. *Thorax* 46:334-340.
- *Graham WG, Costello J, Vacek PM. 2004. Vermont granite mortality study: An update with an emphasis on lung cancer. *J Occup Environ Med* 46(5):459-466. (As cited in Pelucci et al. 2006)
- *Greaves IA. 2000. Not-so-simple silicosis: A case for public health action. *Am J Ind Med* 37(3):245-251.
- *Green FHY, Yoshida K, Fick G, et al. 1990. Characterization of airborne mineral dusts associated with farming activities in rural Alberta, Canada. *Int Arch Occup Environ Health* 62(6):423-430.
- *Greenberg MI, Waksman J, Curtis J. 2007. Silicosis: A review. *Disease-a-month* 53(8):394-416. 10.1016/j.disamonth.2007.09.020.
- *Gregorini G, Ferioli A, Donato F, et al. 1993. Association between silica exposure and necrotizing crescentic glomerulonephritis with p-ANCA and anti-MPO antibodies: A hospital-based case-control study. *Adv Exp Med Biol* 336:435-440.
- +*Groth DH, Moorman WJ, Lynch DW, et al. 1981. Chronic effects of inhaled amorphous silicas in animals. In: Dunnom DD, ed. *Health effects of synthetic silica particulates*. (ASTM STP 732). Philadelphia, PA: American Society for Testing and Materials, 118-143.
- *Guenel P, Hojberg G, Lynge E. 1989. Cancer incidence among Danish stone workers. *Scand J Work, Environ Health* 15(4):265-270. (As cited in Kurihara and Wada 2004)
- *Guidi P, Nigro M, Bernardeschi M, et al. 2013. Genotoxicity of amorphous silica particles with different structure and dimension in human and murine cell lines. *Mutagenesis* 28(2):171-180.

9. REFERENCES

- *Guthrie GD. 1995. Mineralogical factors affect the biological activity of crystalline silica. *Appl Occup Environ Hyg* 10(12):1126-1131.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences and Press Institute Press.
- *Hall RM, Achutan C, Sollberger R, et al. 2013. Exposure assessment for roofers exposed to silica during installation of roof tiles. *J Occup Environ Hyg* 10(1):D6-D10. 10.1080/15459624.2012.739439.
- *Hamilton RF, Jr., Thakur SA, Holian A. 2008. Silica binding and toxicity in alveolar macrophages. *Free Radic Biol Med* 44(7):1246-1258. 10.1016/j.freeradbiomed.2007.12.027.
- *Hart GA, Hesterberg TW. 1998. *In vitro* toxicity of respirable-size particles of diatomaceous earth and crystalline silica compared with asbestos and titanium dioxide. *J Occup Environ Med* 40(1):29-42.
- *Hauglustaine D, Van Damme B, Daenens P, et al. 1980. Silicon nephropathy: A possible occupational hazard. *Nephron* 26(5):219-224.
- *Haynes WM, Lide DR, Bruno TJ, et al. 2014. In: CRC handbook of chemistry and physics. 95th ed. Boca Raton, FL: CRC Press, 4-88.
- *Hayumbu P, Robins TG, Key-Schwartz R. 2008. Cross-sectional silica exposure measurements at two Zambian copper mines of Nkana and Mufulira. *Int J Environ Res Public Health* 5(2):86-90.
- *HazDat. 2007. Silica. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- *Hedlund U, Jonsson H, Eriksson K, et al. 2008. Exposure-response of silicosis mortality in Swedish iron ore miners. *Ann Occup Hyg* 52(1):3-7. 10.1093/annhyg/mem057.
- *Hemenway DR, Absher MP, Trombley L, et al. 1990. Comparative clearance of quartz and cristobalite from the lung. *Am Ind Hyg Assoc J* 51(7):363-369. 10.1080/15298669091369790.
- *Hemlick CG, Felson DT, Lawrence RC, et al. 2008. Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. *Arthritis Rheum* 58(1):15-25.
- *Hertzberg VS, Rosenman KD, Reilly MJ, et al. 2002. Effect of occupational silica exposure on pulmonary function. *Chest* 122(2):721-728.
- *Hessel PA, Gamble JF, Gee JB, et al. 2000. Silica, silicosis, and lung cancer: A response to a recent working group report. *J Occup Environ Med* 42(7):704-720.
- *Hessel PA, Sluis-Cremer GK, Hnizdo E. 1986. Case-control study of silicosis, silica exposure, and lung cancer in white South African gold miners. *Am J Ind Med* 10(1):57-62. (As cited in Lacrasse et al. 2005)
- *Hesterberg TW, Barrett JC. 1984. Dependence of asbestos- and mineral dust-induced transformation of mammalian cells in culture on fiber dimension. *Cancer Res* 44(5):2170-2180.

9. REFERENCES

- *Hewson GS. 1993. Estimates of silica exposure among metalliferous miners in Western Australia (1925–1993). Perth: Department of Minerals and Energy Western Australia. (As cited in Mannetje et al. 2002b)
- *Hinchcliff M, Varga J. 2008. Systemic sclerosis/scleroderma: A treatable multisystem disease. *Am Fam Physician* 78(8):961-968.
- *Hnizdo E, Murray J. 1998. Risk of pulmonary tuberculosis relative to silicosis and exposure to silica dust in South African gold miners. *Occup Environ Med* 55(7):496-502. (As cited in Mannetje et al. 2002b)
- *Hnizdo E, Sluis-Cremer GK. 1991. Silica exposure, silicosis, and lung cancer: A mortality study of South African gold miners. *Br J Ind Med* 48(1):53-60. (As cited in Finkelstein 2000; Mannetje et al. 2002b)
- *Hnizdo E, Sluis-Cremer GK. 1993. Risk of silicosis in a cohort of white South African gold miners. *Am J Ind Med* 24(4):447-457.
- *Hnizdo E, Vallyathan V. 2003. Chronic obstructive pulmonary disease due to occupational exposure to silica dust: A review of epidemiological and pathological evidence. *Occup Environ Med* 60(4):237-243.
- *Hnizdo E, Murray J, Klempman S. 1997. Lung cancer in relation to exposure to silica dust, silicosis and uranium production in South African gold miners. *Thorax* 52(3):271-275. (As cited in Erren et al. 2009a, 2009b; Finkelstein 2000; Kurihara and Wada 2004; Mannetje et al. 2002b; Pelucci et al. 2006; Steenland et al. 2001a)
- *Hnizdo E, Murray J, Sluis-Cremer GK, et al. 1993. Correlation between radiological and pathological diagnosis of silicosis: An autopsy population based study. *Am J Ind Med* 24(4):427-445.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- *Hoffman RS, Howland MA, Lewin NA, et al. 2014. Inorganic dust exposure. In: Goldfrank's toxicologic emergencies. 10th ed. New York, NY: McGraw Hill, 1575.
- *Hogan SL, Cooper GS, Savitz DA, et al. 2007. Association of silica exposure with anti-neutrophil cytoplasmic autoantibody small-vessel vasculitis: A population-based, case-control study. *Clin J Am Soc Nephrol* 2(2):290-299. 10.2215/cjn.03501006.
- *Hogan SL, Satterly KK, Dooley MA, et al. 2001. Silica exposure in anti-neutrophil cytoplasmic autoantibody-associated glomerulonephritis and lupus nephritis. *J Am Soc Nephrol* 12(1):134-142.
- *Holloway MD, Rudd O. 2014. Fracking operations. In: Kirk-Othmer encyclopedia of chemical technology. John Wiley & Sons, 10.1002/0471238961.fracholl.a01.
- *Hornung V, Bauernfeind F, Halle A, et al. 2008. Silica crystals and aluminum salts activate the NALP3 inflammasome through phagosomal destabilization. *Nat Immunol* 9(8):847-856. 10.1038/ni.1631.
- *Horwell CJ, Baxter PJ, Hillman SE, et al. 2013. Physicochemical and toxicological profiling of ash from the 2010 and 2011 eruptions of Eyjafjallajokull and Grimsvotn volcanoes, Iceland using a rapid respiratory hazard assessment protocol. *Environ Res* 127:63-73. 10.1016/j.envres.2013.08.011.

9. REFERENCES

- *Horwell CJ, Williamson BJ, Donaldson K, et al. 2012. The structure of volcanic cristobalite in relation to its toxicity; relevance for the variable crystalline silica hazard. Part Fibre Toxicol 9:44. 10.1186/1743-8977-9-44.
- *Hotz P, Gonzalez-Lorenzo J, Siles E, et al. 1995. Subclinical signs of kidney dysfunction following short exposure to silica in the absence of silicosis. Nephron 70(4):438-442.
- *HSDB. 2009. Amorphous silica. CASRN: No CAS RN. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. September 23, 2015.
- *HSDB. 2012. Crystalline silica. CASRN: No CAS RN. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. September 23, 2015.
- *Huaux F. 2007. New developments in the understanding of immunology in silicosis. Curr Opin Allergy Clin Immunol 7(2):168-173. 10.1097/ACI.0b013e32802bf8a5.
- *Hughes JM, Weill H, Checkoway H, et al. 1998. Radiographic evidence of silicosis risk in the diatomaceous earth industry. Am J Respir Crit Care Med 158(3):807-814. 10.1164/ajrccm.158.3.9709103.
- *Hughes JM, Weill H, Rando RJ, et al. 2001. Cohort mortality study of North American industrial sand workers. II. Case-referent analysis of lung cancer and silicosis deaths. Ann Occup Hyg 45(3):201-207.
- *Iannello S, Camuto M, Cantarella S, et al. 2002. Rheumatoid syndrome associated with lung interstitial disorder in a dental technician exposed to ceramic silica dust. A case report and critical literature review. Clin Rheumatol 21(1):76-81.
- *IARC. 1987. Silica and some silicates. In: IARC monographs of the evaluation of the carcinogenic risk of chemicals to humans. Vol. 42. Lyon, France: World Health Organization, International Agency for Research on Cancer.
- *IARC. 1997. Silica. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 68. Lyon, France: World Health Organization, International Agency for Research on Cancer.
- *IARC. 2012. Silica dust, crystalline, in the form of quartz or cristobalite. Arsenic, metals, fibres, and dusts. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 100C. A review of human carcinogens. Lyon, France: World Health Organization, International Agency for Research on Cancer.
- *IARC. 2015. Agents classified by the IARC monographs. Volumes 1–113. Lyon, France: World Health Organization, International Agency for Research on Cancer. http://monographs.iarc.fr/ENG/Classification>List_of_Classifications_Vol1-113.pdf. July 29, 2015.
- *Ibrahim KS, Ahmed SB, Amer NM. 2011. Study of kidney dysfunction in non-silicotic Egyptian workers. Int J Hyg Environ Health 214(1):53-58. 10.1016/j.ijheh.2010.08.012.
- *ICRP. 1994. Annex D. Deposition of inhaled particles, Annex E. Clearance of particles from the respiratory tract. In: Human respiratory tract model for radiological protection. ICRP Publication 66. Tarrytown, NY: International Commission on Radiological Protection. Elsevier Science, Inc., 231-413.

9. REFERENCES

*Infante-Rivard C, Armstrong B, Petitclerc M, et al. 1989. Lung cancer mortality and silicosis in Quebec, 1938-85. *Lancet* 2(8678-8679):1504-1507. (As cited in Erren et al. 2009a, 2009b; Kurihara and Wada 2004)

*Iocopini GA, Brantley SL, Heaney PJ. 2005. Kinetics of silica oligomerization and nanocolloid formation as a function of pH and ionic strength at 25 degrees C. *Geochim Cosmochim Acta* 69(2):293-303.

*IPCS. 2001. International Chemical Safety Cards (ICSC). Diatomaceous earth (uncalcined). ICSC: 0248. International Programme on Chemical Safety and the European Commission.
http://www.ilo.org/dyn/icsc/showcard.display?p_lang=en&p_card_id=0248&p_version=1. April 20, 2017.

*IPCS. 2016a. International Chemical Safety Cards (ICSC). Cristobalite. ICSC: 0809. International Programme on Chemical Safety and the European Commission.
http://www.ilo.org/dyn/icsc/showcard.display?p_lang=en&p_card_id=0809&p_version=1. April 20, 2017.

*IPCS. 2016b. International Chemical Safety Cards (ICSC). Quartz. ICSC: 0808. International Programme on Chemical Safety and the European Commission.
http://www.ilo.org/dyn/icsc/showcard.display?p_lang=en&p_card_id=0808&p_version=1. April 20, 2017.

*IPCS. 2016c. International Chemical Safety Cards (ICSC). Tridymite. ICSC: 0807. International Programme on Chemical Safety and the European Commission.
http://www.ilo.org/dyn/icsc/showcard.display?p_lang=en&p_card_id=0807&p_version=1. April 20, 2017.

*IRIS. 2015. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. <http://cfpub.epa.gov/ncea/iris/index.cfm?fuseaction=iris.showSubstanceList>. August 4, 2015.

*Jacobsen NR, Saber AT, White P, et al. 2007. Increased mutant frequency by carbon black, but not quartz, in the lacZ and cII transgenes of MutaTM mouse lung epithelial cells. *Environ Mol Mutagen* 48(6):451-461. 10.1002/em.20300.

+*Jacqmin-Gadda H, Commenges D, Letenneur L, et al. 1996. Silica and aluminum in drinking water and cognitive impairment in the elderly. *Epidemiology* 7(3):281-285.

*Jensen M, Keding R, Hoche T, et al. 2009. Biologically formed mesoporous amorphous silica. *J Am Chem Soc* 131(7):2717-2721. 10.1021/ja808847y.

*Jiang PR, Cao Z, Qiu ZL, et al. 2015. Plasma levels of TNF-alpha and MMP-9 in patients with silicosis. *Eur Rev Med Pharmacol Sci* 19:1716-1720.

+*Johnston CJ, Driscoll KE, Finkelstein JN, et al. 2000. Pulmonary chemokine and mutagenic responses in rats after subchronic inhalation of amorphous and crystalline silica. *Toxicol Sci* 56(2):405-413.

*Jorna T, Borm PJA, Koiter KD, et al. 1994. Respiratory effects and serum type III procollagen in potato sorters exposed to diatomaceous earth. *Int Arch Occup Environ Health* 66(4):217-222.

9. REFERENCES

- *Joy GJ. 2012. Evaluation of the approach to respirable quartz exposure control in U.S. coal mines. *J Occup Environ Hyg* 9(2):65-68. 10.1080/15459624.2011.639232.
- *Kada T, Hirano K, Shirasu Y. 1980. Screening of environmental chemical mutagens by the Rec-assay system with *Bacillus subtilis*. *Chem Mutagens* 6:149-173.
- *Kanematsu N, Hara M, Kada T. 1980. Rec assay and mutagenicity studies on metal compounds. *Mutat Res* 77:109-116.
- *Katsnelson BA, Konyshova LK, Privalova LI, et al. 1992. Development of a multicompartmental model of the kinetics of quartz dust in the pulmonary region of the lung during chronic inhalation exposure of rats. *Br J Ind Med* 49(3):172-181.
- *Kauppinen T, Heikkila P, Partanen T, et al. 2003. Mortality and cancer incidence of workers in Finnish road paving companies. *Am J Ind Med* 43:49-57. (As cited in Pelucci et al. 2006)
- *Kearns GL, Abdel-Rahman SM, Alander SW, et al. 2003. Developmental pharmacology--drug disposition, action, and therapy in infants and children. *N Engl J Med* 349(12):1157-1167. 10.1056/NEJMra035092.
- *Kelly DP, Lee KP. 1990. Pulmonary response to Ludox colloidal silica inhalation exposure in rats. *Toxicologist* 90:202.
- *Keshava C, Keshava N, Zhou G, et al. 1999. Genomic instability in silica- and cadmium chloride-transformed BALB/c-3T3 and tumor cell lines by random amplified polymorphic DNA analysis. *Mutat Res* 425(1):117-123.
- *Klockars M, Koskela RS, Jarvinen E, et al. 1987. Silica exposure and rheumatoid arthritis: A follow up study of granite workers 1940-81. *Br Med J* 294(6578):997-1000.
- *Knaapen AM, Albrecht C, Becker A, et al. 2002. DNA damage in lung epithelial cells isolated from rats exposed to quartz: Role of surface reactivity and neutrophilic inflammation. *Carcinogenesis* 23(7):1111-1120.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29(18):4430-4433.
- *Koskela RS. 1995. Association of silica dust exposure with lung cancer and other diseases. *Acta Universitatis Tamperensis, Ser A, Vol. 460*. Academic dissertation, University of Tampere, Finland. (As cited in Mannetje et al. 2002b)
- *Koskela RS, Klockars M, Jarvinen E, et al. 1987a. Cancer mortality of granite workers. *Scand J Work Environ Health* 13(1):26-31. (As cited in Mannetje et al. 2002b)
- *Koskela RS, Klockars M, Jarvinen E, et al. 1987b. Mortality and disability among granite workers. *Scand J Work Environ Health* 13(1):18-25.
- *Koskela RS, Klockars M, Laurent H, et al. 1994. Silica dust exposure and lung cancer. *Scand J Work Environ Health* 20(6):407-416.

9. REFERENCES

- *Kramer MR, Blanc PD, Fireman E, et al. 2012. Artificial stone silicosis: Disease resurgence among artificial stone workers. *Chest* 142(2):419-424. 10.1378/chest.11-1321.
- *Kreiss K, Zhen B. 1996. Risk of silicosis in a Colorado mining community. *Am J Ind Med* 30(5):529-539.
- *Kreyling WG. 1990. Interspecies comparison of lung clearance of "insoluble" particles. *J Aerosol Med* 3(1):S-93 to S-110.
- *Kullman GJ, Greife AL, Costello J, et al. 1995. Occupational exposures to fibers and quartz at 19 crushed stone mining and milling operations. *Am J Ind Med* 27(5):641-660.
- *Kurihara N, Wada O. 2004. Silicosis and smoking strongly increase lung cancer risk in silica-exposed workers. *Ind Health* 42(3):303-314.
- *Lacasse Y, Martin S, Gagne D, et al. 2009. Dose-response meta-analysis of silica and lung cancer. *Cancer Causes Control* 20(6):925-933. 10.1007/s10552-009-9296-0.
- *Lacey JV, Laing TJ, Gillespie BW, et al. 1997. Mr. Lacey, et al. reply. [Reply to "Epidemiology of scleroderma among women: Assessment of risk from exposure to silicone and silica"]. *J Rheumatol* 24(9):1853-1855.
- *Lagorio S, Forastiere F, Michelozzi P, et al. 1990. A case-referent study on lung cancer mortality among ceramic workers. *IARC Sci Publ* (97):21-28. (As cited in Erren et al. 2009a, 2009b)
- *Lane SE, Watts RA, Bentham G, et al. 2003. Are environmental factors important in primary systemic vasculitis? *Arthritis Rheum* 48(3):8114-8823.
- *Lange BA, Haartz JC, Hornung RW. 1981. Determination of synthetic amorphous silica in industrial air samples. *Anal Chem* 53(9):1479-1484.
- *Large DJ, Kelly S, Spiro B, et al. 2009. Silica-volatile interaction and the geological cause of the Xuan Wei lung cancer epidemic. *Environ Sci Technol* 43(23):9016-9021. 10.1021/es902033j.
- *Lawson RJ, Schenker MB, McCurdy SA, et al. 1995. Exposure to amorphous silica fibers and other particulate matter during rice farming operations. *Appl Occup Environ Hyg* 10(8):677-684.
- *Le Blond JS, Horwell CJ, Williamson BJ, et al. 2010. Generation of crystalline silica from sugarcane burning. *J Environ Monit* 12(7):1459-1470. 10.1039/c0em00020e.
- *Lee K. 2009. OSHA compliance issues benzene and crystalline silica exposures in a grey iron foundry. *J Occup Environ Hyg* 6(5):D15-D17. 10.1080/15459620902754380.
- +*Lee KP, Kelly DP. 1992. The pulmonary response and clearance of Ludox colloidal silica after a 4-week inhalation exposure in rats. *Fundam Appl Toxicol* 19(3):399-410.
- *Lee S, Hayashi H, Maeda M, et al. 2012. Environmental factors producing autoimmune dysregulation--chronic activation of T cells caused by silica exposure. *Immunobiology* 217(7):743-748. 10.1016/j.imbio.2011.12.009.

9. REFERENCES

- *Lee S, Matsuzaki H, Kumagai-Takei N, et al. 2014. Silica exposure and altered regulation of autoimmunity. *Environ Health Prev Med* 19(5):322-329. 10.1007/s12199-014-0403-9.
- *Lee T, Chisholm WP, Kashon M, et al. 2013. Consideration of kaolinite interference correction for quartz measurements in coal mine dust. *J Occup Environ Hyg* 10(8):425-434. 10.1080/15459624.2013.801819.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- *Legge RT, Rosencrantz E. 1932. Observations and studies on silicosis by diatomaceous silica. *Arch Environ Health* 1:125-128.
- *Leung H. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantyne B, Marrs T, Turner P, eds. General and applied toxicology. Vol. 1. New York, NY: Stockton Press, 153-164.
- *Leung CC, Yu IT, Chen W. 2012. Silicosis. *Lancet* 379(9830):2008-2018. 10.1016/s0140-6736(12)60235-9.
- +*Lewinson J, Mayr W, Wagner H. 1994. Characterization and toxicological behavior of synthetic amorphous hydrophobic silica. *Regul Toxicol Pharmacol* 20(1):37-57. 10.1006/rtpb.1994.1035.
- *Li H, Haberzettl P, Albrecht C, et al. 2007. Inhibition of the mitochondrial respiratory chain function abrogates quartz induced DNA damage in lung epithelial cells. *Mutat Res* 617(1-2):46-57. 10.1016/j.mrfmmm.2006.12.001.
- *Lickiss PD. 2006. Silicon: Inorganic chemistry. In: Encyclopedia of inorganic chemistry. John Wiley & Sons, Ltd. <http://onlinelibrary.wiley.com/doi/10.1002/0470862106.ia219/abstract>. September 22, 2015.
- *Linch KD, Miller WE, Althouse RB, et al. 1998. Surveillance of respirable crystalline silica dust using OSHA compliance data (1979-1995). *Am J Ind Med* 34(6):547-558.
- *Lippmann M, Timbrell V. 1990. Particle loading in the human lung- human experience and implications for exposure limits. *J Aerosol Med* 3:155-168.
- *Liu H, Patel DJ, Welch AM, et al. 2016. Association between occupational exposures and sarcoidosis. *Chest Surg Clin N Am* 150(2):289-298.
- *Liu S, Liu N, Li J. 1996a. Silicosis caused by rice husk ashes. *J Occup Health* 38(2):57-62.
- *Liu X, Keane MJ, Zhong BZ, et al. 1996b. Micronucleus formation in V79 cells treated with respirable silica dispersed in medium and in simulated pulmonary surfactant. *Mutat Res* 2(3):89-94.
- *Liu Y, Rong Y, Steenland K, et al. 2014. Long-term exposure to crystalline silica and risk of heart disease mortality. *Epidemiology* 25(5):689-696. 10.1097/ede.0000000000000143.
- *Liu Y, Steenland K, Rong Y, et al. 2013. Exposure-response analysis and risk assessment for lung cancer in relationship to silica exposure: A 44-year cohort study of 34,018 workers. *Am J Epidemiol* 178(9):1424-1433. 10.1093/aje/kwt139.

9. REFERENCES

- *Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4(2-3):301-324.
- *Loosereewanich P, Ritchie AC, Armstrong B, et al. 1995. Pulmonary dust retention in silicotics with and without lung cancer. *Appl Occup Environ Hyg* 10(12):1104-1106.
- *Love RG, Waclawski ER, Maclare WM, et al. 1999. Risks of respiratory disease in the heavy clay industry. *Occup Environ Med* 56(2):124-133.
- *Maciejewska A. 2008. Occupational exposure assessment for crystalline silica dust: Approach in Poland and worldwide. *Int J Occup Med Environ Health* 21(1):1-23. 10.2478/v10001-008-0010-3.
- *Madl AK, Donovan EP, Gaffney SH, et al. 2008. State-of-the-science review of the occupational health hazards of crystalline silica in abrasive blasting operations and related requirements for respiratory protection. *J Toxicol Environ Health B Crit Rev* 11(7):548-608. 10.1080/10937400801909135.
- *Maeda M, Nishimura Y, Kumagai N, et al. 2010. Dysregulation of the immune system caused by silica and asbestos. *J Immunotoxicol* 7(4):268-278. 10.3109/1547691x.2010.512579.
- *Maitre A, Hours M, Bonneterre V, et al. 2004. Systemic sclerosis and occupational risk factors: Role of solvents and cleaning products. *J Rheumatol* 31:2395-2401.
- *Makol A, Reilly MJ, Rosenman KD. 2011. Prevalence of connective tissue disease in silicosis (1985-2006)-a report from the state of Michigan surveillance system for silicosis. *Am J Ind Med* 54(4):255-262. 10.1002/ajim.20917.
- *Malmberg P, Hedenstrom H, Sundblad BM. 1993. Changes in lung function of granite crushers exposed to moderately high silica concentrations: A 12 year follow up. *Br J Ind Med* 50(8):726-731.
- *Mamuya SH, Bratveit M, Mwaiselage J, et al. 2006. High exposure to respirable dust and quartz in a labour-intensive coal mine in Tanzania. *Ann Occup Hyg* 50(2):197-204. 10.1093/annhyg/mei052.
- *Mancuso JD, McCoy J, Pelka B, et al. 2008. The challenge of controlling lead and silica exposures from firing ranges in a special operations force. *Mil Med* 173(2):182-186.
- *Mannetje A, Steenland K, Attfield M, et al. 2002a. Exposure-response analysis and risk assessment for silica and silicosis mortality in a pooled analysis of six cohorts. *Occup Environ Med* 59(11):723-728.
- *Mannetje A, Steenland K, Checkoway H, et al. 2002b. Development of quantitative exposure data for a pooled exposure-response analysis of 10 silica cohorts. *Am J Ind Med* 42(2):73-86. 10.1002/ajim.10097.
- *Manson JJ, Rahman A. 2006. Systemic lupus erythematosus. *Orphanet J Rare Dis* 10.1186/1750-1172-1-6.
- *Mao Y, Daniel LN, Whittaker N, et al. 1994. DNA binding to crystalline silica characterized by Fourier-transform infrared spectroscopy. *Environ Health Perspect* 102(Suppl 10):165-171.
- *Marie I, Gehanno JF, Bubenheim M, et al. 2014. Prospective study to evaluate the association between systemic sclerosis and occupational exposure and review of the literature. *Autoimmun Rev* 13(2):151-156. 10.1016/j.autrev.2013.10.002.

9. REFERENCES

- *Marinaccio A, Scarselli A, Gorini G, et al. 2006. Retrospective mortality cohort study of Italian workers compensated for silicosis. *Occup Environ Med* 63(11):762-765. 10.1136/oem.2006.027854.
- *Martin JC, Imbernon E, Goldberg M, et al. 2000. Occupational risk factors for lung cancer in the French electricity and gas industry: A case-control survey nested in a cohort of active employees. *Am J Epidemiol* 151(9):902-912. (As cited in Kurihara and Wada 2004; Pelucci et al. 2006)
- *Mastrangelo G, Zambon P, Simonato L, et al. 1988. A case-referent study investigating the relationship between exposure to silica dust and lung cancer. *Int Arch Occup Environ Health* 60(4):299-302. (As cited in Erren et al. 2009a, 2009b; Kurihara and Wada 2004; Lacrasse et al. 2005)
- *Mauderly JL, Cheng YS, Snipes MB. 1990. Particle overload in toxicology studies: Friend or foe? *J Aerosol Med* 3(Suppl 1):S169-S187.
- *Maxim DL, Venturin D, Allshouse JN. 1999. Respirable crystalline silica exposure associated with the installation and removal of RCF and conventional silica-containing refractories in industrial furnaces. *Regul Toxicol Pharmacol* 29(1):44-63. 10.1006/rtpb.1998.1268.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74(2-3):135-149.
- *Mazurek JM, Attfield MD. 2008. Silicosis mortality among young adults in the United States, 1968-2004. *Am J Ind Med* 51(8):568-578. 10.1002/ajim.20597.
- *McClellan RO. 1990. Particle overload in the lung: Approaches to improving our knowledge. *J Aerosol Med* 3:197-207.
- *McCormic ZD, Khuder SS, Aryal BK, et al. 2010. Occupational silica exposure as a risk factor for scleroderma: A meta-analysis. *Int Arch Occup Environ Health* 83(7):763-769. 10.1007/s00420-009-0505-7.
- *McDonald AD, McDonald JC, Rando RJ, et al. 2001. Cohort mortality study of North American industrial sand workers. I. Mortality from lung cancer, silicosis and other causes. *Ann Occup Hyg* 45(3):193-199. (As cited in Kurihara and Wada 2004)
- *McDonald JC, McDonald AD, Hughes JM, et al. 2005. Mortality from lung and kidney disease in a cohort of North American industrial sand workers: An update. *Ann Occup Hyg* 49(5):367-373. 10.1093/annhyg/mei001.
- *McLaughlin JK, Chen JQ, Dosemeci M, et al. 1992. A nested case-control study of lung cancer among silica exposed workers in China. *Br J Ind Med* 49(3):167-171. (As cited in Kurihara and Wada 2004; Mannetje et al. 2002b)
- *McLaughlin JK, Chow WH, Levy LS. 1997. Amorphous silica: A review of health effects from inhalation exposure with particular reference to cancer. *J Toxicol Environ Health* 50(6):553-566. 10.1080/15287399709532054.
- *Meeker JD, Susi P, Pellegrino A. 2005. Exposure to silica and metals among painters using specular hematite abrasive. *J Occup Environ Hyg* 2(8):D60-D64.

9. REFERENCES

- *Mehlhorn J, Ziegler V, Keyn J, et al. 1990. [Quartz crystals in the skin as cause of progressive systemic scleroderma]. Zeitschrift fuer die Gesamte Innere Medizin und Ihre Grenzgebiete 45(6):149-154.
- *Mehlhorn J, Enderlein G, Conrad K, et al. 1999. [Analysis for the association between progressive systemic scleroderma, exposure to quartz dust, and silicosis in East Germany uranium mining]. Zbl Arbeitsmed 49:134-147. (As cited in McCormic et al. 2010)
- *Mehnert WH, Staneczek W, Mohner M, et al. 1990. A mortality study of a cohort of slate quarry workers in the German Democratic Republic. IARC Sci Publ (97):55-64. (As cited in Erren et al. 2009a, 2009b; Kurihara and Wada 2004; Lacrasse et al. 2005)
- *Meijer E, Kromhout H, Heederik D. 2001. Respiratory effects of exposure to low levels of concrete dust containing crystalline silica. Am J Ind Med 40(2):133-140.
- *Meijers JM, Swaen GM, Slanger JJ. 1996. Mortality and lung cancer in ceramic workers in The Netherlands: Preliminary results. Am J Ind Med 30(1):26-30. (As cited in Erren et al. 2009a, 2009b; Kurihara and Wada 2004)
- *Menvielle G, Luce D, Fevotte J, et al. 2003. Occupational exposures and lung cancer in New Caledonia. Occup Environ Med 60(8):584-589. (As cited in Pelucci et al. 2006)
- *Merget R, Bauer T, Kupper HU, et al. 2002. Health hazards due to the inhalation of amorphous silica. Arch Toxicol 75(11-12):625-634.
- *Merlo DF, Garattini S, Gelatti U, et al. 2004. A mortality cohort study among workers in a graphite electrode production plant in Italy. Occup Environ Med 61(2):e9. (As cited in Pelucci et al. 2006)
- *Merlo F, Costantini M, Reggiardo G, et al. 1991. Lung cancer risk among refractory brick workers exposed to crystalline silica: A retrospective cohort study. Epidemiology 2(4):299-305. (As cited in Kurihara and Wada 2004)
- *Miles WJ. 1999. Issues and controversy: The measurement of crystalline silica; review papers on analytical methods. Am Ind Hyg Assoc J 60:396-402.
- *Miller AL, Drake PL, Murphy NC, et al. 2012. Evaluating portable infrared spectrometers for measuring the silica content of coal dust. J Environ Monit 14(1):48-55. 10.1039/c1em10678c.
- *Millerick-May ML, Schrauben S, Reilly MJ, et al. 2015. Silicosis and chronic renal disease. Am J Ind Med 58:730-736. 10.1002/ajim.22465.
- *MMWR. 1989. Exposure trends in silica flour plants--United States, 1975-1986. MMWR Morb Mortal Wkly Rep 38(21):380-383.
- *Mohner M, Kersten N, Gellissen J. 2013a. Chronic obstructive pulmonary disease and longitudinal changes in pulmonary function due to occupational exposure to respirable quartz. Occup Environ Med 70(1):9-14. 10.1136/oemed-2012-100775.
- *Mohner M, Kersten N, Gellissen J. 2013b. Re: Clinically significant lung function impairment due to current levels of respirable quartz? (authors' response). Occup Environ Med 70(12):893-894. 10.1136/oemed-2013-101808.

9. REFERENCES

*Molocznik A. 2002. Qualitative and quantitative analysis of agricultural dust in working environment. Ann Agric Environ Med 9(1):71-78.

*Moore M. 1999. Crystalline silica: Occurrence and use. Indoor Built Environ 8:82-88.

*Morfeld P, Taeger D, Mitura H, et al. 2014. Cross-sectional study on respiratory morbidity in workers after exposure to synthetic amorphous silica at five German production plants: Exposure assessment and exposure estimates. J Occup Environ Med 56(1):72-78. 10.1097/jom.0000000000000055.

*Morinaga K, Sakatani M, Yokoyama K, et al. 1991. Silicosis and lung cancer - A retrospective cohort study of compensated patients with silicosis in Osaka. Jpn J of Traumatol Occup Med39(3):192-197. (As cited in Lacrasse et al. 2005)

*Morita T, Asano N, Awogi T, et al. 1997. Evaluation of the rodent micronucleus assay in the screening of IARC carcinogens (groups 1, 2A and 2B) the summary report of the 6th collaborative study by CSGMT/JEMS MMS. Collaborative study of the micronucleus group test. Mammalian Mutagenicity Study Group [published erratum appears in Mutat Res 1997 Jul 14;391(3):259-67]. Mutat Res 389(1):3-122.

*Morrow PE. 1992. Dust overloading of the lungs: Update and appraisal. Toxicol Appl Pharmacol 113:1-12.

*Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. Clin Pharmacokinet 5(6):485-527.

*Moshammer H, Neuberger M. 2004. Lung cancer and dust exposure: Results of a prospective cohort study following 3260 workers for 50 years. Occup Environ Med 61(2):157-162. (As cited in Pelucci et al. 2006)

*Mossman BT, Churg A. 1998. Mechanisms in the pathogenesis of asbestosis and silicosis. Am J Respir Crit Care Med 157(5 Pt 1):1666-1680. 10.1164/ajrccm.157.5.9707141.

*Mossman BT, Glenn RE. 2013. Bioreactivity of the crystalline silica polymorphs, quartz and cristobalite, and implications for occupational exposure limits (OELs). Crit Rev Toxicol 43(8):632-660. 10.3109/10408444.2013.818617.

*Moulin JJ, Clavel T, Roy D, et al. 2000. Risk of lung cancer in workers producing stainless steel and metallic alloys. Int Arch Occup Environ Health 73(3):171-180. (As cited in Pelucci et al. 2006)

*MPCA. 2015a. Shakopee Sand (previously Great Plains Sand) ambient air monitoring Jordan, Minnesota July 2012–June 2015. Saint Paul, MN: Minnesota Pollution Control Agency. g-70-03. <https://www.pca.state.mn.us/sites/default/files/g-70-03.pdf>. January 18, 2017.

*MPCA. 2015b. Titan Lansing Transload ambient air monitoring data report North Branch, Minnesota November 2012–September 2015. Saint Paul, MN: Minnesota Pollution Control Agency. g-13-03. <https://www.pca.state.mn.us/sites/default/files/g-13-03.pdf>. January 17, 2017.

*MPCA. 2015c. Winona - Community ambient air monitoring Winona, Minnesota January 2014–December 2014. Saint Paul, MN: Minnesota Pollution Control Agency. g-85-03. <https://www.pca.state.mn.us/sites/default/files/g-85-03.pdf>. January 17, 2017.

9. REFERENCES

- *MSHA. 2013. Infrared determination of quartz in respirable coal mine dust. Method No.: P-7. Mine Safety and Health Administration, Department of Labor.
<http://www.msha.gov/Techsupp/pshtcweb/MSHA%20P7.pdf>. September 25, 2015.
- *Msiska Z, Pacurari M, Mishra A, et al. 2010. DNA double-strand breaks by asbestos, silica, and titanium dioxide: Possible biomarker of carcinogenic potential? *Am J Respir Cell Mol Biol* 43(2):210-219. 10.1165/rcmb.2009-0062OC.
- *Muir DC, Julian JA, Shannon HS, et al. 1989b. Silica exposure and silicosis among Ontario hardrock miners: III. Analysis and risk estimates. *Am J Ind Med* 16(1):29-43.
- *Muir DC, Shannon HS, Julian JA, et al. 1989a. Silica exposure and silicosis among Ontario hardrock miners: I. Methodology. *Am J Ind Med* 16(1):5-11.
- *Mukhopadhyay K, Ramalingam A, Ramani R, et al. 2011. Exposure to respirable particulates and silica in and around the stone crushing units in central India. *Ind Health* 49(2):221-227.
- *Mundt KA, Birk T, Parsons W, et al. 2011. Respirable crystalline silica exposure-response evaluation of silicosis morbidity and lung cancer mortality in the German porcelain industry cohort. *J Occup Environ Med* 53(3):282-289. 10.1097/JOM.0b013e31820c2bff.
- *Murashov V, Harper M, Demchuk E. 2006. Impact of silanol surface density on the toxicity of silica aerosols measured by erythrocyte haemolysis. *J Occup Environ Hyg* 3(12):718-723.
- *Nagalakshmi R, Nath J, Ong T, et al. 1995. Silica-induced micronuclei and chromosomal aberrations in Chinese hamster lung (V79) and human lung (HeLa 299) cells. *Mutat Res* 335(1):27-33.
- *Naghizadeh A, Mahvi AH, Jabbari H, et al. 2011. Exposure assessment to dust and free silica for workers of Sangan iron ore mine in Khaf, Iran. *Bull Environ Contam Toxicol* 87(5):531-538. 10.1007/s00128-011-0375-z.
- *NAS/NRC. 1989. Report of the oversight committee. Biologic markers in reproductive toxicology. Washington, DC: 15-35.
- *Neuberger M, Kundi M, Westphal G, et al. 1986. The Viennese dusty worker study. In: Silica, silicosis, and cancer: Controversy in occupational medicine. Vol. 2. 415-422. (As cited in Erren et al. 2009a, 2009b)
- *Ng T, Chan S. 1994. Quantitative relations between silica exposure and development of radiological small opacities in granite workers. *Ann Occup Hyg* 38:857-863.
- *Ng TP, Chan SL, Lee J. 1990. Mortality of a cohort of men in a silicosis register: Further evidence of an association with lung cancer. *Am J Ind Med* 17(2):163-171.
- *Ng TP, Lee HS, Phoon WH. 1993. Further evidence of human silica nephrotoxicity in occupationally exposed workers. *Br J Ind Med* 50(10):907-912.
- *Ng TP, Ng YL, Lee HS, et al. 1992. A study of silica nephrotoxicity in exposed silicotic and non-silicotic workers. *Br J Ind Med* 49(1):35-37.

9. REFERENCES

- *Nieuwenhuijsen MJ, Noderer KS, Schenker MB, et al. 1999. Personal exposure to dust, endotoxin and crystalline silica in California agriculture. *Ann Occup Hyg* 43(1):35-42.
- *Ning RY. 2002. Discussion of silica speciation, fouling, control and maximum reduction. *Desalination* 151:67-73.
- *NIOSH. 1981. Silica flour: Silicosis (crystalline silica). National Institute for Occupational Safety and Health, 81-137. <http://www.cdc.gov/niosh/docs/81-137/>. September 23, 2015.
- *NIOSH. 1986a. Acute silicosis. In: *Occupational respiratory diseases*. National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services, 239-241. PB87205662.
- *NIOSH. 1986b. Silicosis. In: *Occupational respiratory diseases*. National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services, 219-237. PB87205662.
- *NIOSH. 2002. NIOSH hazard review. Health effects of occupational exposure to respirable crystalline silica. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health. DHHS (NIOSH) publication number 2002-129. <http://www.cdc.gov/niosh/docs/2002-129/pdfs/2002-129.pdf>. October 6, 2015.
- *NIOSH. 2003a. Silica, crystalline, by XRD (filter redeposition). Method 7500, Issue 4. NIOSH Manual of Analytical Methods (NMAM), fourth edition. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/7500.pdf>. October 6, 2015.
- *NIOSH. 2003b. Silica, crystalline, by VIS Method 7601, issue 3. NIOSH Manual of Analytical Methods (NMAM), fourth edition. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/7601.pdf>. October 6, 2015.
- *NIOSH. 2003c. Silica, amorphous. Method 7501, Issue 3. NIOSH Manual of Analytical Methods (NMAM). National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/7501.pdf>. October 6, 2015.
- *NIOSH. 2003d. Silica, crystalline by IR (KBr pellet). Method 7602. NIOSH Manual of Analytical Methods (NMAM), fourth edition. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/7602.pdf>. October 6, 2015.
- *NIOSH. 2003e. Quartz in coal mine dust, by IR (redeposition). Method 7603. NIOSH Manual of Analytical Methods (NMAM), fourth edition. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/7603.pdf>. October 6, 2015.
- *NIOSH. 2003f. Determination of airborne crystalline silica. NIOSH Manual of Analytical Methods (NMAM). National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/chapter-r.pdf>. October 6, 2015.
- *NIOSH. 2011. 1988 OSHA PEL project documentation. Silica, crystal. National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services. <http://www.cdc.gov/niosh/pe188/1317-95.html>. August 06, 2015.

9. REFERENCES

- *NIOSH. 2015a. Silica, amorphous. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/npgd0552.html>. July 30, 2015.
- *NIOSH. 2015b. Silica, crystalline (as respirable dust). NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/npgd0684.html>. July 30, 2015.
- *Norboo T, Angchuk PT, Yahya M, et al. 1991a. Correction: Silicosis in a Himalayan village population: Role of environmental dust. (Thorax 46:341-343). Thorax 46:544.
- *Norboo T, Angchuk PT, Yahya M, et al. 1991b. Silicosis in a Himalayan village population: Role of environmental dust. Thorax 46:341-343.
- *NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Research Council. National Academy Press.
- *NTP. 2009. Chemical information review document for silica flour (micronized α -quartz). Research Triangle Park, NC: National Toxicology Program, U.S. Department of Health and Human Services. https://ntp.niehs.nih.gov/ntp/noms/support_docs/silica%20flour_oct2009.pdf. October 6, 2015.
- *NTP. 2014. Silica, crystalline (respirable size). Report on carcinogens. Thirteenth edition. Research Triangle Park, NC: National Toxicology Program. U.S. Department of Health and Human Services, Public Health Service. <http://ntp.niehs.nih.gov/ntp/roc/content/profiles/silica.pdf>. July 30, 2015.
- *Nuyts GD, Van Vlem E, De Vos A, et al. 1995. Wegener granulomatosis is associated to exposure to silicon compounds: A case-control study. Nephrol Dial Transplant 10(7):1162-1165.
- *Ogawa S, Imai H, Ikeda M. 2003. Mortality due to silico-tuberculosis and lung cancer among 200 whetstone cutters. Ind Health 41(3):231-235. (As cited in Pelucci et al. 2006)
- *Ojima J. 2003. Determining of crystalline silica in respirable dust samples by infrared spectrophotometry in the presence of interferences. J Occup Health 45(2):94-103.
- *Oksa P, Pukkala E, Karjalainen A, et al. 1997. Cancer incidence and mortality among Finnish asbestos sprayers and in asbestosis and silicosis patients. Am J Ind Med 31(6):693-698. (As cited in Erren et al. 2009a, 2009b; Kurihara and Wada 2004; Lacrasse et al. 2005)
- +*Oner G, Cirrik S, Bakan O. 2005. Effects of silica on mitochondrial functions of the proximal tubule cells in rats. Kidney Blood Press Res 28(4):203-210. 10.1159/000086006.
- +*Oner G, Cirrik S, Bulbul M, et al. 2006. Dietary silica modifies the characteristics of endothelial dilation in rat aorta. Endothelium 13(1):17-23. 10.1080/10623320600660045.
- *OSHA. 1996. Quartz and cristobalite in workplace atmospheres. Method number: ID-142. Occupational Safety and Health Administration. <https://www.osha.gov/dts/sltc/methods/inorganic/id142/id142.pdf>. September 23, 2016.
- *OSHA. 1997. Occupational exposure to methylene chloride. 29 CFR Parts 1910, 1915 and 1926. Occupational Safety and Health Administration. Fed Regist 62(7):1494-1619.

9. REFERENCES

<https://www.federalregister.gov/articles/1997/01/10/97-198/occupational-exposure-to-methylene-chloride>. June 28, 2016.

*OSHA. 2009. Controlling silica exposures in construction. Occupational Safety and Health Standards. <https://www.osha.gov/Publications/3362silica-exposures.pdf>. October 24, 2016.

*OSHA. 2013a. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1910.1000. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title29-vol6/pdf/CFR-2014-title29-vol6-sec1910-1000.pdf>. March 4, 2015.

OSHA. 2013b. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z - Shipyards. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1915.1000. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title29-vol7/pdf/CFR-2013-title29-vol7-sec1915-1000.pdf>. March 4, 2015.

*OSHA. 2013c. Occupational exposure to respirable crystalline silica. Occupational Safety and Health Administration. 78(177):56274-56504. <http://www.gpo.gov/fdsys/pkg/FR-2013-09-12/pdf/2013-20997.pdf>. October 6, 2015.

*OSHA. 2014. Appendix A to Part 1926.55-1970 American Conference of Governmental Industrial Hygienists' threshold limit values of airborne contaminants. Threshold limit values of airborne contaminants for construction. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1926.55. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title29-vol8/pdf/CFR-2014-title29-vol8-sec1926-55.pdf>. March 4, 2015.

*OSHA. 2015. Gravimetric determination. Method No. PV2121. Occupational Safety and Health Standards. <https://www.osha.gov/dts/sltc/methods/partial/pv2121/pv2121.html>. September 13, 2016.

*OSHA. 2016. Occupational exposure to respirable crystalline silica; final rule. Occupational Safety and Health Standards. Fed Regist 81(58):16285-16890. <https://www.gpo.gov/fdsys/pkg/FR-2016-03-25/pdf/2016-04800.pdf>. October 24, 2016.

*Oshimura M, Hesterberg TW, Tsutsui T, et al. 1984. Correlation of asbestos-induced cytogenetic effects with cell transformation of Syrian hamster embryo cells in culture. Cancer Res 44(11):5017-5022.

*Otsuki T, Maeda M, Murakami S, et al. 2007. Immunological effects of silica and asbestos. Cell Mol Immunol 4(4):261-268.

*Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.

*Page-Shipp RJ, Harris E. 1972. A study of the dust exposure of South African white gold miners. J South Afr Inst Mining Metal August:10-22. (As cited in Mannetje et al. 2002b)

*Pairon JC, Jaurand MC, Kheuang L, et al. 1990. Sister chromatid exchanges in human lymphocytes treated with silica. Br J Ind Med 47(2):110-115.

*Park R, Rice F, Stayner L, et al. 2002. Exposure to crystalline silica, silicosis, and lung disease other than cancer in diatomaceous earth industry workers: A quantitative risk assessment. Occup Environ Med 59(1):36-43.

9. REFERENCES

- *Parks CG, Conrad K, Cooper GS. 1999. Occupational exposure to crystalline silica and autoimmune disease. *Environ Health Perspect* 107(5):793-802.
- *Partanen T, Pukkala E, Vainio H, et al. 1994. Increased incidence of lung and skin cancer in Finnish silicotic patients. *J Occup Med* 36(6):616-622. (As cited in Erren et al. 2009a, 2009b; Lacrasse et al. 2005)
- *Pelucchi C, Pira E, Piolatto G, et al. 2006. Occupational silica exposure and lung cancer risk: A review of epidemiological studies 1996-2005. *Ann Oncol* 17(7):1039-1050. 10.1093/annonc/mdj125.
- *Piacitelli GM, Amandus HE, Diefenbach A. 1990. Respirable dust exposures in USA surface coal mines (1982-1986). *Arch Environ Health* 45(4):202-209.
- *Plunkett ER, Dewitt BJ. 1962. Occupational exposure to Hi-Sil and Silene. Report of an 18-year study. *Arch Environ Health* 5:469-472.
- *Pratt PC. 1983. Lung dust content and response in guinea pigs inhaling three forms of silica. *Arch Environ Health* 38(4):197-204.
- *Price-Jones MJ, Gubbings G, Chamberlain M. 1980. The genetic effects of crocidolite asbestos: Comparison of chromosome abnormalities and sister-chromatid exchanges. *Mutat Res* 79(4):331-336.
- *Pukkala E, Guo J, Kyyronen P, et al. 2005. National job-exposure matrix in analyses of census-based estimates of occupational cancer risk. *Scand J Work Environ Health* 31:97-107. (As cited in Lacasse et al. 2009; Pelucci et al. 2006)
- *Qaseem A, Wilt TJ, Weinberger SE, et al. 2011. Diagnosis and management of stable chronic obstructive pulmonary disease: A clinical practice guideline update from the American College of Physicians, American College of Chest Physicians, American Thoracic Society, and European Respiratory Society. *Ann Intern Med* 155(3):179-191. 10.7326/0003-4819-155-3-201108020-00008.
- *Rabovsky J. 1995. Biogenic amorphous silica. *Scand J Work Environ Health* 21(2):108-110.
- *Radnoff D, Todor MS, Beach J. 2014. Occupational exposure to crystalline silica at Alberta work sites. *J Occup Environ Hyg* 11(9):557-570. 10.1080/15459624.2014.887205.
- *Radovanovic Z, Markovic-Denic L, Marinkovic J, et al. 1991. Well water characteristics and the Balkan nephropathy. *Nephron* 57(1):52-54.
- *Rafnsson V, Gunnarsdottir H. 1997. Lung cancer incidence among an Icelandic cohort exposed to diatomaceous earth and cristobalite. *Scand J Work Environ Health* 23(3):187-192. (As cited in Kurihara and Wada 2004; Pelucci et al. 2006)
- *Rafnsson V, Ingimarsson O, Hjalmarsson I, et al. 1998. Association between exposure to crystalline silica and risk of sarcoidosis. *Occup Environ Med* 55(10):657-660.
- *Ranavaya MI, Reger RB, Battigelli MC. 1992. Non-occupational pneumoconiosis at high altitude villages in central Ladakh. *Br J Ind Med* 49(6):452-453.

9. REFERENCES

- *Rapiti E, Sperati A, Miceli M, et al. 1999. End stage renal disease among ceramic workers exposed to silica. *Occup Environ Med* 56(8):559-561.
- *Rappaport SM, Goldberg M, Susi P, et al. 2003. Excessive exposure to silica in the US construction industry. *Ann Occup Hyg* 47(2):111-122.
- *Rasch EK, Hirsch R, Paulose-Ram R, et al. 2003. Prevalence of rheumatoid arthritis in persons 60 years of age and older in the United States. Effects of different methods of case classification. *Arthritis Rheum* 48(4):917-926.
- *Rees D, Murray J. 2007. Silica, silicosis and tuberculosis. *Int J Tuberc Lung Dis* 11(5):474-484.
- *Reid PJ, Sluis-Cremer GK. 1996. Mortality of white South African gold miners. *Occup Environ Med* 53(1):11-16. (As cited in Mannetje et al. 2002b)
- *RePORTER. 2015. Silica. National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. September 18, 2015.
- +*Reuzel PG, Bruijntjes JP, Feron VJ, et al. 1991. Subchronic inhalation toxicity of amorphous silicas and quartz dust in rats. *Food Chem Toxicol* 29(5):341-354.
- *Richards J, Brozell T. 2015. Assessment of community exposure to ambient respirable crystalline silica near frac sand processing facilities. *Atmosphere* 6(8):960.
- *Richards JR, Brozell TT, Rea C, et al. 2009. PM₄ crystalline silica emission factors and ambient concentrations at aggregate-producing sources in California. *J Air Waste Manage Assoc* 59:1287-1295.
- *Rihova Z, Maixnerova D, Jancova E, et al. 2005. Silica and asbestos exposure in ANCA-associated vasculitis with pulmonary involvement. *Ren Fail* 27(5):605-608.
- *Rimal B, Greenberg AK, Rom WN. 2005. Basic pathogenetic mechanisms in silicosis: Current understanding. *Curr Opin Pulm Med* 11(2):169-173.
- *Rimola A, Costa D, Sodupe M, et al. 2013. Silica surface features and their role in the adsorption of biomolecules: Computational modeling and experiments. *Chem Rev* 113(6):4216-4313. 10.1021/cr3003054. <http://dx.doi.org/10.1021/cr3003054>.
- *Rocha-Parise M, Santos LM, Damoiseaux JG, et al. 2014. Lymphocyte activation in silica-exposed workers. *Int J Hyg Environ Health* 217(4-5):586-591. 10.1016/j.ijheh.2013.11.002.
- *Rodnan GP, Benedek TG, Medsger TA, Jr., et al. 1967. The association of progressive systemic sclerosis (scleroderma) with coal miners' pneumoconiosis and other forms of silicosis. *Ann Intern Med* 66(2):323-334.
- *Rodriguez V, Tardon A, Kogevinas M, et al. 2000. Lung cancer risk in iron and steel foundry workers: A nested case-control study in Asturias, Spain. *Am J Ind Med* 38(6):644-650. (As cited in Pelucci et al. 2006)
- *Rosenman KD, Zhu Z. 1995. Pneumoconiosis and associated medical conditions. *Am J Ind Med* 27(1):107-113.

9. REFERENCES

- *Rosenman KD, Moore-Fuller M, Reilly MJ. 1999. Connective tissue disease and silicosis. *Am J Ind Med* 35(4):375-381.
- *Rosenman KD, Moore-Fuller M, Reilly MJ. 2000. Kidney disease and silicosis. *Nephron* 85(1):14-19.
- *Rosenman KD, Reilly MJ, Henneberger PK. 2003. Estimating the total number of newly-recognized silicosis cases in the United States. *Am J Ind Med* 44(2):141-147. 10.1002/ajim.10243.
- *Rothschild H, Mulvey JJ. 1982. An increased risk for lung cancer mortality associated with sugarcane farming. *J Natl Cancer Inst* 68:755-750.
- *Saffiotti U, Daniel LH, Mao Y, et al. 1993. Biological studies on the carcinogenic effects of quartz. In: *Reviews in Mineralogy. Health effects of mineral dusts. Proceedings of a short course endorsed by the American College of Chest Physicians and the U.S. Geological Survey. Vol. 28.* Washington, DC: Mineralogical Society of America, 523-544.
- *Sakai-Kato K, Hidaka M, Un K, et al. 2014. Physicochemical properties and *in vitro* intestinal permeability properties and intestinal cell toxicity of silica particles, performed in simulated gastrointestinal fluids. *Biochim Biophys Acta* 1840(3):1171-1180. 10.1016/j.bbagen.2013.12.014.
- *Saldanha LF, Rosen VJ, Gonnick HC. 1975. Silicon nephropathy. *Am J Med* 59:95-103.
- *Sanderson WT, Steenland K, Deddens JA. 2000. Historical respirable quartz exposures of industrial sand workers: 1946-1996. *Am J Ind Med* 38(4):389-398.
- *Saunders NR, Ek CJ, Habgood MD, et al. 2008. Barriers in the brain: A renaissance? *Trends Neurosci* 31(6):279-286. 10.1016/j.tins.2008.03.003.
- *Saunders NR, Liddelow SA, Dziegielewska KM. 2012. Barrier mechanisms in the developing brain. *Front Pharmacol* 3:Article 46. 10.3389/fphar.2012.00046.
- *Sauni R, Oksa P, Lehtimaki L, et al. 2012. Increased alveolar nitric oxide and systemic inflammation markers in silica-exposed workers. *Occup Environ Med* 69(4):256-260. 10.1136/oemed-2011-100347.
- *Scarselli A, Corfiati M, Marzio DD, et al. 2014. Evaluation of workplace exposure to respirable crystalline silica in Italy. *Int J Occup Environ Health* 20(4):301-307. 10.1179/2049396714y.0000000078.
- +*Schepers GWH. 1981. Biological action of precipitation-process submicron α -silica (HI-SIL 233). In: Dunnom DD, ed. *Health effects of synthetic silica particulates: A symposium sponsored by ASTM Committee E-34 on occupational health and safety and the Industrial Health Foundation. ASTM special technical publication 732.* Philadelphia, PA: American Society for Testing and Materials, 144-171.
- *Scheuplein R, Charnley G, Dourson M. 2002. Differential sensitivity of children and adults to chemical toxicity. I. Biological basis. *Regul Toxicol Pharmacol* 35(3):429-447.
- *Schiller A, Gusbeth-Tatomir P, Pavlovic N, et al. 2008. Balkan endemic nephropathy: A still unsolved puzzle. *J Nephrol* 21:673-680.
- *Schins RP. 2002. Mechanisms of genotoxicity of particles and fibers. *Inhal Toxicol* 14(1):57-78. 10.1080/089583701753338631.

9. REFERENCES

- *Schins RPF, Duffin R, Hohr D, et al. 2002a. Surface modification of quartz inhibits toxicity, particle uptake, and oxidative DNA damage in human lung epithelial cells. *Chem Res Toxicol* 15(9):1166-1173.
- *Schins RPF, Knaapen AM, Cakmak GD, et al. 2002b. Oxidant-induced DNA damage by quartz in alveolar epithelial cells. *Mutat Res* 517(1-2):77-86.
- *Schuler G, Ruttner JR. 1986. Silicosis and lung cancer in Switzerland. In: *Silica, silicosis, and cancer: Controversy in occupational medicine*. Vol. 2. 357-366. (As cited in Erren et al. 2009a, 2009b)
- *Seiler F, Rehn B, Rehn S, et al. 2001a. Evidence of a no-effect level in silica-induced rat lung mutagenicity but not in fibrogenicity. *Arch Toxicol* 74(11):716-719.
- *Seiler F, Rehn B, Rehn S, et al. 2001b. Quartz exposure of the rat lung leads to a linear dose response in inflammation but not in oxidative DNA damage and mutagenicity. *Am J Respir Cell Mol Biol* 24(4):492-498. 10.1165/ajrcmb.24.4.4181.
- *Seiler F, Rehn B, Rehn S, et al. 2001c. Significant differences in the cellular and molecular reactions of rat and hamster lung after quartz exposure. *Toxicol Lett* 119(1):11-19.
- *Seixas NS, Heyer NJ, Welp EAE, et al. 1997. Quantification of historical dust exposures in the diatomaceous earth industry. *Ann Occup Hyg* 41(5):591-604. (As cited in Mannetje et al. 2002b)
- *Sellamuthu R, Umbright C, Roberts JR, et al. 2011. Blood gene expression profiling detects silica exposure and toxicity. *Toxicol Sci* 122(2):253-264. 10.1093/toxsci/kfr125.
- *Semple S, Green DA, McAlpine G, et al. 2008. Exposure to particulate matter on an Indian stone-crushing site. *Occup Environ Med* 65(5):300-305. 10.1136/oem.2007.032805.
- *Sferratore A, Garnier J, Billen G, et al. 2006. Diffuse and point sources of silica in the Seine River watershed. *Environ Sci Technol* 40(21):6630-6635.
- *Sheffield GS. 1994. Quantitative measurement of crystalline silica by thermal analysis. *Anal Chim Acta* 286(1):125-128.
- *Sherson D, Svane O, Lynge E. 1991. Cancer incidence among foundry workers in Denmark. *Arch Environ Health* 46(2):75-81. 10.1080/00039896.1991.9937432. (As cited in Erren et al. 2009a, 2009b; Kurihara and Wada 2004)
- *Shi X, Ding M, Chen F, et al. 2001. Reactive oxygen species and molecular mechanism of silica-induced lung injury. *J Environ Pathol Toxicol Oncol* 20 (Suppl 1):85-93.
- *Shi X, Mao Y, Daniel LN, et al. 1994. Silica radical-induced DNA damage and lipid peroxidation. *Environ Health Perspect* 102(10):149-154.
- *Shih TS, Lu PY, Chen CH, et al. 2008. Exposure profiles and source identifications for workers exposed to crystalline silica during a municipal waste incinerator relining period. *J Hazard Mater* 154(1-3):469-475. 10.1016/j.jhazmat.2007.10.047.

9. REFERENCES

- *Shima S, Arakawa T, Kato Y, et al. 1991. Epidemiological studies on the risk of pulmonary tuberculosis or lung cancer in ceramic workers with pneumoconiosis. *J Science of Labour* 67:565-573. (As cited in Lacrasse et al. 2005)
- *Shinohara Y. 1993. Application of the microwave acid digestion technique to the pyrophosphoric acid method for quantitative analysis of free silica in dust. *Ind Health* 31(3):91-100.
- *Shiraki R, Holmen BA. 2002. Airborne respirable silica near a sand and gravel facility in central California: XRD and elemental analysis to distinguish source and background quartz. *Environ Sci Technol* 36(23):4956-4961.
- *Silman AJ, Jones S. 1992. What is the contribution of occupational environmental factors to the occurrence of scleroderma in men? *Ann Rheum Dis* 51(12):1322-1324.
- *Singh SV, Das B, Khan MF, et al. 1984. The binding of silica to proteins from plasma and lungs of rat: *In vitro*. *Chem Biol Interact* 49(1-2):155-164.
- *Sinks T, Goodman MT, Kolonel LN, et al. 1994. A case-control study of mesothelioma and employment in the Hawaii sugarcane industry. *Epidemiology* 5:466-468.
- *Sirianni G, Hosgood HD, 3rd, Slade MD, et al. 2008. Particle size distribution and particle size-related crystalline silica content in granite quarry dust. *J Occup Environ Hyg* 5(5):279-285. 10.1080/15459620801947259.
- *Slavov E, Miteva L, Prakova G, et al. 2010. Correlation between TNF-alpha and IL-12p40-containing cytokines in silicosis. *Toxicol Ind Health* 26(8):479-486. 10.1177/0748233710373082.
- *Sluis-Cremer GK, Hessel PA, Hnizdo E, et al. 1986. Relationship between silicosis and rheumatoid arthritis. *Thorax* 41(8):596-601.
- *Sluis-Cremer GK, Hessel PA, Hnizdo E, et al. 1985. Silica, silicosis, and progressive systemic sclerosis. *Br J Ind Med* 42(12):838-843.
- *Smailyte G, Kurtinaitis J, Andersen A. 2004. Mortality and cancer incidence among Lithuanian cement producing workers. *Occup Environ Med* 61(6):529-534. (As cited in Pelucci et al. 2006)
- *Smart RH, Andersen WM. 1952. Pneumoconiosis due to diatomaceous earth: Clinical and x-ray aspects. *Ind Med Surg* 21:509-518.
- *Smith AH, Lopipero PA, Barroga VR. 1995. Meta-analysis of studies of lung cancer among silicotics. *Epidemiology* 6(6):617-624.
- *Smith CM. 2006. Silica, vitreous. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 22. John Wiley & Sons, Inc.
<http://onlinelibrary.wiley.com/doi/10.1002/0471238961.2209201819051316.a01.pub2/abstract>. September 22, 2015.
- *Snipes MB. 1996. Current information on lung overload in non-rodent mammals: Contrast with rats. *Inhal Toxicol* 8:91-109.

9. REFERENCES

- *Sobti RC, Bhardwaj DK. 1991. Cytogenetic damage and occupational exposure. I. Exposure to stone dust. Environ Res 56(1):25-30.
- *Soutar CA, Robertson A, Miller BG, et al. 2000. Epidemiological evidence on the carcinogenicity of silica: Factors in scientific judgement. Ann Occup Hyg 44(1):3-14.
- *Starzynski Z, Marek K, Kujawska A, et al. 1996. Mortality among different occupational groups of workers with pneumoconiosis: Results from a register-based cohort study. Am J Ind Med 30(6):718-725. (As cited in Erren et al. 2009a, 2009b; Pelucci et al. 2006)
- *Steenland K. 2005. One agent, many diseases: Exposure-response data and comparative risks of different outcomes following silica exposure. Am J Ind Med 48(1):16-23. 10.1002/ajim.20181.
- *Steenland K, Beaumont J. 1986. A proportionate mortality study of granite cutters. Am J Ind Med 9(2):189-202.
- *Steenland K, Brown D. 1995a. Silicosis among gold miners: Exposure-response analyses and risk assessment. Am J Public Health 85(10):1372-1377.
- *Steenland K, Brown D. 1995b. Mortality study of gold miners exposed to silica and nonasbestiform amphibole minerals: An uptake with 14 more years of follow-up. Am J Ind Med 27(2):217-229.
- *Steenland K, Goldsmith DF. 1995. Silica exposure and autoimmune diseases. Am J Ind Med 28(5):603-608.
- *Steenland K, Greenland S. 2004. Monte Carlo sensitivity analysis and Bayesian analysis of smoking as an unmeasured confounder in a study of silica and lung cancer. Am J Epidemiol 160(4):384-392. 10.1093/aje/kwh211.
- *Steenland K, Sanderson W. 2001. Lung cancer among industrial sand workers exposed to crystalline silica. Am J Epidemiol 153(7):695-703.
- *Steenland K, Ward E. 2014. Silica: A lung carcinogen. CA Cancer J Clin 64(1):63-69.
<http://onlinelibrary.wiley.com/store/10.3322/caac.21214/asset/caac21214.pdf?v=1&t=i7rvk2d3&s=673e112917be9498955f32a802b64741e805bf01>.
- *Steenland K, Attfield M, Manneje A. 2002a. Pooled analyses of renal disease mortality and crystalline silica exposure in three cohorts. Ann Occup Hyg 46(Suppl 1):4-9.
- *Steenland K, Manneje A, Boffetta P, et al. 2001a. Pooled exposure-response analyses and risk assessment for lung cancer in 10 cohorts of silica-exposed workers: An IARC multicentre study. Cancer Causes Control 12(9):773-784.
- *Steenland K, Nowlin S, Ryan BM, et al. 1992. Use of multiple-cause mortality data in epidemiologic analyses: U.S. rate and proportion files developed by the National Institute for Occupational Safety and Health and the National Cancer Institute. Am J Epidemiol 136(7):855-862.
- *Steenland K, Rosenman K, Socie E, et al. 2002b. Silicosis and end-stage renal disease. Scand J Work Environ Health 28(6):439-442.

9. REFERENCES

- *Steenland K, Sanderson W, Calvert GM. 2001b. Kidney disease and arthritis in a cohort study of workers exposed to silica. *Epidemiology* 12(4):405-412.
- *Steenland NK, Thun MJ, Ferguson CW, et al. 1990. Occupational and other exposures associated with male end-stage renal disease: A case/control study. *Am J Public Health* 80(2):153-157.
- *Stern F, Lehman E, Ruder A. 2001. Mortality among unionized construction plasterers and cement masons. *Am J Ind Med* 39(4):373-388. (As cited in Kurihara and Wada 2004)
- *Stipe CB, Miller AL, Brown J, et al. 2012. Evaluation of laser-induced breakdown spectroscopy (LIBS) for measurement of silica on filter samples of coal dust. *Appl Spectrosc* 66(11):1286-1293. 10.1366/12-06671.
- *Stober W. 1999. POCK model simulations of pulmonary quartz dust retention data in extended inhalation exposures of rats. *Inhal Toxicol* 11(4):269-292.
- *Stolt P, Kallberg H, Lundberg I, et al. 2005. Silica exposure is associated with increased risk of developing rheumatoid arthritis: Results from the Swedish EIRA study. *Ann Rheum Dis* 64(4):582-586.
- *Stolt P, Yahya A, Bengtsson C, et al. 2010. Silica exposure among male current smokers is associated with a high risk of developing ACPA-positive rheumatoid arthritis. *Ann Rheum Dis* 69(6):1072-1076. 10.1136/ard.2004.022053.
- *Stone RA, Youk AO, Marsh GM, et al. 2004. Historical cohort study of U.S. man-made vitreous fiber production workers IX: Summary of 1992 mortality follow up and analysis of respiratory system cancer among female workers. *J Occup Environ Med* 46(1):55-67. 10.1097/01.jom.0000105905.60844.e1. (As cited in Pelucci et al. 2006)
- *Stopford W. 1994. Carbonate fusion to determine quartz in respirable and bulk earth samples. *Anal Chim Acta* 286(1):67-73.
- *Stopford CM, Stopford W. 1995. Potential for respirable quartz exposure from North Carolina farm soils. *Scand J Work Environ Health* 21(Suppl 2):44-46.
- *Stratta P, Canavese C, Messuerotti A, et al. 2001a. Silica and renal diseases: No longer a problem in the 21st century? *J Nephrol* 14(4):228-247.
- *Stratta P, Messuerotti A, Canavese C, et al. 2001b. The role of metals in autoimmune vasculitis: Epidemiological and pathogenic study. *Sci Total Environ* 270(1-3):179-190.
- *Strelec F. 2008. Control of silica exposures in cement mixer drum cleaning operations. *J Occup Environ Hyg* 5(12):D121-D123. 10.1080/15459620802432509.
- *Swanepoel AJ, Kromhout H, Jinnah ZA, et al. 2011. Respirable dust and quartz exposure from three South African farms with sandy, sandy loam, and clay soils. *Ann Occup Hyg* 55(6):634-643. 10.1093/annhyg/mer025.
- *Szadkowska-Stanczyk I, Szymczak W. 2001. Nested case-control study of lung cancer among pulp and paper workers in relation to exposure to dusts. *Am J Ind Med* 39(6):547-556. (As cited in Kurihara and Wada 2004; Pelucci et al. 2006)

9. REFERENCES

- *Takizawa Y, Hirasawa F, Noritomi E, et al. 1988. Oral ingestion of SYLOID to mice and rats and its chronic toxicity and carcinogenicity. *Acta Med Biol* 36:27-56.
- *Talvitie NA. 1951. Determination of quartz in presence of silicates using phosphoric acid. *Anal Chem* 23(4).
- *teWaternaude JM, Ehrlich RI, Churchyard GJ, et al. 2006. Tuberculosis and silica exposure in South African gold miners. *Occup Environ Med* 63(3):187-192. 10.1136/oem.2004.018614.
- *Theriault GP, Burgess WA, DiBerardinis LJ, et al. 1974. Dust exposure in the Vermont granite sheds. *Arch Environ Health* 28(1):12-17. (As cited in Mannetje et al. 2002b)
- *Thibodeau MS, Giardina C, Knecht DA, et al. 2004. Silica-induced apoptosis in mouse alveolar macrophages is initiated by lysosomal enzyme activity. *Toxicol Sci* 80(1):34-48. 10.1093/toxsci/kfh121.
- *Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 365-394.
- *Thomas TL, Stewart PA. 1987. Mortality from lung cancer and respiratory disease among pottery workers exposed to silica and talc. *Am J Epidemiol* 125(1):35-43.
- *Thomeer M, Demedts M, Wuyts W. 2005. Epidemiology of sarcoidosis. In: *European Respiratory Monograph*. ERS Journals Ltd. Volume 32.
- *Tornling G, Hogstedt C, Westerholm P. 1990. Lung cancer incidence among Swedish ceramic workers with silicosis. *IARC Sci Publ* (97):113-119. (As cited in Erren et al. 2009a, 2009b)
- *Treguer PJ, De La Rocha CL. 2013. The world ocean silica cycle. *Ann Rev Mar Sci* 5:477-501. 10.1146/annurev-marine-121211-172346.
- *Tse LA, Yu ITS, Leung CC, et al. 2007. Mortality from non-malignant respiratory diseases among people with silicosis in Hong Kong: Exposure-response analyses for exposure to silica dust. *Occup Environ Med* 64(2):87-92.
- *Tsuda T, Mino Y, Babazono A, et al. 2002. A case-control study of lung cancer in relation to silica exposure and silicosis in a rural area in Japan. *Ann Epidemiol* 12(5):288-294. (As cited in Erren et al. 2009a, 2009b; Pelucci et al. 2006)
- *Turner S, Cherry N. 2000. Rheumatoid arthritis in workers exposed to silica in the pottery industry. *Occup Environ Med* 57(7):443-447.
- *Uhrlandt S. 2006. Silica. In: *Kirk-Othmer encyclopedia of chemical technology*. Vol. 22. John Wiley & Sons, Inc., 1-17.
- *Ulm K, Gerein P, Eigenthaler J, et al. 2004. Silica, silicosis and lung-cancer: Results from a cohort study in the stone and quarry industry. *Int Arch Occup Environ Health* 77(5):313-318. 10.1007/s00420-004-0513-6.

9. REFERENCES

- *Ulm K, Waschulzik B, Ehnes H, et al. 1999. Silica dust and lung cancer in the German stone, quarrying, and ceramics industries: Results of a case-control study. *Thorax* 54(4):347-351. (As cited in Kurihara and Wada 2004; Lacasse et al. 2009; Pelucci et al. 2006)
- *Ulvestad B, Bakke B, Eduard W, et al. 2001. Cumulative exposure to dust causes accelerated decline in lung function in tunnel workers. *Occup Environ Med* 58(10):663-669.
- *USGS. 1987. Metals, atomic emission spectrometry, inductively coupled plasma (ICP). U.S. Geological Survey, U.S. Department of the Interior.
- *USGS. 1989. Silica, colorimetric, molybdate blue, automated-segmented flow. Techniques of water-resource investigations of the United States Geological Survey. Chapter A1. Methods for determination of inorganic substances in water and fluvial sediments. U.S. Geological Survey, U.S. Department of the Interior. 417-419. <http://pubs.usgs.gov/twri/05a01/report.pdf>. October 6, 2015.
- *USGS. 1992. Crystalline silica primer. U.S. Geological Survey, U.S. Department of the Interior, U.S. Bureau of Mines. <http://minerals.usgs.gov/minerals/pubs/commodity/silica/780292.pdf>. October 6, 2015.
- *USGS. 1998. Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory-Determination of elements in whole-water digests using inductively coupled plasma-optical emission spectrometry and inductively coupled plasma-mass spectrometry. U.S. Geological Survey, U.S. Department of the Interior. <http://nwql.usgs.gov/pubs/OFR/OFR-98-165.pdf>. October 6, 2015.
- *USGS. 2014a. 2012 Minerals yearbook. Gemstones [advance release]. U.S. Geological Survey, U.S. Department of the Interior. <http://minerals.usgs.gov/minerals/pubs/commodity/gemstones/myb1-2012-gemst.pdf>. October 7, 2015.
- *USGS. 2014b. 2012 Minerals yearbook. Silica [advance release]. U.S. Geological Survey, U.S. Department of the Interior. <http://minerals.usgs.gov/minerals/pubs/commodity/silica/myb1-2012-silic.pdf>. October 7, 2015.
- *USGS. 2014c. 2012 Minerals yearbook. Sand and gravel, construction [advance release]. U.S. Geological Survey, U.S. Department of the Interior. http://minerals.usgs.gov/minerals/pubs/commodity/sand_&_gravel_construction/myb1-2012-sandc.pdf. October 7, 2015.
- *USGS. 2015. Mineral commodity summaries 2015. U.S. Geological Survey, U.S. Department of the Interior. <http://minerals.usgs.gov/minerals/pubs/mcs/2015/mcs2015.pdf>. October 6, 2015.
- *Vacek PM, Hemenway DR, Absher MP, et al. 1991. The translocation of inhaled silicon dioxide: An empirically derived compartmental model. *Fundam Appl Toxicol* 17(3):614-626.
- *Vacek PM, Verma DK, Graham WG, et al. 2011. Mortality in Vermont granite workers and its association with silica exposure. *Occup Environ Med* 68(5):312-318. 10.1136/oem.2009.054452.
- *van Deurssen E, Pronk A, Spaan S, et al. 2014. Quartz and respirable dust in the Dutch construction industry: A baseline exposure assessment as part of a multidimensional intervention approach. *Ann Occup Hyg* 58(6):724-738. 10.1093/annhyg/meu021.

9. REFERENCES

- *Vayias BJ, Athanassiou CG, Korunic Z, et al. 2009. Evaluation of natural diatomaceous earth deposits from south-eastern Europe for stored-grain protection: The effect of particle size. Pest Manage Sci 65:1118-1123.
- *Vearrier D, Greenberg MI. 2011. Occupational health of miners at altitude: Adverse health effects, toxic exposures, pre-placement screening, acclimatization, and worker surveillance. Clin Toxicol (Phila) 49(7):629-640. 10.3109/15563650.2011.607169.
- *Verma DK, Rajhans GS, Malik OP, et al. 2014. Respirable dust and respirable silica exposure in Ontario gold mines. J Occup Environ Hyg 11(2):111-116. 10.1080/15459624.2013.843784.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238(2):476-483.
- *Vigliani EC, Mottura G. 1948. Diatomaceous earth silicosis. Br J Ind Med 5(3):148-160.
- *Vitums VC, Edwards MJ, Niles NR, et al. 1977. Pulmonary fibrosis from amorphous silica dust, a product of silica vapor. Arch Environ Health 32(2):62-68.
- *Voice TC, Long DT, Radovanovic Z, et al. 2006. Critical evaluation of environmental exposure agents suspected in the etiology of Balkan endemic nephropathy. Int J Occup Environ Health 12:369-376.
- *Volk H. 1960. The health of workers in a plant making highly dispersed silica. Arch Environ Health 1:125-128.
- *Vupputuri S, Parks CG, Nylander-French LA, et al. 2012. Occupational silica exposure and chronic kidney disease. Ren Fail 34(1):40-46. 10.3109/0886022x.2011.623496.
- *Waddell WH. 2006. Silica, amorphous. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 22. John Wiley & Sons, Inc. <http://onlinelibrary.wiley.com/doi/10.1002/0471238961.0113151823010404.a01.pub2/abstract>. September 22, 2015.
- *Wall GR, Phillips PJ, Riva-Murray K. 1998. Seasonal and spatial patterns of nitrate and silica concentrations in Canajoharie Creek, New York. J Environ Qual 27(2):381-389.
- *Walsh SJ. 1999. Effects of non-mining occupational silica exposure on proportional mortality from silicosis and systemic sclerosis. J Rheumatol 26(10):2179-2185. (As cited in McCormic et al. 2010)
- *Wang SX, Liu P, Wei MT, et al. 2007. Roles of serum Clara cell protein 16 and surfactant protein-D in the early diagnosis and progression of silicosis. J Occup Environ Med 49(8):834-839. 10.1097/JOM.0b013e318124a927.
- *Wang Z, Dong D, Liang X, et al. 1996. Cancer mortality among silicotics in China's metallurgical industry. Int J Epidemiol 25(5):913-917. (As cited in Erren et al. 2009a, 2009b; Lacrasse et al. 2005)
- *Ward MM. 2004. Prevalence of physician-diagnosed systemic lupus erythematosus in the United States: Results from the Third National Health and Nutrition Examination Survey. J Women's Health 13(6):713-718.

9. REFERENCES

- +*Warheit DB, Carakostas MC, Kelly DP, et al. 1991. Four-week inhalation toxicity study with Ludox colloidal silica in rats: Pulmonary cellular responses. *Fundam Appl Toxicol* 16(3):590-601.
- +*Warheit DB, McHugh TA, Hartsky MA. 1995. Differential pulmonary responses in rats inhaling crystalline, colloidal or amorphous silica dusts. *Scand J Work Environ Health* 21:2:19-21.
- *Warheit DB, Webb TR, Colvin VL, et al. 2007. Pulmonary bioassay studies with nanoscale and fine-quartz particles in rats: Toxicity is not dependent upon particle size but on surface characteristics. *Toxicol Sci* 95(1):270-280. 10.1093/toxsci/kfl128.
- *Watkins DK, Chiaze L, Jr., Fryar CD, et al. 2002. A case control study of lung cancer and non-malignant respiratory disease among employees in asphalt roofing manufacturing and asphalt production. *J Occup Environ Med* 44(6):551-558. (As cited in Pelucci et al. 2006)
- *Watts WF, Jr., Huynh TB, Ramachandran G. 2012. Quartz concentration trends in metal and nonmetal mining. *J Occup Environ Hyg* 9(12):720-732. 10.1080/15459624.2012.733566.
- *Weakley AT, Miller AL, Griffiths PR, et al. 2014. Quantifying silica in filter-deposited mine dusts using infrared spectra and partial least squares regression. *Anal Bioanal Chem* 406(19):4715-4724. 10.1007/s00216-014-7856-y.
- *Weeks JL, Rose C. 2006. Metal and non-metal miners' exposure to crystalline silica, 1998-2002. *Am J Ind Med* 49(7):523-534. 10.1002/ajim.20323.
- *Weissman DN, Ma JKH, Rojanasakul Y, et al. 1996. Immune dysfunction in silicosis: A hypothesis. *Appl Occup Environ Hyg* 11(7):962-965.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *Westberg HB, Bellander T. 2003. Epidemiological adaptation of quartz exposure modeling in Swedish aluminum foundries: Nested case-control study on lung cancer. *Appl Occup Environ Hyg* 18(12):1006-1013. 10.1080/10473220390244676. (As cited in Lacasse et al. 2009; Pelucci et al. 2006)
- *Westerholm P, Ahlmark A, Maasing R, et al. 1986. Silicosis and lung cancer a cohort study. In: *Silica, silicosis, and cancer: Controversy in occupational medicine*. Vol. 2. 327-333. (As cited in Erren et al. 2009a, 2009b)
- *WHO. 2010. WHO guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. September 9, 2014.
- *WHO. 2011. Guidelines for drinking-water quality. Geneva, Switzerland: World Health Organization. 4th ed. http://whqlibdoc.who.int/publications/2011/9789241548151_eng.pdf?ua=1. September 9, 2014.
- *Wickman AR, Middendorf PJ. 2002. An evaluation of compliance with occupational exposure limits for crystalline silica (quartz) in ten Georgia granite sheds. *Appl Occup Environ Hyg* 17(6):424-429. 10.1080/10473220290035444.

9. REFERENCES

- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar, CL, Bronner F, eds. Mineral metabolism: An advance treatise. Volume II: The elements Part A. New York, NY: Academic Press, 1-247.
- *Wilson MJ, Jones D, McHardy WJ. 1981. The weathering of serpentinite by Lecanora atra. *Lichenologist (Oxf)* 13(2):167-176.
- *Wilson RK, Stevens PM, Lovejoy HB, et al. 1979. Effects of chronic amorphous silica exposure on sequential pulmonary function. *J Occup Med* 21(6):399-402.
- *Woskie SR, Kalil A, Bello D, et al. 2002. Exposures to quartz, diesel, dust, and welding fumes during heavy and highway construction. *AIHA J* 63(4):447-457.
- *Wu JJ, Schiff KR. 2004. Sarcoidosis. *Am Fam Physician* 70:312-322.
- *Wyndham CH, Bezuidenhout BN, Greenacre MJ, et al. 1986. Mortality of middle aged white South African gold miners. *Br J Ind Med* 43:677-684.
- *Yabuta J, Ohta H. 2003. Determination of free silica in dust particles: Effect of particle size for the X-ray diffraction and phosphoric acid methods. *Ind Health* 41(3):249-259.
- *Yassin A, Yebesi F, Tingle R. 2005. Occupational exposure to crystalline silica dust in the United States, 1988-2003. *Environ Health Perspect* 113(3):255-260.
- *Yingratanasuk T, Seixas N, Barnhart S, et al. 2002. Respiratory health and silica exposure of stone carvers in Thailand. *Int J Occup Environ Health* 8(4):301-308. 10.1179/107735202800338722.
- *Yucesoy B, Vallyathan V, Landsittel DP, et al. 2002. Cytokine polymorphisms in silicosis and other pneumoconioses. *Mol Cell Biochem* 234-235(1):219-224.
- *Zambon P, Simonato L, Mastrangelo G, et al. 1987. Mortality of workers compensated for silicosis during the period 1959-1963 in the Veneto region of Italy. *Scand J Work Environ Health* 13(2):118-123.
- *Zhang Z, Shen HM, Zhang QF, et al. 1999. Critical role of GSH in silica-induced oxidative stress, cytotoxicity, and genotoxicity in alveolar macrophages. *Am J Physiol* 277(4 Pt 1):L743-748.
- *Zhang Z, Shen HM, Zhang QF, et al. 2000. Involvement of oxidative stress in crystalline silica-induced cytotoxicity and genotoxicity in rat alveolar macrophages. *Environ Res* 82(3):245-252. 10.1006/enrs.1999.4025.
- *Zhong BZ, Ong T, Whong WZ. 1997a. Studies on the relationship between treatment condition and micronucleus induction in V79 cells exposed to silica and glass fibers. *Mutat Res* 391(1-2):111-116.
- *Zhong BZ, Whong WZ, Ong TM. 1997b. Detection of mineral-dust-induced DNA damage in two mammalian cell lines using the alkaline single cell gel/comet assay. *Mutat Res* 393(3):181-187.
- *Zhuravlev LT. 2000. The surface chemistry of amorphous silica. Zhuravlev model. *Colloids Surf A Physicochem Eng Asp* 173(1-3):1-38. 10.1016/S0927-7757(00)00556-2.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12(1):29-34.

9. REFERENCES

*Ziegler V, Enderlein G, Mehlhorn J, et al. 1997. [Retrospective epidemiological analysis of the relation between progressive systemic scleroderma and the exposure to quartz dust not from uranium ore mining in East Germany]. Zbl Arbeitsmed 47:7-13. (As cited in McCormic et al. 2010)

*Zuhl RW, Amjad Z. 2013. Solution chemistry impact on silica polymerization by inhibitors. In: Amjad Z, ed. Mineral scales in biological and industrial systems. Boca Raton, FL: CRC Press, 173-200.

*Zumwalde R, Ludwig H, Dement J. 1981. Industrial hygiene report, Homestake Mining Company, Lead, South Dakota [USA]. Industry-wide studies branch, DSHEFS, NIOSH, Cincinnati, Ohio. (As cited in Mannetje et al. 2002b)