

Toxicological Profile for Silica

September 2019



SILICA

DISCLAIMER

Use of trade names is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry, the Public Health Service, or the U.S. Department of Health and Human Services.

SILICA iii

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for these toxic substances described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a relevance to public health discussion which would allow a public health professional to make a real-time determination of whether the presence of a particular substance in the environment poses a potential threat to human health. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to the protection of public health are identified by ATSDR.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a toxic substance to ascertain the levels of significant human exposure for the substance due to associated acute, intermediate, and chronic exposures;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, intermediate, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staffs of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Patrick N. Breysse, Ph.D., CIH

Director, National Center for Environmental Health and Agency for Toxic Substances and Disease Registry Centers for Disease Control and Prevention

PahelelBnagse

SILICA in

*Legislative Background

The toxicological profiles are developed under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended (CERCLA or Superfund). CERCLA section 104(i)(1) directs the Administrator of ATSDR to "...effectuate and implement the health related authorities" of the statute. This includes the preparation of toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List (NPL) and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list. In addition, ATSDR has the authority to prepare toxicological profiles for substances not found at sites on the NPL, in an effort to "...establish and maintain inventory of literature, research, and studies on the health effects of toxic substances" under CERCLA Section 104(i)(1)(B), to respond to requests for consultation under section 104(i)(4), and as otherwise necessary to support the site-specific response actions conducted by ATSDR.

SILICA

VERSION HISTORY

Date	Description
September 2019	Final toxicological profile released
April 2017	Draft for public comment toxicological profile released

SILICA vi

CONTRIBUTORS & REVIEWERS

CHEMICAL MANAGER TEAM

Malcolm Williams, D.V.M., Ph.D. (Lead)

Nickolette Roney, M.P.H.

Julie M. Klotzbach, Ph.D.

Mary Kawa, M.A.

Obaid Faroon, D.V.M., Ph.D. Kimberly Zaccaria, Ph.D., D.A.B.T. Dennis Jones, D.V.M., Ph.D.

ATSDR, Division of Toxicology and Human Health SRC, Inc., North Syracuse, NY

Sciences, Atlanta, GA

REVIEWERS

Interagency Minimal Risk Level Workgroup:

Includes ATSDR; National Center for Environmental Health (NCEH); National Institute of Occupational Health and Safety (NIOSH); U.S. Environmental Protection Agency (EPA); National Toxicology Program (NTP).

Additional reviews for science and/or policy:

ATSDR, Division of Community Health Investigations; ATSDR, Office of Science; NCEH, Division of Laboratory Science; NCEH, Division of Environmental Health Science and Practice.

PEER REVIEWERS

- 1. Michael Greenberg, M.D., MPH, FACEP, Emergency Medicine, Drexel University, Philadelphia, Pennsylvania
- 2. Kyle Steenland, Ph.D., MS, Department of Environmental and Occupational Health, Emory University, Atlanta, Georgia
- 3. Kenneth D. Rosenman, M.D., Department of Medicine, Michigan State University, East Lansing, Michigan

These experts collectively have knowledge of toxicology, chemistry, and/or health effects. All reviewers were selected in conformity with Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

ATSDR scientists review peer reviewers' comments and determine whether changes will be made to the profile based on comments. The peer reviewers' comments and responses to these comments are part of the administrative record for this compound.

The listing of peer reviewers should not be understood to imply their approval of the profile's final content. The responsibility for the content of this profile lies with ATSDR.

CONTENTS

DISCLAIMER	ii
FOREWORD	iii
VERSION HISTORY	v
CONTRIBUTORS & REVIEWERS	vi
CONTENTS	vii
LIST OF FIGURES	ix
LIST OF TABLES	
CHAPTER 1. RELEVANCE TO PUBLIC HEALTH	
1.1 OVERVIEW AND U.S. EXPOSURES	
1.1 OVERVIEW AND U.S. EXPOSURES	
1.3 MINIMAL RISK LEVELS (MRLs)	
` <i>'</i>	
CHAPTER 2. HEALTH EFFECTS	
2.1 INTRODUCTION	
2.2 DEATH	
2.3 BODY WEIGHT	
2.4 RESPIRATORY	
2.5 CARDIOVASCULAR	
2.6 GASTROINTESTINAL	
2.7 HEMATOLOGICAL	
2.8 MUSCULOSKELETAL	
2.9 HEPATIC	
2.10 RENAL	
2.11 DERMAL	118
2.12 OCULAR	119
2.13 ENDOCRINE	119
2.14 IMMUNOLOGICAL	120
2.15 NEUROLOGICAL	141
2.16 REPRODUCTIVE	143
2.17 DEVELOPMENTAL	145
2.18 CANCER	145
2.19 GENOTOXICITY	168
2.20 MECHANISMS OF ACTION	178
2.20.1 Pharmacokinetic Mechanisms	
2.20.2 Mechanisms of Toxicity	179
CHAPTER 3. TOXICOKINETICS, SUSCEPTIBLE POPULATIONS, BIOMARKERS, CHEMICA	
INTERACTIONS	
3.1 TOXICOKINETICS	188
3.1.1 Absorption	189
3.1.2 Distribution	191
3.1.3 Metabolism	
3.1.4 Excretion	
3.1.5 Physiologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	192
3.1.6 Animal-to-Human Extrapolations	192
3.2 CHILDREN AND OTHER POPULATIONS THAT ARE UNUSUALLY SUSCEPTIBLE	

3.3 BIOMARKERS OF EXPOSURE AND EFFECT	195
3.3.1 Biomarkers of Exposure to Silica	196
3.3.2 Biomarkers of Effect Caused by Silica	197
3.4 INTERACTIONS WITH OTHER CHEMICALS	
CHAPTER 4. CHEMICAL AND PHYSICAL INFORMATION	198
4.1 CHEMICAL IDENTITY	
4.2 PHYSICAL AND CHEMICAL PROPERTIES	200
CHAPTER 5. POTENTIAL FOR HUMAN EXPOSURE	208
5.1 OVERVIEW	
5.2 PRODUCTION, IMPORT/EXPORT, USE, AND DISPOSAL	210
5.2.1 Production	
5.2.2 Import/Export	214
5.2.3 Use	215
5.2.4 Disposal	
5.3 RELEASES TO THE ENVIRONMENT	218
5.3.1 Air	219
5.3.2 Water	222
5.3.3 Soil	223
5.4 ENVIRONMENTAL FATE	224
5.4.1 Transport and Partitioning	224
5.4.2 Transformation and Degradation	224
5.5 LEVELS IN THE ENVIRONMENT	226
5.5.1 Air	227
5.5.2 Water	229
5.5.3 Sediment and Soil	229
5.5.4 Other Media	231
5.6 GENERAL POPULATION EXPOSURE	231
5.7 POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	233
CHAPTER 6. ADEQUACY OF THE DATABASE	244
6.1 Information on Health Effects	244
6.2 Identification of Data Needs	244
6.3 Ongoing Studies	256
CHAPTER 7. REGULATIONS AND GUIDELINES	259
CHAPTER 8. REFERENCES	262
	202
APPENDICES APPENDIX A. ATSDR MINIMAL RISK LEVELS AND WORKSHEETS	A 1
APPENDIX A. ATSDR MINIMAL RISK LEVELS AND WORKSHEETS	
APPENDIX C. USER'S GUIDEAPPENDIX D. QUICK REFERENCE FOR HEALTH CARE PROVIDERS	
APPENDIX D. QUICK REFERENCE FOR HEALTH CARE PROVIDERS	D-1
APPENDIX E. GLOSSAKYADDENDIY E. ACDONVMS ADDENDIY E. ACDONVMS ADDDEVIATIONS AND SVMBOLS	

SILICA ix

LIST OF FIGURES

2-1.	Levels of Significant Exposure to Silica – Inhalation	27
2-2.	Levels of Significant Exposure to Crystalline Silica – Oral	34
2-3.	Levels of Significant Exposure to Amorphous Silica – Oral	44
2-4.	Cumulative Risk of Silicosis versus Estimated Cumulative Exposure to Respirable Crystalline Silica	65
2-5.	Dose-Response Relationship Between Estimated Exposure to Silica and Relative Risk of Lung Cancer with its 95% Confidence Limit (No Lag Time)	153
2-6.	Overview of the Major Biological Processes Proposed to Underlie the Pathogenesis of Silicosis and Lung Cancer	181
2-7.	Proposed Mechanistic Pathway Leading to Autoimmune Dysregulation Following c-Silica Exposure	186
5-1.	Number of NPL Sites with Silica Contamination.	208

SILICA

LIST OF TABLES

1-1.	Minimal Risk Levels (MRLs) for c-Silica	7
1-2.	Minimal Risk Levels (MRLs) for a-Silica	8
2-1.	Levels of Significant Exposure to Silica – Inhalation	16
2-2.	Levels of Significant Exposure to Crystalline Silica – Oral	33
2-3.	Levels of Significant Exposure to Amorphous Silica – Oral	37
2-4.	Exposure-Response Data for Silicosis Morbidity in Workers Exposed to c-Silica	56
2-5.	Summary of Exposure-Response Data for Silicosis Morbidity	67
2-6.	Exposure-Response Data for Mortality Due to Silicosis and Nonmalignant Respiratory Disease in Workers Exposed to c-Silica	72
2-7.	Pooled Analyses on the Exposure-Response Relationship for Mortality due to Silicosis in Workers Exposed to c-Silica	79
2-8.	Summary of Exposure-Response Data for Death Due to Silicosis for Studies Reporting Risk Ratios, Hazard Ratios, or Odds Ratios	84
2-9.	Effects on Pulmonary Function Associated with Occupational Exposure to c-Silica in Workers with No Radiographic Evidence of Silicosis	88
2-10	Renal Disease Morbidity in Workers Exposed to Respirable c-Silica	. 105
2-11	. Exposure-Response Analysis for Renal Disease Mortality in a Pooled Cohort of 13,382 Workers	. 109
2-12	Renal Disease Mortality in Workers Exposed to Respirable c-Silica	. 112
2-13	. Autoimmune Disease in Workers Exposed to Respirable c-Silica	. 124
2-14	Meta-Analysis of Relative Risk for Systemic Sclerosis (SSc) in a Pooled Analysis of 16 Epidemiological Studies	. 132
2-15	6. Meta-Analysis of Relative Risk for ANCA-Associated Vasculitis (AAV) in a Pooled Analysis of Six Case-Control Studies	. 138
2-16	6. Meta- or Pooled-Analysis of Exposure-Response Data for Lung Cancer in Workers Exposed to c-Silica	. 148
2-17	. Meta- or Pooled-Analyses for Lung Cancer in c-Silica Workers Based on Silicosis Status	. 154
2-18	Lung Cancer Risk in Smokers and Nonsmokers Exposed to c-Silica	. 164
2-19	9. Genotoxicity of c-Silica in Occupational Studies	. 168
2-20	O. Genotoxicity of c-Silica In Vivo Animal Studies	169

SILICA xi

2-21	. Genotoxicity of c-Silica In Vitro	169
2-22	. Genotoxicity of a-Silica	175
4-1.	Chemical Identity of Silica and Compounds	198
4-2.	Physical and Chemical Properties of Crystalline Silica Compounds	201
4-3.	Physical and Chemical Properties of Natural Amorphous Silica Compounds	202
4-4.	Physical and Chemical Properties of Synthetic Amorphous Silica Compounds	203
4-5.	Particle Size Data for Synthetic Amorphous Silica Compounds	207
5-1.	Average Quartz Concentrations in Ambient Air for Sites in 22 U.S. Cities—Dichotomous Samples	220
5-2.	Lowest Limit of Detection Based on Standards	226
5-3.	Summary of Environmental Levels of Silica.	226
6-1.	Ongoing Studies on Silica Compounds	256
7-1.	Regulations and Guidelines Applicable to Silica	259