

CHAPTER 8. REFERENCES

- Adams JB, Holloway CE, George F, et al. 2006. Analyses of toxic metals and essential minerals in the hair of Arizona children with autism and associated conditions, and their mothers. *Biol Trace Elem Res* 110(3):193-209. <http://doi.org/10.1385/BTER:110:3:193>.
- Adams JB, Audhya T, McDonough-Means S, et al. 2013. Toxicological status of children with autism vs. neurotypical children and the association with autism severity. *Biol Trace Elem Res* 151(2):171-180. <http://doi.org/10.1007/s12011-012-9551-1>.
- +Ainsworth N. 1988. Distribution and biological effects of antimony in contaminated grasslands. Sunderland Polytechnic, University of Liverpool, Liverpool, U.K., 152-159.
- Ainsworth N, Cooke JA, Johnson MS. 1990. Distribution of antimony in contaminated grassland: 2. Small mammals and invertebrates. *Environ Pollut* 65:79-87.
- Ainsworth N, Cooke JA, Johnson MS. 1991. Behavior and toxicity of antimony in the short-tailed field vole (*Microtus agrestis*). *Ecotoxicol Environ Saf* 21(2):165-170.
- AlKhawajah AM, Jain S, Larbi EB. 1996. Effects of antimony compounds on foetal development in rats. *J Appl Anim Res* 10(1):15-24.
- AlKhawajah A, Larbi EB, Jain S, et al. 1992. Subacute toxicity of pentavalent antimony compounds in rats. *Hum Exp Toxicol* 11(4):283-288.
- Alvarez M, Malecot CO, Gannier F, et al. 2005. Antimony-induced cardiomyopathy in guinea-pig and protection by L-carnitine. *Br J Pharmacol* 144(1):17-27. <http://doi.org/10.1038/sj.bjp.0706030>.
- Amereih S, Meisel T, Scholger R, et al. 2005. Antimony speciation in soil samples along two Austrian motorways by HPLC-ID-ICP-MS. *J Environ Monit* 7(12):1200-1206. <http://doi.org/10.1039/b510321e>.
- Anawar HM, Freitas MC, Canha N, et al. 2011. Arsenic, antimony, and other trace element contamination in a mine tailings affected area and uptake by tolerant plant species. *Environ Geochem Health* 33(4):353-362. <http://doi.org/10.1007/s10653-011-9378-2>.
- Andersen EM, Cruz-Saldarriaga M, Llanos-Cuentas A, et al. 2005. Comparison of meglumine antimoniate and pentamidine for Peruvian cutaneous leishmaniasis. *Am J Trop Med Hyg* 72(2):133-137.
- Andreae MO. 1983. The determination of the chemical species of the "hydride elements" (arsenic, antimony, tin and germanium) in seawater: Methodology and results. In: Wong CS, Boyle E, Bruland KW, et al., eds. *Trace metal in sea water*. New York, NY: Plenum Press, 1-19.
- Andreae MO, Froelich PN. 1984. Arsenic, antimony, germanium biogeochemistry in the Baltic Sea. *Tellus B* 36B:101-117.
- +Angrisani E, Lampa E, Lisa M, et al. 1988. Vasomotor reactivity and postnatal exposure to antimony trichloride. *Curr Ther Res Clin Exp* 43(1):153-159.
- Arimoto R, Duce RA. 1987. Air-sea transfer of trace elements. In: *Sources and fates of aquatic pollutants*. First ed. Washington, DC: American Chemical Society, 131-150.
- Asakura K, Satoh H, Chiba M, et al. 2009. Genotoxicity studies of heavy metals: Lead, bismuth, indium, silver and antimony. *J Occup Health* 51(6):498-512.
- Asta MP, Kirk Nordstrom D, Blaine McCleskey R. 2012. Simultaneous oxidation of arsenic and antimony at low and circumneutral pH, with and without microbial catalysis. *Appl Geochem* 27(1):281-291. <http://doi.org/http://dx.doi.org/10.1016/j.apgeochem.2011.09.002>.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. *Federal Register*. Agency for Toxic Substances and Disease Registry. Vol. 54, 37618-37634.

+ Cited in supplemental document

8. REFERENCES

- ATSDR. 2017. Antimony. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention. <http://www.atsdr.cdc.gov/SPL/resources/index.html>. December 13, 2018.
- Austin LS, Millward GE. 1988. Simulated effects of tropospheric emissions on the global antimony cycle. *Atmos Environ* 22(7):1395-1403.
- Avento JM, Touval I. 1980. Flame retardants (antimony). In: Kirk-Othmer encyclopedia of chemical technology. Vol. 10, 3rd ed. New York, NY: John Wiley and Sons, Inc., 355-356.
- Baceva K, Stafilov T, Matevski V. 2014. Bioaccumulation of heavy metals by endemic *Viola* species from the soil in the vicinity of the As-Sb-Tl mine "Allchar" Republic of Macedonia. *Int J Phytoremediation* 16(4):347-365. <http://doi.org/10.1080/15226514.2013.783551>.
- Bailly R, Lauwers R, Buchet JP, et al. 1991. Experimental and human studies on antimony metabolism: Their relevance for the biological monitoring of workers exposed to inorganic antimony. *Br J Ind Med* 48(2):93-97.
- Bannon DI, Drexler JW, Fent GM, et al. 2009. Evaluation of small arms range soils for metal contamination and lead bioavailability. *Environ Sci Technol* 43(24):9071-9076. <http://doi.org/10.1021/es901834h>.
- Barbieri FL, Gardon J, Ruiz-Castell M, et al. 2016. Toxic trace elements in maternal and cord blood and social determinants in a Bolivian mining city. *Int J Environ Health Res* 26(2):158-174. <http://doi.org/10.1080/09603123.2015.1061114>.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486.
- Barrera C, Lopez S, Aguilar L, et al. 2016. Pentavalent antimony uptake pathway through erythrocyte membranes: Molecular and atomic fluorescence approaches. *Anal Bioanal Chem* 408(11):2937-2944. <http://doi.org/10.1007/s00216-015-9188-y>.
- +Basinger M, Jones M. 1981. Structural requirements for chelate antidotal efficacy in acute antimony (III) intoxication. *Res Commun Chem Pathol Pharmacol* 32(2):355-363.
- +Belyaeva AP. 1967. [The effect of antimony on reproduction]. *Gig Tr Prof Zabol* 11:32-37. (Russian)
- Belzile N, Chen Y, Filella M. 2011. Human exposure to antimony: I. Sources and intake. *Crit Rev Environ Sci* 41:1309-1373.
- Bentley R, Chasteen TG. 2002. Microbial methylation of metalloids: Arsenic, antimony, and bismuth. *Microbiol Mol Biol Rev* 66(2):250-271.
- +Berman JD, Gallalee JF, Gallalee JV. 1988. Pharmacokinetics of pentavalent antimony (Pentostam) in hamsters. *Am J Trop Med Hyg* 39:41-45.
- +Bio/Dynamics. 1985. A three month inhalation toxicity study of antimony trioxide in the rat followed by a recovery period. Prepared by Bio/dynamics, Inc., E. Millstone, NJ for the Antimony Oxide Industry Association, Washington, DC.
- +Bio/Dynamics. 1990. A one year inhalation toxicity study of antimony trioxide in the rat (with a one year recovery period); Volume III. Project No. 83-7647.
- Blaurock-Busch E, Amin OR, Rabah T. 2011. Heavy metals and trace elements in hair and urine of a sample of Arab children with autistic spectrum disorder. *Maedica (Buchar)* 6(4):247-257. <http://www.ncbi.nlm.nih.gov/pubmed/22879836>.
- Bloom MS, Buck Louis GM, Sundaram R, et al. 2015. Birth outcomes and background exposures to select elements, the Longitudinal Investigation of Fertility and the Environment (LIFE). *Environ Res* 138:118-129. <http://doi.org/10.1016/j.envres.2015.01.008>.
- Bodek I, Lyman WJ, Reehl W, et al. 1988. Environmental inorganic chemistry: Properties, processes, and estimation methods. New York, NY: Pergamon Press., 7.1-1.
- Boex TJ, Padgham C, Nurse PA, et al. 1998. Antimony and sudden infant death syndrome. *Lancet* 351(9109):1102-1103.
- +Bradley WR, Fredrick WG. 1941. The toxicity of antimony. *Ind Med* 10:15-22.
- +Brieger H, Semisch CW, Stasney J, et al. 1954. Industrial antimony poisoning. *Ind Med Surg*:521-523.

8. REFERENCES

- +Bromberger-Barnea B, Stephens NL. 1965. Effects of antimony on myocardial performance in isolated and intact canine hearts. *Am Ind Hyg Assoc J* 26:404-408.
- Carapella SC. 1978. Antimony and antimony alloys. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 3. 3rd ed. New York, NY: John Wiley and Sons, Inc., 96-105.
- Cavallo D, Iavicoli I, Setini A, et al. 2002. Genotoxic risk and oxidative DNA damage in workers exposed to antimony trioxide. *Environ Mol Mutagen* 40(3):184-189.
<http://doi.org/10.1002/em.10102>.
- +CDC. 2019. Fourth national report on human exposure to environmental chemicals, updated tables. January 2019. Centers for Disease Control and Prevention, U.S. Department of Health and Human Services. 17-22, 27. <https://www.cdc.gov/exposurereport/>. May 5, 2019.
- Chapa-Martinez CA, Hinojosa-Reyes L, Hernandez-Ramirez A, et al. 2016. An evaluation of the migration of antimony from polyethylene terephthalate (PET) plastic used for bottled drinking water. *Sci Total Environ* 565:511-518. <http://doi.org/10.1016/j.scitotenv.2016.04.184>.
- Charles River Laboratories. 2006. Clinical laboratory parameters for Crl:CD(SD) rats. March, 2006. http://www.criver.com/files/pdfs/rms/cd/rm_rm_r_clinical_parameters_cd_rat_06.aspx. Sepember 13, 2016.
- Chen YW, Deng TL, Filella M, et al. 2003. Distribution and early diagenesis of antimony species in sediments and porewaters of freshwater lakes. *Environ Sci Technol* 37(6):1163-1168.
- +Chulay JD, Fleckenstein L, Smith DH. 1988. Pharmacokinetics of antimony during treatment of visceral leishmaniasis with sodium stibogluconate or meglumine antimoniate. *Trans R Soc Trop Med Hyg* 82:69-72.
- Clewel HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Coelho DR, De-Carvalho RR, Rocha RC, et al. 2014a. Effects of in utero and lactational exposure to SbV on rat neurobehavioral development and fertility. *Reprod Toxicol* 50:98-107.
<http://doi.org/10.1016/j.reprotox.2014.10.016>.
- Coelho DR, Miranda ES, SaintPierre TD, et al. 2014b. Tissue distribution of residual antimony in rats treated with multiple doses of meglumine antimoniate. *Mem Inst Oswaldo Cruz* 109(4):420-427.
- +Colak EH, Yomralioglu T, Nisanci R, et al. 2015. Geostatistical analysis of the relationship between heavy metals in drinking water and cancer incidence in residential areas in the Black Sea region of Turkey. *J Environ Health* 77(6):86-93.
- Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the National Urban Runoff Program. *J Water Pollut Control Fed* 56(7):898-908.
- +Cooper DA, Pendergrass EP, Vorwald AJ, et al. 1968. Pneumoconiosis among workers in an antimony industry. *Am J Roentgenol Radium Ther Nucl Med* 103:495-601.
- +Cotten MD, Logan ME. 1966. Effects of antimony on the cardiovascular system and intestinal smooth muscle. *J Pharmacol Exp Ther* 151(1):7-22.
- Cotton FA, Wilkinson G. 1966. Nontransition elements. In: Advanced inorganic chemistry. A comprehensive text. New York, NY: Interscience Publishers, 498-503.
- Cruz A, Rainey PM, Herwaldt BL, et al. 2007. Pharmacokinetics of antimony in children treated for leishmaniasis with meglumine antimoniate. *J Infect Dis* 195(4):602-608.
<http://doi.org/10.1086/510860>.
- Cullen A, Kiberd B, Matthews T, et al. 1998. Antimony in blood and urine of infants. *J Clin Pathol* 51(3):238-240.
- Cullen A, Kiberd B, Devaney D, et al. 2000. Concentrations of antimony in infants dying from SIDS and infants dying from other causes. *Arch Dis Child* 82(3):244-247.
- Cutter GA. 1992. Kinetic controls on metalloid speciation in seawater. *Mar Chem* 40(1-2):65-80.
[http://doi.org/http://dx.doi.org/10.1016/0304-4203\(92\)90048-F](http://doi.org/http://dx.doi.org/10.1016/0304-4203(92)90048-F).
- Dams R, Vandecasteele C, Desmet B, et al. 1988. Element concentrations in the air of an indoor shooting range. *Sci Total Environ* 77:1-13.

8. REFERENCES

- +Dancaster CP, Duckworth WC, Matthews REP. 1966. Stokes-Adams attacks following sodium antimonygluconate (triostam). *S Afr Med J* 40:1029-1030.
- de Doncker K, Dumarey R, Dams R, et al. 1983. Determination of antimony in atmospheric particulate matter by hydride generation and atomic absorption spectrometry. *Anal Chim Acta* 153:33-40.
- de la Calle-Guntinas MB, Madrid Y, Camara C. 1991. Determination of antimony(III) and antimony(V) in water by selective extraction with lactic acid-Malachite Green followed by graphite furnace atomic absorption spectrometry. *Anal Chim Acta* 247(1):7-12.
- Dernehl CU, Stead FM, Nau CA. 1944. Arsine, stibine, and hydrogen sulfide: Accidental generation in a metal refinery. *Am Ind Hyg Assoc Q* 5(2):361-362. <http://doi.org/10.1080/00968204409344172>.
- +Dernehl CU, Nau CA, Sweets HH. 1945. Animal studies on the toxicity of inhaled antimony trioxide. *J Ind Hyg Toxicol* 27:256-262.
- Dezateux C, Delves HT, Stocks J, et al. 1997. Urinary antimony levels in infants are low and unrelated to age or passive smoking. *Arch Dis Child* 23(5):423-424.
- Dieter MP, Jameson CW, Elwell MR, et al. 1991. Comparative toxicity and tissue distribution of antimony potassium tartrate in rats and mice dosed by drinking water or intraperitoneal injection. *J Toxicol Environ Health* 34(1):51-82. <http://doi.org/10.1080/15287399109531548>.
- DOE. 2009a. Analysis of background distributions of metals in the soil at Lawrence Berkeley National Laboratory. U.S. Department of Energy. LBNL-1782E. <http://www2.lbl.gov/ehs/erp/assets/pdfs/Background%20Metals%20in%20Soil%20Report0409.pdf>. March 18, 2016.
- DOE. 2009b. A review of metal concentrations measured in surface soil samples collected on and around the Hanford Site. U.S. Department of Energy: 1-32. PNNL-18577. http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-18577.pdf. March 15, 2016.
- DOE. 2018a. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 29A, June 2018. Oak Ridge, TN: U.S. Department of Energy. <https://sp.eota.energy.gov/pac/>. July 26, 2018.
- DOE. 2018b. Table 3: Protective Action Criteria (PAC) Rev. 29a based on applicable 60-minute AEGLs, ERPGs, or TEELs. The chemicals are listed by CASRN. June 2018. Oak Ridge, TN: U.S. Department of Energy. https://sp.eota.energy.gov/pac/docs/Revision_29A_Table3.pdf. July 26, 2018.
- +Dorea JG, Merchan-Hamann E, Ryan DE, et al. 1989. Retention of antimony in hair during leishmaniasis treatment. *Clin Chim Acta* 179:341-346.
- +Drummond GS, Kappas A. 1981. Potent heme-degrading action of antimony and antimony-containing parasiticidal agents. *J Exp Med* 153:245-246.
- +Dunn JT. 1928. A curious case of antimony poisoning. *Analyst* 53:532-533.
- Dutkiewicz VA, Parekh PP, Husain L. 1987. An evaluation of regional elemental signatures relevant to the northeastern United States. *Atmos Environ* 21:1033-1044.
- Eckel WP, Langley WD. 1988. A background-based ranking technique for assessment of elemental enrichment in soils at hazardous waste sites. *Superfund '88: Proceedings of the 9th National Conference*, November 28-30, 1988. Washington, DC: The Hazardous Materials Control Research Institute.
- Eckel WP, Jacob TA. 1989. Ambient concentrations of 25 "dissolved" and "total" metals in U.S. surface waters. Alexandria, VA: Viar and Company, 1-14.
- +Edel J, Marafante E, Sabbioni E, et al. 1983. Metabolic behaviour of inorganic forms of antimony in the rat. *Heavy Met Environ Int Conf* 4th 1:574-577.
- Elinder CG, Friberg L. 1986. Antimony. In: *Handbook on the toxicology of metals*. Vol. II. 2nd ed. Amsterdam: Elsevier Science Publishers, 26-42.
- Elliott BM, Mackay JM, Clay P, et al. 1998. An assessment of the genetic toxicology of antimony trioxide. *Mutat Res* 415(1-2):109-117.
- EPA. 1979. Antimony. Water-related environmental fate of 129 priority pollutants. Vol. 1. Washington, DC: U.S. Environmental Protection Agency. 5-1 to 5-8. EPA440479029a.

8. REFERENCES

- EPA. 1980. Ambient water quality criteria for antimony. Washington, DC: U.S. Environmental Protection Agency. EPA440580020. PB91117319.
- EPA. 1982. Seattle distribution system corrosion control study: Volume III: Potential for drinking water contamination from tin/antimony solder. Washington, DC: U.S. Environmental Protection Agency. EPA600282013; PB82231242.
- EPA. 1983. Antimony metal, antimony trioxide, and antimony sulfide response to the Interagency Testing Committee. *Federal Register*. U.S. Environmental Protection Agency. 48:717-725.
- EPA. 1988. Analysis of clean water act effluent guidelines pollutants: Summary of the chemicals regulated by industrial point source category. Washington DC: U.S. Environmental Protection Agency. 40 CFR Parts 400-475.
- EPA. 1989. Antimony. Acquire database. Duluth, MN: U.S. Environmental Protection Agency, 1-11.
- EPA. 2000. National air pollutant emission trends, 1900-1998. U.S. Environmental Protection Agency. EPA454R00002. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000ETJA.txt>. March 17, 2016.
- EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.
- EPA. 2009. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency. EPA816F090004. <http://water.epa.gov/drink/contaminants/upload/mcl-2.pdf>. March 4, 2015.
- EPA. 2015. Air quality system (AQS). Data files. Annual summary data. U.S. Environmental Protection Agency. http://aqsdr1.epa.gov/aqsweb/aqstmp/airdata/download_files.html. December 2, 2015.
- EPA. 2016a. Air emissions inventories. 2011 National Emissions Inventory (NEI) data. U.S. Environmental Protection Agency. <https://www.epa.gov/air-emissions-inventories/2011-national-emissions-inventory-nei-data>. March 21, 2016.
- EPA. 2016b. Acute Exposure Guideline Levels (AEGLs) values. U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2016-03/documents/compiled_aegl_update_.pdf. September 8, 2017.
- EPA. 2018a. 2018 Edition of the drinking water standards and health advisories. Washington, DC: Office of Water, U.S. Environmental Protection Agency. EPA822S12001. <https://www.epa.gov/sites/production/files/2018-03/documents/dwtable2018.pdf>. July 25, 2018.
- EPA. 2018b. About Acute Exposure Guideline Levels (AEGLs). U.S. Environmental Protection Agency. <https://www.epa.gov/aegl/about-acute-exposure-guideline-levels-aegls>. July 26, 2018.
- FDA. 2017. Subpart B - Requirements for specific standardized beverages. Bottled water. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110. Washington, DC: <https://www.gpo.gov/fdsys/pkg/CFR-2017-title21-vol2/pdf/CFR-2017-title21-vol2-sec165-110.pdf>. September 7, 2017.
- FDA. 2018. Substances Added to Food. Washington, DC: U.S. Food and Drug Administration. <https://www.accessdata.fda.gov/scripts/fdcc/?set=FoodSubstances>. July 26, 2018.
- +Felicetti SW, Thomas RG, McClellan RO. 1974a. Retention of inhaled antimony-124 in the beagle dog as a function of temperature of aerosol formation. *Health Phys* 26:525-531.
- +Felicetti SW, Thomas RG, McClellan RO. 1974b. Metabolism of two valence states of inhaled antimony in hamsters. *Am Ind Hyg Assoc J* 35:292-300.
- Fido A, Al-Saad S. 2005. Toxic trace elements in the hair of children with autism. *Autism* 9(3):290-298. <http://doi.org/10.1177/1362361305053255>.
- Filella M, Belzile N, Chen Y-W. 2002. Antimony in the environment: A review focused on natural waters: II. Relevant solution chemistry. *Earth Sci Rev* 59(1-4):265-285. [http://doi.org/http://dx.doi.org/10.1016/S0012-8252\(02\)00089-2](http://doi.org/http://dx.doi.org/10.1016/S0012-8252(02)00089-2).
- Filella M, Williams PA, Belzile N. 2009a. Antimony in the environment: Knowns and unknowns. *Environ Chem* 6(2):95-105. <http://doi.org/10.1071/EN09007>.

8. REFERENCES

- Filella M, Philippo S, Belzile N, et al. 2009b. Natural attenuation processes applying to antimony: A study in the abandoned antimony mine in Goesdorf, Luxembourg. *Sci Total Environ* 407(24):6205-6216. <http://doi.org/http://dx.doi.org/10.1016/j.scitotenv.2009.08.027>.
- Fleming AJ. 1938. The toxicity of antimony trioxide. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS215027.
- Fløtre CH, Varsi K, Helm T, et al. 2017. Predictors of mercury, lead, cadmium and antimony status in Norwegian never-pregnant women of fertile age. *PLoS ONE* 12(12):e0189169. <http://doi.org/10.1371/journal.pone.0189169>.
- Freedman LD, Doak GO, Long GG. 1978. Antimony compounds. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 3. 3rd ed. New York, NY: John Wiley and Sons, Inc., 105-128.
- Friedrich K, Vieira FA, Porrozzini R, et al. 2012. Disposition of antimony in rhesus monkeys infected with Leishmania braziliensis and treated with meglumine antimoniate. *J Toxicol Environ Health A* 75(2):63-75. <http://doi.org/10.1080/15287394.2012.624826>.
- Garboś S, Bulska E, Hulanicki A, et al. 2000. Determination of total antimony and antimony(V) by inductively coupled plasma mass spectrometry after selective separation of antimony(III) by solvent extraction with N-benzoyl-N-phenylhydroxylamine. *Spectrochim Acta Part B At Spectrosc* 55(7):795-802. [http://doi.org/10.1016/s0584-8547\(00\)00212-3](http://doi.org/10.1016/s0584-8547(00)00212-3).
- Gebel T, Claussen K, Dunkelberg H. 1998b. Human biomonitoring of antimony. *Int Arch Occup Environ Health* 71(3):221-224.
- Gebel T, Birkenkamp P, Luthin S, et al. 1998a. Arsenic(III), but not antimony(III), induces DNA-protein crosslinks. *Anticancer Res* 18(6A):4253-4257.
- +Gellhorn A, van Dyke HB. 1946. The correlation between distribution of antimony in tissues and chemotherapeutic effect in experimental leishmaniasis. *J Pharmacol Exp Ther* 88(2):162-176.
- +Gellhorn A, Tupikova NA, van DHB. 1946. The tissue-distribution and excretion of four organic antimonials after single or repeated administration to normal hamsters. *J Pharmacol Exp Ther* 87:169-180.
- +Gerber GB, Maes J, Eykens B. 1982. Transfer of antimony and arsenic to the developing organism. *Arch Toxicol* 49:159-168.
- +Gerhardsson L, Brune D, Nordberg GF, et al. 1982. Antimony in lung, liver and kidney tissue from deceased smelter workers. *Scand J Work Environ Health* 8:201-208.
- +Ghaleb HA, Shoeb HA, el-Gawhary N, et al. 1979. Acute toxicity studies of some new organic trivalent antimonials. *J Egypt Med Assoc* 62:45-62.
- Gladney ES, Perrin DR, Robinson RD, et al. 1984. Multitechnique determination of elemental concentrations in NBS urban air particulate SRM 1648 and evaluation of its use for quality assurance. *J Radioanal Nucl Chem* 83(2):379-386.
- Glorennec P, Lucas JP, Mercat AC, et al. 2016. Environmental and dietary exposure of young children to inorganic trace elements. *Environ Int* 97:28-36. <http://doi.org/10.1016/j.envint.2016.10.009>.
- +Goodwin LG, Page JE. 1943. A study of the extraction of organic antimonials using a polarographic procedure. *Biochem J* 37:198-209.
- +Gross P, Brown JHU, Hatch TF. 1952. Experimental endogenous lipoid pneumonia. *Am J Pathol* 28:211-221.
- +Gross P, Brown J, Westrick ML, et al. 1955. Toxicologic study of calcium halophosphate phosphors and antimony trioxide. I. Acute and chronic toxicity and some pharmacologic aspects. *AMA Arch Ind Health* 11:473-478.
- +Groth DH, Stettler LE, Burg JR, et al. 1986. Carcinogenic effects of antimony trioxide and antimony ore concentrate in rats. *J Toxicol Environ Health* 18:607-626.
- Grund SC, Hanusch K, Breunig HJ, et al. 2012. Antimony and antimony compounds. In: Ullman's encyclopedia of industrial chemistry. Hoboken, NJ: John Wiley & Sons, Inc., http://doi.org/10.1002/14356007.a03_055.pub2.

8. REFERENCES

- Guo J, Su L, Zhao X, et al. 2016. Relationships between urinary antimony levels and both mortalities and prevalence of cancers and heart diseases in general U.S. population, NHANES 1999-2010. *Sci Total Environ* 571:452-460. <http://doi.org/10.1016/j.scitotenv.2016.07.011>.
- Gurnani N, Sharma A, Talukder G. 1992a. Comparison of the clastogenic effects of antimony trioxide on mice in vivo following acute and chronic exposure. *Biometals* 5(1):47-50.
- Gurnani N, Sharma A, Talukder G. 1992b. Cytotoxic effects of antimony trichloride on mice in vivo. *Cytobios* 70(281):131-136.
- Gurnani N, Sharma A, Talukder G. 1993. Comparison of clastogenic effects of antimony and bismuth as trioxides on mice in vivo. *Biol Trace Elem Res* 37(2-3):281-292. <http://doi.org/10.1007/bf02783802>.
- Haldar AK, Sen P, Roy S. 2011. Use of antimony in the treatment of leishmaniasis: Current status and future directions. *Mol Bio Int* 2011:571242. <http://doi.org/10.4061/2011/571242>.
- Hansen C, Tsirigotaki A, Bak SA, et al. 2010. Elevated antimony concentrations in commercial juices. *J Environ Monit* 12(4):822-824. <http://doi.org/10.1039/b926551a>.
- Hantson P, Leonard ED, Crutzen-Fayt MC, et al. 1996. Cytogenetic observations after meglumine antimoniate therapy for visceral leishmaniasis. *Pharmacotherapy* 16(5):869-871.
- Han-Wen S, Xiao-Quan S, Zhe-Ming N. 1982. Selective separation and differential determination of antimony (III) and antimony (V) by solvent extraction with N-benzoyl-N-phenylhydroxylamine and graphite-furnace atomic-absorption spectrometry using a matrix-modification technique. *Talanta* 29(7):589-593.
- +Harris JW. 1956. Studies on the mechanism of a drug-induced hemolytic anemia. *J Lab Clin Med* 47(5):760-775.
- Herbst KA, Rose G, Hanusheh K, et al. 1985. Antimony and antimony compounds. In: Ullmann's encyclopedia of industrial chemistry. Vol. A3. Weinheim, Germany: Wiley-VCH, 55-76.
- +Hext PM, Pinto PJ, Rimmel BA. 1999. Subchronic feeding study of antimony trioxide in rats. *J Appl Toxicol* 19(3):205-209.
- Hillamo R, Pacyna JM, Bartonova A. 1988. Characterization of aerosols during long-range transport episodes of air pollution to Norway. *J Aerosol Sci* 19:1257-1261.
- +Hiraoka N. 1986. The toxicity of organ-distribution of antimony after chronic administration to rats. *Kyoto Furitsu Ika Daigaku Zasshi* 95:997-1017.
- Hockmann K, Lenz M, Tandy S, et al. 2014. Release of antimony from contaminated soil induced by redox changes. *J Hazard Mater* 275:215-221. <http://doi.org/10.1016/j.jhazmat.2014.04.065>.
- +Honey M. 1960. The effects of sodium antimony tartrate on the myocardium. *Br Heart J* 22:601-616.
- Hopper JF, Barrie LA. 1988. Regional and background aerosol trace elemental composition observed in eastern Canada. *Tellus* 40B:446-462.
- +Horton JR, Gawroski CL, Newton PE, et al. 1986. Evaluation of the acute toxicity, irritation, sensitization, and subchronic dermal toxicity of antimony thioantimonate lubricant. University of California, Irvine, 1-20. ADA166873.
- +Houpt K, Zgoda JC, Stahlbaum CC. 1984. Use of taste repellents and emetics to prevent accidental poisoning of dogs. *Am J Vet Res* 45:1501-1503.
- HSDB. 2005a. Antimony, elemental. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. June 22, 2015.
- HSDB. 2005b. Antimony trichloride. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. June 22, 2015.
- HSDB. 2009a. Antimony sulfide. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. June 22, 2015.
- HSDB. 2009b. Stibine. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. June 22, 2015.
- HSDB. 2013. Antimony trioxide. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. June 22, 2015.
- HSDB. 2014. Antimony potassium tartrate. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. June 22, 2015.

8. REFERENCES

- Huang H, Shu SC, Shih JH, et al. 1998. Antimony trichloride induces DNA damage and apoptosis in mammalian cells. *Toxicology* 129(2-3):113-123.
- Huang Y, Ni W, Chen Y, et al. 2015. Levels and risk factors of antimony contamination in human hair from an electronic waste recycling area, Guiyu, China. *Environ Sci Pollut Res Int* 22(9):7112-7119. <http://doi.org/10.1007/s11356-014-3941-1>.
- IARC. 1989. Antimony trioxide and antimony trisulfide. IARC Monographs on the evaluation of carcinogenic risks to humans. Volume 47. Some organic solvents, resin monomers and related compounds, pigments and occupational exposures in paint manufacture and painting. Lyon, France: International Agency for Research on Cancer. <https://monographs.iarc.fr/wp-content/uploads/2018/06/mono47-16.pdf>. May 6, 2019.
- IARC. 2015. Agents classified by the IARC monographs. Volumes 1–114. Lyon, France: International Agency for Research on Cancer. http://monographs.iarc.fr/ENG/Classification>List_of_Classifications_Vol1-114.pdf. November 9, 2015.
- Iavicoli I, Caroli S, Alimonti A, et al. 2002. Biomonitoring of a worker population exposed to low antimony trioxide levels. *J Trace Elem Med Biol* 16(1):33-39. [http://doi.org/10.1016/s0946-672x\(02\)80006-2](http://doi.org/10.1016/s0946-672x(02)80006-2).
- ICRP. 1981. Metabolic data for antimony. Limits for intakes of radionuclides by workers (ICRP Publication 30, Part 3). International Commission on Radiological Protection. *Ann ICRP* 6(2/3):46-49.
- Iijima A, Sato K, Fujitani Y, et al. 2009. Clarification of the predominant emission sources of antimony in airborne particulate matter and estimation of their effects on the atmosphere in Japan. *Environ Chem* 6(2):122-132. <http://doi.org/http://dx.doi.org/10.1071/EN08107>.
- IRIS. 1987. Antimony; CASRN 7440-36-0. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. http://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0006_summary.pdf. November 9, 2015.
- IRIS. 1995. Antimony trioxide; CASRN 1309-64-4. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. http://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0676_summary.pdf. November 9, 2015.
- Jablonska-Czapla M, Szopa S, Grygoryc K, et al. 2014. Development and validation of HPLC-ICP-MS method for the determination inorganic Cr, As and Sb speciation forms and its application for Plawniowice reservoir (Poland) water and bottom sediments variability study. *Talanta* 120:475-483. <http://doi.org/10.1016/j.talanta.2013.11.092>.
- Jenkins RO, Craig PJ, Goessler W, et al. 1998. Antimony leaching from cot mattresses and sudden infant death syndrome (SIDS). *Hum Exp Toxicol* 17(3):138-139.
- Johnson CA, Moench H, Wersin P, et al. 2005. Solubility of antimony and other elements in samples taken from shooting ranges. *J Environ Qual* 34(1):248-254.
- Johnson DL, Davis BL, Dzubay TG, et al. 1984. Chemical and physical analyses of Houston aerosol for interlaboratory comparison of source apportionment procedures. *Atmos Environ* 18(8):1539-1553.
- +Joliffe DS. 1985. Nephrotoxicity of pentavalent antimonials. *Lancet* 1:584.
- +Jones RD. 1994. Survey of antimony workers: Mortality 1961-1992. *Occup Environ Med* 51(11):772-776.
- Kanematsu N, Hara M, Kada T. 1980. Rec assay and mutagenicity studies on metal compounds. *Mutat Res* 77:109-116.
- +Kanisawa M, Schroeder HA. 1969. Life term studies on the effect of trace elements on spontaneous tumors in mice and rats. *Cancer Res* 29(4):892-895.
- Katayama Y, Ishida N. 1987. Determination of antimony in nail and hair by thermal neutron activation analysis. *Radioisotopes* 36:103-107.

8. REFERENCES

- Kentner M, Leinemann M, Schaller KH, et al. 1995. External and internal antimony exposure in starter battery production. *Int Arch Occup Environ Health* 67(2):119-123.
- +Kim HA, Heo Y, Oh SY, et al. 1999. Altered serum cytokine and immunoglobulin levels in the workers exposed to antimony. *Hum Exp Toxicol* 18(10):607-613.
- Kirkland D, Whitwell J, Deyo J, et al. 2007. Failure of antimony trioxide to induce micronuclei or chromosomal aberrations in rat bone-marrow after sub-chronic oral dosing. *Mutat Res* 627(2):119-128. <http://doi.org/10.1016/j.mrgentox.2006.10.012>.
- Kobayashi A, Ogra Y. 2009. Metabolism of tellurium, antimony and germanium simultaneously administered to rats. *J Toxicol Sci* 34(3):295-303.
- Koch B, Maser E, Hartwig A. 2017. Low concentrations of antimony impair DNA damage signaling and the repair of radiation-induced DSB in HeLa S3 cells. *Arch Toxicol* 91(12):3823-3833. <http://doi.org/10.1007/s00204-017-2004-z>.
- Kopp B, Zalko D, Audebert M. 2018. Genotoxicity of 11 heavy metals detected as food contaminants in two human cell lines. *Environ Mol Mutagen* 59:202-210. <http://doi.org/10.1002/em.22157>.
- Kowalczyk GS, Gordon GE, Rheingrover SW. 1982. Identification of atmospheric particulate sources in Washington, D.C., using chemical element balances. *Environ Sci Technol* 16:79-90.
- Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Kubo T, Urano K, Utsumi H. 2002. Mutagenicity characteristics of 255 environmental chemicals. *J Health Sci* 48(6):545-554.
- Kuroda K, Endo G, Okamoto A, et al. 1991. Genotoxicity of beryllium, gallium and antimony in short-term assays. *Mutat Res* 264(4):163-170.
- Kuryshev YA, Wang L, Wible BA, et al. 2006. Antimony-based antileishmanial compounds prolong the cardiac action potential by an increase in cardiac calcium currents. *Mol Pharmacol* 69(4):1216-1225. <http://doi.org/10.1124/mol.105.019281>.
- Landsberger S, Jervis RE, Kajrys G, et al. 1983. Characterization of trace elemental pollutants in urban snow using proton induced X-ray emission and instrumental neutron activation analysis. *Int J Environ Anal Chem* 16(2):95-130.
- Lantzsch H, Gebel T. 1997. Genotoxicity of selected metal compounds in the SOS chromotest. *Mutat Res* 389(2-3):191-197.
- Lawn SD, Armstrong M, Chilton D, et al. 2006. Electrocardiographic and biochemical adverse effects of sodium stibogluconate during treatment of cutaneous and mucosal leishmaniasis among returned travellers. *Trans R Soc Trop Med Hyg* 100:264-269.
- Lehr CR, Kashyap DR, McDermott TR. 2007. New insights into microbial oxidation of antimony and arsenic. *Appl Environ Microbiol* 73(7):2386-2389. <http://doi.org/10.1128/aem.02789-06>.
- Lewis RJ. 2012. Antimony pentoxide. AQS750. In: *Sax's dangerous properties of industrial medicine*. Hoboken, NJ: John Wiley & Sons, Inc., 341-342.
- Li T. 2011. Antimony and antimony alloys. In: *Kirk-Othmer encyclopedia of chemical toxicology*. Hoboken, NJ: John Wiley & Sons, Inc., <http://doi.org/10.1002/0471238961.011420091209.a01.pub3>.
- Liao YH, Yu HS, Ho CK, et al. 2004. Biological monitoring of exposures to aluminium, gallium, indium, arsenic, and antimony in optoelectronic industry workers. *J Occup Environ Med* 46(9):931-936.
- Lima MI, Arruda VO, Alves EV, et al. 2010. Genotoxic effects of the antileishmanial drug glucantime. *Arch Toxicol* 84(3):227-232. <http://doi.org/10.1007/s00204-009-0485-0>.
- +Lippincott SW, Ellerbrook LD, Rhee M, et al. 1947. A study of the distribution and fate of antimony when used as tartar emetic and fuadin in the treatment of American soldiers with Schistosomiasis japonica. *J Clin Invest* 26(3):370-378.

8. REFERENCES

- Llewellyn TO. 1989. Antimony. In: Minerals yearbook metals and minerals 1987, Volume 1. Pittsburgh, PA: Bureau of Mines, U.S. Department of the Interior, <http://digicoll.library.wisc.edu/cgi-bin/EcoNatRes/EcoNatRes-idx?id=EcoNatRes.MinYB1987v1>. March 16, 2016.
- +Longerich HP, Friel JK, Fraser C, et al. 1991. Analysis of the drinking water of mothers of neural tube defect infants and of normal infants for 14 selected trace elements by inductively coupled plasma-mass spectrometry (ICP-MS). *Can J Appl Spectrosc* 36(1):15-21.
- Lopez S, Aguilar L, Mercado L, et al. 2015. Sb(V) reactivity with human blood components: Redox effects. *PLoS ONE* 10(1):e0114796. <http://doi.org/10.1371/journal.pone.0114796>.
- Lopez-Garcia I, Sanchez-Merlos M, Hernandez-Cordoba M. 1997. Arsenic and antimony determination in soils and sediments by graphite furnace atomic absorption spectrometry with slurry sampling. *Spectrochimica Acta Part B At Spectrosc* 52(4):437-443.
- +Ludersdorf R, Fuchs A, Mayer P, et al. 1987. Biological assessment of exposure to antimony and lead in the glass-producing industry. *Int Arch Occup Environ Health* 59:469-474.
- Luo J, Bai Y, Liang J, et al. 2014. Metagenomic approach reveals variation of microbes with arsenic and antimony metabolism genes from highly contaminated soil. *PLoS ONE* 9(10):e108185. <http://doi.org/10.1371/journal.pone.0108185>.
- Maciaszczyk-Dziubinska E, Wawrzynska D, Wysocki R. 2012. Arsenic and antimony transporters in eukaryotes. *Int J Mol Sci* 13(3):3527-3548. <http://doi.org/10.3390/ijms13033527>.
- Maher W. 1986. Measurement of total antimony in marine organisms and waters by stibine generation and atomic absorption spectrometry. *Anal Lett* 18(3&4):295-305.
- +Mansour SE, Reese HH. 1965. Experimental antimony toxicity on lower motor neurons and muscles of mice. *Exp Parasitol* 13:148-187.
- Mansour MM, Rasoul AAA, Schulert AR. 1967. Anti-bilharzial antimony drugs. *Nature (London) New Biol* 214:819-820.
- Mariussen E, Johnsen IV, Stromseng AE. 2017. Distribution and mobility of lead (Pb), copper (Cu), zinc (Zn), and antimony (Sb) from ammunition residues on shooting ranges for small arms located on mires. *Environ Sci Pollut Res Int* 24(11):10182-10196. <http://doi.org/10.1007/s11356-017-8647-8>.
- +Marmo E, Matera MG, Acampora R, et al. 1987. Prenatal and postnatal metal exposure: Effect on vasomotor reactivity development of pups. *Curr Ther Res Clin Exp* 42:823-838.
- Maynar M, Llerena F, Grijota FJ, et al. 2017. Serum concentration of several trace metals and physical training. *J Int Soc Sports Nutr* 14:19. <http://doi.org/10.1186/s12970-017-0178-7>.
- +Mendy A, Gasana J, Vieira ER. 2012. Urinary heavy metals and associated medical conditions in the US adult population. *Int J Environ Health Res* 22(2):105-118.
- Menke A, Guallar E, Cowie CC. 2016. Metals in urine and diabetes in U.S. adults. *Diabetes* 65(1):164-171. <http://doi.org/10.2337/db15-0316>.
- Michalke K, Wickenheiser EB, Mehring M, et al. 2000. Production of volatile derivatives of metal(loid)s by microflora involved in anaerobic digestion of sewage sludge. *Appl Environ Microbiol* 66(7):2791-2796.
- Miekeley N, Carneiro MTW, Silveira CLP. 1998. How reliable are human hair reference intervals for trace elements? *Sci Total Environ* 218(1):9-17.
- Migliore L, Cocchi L, Nesti C, et al. 1999. Micronuclei assay and FISH analysis in human lymphocytes treated with six metal salts. *Environ Mol Mutagen* 34(4):279-284.
- Migon C, Mori C. 1999. Arsenic and antimony release from sediments in a Mediterranean estuary. *Hydrobiologia* 392(1):81-88.
- Milford JB, Davidson CI. 1985. The sizes of particulate trace elements in the atmosphere- A review. *J Air Pollut Control Assoc* 35(12):1249-1260.
- Miranda ES, Miekeley N, De-Carvalho RR, et al. 2006. Developmental toxicity of meglumine antimoniate and transplacental transfer of antimony in the rat. *Reprod Toxicol* 21(3):292-300. <http://doi.org/10.1016/j.reprotox.2005.09.010>.

8. REFERENCES

- Miravet R, López-Sánchez JF, Rubio R. 2006. Leachability and analytical speciation of antimony in coal fly ash. *Anal Chim Acta* 576(2):200-206. <http://doi.org/10.1016/j.aca.2006.06.003>.
- Mitsunobu S, Harada T, Takahashi Y. 2006. Comparison of antimony behavior with that of arsenic under various soil redox conditions. *Environ Sci Technol* 40(23):7270-7276. <http://doi.org/10.1021/es060694x>.
- Mok WM, Wal CM. 1990. Distribution and mobilization of arsenic and antimony species in the Coeur d'Alene River, Idaho. *Environ Sci Technol* 24:102-108.
- Muramatsu Y, Parr RM. 1988. Concentrations of some trace elements in hair, liver and kidney from autopsy subjects - Relationship between hair and internal organs. *Sci Total Environ* 76:29-40.
- Murrell NE. 1987. Impact of metallic solders on water quality. *Proc Annu Conf AWWA* 1:39-43.
- +Myers RC, Homan ER, Well CS, et al. 1978. Antimony trioxide range-finding toxicity studies. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS206062.
- Nakamaru YM, Sekine K. 2008. Sorption behavior of selenium and antimony in soils as a function of phosphate ion concentration. *Soil Sci Plant Nutr* 54(3):332-341. <http://doi.org/10.1111/j.1747-0765.2008.00247.x>.
- NAS/NRC. 1989. Report of the oversight committee. *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press. 15-35.
- Navas-Acien A, Silbergeld EK, Sharrett R, et al. 2005. Metals in urine and peripheral arterial disease. *Environ Health Perspect* 113(2):164-169. <http://doi.org/10.1289/ehp.7329>.
- Neves DB, Caldas ED, Sampaio RN. 2009. Antimony in plasma and skin of patients with cutaneous leishmaniasis--relationship with side effects after treatment with meglumine antimoniate. *Trop Med Int Health* 14(12):1515-1522. <http://doi.org/10.1111/j.1365-3156.2009.02408.x>.
- +Newton PE, Bolte HF, Daly IW, et al. 1994. Subchronic and chronic inhalation toxicity of antimony trioxide in the rat. *Fundam Appl Toxicol* 22(4):561-576.
- +NIOSH. 1979. *Toxicity evaluation for establishing IDLH values*. Cincinnati, OH: National Institute for Occupational Safety and Health. PB87229498.
- NIOSH. 1985. Elements in blood or tissue. Cincinnati, OH: National Institute for Occupational Safety and Health. 8005-8001 to 8005-S. Method 8005.
- NIOSH. 1989. *National Occupational Exposure Survey (NOES)*. Washington, DC: National Institute for Occupational Safety and Health.
- NIOSH. 1994a. Antimony compounds. *Immediately Dangerous to Life or Health Concentrations (IDLH)*. Atlanta, GA: National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/idlh/7440360.html>. May 8, 2019.
- NIOSH. 1994b. Stibine. *Immediately Dangerous to Life or Health Concentrations (IDLH)*. Atlanta, GA: National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/idlh/7803523.html>. May 8, 2019.
- NIOSH. 2018a. Antimony. *NIOSH pocket guide to chemical hazards*. Atlanta, GA: National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0036.html>. May 6, 2019.
- NIOSH. 2018b. Stibine. *NIOSH pocket guide to chemical hazards*. Atlanta, GA: National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0568.html>. May 6, 2019.
- Nriagu JO. 1989. A global assessment of natural sources of atmospheric trace metals. *Nature* 338:47-49.
- +NTP. 1992. NTP report on the toxicity studies of antimony potassium tartrate in F344/N rats and B6C3F1 mice (drinking water and intraperitoneal injection studies). Research Triangle Park, NC: NTP Tox 11. NIH Publication No. 92-3130.
- NTP. 2013. Draft OHAT approach for systematic review and evidence integration for literature-based health assessments- February 2013. National Toxicology Program. https://ntp.niehs.nih.gov/ntp/ohat/evaluationprocess/draftohatapproach_february2013.pdf. April 13, 2016.

8. REFERENCES

- NTP. 2015. Handbook for conducting a literature-based health assessment using OHAT approach for systematic review and evidence integration. National Toxicology Program.
http://ntp.niehs.nih.gov/ntp/ohat/pubs/handbookjan2015_508.pdf. October 2, 2015.
- +NTP. 2016. NTP technical report on the toxicology and carcinogenesis studies of antimony trioxide (CAS NO. 1309-64-4) in Wistar Han [Crl:WI (Han)] rats and B6C3F1/N mice. National Toxicology Program. NTP TR 590.
- NTP. 2018. Report on carcinogens monograph on antimony trioxide. Research Triangle Park, NC: National Toxicology Program.
https://ntp.niehs.nih.gov/ntp/roc/monographs/antimony_final20181019_508.pdf. May 8, 2019.
- Ohmori S, Tsujii H, Kusaka Y, et al. 1981. Radioactivation analysis of hair a means of biological monitoring of the environment. *J Radioanal Chem* 63(2):269-282.
- Olmez I, Kotra JP, Lowery S, et al. 1985. Airborne lead and trace elements in an indoor shooting range: A study of the DC National Guard armory pistol range. *Environ Toxicol Chem* 4:447-452.
- +Omura M, Tanaka A, Hirata M, et al. 2002. Testicular toxicity evaluation of two antimony compounds, antimony trioxide and antimony potassium tartrate, in rats and mice. *Environ Health Prev Med* 7(1):15-18. <http://doi.org/10.1007/bf02898061>.
- OSHA. 2018a. Occupational safety and health standards. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z-1: Limits for air contaminants Code of Federal Regulations. 29 CFR 1910.1000. Occupational Safety and Health Administration. <https://www.osha.gov/laws-regulations/standardnumber/1910/1910.1000TABLEZ1>. November 28, 2018.
- OSHA. 2018b. Occupational safety and health standards for shipyard employment. Subpart Z - Toxic and hazardous substances. Air contaminants. Code of Federal Regulations. 29 CFR 1915.1000. Occupational Safety and Health Administration. <https://www.osha.gov/laws-regulations/standardnumber/1915/1915.1000>. November 1, 2018.
- OSHA. 2018c. Safety and health regulations for construction. Subpart D - Occupational health and environment controls. Gases, vapors, fumes, dusts, and mists. Code of Federal Regulations 29 CFR 1926.55 Appendix A. Occupational Safety and Health Administration. <https://www.osha.gov/laws-regulations/standardnumber/1926/1926.55AppA>. November 1, 2018.
- Pacyna JM, Pacyna EG. 2001. An assessment of global and regional emissions of trace metals to the atmosphere from anthropogenic sources worldwide. *Environ Rev* 9(4):269-298.
<http://doi.org/10.1139/a01-012>.
- Pacyna JM, Semb A, Hanssen JE. 1984. Emission and long-range transport of trace elements in Europe. *Tellus* 36B:163-178.
- Palacios R, Osorio LE, Grajales LF, et al. 2001. Treatment failure in children in a randomized clinical trial with 10 and 20 days of meglumine antimonate for cutaneous leishmaniasis due to Leishmania viannia species. *Am J Trop Med Hyg* 64(3-4):187-193.
- +Palacios N, Fitzgerald K, Roberts AL, et al. 2014. A prospective analysis of airborne metal exposures and risk of Parkinson disease in the nurses' health study cohort. *Environ Health Perspect* 122(9):933-938. <http://doi.org/10.1289/ehp.1307218>.
- Pan X, Zhang D, Chen X, et al. 2010. Antimony accumulation, growth performance, antioxidant defense system and photosynthesis of Zea mays in response to antimony pollution in soil. *Water Air Soil Pollut* 215(1):517-523. <http://doi.org/10.1007/s11270-010-0496-8>.
- +Pandey AK, Kumar M, Thakur CP. 1988. ECG changes in prolonged treatment of kalaazar with antimony compounds [letter]. *J Assoc Physicians India* 36:398-399.
- Paßblack N, Mainzer B, Lahrssen-Wiederholt M, et al. 2014a. Concentrations of strontium, barium, cadmium, copper, zinc, manganese, chromium, antimony, selenium and lead in the equine liver and kidneys. *SpringerPlus* 3(343):1-10. <http://doi.org/10.1186/2193-1801-3-343>.
- Paßblack N, Mainzer B, Lahrssen-Wiederholt M, et al. 2014b. Concentrations of strontium, barium, cadmium, copper, zinc, manganese, chromium, antimony, selenium, and lead in the liver and kidneys of dogs according to age, gender, and the occurrence of chronic kidney disease. *J Vet Sci* 16(1):57-66. <http://www.ncbi.nlm.nih.gov/pubmed/25234328>.

8. REFERENCES

- Paßlack N, Mainzer B, Lahrssen-Wiederholt M, et al. 2014c. Liver and kidney concentrations of strontium, barium, cadmium, copper, zinc, manganese, chromium, antimony, selenium and lead in cats. *BMC Vet Res* 10:163. <http://doi.org/10.1186/1746-6148-10-163>.
- Paton GR, Allison AD. 1972. Chromosome damage in human cell cultures induced by metal salts. *Mutat Res* 16:332-336.
- Pattenden NJ, Branson JR, Fisher EMR. 1982. Trace element measurements in wet and dry deposition and airborne particulate at an urban site. *Deposition of atmospheric pollutants*. Boston, MA: D. Reidel Publishing Company, 173-184.
- Perez-Corona T, Madrid Y, Camara C. 1997. Evaluation of selective uptake of selenium (Se(IV) and Se(VI)) and antimony (Sb(III) and Sb(V)) species by baker's yeast cells (*Saccharomyces cerevisiae*). *Anal Chim Acta* 345(1-3):249-255.
- Plunkert PA. 1982. Antimony. In: *Minerals Handbook*. Pittsburgh, PA: Bureau of Mines, U.S. Department of the Interior, 93-101.
- +Poon R, Chu I, Lecavalier P, et al. 1998. Effects of antimony on rats following 90-day exposure via drinking water. *Food Chem Toxicol* 36(1):21-35.
- +Potkonjak V, Pavlovich M. 1983. Antimoniosis: A particular form of pneumoconiosis. I. Etiology, clinical and x-ray findings. *Int Arch Occup Environ Health* 51:199-207.
- +Potkonjak V, Vishnjich V. 1983. Antimoniosis: A particular form of pneumoconiosis II. Experimental investigation. *Int Arch Occup Environ Health* 51(4):229-303.
- Quiroz W, Arias H, Bravo M, et al. 2011. Development of analytical method for determination of Sb(V), Sb(III) and TMSb(V) in occupationally exposed human urine samples by HPLC-HG-AFS. *Microchem J* 97(1):78-84.
- Quiroz W, Aguilar L, Barria M, et al. 2013. Sb(V) and Sb(III) distribution in human erythrocytes: speciation methodology and the influence of temperature, time and anticoagulants. *Talanta* 115:902-910. <http://doi.org/10.1016/j.talanta.2013.06.052>.
- Ragaini RC, Ralston HR, Roberts N. 1977. Environmental trace metal contamination in Kellogg, Idaho, near a lead smelting complex. *Environ Sci Technol* 11(8):773-781.
- +Rees PH, Kager PA, Keating MI, et al. 1980. Renal clearance of pentavalent antimony (sodium stibogluconate). *Lancet* 2:226-229.
- +Renes LE. 1953. Antimony poisoning in industry. *AMA Arch Ind Health* 7:99-108.
- REPORTER. 2019. Antimony. National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. May 7, 2017.
- Ribeiro RR, Ferreira WA, Martins PS, et al. 2010. Prolonged absorption of antimony(V) by the oral route from non-inclusion meglumine antimoniate-beta-cyclodextrin conjugates. *Biopharm Drug Dispos* 31(2-3):109-119. <http://doi.org/10.1002/bdd.695>.
- Richardson BA. 1994. Sudden infant death syndrome: A possible primary cause. *J Forensic Sci Soc* 34(3):199-204.
- Rooney AA, Boyles AL, Wolfe MS, et al. 2014. Systematic review and evidence integration for literature-based environmental health science assessments. *Environ Health Perspect* 122(7):711-718. <http://doi.org/10.1289/ehp.1307972>.
- +Rossi F, Acampora R, Vacca C, et al. 1987. Prenatal and postnatal antimony exposure in rats: Effect on vasomotor reactivity development of pups. *Teratog Carcinog Mutagen* 7(5):491-496.
- RTECS. 2015. Antimony and compounds. Registry of Toxic Effects on Chemical Substances. National Institute of Occupational Safety and Health. MDL Information Systems, Inc. June 2, 2015.
- +Rugemalila JB. 1980. Fatal stibocaptate toxicity. *East Afr Med J* 57(10):720-722.
- Saghazadeh A, Rezaei N. 2017. Systematic review and meta-analysis links autism and toxic metals and highlights the impact of country development status: Higher blood and erythrocyte levels for mercury and lead, and higher hair antimony, cadmium, lead, and mercury. *Prog Neuropsychopharmacol Biol Psych* 79(Pt B):340-368. <http://doi.org/10.1016/j.pnpbp.2017.07.011>.
- Schaumlöffel N, Gebel T. 1998. Heterogeneity of the DNA damage provoked by antimony and arsenic. *Mutagenesis* 13(3):281-286.

8. REFERENCES

- Scheinost AC, Rossberg A, Vantelon D, et al. 2006. Quantitative antimony speciation in shooting-range soils by EXAFS spectroscopy. *Geochim Cosmochim Acta* 70(13):3299-3312.
- +Schnorr TM, Steenland K, Thun MJ, et al. 1995. Mortality in a cohort of antimony smelter workers. *Am J Ind Med* 27(5):759-770.
- +Schroeder HA, Mitchener M, Nason AP. 1970. Zirconium, niobium, antimony, vanadium and lead in rats: Life term studies. *J Nutr* 100(1):59-68.
- +Schroeder HA, Mitchener M, Balassa JJ, et al. 1968. Zirconium, niobium, antimony, and fluorine in mice: Effects on growth, survival and tissue levels. *J Nutr* 95(1):95-101.
- Scinicariello F, Buser MC. 2016. Urinary antimony and leukocyte telomere length: An analysis of NHANES 1999-2002. *Environ Res* 150:513-518. <http://doi.org/10.1016/j.envres.2016.06.044>.
- Scinicariello F, Buser MC, Feroe AG, et al. 2017. Antimony and sleep-related disorders: NHANES 2005-2008. *Environ Res* 156:247-252. <http://doi.org/10.1016/j.envres.2017.03.036>.
- Shacklette HT, Boerngen JG. 1984. Element concentration in soils and other surficial materials of the conterminous United States. In: U.S. Geological Survey Professional Paper 1270. Washington, DC: U.S. Department of the Interior, 1-9.
- +Shirai S, Suzuki Y, Yoshinaga J, et al. 2010. Maternal exposure to low-level heavy metals during pregnancy and birth size. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 45:1468-1474. <http://doi.org/10.1080/10934529.2010.500942>.
- +Shiue I. 2014. Higher urinary heavy metal, arsenic, and phthalate concentrations in people with high blood pressure: US NHANES, 2009-2010. *Int J Environ Res Public Health* 11(6):5989-5999. <http://doi.org/10.3109/08037051.2014.925228>.
- +Shiue I. 2015. Relationship of environmental exposures and ankylosing spondylitis and spinal mobility: US NHANES, 2009-2010. *Int J Environ Health Res* 25(3):322-329. <http://doi.org/10.1080/09603123.2014.945512>.
- +Shiue I, Hristova K. 2014. Higher urinary heavy metal, phthalate and arsenic concentrations accounted for 3-19% of the population attributable risk for high blood pressure: US NHANES, 2009-2012. *Hypertens Res* 37(12):1075-1081. <http://doi.org/10.1038/hr.2014.121>.
- Smichowski P. 2008. Antimony in the environment as a global pollutant: A review on analytical methodologies for its determination in atmospheric aerosols. *Talanta* 75(1):2-14. <http://doi.org/10.1016/j.talanta.2007.11.005>.
- Smith MM, White MA, Wilson HK. 1995. Determination of antimony in urine by solvent extraction and electrothermal atomization atomic absorption spectrometry for the biological monitoring of occupational exposure. *J Anal Atom Spectrom* 10(6):349-352.
- +Smyth HF, Thompson WL. 1945. The single dose and subacute-toxicity of antimony oxide (SB₂O₃). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS206062.
- +Smyth HF, Carpenter CP. 1948. Further experience with the range finding test in the industrial toxicology laboratory. *J Ind Hyg Toxicol* 30:63-68.
- Stauffer RE, Thompson JM. 1984. Arsenic and antimony in geothermal waters of Yellowstone National Park, Wyoming, USA. *Geochim Cosmochim Acta* 48(12):2547-2561. <http://pubs.er.usgs.gov/publication/70013582>. May 16, 2019.
- +Stevenson CJ. 1965. Antimony spots. In: Transactions of the St. John's Hospital Dermatology Society. Vol. 51. London, England: St. John's Hospital Dermatological Society, 40-43.
- Stoessel RP, Michaelis W. 1986. Wet and dry deposition of metals. Proceedings of the 2nd International Conference on Environmental Contamination. Amsterdam, The Netherlands: CEP Consultants, Ltd, 85-88.
- Sumino K, Hayakawa K, Shibata T, et al. 1975. Heavy metals in normal Japanese tissues: Amount of 15 heavy metals in 30 subjects. *Arch Environ Health* 30:487-494.
- Sun H, Yan SC, Cheng WS. 2000. Interaction of antimony tartrate with the tripeptide glutathione implication for its mode of action. *Eur J Biochem* 267(17):5450-5457.
- +Sunagawa S. 1981. [Experimental studies on antimony poisoning]. *Igaku Kenkyu* 51:129-142. (Japanese)

8. REFERENCES

- Sundar S, Sinha PR, Agrawal NK, et al. 1998. A cluster of cases of severe cardiotoxicity among kala-azar patients treated with a high-osmolarity lot of sodium antimony gluconate. *Am J Trop Med Hyg* 59(1):139-143.
- Takagi Y, Matsuda S, Imai S, et al. 1986. Trace elements in human hair: An international comparison. *Bull Environ Contam Toxicol* 36:793-800.
- Takagi Y, Matsuda S, Imai S, et al. 1988. Survey of trace elements in human nails: An international comparison. *Bull Environ Contam Toxicol* 41:690-695.
- +Taylor PJ. 1966. Acute intoxication from antimony trichloride. *Br J Ind Med* 23:318-321.
- Telford K, Maher W, Krikowa F, et al. 2008. Measurement of total antimony and antimony species in mine contaminated soils by ICPMS and HPLC-ICPMS. *J Environ Monit* 10(1):136-140.
<http://doi.org/10.1039/b715465h>.
- Thakur CP. 1998. Sodium antimony gluconate, amphotericin, and myocardial damage. *Lancet* 351(9120):1928-1929.
- +Thomas RG, Felicetti SW, Lucchino RV, et al. 1973. Retention patterns of antimony in mice following inhalation of particles formed at different temperatures. *Proc Soc Exp Biol Med* 144:544-550.
- Tirmenstein MA, Plews PI, Walker CV, et al. 1995. Antimony-induced oxidative stress and toxicity in cultured cardiac myocytes. *Toxicol Appl Pharmacol* 130(1):41-47.
<http://doi.org/10.1006/taap.1995.1006>.
- Tirmenstein MA, Mathias PI, Snawder JE, et al. 1997. Antimony-induced alterations in thiol homeostasis and adenine nucleotide status in cultured cardiac myocytes. *Toxicology* 119(3):203-211.
- Toraason M, Wey HE, Richards DE, et al. 1997. Altered Ca²⁺ mobilization during excitation contraction in cultured cardiac myocytes exposed to antimony. *Toxicol Appl Pharmacol* 146(1):104-115.
- TRI16. 2018. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Environmental Information. U.S. Environmental Protection Agency.
<http://www.epa.gov/triexplorer/>. September 18, 2018.
- Tschan M, Robinson B, Schulin R. 2008. Antimony uptake by Zea mays (L.) and Helianthus annuus (L.) from nutrient solution. *Environ Geochem Health* 30(2):187-191. <http://doi.org/10.1007/s10653-008-9142-4>.
- Tschan M, Robinson BH, Schulin R. 2009. Antimony in the soil-Plant system – A review. *Environ Chem* 6(2):106-115. <http://doi.org/10.1071/EN08111>.
- U.S. Bureau of Mines. 1989. Antimony in the 2nd quarter of 1989, August 23, 1989. Pittsburgh, PA: U.S. Bureau of Mines, 1-16.
- USGS. 2004. Mineral commodity profiles. Antimony. U.S. Geological Survey. Open-File Report 03-019. <http://pubs.usgs.gov/of/2003/of03-019/of03-019.pdf>. March 17, 2016.
- USGS. 2010. Water-chemistry data for selected springs, geysers, and streams in Yellowstone National Park, Wyoming, 2006-2008. U.S. Geological Survey. Open-File Report 2010-1192. Water-chemistry data for selected springs, geysers, and streams in Yellowstone National Park, Wyoming, 2006-2008. March 15, 2016.
- USGS. 2011. National water-quality assessment program. Trace elements and radon in groundwater across the United States, 1992-2003. U.S. Geological Survey. Scientific Investigations Report 2011-5059. http://pubs.usgs.gov/sir/2011/5059/pdf/sir2011-5059_report-covers_508.pdf. March 22, 2016.
- USGS. 2015. Mineral industry surveys. Antimony in the fourth quarter 2014. U.S. Geological Survey. <http://minerals.usgs.gov/minerals/pubs/commodity/antimony/mis-2014q4-antim.pdf>. March 17, 2016.
- Van Velzen D, Langenkamp H, Herb G. 1998. Antimony, its sources, applications and flow paths into urban and industrial waste: A review. *Waste Manag Res* 16(1):32-40.
- Vandecasteele C, Vermeir G, Dams R. 1988. Element concentrations in the air of an indoor shooting range. *Environ Technol Lett* 9:1287-1294.

8. REFERENCES

- Vasquez L, Scorza Dagert JV, Scorza JV, et al. 2006. Pharmacokinetics of experimental pentavalent antimony after intramuscular administration in adult volunteers. *Curr Ther Res Clin Exp* 67(3):193-203. <http://doi.org/10.1016/j.curtheres.2006.06.005>.
- Vigeh M, Yokoyama K, Matsukawa T, et al. 2017. Effects of hair metals on body weight in Iranian children aged 20 to 36 months. *Iran J Public Health* 46(8):1018-1027.
- Vinas P, Lopez-Garcia I, Merino-Merono B, et al. 2006. Liquid chromatography-hydride generation-atomic fluorescence spectrometry hybridation for antimony speciation in environmental samples. *Talanta* 68(4):1401-1405. <http://doi.org/10.1016/j.talanta.2005.07.056>.
- Vong RJ, Larson TV, Zoller WH. 1988. A multivariate chemical classification of rainwater samples. *Chemometr Intell Lab Syst* 3:99-109.
- Wang YX, Pan A, Feng W, et al. 2019. Variability and exposure classification of urinary levels of non-essential metals aluminum, antimony, barium, thallium, tungsten and uranium in healthy adult men. *Chemometr Intell Lab Syst* 29:424-434. <http://doi.org/10.1038/s41370-017-0002-0>.
- Wang YX, Sun Y, Huang Z, et al. 2016. Associations of urinary metal levels with serum hormones, spermatozoa apoptosis and sperm DNA damage in a Chinese population. *Environ Int* 94:177-188. <http://doi.org/10.1016/j.envint.2016.05.022>.
- +Watt WD. 1980. Chronic inhalation toxicity of antimony trioxide: Validation of the T.L.V.-progress report-summary of results. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS206195.
- +Watt WD. 1983. Chronic inhalation toxicity of antimony trioxide: Validation of the threshold limit value. Detroit, MI: Wayne State University, 1-135.
- Weast RC. 1988. The elements (continued). In: *Handbook of chemistry and physics*. 69th ed. Boca Raton, FL: CRC Press, B-8, B-72 to B-73.
- Westerhoff P, Prapaipong P, Shock E, et al. 2008. Antimony leaching from polyethylene terephthalate (PET) plastic used for bottled drinking water. *Water Res* 42(3):551-556. <http://doi.org/10.1016/j.watres.2007.07.048>.
- +Westrick ML. 1953. Physiologic responses attending administration of antimony, alone or with simultaneous injections of thyroxin. *Proc Soc Exp Biol Med* 82:56-60.
- Wey HE, Richards D, Tirmenstein MA, et al. 1997. The role of intracellular calcium in antimony-induced toxicity in cultured cardiac myocytes. *Toxicol Appl Pharmacol* 145(1):202-210. <http://doi.org/10.1006/taap.1997.8175>.
- WHO. 2010. WHO guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. September 9, 2014.
- WHO. 2017. Guidelines for drinking-water quality. Fourth edition incorporating the first addendum. Geneva, Switzerland: World Health Organization. <http://apps.who.int/iris/bitstream/10665/254637/1/9789241549950-eng.pdf?ua=1>. February 28, 2017.
- Wiersema JM, Wright L, Rogers B, et al. 1984. Human exposure to potentially toxic elements through ambient air in Texas. Proceedings of the 77th Annual Meeting of the Air Pollution Control Association, 1-15.
- +Wil Research Laboratories Inc. 1979. Acute eye irritation study in rabbits with antimony oxide. Sponsored by PPG Industries Inc., Pittsburgh, PA. 1-13.
- Wilson SC, Lockwood PV, Ashley PM, et al. 2010. The chemistry and behaviour of antimony in the soil environment with comparisons to arsenic: A critical review. *Environ Pollut* 158(5):1169-1181. <http://doi.org/http://dx.doi.org/10.1016/j.envpol.2009.10.045>.
- Windholz M. 1983. Antimony and compounds. In: *The Merck index*. 10th ed. Rahway, NJ: Merck and Co., 102-104.
- Wong LCK, Winston JM, Hagensen J, et al. 1979. Study of carcinogenicity and toxicity of inhaled antimony trioxide, antimony ore concentrate and thallic oxide in rats. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0511065.

8. REFERENCES

- +Wu CC, Chen YC. 2017. Assessment of industrial antimony exposure and immunologic function for workers in Taiwan. *Int J Environ Res Public Health* 14(7):1-9.
<http://doi.org/10.3390/ijerph14070689>.
- Wyllie S, Fairlamb AH. 2006. Differential toxicity of antimonial compounds and their effects on glutathione homeostasis in a human leukaemia monocyte cell line. *Biochem Pharmacol* 71(3):257-267. <http://doi.org/10.1016/j.bcp.2005.10.043>.
- Yu RC, Rappaport SM. 1996. Relation between pulmonary clearance and particle burden: A Michaelis-Menten-like kinetic model. *Occup Environ Med* 53(8):567-572.
- +Zaki MH, Shookhoff HB, Sterman M, et al. 1964. Astiban in Schistosomiasis mansoni: A controlled therapeutic trial in a nonendemic area. *Am J Trop Med Hyg* 13:803-810.
- Zeiger E, Anderson B, Haworth S, et al. 1992. *Salmonella* mutagenicity tests: V. Results from the testing of 311 chemicals. *Environ Mol Mutagen* 21:2-141.
- +Zheng G, Zhong H, Guo Z, et al. 2014. Levels of heavy metals and trace elements in umbilical cord blood and the risk of adverse pregnancy outcomes: A population-based study. *Biol Trace Elem Res* 160(3):437-444. <http://doi.org/10.1007/s12011-014-0057-x>.
- Zikovsky L, Badillo M. 1987. An indirect study of air pollution by neutron activation analysis of snow. *J Radioanal Nucl Chem* 114(1):147-153.