

CHAPTER 8. REFERENCES

- Acedo GN, Redei GP. 1982. Accuracy of the identification of carcinogens and noncarcinogens by arabidopsis. *Arabidopsis Information Service* (19):103-107.
- *ACGIH. 1990. Threshold limit values for chemical substances and physical agents and biological exposure indices for 1990-1991. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *ACGIH. 2001. Documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *ACGIH. 2016. TLVs and BEIs based on the documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *AIHA. 2015. Current ERPG Values (2015). Fairfax, VA: American Industrial Hygiene Association. <https://www.aiha.org/get-involved/AIHA-Guideline-Foundation/Emergency-Response-Planning-Guidelines/Documents/2015%20-ERPG%20Levels.pdf>. March 22, 2016.
- *Ames BN, McCann J, Yamasaki E. 1975. Methods for detecting carcinogens and mutagens with the Salmonella/mammalian-microsome mutagenicity test. *Mutation Res* 31:347-363.
- Anderson D, Styles JA. 1978. An evaluation of 6 short-term tests for detecting organic chemical carcinogens: Appendix 2. The bacterial mutation test. *Br J Cancer* 37:924-930.
- *Angerer J, Schaller KH. 1985. Analyses of hazardous substances in biological materials. Germany: VCH Verlagsgesellschaft mbH, 1:17-30.
- Ashby J, Paton D, Callander RD. 1988. Potent mutagenicity to salmonella of equimolar mixture of 52 chemicals used in five collaborative studies. *Mutagenesis* 3(4):345-348.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- *ATSDR. 1991. Agency for Toxic Substances and Disease Registry Annual report FY 1991. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- *ATSDR. 2017. 4,4'-methylenebis(2-chloroaniline). Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention. <http://www.atsdr.cdc.gov/SPL/resources/index.html>. October 6, 2017.
- *Baker RS, Bonin AM. 1981. Study of 42 coded compounds with the Salmonella/mammalian microsome assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:249-260.
- *Barek J, Pacakova V, Stulik K, et al. 1985. Monitoring of aromatic amines by HPLC with electrochemical detection: Comparison of methods for destruction of carcinogenic aromatic amines in laboratory wastes. *Talanta* 32(4):279-283.
- *Barnes DC, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- *Barnes JR. 1964. Toxicity study on "MOCA" 4,4'-methylene-bis(2-chloroaniline). DuPont Haskell Lab Study no. MR-652. Sept. 10.
- Benigni R, Giuliani A. 1985. Cluster analysis of short-term tests: A new methodological approach. *Mutat Res* 147(4):139-152.
- Bertazzi PA. 1975. [Methylene-bis-o-chloroaniline (MBOCA): A new chemical carcinogen.] *Med Lav* 66(2):81-84. (Italian)

*Cited in text

8. REFERENCES

- Brookes P, Preston RJ. 1981. Summary report on the performance of *in vitro* mammalian assays. In: Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1:77-85.
- *Brooks TM, Dean BJ. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay with preincubation. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1:261-270.
- *Butler MA, Guengerich FP, Kadlubar FF. 1989. Metabolic oxidation of the carcinogens 4-aminobiphenyl and 4,4'-methylene-bis(2-chloroaniline) by human hepatic microsomes and by purified rat hepatic cytochrome P-450 monooxygenases. Cancer Res 49(1):25-31.
- Carpenter AV, Flanders WD, Frome EL, et al. 1988. Chemical exposures and central nervous system cancers: A case-control study among workers at two nuclear facilities. Am J Ind Med 13(3):351-362.
- Cartwright RA. 1990. Bladder cancer screening in the UK. In: International conference on bladder cancer screening in high-risk groups, September 13-14, 1989. J Occup Med 32(9):878-880.
- *Caspary WJ, Daston DS, Myhr BC, et al. 1988. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Interlaboratory reproducibility and assessment. Environ Mol Mutagen 12(Suppl 13): 195-229.
- Casto BC. 1980. Detection of chemical carcinogens and mutagens in hamster cells by enhancement of adenovirus transformation. Adv Mod Environ Toxicol 1:241.
- *Casto BC. 1983. Comparison of the sensitivity of rodent and human cells to chemical carcinogens using viral transformation, DNA damage, and cytotoxicity assays. Basic Life Sci 24:429-449.
- CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDC/ATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. Summary Report, August 27, 1990.
- *Cheever KL, DeBord DG, Swareengin TF. 1991. 4,4'-Methylenebis(2-chloroaniline) (MOCA): The effect of multiple oral administration, route and phenobarbital induction on macromolecular adduct formation in the rat. Fundam Appl Toxicol 16(1):71-80.
- *Cheever KL, Richards DE, Weigel WW, et al. 1988. Macromolecular adduct formation by 4,4'-methylene-bis(2-chloroaniline) in adult male rat. Scand J Work Environ Health 14:57-59.
- *Cheever KL, Richards DE, Weigel WW, et al. 1990. 4,4'-Methylene-bis(2-chloroaniline) (MOCA): Comparison of macromolecular adduct formation after oral or dermal administration in the rat. Fundam Appl Toxicol 14(2):273-283.
- *Chen H, Chi T, Ko S, et al. 2014. 4,4'-Methylenebis(2-chloroaniline) (MBOCA) may be highly toxic and a carcinogen based on an experimental study with mice. Adv Biol Chem 4(3):203-213. 10.4236/abc.2014.43025.
- *Chen HI, Liou SH, Ho SF, et al. 2007. Oxidative DNA damage estimated by plasma 8-hydroxydeoxyguanosine (8-OHdG): Influence of 4,4'-methylenebis(2-chloroaniline) exposure and smoking. J Occup Health 49(5):389-398.
- *Chen TH, Kuslikis BI, Braselton WE Jr. 1989. Hydroxylation of 4,4'-methylenebis(2-chloroaniline) by canine, guinea pig, and rat liver microsomes. Drug Metab Dispos 17(4):406-413.
- *Chen TH, Kuslikis BI, Braselton WE Jr. 1991. Unlabeled hemoglobin adducts of 4,4'-methylenebis(2-chloroaniline) in rats and guinea pigs. Arch Toxicol 65(3):177-185.
- *Chin B, Tobes MC, Han SS. 1983. Absorption of 4,4'-methylenebis(2-chloroaniline) by human skin. Environ Res 32(1):167-178.
- *CIS 1992. Chemical Information Systems, Inc. Baltimore, MD.
- *Clapp DE, Piacitelli GM, Zaebst DD, et al. 1991. Assessing exposure to 4,4'-methylenebis(2-chloroaniline) (MBOCA) in the workplace. Appl Occup Environ Hyg 6(2):125-130.
- *Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1(4):111-131.

8. REFERENCES

- Cocker J, Wilson HK. 1989. Determination of 4,4'-methylenebis(2-chloroaniline) in urine: Letter. *Clin Chem* 35(3):506.
- *Cocker J, Boobis AR, Davis DS. 1986. Routes of activation of 4,4'-methylenebis(2-chloroaniline) and 4,4'-methylenedianiline to bacterial mutagens. In: International Conference on practical *in vitro* toxicology, Berkshire, England, September 18-20, 1985. *Food Chem Toxicol* 24(6-7):755-756.
- *Cocker J, Boobis AR, Davis DS. 1988. Determination of the n-acetyl metabolites of 4,4'-methylene dianiline and 4,4'-methylene-bis(2-chloroaniline) in urine. *Biomed Environ Mass Spectrom* 17(3):161-167.
- *Cocker J, Boobis AR, Gibson JF, et al. 1985. The metabolic activation of 4,4' methylenebis(2-chlorobenzeneamine) to a bacterial mutagen by hepatic postmitochondrial supernatant from human and other species. *Environ Mutagen* 7(4):501-509.
- *Cocker J, Boobis AR, Wilson HK, et al. 1990. Evidence that a beta-n-glucuronide of 4,4'-methylene-bis(2-chloroaniline) (MBOCA) is a major urinary metabolite in man: Implications for biological monitoring. *Br J Ind Med* 47(3):154-161.
- Cocker J, Gristwood W, Wilson HK. 1986. Assessment of occupational exposure to 4,4'-diaminodiphenylmethane (methylene dianiline) by gas chromatography-mass spectrometry analysis of urine. *Br J Ind Med* 43(9):620-625.
- *Cowles SR. 1978. Cancer in the workplace--Percivall Pott to the present. *Milit Med* 143(6):395-400.
- *Daniel MR, Dehnel JM. 1981. Cell transformation test with baby hamster kidney cells. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:626-637.
- Debord DG, Cheever KL, Swearengen RF. 1990. Alterations in histone phosphorylation in rat spleen cells after *in vitro* treatment with 4,4'-methylene-bis(2-chloroaniline) (MOCA). In: Society of Toxicology 29th Annual Meeting, Miami Beach, Florida, February 12-16, 1990. Washington, DC: Society of Toxicology, 417.
- *DeBord DG, Cheever KL, Werren DM, et al. 1996. Determination of 4,4'-methylene-bis(2-chloroaniline)-DNA adduct formation in rat liver and human uroepithelial cells by the ³²P postlabeling assay. *Fundam Appl Toxicol* 30(1):138-144.
- De Serres FJ, Hoffmann GR. 1981. Summary report on the performance of yeast assays. In: Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:68-76.
- DOE. 1979. MOCA permeation of protective clothing. Contract no. W-7405ENG-26. Washington, DC: U.S. Department of Energy.
- *Donner M, Hytonen S, Sorsa M. 1983. Application of the sex-linked recessive lethal test in *Drosophila melanogaster* for monitoring the work environment of a rubber factory. *Hereditas* 99(1):7-10.
- *DOE. 2016a. Table 3: Protective Action Criteria (PAC) Rev. 29 based on applicable 60-minute AEGLs, ERPGs, or TEELs. The chemicals are listed by CASRN. May 2016. Oak Ridge, TN: U.S. Department of Energy. https://sp.eota.energy.gov/pac/teel/Revision_29_Table3.pdf. February 28, 2017.
- *DOE. 2016b. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 29 for Chemicals of Concern - May 2016. Oak Ridge, TN: U.S. Department of Energy. <https://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-29-chemicals-concern-may-2016>. February 28, 2017.
- *Dost A, Straughan JK, Sorahan T. 2009. Cancer incidence and exposure to 4,4'-methylene-bis-ortho-chloroaniline (MbOCA). *Occup Med* 59(6):402-405. 10.1093/occmed/kqp093.
- *Ducos P, Gaudin R. 1983. Methylene bis orthochloroaniline ("MOCA"). Evaluation of the occupational exposure in France. *Cahiers de notes Documentaires* 1X3:517-522.
- *Ducos P, Maire C, Gaudin R. 1985. Assessment of occupational exposure to 4,4'-methylenebis(2-chloroaniline) (MOCA) by a new sensitive method for biological monitoring. *Int Arch Occup Environ Health* 55(2):159-167.

8. REFERENCES

- *Dunkel VC, Pienta RJ, Sivak A, et al. 1981. Comparative neoplastic transformation responses of Balb/3T3 cells, Syrian hamster embryo cells, and Rauscher murine leukemia virus-infected Fischer 344 rat embryo cells to chemical carcinogens. *J Natl Cancer Inst* 67(6):1303-1312.
- *Dunkel VC, Zeiger E, Brusick D, et al. 1984. Reproducibility of microbial mutagenicity assays: 1. Tests with *Salmonella typhimurium* and *Escherichia coli* using a standardized protocol. *Environ Mutagen* (Supp1 2):1-254.
- *Ebell GF, Fleming DE, Genovese JH, et al. 1980. Simultaneous determination of 2,4- and 2,6-diisocyanatoluene (TDI) and 3,3'-dichloro-4,4'-diaminodiphenylmethane (MOCA) in air. *Ann Occup Hyg* 23(2):185-188.
- *Edwards JW, Priestly BG. 1992. Biological and biological-effect monitoring of workers exposed to 4,4'-methylene-bis(2-chloroaniline). *Hum Exp Toxicol* 11(3):229-236.
- *Endo Y, Hara I. 1991. DNA-adduct detection in rats administered with 4,4'-methylenedianiline or 4,4'-methylenebis(2-chloroaniline). *J Ind Health* 33:430-431.
- *EPA. 1979. Treatability of carcinogenic and other hazardous organic compounds. Contract no. CI-68-03-2559. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA600279097.
- *EPA. 1981a. Development of analytical test procedures for organic pollutants in wastewater - application to pesticides. Contract no. 68-03-2711. Cincinnati, OH: U.S. Environmental Protection Agency, Industrial Environmental Research Laboratory, Office of Research and Development. EPA600481017. PB82182507.
- *EPA. 1981b. Engineering handbook for hazardous waste incineration. Contract no. 68-3-3025. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Environmental Engineering and Technology. PB81248163.
- EPA. 1984. Data acquisition for environmental transport and fate screening for compound of interest to the Office of Emergency and Remedial Response. Contract no. 68-03-2981. Athens, GA: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. PB84245281.
- *EPA. 1985. List of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- *EPA. 1986. 4,4'-Methylenebis (2-chloroaniline): Final reporting and record keeping requirements. U.S. Environmental Protection Agency. Fed Regist 51(75):13220-13224.
- EPA. 1987a. Effects of 4,4'-methylene-(2-chloroaniline) and benzotrichloride in humans and/or animal tissues. Cooperative agreement no. CR-812121. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory. PB88117882.
- EPA. 1987b. Letter from NIOSH to USEPA forwarding more information on workers exposed to 4,4'-methylenebis(2-chloroaniline) and diagnosed as having a bladder tumor (5/29/87). Washington, DC. U.S. Environmental Protection Agency. EPA FYI-OTS-0687-0552.
- EPA. 1987c. Toxic air pollutant/source crosswalk - a screening tool for locating possible sources emitting toxic air pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards.
- *EPA. 1988a. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.
- *EPA. 1988b. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Fed Regist 53(78): 13382-13393.
- *EPA. 1988c. Measurement of hydrolysis rate constants for evaluation of hazardous waste land disposal. Volume 3: Data on 70 chemicals. Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development. EPA600388028. PB88234042.
- *EPA. 1988d. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.
- *EPA. 1988e. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Fed Regist 53(30):4500-4554.

8. REFERENCES

- *EPA. 1988f. TSCA comprehensive assessment information rule: Reporting and record keeping requirements. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 704.
- *EPA. 1989. List of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Fed Regist 54(155):33426-33484.
- *EPA. 1990a. Interim methods for development of inhalation reference doses. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600890066A.
- *EPA. 1990b. Health and environmental effects document for 4,4'-methylenebis(2-chloroaniline). Cincinnati, OH. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Responses. EPA600x85371.
- *EPA. 1991a. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.
- *EPA. 1991b. Land disposal restrictions. U.S. Environmental Protection Agency. Fed Regist 56(21):3876-3928.
- *EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.
- *EPA. 2009. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F090004. https://www.epa.gov/sites/production/files/2016-06/documents/npwdr_complete_table.pdf. February 28, 2017.
- *EPA. 2012. Drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA822S12-001. <https://www.epa.gov/sites/production/files/2015-09/documents/dwstandards2012.pdf>. February 28, 2017.
- *EPA. 2016. Acute Exposure Guideline Levels (AEGLs) values. U.S. Environmental Protection Agency. <https://www.epa.gov/aegl/access-acute-exposure-guideline-levels-aegls-values#chemicals>. February 28, 2017.
- *Farmer PB, Rickard J, Robertson S. 1981. The metabolism and distribution of 4,4'-methylenebis(2-chloroaniline) (MBOCA) in rats. *J Appl Toxicol* 1(6):317-322.
- *FDA. 2013. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. <http://www.accessdata.fda.gov/scripts/fcn/fcnnavigation.cfm?rpt=eafuslisting>. February 28, 2017.
- FEDRIP. 1991. Federal Research in Progress. Dialog Information Service, Inc. December 1991.
- Fielder RJ, Dale EA, Smith AM, et al. 1983. Trimellitic anhydride (TMA); 4,4'-methylenebis-(2-chloroaniline) (MBOCA): N-nitrosodiethanolamine (nDELA). London, England: H.M. Stationery Office.
- Fishbein L. 1984. Aromatic amines. In: The handbook of environmental chemistry: Anthropogenic substances. Berlin, Germany: Springer-Verlag, 3:1-40.
- *Galloway SM, Bloom AD, Resnick M, et al. 1985. Development of a standard protocol for *in vitro* cytogenetic testing with Chinese hamster ovary cells: Comparison of results for 22 compounds in two laboratories. *Environ Mutagen* 21:51.
- *Garner RC, Welch A, Pickering C. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:280-284.
- *Gatehouse D. 1981. Mutagenic activity of 42 coded compounds in the "microtiter" fluctuation test. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:376-386.
- *GISO. 1985. General Industry Safety Orders: California Title 8, Section 5215:886-890; effective July 1985.

8. REFERENCES

- Goutet P. 1981. 4,4'-Methylenebis(2-chloroaniline): Toxicological hazards and exposure at work. Cahiers de notes Documentaires 104:387-393.
- Graul RJ, Stanley RL. 1982. Specific gravity adjustment of urine analysis results. Am Ind Hyg Assoc J 43(11):863.
- *Gristwood W, Robertson SM, Wilson HK. 1984. The determination of 4,4'-methylenebis(2-chloroaniline) in urine by electron capture gas chromatography. J Anal Toxicol 8(3):101-105.
- *Groth DH, Weigel WW, Tolos WP, et al. 1984. 4,4'-Methylene-bis-ortho-chloroaniline (MBOCA): Absorption and excretion after skin application and gavage. Environ Res 34(1):38-54.
- *Grundmann E, Steinhoff D. 1970. Liver and lung tumors in rats from 3,3'-dichloro-4,4'-diaminodiphenyl-methane. Z Krebsforschung 74:28-39.
- Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. Environ Mutagen 5(Suppl):3-142.
- HAZDAT. 1993. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA. February 13, 1992.
- Hendry WF, Blandy JP, Glashan RW, et al. 1988. Occupational bladder cancer: A guide for clinicians. Br J Urol 61(3):183-191.
- Henning HF. 1974. Precautions in the use of methylene-bis-o-chloroaniline (MBOCA). Ann Occup Hyg 17(2):137-142.
- Henschler D. 1983. Methods of determination of harmful industrial substances. Volume 2: Analyses of biological matter. Germany: Verlag Chemie, 7th Supplement.
- Henschler D. 1987. Risk assessment and evaluation of chemical carcinogens present and future strategies. J Cancer Res Clin Oncol 133(1):1-7.
- *Hesbert A, Bottin MC, DeCeaurriz J. 1985. Mutagenicity of 4,4'-methylenebis(2-chloroaniline) "MOCA" and its n-acetyl derivatives in *S. typhimurium*. Int Arch Occup Environ Health 55(2):169-174.
- *Hogan TJ. 1993. Case study "Carcinogens": The MBOCA TLV example. Am Ind Hyg Assoc J 54(S):458-460.
- *Hosein HR, Van Roosmalen PB. 1978. Acute exposure to methylene-bis-ortho chloroaniline (MOCA). Am Ind Hyg Assoc J 39(6):496-497.
- *Hotchkiss SA, Hewitt P, Caldwell J. 1993. Percutaneous absorption of 4,4'-methylene-bis(2-chloroaniline) and 4,4'-methylenedianiline through rat and human skin *in vitro*. Toxicol in Vitro 7(2):141-148.
- *Howard PH, Boethling RS, Jarvis WF, et al. 1991. Handbook of Environmental degradation rates. Chelsea, MI: Lewis Publishers, 348-349.
- *HSDB. 1991. 4,4'-Methylenebis(2-chloroaniline). Hazardous Substances Data Bank. Bethesda, MD: National Library of Medicine, National Toxicology Information Program. October 17, 1991.
- *Hubbard SA, Green MHL, Bridges BA, et al. 1981. Fluctuation test with S9 and hepatocyte activation. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1361-370.
- *IARC. 1974. IARC monographs on the evaluation of the carcinogenic risk of chemicals to man: Some aromatic amines, hydrazine and related substances, n-nitroso compounds and miscellaneous alkylating agents. Vol. 4:65-71. Lyon, France: World Health Organization, International Agency for Research on Cancer.
- *IARC. 1987. IARC monographs on the evaluation of the carcinogenic risk to man: Summary table. Suppl 7:66. Lyon, France: World Health Organization, International Agency for Research on Cancer.
- IARC. 1990. Cancer: Causes, occurrence and control. Lyon, France: World Health Organization, International Agency for Research on Cancer. IARC Sci Publ 100:129-130.

8. REFERENCES

- *IARC. 2012. 4,4'-Methylenebis(2-chlorobenzenamine). IARC Monographs on the evaluation of carcinogenic risks to humans. Volume 100F. Chemical agents and related occupations. Lyon, France: International Agency for Research on Cancer.
http://monographs.iarc.fr/ENG/Classification/List_of_Classifications.pdf. June 15, 2017.
- *IARC. 2017. Agents classified by the IARC Monographs, Volumes 1–118. Lyon, France: International Agency for Research on Cancer.
http://monographs.iarc.fr/ENG/Classification/List_of_Classifications.pdf. June 15, 2017.
- *Ichikawa Y, Yoshida M, Okayama A, et al. 1990. Biological monitoring for workers exposed to 4,4'-methylenebis(2-chloroaniline). *Am Ind Hyg Assoc J* 51(1):5-7.
- *Ichinotsubo D, Mower H, Mandel M. 1981a. Mutagen testing of a series of paired compounds with the Ames Salmonella testing system. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:298-301.
- *Ichinotsubo D, Mower H, Mandel H. 1981b. Testing of a series of paired compounds (carcinogen and noncarcinogenic structural analog) by DNA repair-deficient *E. coli* strains. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:195-198.
- Igaku S. 1991. [DNA-adduct detection in rats administered with 4,4'-methylenedianiline or 4',4-methylene bis(2-chloroaniline).] Endo, Yoko: Hara, Ichiro (Department of Public Health, Kansai Med Univ Moriguchi 570) 33(5):430-431. (Japanese)
- *IRIS. 2017. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. https://cfpub.epa.gov/ncea/iris_drafts/simple_list.cfm?list_type=alpha. March 2, 2017.
- *Jagannath DR, Vultaggio DM, Brusick DJ. 1981. Genetic activity of 42 coded compounds in the mitotic gene conversion assay using *Saccharomyces cerevisiae* strain D4. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:456-467.
- *James RH, Adams RE, Finkel JM, et al. 1985. Evaluation of analytical methods for the determination of POHC in combustion products. *J Air Pollut Control Assoc* 35(9):959-969.
- Jedrzejczak K, Gaind VS. 1992. Determination of 4,4'-methylenebis(2-chloroaniline) in urine using capillary gas chromatography and negative ion chemical ionization mass spectrometry. *Analyst* 117:1417-1420.
- Johnson LD. 1985. Air pollution - “toxic” or “hazardous” air pollutants. *International Congress Symposium Series - Royal Soc Med* 82:15-23.
- *Kada T. 1981. The DNA-damaging activity of 42 coded compounds in the Ret-assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:175-182.
- *Kada T, Green M, Mandel M, et al. 1981. Summary report on the performance of bacterial repair, phage induction, degranulation, and nuclear enlargement assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:33-48.
- *Kaderlik KR, Talaska G, DeBord DG, et al. 1993. 4,4'-Methylene-bis(2-chloroaniline)-DNA adduct analysis in human exfoliated urothelial cells by ³²P-postlabeling. *Cancer Epidemiol Biomarkers Prev* 2(1):63-69.
- Kadlubar FF. 1987. Metabolism and DNA binding of carcinogenic aromatic amines. *ISI Atlas Sci Pharmacol* 1(2):129-132.
- Kadlubar FF, Culp SJ, Turesky RJ, et al. 1990. Biochemical mechanisms of DNA adduct formation in human tissues by carcinogenic aromatic amines. In: 15th International Cancer Congress, Hamburg, Germany, August 16-22, 1990. *J Cancer Res Clin Oncol* 116(Supp1, part 2):1062.
- Karstadt M, Bobal R. 1982. Availability of epidemiologic data on humans exposed to animal carcinogens: 2. Chemical uses and production volume. *Teratog Carcinog Mutagen* 2(2):151-168.

8. REFERENCES

- Karstadt M, Bobal R, Selikoff IJ. 1981. A survey of availability of epidemiologic data on humans exposed to animal carcinogens. In: Peto R, Schneiderman M, eds. Banbury report, volume 9. Quantification of occupational cancer meeting, March 29-April 2, 1981. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 223-246.
- *Kassinova GV, Kovaltsova SV, Marfin SV, et al. 1981. Activity of 40 coded compounds in differential inhibition and mitotic crossing-over assays in yeast. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:434-455.
- *Katz M, Heddle JA, Salamone MF. 1981. Mutagenic activity of polycyclic aromatic hydrocarbons and other Environmental pollutants. In: Dennis AJ, ed. Chemical analytical and biological fate: Polynuclear aromatic hydrocarbons, 5th International Symposium. Columbus, OH: Battelle Press, 519-528.
- *Keen C, Coldwell M, McNally K, et al. 2012. A follow up study of occupational exposure to 4,4'-methylene-bis(2-chloroaniline) (MbOCA) and isocyanates in polyurethane manufacture in the UK. *Toxicol Lett* 213(1):3-8. 10.1016/j.toxlet.2011.04.003.
- *Keeslar FL. 1986. The removal and control of methylene-bis orthochloroaniline in residential and industrial areas of Adrian, Michigan. In: Ludwigson J, ed. Proceedings of the 1986 Conference on Hazardous Material Spills, Preparedness, Prevention Control, and Cleanup of Releases, St. Louis, MO, May 5-8, 1986. Rockville, MD: Government Institute Inc., 93-97.
- *Kommineni C, Groth DH, Frockt IJ, et al. 1979. Determination of the tumorigenic potential of methylene-bis-orthochloroaniline. *J Environ Pathol Toxicol* 2(5):149-171.
- *Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches. San Diego, CA: Academic Press, 399-437.
- *Kugler-Stegmeier ME, Friederich U, Graf U, et al. 1989. Genotoxicity of aniline derivatives in various short-term tests. *Mutat Res* 211(2):279-289.
- Kuslikis BI. 1989. Metabolic activation in the rat, dog, guinea pig and human of the suspect carcinogen 4,4'-methylenebis(2-chloroaniline). *Diss Abstr Int* 50(3):825-B.
- *Kuslikis BI, Tosko JE, Braselton WE Jr. 1991. Mutagenicity and effect on gap-junctional intercellular communication of 4,4'-methylenebis(2-chloroaniline) and its oxidized metabolites. *Mutagenesis* 6(1):19-24.
- Lichtenberg JJ, Longbottom JE, Bellar TA. 1987. Analytical methods for the determination of volatile nonpolar organic chemicals in water and water related environments. In: Suffet IH, Malaiyandi M, eds. Advances in chemistry, Series 214, organic pollutants in water: Sampling, analysis, and toxicity testing. 188th Meeting of the American Chemical Society, Philadelphia, PA, August 29-31, 1984. Washington, DC: American Chemical Society, 63-82.
- *Lin IS, Fan PL, Chen HI, et al. 2013. Rapid and intermediate N-acetylators are less susceptible to oxidative damage among 4,4'-methylenebis(2-chloroaniline) (MBOCA)-exposed workers. *Int J Hyg Environ Health* 216(4):515-520. 10.1016/j.ijheh.2013.02.001.
- Linch AL. 1974. Biological monitoring for industrial exposure to cyanogenic aromatic nitro and amino compounds. *Am Ind Hyg Assoc J* 35:426-432.
- *Linch AL, O'Connor GB, Barnes JR, et al. 1971. Methylene-bis-ortho-chloroaniline (MOCA): Evaluation of hazards and exposure control. *Am Ind Hyg Assoc J* 32(12):802-819.
- *Liu CS, Liou SH, Loh CH, et al. 2005. Occupational bladder cancer in a 4,4'-methylenebis(2-chloroaniline) (MBOCA)-exposed worker. *Environ Health Perspect* 113(6):771-774.
- Locke J. 1986. Fixing exposure limits for toxic chemicals in the UK - some case studies. *Sci Total Environ* 51:237-260.
- *Lowry LK, Clapp DE. 1992. Urinary 4,4'-methylenebis(2-chloroaniline) (MBOCA): A case for biological monitoring. *Appl Occup Environ Hyg* 7:593-598.

8. REFERENCES

- *MacDonald DJ. 1981. Salmonella/microsome tests on 42 coded chemicals. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:285-297.
- Manis MO, Braselton WE. 1982. Enzymatic and chromatographic characterization of the major urinary metabolite of 4,4'-methylenebis-2-chloroaniline in dogs. In: 66th Annual Meeting of the Federation of American Societies for Experimental Biology, New Orleans, LA, April 15-23, 1982. *Fed Proc* 41(5):Abstract 7646.
- Manis MO, Braselton WE. 1983. Protein binding and structure identification of the major urinary metabolite of 4,4'-methylenebis-2-chloroaniline in dogs. In: 67th Annual Meeting of the Federation of American Societies for Experimental Biology, Chicago, IL, April 10-15, 1983. *Fed Proc* 42(3):Abstract 354.
- *Manis MO, Braselton WE. 1984. Structure elucidation and *in vitro* reactivity of the major metabolite of 4,4'-methylenebis(2-chloroaniline) (MBOCA) in canine urine. *Fundam Appl Toxicol* 4(6):1000-1008.
- Manis MO, Braselton WE. 1986. Metabolism of 4,4'-methylenebis(2-chloroaniline) by canine liver and kidney slices. *Drug Metab Dispos* 14(2):166-174.
- *Manis MO, Williams DE, McCormack KM, et al. 1984. Percutaneous absorption, disposition, and excretion of 4,4'-methylenebis(2-chloroaniline) in dogs. *Environ Res* 33(1):234-245.
- *Martin CN, McDermid AC. 1981. Testing of 42 coded compounds for their ability to induce unscheduled DNA repair synthesis in HeLa cells. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:533-537.
- *Martire G, Vricella G, Perfumo AM, et al. 1981. Evaluation of the mutagenic activity of coded compounds in the Salmonella test. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:271-279.
- *Mason TJ, Vogler WJ. 1990. Bladder cancer screening at the DuPont Chambers Works: A new initiative. *J Occup Med* 32(9):874-877.
- *Matsushima T, Takamoto Y, Shirai A, et al. 1981. Reverse mutation test on 42 coded compounds with the *E. coli* WP2 system. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:387-395.
- *McCann J, Choi E, Yamasaki E, et al. 1975. Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci* 72:5135-5139.
- *McKerrell PJ, Saunders GA, Geyer R. 1987. Determination of 4,4'-methylenebis(2-chloroaniline) in urine by high-performance liquid chromatography. *J Chromatogr* 408:399-401.
- McQueen CA, Williams GM. 1982. Cytotoxicity of xenobiotics in adult rat hepatocytes in primary culture. *Fundam Appl Toxicol* 2(3):139-144.
- *McQueen CA, Williams GM. 1987. The hepatocyte primary culture/DNA repair test using hepatocytes from several species. *Cell Biol Toxicol* 3(2):209-218.
- McQueen CA, Williams GM. 1990. Review of the genotoxicity and carcinogenicity of 4,4'-methylene-dianiline and 4,4'-methylene-bis-2-chloroaniline. *Mutat Res* 239(2):133-142.
- *McQueen CA, Maslansky CJ, Crescenzi SB, et al. 1981. The genotoxicity of 4,4'-methylenebis-2-chloroaniline in rat, mouse and hamster hepatocytes. *Toxicol Appl Pharmacol* 58(2):231-235.
- *McQueen CA, Maslansky CJ, Williams GM. 1983. Role of the acetylation polymorphism in determining susceptibility of cultured rabbit hepatocytes to DNA damage by aromatic amines. *Cancer Res* 43(7): 3120-3123.
- *Mehta RD, Von Borstel RC. 1981. Mutagenic activity of 42 encoded compounds in the haploid yeast reversion assay, strain XV185-14C. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:414-423.
- *Messerly EA, Fekete JE, Wade DR, et al. 1987. Structure-mutagenicity relationships of benzidine analogues. *Environ Mol Mutagen* 10(3):263-274.

8. REFERENCES

- Mitchell AD, Myhr BC, Rudd CJ, et al. 1988. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Methods used and chemicals evaluated. Environ Mol Mutagen 12(Suppl 13):1-18.
- Morales R, Rappaport SM, Hermes RE. 1979. Air sampling and analytical procedures for benzidine, 3,3'-dichlorobenzidine and their salts. Am Ind Hyg Assoc J 40(11):970-978.
- Mori H, Tanaka T, Niwa K, et al. 1989. Induction of altered hepatocellular foci of hamster for a possible short-term assay for carcinogens. Res Commun Chem Pathol Pharmacol 63(3):451-454.
- *Mori H, Yoshimi N, Sugie S, et al. 1988. Genotoxicity of epoxy resin hardeners in the hepatocyte primary culture/DNA repair test. Mutat Res 204(4):683-688.
- Morton KC, King CM, Vaught JB, et al. 1983. Prostaglandin H synthase-mediated reaction of carcinogenic arylamines with tRNA and homopolyribonucleotides. Biochem Biophys Res Commun 111(1):96-103.
- *Morton KC, Lee MS, Siedlik P, et al. 1988. Metabolism of 4,4'-methylenebis-2-chloroaniline (MOCA) by rats *in vitro* and formation of n-hydroxy MOCA by rat and human liver microsomes. Carcinogenesis 9(5):731-739.
- *Murray EB, Edwards JW. 1999. Micronuclei in peripheral lymphocytes and exfoliated urothelial cells of workers exposed to 4,4'-methylenebis-(2-chloroaniline) (MOCA). Mutat Res 446(2):175-180.
- *Murray EB, Edwards JW. 2005. Differential induction of micronuclei in peripheral lymphocytes and exfoliated urothelial cells of workers exposed to 4,4'-methylenebis-(2-chloroaniline) (MOCA) and bitumen fumes. Rev Environ Health 20(3):163-176.
- *Myhr BC, Caspary WJ. 1988. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Intralaboratory results for sixty-three coded chemicals tested at Litton Bionetics, Inc. Environ Mol Mutagen 12(Suppl 13):103-194.
- *Nagao M, Takahashi Y. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1302-313.
- Nakamura S, Oda Y, Oki I, et al. 1986. A simple test system (Umu test) for the detection of environmental mutagens: 5. Further evaluation of the Umu test as a primary screening for carcinogens. Mutat Res 164:275.
- *NAS/NRC. 1989. Report of the oversight committee. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.
- NATICH. 1992. Data base report on state, local, and EPA air toxics activities. National Air Toxics Information Clearinghouse. Washington, DC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. March 12, 1992.
- *Nesnow S, Triplett LL, Slaga TJ, et al. 1985. Carcinogenesis: A comprehensive survey. Volume 8. In: Mass MJ, Kaufman DG, Siegfried JM, eds. Cancer of the respiratory tract: Predisposing factors. New York, NY: Raven Press, 257-277.
- *Niemenen EH, Saarinen LH, Laakso JR. 1983. Simultaneous determination of aromatic isocyanates and some carcinogenic amines in the work atmosphere by reversed-phase high-performance liquid chromatography. J Liq Chromatogr 6(3):453-469.
- NIOSH. 1973. Hazard review of 4,4'-methylene-bis(2-chloroaniline). Rockville, MD: National Institute for Occupational Safety and Health. PB87210837.
- NIOSH. 1977. 104-Week carcinogenicity study in male rats 4,4'-methylene-bis(2-chloroaniline) (MOCA). Cincinnati, OH: National Institute for Occupational Safety and Health. PB83239475.
- NIOSH. 1978a. Health hazard evaluation determination. Report no. 77-125-547, Amphenol Cadre, Longmont, Colorado. Cincinnati, OH: National Institute for Occupational Safety and Health, Health Hazard and Technical Assistance Branch. PB81143794.
- *NIOSH. 1978b. Special hazard review with control recommendations for 4,4'-methylenebis(2-chloroaniline). U. S. Department of Health, Education and Welfare, National Institute for Occupational Safety and Health. Publication no. 78-188.

8. REFERENCES

- *NIOSH. 1984. 1985 Supplement to NIOSH manual of analytical methods. 3rd edition. Cincinnati, OH: National Institute for Occupational Safety and Health, Division of Physical Sciences and Engineering. Department of Health and Human Services. Publication no. 84-100.
- *NIOSH. 1985. Health hazard evaluation report HETA 84-508-1626, Steinmetz and Sons, Moscow, Pennsylvania. Cincinnati, OH: National Institute for Occupational Safety and Health, Hazard Evaluations and Technical Assistance Branch. PB86191830.
- *NIOSH 1986a. Health hazards evaluation report HETA 85-407-1692, Parkway Products, Inc. Contract no. HETA 85-407-1692. Cincinnati, OH: National Institute for Occupational Safety and Health, U.S. Department of Health and Humans Services. PB87108023.
- *NIOSH. 1986b. Industrial hygiene survey report, Parkway Products, Inc. Cincinnati, OH: National Institute for Occupational Safety and Health, Department of Health and Human Services. PB87222360.
- *NIOSH. 2016. 4,4'-Methylenebis(2-chloroaniline). NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <https://www.cdc.gov/niosh/npg/npgd0411.html>. June 15, 2017.
- *NOES. 1992. National Occupational Exposure Survey (1981-1983). Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluations, and Field Studies (Unpublished provisional data as of 7/1/90).
- *NRC. 1981. Aromatic Amines: An assessment of the biological and environmental effects. Washington, DC: National Academy Press, 19, 168-197.
- *NTP. 1991a. National Toxicology Program: Fiscal Year 1991 Annual Plan. Atlanta, GA: National Toxicology Program, 72-73.
- *NTP. 1991b. National Toxicology Program: Sixth annual report on carcinogens: 1991 Summary. Atlanta, GA: National Toxicology Program.
- *NTP. 2016. 4,4'-Methylenebis(2-chloroaniline) CAS No. 101-14-4. Report on Carcinogens, Fourteenth Edition. CASRN Index in MS Excel. Research Triangle Park, NC: National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service. https://ntp.niehs.nih.govntp/roc/content/profiles/methylenebis_chloroaniline.pdf. June 15, 2017.
- *OHM/TADS. 1985. 4,4'-Methylenebis(2-chloraniline). Oil and Hazardous Materials/Technical Assistance Data System. Baltimore, MD: Chemical Information Systems, Inc. December 1985.
- *Okayama A, Ichikawa Y, Yoshida M, et al. 1988. Determination of 4,4'-methylenebis(2-chloroaniline) in urine by liquid chromatography with ion-paired solid-phase extraction and electrochemical detection. Clin Chem 34(10):2122-2125.
- *OSHA. 1987. Access to employee exposure and medical records. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.20.
- *OSHA. 1988. Access to employee exposure and medical records. Occupational Safety and Health Administration. Fed Regist 53(189): 30163-30164.
- *OSHA. 1989a. Toxic and hazardous substances. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- *OSHA. 1989b. Toxic and hazardous substances. Part 1910. Occupational Safety and Health Administration. Fed Regist 54(12): 2920-2960.
- *OSHA. 2016a. Subpart D Occupational health and environment controls. Section 1926.55 - Gases, vapors, fumes, dusts, and mists. Appendix A to Part 1926.55 - threshold limit values of airborne contaminants for construction. Occupational Safety and Health Standards. Code of Federal Regulations. 29 CFR 1926.55. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol8/pdf/CFR-2016-title29-vol8-sec1926-55.pdf>. March 6, 2017.
- *OSHA. 2016b. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Standards. Code of Federal Regulations. 29 CFR 1910.1000. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol6/pdf/CFR-2016-title29-vol6-sec1910-1000.pdf>. March 6, 2017.

8. REFERENCES

- *OSHA. 2016c. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z - Shipyards. Occupational Safety and Health Standards. Code of Federal Regulations. 29 CFR 1915.1000. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol7/pdf/CFR-2016-title29-vol7-sec1915-1000.pdf>. March 6, 2017.
- *Osorio AM, Clapp D, Ward E, et al. 1990. Biological monitoring of a worker acutely exposed to MBOCA. *Am J Ind Med* 18 (5): 577-589.
- OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-436. April 1990.
- *Parkes HG. 1976. The epidemiology of the aromatic amine cancers. In: Searle CE, ed. *Chemical carcinogens*. Washington, DC: American Chemical Society, American Chemical Society Monograph, 173.
- *Parkes HG. 1979. The identification and control of occupational bladder cancer. *IARC Sci Publ* 25:462-480.
- *Parris GE, Diachenko GW, Entz RC, et al. 1980. Waterborne methylene bis-2-chloroaniline and 2-chloroaniline contamination around Adrian, Michigan. *Bull Environ Contam Toxicol* 24(4):497-503.
- *Parry JM, Sharp DC. 1981. Induction of mitotic aneuploidy in the yeast strain D6 by 42 coded compounds. In: deSerres FJ, Ashby J, eds. *Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program*. *Prog Mutat Res* 1:468-480.
- Pereira MA. 1985. Mouse liver tumor data assessment of carcinogenic activity. In: *An International Symposium on Advances in Health Risk Assessment for Systemic Toxicants and Chemical Mixtures*. *Toxicol Ind Health* 1(4):311-334.
- *Perry PE, Thomson EJ. 1981. Evaluation of the sister chromatid exchange method in mammalian cells as a screening system for carcinogens. In: deSerres FJ, Ashby J, eds. *Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program*. *Prog Mutat Res* 1:560-569.
- Piegorsch WW, Hoel DG. 1988. Exploring relationships between mutagenic and carcinogenic potencies. *Mutat Res* 196(2):161-176.
- Purchase IFH, Longstaff E, Ashby J, et al. 1978. Mutagenicity studies. *Br J Cancer* 37:873.
- *Purnell CJ, Warwick CJ. 1980. Application of electrochemical detection to the measurement of 4,4'-methylenebis(2-chloroaniline) and 2-chloroaniline concentrations in air by high-performance liquid chromatography. *Analyst* 105(1254):861-867.
- *Purnell CJ, Warwick CJ. 1981. Method 3 - analysis of 3,3'-dichloro-4,4'-diaminodiphenyl methane (MOCA) and 2-chloroaniline in air. In: Egan H, ed. *Environmental carcinogens: Selected methods of analysis. Vol. 4: Some aromatic amines and azo dyes in the general and industrial environment*. Lyon, France: World Health Organization, International Agency for Research on Cancer. *IARC Sci Publ* 40, 133-140.
- *Rao TK, Dorsey GF, Allen BE, et al. 1982. Mutagenicity of 4,4'-methylenedianiline derivatives in the *Salmonella* histidine reversion assay. *Arch Toxicol* 49(3-4):185-190.
- *Rappaport SM, Morales R. 1979. Air-sampling and analytical method for 4,4'-methylenebis (2-chloroaniline). *Anal Chem* 51(1):19-23.
- *Reid TM, DeBord DG, Cheever KL, et al. 1998. Mutagenicity of N-OH-MOCA (4-amino-4'-hydroxylamino-bis-3,3'-dichlorodiphenylmethane) and PBQ (2-phenyl-1,4-benzoquinone) in human lymphoblastoid cells. *Toxicol Lett* 95(3):205-210.
- *Rice JR, Kissinger PT. 1981. Method for determination of benzidine, 3,3'-dimethoxybenzidine, 4-aminobiphenyl, 3,3'-dichlorobenzidine, and 4,4'-methylene-bis(2-chloroaniline) (MOCA) in soil samples' surface water and groundwater by liquid chromatography with electrochemical detection. In: Egan H, Fishbein L, Castegnaro M, et al. eds. *Environmental carcinogens: Selected methods of analysis. Volume 4: Some aromatic amines and azo dyes in the general and industrial environment*. Lyon, France: World Health Organization, International Agency for Research on Cancer, 141-151.

8. REFERENCES

- *Rice JR, Kissinger PT. 1982. Liquid chromatography with precolumn sample preconcentration and electrochemical detection: Determination of aromatic amines in environmental samples. *Environ Sci Technol* 16(5):263-268.
- Richold M, Jones E. 1981. Mutagenic activity of 42 coded compounds in the salmonella/microsome assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1314:322.
- Ringen K. 1988. Regulate 4,4'-methylene-bis(2-chloroaniline). *Am J Ind Med* 14(3):255-256.
- *Robbiano L, Baroni D, Novello L, et al. 2006. Correlation between induction of DNA fragmentation in lung cells from rats and humans and carcinogenic activity. *Mutat Res* 605(1-2):94-102. 10.1016/j.mrgentox.2006.03.001.
- *Robert A, Ducos P, Francin JM. 1999a. Biological monitoring of workers exposed to 4,4'-methylene-bis-(2-orthochloroaniline) (MOCA). I. A new and easy determination of "free" and "total" MOCA in urine. *Int Arch Occup Environ Health* 72(4):223-228.
- *Robert A, Ducos P, Francin JM. 1999b. Biological monitoring of workers exposed to 4,4'-methylene-bis-(2-orthochloroaniline) (MOCA). II. Comparative interest of "free" and "total" MOCA in the urine of exposed workers. *Int Arch Occup Environ Health* 72(4):229-237.
- Rosenkranz HS, Ennever FK, Dimayuga M, et al. 1990. Significant differences in the structural basis of the induction of sister chromatid exchanges and chromosomal aberrations in Chinese hamster ovary cells. *Environ Mol Mutagen* 16(3):149-177.
- *Rosenkranz HS, Hyman J, Leifer Z. 1981. DNA polymerase deficient assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:210-218.
- *Rowland I, Severn B. 1981. Mutagenicity of carcinogens and noncarcinogens in the Salmonella/microsome test. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:323-332.
- *Russfield AB, Hornburger F, Boger E, et al. 1975. The carcinogenic effect of 4,4'-methylene-bis-(2-chloroaniline) in mice and rats. *Toxicol Appl Pharmacol* 31(1):47-54.
- *Sabbioni G, Neumann HG. 1990. Quantification of hemoglobin binding of 4,4'-methylenebis (2-chloroaniline) (MOCA) in rats. *Arch Toxicol* 64(6):451-458.
- Salamone MF. 1981. Toxicity of carcinogens and noncarcinogenic analogues. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:682-685.
- *Salamone MF, Heddle JA, Katz M. 1981. Mutagenic activity of 41 compounds in the *in vivo* micronucleus assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:686-697.
- Savage RE, Weigel WW, Krieg EF. 1992. Induction of ornithine decarboxylase activity by 4,4'-methylenebis(2-chloroaniline) in the rat. *Cancer Lett* 62:63-68.
- *Sawicki E, Belsky T, Friedel RA, et al. 1975. 3,3'-Dichloro-4,4'-diaminodiphenylmethane (MOCA) in air analytical method. *Health Lab Sci* 12(4):415-418.
- *Sax NI, Lewis RJ. 1987. Hawley's condensed chemical dictionary. 11th ed. New York, NY: Van Nostrand Reinhold Company, 767.
- Schmitt CR, Cagle GW. 1975. Sulfamic acid cleaning solution for 4,4'-methylene-bisorthochloroaniline (MOCA). *Am Ind Hyg Assoc J* 36(3):181-186.
- *Schulte PA. 1990. Screening for bladder cancer in high-risk groups: Delineation of the problem. *J Occup Med* 32(9):789-792.
- *Schulte PA, Ward E, Boeniger M, et al. 1988. Occupational exposure to n-substituted aryl compounds. In: King CM, Romano LJ, Schuetzle D, et al. eds. Carcinogenic and mutagenic responses to aromatic amines and nitroarenes. New York, NY: Elsevier, 23-35.
- *Searle CE, ed. 1984. Chemical carcinogens: Second edition, revised and expanded. ACS Monograph 182. Washington, DC: American Chemical Society, 1:283-284.

8. REFERENCES

- *Segerback D, Kadlubar FF. 1992. Characterization of 4,4'-methylenebis(2-chloroaniline)-DNA adducts formed *in vivo* and *in vitro*. Carcinogenesis 13:1587-1592.
- *Sharp DC, Parry JM. 1981. Induction of mitotic gene conversion by 41 coded compounds using the yeast culture JDI. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1:491-501.
- *Shivapurkar N, Lehman TA, Schut HA, et al. 1987. DNA binding of 4,4'-methylenebis(2-chloroaniline) (MOCA) in explant cultures of human and dog bladder. Cancer Lett 38(1-2):41-48.
- *Silk NA, Lay JO Jr, Martin CN. 1989. Covalent binding of 4,4'-methylenebis(2-chloroaniline) to rat liver DNA *in vivo* and of its N-hydroxylated derivative to DNA *in vitro*. Biochem Pharmacol 38(2):279-287.
- *Simmon VF, Shepherd CF. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 133-342.
- *Skarping G, Renman L, Sangoe C, et al. 1985. Capillary gas chromatographic method for the determination of complex mixture of isocyanates and amines. J Chromatogr 346:191-204.
- Skarping G, Renman L, Smith BE. 1983. Trace analysis of amines and isocyanates using glass capillary gas chromatography and selective detection: I. Determination of aromatic amines as perfluoro fatty acid amides using electron-capture detection. J Chromatogr 267(2):315-327.
- *Skopek TR, Andon BM, Kaden DA, et al. 1981. Mutagenic activity of 42 coded compounds using 8-azaguanine resistance as a genetic marker in *Salmonella typhimurium*. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1371-375.]
- *Smith AM, Woodward KN. 1983. 4,4'-Methylene bis-(2-chloroaniline) (MBOCA). Toxic Rev 8, Part 2:1-19.
- Smyth WF, Smyth MR. 1987. Electrochemical analysis of organic pollutants. Pure & Appl Chem 59(2):245-256.
- Spiegelhalder B. 1983. Carcinogens in the workroom air in the rubber industry. Scand J of Work Environ Health 9(Suppl 2):15-26.
- Steinhoff D, Grundmann E. 1969. Carcinogenic effect of 3,3'-dichloro-4,4'-diaminophenylmethane in rats. Naturwissenschaften 56(4):215-216.
- Steinhoff D, Grundmann E. 1971. Cancerogenic effect of 3,3'dichloro-4,4'-diaminodiphenylmethane in rats. Naturwissenschaften 58(11):578
- Stewart PA, Lee JS, Marano DE, et al. 1991. Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. Br J Ind Med 48(8):531-537.
- Stoner GD. 1988. Metabolism of 4,4'-methylene-bis(2-chloroaniline) in explant cultures of human and dog bladder and dog liver cell cultures. In: Proceeding of the Fourth NCI/EPA/NIOSH Collaborative Workshop: Progress on Joint Environmental and Occupational Cancer Studies, April 22-23, 1986. Rockville, MD: National Institutes of Health. Publication no. 88-2960, 343-350.
- Stoner GD, Shivapurkar NM, Schut HAJ, et al. 1987. Metabolism of 4,4'-methylenebis(2-chloroaniline) in explant cultures of human and dog bladder and dog liver cell cultures. In: Symposium on Predictive Toxicology Held at the 16th Conference on Environmental Toxicology. Toxicology 47(1-2):205.
- *Stoner GD, Shivapurkar NM, Schut HAJ, et al. 1988. DNA binding and adduct formation of 4,4'-methylene-bis(2-chloroaniline) (MOCA) in explant cultures of human and dog bladder. In: King CM, Romano LJ, Schultze D, eds. Carcinogenic and mutagenic responses to aromatic amines and nitroarenes. New York, NY: Elsevier, 237-240.
- *Stula EF, Barnes JR, Sherman H, et al. 1977. Urinary bladder tumors in dogs from 4,4'-methylenebis(2-chloroaniline) (MOCA). J Environ Pathol Toxicol 1(1):3 1-50.
- *Stula EF, Sherman H, Zapp JA Jr, et al. 1975. Experimental neoplasia in rats from oral administration of 3,3'-dichlorobenzidine, 4,4'-methylene-bis(2-chloroaniline), and 4,4'-methylene-bis(2-methylaniline). Toxicol Appl Pharmacol 31:159-176.

8. REFERENCES

- *Styles JA. 1981. Activity of 42 coded compounds in the BHK-21 cell transformation test. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:638-646.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies for predicting the Environmental fate of organic priority pollutants. In: Test protocols for environmental fate and movement of toxicants. Proceedings of a Symposium of the Association of Official Analytical Chemists 94th Annual Meeting, Washington, DC, October 21, 1980. Arlington, VA: AOAC, 267-327.
- Tang C. 1990. [Rapid determination of 4,4'-methylenebis-(2-chloroaniline) by TLC during elastomer synthesis.] *Sepu* 8(6):389-391. (Chinese)
- *Thomas JD, Wilson HK. 1984. Biological monitoring of workers exposed to 4,4'-methylenebis (2-chloroaniline) (MBOCA). *Br J Ind Med* 41(4):547-551.
- *Thomson JA. 1981. Mutagenic activity of 42 coded compounds in the lambda induction assay. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:224-235.
- *Tobes MC Brown LE, Chin B, et al. 1983. Kinetics of tissue distribution and elimination of 4,4'-methylenebis-(2-chloroaniline) in rats. *Toxicol Lett* 17(1-2):69-76.
- Tosato ML, Cesareo D, Passerini L, et al. 1988. PLS assessment of the performance of short-term tests for carcinogens. *J Chemometrics* 2(3):171-187.
- *Traul KA, Takayama K, Kachevsky V, et al. 1981. A rapid *in vitro* assay for carcinogenicity of chemical substances in mammalian cells utilizing an attachment-independence endpoint: 2. Assay validation. *J Appl Toxicol* 1(3):190-195.
- TRI90. 1992. Toxic Chemical Release Inventory. Bethesda, MD: National Library of Medicine, National Toxicology Information Program.
- *TRI16. 2017. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: U.S. Environmental Protection Agency, Office of Information Analysis and Access, Office of Environmental Information. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. September 29, 2017.
- *Trippel-Schulte P, Zeiske J, Kettrup A. 1986. Trace analysis of selected benzidine and diaminodiphenylmethane derivatives in urine by means of liquid chromatography using precolumn sample preconcentration, UV and electrochemical detection. *Chromatographia* 22(1-6):138-146.
- *Trueman RW. 1981. Activity of 42 coded compounds in the *Salmonella* reverse mutation test. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:343-350.
- *Tsuchimoto T, Matter BE. 1981. Activity of coded compounds in the micronucleus test. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:705-711.
- *Tweats DJ. 1981. Activity of 42 coded compounds in a differential killing test using *Escherichia coli* strains WP2, WP67 (uvrA polA), and CM871 (uvrA 1exA recA). In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:199-209.
- Uziel M, Munro NB, Katz DS, et al. 1992. DNA adduct formation by 12 chemicals with populations potentially suitable for molecular epidemiological studies. *Mutat Res* 27735-90.
- *Van H Deyrup CA, Kavaler AR, et al., eds. 1992. OPD chemical buyers directory. 79th ed. New York, NY: Schell Publishing Company, Inc., 13, 27-28, 575.
- *Van Roosmalen PB, Klein AL, Drummond I. 1979. An improved method for determination of 4,4'-methylenebis-(2-chloroaniline) (MOCA) in urine. *Am Ind Hyg Assoc J* 40(1):66-69.

8. REFERENCES

- *Van Roosmalen PB, Klein Al, Drummond I. 1981. Method 8 - determination of 3,3'-dichloro-4,4'diaminodiphenylmethane (MOCA) in urine, In: Egan H, ed. Environmental carcinogens: Selected methods of analysis. Vol 4: Some aromatic amines and azo dyes in the general and industrial environment. Lyon, France: International Agency for Research on Cancer, IARC Sci Publ 40:183-191.
- *Vantulder PJM, Howard CC, Riggin RM. 1981. High performance liquid chromatographic determination of aromatic amines in body fluid and commercial dyes. In: Choudhary G, ed. Chemical hazards in the workplace: Measurement and control. Washington, DC: ACS Symposium Series 149:413-427.
- *Vaughan GT, Kenyon RS. 1996. Monitoring for occupational exposure to 4,4'-methylenebis(2-chloroaniline) by gas chromatographic-mass spectrometric analysis of haemoglobin adducts, blood, plasma and urine. *J Chromatogr B* 678(2):197-204.
- *Venitt S, Crofton-Sleigh C. 1981. Mutagenicity of 42 coded compounds in a bacterial assay using *Escherichia coli* and *Salmonella typhimurium*. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1351-360.
- *Vogel E, Blilleven WG, Kortselius MJ, et al. 1981. Mutagenic activity of 17 coded compounds in the sex-linked recessive lethal test in *Drosophila melanogaster*. In: deSerres FJ, Ashby J. eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:660-665.
- *Voorman R, Penner D. 1986a. Fate of MBOCA (4,4'-methylene-bis(2-chloroaniline)) in soil. *Arch Environ Contam Toxicol* 15(5):595-602.
- *Voorman R, Penner D. 1986b. Plant uptake of MBOCA (4,4'-methylenebis-(2-chloroaniline)). *Arch Environ Contam Toxicol* 15(5):589-593.
- *WAC. 1988. Control of hazardous pollutants. Wisconsin Administrative Code. Chapter NR 455. Department of Natural Resources, Madison, WI, 446-4 - 446-16.
- *Wakata A, Miyamae Y, Sato S, et al. 1998. Evaluation of the rat micronucleus test with bone marrow and peripheral blood: Summary of the 9th collaborative study by CSGMT/JEMS. *Environ Mol Mutagen* 32(1):84-100.
- *Walker CG. 1984. Mutagenesis and inducible responses to deoxyribonucleic acid damage in *Escherichia coli*. *Microbial Rev* 48(1):60-93
- Wallace DMA. 1988. Occupational urothelial cancer. *Br J of Urology* 61(3):175-182.
- *Wan KC, Dare BR, Street NR. 1989. Biomedical surveillance of workers exposed to 4,4'-methylene-bis-(2-chloroaniline) (MBOCA) in Perth, Western Australia. *J R Soc Health* 109(5):159-165.
- *Wang CC, Chen WL, Hsiung CN, et al. 2017. Effect of CYP3A4 genetic polymorphisms on the genotoxicity of 4,4'-methylene-bis(2-chloroaniline)-exposed workers. *Occup Environ Med* 74(1):30-38. 10.1136/oemed-2016-103816.
- *Ward E. 1993. Response to "case study 'carcinogenesis': The MBOCA TLV example". *Am Ind Hyg Assoc J* 54(8):461-463.
- *Ward E, Clapp D, Tolos W, et al. 1986. Efficacy of urinary monitoring for 4,4'-methylenebis-(2-chloroaniline). *J Occup Med* 28(8):637-642.
- *Ward E, Smith AB, Halperin W. 1987. 4,4'-Methylenebis(2-chloroaniline): An unregulated carcinogen. *Am J Ind Med* 12(5):537-549.
- *Ward E, Halperin W, Thun M, et al. 1988. Bladder tumors in two young males occupationally exposed to MBOCA. *Am J Ind Med* 14(3):267-272.
- *Ward E, Halperin W, Thun M, et al. 1990. Screening workers exposed to 4,4'-methylenebis-(2-chloroaniline) for bladder cancer by cystoscopy. In: International Conference on Bladder Cancer Screening in High-Risk Groups, September 13-14, 1989. *J Occup Med* 32(9):865-868.
- *Weeks RW Jr, Dean BJ. 1977. Permeation of methanolic aromatic amine solutions through commercially available glove materials. *J Am Ind Hyg Assoc* 38(12):721-725.

8. REFERENCES

- Weigel WW, Savage RE Jr. 1990. Induction of ornithine decarboxylase activity of 4,4'-methylenebis (2-chloroaniline) (MOCA) in the rat. In: Society of Toxicology 29th Annual Meeting, Miami Beach, FL, February 12-16, 1990. Washington, DC: Society of Toxicology, 760.
- *WHO. 2010. Guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. January 08, 2014.
- *WHO. 2017. Guidelines for drinking-water quality. Fourth edition incorporating the first addendum. Geneva, Switzerland: World Health Organization. <http://apps.who.int/iris/bitstream/10665/254637/1/9789241549950-eng.pdf?ua=1>. February 28, 2017.
- Williams DE. 1979. Progress report on the analysis and control of exposure to 4,4'-methylene bis (2-chloroaniline). Lansing, MI: Michigan Department of Public Health, Division of Occupational Health, Division of Environmental Epidemiology.
- *Williams GM, Laspia MF, Dunkel VC. 1982. Reliability of the hepatocyte primary culture/DNA repair test in testing of coded carcinogens and noncarcinogens. Mutat Res 97(5):359-370.
- Wilson JD. 1978. Review of *in vitro* systems with potential for use in teratogenicity screening. J Environ Pathol Toxicol 2(1):149.
- Wu K, Leslie CL, Stacy NH. 1989. Effects of mutagenic and non-mutagenic aniline derivatives on rat liver drug-metabolizing enzymes. Xenobiotica 19(11):1275-1283.
- *Yasuda SK. 1975. Determination of 3,3'-dichloro-4,4'-diaminodiphenylmethane in air. J Chromatogr 104(2):283-290.
- *Yoneyama K, Matsumura F. 1984. Microbial metabolism of 4,4'-methylenebis(2-chloroaniline). Arch Environ Contam Toxicol 13(4):501-507.
- *Yoshikura H, Matsushima T. 1981. MLV test (integration enhancement test) of 42 coded compounds in mouse kidney cells. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1:647-650.
- Yun C, Shimada T, Guengerich FP, et al. 1991. Purification and characterization of human liver microsomal cytochrome P-450 2A6. Mol Pharmacol 40(5):679-685.
- Yun CH, Shimada T, Guengerich FP. 1992. Contributions of human liver cytochrome P450 enzymes to the n-oxidation of 4,4'-methylene-bis(2-chloroaniline). Carcinogenesis 13:217-222.
- Zimmermann FK, Scheel I. 1981. Induction of mitotic gene conversion in strain D7 of *saccharomyces cerevisiae* by 42 coded chemicals. In: deSerres FJ, Ashby J, eds. Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1:481-490.