

## CHAPTER 8. REFERENCES

- Abraham R, Benitz KF, Mankes R. 1983. Ploidy patterns in hepatic tumors induced by mirex. *Exp Mol Pathol* 38(2):271-282. [http://doi.org/10.1016/0014-4800\(83\)90092-8](http://doi.org/10.1016/0014-4800(83)90092-8).
- Abston PA, Yarbrough JD. 1976. The in vivo effect of mirex on soluble hepatic enzymes in the rat. *Pestic Biochem Physiol* 6(2):192-199. [http://doi.org/10.1016/0048-3575\(76\)90039-0](http://doi.org/10.1016/0048-3575(76)90039-0).
- ACGIH. 2016. In: TLVs and BEIs based on the documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 223-250.
- Adir J, Caplan YH, Thompson BC. 1978. Kepone serum half-life in humans. *Life Sci* 22(8):699-702. [http://doi.org/10.1016/0024-3205\(78\)90494-0](http://doi.org/10.1016/0024-3205(78)90494-0).
- Adler CP, Ringlage WP, Bohm N. 1981. [DNA content and cell number in heart and liver of children. Comparable biochemical, cytophotometric and histological investigations]. *Pathol Res Pract* 172(1-2):25-41. (German)
- Agarwal AK, Mehendale HM. 1982. Potentiation of bromotrichloromethane hepatotoxicity and lethality by chlорdecone preexposure in the rat. *Fundam Appl Toxicol* 2(4):161-167. [http://doi.org/10.1016/s0272-0590\(82\)80040-7](http://doi.org/10.1016/s0272-0590(82)80040-7).
- Agarwal AK, Mehendale HM. 1983a. Potentiation of CCl<sub>4</sub> hepatotoxicity and lethality by chlорdecone in female rats. *Toxicology* 26(3-4):231-242. [http://doi.org/10.1016/0300-483x\(83\)90084-7](http://doi.org/10.1016/0300-483x(83)90084-7).
- Agarwal AK, Mehendale HM. 1984a. Excessive hepatic accumulation of intracellular Ca<sup>2+</sup> in chlорdecone potentiated CCl<sub>4</sub> toxicity. *Toxicology* 30(1):17-24. [http://doi.org/10.1016/0300-483x\(84\)90058-1](http://doi.org/10.1016/0300-483x(84)90058-1).
- Agarwal AK, Mehendale HM. 1984c. CCl<sub>4</sub>-induced alterations in Ca<sup>++</sup> homeostasis in chlорdecone and phenobarbital pretreated animals. *Life Sci* 34(2):141-148. [http://doi.org/10.1016/0024-3205\(84\)90584-8](http://doi.org/10.1016/0024-3205(84)90584-8).
- Agarwal AK, Mehendale HM. 1984d. Perturbation of calcium homeostasis by CCl<sub>4</sub> in rats pretreated with chlорdecone and phenobarbital. *Environ Health Perspect* 57:289-291. <http://doi.org/10.1289/ehp.8457289>.
- Agarwal AK, Mehendale HM. 1986. Effect of chlорdecone on carbon tetrachloride-induced increase in calcium uptake in isolated perfused rat liver. *Toxicol Appl Pharmacol* 83(2):342-348. [http://doi.org/10.1016/0041-008x\(86\)90311-x](http://doi.org/10.1016/0041-008x(86)90311-x).
- Albertson TE, Joy RM, Stark LG. 1985. Chlorinated hydrocarbon pesticides and amygdaloid kindling. *Neurobehav Toxicol Teratol* 7(3):233-237.
- Aldous CN, Chetty CS, Desaiyah D. 1983. Alterations in tissue distribution of chlорdecone (Kepone) in the rat following phenobarbital or SKF-525A administration. *Journal of Toxicology and Environmental Health Part A* 11(3):365-372. <http://doi.org/10.1080/15287398309530350>.
- Aldous CN, Chetty CS, Mehendale HM, et al. 1984. Lack of effects of chlорdecone on synthesis rates, steady state levels and metabolites of catecholamines in rat brain. *Neurotoxicology* 5(2):59-65.
- Ali SF, Hong JS, Wilson WE, et al. 1982. Subchronic dietary exposure of rats to chlорdecone (Kepone) modifies levels of hypothalamic beta-endorphin. *Neurotoxicology* 3(2):119-124.
- Allan RJ, Ball AJ. 1990. An overview of toxic contaminants in water and sediments of the Great Lakes. Part I. *Water Pollut Res J Can* 25(4):387-505. <http://doi.org/10.2166/wqrj.1990.021>.
- Aminov Z, Haase R, Rej R, et al. 2016. Diabetes prevalence in relation to serum concentrations of polychlorinated biphenyl (PCB) congener groups and three chlorinated pesticides in a native American population. *Environ Health Perspect* 124(9):1376-1383. <http://doi.org/10.1289/ehp.1509902>.
- Andrade PS, Wheeler WB. 1974. Biodegradation of mirex by sewage sludge organisms. *Bull Environ Contam Toxicol* 11(5):415-416. <http://doi.org/10.1007/bf01685296>.
- Andrade P, Wheeler WB, Carlson DA. 1975. Identification of a mirex metabolite. *Bull Environ Contam Toxicol* 14(4):473-479. <http://doi.org/10.1007/bf01705515>.

## 8. REFERENCES

- Araki A, Miyashita C, Mitsui T, et al. 2018. Prenatal organochlorine pesticide exposure and the disruption of steroids and reproductive hormones in cord blood: The Hokkaido study. *Environ Int* 110:1-13. <http://doi.org/10.1016/j.envint.2017.10.006>.
- Arimoto R. 1989. Atmospheric deposition of chemical contaminants to the Great Lakes. *J Great Lakes Res* 15(2):339-356. [http://doi.org/10.1016/S0380-1330\(89\)71487-8](http://doi.org/10.1016/S0380-1330(89)71487-8).
- Aronstam RS, Hong JS. 1986. Interactions of chlordcone (Kepone) and mirex with the nicotinic acetylcholine receptor - ion channel complex. *Toxicol Lett* 30(3):247-251. [http://doi.org/10.1016/0378-4274\(86\)90162-1](http://doi.org/10.1016/0378-4274(86)90162-1).
- Aslanzadeh J, Hedrick HG. 1985. Search for mirex-degrading soil microorganisms. *Soil Sci* 139(4):369-374.
- Atallah YH, Dorough HW. 1975. Insecticide residues in cigarette smoke. Transfer and fate in rats. *J Agric Food Chem* 23(1):64-71. <http://doi.org/10.1021/jf60197a019>.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- ATSDR. 2019. Mirex and chlordcone. SPL data. Agency for Toxic Substances and Disease Registry.
- Bacci E, Cerejeira MJ, Gaggi C, et al. 1990. Bioconcentration of organic chemical vapours in plant leaves: The azalea model. *Chemosphere* 21(4):525-535. [http://doi.org/10.1016/0045-6535\(90\)90023-M](http://doi.org/10.1016/0045-6535(90)90023-M).
- Baggett JM, Thureson-Klein A, Klein RL. 1980. Effects of chlordcone on the adrenal medulla of the rat. *Toxicol Appl Pharmacol* 52(2):313-322. [http://doi.org/10.1016/0041-008x\(80\)90118-0](http://doi.org/10.1016/0041-008x(80)90118-0).
- Bahner LH, Wilson AJ, Sheppard JM, et al. 1977. Kepone® bioconcentration, accumulation, loss, and transfer through estuarine food chains. *Chesapeake Sci* 18(3):299-308. <http://doi.org/10.2307/1350804>.
- Baker RC, Coons LB, Mailman RB, et al. 1972. Induction of hepatic mixed function oxidases by the insecticide, mirex. *Environ Res* 5(4):418-424. [http://doi.org/10.1016/0013-9351\(72\)90043-6](http://doi.org/10.1016/0013-9351(72)90043-6).
- Bale SS. 1983. Cytological effects of Kepone on Chinese hamster cells. *J Hered* 74(2):123-124. <http://doi.org/10.1093/oxfordjournals.jhered.a109737>.
- Bansal SK, Desaiah D. 1982. Effects of chlordcone and its structural analogs on p-nitrophenyl phosphatase. *Toxicol Lett* 12(2-3):83-90. [http://doi.org/10.1016/0378-4274\(82\)90168-0](http://doi.org/10.1016/0378-4274(82)90168-0).
- Bansal SK, Desaiah D. 1985. Chlordcone toxicity: effect of withdrawal of treatment on ATPase inhibition. *Neurotoxicology* 6(3):103-107.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486. [http://doi.org/10.1016/0273-2300\(88\)90047-5](http://doi.org/10.1016/0273-2300(88)90047-5).
- Baughman GL, Paris DF. 1981. Microbial bioconcentration of organic pollutants from aquatic systems - A critical review. *Crit Rev Microbiol* 8(3):205-228. <http://doi.org/10.3109/10408418109085079>.
- Belfiore CJ, Yang RS, Chubb LS, et al. 2007. Hepatic sequestration of chlordcone and hexafluoroacetone evaluated by pharmacokinetic modeling. *Toxicology* 234(1-2):59-72. <http://doi.org/10.1016/j.tox.2007.02.002>.
- Bell AN, Mehendale HM. 1985. The effect of dietary exposure to a mirex plus chlordcone combination on CCl<sub>4</sub> hepatotoxicity. *Fundam Appl Toxicol* 5(4):679-687. [http://doi.org/10.1016/0272-0590\(85\)90192-7](http://doi.org/10.1016/0272-0590(85)90192-7).
- Bell AN, Mehendale HM. 1987. Comparative changes in hepatic DNA, RNA, protein, lipid, and glycogen induced by a subtoxic dose of CCl<sub>4</sub> in chlordcone, mirex, and phenobarbital pretreated rats. *Toxicol Lett* 35(2-3):191-200. [http://doi.org/10.1016/0378-4274\(87\)90206-2](http://doi.org/10.1016/0378-4274(87)90206-2).
- Bell AN, Young RA, Lockard VG, et al. 1988. Protection of chlordcone-potentiated carbon tetrachloride hepatotoxicity and lethality by partial hepatectomy. *Arch Toxicol* 61(5):392-405. <http://doi.org/10.1007/bf00334621>.
- Benachour N, Moslemi S, Sipahutar H, et al. 2007. Cytotoxic effects and aromatase inhibition by xenobiotic endocrine disrupters alone and in combination. *Toxicol Appl Pharmacol* 222(2):129-140. <http://doi.org/10.1016/j.taap.2007.03.033>.

## 8. REFERENCES

- Bender MA, Huggett RJ. 1984. Fate and effects of Kepone in the James River. *Rev Environ Toxicol* 1:5-51.
- Berman EF, Schaus P, Fujimoto JM. 1986. Comparison of the inhibition of biliary excretion produced by certain inducing agents including 2,3,7,8-tetrachlorodibenzo-p-dioxin. *J Toxicol Environ Health* 17(4):395-403. <http://doi.org/10.1080/15287398609530834>.
- Bjorge C, Brunborg G, Wiger R, et al. 1996. A comparative study of chemically induced DNA damage in isolated human and rat testicular cells. *Reprod Toxicol* 10(6):509-519. [http://doi.org/10.1016/s0890-6238\(96\)00138-4](http://doi.org/10.1016/s0890-6238(96)00138-4).
- Blain RB, Reeves R, Ewald KA, et al. 1999. Susceptibility to chlordecone-carbon tetrachloride induced hepatotoxicity and lethality is both age and sex dependent. *Toxicol Sci* 50(2):280-286.
- Blanke RV, Fariss MW, Guzelian PS, et al. 1978. Identification of a reduced form of chlordecone (Kepone) in human stool. *Bull Environ Contam Toxicol* 20(6):782-785. <http://doi.org/10.1007/bf01683600>.
- Bloomquist JR, Adams PM, Soderlund DM. 1986. Inhibition of gamma-aminobutyric acid-stimulated chloride flux in mouse brain vesicles by polychlorocycloalkane and pyrethroid insecticides. *Neurotoxicology* 7(3):11-20.
- Bolger R, Wiese TE, Ervin K, et al. 1998. Rapid screening of environmental chemicals for estrogen receptor binding capacity. *Environ Health Perspect* 106(9):551-557.
- Bondy SC, Halsall LC. 1988. GM1 ganglioside enhances synaptosomal resistance to chemically induced damage. *Neurosci Lett* 84(2):229-233. [http://doi.org/10.1016/0304-3940\(88\)90413-2](http://doi.org/10.1016/0304-3940(88)90413-2).
- Bondy SC, McKee M. 1990. Prevention of chemically induced synaptosomal changes. *J Neurosci Res* 25(2):229-235. <http://doi.org/10.1002/jnr.490250211>.
- Bondy SC, Martin J, Halsall LC, et al. 1989. Increased fragility of neuronal membranes with aging. *Exp Neurol* 103(1):61-63. [http://doi.org/10.1016/0014-4886\(89\)90185-4](http://doi.org/10.1016/0014-4886(89)90185-4).
- Borgmann U, Whittle DM. 1991. Contaminant concentration trends in Lake Ontario lake trout (*Salvelinus namaycush*): 1977 to 1988. *J Great Lakes Res* 17(3):368-381. [http://doi.org/10.1016/s0380-1330\(91\)71373-7](http://doi.org/10.1016/s0380-1330(91)71373-7).
- Borsetti AP, Roach JA. 1978. Identification of Kepone alteration products in soil and mullet. *Bull Environ Contam Toxicol* 20(2):241-247. <http://doi.org/10.1007/bf01683515>.
- Borzellica JF, Skalsky HL. 1980. The excretion of pesticides in saliva and its value in assessing exposure. *J Environ Sci Health B* 15(6):843-866. <http://doi.org/10.1080/03601238009372220>.
- Boucher O, Simard MN, Muckle G, et al. 2013. Exposure to an organochlorine pesticide (chlordecone) and development of 18-month-old infants. *Neurotoxicology* 35:162-168. <http://doi.org/10.1016/j.neuro.2013.01.007>.
- Boyer PD, Chance B, Ernster L, et al. 1977. Oxidative phosphorylation and photophosphorylation. *Annu Rev Biochem* 46(1):955-966.
- Boylan JJ, Egle JL, Guzelian PS. 1978. Cholestyramine: use as a new therapeutic approach for chlordecone (Kepone) poisoning. *Science* 199(4331):893-895. <http://doi.org/10.1126/science.74852>.
- Boylan JJ, Cohn WJ, Egle JL, et al. 1979. Excretion of chlordecone by the gastrointestinal tract: evidence for a nonbiliary mechanism. *Clin Pharmacol Ther* 25(5 Pt 1):579-585. <http://doi.org/10.1002/cpt1979255part1579>.
- Britton RS, Dolak JA, Glende EA, et al. 1987. Potentiation of carbon tetrachloride hepatotoxicity by chlordecone: dose-response relationships and increased covalent binding in vivo. *J Biochem Toxicol* 2:43-55. <http://doi.org/10.1002/jbt.2570020105>.
- Brower GR, Ramkrishnadas R. 1982. Industrial wastes: Solid wastes and water quality. *J Water Pollut Control Fed* 54(6):749-754.
- Brown LD, Yarbrough JD. 1988. Mirex uptake and tissue disposition in intact and adrenalectomized rats. *Toxicol Appl Pharmacol* 92(3):343-350. [http://doi.org/10.1016/0041-008x\(88\)90174-3](http://doi.org/10.1016/0041-008x(88)90174-3).

## 8. REFERENCES

- Brown HE, Salamanca S, Stewart G, et al. 1991. Chlordecone (Kepone) on the night of proestrus inhibits female sexual behavior in CDF-344 rats. *Toxicol Appl Pharmacol* 110(1):97-106. [http://doi.org/10.1016/0041-008x\(91\)90293-n](http://doi.org/10.1016/0041-008x(91)90293-n).
- Budavari S, O'Neil MJ, Smith A, eds. 1989. Mirex. In: *The Merck index: An encyclopedia of chemicals, drugs, and biologicals*. 11th ed. Rahway, NJ: Merck and Co., Inc., 321, 977.
- Buelke-Sam J, Byrd RA, Nelson CJ. 1983. Blood flow during pregnancy in the rat: III. Alterations following mirex treatment. *Teratology* 27(3):401-409. <http://doi.org/10.1002/tera.1420270314>.
- Bulger WH, Muccitelli RM, Kupfer D. 1979. Studies on the estrogenic activity of chlordecone (Kepone) in the rat: effects on uterine estrogen receptor. *Mol Pharmacol* 15(3):515-524.
- Bungay PM, Dedrick RL, Matthews HB. 1979. Pharmacokinetics of halogenated hydrocarbons. *Ann N Y Acad Sci* 320:257-270.
- Bungay PM, Dedrick RL, Matthews HB. 1981. Enteric transport of chlordecone (Kepone) in the rat. *J Pharm Biopharm* 9(3):309-341. <http://doi.org/10.1007/bf01059269>.
- Burse VW, Head SL, McClure PC, et al. 1989. Partitioning of mirex between adipose tissue and serum. *J Agric Food Chem* 37:692-699.
- Bush B, Snow J, Conner S, et al. 1983. Mirex in human milk in upstate New York. *Arch Environ Contam Toxicol* 12(6):739-746. <http://doi.org/10.1007/bf01060759>.
- Butler PA. 1973. Residues in fish, wildlife, and estuaries; organochlorine residues in estuarine mollusks, 1965-72 - National Pesticide Monitoring Program. *Pestic Monit J* 6(4):238-362.
- Butler Walker J, Seddon L, McMullen E, et al. 2003. Organochlorine levels in maternal and umbilical cord blood plasma in Arctic Canada. *Sci Total Environ* 302(1-3):27-52.
- Byrd RA, Kimmel CA, Morris MD, et al. 1981. Altered pattern of prenatal toxicity in rats due to different treatment schedules with mirex. *Toxicol Appl Pharmacol* 60(2):213-219. [http://doi.org/10.1016/0041-008x\(91\)90225-4](http://doi.org/10.1016/0041-008x(91)90225-4).
- Byrd RA, Young JF, Kimmel CA, et al. 1982. Computer simulation of mirex pharmacokinetics in the rat. *Toxicol Appl Pharmacol* 66(2):182-192. [http://doi.org/10.1016/0041-008x\(82\)90283-6](http://doi.org/10.1016/0041-008x(82)90283-6).
- Cai ZW, Mehendale HM. 1990. Lethal effects of CCl<sub>4</sub> and its metabolism by Mongolian gerbils pretreated with chlordecone, phenobarbital, or mirex. *Toxicol Appl Pharmacol* 104(3):511-520. [http://doi.org/10.1016/0041-008x\(90\)90173-r](http://doi.org/10.1016/0041-008x(90)90173-r).
- Cai Z, Mehendale HM. 1991a. Hepatotoxicity and lethality of halomethanes in Mongolian gerbils pretreated with chlordecone, phenobarbital or mirex. *Arch Toxicol* 65(3):204-212. <http://doi.org/10.1007/bf02307310>.
- Cai ZW, Mehendale HM. 1991b. Protection from CCl<sub>4</sub> toxicity by prestimulation of hepatocellular regeneration in partially hepatectomized gerbils. *Biochem Pharmacol* 42(3):633-644. [http://doi.org/10.1016/0006-2952\(91\)90327-2](http://doi.org/10.1016/0006-2952(91)90327-2).
- Cai Z, Mehendale HM. 1993. Resiliency to amplification of carbon tetrachloride hepatotoxicity by chlordecone during postnatal development in rats. *Pediatr Res* 33(3):225-232. <http://doi.org/10.1203/00006450-199303000-00003>.
- Caldwell V, Loch-Caruso R. 1992. Chlordecone rapidly and reversibly inhibits gap junctional communication in human embryonic palatal mesenchyme cells. *In Vitro Toxicology* 5(2):113-122.
- Cannon SB, Kimbrough RD. 1979. Short-term chlordecone toxicity in rats including effects on reproduction, pathological organ changes, and their reversibility. *Toxicol Appl Pharmacol* 47(3):469-476. [http://doi.org/10.1016/0041-008X\(79\)90517-9](http://doi.org/10.1016/0041-008X(79)90517-9).
- Cannon SB, Veazey JM, Jackson RS, et al. 1978. Epidemic Kepone poisoning in chemical workers. *Am J Epidemiol* 107(6):529-537. <http://doi.org/10.1093/oxfordjournals.aje.a112572>.
- Caplan YH, Thompson BC, Hebb JH. 1979. A method for the determination of chlordecone (Kepone) in human serum and blood. *J Anal Toxicol* 3(5):202-205. <http://doi.org/10.1093/jat/3.5.202>.
- Carlson DA, Konyha KD, Wheeler WB, et al. 1976. Mirex in the environment: its degradation to Kepone and related compounds. *Science* 194(4268):939-941. <http://doi.org/10.1126/science.62396>.

## 8. REFERENCES

- Carpenter HM, Hedstrom OR, Siddens LK, et al. 1996. Ultrastructural, protein, and lipid changes in liver associated with chlordcone treatment of mice. *Toxicol Sci* 34(1):157-164.  
<http://doi.org/10.1093/toxsci/34.1.157>.
- CDC. 2019. Fourth report on human exposure to environmental chemicals, updated tables, (January 2019). Atlanta, GA: Centers for Disease Control and Prevention.  
[https://www.cdc.gov/exposurereport/pdf/FourthReport\\_UpdatedTables\\_Volume1\\_Jan2019-508.pdf](https://www.cdc.gov/exposurereport/pdf/FourthReport_UpdatedTables_Volume1_Jan2019-508.pdf). September 1, 2020.
- Chadwick R, Copeland M, Rosenstein L. 1979. The effect of Kepone exposure during gestation and lactation on the metabolism of lindane by weanling rats. *Toxicol Lett* 4(4):247-252.  
[http://doi.org/10.1016/0378-4274\(79\)90060-2](http://doi.org/10.1016/0378-4274(79)90060-2).
- Chadwick RW, Chadwick CJ, Freal JJ, et al. 1977. Comparative enzyme induction and lindane metabolism in rats pre-treated with various organochlorine pesticides. *Xenobiotica* 7(4):235-246.  
<http://doi.org/10.3109/00498257709035781>.
- Chambers JE, Trevathan CA. 1983. Effect of mirex, dechlorinated mirex derivatives and chlordcone on microsomal mixed-function oxidase activity and other hepatic parameters. *Toxicol Lett* 16(1-2):109-115. [http://doi.org/10.1016/0378-4274\(83\)90018-8](http://doi.org/10.1016/0378-4274(83)90018-8).
- Chambers JE, Case RS, Alley EG, et al. 1982. Short-term fate of mirex and 2,8-dihydromirex in rats. *J Agric Food Chem* 30(5):878-882. <http://doi.org/10.1021/jf00113a020>.
- Chang-Tsui YYH, Ho IK. 1979. Effects of Kepone (chlordcone) on synaptosomal g-aminobutyric acid uptake in the mouse. *Neurotoxicology* 1(2):357-367.
- Chang-Tsui YYH, Ho IK. 1980. Effect of Kepone (chlordcone) on synaptosomal catecholamine uptake in the mouse. *Neurotoxicology* 1(3):643-651.
- Charles AK, Rosenbaum DP, Ashok L, et al. 1985. Uptake and disposition of mirex in hepatocytes and subcellular fractions in CD1 mouse liver. *J Toxicol Environ Health* 15(3-4):395-403.  
<http://doi.org/10.1080/15287398509530667>.
- Chaudhury S, Mehendale HM. 1991. Amplification of CCl<sub>4</sub> toxicity by chlordcone: destruction of rat hepatic microsomal cytochrome P-450 subpopulation. *J Toxicol Environ Health* 32(3):277-294.  
<http://doi.org/10.1080/15287399109531482>.
- Chen PH, Tilson HA, Marbury GD, et al. 1985. Effect of chlordcone (Kepone) on the rat brain concentration of 3-methoxy-4-hydroxyphenylglycol: evidence for a possible involvement of the norepinephrine system in chlordcone-induced tremor. *Toxicol Appl Pharmacol* 77(1):158-164.  
[http://doi.org/10.1016/0041-008x\(85\)90276-5](http://doi.org/10.1016/0041-008x(85)90276-5).
- Chernoff N, Rogers EH. 1976. Fetal toxicity of Kepone in rats and mice. *Toxicol Appl Pharmacol* 38(1):189-194. [http://doi.org/10.1016/0041-008x\(76\)90172-1](http://doi.org/10.1016/0041-008x(76)90172-1).
- Chernoff N, Kavlock RJ. 1982. An in vivo teratology screen utilizing pregnant mice. *J Toxicol Environ Health* 10(4-5):541-550. <http://doi.org/10.1080/15287398209530275>.
- Chernoff N, Stevens JT, Rogers EH. 1979a. Perinatal toxicology of mirex administered in the diet: I. Viability, growth, cataractogenicity and tissue levels. *Toxicol Lett* 4(4):263-268.  
[http://doi.org/10.1016/0378-4274\(79\)90063-8](http://doi.org/10.1016/0378-4274(79)90063-8).
- Chernoff N, Linder RE, Scotti TM, et al. 1979b. Fetotoxicity and cataractogenicity of mirex in rats and mice with notes on Kepone. *Environ Res* 18(2):257-269. [http://doi.org/10.1016/0013-9351\(79\)90102-6](http://doi.org/10.1016/0013-9351(79)90102-6).
- Chetty CS, Aldous CN, Desaiah D. 1983a. Sensitivity of rat brain ATPase system to structurally related organochlorine pesticides. *Indian J Comp Anim Physiol* 1(1):107-113.
- Chetty SC, Aldous CN, Rashatwar SS, et al. 1983b. Effect of chlordcone on pH and temperature dependent substrate activation kinetics of rat brain synaptosomal ATPases. *Biochem Pharmacol* 32(21):3205-3211. [http://doi.org/10.1016/0006-2952\(83\)90205-8](http://doi.org/10.1016/0006-2952(83)90205-8).
- Chetty KN, Walker J, Brown K, et al. 1993a. The effects of dietary calcium and chlordcone on cholinesterase, triglycerides, low density lipoproteins, and cholesterol in serum of rat. *Arch Environ Contam Toxicol* 24(3):365-367. <http://doi.org/10.1007/bf01128735>.

## 8. REFERENCES

- Chetty KN, Walker J, Brown K, et al. 1993b. Influence of dietary calcium on chlordcone-induced biochemical changes in serum of rat. *Ecotoxicol Environ Saf* 26(2):248-252.  
<http://doi.org/10.1006/eesa.1993.1053>.
- Chetty KN, Brown K, Walker J, et al. 1993c. Effects of chlordcone and malnutrition on immune response in rats. *Life Sci* 52(18):PL175-180. [http://doi.org/10.1016/0024-3205\(93\)90114-i](http://doi.org/10.1016/0024-3205(93)90114-i).
- Chu I, Villeneuve DC, Becking GC, et al. 1980a. Tissue distribution and elimination of 2,8-dihydromirex in the rat. *J Toxicol Environ Health* 6(4):713-721.  
<http://doi.org/10.1080/15287398009529890>.
- Chu I, Villeneuve DC, Becking GC, et al. 1980b. Short-term study of the combined effects of mirex, photomirex, and Kepone with halogenated biphenyls in rats. *J Toxicol Environ Health* 6(2):421-432.  
<http://doi.org/10.1080/15287398009529861>.
- Chu I, Villeneuve DC, Secours V, et al. 1980c. 2,8-Dihydromirex: a twenty-eight day sub-acute toxicity study in the rat. *J Environ Sci Health B* 15(1):87-107. <http://doi.org/10.1080/03601238009372166>.
- Chu I, Villeneuve DC, MacDonald BL, et al. 1981a. Reversibility of the toxicological changes induced by photomirex and mirex. *Toxicology* 21(3):235-250. [http://doi.org/10.1016/0300-483x\(81\)90159-1](http://doi.org/10.1016/0300-483x(81)90159-1).
- Chu I, Villeneuve DC, Secours VE, et al. 1981b. Effects of photomirex and mirex on reproduction in the rat. *Toxicol Appl Pharmacol* 60(3):549-556. [http://doi.org/10.1016/0041-008x\(81\)90341-0](http://doi.org/10.1016/0041-008x(81)90341-0).
- Cianflone DJ, Hewitt WR, Villeneuve DC, et al. 1980. Role of biotransformation in the alterations of chloroform hepatotoxicity produced by Kepone and mirex. *Toxicol Appl Pharmacol* 53(1):140-149.  
[http://doi.org/10.1016/0041-008x\(80\)90391-9](http://doi.org/10.1016/0041-008x(80)90391-9).
- Clark JA, DeVault D, Bowden R, et al. 1984. Contaminant analysis of fillets from Great Lakes Coho Salmon, 1980. *J Great Lakes Res* 19:38-47. [http://doi.org/10.1016/S0380-1330\(84\)71805-3](http://doi.org/10.1016/S0380-1330(84)71805-3).
- Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Codru N, Schymura MJ, Negoita S, et al. 2007. Diabetes in relation to serum levels of polychlorinated biphenyls and chlorinated pesticides in adult Native Americans. *Environ Health Perspect* 115(10):1442-1447. <http://doi.org/10.1289/ehp.10315>.
- Cohn WJ, Boylan JJ, Blanke RV, et al. 1978. Treatment of chlordcone (Kepone) toxicity with cholestyramine. Results of a controlled clinical trial. *N Engl J Med* 298(5):243-248.  
<http://doi.org/10.1056/NEJM197802022980504>.
- Colwell RR, McNicol LA, Omdorff SA, et al. 1981. Microbial degradation of Kepone in the Chesapeake Bay. College Park, MD: University of Maryland.
- Comba ME, Norstrom RJ, Macdonald CR, et al. 1993. A Lake Ontario-Gulf of St. Lawrence dynamic mass budget for mirex. *Environ Sci Technol* 27(10):2198-2206.  
<http://doi.org/10.1021/es00047a029>.
- Connell DW, Markwell RD. 1990. Bioaccumulation in the soil to earthworm system. *Chemosphere* 20(1-2):91-100. [http://doi.org/10.1016/0045-6535\(90\)90089-c](http://doi.org/10.1016/0045-6535(90)90089-c).
- Cook LL, Edens FW, Tilson HA. 1988a. Possible brainstem involvement in the modification of thermoregulatory processes by chlordcone in rats. *Neuropharmacology* 27(9):871-879.  
[http://doi.org/10.1016/0028-3908\(88\)90113-x](http://doi.org/10.1016/0028-3908(88)90113-x).
- Cook LL, Edens FW, Tilson HA. 1988b. Pharmacological evaluation of central adrenergic involvement in chlordcone-induced hypothermia. *Neuropharmacology* 27(9):881-887.  
[http://doi.org/10.1016/0028-3908\(88\)90114-1](http://doi.org/10.1016/0028-3908(88)90114-1).
- Cordier S, Bouquet E, Warembourg C, et al. 2015. Perinatal exposure to chlordcone, thyroid hormone status and neurodevelopment in infants: the Timoun cohort study in Guadeloupe (French West Indies). *Environ Res* 138:271-278. <http://doi.org/10.1016/j.envres.2015.02.021>.
- Cordier S, Forget-Dubois N, Desrochers-Couture M, et al. 2019. Prenatal and childhood exposure to chlordcone and sex-typed toy preference of 7-year-old Guadeloupean children. *Environ Sci Pollut Res Int* <http://doi.org/10.1007/s11356-019-05686-x>.

## 8. REFERENCES

- Costet N, Pele F, Comets E, et al. 2015. Perinatal exposure to chlordcone and infant growth. *Environ Res* 142:123-134. <http://doi.org/10.1016/j.envres.2015.06.023>.
- Cripe CR, Livingston RJ. 1977. Dynamics of mirex and its principal photoproducts in a simulated marsh system. *Arch Environ Contam Toxicol* 5(3):295-303. <http://doi.org/10.1007/bf02220911>.
- Curtis LR. 1988. Chlordcone is a potent in vitro inhibitor of oligomycin-insensitive Mg<sup>2+</sup> - ATPase of rat bile canaliculi-enriched fraction. *J Biochem Toxicol* 3:321-328. <http://doi.org/10.1002/jbt.2570030409>.
- Curtis LR, Mehendale HM. 1979. The effects of Kepone pretreatment on biliary excretion of xenobiotics in the male rat. *Toxicol Appl Pharmacol* 47(2):295-303. [http://doi.org/10.1016/0041-008X\(79\)90324-7](http://doi.org/10.1016/0041-008X(79)90324-7).
- Curtis LR, Mehendale HM. 1980. Specificity of chlordcone-induced potentiation of carbon tetrachloride hepatotoxicity. *Drug Metab Dispos* 8(1):23-27.
- Curtis LR, Mehendale HM. 1981. Hepatobiliary dysfunction and inhibition of adenosine triphosphatase activity of bile canaliculi-enriched fractions following in vivo mirex, photomirex, and chlordcone exposures. *Toxicol Appl Pharmacol* 61(3):429-440. [http://doi.org/10.1016/0041-008X\(81\)90366-5](http://doi.org/10.1016/0041-008X(81)90366-5).
- Curtis LR, Hoyt D. 1984. Impaired biliary excretion of taurocholate associated with increased biliary tree permeability in mirex- or chlordcone-pretreated rats. *J Pharmacol Exp Ther* 231(3):495-501.
- Curtis LR, Williams WL, Mehendale HM. 1979. Potentiation of the hepatotoxicity of carbon tetrachloride following preexposure to chlordcone (Kepone) in the male rat. *Toxicol Appl Pharmacol* 51(2):283-293. [http://doi.org/10.1016/0041-008X\(79\)90471-x](http://doi.org/10.1016/0041-008X(79)90471-x).
- Curtis LR, Thureson-Klein AK, Mehendale HM. 1981. Ultrastructural and biochemical correlates of the specificity of chlordcone-potentiated carbon tetrachloride hepatotoxicity. *J Toxicol Environ Health* 7(3-4):499-517. <http://doi.org/10.1080/15287398109529997>.
- Cutshall NH, Larsen IL, Nichols MM. 1981. Man-made radionuclides confirm rapid burial of Kepone in James River sediments. *Science* 213(4506):440-442. <http://doi.org/10.1126/science.213.4506.440>.
- Dahlstrom-King L, Couture J, Plaa GL. 1992. Influence of agents affecting monooxygenase activity on taurolithocholic acid-induced cholestasis. *Toxicol Lett* 63(3):243-252. [http://doi.org/10.1016/0378-4274\(92\)90087-z](http://doi.org/10.1016/0378-4274(92)90087-z).
- Dai D, Cao Y, Falls G, et al. 2001. Modulation of mouse P450 isoforms CYP1A2, CYP2B10, CYP2E1, and CYP3A by the environmental chemicals mirex, 2,2-bis (p-chlorophenyl)-1,1-dichloroethylene, vinclozolin, and flutamide. *Pestic Biochem Physiol* 70(2):127-141.
- Dallaire R, Muckle G, Rouget F, et al. 2012. Cognitive, visual, and motor development of 7-month-old Guadeloupean infants exposed to chlordcone. *Environ Res* 118:79-85. <http://doi.org/10.1016/j.envres.2012.07.006>.
- Dalu A, Mehendale HM. 1996. Efficient tissue repair underlies the resiliency of postnatally developing rats to chlordcone + CCl<sub>4</sub> hepatotoxicity. *Toxicology* 111(1-3):29-42.
- Dalu A, Rao PS, Mehendale HM. 1998. Colchicine antimitosis abolishes resiliency of postnatally developing rats to chlordcone-amplified carbon tetrachloride hepatotoxicity and lethality. *Environ Health Perspect* 106(9):597-606.
- Dalu A, Cronin GM, Lyn-Cook BD, et al. 1995. Age-related differences in TGF-alpha and proto-oncogenes expression in rat liver after a low dose of carbon tetrachloride. *J Biochem Toxicol* 10(5):259-264.
- Das SK, Paria BC, Johnson DC, et al. 1997. Embryo-uterine interactions during implantation: potential sites of interference by environmental toxins. In: *Comprehensive toxicology*. Vol. 10. London, England: Elsevier Science, 317-328.
- Davies K. 1990. Human exposure pathways to selected organochlorines and PCBs in Toronto and Southern Ontario. *Adv Environ Sci Technol* 23:525-540.
- Davis ME, Mehendale HM. 1980. Functional and biochemical correlates of chlordcone exposure and its enhancement of CCl<sub>4</sub> hepatotoxicity. *Toxicology* 15(2):91-103. [http://doi.org/10.1016/0300-483x\(80\)90003-7](http://doi.org/10.1016/0300-483x(80)90003-7).

## 8. REFERENCES

- Davison KL, Mollenhauer HH, Younger RL, et al. 1976. Mirex-induced hepatic changes in chickens, Japanese quail, and rats. *Arch Environ Contam Toxicol* 4(4):469-482.
- de La Cruz AA, Naqvi SM. 1973. Mirex incorporation in the environment: Uptake in aquatic organisms and effects on the rates of photosynthesis and respiration. *Arch Environ Contam Toxicol* 1(3):255-264. <http://doi.org/10.1007/bf01985748>.
- de la Cruz AA, Rajanna B. 1975. Mirex incorporation in the environment: uptake and distribution in crop seedlings. *Bull Environ Contam Toxicol* 14(01):38-42. <http://doi.org/10.1007/bf01685595>.
- Denham M, Schell LM, Deane G, et al. 2005. Relationship of lead, mercury, mirex, dichlorodiphenyldichloroethylene, hexachlorobenzene, and polychlorinated biphenyls to timing of menarche among Akwesasne Mohawk girls. *Pediatrics* 115(2):e127-134. <http://doi.org/10.1542/peds.2004-1161>.
- Desaiah D. 1980. Comparative effects of chlорdecone and mirex on rat cardiac ATPases and binding of 3H-catecholamines. *J Environ Pathol Toxicol* 4(1):237-248.
- Desaiah D. 1981. Interaction of chlорdecone with biological membranes. *J Toxicol Environ Health* 8(5-6):719-730. <http://doi.org/10.1080/15287398109530108>.
- Desaiah D. 1985. Chlорdecone interaction with catecholamine binding and uptake in rat brain synaptosomes. *Neurotoxicology* 6(1):159-165.
- Desaiah D, Chetty CS, Rao KS. 1985. Chlорdecone inhibition of calmodulin activated calcium ATPase in rat brain synaptosomes. *J Toxicol Environ Health* 16(2):189-195. <http://doi.org/10.1080/15287398509530732>.
- Desaiah D, Gilliland T, Ho IK, et al. 1980b. Inhibition of mouse brain synaptosomal ATPases and ouabain binding by chlорdecone. *Toxicol Lett* 6(4-5):275-285.
- Desaiah D, Pentyala SN, Trottman CH, et al. 1991. Combined effects of carbon tetrachloride and chlорdecone on calmodulin activity in gerbil brain. *J Toxicol Environ Health* 34(2):219-228. <http://doi.org/10.1080/15287399109531561>.
- DeZarn MB, Oberacker DA. 1980. Detoxification of materials by microwave plasma. In: Safe handling of chemical carcinogens, mutagens, teratogens, and highly toxic substances Vol. 2. 595-615.
- DHHS. 1991. Mirex and chlорdecone. Sixth annual report on carcinogens. Rockville, MD: U.S. Department of Health and Human Services. 238-240, 261-262.
- Dietz DD, McMillan DE. 1979. Comparative effects of mirex and Kepone on schedule-controlled behavior in the rat. I. Multiple fixed-ratio 12 fixed-interval 2-min schedule. *Neurotoxicology* 1(2):369-385.
- DOE. 2016a. Table 3: Protective Action Criteria (PAC) Rev. 29 based on applicable 60-minute AEGLs, ERPGs, or TEELs. The chemicals are listed by CASRN. May 2016. Oak Ridge, TN: U.S. Department of Energy. [https://sp.eota.energy.gov/pac/teel/Revision\\_29\\_Table3.pdf](https://sp.eota.energy.gov/pac/teel/Revision_29_Table3.pdf). February 28, 2017.
- DOE. 2016b. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 29 for Chemicals of Concern - May 2016. Oak Ridge, TN: U.S. Department of Energy. <https://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-29-chemicals-concern-may-2016>. March 2, 2017.
- Domine D, Devillers J, Chastrette M, et al. 1992. Multivariate structure-property relationships (MSPR) of pesticides. *Pestic Sci* 35(1):73-82. <http://doi.org/10.1002/ps.2780350110>.
- Dorough HW, Ivie GW. 1974. Fate of mirex-14C during and after a 28-day feeding period to a lactating cow. *J Environ Qual* 3(1):65-67. <http://doi.org/10.2134/jeq1974.00472425000300010018x>.
- Dorough HW, Atallah YH. 1975. Cigarette smoke as a source of pesticide exposure. *Bull Environ Contam Toxicol* 13(1):101-107. <http://doi.org/10.1007/bf01684872>.
- Durham RW, Oliver BG. 1983. History of Lake Ontario contamination from the Niagara River by sediment radiodating and chlorinated hydrocarbon analysis. *J Great Lakes Res* 9(2):160-168. [http://doi.org/10.1016/S0380-1330\(83\)71885-X](http://doi.org/10.1016/S0380-1330(83)71885-X).

## 8. REFERENCES

- Egle JL, Guzelian PS, Borzelleca JF. 1979. Time course of the acute toxic effects of sublethal doses of chlordcone (Kepone). *Toxicol Appl Pharmacol* 48(3):533-536. [http://doi.org/10.1016/0041-008x\(79\)90436-8](http://doi.org/10.1016/0041-008x(79)90436-8).
- Egle JL, Fernandez JB, Guzelian PS, et al. 1978. Distribution and excretion of chlordcone (Kepone) in the rat. *Drug Metab Dispos* 6(1):91-95.
- Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15(1):30-38. <http://doi.org/10.1021/es00083a002>.
- Eisenreich SJ, Capel PD, Robbins JA, et al. 1989. Accumulation and diagenesis of chlorinated hydrocarbons in lacustrine sediments. *Environ Sci Technol* 23(9):1116-1126. <http://doi.org/10.1021/es00067a009>.
- Elder VA, Proctor BL, Hites RA. 1981. Organic compounds near dumpsites in Niagara Falls, New York. *Biomed Mass Spectrom* 8(9):409-415. <http://doi.org/10.1002/bms.1200080910>.
- Elgin J, Jovanovich L, Vahed S, et al. 1990. Alteration of hepatic lipid by mirex in rats. *Pestic Biochem Physiol* 38(3):273-285. [http://doi.org/10.1016/0048-3575\(90\)90099-N](http://doi.org/10.1016/0048-3575(90)90099-N).
- El-Masri HA, Thomas RS, Benjamin SA, et al. 1995. Physiologically based pharmacokinetic/pharmacodynamic modeling of chemical mixtures and possible applications in risk assessment. *Toxicology* 2(3):275-282.
- Emeille E, Giton F, Giusti A, et al. 2013. Persistent organochlorine pollutants with endocrine activity and blood steroid hormone levels in middle-aged men. *PLoS ONE* 8(6):e66460. <http://doi.org/10.1371/journal.pone.0066460>.
- End DW, Carchman RA, Dewey WL. 1981. Neurochemical correlates of chlordcone neurotoxicity. *J Toxicol Environ Health* 8(5-6):707-718. <http://doi.org/10.1080/15287398109530107>.
- End DW, Carchman RA, Ameen R, et al. 1979. Inhibition of rat brain mitochondrial calcium transport by chlordcone. *Toxicol Appl Pharmacol* 51(1):189-196. [http://doi.org/10.1016/0041-008x\(79\)90021-8](http://doi.org/10.1016/0041-008x(79)90021-8).
- Environment Canada. 1992. Toxic chemicals in the Great Lakes and associated effects. Volume II: Effects. Ottawa, Canada: Department of Fisheries and Oceans. 17-67.
- EPA. 1976. Kepone: Position document 3. Arlington, VA: U.S. Environmental Protection Agency. PB80216773. EPABPRD8062.
- EPA. 1978a. Reviews of the environmental effects of pollutants: I. Mirex and Kepone. Cincinnati, OH: U.S. Environmental Protection Agency. EPA600i78013. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=91013VXH.txt>. April 6, 2020.
- EPA. 1978b. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4. <https://www.govinfo.gov/app/details/CFR-2011-title40-vol22/CFR-2011-title40-vol22-sec116-4>. April 6, 2020.
- EPA. 1980. Levels of chemical contaminants in nonoccupationally exposed US residents. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600180002. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=9100PGR6.txt>. April 6, 2020.
- EPA. 1981. The potential atmospheric impact of chemicals released to the environment: Proceedings of four workshops. Washington, DC: U.S. Environmental Protection Agency. PB82119447.
- EPA. 1982. Determination of the environmental impact of several substitute chemicals in agriculturally affected wetlands. Washington, DC: U.S. Environmental Protection Agency. EPA600482052. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=9101KT95.txt>. April 6, 2020.
- EPA. 1986a. Final report on the evaluation of four toxic chemicals in an 'in vivo/in vitro' toxicological screen: Acrylamide, chlordcone, cyclophosphamide, and diethylstilbestrol. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600186002. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000TRTQ.txt>. March 25, 2020.
- EPA. 1986b. Determination of reportable quantities for hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117. <https://www.ecfr.gov/cgi-bin/text-idx?SID=7889bcd1c745ef35317754d6578ca9eb&mc=true&node=pt40.24.117&rgn=div5>. April 6, 2020.

## 8. REFERENCES

- EPA. 1988. Recommendations for and documentation of biological values for use in risk assessment. U.S. Environmental Protection Agency.  
<https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=34855>. September 3, 2020.
- EPA. 1992. Definitions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 300.5. <https://www.ecfr.gov/cgi-bin/retrieveECFR?gp=&SID=095dc9d1d7e05f8fd83fdf5b4f674a2b&mc=true&r=PART&n=pt40.30.300>. April 6, 2020.
- EPA. 1993. National listing of state fish and shellfish consumption advisories and bans Research Triangle Park, NC: U.S. Environmental Protection Agency.  
<https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=901I0700.txt>. April 7, 2020.
- EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. EPA260B05001.
- EPA. 2009a. National study of chemical residues in lake fish tissue. Washington, DC: U.S. Environmental Protection Agency. EPA823R09006.  
<https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P1005P2Z.txt>. September 1, 2020.
- EPA. 2009b. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency. EPA816F090004. [https://www.epa.gov/sites/production/files/2016-06/documents/npwdr\\_complete\\_table.pdf](https://www.epa.gov/sites/production/files/2016-06/documents/npwdr_complete_table.pdf). September 7, 2017.
- EPA. 2012. Drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA822S12001. <https://www.epa.gov/sites/production/files/2015-09/documents/dwstandards2012.pdf>. April 25, 2013.
- EPA. 2016. Acute Exposure Guideline Levels (AEGLs) values. U.S. Environmental Protection Agency. [https://www.epa.gov/sites/production/files/2016-03/documents/compiled\\_aegl\\_update\\_.pdf](https://www.epa.gov/sites/production/files/2016-03/documents/compiled_aegl_update_.pdf). September 8, 2017.
- Epstein SS. 1978. Kepone - hazard evaluation. *Sci Total Environ* 9(1):1-62.  
[http://doi.org/10.1016/0048-9697\(78\)90002-5](http://doi.org/10.1016/0048-9697(78)90002-5).
- Eroschenko VP, Mousa MA. 1979. Neonatal administration of insecticide chlordcone and its effects on the development of the reproductive tract in the female mouse. *Toxicol Appl Pharmacol* 49(1):151-159. [http://doi.org/10.1016/0041-008x\(79\)90286-2](http://doi.org/10.1016/0041-008x(79)90286-2).
- Ervin MG, Yarbrough JD. 1983. Adrenalectomy and the adaptive liver response in mirex-treated rats. *Pestic Biochem Physiol* 20(3):330-339. [http://doi.org/10.1016/0048-3575\(83\)90107-4](http://doi.org/10.1016/0048-3575(83)90107-4).
- Ervin MG, Yarbrough JD. 1985. Mirex-induced liver enlargement in rats is dependent upon an intact pituitary-adrenalcortical axis. *Life Sci* 36(2):139-145. [http://doi.org/10.1016/0024-3205\(85\)90092-x](http://doi.org/10.1016/0024-3205(85)90092-x).
- Everett CJ, Matheson EM. 2010. Biomarkers of pesticide exposure and diabetes in the 1999-2004 national health and nutrition examination survey. *Environ Int* 36(4):398-401.  
<http://doi.org/10.1016/j.envint.2010.02.010>.
- Fabacher DL, Hodgson E. 1976. Induction of hepatic mixed-function oxidase enzymes in adult and neonatal mice by Kepone and mirex. *Toxicol Appl Pharmacol* 38(1):71-77.  
[http://doi.org/10.1016/0041-008x\(76\)90161-7](http://doi.org/10.1016/0041-008x(76)90161-7).
- Fariss MW, Blanke RV, Saady JJ, et al. 1980. Demonstration of major metabolic pathways for chlordcone (Kepone) in humans. *Drug Metab Dispos* 8(6):434-438.
- Faroon OM, Mehendale HM. 1990. Bromotrichloromethane hepatotoxicity. The role of stimulated hepatocellular regeneration in recovery: biochemical and histopathological studies in control and chlordcone pretreated male rats. *Toxicol Pathol* 18(4 Pt 2):667-677.  
<http://doi.org/10.1177/019262339001800426>.
- Faroon OM, Henry RW, Soni MG, et al. 1991. Potentiation of BrCCl<sub>3</sub> hepatotoxicity by chlordcone: Biochemical and ultrastructural study. *Toxicol Appl Pharmacol* 110(2):185-197.  
[http://doi.org/10.1016/S0041-008X\(05\)80001-8](http://doi.org/10.1016/S0041-008X(05)80001-8).

## 8. REFERENCES

- FDA. 1990. Residues in foods 1989: Monitoring programs: Regulatory monitoring. *J Assoc Off Anal Chem* 73:127A-146A.
- FDA. 1991. Residues in foods: FDA monitoring program: Regulatory monitoring. *J Assoc Off Anal Chem* 74:121A-141A.
- FDA. 1992. Residue monitoring: FDA monitoring programs. *J AOAC Int* 75:135A-156A.
- FDA. 1993. Residue monitoring: FDA monitoring program: Regulatory monitoring. *J AOAC Int* 76:127A-148A.
- FDA. 2013. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. <http://www.accessdata.fda.gov/scripts/fcn/fcnnavigation.cfm?rpt=eafuslisting>. January 8, 2014.
- FDA. 2019. Pesticide residue monitoring 2017 report and data. U.S. Food and Drug Administration. <https://www.fda.gov/food/pesticides/pesticide-residue-monitoring-2017-report-and-data>. September 1, 2020.
- Fenster L, Eskenazi B, Anderson M, et al. 2006. Association of in utero organochlorine pesticide exposure and fetal growth and length of gestation in an agricultural population. *Environ Health Perspect* 114(4):597-602.
- Fernandez MF, Olmos B, Granada A, et al. 2007. Human exposure to endocrine-disrupting chemicals and prenatal risk factors for cryptorchidism and hypospadias: a nested case-control study. *Environ Health Perspect* 115 Suppl 1:8-14. <http://doi.org/10.1289/ehp.9351>.
- Fitzgerald EF, Hwang SA, Deres DA, et al. 2001. The association between local fish consumption and DDE, mirex, and HCB concentrations in the breast milk of Mohawk women at Akwesasne. *J Expo Anal Environ Epidemiol* 11(5):381-388. <http://doi.org/10.1038/sj.jea.7500180>.
- Foley RE. 1992. Organochlorine residues in New York waterfowl harvested by hunters in 1983-1984. *Environ Monit Assess* 21(1):37-48. <http://doi.org/10.1007/BF00400056>.
- Folmar LC. 1978. In vitro inhibition of rat brain ATPase pNPPase, and ATP-32Pi exchange by chlorinated-diphenyl ethanes and cyclodiene insecticides. *Bull Environ Contam Toxicol* 19(4):481-488. <http://doi.org/10.1007/bf01685830>.
- Fouse BL, Hodgson E. 1987. Effect of chlordcone and mirex on the acute hepatotoxicity of acetaminophen in mice. *Gen Pharmacol* 18(6):623-630. [http://doi.org/10.1016/0306-3623\(87\)90035-8](http://doi.org/10.1016/0306-3623(87)90035-8).
- Francis BM, Metcalf RL. 1984. Evaluation of mirex, photomirex and chlordcone in the terrestrial aquatic laboratory model ecosystem. *Environ Health Perspect* 54:341-346. <http://doi.org/10.1289/ehp.8454341>.
- Frank R, Rasper J, Smout MS, et al. 1988. Organochlorine residues in adipose tissues, blood and milk from Ontario residents, 1976-1985. *Can J Public Health* 79(3):150-158.
- Freitag D, Ballhorn L, Geyer H, et al. 1985. Environmental hazard profile of organic chemicals: An experimental method for the assessment of the behaviour of organic chemicals in the ecosphere by means of simple laboratory tests with <sup>14</sup>C labelled chemicals. *Chemosphere* 14(10):1589-1616. [http://doi.org/10.1016/0045-6535\(85\)90014-1](http://doi.org/10.1016/0045-6535(85)90014-1).
- Fujimori K, Nabeshima T, Ho IK, et al. 1982a. Effects of oral administration of chlordcone and mirex on brain biogenic amines in mice. *Neurotoxicology* 3(2):143-148.
- Fujimori K, Benet H, Mehendale HM, et al. 1982b. Comparison of brain discrete area distributions of chlordcone and mirex in the mouse. *Neurotoxicology* 3(2):125-129.
- Fujimori K, Ho IK, Mehendale HM, et al. 1983. Comparative toxicology of mirex, photomirex and chlordcone after oral administration to the mouse. *Environ Toxicol Chem* 2(1):49-60. <http://doi.org/10.1002/etc.5620020106>.
- Fujimori K, Benet H, Mehendale HM, et al. 1986. In vivo and in vitro synthesis, release, and uptake of [<sup>3</sup>H]-dopamine in mouse striatal slices after in vivo exposure to chlordcone. *J Biochem Toxicol* 1(4):1-12. <http://doi.org/10.1002/jbt.2570010402>.

## 8. REFERENCES

- Fulfs J, Abraham R, Drobeck B, et al. 1977. Species differences in the hepatic response to mirex: ultrastructural and histochemical studies. *Ecotoxicol Environ Saf* 1(3):327-342.  
[http://doi.org/10.1016/0147-6513\(77\)90024-0](http://doi.org/10.1016/0147-6513(77)90024-0).
- Gaines TB. 1969. Acute toxicity of pesticides. *Toxicol Appl Pharmacol* 14(3):515-534.  
[http://doi.org/10.1016/0041-008x\(69\)90013-1](http://doi.org/10.1016/0041-008x(69)90013-1).
- Gaines TB, Kimbrough RD. 1970. Oral toxicity of mirex in adult and suckling rats. With notes on the ultrastructure of liver changes. *Arch Environ Health* 21(1):7-14.  
<http://doi.org/10.1080/00039896.1970.10667184>.
- Galloway SM, Armstrong MJ, Reuben C, et al. 1987. Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: evaluations of 108 chemicals. *Environ Mol Mutagen* 10 Suppl 10:1-175. <http://doi.org/10.1002/em.2850100502>.
- Gebauer MB, Weseloh DV. 1993. Accumulation of organic contaminants in sentinel mallards utilizing confined disposal facilities at Hamilton Harbour, Lake Ontario, Canada. *Arch Environ Contam Toxicol* 25(2) <http://doi.org/10.1007/bf00212135>.
- Gellert RJ. 1978. Kepone, mirex, dieldrin, and aldrin: estrogenic activity and the induction of persistent vaginal estrus and anovulation in rats following neonatal treatment. *Environ Res* 16(1-3):131-138.  
[http://doi.org/10.1016/0013-9351\(78\)90150-0](http://doi.org/10.1016/0013-9351(78)90150-0).
- Gellert RJ, Wilson C. 1979. Reproductive function in rats exposed prenatally to pesticides and polychlorinated biphenyls (PCB). *Environ Res* 18(2):437-443. [http://doi.org/10.1016/0013-9351\(79\)90119-1](http://doi.org/10.1016/0013-9351(79)90119-1).
- Gely-Pernot A, Hao C, Legoff L, et al. 2018. Gestational exposure to chlordecone promotes transgenerational changes in the murine reproductive system of males. *Scientific Reports* 8(1):10274. <http://doi.org/10.1038/s41598-018-28670-w>.
- George SE, Claxton LD. 1988. Biotransformation of chlordecone by Pseudomonas species. *Xenobiotica* 18(4):407-416. <http://doi.org/10.3109/00498258809041677>.
- George SE, King LC, Claxton LD. 1986. High-performance liquid chromatography separation of chlordecone and its metabolites. *Chromatographia* 22(1):165-167.  
<http://doi.org/10.1007/bf02257320>.
- Gerhart JM, Hong J, Tilson HA. 1983. Studies on the possible sites of chlordecone-induced tremor in rats. *Toxicol Appl Pharmacol* 70(3):382-389. [http://doi.org/10.1016/0041-008X\(83\)90156-4](http://doi.org/10.1016/0041-008X(83)90156-4).
- Gerhart JM, Hong JS, Tilson HA. 1985. Studies on the mechanism of chlordecone-induced tremor in rats. *Neurotoxicology* 6(1):211-229.
- Gerhart JM, Hong JS, Uphouse LL, et al. 1982. Chlordecone-induced tremor: quantification and pharmacological analysis. *Toxicol Appl Pharmacol* 66(2):234-243. [http://doi.org/10.1016/0041-008x\(82\)90288-5](http://doi.org/10.1016/0041-008x(82)90288-5).
- Germain A, Langlois C. 1988. Pollution of the water and suspended sediments of the St. Lawrence River (Ontario, Quebec, Canada) by organochlorine pesticides, polychlorinated biphenyls, and other priority pollutants. *Water Pollut Res J Can* 23:602-614. (French)
- Gibson JR, Ivie GW, Dorough HW. 1972. Fate of mirex and its major photodecomposition product in rats. *J Agric Food Chem* 20(6):1246-1248. <http://doi.org/10.1021/jf60184a046>.
- Gilliom RJ, Clifton DG. 1990. Organochlorine pesticide residues in bed sediments of the San Joaquin River, California. *J Am Water Resour Assoc* 26(1):11-24. <http://doi.org/10.1111/j.1752-1688.1990.tb01346.x>.
- Glende EA, Lee PY. 1985. Isopropanol and chlordecone potentiation of carbon tetrachloride liver injury: retention of potentiating action in hepatocyte suspensions prepared from rats given isopropanol or chlordecone. *Exp Mol Pathol* 42(2):167-174. [http://doi.org/10.1016/0014-4800\(85\)90025-5](http://doi.org/10.1016/0014-4800(85)90025-5).
- Good EE, Ware GW, Miller DF. 1965. Effects of insecticides on reproduction in the laboratory mouse. I. Kepone. *J Econ Entomol* 58(4):754-757. <http://doi.org/10.1093/jee/58.4.754>.
- Grabowski CT. 1981. Plasma proteins and colloid osmotic pressure of blood of rat fetuses prenatally exposed to mirex. *J Toxicol Environ Health* 7(5):705-714.  
<http://doi.org/10.1080/15287398109530013>.

## 8. REFERENCES

- Grabowski CT. 1983. Persistent cardiovascular problems in newborn rats prenatally exposed to sub-teratogenic doses of the pesticide, mirex. *Dev Toxicol Environ Sci* 11:537-540.
- Grabowski CT, Payne DB. 1980. An electrocardiographic study of cardiovascular problems in mirex-fed rat fetuses. *Teratology* 22(2):167-177. <http://doi.org/10.1002/tera.1420220205>.
- Grabowski CT, Payne DB. 1983a. The causes of perinatal death induced by prenatal exposure of rats to the pesticide, mirex. Part II: Postnatal observations. *J Toxicol Environ Health* 11(2):301-315. <http://doi.org/10.1080/15287398309530343>.
- Grabowski CT, Payne DB. 1983b. The causes of perinatal death induced by prenatal exposure of rats to the pesticide, mirex. Part I: Pre-parturition observations of the cardiovascular system. *Teratology* 27(1):7-11. <http://doi.org/10.1002/tera.1420270103>.
- Gray LE, Kavlock RJ. 1984. An extended evaluation of an in vivo teratology screen utilizing postnatal growth and viability in the mouse. *Teratog Carcinog Mutagen* 4(5):403-426. <http://doi.org/10.1002/tcm.1770040504>.
- Gray LE, Kavlock RJ, Ostby J, et al. 1983. Assessment of the utility of postnatal testing following prenatal exposure to forty chemicals. *Prog Clin Biol Res* 140:39-72.
- Greenberg MM, Anderson R, Keene J, et al. 1982. Empirical test of the association between gross contamination of wells with toxic substances and surrounding land use. *Environ Sci Technol* 16(1):14-19. <http://doi.org/10.1021/es00095a007>.
- Greer JS, Griwatz GH. 1980. Ultimate disposal of hazardous materials by reaction with liquid sodium. Control of hazardous material spills. In: Proceedings of the 1980 National conference on control of hazardous material spills. Louisville, KY: Vanderbilt University, 416-420.
- Greizerstein HB, Stinson C, Mendola P, et al. 1999. Comparison of PCB congeners and pesticide levels between serum and milk from lactating women. *Environ Res* 80(3):280-286. <http://doi.org/10.1006/enrs.1999.3956>.
- Grindler NM, Allsworth JE, Macones GA, et al. 2015. Persistent organic pollutants and early menopause in U.S. women. *PLoS ONE* 10(1):e0116057. <http://doi.org/10.1371/journal.pone.0116057>.
- Guo H, Jin Y, Cheng Y, et al. 2014. Prenatal exposure to organochlorine pesticides and infant birth weight in China. *Chemosphere* 110:1-7. <http://doi.org/10.1016/j.chemosphere.2014.02.017>.
- Guzelian PS. 1982a. Chlordecone poisoning: a case study in approaches for detoxification of humans exposed to environmental chemicals. *Drug Metab Rev* 13(4):663-679. <http://doi.org/10.3109/03602538209011091>.
- Guzelian PS. 1982b. Comparative toxicology of chlordecone (Kepone) in humans and experimental animals. *Annu Rev Pharmacol Toxicol* 22:89-113. <http://doi.org/10.1146/annurev.pa.22.040182.000513>.
- Guzelian PS. 1985. Clinical evaluation of liver structure and function in humans exposed to halogenated hydrocarbons. *Environ Health Perspect* 60:159-164. <http://doi.org/10.1289/ehp.8560159>.
- Guzelian PS, Vranian G, Boylan JJ, et al. 1980. Liver structure and function in patients poisoned with chlordecone (Kepone). *Gastroenterology* 78(2):206-213.
- Guzelian P, Mutter L, Fariss M, et al. 1981. Metabolism and biliary excretion of chlordecone (Kepone) in humans. In: Khan MAQ, Stanton RH, eds. *Toxicology of halogenated hydrocarbons*. Pergamon, 315-325. <http://doi.org/10.1016/B978-0-08-027530-7.50029-7>.
- Hall L, Fisher H, Sumler M, et al. 1988. Dose response of skin absorption in young and adult rats. In: Mansdorf R, Sager R, Neilsen A, eds. *Performance of protective clothing*. Vol. 989. West Conshohocken, PA: ASTM International, 177-194. <http://doi.org/10.1520/STP26284S>.
- Hammond B, Katzenellenbogen BS, Krauthammer N, et al. 1979. Estrogenic activity of the insecticide chlordecone (Kepone) and interaction with uterine estrogen receptors. *Proc Natl Acad Sci USA* 76(12):6641-6645. <http://doi.org/10.1073/pnas.76.12.6641>.
- Hammond B, Bahr J, Dial O, et al. 1978. Reproductive toxicology of mirex and kepone (Abstract). *Fed Proc Am Soc Exp Biol* 37(3):501.

## 8. REFERENCES

- Han X, Meng L, Li Y, et al. 2019. Supplemental data: Associations between exposure to persistent organic pollutants and thyroid function in a case-control study of East China. Environ Sci Technol <http://doi.org/10.1021/acs.est.9b02810>.
- Hawker DW, Connell DW. 1986. Bioconcentration of lipophilic compounds by some aquatic organisms. Ecotoxicol Environ Saf 11(2):184-197. [http://doi.org/10.1016/0147-6513\(86\)90063-1](http://doi.org/10.1016/0147-6513(86)90063-1).
- Heatherington AC, Fisher HL, Sumler MR, et al. 1998. Percutaneous absorption and disposition of [<sup>14</sup>C]chlordecone in young and adult female rats. Environ Res 79(2):138-155. <http://doi.org/10.1006/enrs.1998.3862>.
- Hebert CE, Glooschenko V, Haffner GD, et al. 1993. Organic contaminants in snapping turtle (*Chelydra serpentina*) populations from southern Ontario, Canada. Arch Environ Contam Toxicol 24(1):35-43. <http://doi.org/10.1007/bf01061087>.
- Hebert CE, Norstrom RJ, Simon M, et al. 1994. Temporal trends and sources of PCDDs and PCDFs in the great lakes: herring gull egg monitoring, 1981-1991. Environ Sci Technol 28(7):1268-1277. <http://doi.org/10.1021/es00056a014>.
- Hegarty JM, Glende EA, Recknagel RO. 1986. Potentiation by chlordecone of the defect in hepatic microsomal calcium sequestration induced by carbon tetrachloride. J Biochem Toxicol 1(2):73-78. <http://doi.org/10.1002/jbt.2570010207>.
- Herr DW, Gallus JA, Tilson HA. 1987. Pharmacological modification of tremor and enhanced acoustic startle by chlordecone and p,p'-DDT. Psychopharmacology (Berl) 91(3):320-325. <http://doi.org/10.1007/bf00518184>.
- Hervé D, Costet N, Kadhel P, et al. 2016. Prenatal exposure to chlordecone, gestational weight gain, and birth weight in a Guadeloupean birth cohort. Environ Res 151:436-444. <http://doi.org/10.1016/j.envres.2016.08.004>.
- Hewitt LA, Hewitt WR, Plaa GL. 1983. Fractional hepatic localization of <sup>14</sup>CHCl<sub>3</sub> in mice and rats treated with chlordecone or mirex. Fundam Appl Toxicol 3(6):489-495. [http://doi.org/10.1016/s0272-0590\(83\)80093-1](http://doi.org/10.1016/s0272-0590(83)80093-1).
- Hewitt LA, Ayotte P, Plaa GL. 1986a. Modifications in rat hepatobiliary function following treatment with acetone, 2-butanone, 2-hexanone, mirex, or chlordecone and subsequently exposed to chloroform. Toxicol Appl Pharmacol 83(3):465-473. [http://doi.org/10.1016/0041-008x\(86\)90229-2](http://doi.org/10.1016/0041-008x(86)90229-2).
- Hewitt LA, Caillé G, Plaa GL. 1986b. Temporal relationships between biotransformation, detoxication, and chlordecone potentiation of chloroform-induced hepatotoxicity. Can J Physiol Pharmacol 64(4):477-482. <http://doi.org/10.1139/y86-077>.
- Hewitt WR, Miyajima H, Cote MG, et al. 1979. Acute alteration of chloroform-induced hepatotoxicity and nephrotoxicity by mirex and Kepone. Toxicol Appl Pharmacol 48(3):509-527. [http://doi.org/10.1016/0041-008x\(79\)90434-4](http://doi.org/10.1016/0041-008x(79)90434-4).
- Hewitt LA, Palmason C, Masson S, et al. 1990. Evidence for the involvement of organelles in the mechanism of ketone-potentiated chloroform-induced hepatotoxicity. Liver 10(1):35-48. <http://doi.org/10.1111/j.1600-0676.1990.tb00433.x>.
- Hill EP, Dent DM. 1985. Mirex residues in seven groups of aquatic and terrestrial mammals. Arch Environ Contam Toxicol 14(1):7-12. <http://doi.org/10.1007/bf01055755>.
- Hoff RM, Muir DCG, Grift NP. 1992. Annual cycle of polychlorinated biphenyls and organohalogen pesticides in air in southern Ontario. 1. Air concentration data. Environ Sci Technol 26(2):266-275. <http://doi.org/10.1021/es00026a005>.
- Holden C. 1976. Mirex: persistent pesticide on its way out. Science 194(4262):301-303. <http://doi.org/10.1126/science.194.4262.301>.
- Holloman ME, Layton BR, Kennedy MV, et al. 1975. Identification of the major thermal degradation products of the insecticide mirex. J Agric Food Chem 23(5):1011-1012. <http://doi.org/10.1021/jf60201a045>.
- Holt RL, Cruse S, Greer ES. 1986. Pesticide and polychlorinated biphenyl residues in human adipose tissue from Northeast Louisiana. Bull Environ Contam Toxicol 36(5):651-655. <http://doi.org/10.1007/bf01623564>.

## 8. REFERENCES

- Hong JS, Tilson HA, Uphouse LL, et al. 1984. Effects of chlordcone exposure on brain neurotransmitters: possible involvement of the serotonin system in chlordcone-elicited tremor. *Toxicol Appl Pharmacol* 73(2):336-344. [http://doi.org/10.1016/0041-008x\(84\)90339-9](http://doi.org/10.1016/0041-008x(84)90339-9).
- Hong JS, Herr DW, Hudson PM, et al. 1986. Neurochemical effects of DDT in rat brain in vivo. *Arch Toxicol Suppl* 9:14-26. [http://doi.org/10.1007/978-3-642-71248-7\\_2](http://doi.org/10.1007/978-3-642-71248-7_2).
- Hoskins B, Ho IK. 1982. Chlordcone-induced alterations in content and subcellular distribution of calcium in mouse brain. *J Toxicol Environ Health* 9(4):535-544. <http://doi.org/10.1080/15287398209530186>.
- Houk VS, DeMarini DM. 1987. Induction of prophage lambda by chlorinated pesticides. *Mutat Res* 182(4):193-201. [http://doi.org/10.1016/0165-1161\(87\)90061-6](http://doi.org/10.1016/0165-1161(87)90061-6).
- Houston TE, Mutter LC, Blanke RV, et al. 1981. Chlordcone alcohol formation in the Mongolian gerbil (*Meriones unguiculatus*): A model for human metabolism of chlordcone (Kepone). *Fundam Appl Toxicol* 1(3):293-298. [http://doi.org/10.1016/s0272-0590\(81\)80132-7](http://doi.org/10.1016/s0272-0590(81)80132-7).
- Howard PH, Michalenko EM, Sage GW, et al. 1991. Chlordcone. In: *Handbook of environmental fate and exposure data for organic chemicals*. New York, NY: Lewis Publishers, 110-118.
- Hsu YN, Lin MT, Hong JS, et al. 1986. Effect of chlordcone exposure on thermoregulation in the rat. *Pharmacology* 32(5):292-300. <http://doi.org/10.1159/000138182>.
- Huang ES, Nelson FR. 1986. Anti-estrogenic action of chlordcone in rat pituitary gonadotrophs in vitro. *Toxicol Appl Pharmacol* 82(1):62-69. [http://doi.org/10.1016/0041-008x\(86\)90438-2](http://doi.org/10.1016/0041-008x(86)90438-2).
- Huang TP, Ho IK, Mehendale HM. 1980. Assessment of neurotoxicity induced by oral administration of chlordcone (Kepone) in the mouse. *Neurotoxicology* 2(1):113-124.
- Huber JJ. 1965. Some physiological effects of the insecticide Kepone in the laboratory mouse. *Toxicol Appl Pharmacol* 7(4):516-524. [http://doi.org/10.1016/0041-008X\(65\)90036-0](http://doi.org/10.1016/0041-008X(65)90036-0).
- Huckins JN, Stalling DL, Petty JD, et al. 1982. Fate of Kepone and mirex in the aquatic environment. *J Agric Food Chem* 30(6):1020-1027. <http://doi.org/10.1021/jf00114a004>.
- Huff JE, Gerstner HB. 1978. Kepone: A literature summary. *J Environ Pathol Toxicol* 1(4):377-395.
- Huggett RJ, Bender ME. 1980. Kepone in the James river. *Environ Sci Technol* 14(8):918-923. <http://doi.org/10.1021/es60168a001>.
- Hwang EC, van Woert MH. 1979. Serotonin-norepinephrine interactions in the tremorolytic actions of phenoxybenzamine and trazodone. *Pharmacol Biochem Behav* 10(1):27-29. [http://doi.org/10.1016/0091-3057\(79\)90164-3](http://doi.org/10.1016/0091-3057(79)90164-3).
- IARC. 1979. Some halogenated hydrocarbons. IARC monographs on the evaluation of carcinogenic risk of chemicals to humans. Lyon, France: World Health Organization. Vol. 20, 67-81. <https://publications.iarc.fr/Book-And-Report-Series/Iarc-Monographs-On-The-Identification-Of-Carcinogenic-Hazards-To-Humans/Some-Halogenated-Hydrocarbons-1979>. April 6, 2020.
- Iijima M, Cote MG, Plaa GL. 1983. A semiquantitative morphologic assessment of chlordcone-potentiated chloroform hepatotoxicity. *Toxicol Lett* 17(3-4):307-314. [http://doi.org/10.1016/0378-4274\(83\)90243-6](http://doi.org/10.1016/0378-4274(83)90243-6).
- Ikegwuonu FI, Mehendale HM. 1991. Biochemical assessment of the genotoxicity of the in vitro interaction between chlordcone and carbon tetrachloride in rat hepatocytes. *J Appl Toxicol* 11(4):303-310. <http://doi.org/10.1002/jat.2550110413>.
- Innes JRM, Ulland BM, Valerio MG, et al. 1969. Bioassay of pesticides and industrial chemicals for tumorigenicity in mice: A preliminary note. *J Natl Cancer Inst* 42(6):1101-1114. <http://doi.org/10.1093/jnci/42.6.1101>.
- IRIS. 1992. Mirex. Integrated Risk Information System. Chemical assessment summary. U.S. Environmental Protection Agency. [https://cfpub.epa.gov/ncea/iris/iris\\_documents/documents/subst/0251\\_summary.pdf](https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0251_summary.pdf). October 18, 2017.
- IRIS. 2009. Chlordcone (Kepone). Integrated Risk Information System. Chemical assessment summary. U.S. Environmental Protection Agency.

## 8. REFERENCES

- [https://cfpub.epa.gov/ncea/iris/iris\\_documents/documents/subst/1017\\_summary.pdf](https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/1017_summary.pdf). October 18, 2017.
- IRPTC. 1985. Treatment and disposal methods for waste chemicals. Geneva, Switzerland: International Register of Potentially Toxic Chemicals.
- Itoh H, Iwasaki M, Hanaoka T, et al. 2009. Serum organochlorines and breast cancer risk in Japanese women: a case-control study. *Cancer Causes Control* 20(5):567-580. <http://doi.org/10.1007/s10552-008-9265-z>.
- Iverson F. 1976. Induction of paraoxon dealkylation by hexachlorobenzene (HCB) and mirex. *J Agric Food Chem* 24(6):1238-1241. <http://doi.org/10.1021/jf60208a007>.
- Ivie GW, Dorough HW, Alley EG. 1974b. Photodecomposition of mirex on silica gel chromatoplates exposed to natural and artificial light. *J Agric Food Chem* 22(6):933-935. <http://doi.org/10.1021/jf60196a047>.
- Ivie GW, Gibson JR, Bryant HE, et al. 1974a. Accumulation, distribution, and excretion of mirex-14C in animals exposed for long periods to the insecticide in the diet. *J Agric Food Chem* 22(4):646-653. <http://doi.org/10.1021/jf60194a054>.
- Jinna RR, Uzodinma JE, Desaiah D. 1989. Age-related changes in rat brain ATPases during treatment with chlordanone. *J Toxicol Environ Health* 27(2):199-208. <http://doi.org/10.1080/15287398909531291>.
- Johnson DC. 1996. Estradiol-chlordanone (Kepone) interactions: additive effect of combinations for uterotrophic and embryo implantation functions. *Toxicol Lett* 89(1):57-64.
- Johnson DC, Banerjee S, Chatterjee S. 1995. Estradiol and chlordanone (Kepone) decrease adenosine 3'5'-cyclic monophosphate concentrations in the ovariectomized immature rat uterus. *Proc Soc Exp Biol Med* 210(1):33-38.
- Johnson DC, Sen M, Kogo H, et al. 1990. Initiation of embryo implantation and maintenance of early pregnancy in the rat by chlordanone (Kepone). *Proc Soc Exp Biol Med* 195(1):44-50. <http://doi.org/10.3181/00379727-195-43116>.
- Jones AS, Hodges CS. 1974. Persistence of mirex and its effects on soil microorganisms. *J Agric Food Chem* 22(3):435-439. <http://doi.org/10.1021/jf60193a037>.
- Jordan JE, Grice T, Mishra SK, et al. 1981. Acute chlordanone toxicity in rats: a relationship between tremor and ATPase activities. *Neurotoxicology* 2(2):355-364.
- Jovanovich L, Levin S, Khan MA. 1987. Significance of mirex-caused hypoglycemia and hyperlipidemia in rats. *J Biochem Toxicol* 2:203-213. <http://doi.org/10.1002/jbt.2570020305>.
- Kadhel P, Monfort C, Costet N, et al. 2014. Chlordanone exposure, length of gestation, and risk of preterm birth. *Am J Epidemiol* 179(5):536-544. <http://doi.org/10.1093/aje/kwt313>.
- Kaiser KLE. 1978. Pesticide Report: The rise and fall of mirex. *Environ Sci Technol* 12(5):520-528. <http://doi.org/10.1021/es60141a005>.
- Kaiser KLE, Lum KR, Comba ME, et al. 1990. Organic trace contaminants in St. Lawrence River water and suspended sediments, 1985-1987. *Sci Total Environ* 97-98:23-40. [http://doi.org/10.1016/0048-9697\(90\)90228-M](http://doi.org/10.1016/0048-9697(90)90228-M).
- Kaminsky R, Kaiser K, Hites R. 1983. Fates of organic compounds from Niagara Falls dumpsites in Lake Ontario. *J Great Lakes Res* 9:183-189. [http://doi.org/10.1016/S0380-1330\(83\)71887-3](http://doi.org/10.1016/S0380-1330(83)71887-3).
- Karl PI, Yarbrough JD. 1984. A comparison of mirex-induced liver growth to liver regeneration. *Toxicol Lett* 23(1):127-133. [http://doi.org/10.1016/0378-4274\(84\)90018-3](http://doi.org/10.1016/0378-4274(84)90018-3).
- Kavlock RJ, Chernoff N, Rogers EH. 1985. The effect of acute maternal toxicity on fetal development in the mouse. *Teratog Carcinog Mutagen* 5(1):3-13. <http://doi.org/10.1002/tcm.1770050103>.
- Kavlock RJ, Short RD, Chernoff N. 1987a. Further evaluation of an in vivo teratology screen. *Teratog Carcinog Mutagen* 7(1):7-16. <http://doi.org/10.1002/tcm.1770070104>.
- Kavlock RJ, Chernoff N, Rogers E, et al. 1980. Comparative tissue distribution of mirex and chlordanone in fetal and neonatal rats. *Pestic Biochem Physiol* 14(3):227-235. [http://doi.org/10.1016/0048-3575\(80\)90029-2](http://doi.org/10.1016/0048-3575(80)90029-2).

## 8. REFERENCES

- Kavlock RJ, Chernoff N, Rogers E, et al. 1982. An analysis of fetotoxicity using biochemical endpoints of organ differentiation. *Teratology* 26(2):183-194. <http://doi.org/10.1002/tera.1420260211>.
- Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. *Ecotoxicol Environ Saf* 4(1):26-38. [http://doi.org/10.1016/0147-6513\(80\)90005-6](http://doi.org/10.1016/0147-6513(80)90005-6).
- Kendall MW. 1974. Acute hepatotoxic effects of mirex in the rat. *Bull Environ Contam Toxicol* 12(5):617-621. <http://doi.org/10.1007/bf01684928>.
- Kendall MW. 1979. Light and electron microscopic observations of the acute sublethal hepatotoxic effects of mirex in the rat. *Arch Environ Contam Toxicol* 8(1):25-41. <http://doi.org/10.1007/bf01055138>.
- Khera KS. 1976. Distribution, metabolism and perinatal toxicity of pesticides with reference to food safety evaluation: Review of selected literature. *Adv Mod Toxicol Part1*:369-420.
- Kilzer L, Scheunert I, Geyer H, et al. 1979. Laboratory screening of the volatilization rates of organic chemicals from water and soil. *Chemosphere* 8(10):751-761. [http://doi.org/10.1016/0045-6535\(79\)90036-5](http://doi.org/10.1016/0045-6535(79)90036-5).
- Kim TW, Smart RC. 1995. Lack of effect of retinoic acid and fluocinolone acetonide on mirex tumor promotion indicates a novel mirex mechanism. *Carcinogenesis* 16(9):2199-2204.
- Kim HT, Kim KS, Kim JS, et al. 1985. Levels of polychlorinated biphenyls (PCBs), DDE, and mirex in waterfowl collected in New York State, 1981-1982. *Arch Environ Contam Toxicol* 14(1):13-18. <http://doi.org/10.1007/bf01055756>.
- Kim TW, Porter KL, Foley JF, et al. 1997. Evidence that mirex promotes a unique population of epidermal cells that cannot be distinguished by their mutant Ha-ras genotype. *Mol Carcinog* 20(1):115-124.
- Kitchin KT, Brown JL. 1989. Biochemical studies of promoters of carcinogenesis in rat liver. *Teratog Carcinog Mutagen* 9(5):273-285. <http://doi.org/10.1002/tcm.1770090503>.
- Klingensmith JS, Mehendale HM. 1981. Potentiation of brominated halomethane hepatotoxicity by chlорdecone in the male rat. *Toxicol Appl Pharmacol* 61(3):378-384. [http://doi.org/10.1016/0041-008x\(81\)90359-8](http://doi.org/10.1016/0041-008x(81)90359-8).
- Klingensmith JS, Mehendale HM. 1982a. Chlорdecone-induced fat depletion in the male rat. *J Toxicol Environ Health* 10(1):121-129. <http://doi.org/10.1080/15287398209530236>.
- Klingensmith JS, Mehendale HM. 1982b. Potentiation of CCl<sub>4</sub> lethality by chlорdecone. *Toxicol Lett* 11(1-2):149-154. [http://doi.org/10.1016/0378-4274\(82\)90120-5](http://doi.org/10.1016/0378-4274(82)90120-5).
- Klingensmith JS, Mehendale HM. 1983a. Destruction of hepatic mixed-function oxygenase parameters by CCl<sub>4</sub> in rats following acute treatment with chlорdecone, mirex, and phenobarbital. *Life Sci* 33(23):2339-2348. [http://doi.org/10.1016/0024-3205\(83\)90268-0](http://doi.org/10.1016/0024-3205(83)90268-0).
- Klingensmith JS, Mehendale HM. 1983b. Hepatic microsomal metabolism of CCl<sub>4</sub> after pretreatment with chlорdecone, mirex, or phenobarbital in male rats. *Drug Metab Dispos* 11(4):329-334.
- Klingensmith JS, Lockard V, Mehendale HM. 1983. Acute hepatotoxicity and lethality of CCl<sub>4</sub> in chlорdecone-pretreated rats. *Exp Mol Pathol* 39(1):1-10. [http://doi.org/10.1016/0014-4800\(83\)90036-9](http://doi.org/10.1016/0014-4800(83)90036-9).
- Kłoskowski R, Scheunert I, Klein W, et al. 1981. Laboratory screening of distribution, conversion and mineralization of chemicals in the soil-plant-system and comparison to outdoor experimental data. *Chemosphere* 10(10):1089-1100. [http://doi.org/10.1016/0045-6535\(81\)90178-8](http://doi.org/10.1016/0045-6535(81)90178-8).
- Knishkowy B, Baker EL. 1986. Transmission of occupational disease to family contacts. *Am J Ind Med* 9(6):543-550. <http://doi.org/10.1002/ajim.4700090606>.
- Kocarek TA, Schuetz EG, Guzelian PS. 1991. Selective induction of cytochrome P450e by Kepone (chlорdecone) in primary cultures of adult rat hepatocytes. *Mol Pharmacol* 40(2):203-210.
- Kodavanti PR, Kodavanti UP, Mehendale HM. 1991. Carbon tetrachloride-induced alterations of hepatic calmodulin and free calcium levels in rats pretreated with chlорdecone. *Hepatology* 13(2):230-238.
- Kodavanti PR, Mehrotra BD, Chetty SC, et al. 1988. Effect of selected insecticides on rat brain synaptosomal adenylate cyclase and phosphodiesterase. *J Toxicol Environ Health* 25(2):207-215. <http://doi.org/10.1080/15287398809531202>.

## 8. REFERENCES

- Kodavanti PR, Mehrotra BD, Chetty SC, et al. 1989a. Inhibition of calmodulin activated adenylate cyclase in rat brain by selected insecticides. *Neurotoxicology* 10(2):219-228.
- Kodavanti PR, Joshi UM, Mehendale HM, et al. 1989b. Chlordecone (Kepone)-potentiated carbon tetrachloride hepatotoxicity in partially hepatectomized rats - a histomorphometric study. *J Appl Toxicol* 9(6):367-375. <http://doi.org/10.1002/jat.2550090602>.
- Kodavanti PR, Cameron JA, Yallapragada PR, et al. 1990a. Effect of chlordecone (Kepone) on calcium transport mechanisms in rat heart sarcoplasmic reticulum. *Pharmacol Toxicol* 67(3):227-234. <http://doi.org/10.1111/j.1600-0773.1990.tb00818.x>.
- Komulainen H, Bondy SC. 1987. Modulation of levels of free calcium within synaptosomes by organochlorine insecticides. *J Pharmacol Exp Ther* 241(2):575-581.
- Koutros S, Langseth H, Grimsrud TK, et al. 2015a. Prediagnostic serum organochlorine concentrations and metastatic prostate cancer: A nested case-control study in the Norwegian Janus Serum Bank cohort. *Environ Health Perspect* 123(9):867-872. <http://doi.org/10.1289/ehp.1408245>.
- Koutros S, Langseth H, Grimsrud TK, et al. 2015b. Supplemental data: Prediagnostic serum organochlorine concentrations and metastatic prostate cancer: A nested case-control study in the Norwegian Janus Serum Bank cohort. *Environ Health Perspect* 123(9):867-872.
- Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Kuhn EP, Suflita JM. 1989. Dehalogenation of pesticides by anaerobic microorganisms in soils and groundwater - A review. In: *Reactions and Movement of Organic Chemicals in Soils*. Vol. 22. Soil Science Society of America Special Publication, 111-180. <http://doi.org/10.2136/sssaspecpub22.c6>.
- Kuiper GG, Lemmen JG, Carlsson B, et al. 1998. Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor beta. *Endocrinology* 139(10):4252-4263. <http://doi.org/10.1210/endo.139.10.6216>.
- Kutz F, Strassman S, Yobs A. 1979. Survey of pesticide residues and their metabolites in the general population of the United States. In: Rao KR, ed. *Pentachlorophenol*. Boston, MA: Springer, 267-274.
- Kutz FW, Yobs AR, Johnson WG, et al. 1974. Mirex residues in human adipose tissue. *Environ Entomol* 3(5):882-884. <http://doi.org/10.1093/ee/3.5.882>.
- Kutz FW, Strassman SC, Stroup CR, et al. 1985. The human body burden of mirex in the southeastern United States. *J Toxicol Environ Health* 15(3-4):385-394. <http://doi.org/10.1080/15287398509530666>.
- Laessig SA, Auger AP, McCarthy MM, et al. 2007. Effects of prenatal chlordecone on sexually differentiated behavior in adult rats. *Neurotoxicol Teratol* 29(2):255-263. <http://doi.org/10.1016/j.ntt.2006.10.003>.
- Lal R, Saxena DM. 1982. Accumulation, metabolism, and effects of organochlorine insecticides on microorganisms. *Microbiol Rev* 46(1):95-127.
- Lambert GH, Hsu CC, Humphrey H, et al. 1992. Cytochrome P450IA2 in vivo induction: A potential biomarker of polyhalogenated biphenyls and their related chemical's effects on the human. *Chemosphere* 25(1):197-200. [http://doi.org/10.1016/0045-6535\(92\)90512-P](http://doi.org/10.1016/0045-6535(92)90512-P).
- Larson PS, Egle JL, Hennigar GR, et al. 1979a. Acute and subchronic toxicity of mirex in the rat, dog, and rabbit. *Toxicol Appl Pharmacol* 49(2):271-277. [http://doi.org/10.1016/0041-008x\(79\)90251-5](http://doi.org/10.1016/0041-008x(79)90251-5).
- Larson PS, Egle JL, Hennigar GR, et al. 1979b. Acute, subchronic, and chronic toxicity of chlordecone. *Toxicol Appl Pharmacol* 48(1 Pt 1):29-41. [http://doi.org/10.1016/s0041-008x\(79\)80005-8](http://doi.org/10.1016/s0041-008x(79)80005-8).
- Lawrence LJ, Casida JE. 1984. Interactions of lindane, toxaphene and cyclodienes with brain-specific t-butylbicyclic phosphorothionate receptor. *Life Sci* 35(2):171-178. [http://doi.org/10.1016/0024-3205\(84\)90136-x](http://doi.org/10.1016/0024-3205(84)90136-x).
- Lebel G, Dodin S, Ayotte P, et al. 1998. Organochlorine exposure and the risk of endometriosis. *Fertil Steril* 69(2):221-228.

## 8. REFERENCES

- Legoff L, Dali O, D'Cruz SC, et al. 2019. Ovarian dysfunction following prenatal exposure to an insecticide, chlordcone, associates with altered epigenetic features. *Epigenetics Chromatin* 12(1):29. <http://doi.org/10.1186/s13072-019-0276-7>.
- Lewis RG, Lee RE. 1976. Air pollution from pesticides: Sources, occurrence, and dispersion. In: Lee RE, ed. *Air pollution from pesticides and agricultural processes*. Cleveland, OH: CRC Press, Inc., 5-50.
- Lewis T, Makarewicz JC. 1988. Exchange of mirex between Lake Ontario and its tributaries. *J Great Lakes Res* 14 [http://doi.org/10.1016/S0380-1330\(88\)71571-3](http://doi.org/10.1016/S0380-1330(88)71571-3).
- Lewis RG, Brown AR, Jackson MD. 1977. Evaluation of polyurethane foam for sampling of pesticides, polychlorinated biphenyls and polychlorinated naphthalenes in ambient air. *Anal Chem* 49(12):1668-1672. <http://doi.org/10.1021/ac50020a014>.
- Linder RE, Scotti TM, McElroy WK, et al. 1983. Spermotoxicity and tissue accumulation of chlordcone (Kepone) in male rats. *J Toxicol Environ Health* 12(2-3):183-192. <http://doi.org/10.1080/15287398309530417>.
- Lloyd FA, Cain CE, Mast J, et al. 1974. Results of pesticide analysis of human maternal blood. *J Miss Acad Sci* 17:79-84.
- Lockard VG, Mehendale HM, O'Neal RM. 1983a. Chlordcone-induced potentiation of carbon tetrachloride hepatotoxicity: a light and electron microscopic study. *Exp Mol Pathol* 39(2):230-245. [http://doi.org/10.1016/0014-4800\(83\)90054-0](http://doi.org/10.1016/0014-4800(83)90054-0).
- Lockard VG, Mehendale HM, O'Neal RM. 1983b. Chlordcone-induced potentiation of carbon tetrachloride hepatotoxicity: a morphometric and biochemical study. *Exp Mol Pathol* 39(2):246-255. [http://doi.org/10.1016/0014-4800\(83\)90055-2](http://doi.org/10.1016/0014-4800(83)90055-2).
- Lopez-Espinosa MJ, Granada A, Carreno J, et al. 2007. Organochlorine pesticides in placentas from southern Spain and some related factors. *Placenta* 28(7):631-638. <http://doi.org/10.1016/j.placenta.2006.09.009>.
- Lum KR, Kaiser KL, Comba ME. 1987. Export of mirex from Lake Ontario to the St. Lawrence Estuary. *Sci Total Environ* 67(1):41-51. [http://doi.org/10.1016/0048-9697\(87\)90064-7](http://doi.org/10.1016/0048-9697(87)90064-7).
- Lunsford CA, Weinstein MP, Scott L. 1987. Uptake of Kepone® by the estuarine bivalve *Rangia cuneata*, during the dredging of contaminated sediments in the James river, Virginia. *Water Res* 21(4):411-416. [http://doi.org/10.1016/0043-1354\(87\)90188-6](http://doi.org/10.1016/0043-1354(87)90188-6).
- Mactutus CF, Tilson HA. 1984. Neonatal chlordcone exposure impairs early learning and retention of active avoidance in the rat. *Neurobehav Toxicol Teratol* 6(1):75-83.
- Maier WE, Costa LG. 1990. Na<sup>+</sup>/K<sup>(+)</sup>-ATPase in rat brain and erythrocytes as a possible target and marker, respectively, for neurotoxicity: studies with chlordcone, organotins and mercury compounds. *Toxicol Lett* 51(2):175-188. [http://doi.org/10.1016/0378-4274\(90\)90209-5](http://doi.org/10.1016/0378-4274(90)90209-5).
- Marsalek J, Schroeter H. 1988. Annual loadings of toxic contaminants in urban runoff from the Canadian Great Lakes Basin. *Water Pollut Res J Can* 23(3):360-378.
- Martinez AJ, Taylor JR, Dyck PJ, et al. 1978. Chlordcone intoxication in man. II. Ultrastructure of peripheral nerves and skeletal muscle. *Neurology* 28(7):631-635.
- Maslansky CJ, Williams GM. 1981. Evidence for an epigenetic mode of action in organochlorine pesticide hepatocarcinogenicity: a lack of genotoxicity in rat, mouse, and hamster hepatocytes. *J Toxicol Environ Health* 8(1-2):121-130. <http://doi.org/10.1080/15287398109530056>.
- Matsumura F. 1985. Involvement of picrotoxinin receptor in the action of cyclodiene insecticides. *Neurotoxicology* 6(2):139-163.
- Mehendale HM. 1976. Mirex-induced suppression of biliary excretion of polychlorinated biphenyl compounds. *Toxicol Appl Pharmacol* 36(2):369-381. [http://doi.org/10.1016/0041-008x\(76\)90015-6](http://doi.org/10.1016/0041-008x(76)90015-6).
- Mehendale HM. 1977a. Mirex-induced impairment of hepatobiliary function. Suppressed biliary excretion of imipramine and sulfobromophthalein. *Drug Metab Dispos* 5(1):56-62.

## 8. REFERENCES

- Mehendale HM. 1977b. Effect of preexposure to Kepone on the biliary excretion of imipramine and sulfobromophthalein. *Toxicol Appl Pharmacol* 40(2):247-259. [http://doi.org/10.1016/0041-008X\(77\)90095-3](http://doi.org/10.1016/0041-008X(77)90095-3).
- Mehendale HM. 1979. Modification of hepatobiliary function by toxic chemicals. *Fed Proc* 38(8):2240-2245.
- Mehendale HM. 1981. Onset and recovery from chlordecone- and mirex-induced hepatobiliary dysfunction. *Toxicol Appl Pharmacol* 58(1):132-139. [http://doi.org/10.1016/0041-008X\(81\)90123-X](http://doi.org/10.1016/0041-008X(81)90123-X).
- Mehendale HM. 1990. Assessment of hepatobiliary function with phenolphthalein and phenolphthalein glucuronide. *Clin Chem Enzymol Commun* 2:195-204.
- Mehendale HM. 1992. Biochemical mechanisms of biphasic dose-response relationships: Role of hormesis. In: Calabrese E, ed. *Biological effects of low level exposures to chemicals and radiation*. Chelsea, MI: Lewis Publishers, Inc., 59-94.
- Mehendale HM. 1994. Cellular and molecular foundations of hermetic mechanisms. In: Calabrese E, ed. *Biological effects of low level exposures: Dose-response relationships*. Chelsea, MI: Lewis Publishers, 111-142.
- Mehendale HM, Klingensmith JS. 1988. In vivo metabolism of CCl<sub>4</sub> by rats pretreated with chlordecone, mirex, or phenobarbital. *Toxicol Appl Pharmacol* 93(2):247-256. [http://doi.org/10.1016/0041-008X\(88\)90124-x](http://doi.org/10.1016/0041-008X(88)90124-x).
- Mehendale HM, Purushotham KR, Lockard VG. 1989. The time course of liver injury and [<sup>3</sup>H]thymidine incorporation in chlordecone-potentiated CHCl<sub>3</sub> hepatotoxicity. *Exp Mol Pathol* 51(1):31-47. [http://doi.org/10.1016/0014-4800\(89\)90005-1](http://doi.org/10.1016/0014-4800(89)90005-1).
- Mehendale HM, Ray SD, Cai Z. 1991. Paradoxical toxicity of carbon tetrachloride in isolated hepatocytes from chlordecone, phenobarbital and mirex pretreated rats. *In Vitro Toxicology* 4(3):187-196. (English)
- Mehendale HM, Fishbein L, Fields M, et al. 1972. Fate of mirex-<sup>14</sup>C in the rat and plants. *Bull Environ Contam Toxicol* 8(4):200-207. <http://doi.org/10.1007/bf01839512>.
- Mehendale HM, Chen PR, Fishbein L, et al. 1973. Effect of mirex on the activities of various rat hepatic mixed-function oxidases. *Arch Environ Contam Toxicol* 1(3):245-254. <http://doi.org/10.1007/bf01985747>.
- Mehendale HM, Takanaka A, Desaiah D, et al. 1977. Kepone induction of hepatic mixed function oxidases in the male rat. *Life Sci* 20(6):991-997. [http://doi.org/10.1016/0024-3205\(77\)90286-7](http://doi.org/10.1016/0024-3205(77)90286-7).
- Mehendale HM, Takanaka A, Desaiah D, et al. 1978. Effect of preexposure to Kepone on hepatic mixed-function oxidases in the female rat. *Toxicol Appl Pharmacol* 44(1):171-180. [http://doi.org/10.1016/0041-008X\(78\)90296-x](http://doi.org/10.1016/0041-008X(78)90296-x).
- Mes J. 1992. Organochlorine residues in human blood and biopsy fat and their relationship. *Bull Environ Contam Toxicol* 48(6):815-820. <http://doi.org/10.1007/bf00201140>.
- Mes J, Davies DJ, Miles W. 1978. Traces of mirex in some Canadian human milk samples. *Bull Environ Contam Toxicol* 19(5):564-570. <http://doi.org/10.1007/bf01685842>.
- Mes J, Marchand L, Davies DJ. 1990. Organochlorine residues in adipose tissue of Canadians. *Bull Environ Contam Toxicol* 45(5):681-688. <http://doi.org/10.1007/bf01700986>.
- Mes J, Davies DJ, Turton D, et al. 1986. Levels and trends of chlorinated hydrocarbon contaminants in the breast milk of Canadian women. *Food Addit Contam* 3(4):313-322. <http://doi.org/10.1080/02652038609373598>.
- Mes J, Davies DJ, Doucet J, et al. 1993. Levels of chlorinated hydrocarbon residues in Canadian human breast milk and their relationship to some characteristics of the donors. *Food Addit Contam* 10(4):429-441. <http://doi.org/10.1080/02652039309374166>.
- Metcalf RL, Kapoor IP, Lu PY, et al. 1973. Model ecosystem studies of the environmental fate of six organochlorine pesticides. *Environ Health Perspect* 4:35-44. <http://doi.org/10.1289/ehp.730435>.

## 8. REFERENCES

- Metcalfe JL, Charlton MN. 1990. Freshwater mussels as biomonitor for organic industrial contaminants and pesticides in the St. Lawrence River. *Sci Total Environ* 97-98:595-615. [http://doi.org/10.1016/0048-9697\(90\)90264-U](http://doi.org/10.1016/0048-9697(90)90264-U).
- Meyer SA, Moser GJ, Monteiro-Riviere NA, et al. 1993. Minimal role of enhanced cell proliferation in skin tumor promotion by mirex: a nonphorbol ester-type promoter. *Environ Health Perspect* 101 Suppl 5:265-269.
- Meyer SA, Kim TW, Moser GJ, et al. 1994. Synergistic interaction between the non-phorbol ester-type promoter mirex and 12-O-tetradecanoylphorbol-13-acetate in mouse skin tumor promotion. *Carcinogenesis* 15(1):47-52. <http://doi.org/10.1093/carcin/15.1.47>.
- Minyard JP, Roberts WE. 1991. State findings on pesticide residues in food - 1988 and 1989. *J AOAC Int* 74(3):438-452.
- Mishra SK, Koury M, Desaiah D. 1980. Inhibition of calcium ATPase activity in rat brain and muscle by chlordecone. *Bull Environ Contam Toxicol* 25(2):262-268. <http://doi.org/10.1007/bf01985522>.
- Mitra A, Richards I, Kitchin K, et al. 1990. Mirex induces ornithine decarboxylase in female rat liver. *J Biochem Toxicol* 5(2):119-124. <http://doi.org/10.1002/jbt.2570050207>.
- Miyagawa M, Takasawa H, Sugiyama A, et al. 1995. The in vivo-in vitro replicative DNA synthesis (RDS) test with hepatocytes prepared from male B6C3F1 mice as an early prediction assay for putative nongenotoxic (Ames-negative) mouse hepatocarcinogens. *Mutat Res* 343(2-3):157-183.
- Molowa DT, Wrighton SA, Blanke RV, et al. 1986. Characterization of a unique aldo-keto reductase responsible for the reduction of chlordecone in the liver of the gerbil and man. *J Toxicol Environ Health* 17(4):375-384. <http://doi.org/10.1080/15287398609530832>.
- Morgan DP, Roan CC. 1974. Liver function in workers having high tissue stores of chlorinated hydrocarbon pesticides. *Arch Environ Health* 29(1):14-17. <http://doi.org/10.1080/00039896.1974.10666519>.
- Morgan DP, Sandifer SH, Hetzler HL, et al. 1979. Test for in vivo conversion of mirex to Kepone. *Bull Environ Contam Toxicol* 22(1-2):238-244. <http://doi.org/10.1007/bf02026936>.
- Mortelmans K, Haworth S, Lawlor T, et al. 1986. Salmonella mutagenicity tests: II. Results from the testing of 270 chemicals. *Environ Mutagen* 8(S6):1-52. <http://doi.org/10.1002/em.2860080702>.
- Moser GJ, Meyer SA, Smart RC. 1992. The chlorinated pesticide mirex is a novel nonphorbol ester-type tumor promoter in mouse skin. *Cancer Res* 52(3):631-636.
- Moser GJ, Robinette CL, Smart RC. 1993. Characterization of skin tumor promotion by mirex: structure-activity relationships, sexual dimorphism and presence of Ha-ras mutation. *Carcinogenesis* 14(6):1155-1160. <http://doi.org/10.1093/carcin/14.6.1155>.
- Moysich KB, Ambrosone CB, Vena JE, et al. 1998. Environmental organochlorine exposure and postmenopausal breast cancer risk. *Cancer Epidemiol Biomarkers Prev* 7(3):181-188.
- Mudambi AR, Hassett JP. 1988. Photochemical activity of mirex associated with dissolved organic matter. *Chemosphere* 17(6):1133-1146. [http://doi.org/10.1016/0045-6535\(88\)90179-8](http://doi.org/10.1016/0045-6535(88)90179-8).
- Mudambi AR, Hassett JP, McDowell WH, et al. 1992. Mirex-photomirex relationships in Lake Ontario. *J Great Lakes Res* 18(3):405-414. [http://doi.org/10.1016/s0380-1330\(92\)71307-0](http://doi.org/10.1016/s0380-1330(92)71307-0).
- Mudroch A, Williams D. 1989. Suspended sediments and the distribution of bottom sediments in the Niagara River. *J Great Lakes Res* 15(3):427-436. [http://doi.org/10.1016/s0380-1330\(89\)71498-2](http://doi.org/10.1016/s0380-1330(89)71498-2).
- Muir DC, Ford CA, Grift NP, et al. 1990. Geographic variation of chlorinated hydrocarbons in burbot (*Lota lota*) from remote lakes and rivers in Canada. *Arch Environ Contam Toxicol* 19(4):530-542. <http://doi.org/10.1007/bf01059072>.
- Multigner L, Ndong JR, Giusti A, et al. 2010. Chlordecone exposure and risk of prostate cancer. *J Clin Oncol* 28(21):3457-3462. <http://doi.org/10.1200/jco.2009.27.2153>.
- Murali B, Korrapati MC, Warbritton A, et al. 2004. Tolerance of aged Fischer 344 rats against chlordecone-amplified carbon tetrachloride toxicity. *Mech Ageing Dev* 125(6):421-435. <http://doi.org/10.1016/j.mad.2004.03.005>.
- Naqvi SM, de la Cruz AA. 1973. Mirex incorporation in the environment: toxicity in selected freshwater organisms. *Bull Environ Contam Toxicol* 10(5):305-308. <http://doi.org/10.1007/BF01684821>.

## 8. REFERENCES

- NAS/NRC. 1989. Report of the oversight committee. *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences. National Research Council. 15-35.
- NCI. 1976. Report on carcinogenesis bioassay of technical grade chlорdecone (Kepone). Washington, D.C.: National Cancer Institute.  
[https://ntp.niehs.nih.gov/ntp/htdocs/ltrpts/trchlорdecone\(kepone\).pdf](https://ntp.niehs.nih.gov/ntp/htdocs/ltrpts/trchlорdecone(kepone).pdf). April 6, 2020.
- Newsome WH, Andrews P. 1993. Organochlorine pesticides and polychlorinated biphenyl congeners in commercial fish from the Great Lakes. *J AOAC Int* 76(4):707-710.
- Newsome WH, Ryan JJ. 1999. Toxaphene and other chlorinated compounds in human milk from northern and southern Canada: A comparison. *Chemosphere* 39(3):519-526.
- Newsome WH, Davies D, Doucet J. 1995. PCB and organochlorine pesticides in Canadian human milk - 1992. *Chemosphere* 30(11):2143-2153.
- Nichols MM. 1990. Sedimentologic fate and cycling of Kepone in an estuarine system: Example from the James river estuary. *Sci Total Environ* 97-98:407-440. [http://doi.org/10.1016/0048-9697\(90\)90254-R](http://doi.org/10.1016/0048-9697(90)90254-R).
- Niethammer KR, White DH, Baskett TS, et al. 1984. Presence and biomagnification of organochlorine chemical residues in oxbow lakes of northeastern Louisiana. *Arch Environ Contam Toxicol* 13(1):63-74. <http://doi.org/10.1007/bf01055647>.
- Niimi AJ. 1991. Solubility of organic chemicals in octanol, triolein and cod liver oil and relationships between solubility and partition coefficients. *Water Res* 25(12):1515-1521.  
[http://doi.org/10.1016/0043-1354\(91\)90182-p](http://doi.org/10.1016/0043-1354(91)90182-p).
- NIOSH. 1984. NIOSH manual of analytical methods. Method 5508, 1-4. Cincinnati, OH: National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2003-154/pdfs/5508.pdf>. April 5, 2020.
- NIOSH. 2016. Kepone. Immediately Dangerous to Life or Health Concentrations (IDLH). Atlanta, GA: National Institute for Occupational Safety and Health.  
<https://www.cdc.gov/niosh/npg/npgd0365.html>. October 18, 2017.
- NLM. 2020. Mirex. National Library of Medicine.
- NTP. 1990. Toxicology and carcinogenesis studies of mirex (1,1a,2,2,3,3a,4,5,5,5a,5b,6-dodecachlorooctahydro-1,3,4-metheno-1H-cyclouta[cd]pentalene) (CAS No. 2385-85-5) in F344/N rats (feed studies). National Toxicology Program. TR313.
- NTP. 2016a. Kepone. Report on carcinogens, Fourteenth edition. Research Triangle Park, NC: National Toxicology Program. <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/kepone.pdf>. October 18, 2017.
- NTP. 2016b. Mirex. Report on carcinogens, Fourteenth edition. Research Triangle Park, NC: National Toxicology Program. <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/mirex.pdf>. October 18, 2017.
- NYS. 2019. New York State health advice on eating fish you catch. New York State Department of Health. [https://www.health.ny.gov/environmental/outdoors/fish/health\\_advisories/](https://www.health.ny.gov/environmental/outdoors/fish/health_advisories/). September 1, 2020.
- Oliver BG, Charlton MN. 1984. Chlorinated organic contaminants on settling particulates in the Niagara River vicinity of Lake Ontario [Canada]. *Environ Sci Technol* 18(12):903-908.  
<http://doi.org/10.1021/es00130a003>.
- Oliver BG, Nicol KD. 1984. Chlorinated contaminants in the Niagara river, 1981-1983. *Sci Total Environ* 39(1):57-70. [http://doi.org/10.1016/0048-9697\(84\)90024-X](http://doi.org/10.1016/0048-9697(84)90024-X).
- Oliver BG, Niimi AJ. 1985. Bioconcentration factors of some halogenated organics for rainbow trout: limitations in their use for prediction of environmental residues. *Environ Sci Technol* 19(9):842-849. <http://doi.org/10.1021/es00139a013>.
- Oliver BG, Niimi AJ. 1988. Trophodynamic analysis of polychlorinated biphenyl congeners and other chlorinated hydrocarbons in the Lake Ontario ecosystem. *Environ Sci Technol* 22(4):388-397.  
<http://doi.org/10.1021/es00169a005>.

## 8. REFERENCES

- Oliver BG, Charlton MN, Durham RW. 1989. Distribution, redistribution, and geochronology of polychlorinated biphenyl congeners and other chlorinated hydrocarbons in Lake Ontario sediments. *Environ Sci Technol* 23(2):200-208. <http://doi.org/10.1021/es00179a011>.
- Orndorff SA, Colwell RR. 1980. Microbial transformation of Kepone. *Appl Environ Microbiol* 39(2):398-406.
- OSHA. 2016a. Subpart D - Occupational health and environment controls. Gases, vapors, fumes, dusts, and mists. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol8/pdf/CFR-2016-title29-vol8-sec1926-55.pdf>. March 6, 2017.
- OSHA. 2016b. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol6/pdf/CFR-2016-title29-vol6-sec1910-1000.pdf>. March 6, 2017.
- OSHA. 2017. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. <https://www.gpo.gov/fdsys/pkg/CFR-2017-title29-vol7/pdf/CFR-2017-title29-vol7-sec1915-1000.pdf>. September 7, 2017.
- Peppriell J. 1981. The induction of hepatic microsomal mixed-function oxidase activities in the mouse by mirex, 3,4,5,3',4',5'-hexachlorobiphenyl, and equimolar dosages of both. *Environ Res* 26(2):402-408. [http://doi.org/10.1016/0013-9351\(81\)90216-4](http://doi.org/10.1016/0013-9351(81)90216-4).
- Phillips LJ, Birchard GF. 1991. Regional variations in human toxics exposure in the USA: an analysis based on the National Human Adipose Tissue Survey. *Arch Environ Contam Toxicol* 21(2):159-168. <http://doi.org/10.1007/bf01055332>.
- Pinkston G, Uphouse L. 1988. Postovulatory reduction of fertility in chlordecone treated female rats. *Reprod Toxicol* 1(2):105-109. [http://doi.org/10.1016/0890-6238\(87\)90004-9](http://doi.org/10.1016/0890-6238(87)90004-9).
- Pittman KA, Wiener M, Treble DH. 1976. Mirex kinetics in the rhesus monkey. II. Pharmacokinetic model. *Drug Metab Dispos* 4(3):288-295.
- Pittz EP, Rourke D, Abraham R, et al. 1979. Alterations in hepatic microsomal proteins of mice administered mirex orally. *Bull Environ Contam Toxicol* 21(3):344-351. <http://doi.org/10.1007/bf01685434>.
- Plaa GL, Caille G, Vezina M, et al. 1987. Chloroform interaction with chlordecone and mirex: Correlation between biochemical and histological indices of toxicity and quantitative tissue levels. *Fundam Appl Toxicol* 9(2):198-207. <http://doi.org/10.1093/toxsci/9.2.198>.
- Pore RS. 1984. Detoxification of chlordecone poisoned rats with chlorella and chlorella derived sporopollenin. *Drug Chem Toxicol* 7(1):57-71. <http://doi.org/10.3109/01480548409014173>.
- Porter KL, Chanda S, Wang HQ, et al. 2002. 17beta-estradiol is a hormonal regulator of mirex tumor promotion sensitivity in mice. *Toxicol Sci* 69(1):42-48.
- Probst GS, McMahon RE, Hill LE, et al. 1981. Chemically-induced unscheduled DNA synthesis in primary rat hepatocyte cultures: a comparison with bacterial mutagenicity using 218 compounds. *Environ Mutagen* 3(1):11-32. <http://doi.org/10.1002/em.2860030103>.
- Pryor GT, Uyeno ET, Tilson HA, et al. 1983. Assessment of chemicals using a battery of neurobehavioral tests: a comparative study. *Neurobehav Toxicol Teratol* 5(1):91-117.
- Puertas R, Lopez-Espinosa MJ, Cruz F, et al. 2010. Prenatal exposure to mirex impairs neurodevelopment at age of 4 years. *Neurotoxicology* 31(1):154-160. <http://doi.org/10.1016/j.neuro.2009.09.009>.
- Purushotham KR, Lockard VG, Mehendale HM. 1988. Amplification of chloroform hepatotoxicity and lethality by dietary chlordecone (Kepone) in mice. *Toxicol Pathol* 16(1):27-34. <http://doi.org/10.1177/019262338801600104>.
- Rao SB, Young RA, Mehendale HM. 1989. Hepatic polyamines and related enzymes following chlordecone-potentiated carbon tetrachloride toxicity in rats. *J Biochem Toxicol* 4(1):55-63. <http://doi.org/10.1002/jbt.2570040110>.

## 8. REFERENCES

- Reimers RS, Akers TG, White L. 1989. Use of applied fields in biological treatment of toxic substances wastewater and sludges. In: Mizrahi A, ed. *Advances in biotechnological processes: Vol. 12. Biological waste treatment*. New York, NY: Alan R Liss, Inc., 235-272.
- Reiter L. 1977. Behavioral toxicology: effects of early postnatal exposure to neurotoxins on development of locomotor activity in the rat. *J Occup Med* 19(3):200-204.
- Richter E, Lay JP, Klein W, et al. 1979. Enhanced elimination of Kepone-14C in rats fed liquid paraffin. *J Agric Food Chem* 27(1):187-189. <http://doi.org/10.1021/jf60221a005>.
- Ritchie GP, Ho IK. 1982. Effects of chlорdecone and mirex on amino acids incorporation into brain and liver proteins in the mouse. *Neurotoxicology* 3(4):243-247.
- Robacker KM, Kulkarni AP, Hodgson E. 1981. Pesticide induced changes in the mouse hepatic microsomal cytochrome P-450-dependent monooxygenase system and other enzymes. *J Environ Sci Health B* 16(5 Pt B):529-545. <http://doi.org/10.1080/03601238109372277>.
- Roberts MH, Fisher DJ. 1985. Uptake and clearance rates for Kepone in two marine fish species. *Arch Environ Contam Toxicol* 14(1):1-6. <http://doi.org/10.1007/bf01055754>.
- Robinson KM, Yarbrough JD. 1978a. A study of liver function in rats with mirex-induced enlarged livers. *Pestic Biochem Physiol* 9(1):61-64. [http://doi.org/10.1016/0048-3575\(78\)90065-2](http://doi.org/10.1016/0048-3575(78)90065-2).
- Rochelle LG, Miller TL, Curtis LR. 1990. Chlорdecone impairs Na<sup>+</sup>-stimulated l-[3H]glutamate transport and mobility of 16-doxyl stearate in rat liver plasma membrane vesicles. *Toxicol Appl Pharmacol* 105(2):234-242. [http://doi.org/10.1016/0041-008X\(90\)90185-W](http://doi.org/10.1016/0041-008X(90)90185-W).
- Rogers JM, Grabowski CT. 1983. Mirex-induced fetal cataracts: lens growth, histology and cation balance, and relationship to edema. *Teratology* 27(3):343-349. <http://doi.org/10.1002/tera.1420270308>.
- Rogers JM, Grabowski CT. 1984. Postnatal mirex cataractogenesis in rats: lens cation balance, growth and histology. *Exp Eye Res* 39(5):563-573. [http://doi.org/10.1016/0014-4835\(84\)90056-3](http://doi.org/10.1016/0014-4835(84)90056-3).
- Rogers JM, Morelli L, Grabowski CT. 1984. Plasma glucose and protein concentrations in rat fetuses and neonates exposed to cataractogenic doses of mirex. *Environ Res* 34(1):155-161. [http://doi.org/10.1016/0013-9351\(84\)90084-7](http://doi.org/10.1016/0013-9351(84)90084-7).
- Rosecrans JA, Hong JS, Squibb RE, et al. 1982. Effects of perinatal exposure to chlорdecone (Kepone) on neuroendocrine and neurochemical responsiveness of rats to environmental challenges. *Neurotoxicology* 3(2):131-142.
- Rosenbaum DP, Charles AK. 1986. In vitro binding of mirex by mouse hepatocytes. *J Toxicol Environ Health* 17(4):385-393. <http://doi.org/10.1080/15287398609530833>.
- Rosenbaum PF, Weinstock RS, Silverstone AE, et al. 2017. Metabolic syndrome is associated with exposure to organochlorine pesticides in Anniston, AL, United States. *Environ Int* 108:11-21.
- Rouget F, Kadhel P, Monfort C, et al. 2019. Chlорdecone exposure and risk of congenital anomalies: the Timoun Mother-Child Cohort Study in Guadeloupe (French West Indies). *Environ Sci Pollut Res Int* <http://doi.org/10.1007/s11356-019-06031-y>.
- Saleh FY, Lee GF. 1978. Analytical methodology for Kepone in water and sediment. *Environ Sci Technol* 12(3):297-301. <http://doi.org/10.1021/es60139a013>.
- Sanborn GE, Selhorst JB, Calabrese VP, et al. 1979. Pseudotumor cerebri and insecticide intoxication. *Neurology* 29(9 Pt 1):1222-1227.
- Sandhu SS, Warren WJ, Nelson P. 1978. Pesticidal residue in rural potable water. *J Am Water Works Assoc* 70:41-45.
- Saunders L, Kadhel P, Costet N, et al. 2014. Hypertensive disorders of pregnancy and gestational diabetes mellitus among French Caribbean women chronically exposed to chlорdecone. *Environ Int* 68:171-176. <http://doi.org/10.1016/j.envint.2014.03.024>.
- Savage EP, Keefe TJ, Tessari JD, et al. 1981. National study of chlorinated hydrocarbon insecticide residues in human milk, USA. I. Geographic distribution of dieldrin, heptachlor, heptachlor epoxide, chlordane, oxychlordane, and mirex. *Am J Epidemiol* 113(4):413-422. <http://doi.org/10.1093/oxfordjournals.aje.a113109>.

## 8. REFERENCES

- Sawada N, Iwasaki M, Inoue M, et al. 2010. Plasma organochlorines and subsequent risk of prostate cancer in Japanese men: a nested case-control study. *Environ Health Perspect* 118(5):659-665. <http://doi.org/10.1289/ehp.0901214>.
- Schell LM, Hubicki LA, DeCaprio AP, et al. 2003. Organochlorines, lead, and mercury in Akwesasne Mohawk youth. *Environ Health Perspect* 111(7):954-961.
- Scheunert I, Vockel D, Schmitzer J, et al. 1983. Fate of chemicals in plant-soil systems: comparison of laboratory test data with results of open air long-term experiments. *Ecotoxicol Environ Saf* 7(4):390-399. [http://doi.org/10.1016/0147-6513\(83\)90004-0](http://doi.org/10.1016/0147-6513(83)90004-0).
- Schmitt CJ, Zajicek JL, Peterman PH. 1990. National contaminant biomonitoring program: Residues of organochlorine chemicals in U.S. freshwater fish, 1976-1984. *Arch Environ Contam Toxicol* 19(5):748-781. <http://doi.org/10.1007/BF01183992>.
- Schoeny RS, Smith CC, Loper JC. 1979. Non-mutagenicity for *Salmonella* of the chlorinated hydrocarbons Aroclor 1254, 1,2,4-trichlorobenzene, mirex and Kepone. *Mutat Res* 68(2):125-132. [http://doi.org/10.1016/0165-1218\(79\)90140-x](http://doi.org/10.1016/0165-1218(79)90140-x).
- Schrader TJ, Cooke GM. 2000. Examination of selected food additives and organochlorine food contaminants for androgenic activity in vitro. *Toxicol Sci* 53(2):278-288.
- Scippo ML, Argiris C, Van De Weerd C, et al. 2004. Recombinant human estrogen, androgen and progesterone receptors for detection of potential endocrine disruptors. *Anal Bioanal Chem* 378(3):664-669. <http://doi.org/10.1007/s00216-003-2251-0>.
- Scotti TM, Chernoff N, Linder R, et al. 1981. Histopathologic lens changes in mirex-exposed rats. *Toxicol Lett* 9(3):289-294. [http://doi.org/10.1016/0378-4274\(81\)90163-6](http://doi.org/10.1016/0378-4274(81)90163-6).
- Seidel V, Lindner W. 1993. Universal sample enrichment technique for organochlorine pesticides in environmental and biological samples using a redesigned simultaneous steam distillation-solvent extraction apparatus. *Anal Chem* 65(24):3677-3683. <http://doi.org/10.1021/ac00072a022>.
- Seidenberg JM, Becker RA. 1987. A summary of the results of 55 chemicals screened for developmental toxicity in mice. *Teratog Carcinog Mutagen* 7(1):17-28. <http://doi.org/10.1002/tcm.1770070105>.
- Seidenberg JM, Anderson DG, Becker RA. 1986. Validation of an in vivo developmental toxicity screen in the mouse. *Teratog Carcinog Mutagen* 6(5):361-374. <http://doi.org/10.1002/tcm.1770060503>.
- Sergeant DB, Munawar M, Hodson PV, et al. 1993. Mirex in the North American Great Lakes: New detections and their confirmation. *J Great Lakes Res* 19(1):145-157. [http://doi.org/10.1016/S0380-1330\(93\)71205-8](http://doi.org/10.1016/S0380-1330(93)71205-8).
- Sericano J, Atlas EL, Wade TL, et al. 1990. NOAA's status and trends mussel watch program: Chlorinated pesticides and PCBs in oysters (*Crassostrea virginica*) and sediments from the Gulf of Mexico, 1986-1987. *Mar Environ Res* 29(3):161-203. [http://doi.org/10.1016/0141-1136\(90\)90033-K](http://doi.org/10.1016/0141-1136(90)90033-K).
- Seth PK, Agrawal AK, Bondy SC. 1981. Biochemical changes in the brain consequent to dietary exposure of developing and mature rats to chlordcone (Kepone). *Toxicol Appl Pharmacol* 59(2):262-267. [http://doi.org/10.1016/0041-008x\(81\)90197-6](http://doi.org/10.1016/0041-008x(81)90197-6).
- Shah PV, Fisher HL, Sumler MR, et al. 1987. Comparison of the penetration of 14 pesticides through the skin of young and adult rats. *J Toxicol Environ Health* 21(3):353-366. <http://doi.org/10.1080/15287398709531024>.
- Sierra V, Uphouse L. 1986. Long-term consequences of neonatal exposure to chlordcone. *Neurotoxicology* 7(2):609-621.
- Simmons JE, Berman E, Jackson MB, et al. 1987. In vitro and in vivo toxicity: A comparison of acrylamide, cyclophosphamide, chloroecone, and diethylstilbestrol. *J Environ Sci Health A* 22(7):639-664. <http://doi.org/10.1080/10934528709375377>.
- Simon GS, Egle JL, Dougherty RW, et al. 1986. Dominant lethal assay of chlordcone and its distribution in the male reproductive tissues of the rat. *Toxicol Lett* 30(3):237-245. [http://doi.org/10.1016/0378-4274\(86\)90161-x](http://doi.org/10.1016/0378-4274(86)90161-x).
- Singh AP, Shanker K, Parvez SH. 1984. Effect of Kepone on catecholamine-stimulated sodium, potassium-ATPase of rat brain. *Biog Amines* 1(4):313-318.

## 8. REFERENCES

- Singh A, Villeneuve DC, Bhatnagar MK, et al. 1982. Ultrastructure of the thyroid glands of rats fed photomirex: an 18-month recovery study. *Toxicology* 23(4):309-319. [http://doi.org/10.1016/0300-483x\(82\)90069-5](http://doi.org/10.1016/0300-483x(82)90069-5).
- Singh A, Bhatnagar MK, Villeneuve DC, et al. 1985. Ultrastructure of the thyroid glands of rats fed photomirex: a 48-week recovery study. *J Environ Path Toxicol* 6(1):115-126.
- Sittig M. 1980. Chlordcone & mirex. In: Pesticide manufacturing and toxic materials control encyclopedia. Noyes Data Corporation, 171-173, 533-535.
- Skalsky HL, Wren JM, Borzelleca JF. 1980. In vitro and in vivo evaluation of the movement of Kepone in the rat submaxillary gland. *J Environ Pathol Toxicol* 3(5-6):529-536.
- Sloterdijk HH. 1991. Mercury and organochlorinated hydrocarbons in surficial sediments of the St. Francis. *Water Pollut Res J Can* 26(1):41-60. <http://doi.org/10.2166/wqrj.1991.004>.
- Smialowicz RJ, Luebke RW, Riddle MM, et al. 1985. Evaluation of the immunotoxic potential of chlordcone with comparison to cyclophosphamide. *J Toxicol Environ Health* 15(5):561-574. <http://doi.org/10.1080/15287398509530686>.
- Smith JA, Harte PT, Hardy MA. 1987. Trace-metal and organochlorine residues in sediments of the Upper Rockaway River, New Jersey. *Bull Environ Contam Toxicol* 39(3):465-473. <http://doi.org/10.1007/bf01688312>.
- Smrek AL, Adams SR, Liddle JA, et al. 1977. Pharmacokinetics of mirex in goats. 1. Effect on reproduction and lactation. *J Agric Food Chem* 25(6):1321-1325. <http://doi.org/10.1021/jf60214a011>.
- Smuckler EA, Koplitz M, Smuckler DE. 1976. Isolation of animal cell nuclei. In: Bimie GD, ed. Subnuclear components: Preparation and fractionation. Boston, MA: Butterworths Publishing Co., 1-37.
- Sobel ES, Gianini J, Butfiloski EJ, et al. 2005. Acceleration of autoimmunity by organochlorine pesticides in (NZB x NZW)F1 mice. *Environ Health Perspect* 113(3):323-328.
- Sobel ES, Wang F, Butfiloski E, et al. 2006. Comparison of chlordcone effects on autoimmunity in (NZBxNZW) F1 and BALB/c mice. *Toxicology* 218(2-3):81-89. <http://doi.org/10.1016/j.tox.2005.03.018>.
- Soine PJ, Blanke RV, Schwartz CC. 1983. Chlordcone metabolism in the pig. *Toxicol Lett* 17(1-2):35-41. [http://doi.org/10.1016/0378-4274\(83\)90032-2](http://doi.org/10.1016/0378-4274(83)90032-2).
- Soine PJ, Blanke RV, Guzelian PS, et al. 1982. Preferential binding of chlordcone to the protein and high density lipoprotein fractions of plasma from humans and other species. *J Toxicol Environ Health* 9(1):107-118. <http://doi.org/10.1080/15287398209530146>.
- Son HK, Kim SA, Kang JH, et al. 2010. Strong associations between low-dose organochlorine pesticides and type 2 diabetes in Korea. *Environ Int* 36(5):410-414. <http://doi.org/10.1016/j.envint.2010.02.012>.
- Soni MG, Mehendale HM. 1993. Hepatic failure leads to lethality of chlordcone-amplified hepatotoxicity of carbon tetrachloride. *Fundam Appl Toxicol* 21(4):442-450. <http://doi.org/10.1006/faat.1993.1120>.
- Soni MG, Mehendale HM. 1994. Adenosine triphosphate protection of chlordcone-amplified CCl<sub>4</sub> hepatotoxicity and lethality. *J Hepatol* 20(2):267-274. [http://doi.org/10.1016/s0168-8278\(05\)80068-6](http://doi.org/10.1016/s0168-8278(05)80068-6).
- Spence JH, Markin GP. 1974. Mirex residues in the physical environment following a single bait application, 1971-72. *Pestic Monit J* 8(2):135-139.
- Spinelli JJ, Ng CH, Weber JP, et al. 2007. Organochlorines and risk of non-Hodgkin lymphoma. *Int J Cancer* 121(12):2767-2775. <http://doi.org/10.1002/ijc.23005>.
- Squibb RE, Tilson HA. 1982a. Neurobehavioral changes in adult Fischer 344 rats exposed to dietary levels of chlordcone (Kepone): a 90-day chronic dosing study. *Neurotoxicology* 3(2):59-65.
- Squibb RE, Tilson HA. 1982b. Effects of gestational and perinatal exposure to chlordcone (Kepone) on the neurobehavioral development of Fischer-344 rats. *Neurotoxicology* 3(2):17-26.

## 8. REFERENCES

- Starcevic SL, Bortolin S, Woodcroft KJ, et al. 2001. Kepone (chlordecone) disrupts adherens junctions in human breast epithelial cells cultured on matrigel. *In Vivo* 15(4):289-294.
- Stehr-Green PA. 1989. Demographic and seasonal influences on human serum pesticide residue levels. *J Toxicol Environ Health* 27(4):405-421. <http://doi.org/10.1080/15287398909531312>.
- Stein VB, Pittman KA. 1977. Identification of a mirex metabolite from monkeys. *Bull Environ Contam Toxicol* 18(4):425-427. <http://doi.org/10.1007/bf01683711>.
- Stein VB, Pittman KA, Kennedy MW. 1976. Characterization of a mirex metabolite from monkeys. *Bull Environ Contam Toxicol* 15(2):140-146. <http://doi.org/10.1007/bf01685152>.
- Sterrett FS, Boss CA. 1977. Careless Kepone. *Environ Sci Policy Sustain Dev* 19(2):30-37. <http://doi.org/10.1080/00139157.1977.9928594>.
- Stevens RJJ, Neilson MA, Stevens RJJ. 1989. Inter- and intralake distributions of trace organic contaminants in surface waters of the Great Lakes. *J Great Lakes Res* 15(3):377-393.
- Stevens JT, Chernoff N, Farmer JD, et al. 1979. Perinatal toxicology of mirex administered in the diet: II. Relationship of hepatic mirex levels to induction of microsomal benzphetamine N-demethylase activity. *Toxicol Lett* 4(4):269-274. [http://doi.org/10.1016/0378-4274\(79\)90064-X](http://doi.org/10.1016/0378-4274(79)90064-X).
- Strachan WM. 1990. Atmospheric deposition of selected organochlorine compounds in Canada. In: Kurtz DA, ed. *Long range transport of pesticides*. Chelsea, Michigan: Lewis Publishers, Inc., 233-240.
- Sullivan JB, Krieger GR. 1992. Chlорdecone, kelevan, and mirex. In: *Hazardous materials toxicology: Clinical principals of environmental health*. Philadelphia, PA: Wilkins & Wilkins, 1048-1049.
- Sunahara GI, Chiesa A. 1992. Phorone (diisopropylidene acetone), a glutathione depletor, decreases rat glucocorticoid receptor binding in vivo. *Carcinogenesis* 13(7):1083-1089. <http://doi.org/10.1093/carcin/13.7.1083>.
- Suns KR, Hitchin GG, Toner D. 1993. Spatial and temporal trends of organochlorine contaminants in spottail shiners from selected sites in the Great Lakes (1975-1990). *J Great Lakes Res* 19(4):703-714. [http://doi.org/10.1016/s0380-1330\(93\)71258-7](http://doi.org/10.1016/s0380-1330(93)71258-7).
- Swanson KL, Woolley DE. 1982. Comparison of the neurotoxic effects of chlорdecone and dieldrin in the rat. *Neurotoxicology* 3(2):81-102.
- Swartz WJ, Schutzmann RL. 1986. Reaction of the mouse liver to Kepone exposure. *Bull Environ Contam Toxicol* 37(2):169-174. <http://doi.org/10.1007/bf01607745>.
- Swartz WJ, Schutzmann RL. 1987. Liver weight response to extended chlорdecone exposure. *Bull Environ Contam Toxicol* 39(4):615-621. <http://doi.org/10.1007/BF01698453>.
- Swartz WJ, Mall GM. 1989. Chlорdecone-induced follicular toxicity in mouse ovaries. *Reprod Toxicol* 3(3):203-206. [http://doi.org/10.1016/0890-6238\(89\)90008-7](http://doi.org/10.1016/0890-6238(89)90008-7).
- Swartz WJ, Eroschenko VP, Schutzmann RL. 1988. Ovulatory response of chlорdecone (Kepone)-exposed mice to exogenous gonadotropins. *Toxicology* 51(2-3):147-153. [http://doi.org/10.1016/0300-483x\(88\)90145-x](http://doi.org/10.1016/0300-483x(88)90145-x).
- Swift BL, Foley RE, Batcheller GR. 1993. Organochlorines in Common Goldeneyes wintering in New York. *Wild Soc Bull* 21(1):52-56. <http://doi.org/10.2307/3783361>.
- Tabaei SH, Pittman CU, Mead KT. 1991. Dehalogenation of organic compounds-2: the metal catalyzed sodium borohydride or sodium alkoxyborohydride/tetraethylene glycol/KOH dechlorination of mirex. *Tetrahedron Lett* 32(24):2727-2730. [http://doi.org/10.1016/0040-4039\(91\)85069-H](http://doi.org/10.1016/0040-4039(91)85069-H).
- Tabet E, Genet V, Tiaho F, et al. 2016. Chlорdecone potentiates hepatic fibrosis in chronic liver injury induced by carbon tetrachloride in mice. *Toxicol Lett* 255:1-10. <http://doi.org/10.1016/j.toxlet.2016.02.005>.
- Taylor JR. 1982. Neurological manifestations in humans exposed to chlорdecone and follow-up results. *Neurotoxicology* 3(2):9-16.
- Taylor JR. 1985. Neurological manifestations in humans exposed to chlорdecone: follow-up results. *Neurotoxicology* 6(1):231-236.
- Taylor JR, Selhorst JB, Houff SA, et al. 1978. Chlорdecone intoxication in man: 1. Clinical observations. *Neurology* 28(7):626-630.

## 8. REFERENCES

- Teo S, Vore M. 1990. Mirex exposure inhibits the uptake of estradiol-17 b(b-D-glucuronide), taurocholate, and L-alanine into isolated rat hepatocytes. *Toxicol Appl Pharmacol* 104(3):411-420. [http://doi.org/10.1016/0041-008x\(90\)90163-o](http://doi.org/10.1016/0041-008x(90)90163-o).
- Teo S, Vore M. 1991. Mirex inhibits bile acid secretory function in vivo and in the isolated perfused rat liver. *Toxicol Appl Pharmacol* 109(1):161-170. [http://doi.org/10.1016/0041-008x\(91\)90199-o](http://doi.org/10.1016/0041-008x(91)90199-o).
- Teschke K, Kelly SJ, Wiens M, et al. 1993. Concentrations of organochlorine pesticides in the adipose tissue of British Columbia residents. *Can J Public Health* 84(3):192-196.
- Thomann RV. 1989. Bioaccumulation model of organic chemical distribution in aquatic food chains. *Environ Sci Technol* 23(6):699-707. <http://doi.org/10.1021/es00064a008>.
- Thorne BM, Taylor E, Wallace T. 1978. Mirex and behavior in the Long-Evans rat. *Bull Environ Contam Toxicol* 19(3):351-359. <http://doi.org/10.1007/bf01685810>.
- Thottassery JV, Yarbrough JD. 1991. Regulation of glucocorticoid receptors during adaptive liver growth. *Am J Physiol* 260(4 Pt 1):G603-609. <http://doi.org/10.1152/ajpgi.1991.260.4.G603>.
- Tilson HA, Hong JS, Mactutus CF. 1985. Effects of 5,5-diphenylhydantoin (phenytoin) on neurobehavioral toxicity of organochlorine insecticides and permethrin. *J Pharmacol Exp Ther* 233(2):285-289.
- Tilson HA, Hudson PM, Hong JS. 1986. 5,5-Diphenylhydantoin antagonizes neurochemical and behavioral effects of p,p'-DDT but not of chlordcone. *J Neurochem* 47(6):1870-1878. <http://doi.org/10.1111/j.1471-4159.1986.tb13101.x>.
- Tong C, Fazio M, Williams GM. 1981. Rat hepatocyte-mediated mutagenesis of human cells by carcinogenic polycyclic aromatic hydrocarbons but not organochlorine pesticides. *Proc Soc Exp Biol Med* 167(4):572-575. <http://doi.org/10.3181/00379727-167-41217>.
- Topp E, Scheunert I, Attar A, et al. 1986. Factors affecting the uptake of 14C-labeled organic chemicals by plants from soil. *Ecotoxicol Environ Saf* 11(2):219-228. [http://doi.org/10.1016/0147-6513\(86\)90066-7](http://doi.org/10.1016/0147-6513(86)90066-7).
- Tsushima G, Trosko JE, Chang CC, et al. 1982. Inhibition of intercellular communication by chlordcone (Kepone) and mirex in Chinese hamster v79 cells in vitro. *Toxicol Appl Pharmacol* 64(3):550-556. [http://doi.org/10.1016/0041-008x\(82\)90252-6](http://doi.org/10.1016/0041-008x(82)90252-6).
- Tvede KG, Loft S, Poulsen HE, et al. 1989. Methyl parathion toxicity in rats is changed by pretreatment with the pesticides chlordcone, mirex and linuron. *Arch Toxicol*:446-447.
- Ulland BM, Page NP, Squire RA, et al. 1977. A carcinogenicity assay of mirex in Charles River CD rats. *J Natl Cancer Inst* 58(1):133-140. <http://doi.org/10.1093/jnci/58.1.133>.
- Umegaki K, Ikegami S, Ichikawa T. 1993. [Hepatic DNA damage in mice given organochlorine chemicals]. *J Food Hyg Soc Jap* 34(1):68-73 (Japanese)
- Uphouse L, Eckols K. 1986. Serotonin receptors in striatum after chlordcone treatment of adult female rats. *Neurotoxicology* 7(1):25-32.
- Uphouse L, Mason G, Hunter V. 1984. Persistent vaginal estrus and serum hormones after chlordcone (Kepone) treatment of adult female rats. *Toxicol Appl Pharmacol* 72:177-186.
- Uphouse L, Eckols K, Sierra V, et al. 1986. Failure of chlordcone (Kepone) to induce behavioral estrus in adult ovariectomized rats. *Neurotoxicology* 7(1):127-141.
- Upson K, De Roos AJ, Thompson ML, et al. 2013. Organochlorine pesticides and risk of endometriosis: findings from a population-based case-control study. *Environ Health Perspect* 121(11-12):1319-1324. <http://doi.org/10.1289/ehp.1306648>.
- Uzodinma JE, Torttman CH, Myers RE, et al. 1984. Reproductive abnormalities in rats treated with chlordcone. *J Environ Biol* 5(2):81-88.
- Van Hove Holdrinet M, Frank R, Thomas RL, et al. 1978. Mirex in the sediments of Lake Ontario. *J Great Lakes Res* 4(1):69-74. [http://doi.org/10.1016/s0380-1330\(78\)72167-2](http://doi.org/10.1016/s0380-1330(78)72167-2).
- Van Oostdam JC, Dewailly E, Gilman A, et al. 2004. Circumpolar maternal blood contaminant survey, 1994-1997 organochlorine compounds. *Sci Total Environ* 330(1-3):55-70. <http://doi.org/10.1016/j.scitotenv.2004.02.028>.

## 8. REFERENCES

- Verschueren K. 1983. Mirex & Kepone. In: *Handbook of environmental data on organic chemicals*. 2nd ed. Van Nostrand Company,
- Vig PJ, Mehrotra BD, Desaiah D. 1990. Holothurin: an activator of bovine brain 3'-5' phosphodiesterase. *Res Commun Chem Pathol Pharmacol* 67(3):419-422.
- Vig PJS, Yallapragada PR, Trottman CH, et al. 1991. Effect of organochlorine and organotin compounds on active conformation of calmodulin. *J Environ Sci Health A* 26(4):521-534. <http://doi.org/10.1080/10934529109375651>.
- Villeneuve D, Yagminas A, Marino I, et al. 1977. Effects of food deprivation in rats previously exposed to mirex. *Bull Environ Contam Toxicol* 18:278-284. <http://doi.org/10.1007/BF01683419>.
- Wade TL, Atlas EL, Brooks JM, et al. 1988. NOAA Gulf of Mexico status and trends program: Trace organic contaminant distribution in sediments and oysters. *Estuaries* 11(3):171-179. <http://doi.org/10.2307/1351969>.
- Walker RF, Fishman B. 1991. The influence of age on neurotoxicity. In: *The Johns Hopkins series in environmental toxicology: Aging and environmental toxicology: Biological and behavioral perspectives*. Baltimore, MD: Johns Hopkins University Press, 211-231.
- Wang TP, Ho IK, Mehendale HM. 1981. Correlation between neurotoxicity and chlорdecone (Kepone) levels in brain and plasma in the mouse. *Neurotoxicology* 2(2):373-381.
- Wang F, Roberts SM, Butfiloski EJ, et al. 2007a. Acceleration of autoimmunity by organochlorine pesticides: a comparison of splenic B-cell effects of chlорdecone and estradiol in (NZBxNZW)F1 mice. *Toxicol Sci* 99(1):141-152. <http://doi.org/10.1093/toxsci/kfm137>.
- Wang F, Roberts SM, Butfiloski EJ, et al. 2007b. Diminished prolactin from chlорdecone treatment in ovariectomized (NZBxNZW)F1 mice. *Int Immunopharmacol* 7(13):1808-1812. <http://doi.org/10.1016/j.intimp.2007.08.020>.
- Wang F, Sobel ES, Butfiloski EJ, et al. 2008. Comparison of chlорdecone and estradiol effects on splenic T-cells in (NZBxNZW)F1 mice. *Toxicol Lett* 183(1-3):1-9. <http://doi.org/10.1016/j.toxlet.2008.08.020>.
- Wania F, Mackay D. 1993. Global fractionation and cold condensation of low volatility organochlorine compounds in polar regions *Ambio* 22(1):10-18.
- Ware GW, Good EE. 1967. Effects of insecticides on reproduction in the laboratory mouse. II. Mirex, telodrin, and DDT. *Toxicol Appl Pharmacol* 10(1):54-61. [http://doi.org/10.1016/0041-008x\(67\)90127-5](http://doi.org/10.1016/0041-008x(67)90127-5).
- Warren RJ, Kirkpatrick RL. 1978. Barbiturate-induced sleeping times, liver weights, and reproduction of cottontail rabbits after mirex ingestion. *Bull Environ Contam Toxicol* 19(2):223-228. <http://doi.org/10.1007/bf01685790>.
- Waters EM, Huff JE, Gerstner HB. 1977a. Mirex. An overview. *Environ Res* 14(2):212-222. [http://doi.org/10.1016/0013-9351\(77\)90033-0](http://doi.org/10.1016/0013-9351(77)90033-0).
- Waters EM, Gerstner HB, Huff JE. 1977b. Mirex: A risk benefit evaluation. In: Savage EP, ed. *Environmental chemicals human and animal health. Proceedings of the 5th annual conference*. Colorado State University, U.S. Environmental Protection Agency, 49-77.
- WHO. 1984. Environmental health criteria 44: Mirex. Geneva, Switzerland: World Health Organization. EHC 44. <http://www.inchem.org/documents/ehc/ehc/ehc44.htm>. April 3, 2020.
- WHO. 2010. Guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. [http://www.euro.who.int/\\_\\_data/assets/pdf\\_file/0009/128169/e94535.pdf](http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf). April 25, 2012.
- WHO. 2017. Guidelines for drinking-water quality. Fourth edition incorporating the first addendum. Geneva, Switzerland: World Health Organization. <http://apps.who.int/iris/bitstream/10665/254637/1/9789241549950-eng.pdf?ua=1>. February 28, 2017.
- Wielsoe M, Kern P, Bonefeld-Jorgensen EC. 2017. Supplemental data: Serum levels of environmental pollutants is a risk factor for breast cancer in Inuit: a case control study. *Environ Health* 16(1) <http://doi.org/10.1186/s12940-017-0269-6>.

## 8. REFERENCES

- Wiener M, Pittman KA, Stein V. 1976. Mirex kinetics in the rhesus monkey. I. Disposition and excretion. *Drug Metab Dispos* 4(3):281-287.
- Williams PP. 1977. Metabolism of synthetic organic pesticides by anaerobic microorganisms. *Residue Rev* 66:63-135. [http://doi.org/10.1007/978-1-4612-6352-4\\_3](http://doi.org/10.1007/978-1-4612-6352-4_3).
- Williams GM. 1980. Classification of genotoxic and epigenetic hepatocarcinogens using liver culture assays. *Ann N Y Acad Sci* 349:273-282. <http://doi.org/10.1111/j.1749-6632.1980.tb29532.x>.
- Williams JD, Yarbrough JD. 1983. The relationship between mirex-induced liver enlargement and the adrenal glands. *Pestic Biochem Physiol* 19(1):15-22. [http://doi.org/10.1016/0048-3575\(83\)90036-6](http://doi.org/10.1016/0048-3575(83)90036-6).
- Williams DT, LeBel GL, Junkins E. 1984. A comparison of organochlorine residues in human adipose tissue autopsy samples from two Ontario municipalities. *J Toxicol Environ Health* 13(1):19-29. <http://doi.org/10.1080/15287398409530478>.
- Williams DT, LeBel GL, Junkins E. 1988. Organohalogen residues in human adipose autopsy samples from six Ontario municipalities. *J AOAC Int* 71(2):410-414.
- Williams GM, Mori H, McQueen CA. 1989a. Structure-activity relationships in the rat hepatocyte DNA-repair test for 300 chemicals. *Mutat Res* 221(3):263-286. [http://doi.org/10.1016/0165-1110\(89\)90039-0](http://doi.org/10.1016/0165-1110(89)90039-0).
- Williams J, Eckols K, Uphouse L. 1989b. Estradiol and chlordcone interactions with the estradiol receptor. *Toxicol Appl Pharmacol* 98(3):413-421. [http://doi.org/10.1016/0041-008x\(89\)90170-1](http://doi.org/10.1016/0041-008x(89)90170-1).
- Wilson D, Yarbrough JD. 1988. Autoradiographic analysis of hepatocytes in mirex-induced adaptive liver growth. *Am J Physiol* 255(1 Pt 1):G132-139. <http://doi.org/10.1152/ajpgi.1988.255.1.G132>.
- Winger PV, Schultz DP, Johnson WW. 1990. Environmental contaminant concentrations in biota from the lower Savannah River, Georgia and South Carolina. *Arch Environ Contam Toxicol* 19(1):101-117. <http://doi.org/10.1007/bf01059818>.
- Wolfe J, Esher R, Robinson K, et al. 1979. Lethal and reproductive effects of dietary mirex and DDT on old-field mice, *Peromyscus polionotus*. *Bull Environ Contam Toxicol* 21:397-402. <http://doi.org/10.1007/BF01685443>.
- Yarbrough JD, Brown LD, Grimley JM. 1984. Mirex-induced adaptive liver growth: a corticosterone-mediated response. *Cell Tissue Kinet* 17(5):465-473. <http://doi.org/10.1111/j.1365-2184.1984.tb00605.x>.
- Yarbrough JD, Grimley JM, Alley EG. 1986a. Induction of the hepatic cytochrome P-450 dependent monooxygenase system by cis- and trans-5,10-dihydrogen mirex. *Toxicol Lett* 32(1):65-71. [http://doi.org/10.1016/0378-4274\(86\)90050-0](http://doi.org/10.1016/0378-4274(86)90050-0).
- Yarbrough JD, Grimley JM, Karl PI. 1986b. The relationship of ornithine decarboxylase and thymidine kinase to mirex-induced liver growth. *Am J Physiol* 251(6 Pt 1):G859-865. <http://doi.org/10.1152/ajpgi.1986.251.6.G859>.
- Yarbrough JD, Grimley JM, Thottassery JV. 1992. Mirex-induced adaptive liver growth in rats subjected to thyroidectomy. *Hepatology* 15(5):923-927. <http://doi.org/10.1002/hep.1840150528>.
- Yarbrough JD, Chambers JE, Grimley JM, et al. 1981. Comparative study of 8-monohydromirex and mirex toxicity in male rats. *Toxicol Appl Pharmacol* 58(1):105-117. [http://doi.org/10.1016/0041-008X\(81\)90121-6](http://doi.org/10.1016/0041-008X(81)90121-6).
- Yess NJ. 1988. Food and Drug Administration pesticide program residues in foods 1987. *J AOAC Int* 71(6):156A-174A.
- Yess NJ, Houston MG, Gunderson EL. 1991. Food and Drug Administration pesticide residue monitoring of foods: 1978-1982. *J AOAC Int* 74:265-272.
- Yin C, Hassett JP. 1989. Fugacity and phase distribution of mirex in Oswego River and Lake Ontario waters. *Chemosphere* 19(8):1289-1296. [http://doi.org/10.1016/0045-6535\(89\)90076-3](http://doi.org/10.1016/0045-6535(89)90076-3).
- Young RA, Mehendale HM. 1989. Carbon tetrachloride metabolism in partially hepatectomized and sham-operated rats pre-exposed to chlordcone (Kepone). *J Biochem Toxicol* 4(4):211-219. <http://doi.org/10.1002/jbt.2570040403>.