The international, national, and state regulations and guidelines regarding polycyclic aromatic hydrocarbons (PAHs) in air, water, and other media are summarized in Table 7-1.

An MRL of 0.6 mg/kg/day has been derived for intermediate-duration oral exposure (15-364 days) to acenaphthene, based on a minimal LOAEL of 175 mg/kg/day for liver weight in mice (EPA 1989c).

An MRL of 0.4 mg/kg/day has been derived for intermediate-duration oral exposure (15-364 days) to fluoranthene, based on a minimal LOAEL of 125 mg/kg/day for increased liver weight in mice (EPA 1988e).

An MRL of 0.4 mg/kg/day has been derived for intermediate-duration oral exposure (15-364 days) to fluorene, based on a minimal LOAEL of 125 mg/kg/day for relative liver weight in mice (EPA 1989e).

Reference doses have been developed by EPA for anthracene (0.3 mg/kg/day), acenaphthene (0.06 mg/kg/day), fluoranthene (0.04 mg/kg/day), fluorene (0.04 mg/kg/day), and pyrene (0.03 mg/kg/day). No reference concentrations exists for any of the PAHs.

PAHs are regulated under The Emergency Planning and Community Right-to-Know (EPCRA) standards of 40 CFR Subpart J. EPCRA requires owners and operators of certain facilities that manufacture, import, process, or otherwise use these chemicals to report annually their release of those chemicals to any environmental media.

OSHA regulates the benzene soluble fraction of coal tar pitch volatiles and mineral oil mist, which contain several of the PAH compounds. Employers of workers who are occupationally exposed must institute engineering controls and work practices to reduce and maintain employee exposure at or below permissible exposure limits (PEL). The employer must use engineering and work controls, if feasible, to reduce exposure to or below an -hour time-weighted average (TWA) of 0.2 mg/m<sup>3</sup> for coal tar pitch volatiles and 5 mg/m<sup>3</sup> for mineral oil mist.

PAHs are regulated by the Clean Water Effluent Guidelines in Title 40, Sections 400-475, of the Code of Federal Regulations. For each point source category, PAHs may be regulated as a group of chemicals controlled as Total Toxic Organics, may have a specific regulatory limitation, or may have a zero discharge limitation. The point source categories for which the PAHs are controlled as a Total Toxic Organic include electroplating, and metal molding and casting. The point source categories for which the PAHs have specific regulatory limitations include organic chemicals, plastics, and synthetic fibers; cokemaking; and nonferrous metals manufacturing.

Under the Resource Conservation and Recovery Act (RCRA), several PAHs are listed as hazardous wastes when they are discarded commercial chemical products, off-specification species, container residues, and spill residues (40 CFR 261.33).

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons

Agency	Description	Information	Reference
INTERNATIONAL			
IARC	Carcinogenic classification <sup>a</sup> (B[a]A; B[a]P) (B[b]F; B[j]F; B[k]F; I[123cd]P) (Anthracene; B[ghi]P; B[e]P; Chrysene; Fluoranthene; Fluorene; Phenanthrene; Pyrene)	Group 2A <sup>b</sup> Group 2B <sup>c</sup> Group 3 <sup>d</sup>	IARC 1987; IARC 1984; IARC 1984; IARC 1983; IARC 1973
	(Mineral oil mists)	Group 1	
			IARC 1984
	Occupational exposure limits Oil mists, mineral Australia, Belgium, German Democratic Republic, Italy, Netherlands, Switzerland	5 mg/m <sup>3</sup> (TWA	
	Japan, Finland, Sweden	3 mg/m <sup>3</sup> (TWA)	
	Coal-tar pitch volatiles Australia, Belgium, Italy, Netherlands, Switzerland, Yugoslavia	0.2 mg/m <sup>3</sup> (TWA)	
WHO	European standard for drinking water <sup>e</sup>	0.2 μg/L	WHO 1971
NATIONAL			
Regulations: a. Air: OSHA	PEL, TWA	0.2 mg/m <sup>3</sup>	29 CFR 1910.1000
	Coal tar pitch volatiles-benzene soluble fraction <sup>f</sup>		29 CFR 1910.1002 OSHA 1993 ACGIH 1991
	Oil mist, mineral	5 mg/m <sup>3</sup>	29 CFR 1910.1000
EPA	Hazarouds Air Pollutants: Proposed Regulations Governing Constructed, Reconstructed or Modified Major Sources	Yes	59 FR 15504 April 1, 1994 (40 CFR 63.44)
b. Non-specific media:			
EPA	Solid Waste		40 CFR Subchapter I
	Criteria for municipal solid waste landfills		40 CFR 258
	List of hazardous inorganic and organic constituents (all PAHs)	Yes	40 CFR App. II
	Identification and Listing of Hazardous Waste	Yes	40 CFR 261
	Off-specification and discarded materials, and residues (B[a]A, B[a]P, Chrysene, DB[a,h]A, DB[a,i]P, Fluoranthene, I[1,2,3-cd]P)		40 CFR 261.33

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information		Reference	
NATIONAL (cont.)	Basis for listing hazardous waste (Acenaphthylene; B[a]A; B[a]P; B[b]F; B[k]F; Chrysene; DB[a,h]A; Fluoranthene; I[1,2,3-cd]P)	Yes		40 CFR 261, App. VII	
	Hazardous constituents of waste (B[a]A; B[b]F; B[j]F; B[k]F; B[a]P; Chrysene; DB[a,e]P; DB[a,h]P; DB[a,i]P; Fluoranthene, I[1,2,3-cd]P)	Yes		40 CFR 261, App. VIII	
	Waste excluded from nonspecific sources	Yes		40 CFR 261, App. IX	
	Carbamate production identification and listing of hazardous waste: oral and inhalation toxicity information for waste constituents (Notice of proposed rulemaking)	Yes		59 FR 9808 March 1, 1994 (40 CFR 261.32) EPA 1994	
	Standards for Owners, and Operators of Hazardous Waste Treatment, Storage & Disposal Facilities Groundwater monitoring list (all	Yes		40 CFR 264	
	PAHs)			40 CFR 264, App. IX	
	Standards for the Management of Specific Hazardous Wastes and Specific Types of Hazardous Waste Management Facilities			40 CFR 266	
	Limits for exclusion of waste-derived residues (B[a]A) (DB[a,h]A)	1x10 <sup>-4</sup> mg/kg 7x10 <sup>-6</sup> mg/kg		40 CFR 266, App. VII	
	Land Disposal Restrictions			40 CFR 268	
	Waste to be evaluated (B[a]A; B[a]P; Chrysene; DB[a,h]A; I[1,2,3-cd]P)	Yes		40 CFR 268.10	
	List of wastes to be identified by May 8, 1990	Yes		40 CFR 268.12	
	Land disposal treatment concentrations			40 CFR 268.43	
	Waste No. F039	Wastewaters (mg/L)	Non-wastewaters (mg/kg)		
·	Acenaphthalene Acenaphthene/Anthracene/ Fluorene	0.059 0.059	3.4 4.0	·	
	B[a]A; Chrysene	0.059	8.2		
	B[b]F; B[k]F	0.055	3.4		
	B[g,h,i]P	0.055	1.5		
	B[a]P	0.061	8.2		
	DB[a,h]A	0.055	8.2		
	DB[a,e]P Fluoranthene	0.061 0.068	NA 8.2		
	Phenanthrene	0.059	3.1		
	Pyrene	0.067	8.2		

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description		Information	Reference
NATIONAL (cont.)	Waste No. K035			
	Acenaphthrene; Anthracene, B[a]P; DB[a,h]A; Fluorene; I[1,2,3-cd]P	NA	3.4	
	B[a]A; Chrysene; Phenanthrene	0.059	3.4	
	Fluoranthene	0.068	3.4	•
	Pyrene	0.067	8.2	
	Waste No. K048			
	B[a]P	0.047	12	
	Chrysene	0.043	15	
	Fluorene	0.011	14	
	Phenanthrene	0.033	42	
	Pyrene	0.047	36	
	Waste No. K087			
	Acenaphthalene; Chrysene; Fluoranthene; I[1,2,3-cd]P; Phenanthrene	0.028	3.4	
	Waste No. K049			
	Anthracene	0.039	28	
	B[a]P	0.047	. 12	
	Chrysene	0.043	15	
	Phenanthrene	0.033	42	
	Pyrene	0.047	3.6	
	Waste No. K051			
	Acenaphthene	0.05	NA	
	Anthracene	0.039	28	
	B[a]A	0.043	20	
	Phenanthrene	0.011	14	
	Pyrene	0.033	42	
	Waste No. U018, U050 (B[a]A; Chrysene)	0.059	8.2	
	U022 (B[a]P)	0.061	8.2	
	U063 (DB[a,h]A)	0.055	8.2	
	U120 (Fluoranthene)	0.068	8.2	
	U137 (I[1,2,3-cd]P)	0.0055	8.2	
	Requirements Authorization of State Hazardous Waste Programs			40 CFR 271

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
NATIONAL (cont.)	Regulations implementing the HSWA of 1984	Yes	40 CFR 271.1
	Proposed rule: Universal treatment standards for organics	Yes	58 FR 48092 Sept. 14, 1993
	Maximum grab sample (non- wastewaters)		(40 CFR 148, 260, 261, 268, 271)
	Acenaphthalene; acenaphthene; anthracene; B[a]A; B[a]P; chrysene; fluoranthene; fluorene; l[1,2,3-cd]P	3.4 mg/kg	
	B[b]F; B[k]F	6.8 mg/kg	
	B[g,h,i]P	1.8 mg/kg	
	DB[a,h]A; pyrene	8.2 mg/kg	
	Phenanthrene	5.6 mg/kg	
	Maximum grab sample (wastewaters)		
	Acenaphthalene; acenaphthene; anthracene; B[a]A; chrysene; fluorene; phenanthrene	0.059 mg/L	
	B[a]P; DB[a,e]P	0.061.mg/L	
	B[b]F; B[k]F	0.11 mg/L	
	B[g.h,i]P; I[1,2,3-cd]P	0.0055 mg/L	
	DB[a,h]A	0.055 mg/L	
	Fluoranthene	0.068 mg/L	
	Pyrene	0.067 mg/L	
	Proposed rule: BDAT standard		
	Maximum grab sample (non- wastewaters)		
•	B[a]A; B[a]P; chrysene; I[1,2,3-cd]P	3.4 mg/kg	
	B[b]F; B[k]F	6.8 mg/kg	
	DB[a,h]A	8.2 mg/kg	
	Maximum grab samples (wastewaters)		
	B[a]A; chrysene	0.059 mg/L	
	B[a]P	0.061 mg/L	
	B[b]F; B[k]F	0.11 mg/L	
	I[1,2,3-cd]P	0.0055 mg/L	
	DB[a,h]A	0.055 mg/L	
	Superfund, Emergency Planning, and Community Right-To-Know Programs		40 CFR Subchapter

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
NATIONAL (cont.)	Desigination, Reportable Quantities and Notification		40 CFR 302
	Designation and Reportable Quantities of Hazardous Waste		40 CFR 302.4
	Acenaphthene; chrysene, fluoranthene, ![1,2,3-cd]P	100 pounds	
	Acenaphthylene; anthracene, B[k]F; B[g,h,i]P; fluorene; phenanthrene, pyrene	5,000 pounds	
	B[a]A	10 pounds	
	B[b]F; B[a]P; DB[a,h]A	1 pound	
•	Emergency Planning and Notification		40 CFR 355
	List of extremely hazardous substances and threshold planning quanitties		40 CFR 355, App. A
	Pyrene	1,000/10,000 lbs.	
	Toxic Chemical Release Reporting: Community Right-to-Know		40 CFR 372
	Toxic chemical listing (anthracene)	Yes	40 CFR 272.65
	Proposed Rule: National oil and hazardous substance pollution contingency plan; QA/QC of chemical analysis of oil compositoin using GC/MS	Yes	58 FR 54702 October 22, 1993 40 CFR 300
	Proposed Rule: Addition of certain chemicals; toxic chemical release reporting; comunity right-to-know	Yes .	59 FR 1788 January 12, 1994 40 CFR 372
	Toxic Substances Control Act		40 CFR Subchapter R
	Reporting and Recordkeeping Requirements		40 CFR 704
	Chemical substance matrix for CAIR reporting (Phenanthrene, pyrene)	Yes	40 CFR 704.225
	Health and Safety Data Reporting		40 CFR 716
	Listing of substances and mixtures (anthracene)	Yes	40 CFR 716.120
	Significant New Uses of Chemical Substances		40 CFR 721
	Fluorene substituted aromatic amines	Yes	40 CFR 721.3764
	Provisional Test Guidelines		40 CFR 795

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Info	rmation	Reference
NATIONAL (cont.)	Protocol for determining anaerobic microbiological transformation rate data for chemicals in the subsurface environment	Yes		40 CFR 795.54
DOT	Hazardous materials transport	Yes		49 CFR 171 DOT 1991
c. Water				
EPA	Water Programs			40 CFR Subchapter D
	National Pollution Discharge Elimination System (NPDES)			40 CFR 122
	Testing requirements for NPDES permits			
	B[a]P; acenaphthene; aenaphthalene	Yes		40 CFR 122, App. D
	Guidelines Establishing Test Procedures for the Analysis of Pollutants			40 CFR 136
	Guidelines for testing pollutants under the CWA (all PAHs)			40 CFR 136.3
	Testing procedures for PAHs base/neutrals and acids, semivolatile organic compounds (all PAHs)	Yes		40 CFR 136, App. A Methods 610, 625, 1625 (Revision B)
	National Primary Drinking Water Regulations			40 CFR 141
	Effective dates (B[a]P)	Yes		40 CFR 141.6
	Sampling and Analytical Requirements for organic chemicals (B[a]P)	Yes		40 CFR 141.24
	Public notification under the SDWA (B[a]P)	0.002 ppm		40 CFR 141.32
	Special monitoring for organic and inorganic compounds (B[a]P)	Yes		40 CFR 141.40
	Maximum contaminant levels for organic contaminants (B[a]P)	0.0002 mg/L		40 CFR 141.61
	Final Rule: Water quality standards; numeric criteria for priority toxic pollutants; states' compliance	Yes		57 FR 60848 Dec. 22, 1992 (40 CFR 131)
	Human health $(10^{-6} \text{ risk for carcinogens})$ ; for consumption of $(\mu g/L)$ :	Water and Organism	Organism Only	
	Anthracene	9,600	110,000	
	B[a]A; B[a]P; B[b]F; B[k]F; chrysene; DB[a,h]A; I[1,2,3-cd]P	0.0028	0.031	
	Fluoranthene	300	370	ı

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency  NATIONAL (cont.)	Description	Info	rmation	Reference
	:.) Fluorene	1,300	14,000	
	Pyrene	960	11,000	
	Proposed Rule: National primary and secondary drinking water regulations; analytical methods for regulated drinking water contaminants (B[a]P)	Yes		58 FR 5622 Dec. 15, 1993 (40 CFR 141, 143)
	Effluent Guidelines and Standards			40 CFR Subchapte N
	General Provisions			40 CFR 401
	Toxic pollutants under Sec. 307(a) of the CWA (Acenaphthene, fluoranthene)	Yes		40 CFR 401.15
	General Pretreatment Regulations for Existing and New Sources of Pollution			40 CFR 403
	Pretreatment regulations for POTWs (acenaphthene, fluoranthene)	Yes		40 CFR 403, App. E
	Electroplating Point Source Category			40 CFR 413
	Definition of total toxic organic (TTO) (all PAHs, excluding acenaphthene)	Yes		40 CFR 413.02
	Organic Chemicals, Plastics, and Synthetic Fiber			40 CFR 414
	Toxic effluent standards for point sources that use end-of-pipe biological treatment	Daily maximum (μg/L)	Monthly Maximum (μg/L)	40 CFR 414.91 (58 FR 36872) July 9, 1993
	Acenaphthene; acenaphthylene; anthracene; B[a]A; B[k]F; Chrysene; fluorene; phenanthrene	59	22	
	Fluoranthene	68	25	
•	B[a]P	61	23	
	Pyrene	67	25	
	Toxic pollutant standards for point sources that do not use end-of-pipe biological treatment	·		58 FR 36872 (40CFT 414.101
	Acenaphthene; acenaphthylene; anthracene; B[a]A; B[k]F; Chrysene; fluorene; phenanthrene	47	19	
	B[a]P; pyrene	48	20	
	Fluoranthene	54	22	
	Toxic pollutant standards for indirect discharge point sources			58 FR 36872 40 CFR 414.111
	Acenaphthene; anthracene; fluorene; phenanthrene	47	19	
				•

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Info	ormation	Reference
NATIONAL (cont.)	Fluoranthene	54	22	
	Pyrene	48	20	
	Iron and Steel Manufacturing Point Source Category			40 CFR 420
	Definition (B[a]P)	Yes		40 CFR 420.02
	Effluent limitations attainable using BAT for cokemaking B[a]P1 day maximum (kg/kkg of product)			40 CFR 420.13
	cokemakingiron and steel	0.0000319		
	iron and steel with physical chemical treatment	0.0000215		
	merchant	0.0000355		
	merchant with physical chemical treatment	0.0000250		
	New source performance standards (B[a]P)1 day maximum (kg/kkg of product)	Yes		40 CFR 420.14
	cokemakingiron and steel	0.0000319		
	merchant	0.0000355		
	Nonferrous Metals Manufacturing Point Source Category			40 CFR 421
	Definition of B[a]P for primary aluminum smelting	Yes		40 CFR 421.21
	Effluent limitations attainable by application of BAT for primary aluminum smelting plants (mg/kg)	Max. 1-day limit	Max. monthly avg.	40 CFR 421.23
	Anode and cathode plastic plant wet air pollution control	0.005	0.002	
•	Anode contact cooling and briquette quenching	0.007	0.003	
	Anode bake plant wet air pollution control (closed top)	0.146	0.067	
	Anode bake plant wet air pollution control (open top ring furnace with spray tower only	0.002	0.001	
	Anode bake plant wet air pollution control (open top ring furnace with wet ESP and spray tower)	0.025	0.011	
	Anode bake plant wet air pollution control (tunnel kiln)	0.038	0.018	
	Cathode reprocessing (with dry potline scrubbing and not commigled)	1.181	0.547	1

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

rence
R 421.24
. •

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Info	rmation	Reference
NATIONAL (cont.)	Stationary casting or shot casting contact cooling	0.000	na	
	Pretreatment standards for primary aluminum smelting sources (B[a]P) (mg/kg)	Max. 1-day limit	Max. monthly avg.	40 CFR 421,26
	Anode and cathode paste plant wet air pollution control	0.000	na	•
	Anode contact cooling and briquette quenching	0.007	0.003	
	Anode bake plant wet air pollution control	0.000	na	
	Cathode reprocessing (operating with dry potline scrubbing and not commingled)	1.181	0.547	
	Cathode reprocessing (operating with dry potline scrubbing and commingled)	1.181	0.547	
	Potline wet air pollution control	0.000	na	
	Potroom wet air pollution control	0.000	na	
	Potline SO <sub>2</sub> emissions wet air pollution control	0.045	0.021	
	Degassing wet air pollution control	0.000	na	
	Pot repair and pot soaking	0.000	na	
	Direct chill casting contact cooling	zero	zero	
	Continuous rod casting contact cooling	zero	zero	
	Stationary casting or shot casting contact cooling	0.000	na	
	Steam Electric Power Generating Point Source Category			40 CFR 423
	Priority pollutants for steam power generators (all PAHs)	Yes		40 CFR 423, App. A
	Metal Finishing Point Source Category			40 CFR 433
	Definition of total toxic organics (TTO) for metal refinishing (all PAHs)	Yes		40 CFR 433.11
	Metal Molding and Casting Point Source Category			40 CFR 464
	Definition of TTO for aluminum casting (Acenphthene; anthracene; B[a]A; B[a]P; chrysene; fluorene; fluoranthene; phenanthrene; pyrene)	Yes		40 CFR 464.11

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
NATIONAL (cont.)	Definition of TTO for copper casting (Acenphthene; acenaphthylene; anthracene; B[a]A; B[b]F; chrysene; phenanthrene; pyrene)	Yes	40 CFR 464.21
	Definition of TTO for ferrous casting (Acenaphthene; chrysene; acenaphthylene; anthracene; fluoranthene; fluorene; phenanthrene; pyrene)	Yes	40 CFR 464.31
	Definition of TTO for zinc casting . (Acenaphthene; fluoranthene)	Yes	40 CFR 464.41
	Aluminum Forming Point Source Category		40 CFR 467
	Definition of TTO for aluminum casting (Acenaphthene; acenaphtylene; anthracene; B[k]F; B[a]P; B[g,h,i]P; chrysene; DB(a,h]A; fluoranthene; fluorene, I[1,2,3-cd]P; phenanthrene; pyrene)	Yes	40 CFR 467.02
	Copper Forming Point Source Category		40 CFR 468
	Definition of TTO for copper forming (Anthracene; phenanthrene)	Yes	40 CFR 468.02
Guidelines:			
a. Air: ACGIH	TLV TWA; Confirmed human carcinogens	3	ACGIH 1991
	Coal tar pitch volatiles-benzene soluble fraction Phenanthrene: cyclohexane extractable fraction Oil mist, mineral	0.2 mg/m <sup>3</sup> 1030 mg/m <sup>3</sup>	
	TWA STEL	5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	ACGIH 1991
NIOSH	REL TWA  Coal tar pitch volatiles; B[a]P;  cyclohexane extractable fraction	Ca <sup>g</sup> ; 0.1 mg/m <sup>3</sup>	NIOSH 1992
	Chrysene	Ca <sup>9</sup> ; lowest feasible concentration	
	Oil mist, mineral TWA STEL	5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	
o. Water: EPA OWRS	Ambient water quality criteria for protection of human health		IRIS 1994
	Ingestion of water and organisms <sup>h</sup> PAHs	0.0028 μg/L	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
NATIONAL (cont.)	Ingestion of organisms only PAHs Fluoranthene	0.031 μg/L 54 μg/L	
	Organoleptic effects (acenaphthene)	0.02 mg/L	
EPA OW	Drinking water standards and health advisories		EPA 1994
	Maximum contaminant level goal (B[a]P) for organic chemicals	0 mg/L	40 CFR 141.50
	Maximum contaminant level (B[a]A) (B[a]P, B[b]F, B[k]F, chrysene) (DB[ah]A) (I[123cd]P)	0.0001 mg/L 0.0002 mg/L 0.0003 mg/L 0.0004 mg/L	
EPA	Clean Water Act: Toxic pollutants subject to the effluent standards of the Clean Water Act section 301(a)(I)		EPA 1981b (40 CFR 401.15) EPA 1991b (40 CFR 129)
	Polynuclear aromatic hydrocarbons (include: acenaphthene; benzanthracene; benzopyrenes; benzofluoranthene; chrysenes; dibenzoanthracenes; indenopyrenes; fluoranthenes)	Yes	
c. Non-specific media: EPA	Carcinogenic classification <sup>i</sup>		IRIS 1994
	(Fluoranthene, anthracene, acenaphthylene)	Group D	
	(B[a]A, I[123cd]P, DB[ah]A, chrysene, B[k]F, B[b]F, B[a]P)	Group B	
EPA	RfD (Oral)		IRIS 1994
	Anthracene	0.3 mg/kg/day (u.f. 3000)	
	Acenaphthene	0.06 mg/kg/day (u.f. 3000)	
	Fluoranthene	0.04 mg/kg/day	
	Fluorene	(u.f. 3000) 0.04 mg/kg/day	
	Pyrene	(u.f. 3000) 0.03 mg/kg/day	
	Acenaphthylene; B[a]P; B[e]P; B[a]A; B[b]F; B[ghi]P; B[k]F; B[j]F; chrysene; DB[ah]A; I[123cd]P; BP; phenanthrene	(u.f. 3000) No data	
OSHA	NRC recommendations concerning chemical hygiene in laboratories (B[a]P)	Yes	29 CFR 1910.1450, App. A

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE			
Regulations and Guidelines: a. Air			
	Average acceptable ambient air concentrations		NATICH 1992
Arizona (B[a]P; B[a]A; DB[ah]A)	1-hour average 24-hour average Annual	0.79 μg/m <sup>3</sup> 0.21 μg/m <sup>3</sup> 0.00057 μg/m <sup>3</sup>	•
Connecticut (B[a]P;) (Coal tar pitch volatiles) (Fluorene)	8-hour average 8-hour average 8-hour average	0.1000 μg/m <sup>3</sup> 2.0000 μg/m <sup>3</sup> 50.000 μg/m <sup>3</sup>	
(Naphthalene) Florida- Ft Ldle Coal tar pitch volatiles	8-hour average 8-hour average	10000.0000 µg/m <sup>3</sup> 2.00x10 <sup>-3</sup> µg/m	
Florida-Pinella (B[a]P)	Annual	0.0003 μg/m <sup>3</sup>	
(B[a]A)	8- and 24-hour average Annual	0.00 µg/m <sup>3</sup> 0.00110 µg/m <sup>3</sup>	
(DB[ah]A)	Annual	7.10x10 <sup>-5</sup> μg/m <sup>3</sup>	
Coal tar pitch volatiles	8-hour average 24-hour average	2.00 μg/m <sup>3</sup> 0.48 μg/m <sup>3</sup>	
Indiana (B[a]P)	8-hour average Annual	0.100 μg/m <sup>3</sup> 0.0006 μg/m <sup>3</sup>	
Kansas (B[a]P)	Annual	3.03x10 <sup>-4</sup> µg/m <sup>3</sup>	
(Coal tar pitch volatiles)	Annual	0.00161 μg/m <sup>3</sup>	
Kansas-KC (B[a]P)	Annual	3.03x10 <sup>-4</sup> μg/m <sup>3</sup>	
Louisiana (Fluoranthene)	Annual	0.0600 μg/m <sup>3</sup>	·

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
Maryland (B[a]P; B[a]A; DB[ah]A; Fluorene; Fluoranthene;		0.00 μg/m <sup>3</sup>	
Acenaphthene; Acenaphthylene; Anthracene; B[b]F; B[k]F; B[ghi]P; Chrysene; I[123cd]P; Phenanthrene; Pyrene; B[e]P)			
Maine			
(B[a]P)	Annual	5.70x10 <sup>-4</sup> μg/m <sup>3</sup>	
Michigan (B[a]P)	Annual	3.00x10 <sup>-4</sup> μg/m <sup>3</sup>	
Nevada (Coal tar pitch volatiles)	8-hour average	0.0050 mg/m <sup>3</sup>	
New York (B[a]P)		0.00 μg/m <sup>3</sup>	NATICH 1992
North Carolina (B[a]P)	Annual	3.30x10 <sup>-5</sup> mg/m <sup>3</sup>	
(Coal tar pitch volatiles)	Annual	3.30x10 <sup>-5</sup> mg/m <sup>3</sup>	
North Dakota (B[a]P; B[a]A; DB[ah]A; B[b]F; Chrysene; I[123cd]P)		0.00 μg/m <sup>3</sup>	
Pennsylvania- Phila (B[a]P)	1-year average Annual	7.00x10 <sup>-4</sup> µg/m <sup>3</sup> 7.00x10 <sup>-4</sup> µg/m <sup>3</sup>	
(Coal tar pitch volatiles)	1-year average	0.4800 μg/m <sup>3</sup>	
Texas (B[a]P)	30-minute average Annual	0.03 µg/m <sup>3</sup> 0.003 µg/m <sup>3</sup>	
(Chrysene)	30-minute average Annual	0.500 μg/m <sup>3</sup> 0.05 μg/m <sup>3</sup>	
Virginia (B[a]P; chrysene)	24-hour average	0.00 μg/m <sup>3</sup>	·

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
(Coal tar pitch volatiles)	24-hour average	2.0000 μg/m <sup>3</sup>	
Vermont (B[a]P)	Annual	3.00x10 <sup>-14</sup> μg/m <sup>3</sup>	
(Phenanthrene)	Annual	1.30 μg/m <sup>3</sup>	
(Pyrene)	Annual	3.40 μg/m <sup>3</sup>	
Washington- SWest (B[a]P)	Annual	6.00x10 <sup>-4</sup> μg/m <sup>3</sup>	
Kentucky	Significant emission levels of toxic air pollutants B[a]P; B[b]F; B[a]A; DB[ah]A; I[123cd]P	5.100x10 <sup>-7</sup> pounds/hour	401 KAR 63:022 NREPC 1991
	Chrysene; coal tar pitch volatiles	5.103x10 <sup>-5</sup> pounds/hour	
. Water:	Water quality standards		NYSDEC 1994
New York Acenaphthene	Drinking water quality standards	20 μg/L	
Arizona (B[a]P)	Difficility water quality standards	0.003 μg/L	FSTRAC 1990
Kansas (B[a]P) (All other PAHs)		0.03 μg/L 0.029 μg/L	
Maine (PAHs)		25 μg/L	
Minnesota (PAHs)		0.028 μg/L	
New Hampshire (B[a]P)		0.003 μg/L	
New Mexico (B[a]P)		10 μg/L	
(All other PAHs)		30 µg/L	
New Jersey (All PAHs)		1 μg/L	NJDEP 1989

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

<del></del>	Description	Information	Reference
State (cont.)			
	ACENAPHTH	YLENE	
	Water Quality: Human Health		CELDs 1994
AL	Consumption of Water and Fish	** (no value recorded)	
	Fish Consumption Only	**	
AZ	Numeric Water Quality Criteria Domestic Water Supply (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	0.003 μg/L 0.002 μg/L 0.12 μg/L NNS (no numerical standard)	
МО	Human Health Protection-Fish Consumption Drinking Water Supply (This concentration is allowed for each of a goup of PAHs) Groundwater	0.03 μg/L 0.003 μg/L 0.003 μg/L	
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	
co		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MN		Yes	
NY		Yes	
ОН		Yes	·
sc		Yes	
TN		Yes	
VA		Yes	
Wi		Yes	
WV .		Yes	
	ACENAPHTH	IENE	
	Water Quality: Human Health		CELDS 1994
AL	Consumption of Water and Fish Fish Consumption Only	20(0) μg/L 20(0) μg/L	* *

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
AZ	Numeric Water Quality Criteria Domestic Water Source (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	420 μg/L 2600 μg/L 8400 μg/L 8400 μg/L	
МО	Class II Human Health Protection- Fish Consumption	2700 μg/L	
WI	Class III Drinking Water Supply  Threshold conc. for substances causing taste and odor in water (not toxic to humans)	20 μg/L 20 μg/L	
ОН	Water Supply Public Water Supply Outside mixing zone Human health 30 day-average	20 µg/L	
DC	Numerical Standards for Water Quality Criteria for Classes (Maximum) Classes A, B, C Classes D, E	50.0 μg/L	
	Water Quality: Aquatic Life	20.0 μg/L	CELDs 1994
AZ	Acute Criteria for Aquatic and Wildlife Uses Cold Water Fishery (A&Wc) Warm Water Fishery (A&Ws) Effluen't Dominated Water (A&Wedw) Ephemeral (A&We)	850 850 850 NNS	CELDS 1994
	Chronic Criteria for Aquatic and Wildlife Uses Cold Water Fishery (A&Wc) Warm Water Fishery (A&Ws) Effluent Dominated Water (A&Wedw) Ephemeral (A&We)	550 μg/L 5,500 μg/L NNS	
со	Aquatic life segments-organic compounds to the second power Standard (acute) Standard (chronic)	1,700 µg/L 520 µg/L	
н	Numeric Standards for Toxic Pollutants Applied to All Waters Freshwater (acute) Saltwater (acute) Fish Consumption	570 μg/L 320 μg/L NS (no standard developed)	
ОН	Aquatic Life Habitat-Coldwater Outside mixing zone (maximum) Outside mixing zone (30-day average) Inside mixing zone (maximum)	67 μg/L 67 μg/L 134 μg/L	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
	Aquatic Life Habitat-Limited Resource Warmwater Outside mixing zone (maximum) Inside mixing zone (maximum)	67 μg/L 134 μg/L	
NY	Water Classes-A, A-S, AA, AA-S Standards µg/L Type-health (water source) Basis code-chem.correlation	20 μg/L	•
	Groundwater Monitoring		CELDs 1994
AL		Yes	
CO		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MN		Yes	
NY		Yes	
ОН		Yes	
sc		Yes	
TN		Yes .	
VA		Yes	
WI		Yes	
WV		Yes	
•	Groundwater Quality Standards		CELDs 1994
МО	Class VII-Groundwater	20 μg/L	
	ANTHRAC	ENE	
	Water Quality: Human Health	•	CELDs 1994
AZ	Numeric Water Quality Criteria Domestic Water Source (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	2100 µg/L 6300 µg/L 420000µg/L NNS	
МО	Human Health Protection-Fish Consumption Drinking Water Supply Groundwater	0.03 μg/L 0.003 μg/L 0.003 μg/L	
ОН	Water Supply Public Water Supply		

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
	Outside mixing zone Human Health 30-day average	0.028 0.003 μg/L	
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	•
CA		Yes	
IL		Yes	
KY .		Yes	
NY	·	Yes	
ОН		Yes	
SC		Yes	
TN		Yes	
VA		Yes	
WI		Yes	
wv		Yes	
	Water Quality: Aquatic Life		CELDs 1994
ОН	Aquatic Life Habitat-Coldwater Outside mixing zone Human Health 30-day average	0.31 μg/L*	
	Aquatic Life Habitat-Limited Resource Warmwater Outside mixing zone Human Health 30-day average	0.31 μg/L*	
	*This value applies to		
	BENZ(a)ANTHE		
	Hazardous Constituents	TACENE	051 D- 1001
AL.	riazardous Constituents	Yes	CELDs 1994
IL.		Yes	
LA		Yes	
KY		Yes	
MA		Yes	
ME		Yes	
MD		Yes	
MN		Yes	
MT		Yes	
NH		Yes	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
NJ		Yes	
NE		Yes	
ND		Yes	
NY		Yes	·
ОН		Yes	
sc		Yes	
VA		Yes	
VT		Yes	
Wi		Yes	
WV		Yes	
WY		Yes	
•	Water Quality: Human Health		CELDs 1994
<b>AL</b>	Human Health Criteria: Consumption of Water and Fish Fish Consumption Only -Classified as a carcinogen	**	
AZ	Numeric Water Quality Criteria: Domestic Water Source (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC) -known, probable, or possible human carcinogen	0.03 μg/L 0.00008 μg/L 0.12 μg/L NNS	
МО	Human Health Protection-Fish Consumption Drinking Water Supply Groundwater Water Supply Public Water Supply	0.03 μg/L 0.003 μg/L 0.003 μg/L	
он	Outside mixing zone Human health 30-day average	0.028 μg/L	
WI	Human Cancer Criteria* Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Great Lakes	0.023 mg/L 0.023 mg/L 0.023 mg/L	
	*Human cancer criteria for PAHs are applicable to any combination of 10 PAHs (specific)		

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
WI	Human Cancer Criteria* Non-Public Water Supplies Warmwater Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and Limited Aquatic	0.1 mg/L 0.1 mg/L 6.1 mg/L	
	*Human cancer criteria are applica	able to any combination of 9 PAF	Hs.
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MN		Yes	
NY		Yes	
ОН		Yes	
sc		Yes	
TN	•	Yes	
VA		Yes	
Wi		Yes	
wv		Yes	
	Water Quality: Aquatic Life		CELDs 1994
ОН	Aquatic Life Habitat-Coldwater Outside mixing zone Human Health 30-day average	0.31 μg/L*	
	Aquatic Life Habitat-Limited Resource Warmwater Outside mixing zone Human Health		
	30-day average	0.31 μg/L*	
	* This value applied to the	e sum of 13 PAHs	
	BENZO(b)FLUOF	RANTHENE	
	Water Quality: Human Health		CELDs 1994
ОН	Water Supply-Public Water Supply Outside Mixing Zone		
	Human Health 30-day average	0.028 μg/L*	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
WI	Human Cancer Criteria Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Great Lakes	0.023 μg/L 0.023 μg/L 0.023 μg/L	
	Non-Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and Limited Aquatic	0.1 mg/L 0.1 mg/L 6.1 mg/L	
	Water Quality: Aquatic Life		CELDs 1994
• ОН	Aquatic Life Habitat-Coldwater Outside Mixing Zone Human Health 30-day average	0.31 μg/L	
	Aquatic Life Habitat-Limited Resource Warmwater Outside Mixing Zone Human Health 30-day average	0.31 mg/L	
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	
со		Yes	
CA	•	Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MN		Yes	
NY .		Yes	
ОН		Yes	
sc		Yes	
TN		Yes	
VA		Yes	
WI		Yes	
WV		Yes	
	Hazardous Constituents		CELDs 1994
AL		Yes	
CO		Yes	
IL.		Yes	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
LA		Yes	
KY		Yes	
MD		Yes	
MN		Yes	•
MT		Yes	
NE		Yes	
ND		Yes	
NY		Yes	
ОН		Yes	
SC		Yes	
VA		Yes	
VT		Yes	•
WI		Yes	
wv		Yes	
WY		Yes	
	BENZO(k)FLUOF	RANTHENE	
	Water Quality: Aquatic Life		CELDs 1994
ОН	Aquatic Life Habitat-Coldwater Outside Mixing Zone Human Health 30-day average	0.31 μg/L	
	Aquatic Life Habitat-Limited Resource Warmwater Outside Mixing Zone Human Health 30-day average	0.31 μg/L	
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	
co		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
·MN		Yes	
NY		Yes	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
sc		Yes	
TN		Yes	
VA		Yes	
Wi		Yes	•
wv		Yes	
	Hazardous Constituents		CELDs 1994
AL		Yes	
СО		Yes	
IL		Yes	
MD		Yes	
MT		Yes	
NE		Yes	
OH		Yes	
sc .		Yes	
VA		Yes	
VT		Yes	
WY		Yes	
	Water Quality: Human Health		CELDs 1994
AL	Consumption of Water and Fish Fish Consumption Only	, ## ##	
AZ	Numeric Water Quality Criteria Domestic Water Source (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	0.003 μg/L 0.00001 μg/L 0.12 μg/L NNS	
ОН	Water Supply Public Water Supply Outside Mixing Zone Human Health 30-day average	0.028 μg/L	
WI	Human Cancer Criteria Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Great Lakes	0.023 mg/L 0.023 mg/L 0.023 mg/L	
	Non-Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and Limited Aquatic	0.1 mg/L 0.1 mg/L 6.1 mg/L	,·

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
	BENZO(g,h,i)P	ERYLENE	
	Water Quality: Human Health		CELDs 1994
AL	Consumption of Water and Fish Fish Consumption Only	** ,	•
AZ	Numeric Water Quality Criteria Domestic Water Source (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	0.003 μg/L 0.0001 μg/L 0.12 μg/L NNS	
ОН	Water Supply Public Water Supply Outside Mixing Zone Human Health 30-day average	0.028 μg/L	
WI	Human Cancer Criteria Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Great Lakes	0.023 mg/L 0.023 mg/L 0.023 mg/L	
	Non-Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and Limited Aquatic	0.1 mg/L 0.1 mg/L 6.1 mg/L	
	Water Quality: Aquatic Life		CELDs 1994
ОН	Aquatic Life Habitat-Coldwater Outside Mixing Zone Human Health 30-day average	0.31 µg/L	
	Aquatic Life Habitat-Limited Resource Warmwater Outside Mixing Zone Human Health 30-day average	0.31 μg/L	
	Groundwater Monitoring Parameters	•	CELDs 1994
AL		Yes	
со		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MN		Yes	1

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
NY		Yes	
ОН		Yes	
sc		Yes	
TN		Yes	•
VA		Yes	
WI		Yes	
wv		Yes	
•	BENZO(a)PY	RENE	
	Water Quality: Human Health Criteria		CELDs 1994
AL	Consumption of Water and Fish Fish Consumption Only -Carcinogen	**	
AZ	Numeric Water Quality Criteria Domestic Water Supply (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	0.003 μg/L 0.002 μg/L 0.12 μg/L NNS	
МО	Human Health Protection-Fish Consumption Drinking Water Supply* Groundwater*	0.03 μg/L 0.003 μg/L 0.003 μg/L	
	*These conclusions are allowed	for each of the PAHs	
NM	Groundwater Standards Human Health Standards	0.0007 mg/L	
ОН .	Water Supply-Public Water Supply Outside Mixing Zone Human Health 30-day average	0.028 μg/L	
OK.	Maximum Allowable Levels for Organic	, •	
	Chemicals	0.4 mg/L	
TN	National Primary Drinking Water Standard Organic Chemicals	0.002 mg/L	
WI .	Human Cancer Criteria Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Great Lakes	0.023 mg/L 0.023 mg/L 0.023 mg/L	
·	Human Cancer Criteria Non-Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and Limited Aquatic	0.1 mg/L 0.1 mg/L 6.1 mg/L	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
	Special Monitoring, Reporting and Public Notification Requirements for Unregulated Organic and Inorganic Contaminants  Nonregulated Organic Contaminants	Yes	
	Water Quality: Aquatic Life		CELDs 1994
NY	Water Classes-GA Standards (μg/L)-ND Type-H(WS) Basis code-F		
ОН	Aquatic Life Habitat-Coldwater Outside Mixing Zone Human Health 30-day average	0.31 μg/L*	
	Aquatic Life Habitat-Limited Resource Warm Water Outside Mixing Zone Human Health 30-day average	0.31	
		0.31 <sub>,</sub> μg/L*	
	*This value applies to the sum o  Hazardous Constituents	I I3 PAMS	OF! D 4004
AL	·	Yes	CELDs 1994
CO		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MA		Yes	
ME		Yes	
MD		Yes	
MN		Yes	
MT		Yes	
NH		Yes	
NJ		Yes	
NE		Yes	
ND	•	Yes	
NY		Yes	
ОН		Yes	
SC		Yes	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
VA		Yes	
VT		Yes	
WI		Yes	
wv		Yes	·
WY		Yes	
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	
со		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MN		Yes	
NY		Yes	
ОН	•	Yes	
sc		Yes	
TN		Yes	
VA		Yes	
WI		Yes	
wv		Yes	
	Groundwater Quality Standards	•	CELDs 1994
NY	Groundwater Effluent Standard	Not detectable	
WI	Public Health Groundwater Quality Standards		
	Enforcement Standard Preventive Action	0.003 μg/L 0.0003 μg/L	
	CHRYS	ENE	
	Water Quality: Human Health		CELDs 1994
AL	Consumption of Water and Fish Fish Consumption Only	**	
AZ	Numeric Water Quality Criteria Domestic Water Supply (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	0.03 µg/L 0.0001 µg/L 0.12 µg/L NNS µg/L	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description .	Information	Reference
STATE (cont.)			
MO	Human Health Protection-Fish Consumption Drinking Water Supply Groundwater	0.03 μg/L 0.003 μg/L 0.003 μg/L	
ОН	Water Supply-Public Water Supply Outside Mixing Zone Human Health 30-day average	0.028 µg/L	•
WI	Human Cancer Criteria Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Great Lakes	0.023 mg/L 0.023 mg/L 0.023 mg/L	
	Human Cancer Criteria Non-Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and Limited Aquatic	0.1 mg/L 0.1 mg/L 6.1 mg/L	
	Water Quality: Aquatic Life		CELDs 1994
ОН	Aquatic Life Habitat-Coldwater Outside Mixing Zone Human Health		
	30-day average  Aquatic Life Habitat-Limited Resource Warmwater Outside Mixing Zone Human Health 30-day average	0.31 μg/L 0.31 μg/L	
	Groundwater Monitoring Parameters		CELDs 1994
AL	· ·	Yes	00,00,
со		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY ,		Yes	
MN		Yes	
NY .		Yes	
ОН		Yes	
SC ·		Yes	
TN		Yes	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
Wi		Yes	
WV		Yes	
	Hazardous Constituents		CELDs 1994
AL		Yes	•
CO		Yes	
CA		Yes	
IL '	,	Yes	
LA	•	Yes	
KY		Yes	
MA		Yes	
ME		Yes	
MD		Yes	
MN		Yes	
MT		Yes	
NH		Yes	
NJ	•	Yes	
NE		Yes	
ND		Yes	
NY		Yes	
ОН		Yes	
sc		Yes	
VA		Yes	
VT		Yes	
WI		Yes	
wv		Yes	
WY		Yes	
•	DIBENZ	a,j)ACRIDINE	
	Hazardous Constituents		CELDs 1994
AL		Yes	
СО		Yes	
IL		Yes	
LA .		Yes	
KY		Yes	•

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
MD		Yes	
MN		Yes	
MT		Yes	
NE		Yes	•
ND		Yes	
ОН		Yes	
sc		Yes	
VA		Yes	
VT		Yes	
WI		Yes	
wv		Yes	
WY		Yes	
•	DIBENZO(a,h)AN	ITHRACENE	
	Water Quality: Human Health		CELDs 1994
МО	Human Health Protection-Fish Consumption Drinking Water Supply Groundwater	0.03 µg/L 0.003 µg/L 0.003 µg/L	
AL	Human Health Criteria Consumption of Water and Fish Fish Consumption Only	**	·
AZ	Numeric Water Quality Criteria Domestic Water Supply (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	0.003 μg/L 0.00003 μg/L 0.12 μg/L NNS	
ОН	Water Supply-Public Water Supply Outside Mixing Zone Human Health 30-day average	0.028 μg/L	
Wi	Human Cancer Criteria Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Great Lakes	0.023 mg/L 0.023 mg/L 0.023 mg/L	•
	Human Cancer Criteria Non-Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and Limited Aquatic	0.1 mg/L 0.1 mg/L 6.1 mg/L	
	Water Quality: Aquatic Life		CELDs 1994

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
ОН	Aquatic Life Habitat-Coldwater Outside Mixing Zone Human Health 30-day average	0.31 µg/L	
	Aquatic Life Habitat-Limited Resource Warmwater Outside Mixing Zone Human Health 30-day average	0.31 μg/L	•
	Groundwater Monitoring Parameters		CELDs 1994
AL	•	Yes	
C0		Yes	
IL		Yes	
KY .		Yes	
LA		Yes	
MN		Yes	
NY ·		Yes	
ОН		Yes	
SC		Yes	
TN		Yes	
VA		Yes	
WI		Yes	
WV	•	Yes	
	Hazardous Constituents		CELDs 1994
AL		Yes	
CA		Yes	
СО		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MA		Yes	
ME		Yes	
MD		Yes	
MT		Yes	
NH		Yes	
NJ		Yes	1

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
NE		Yes	
ND		Yes	
NY		Yes	
ОН		Yes	•
sc		Yes	
VA		Yes	
VT		Yes	
WI	·	Yes	
WV		Yes	
WY		Yes	
	FLUORANTI		
	Water Quality: Human Health		OF! D- 4004
AL	Consumption of Water and Fish	**	CELDs 1994
,	Fish Consumption Only	** :	
AZ	Numeric Water Quality Criteria Domestic Water Source (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	280 μg/L 130 μg/L 5600 μg/L 5600 μg/L	
IN	Continuous Criterion Concentration (4-Day) Average for Human Health Outside of Mixing Zone Point of Water	54 (T)* 42	
	*(T) - T is derived from threshold	d toxicity	
KY	Water Quality Criteria for Protection of Human Health from the Consumption of Fish Tissue Substances Not Linked to Cancer Organics	54 μg/L	
	Domestic Water Supply Source Criteria Substances Not Linked to Cancer Maximum Contaminant Level (organics)	0.042 mg/L	
МО	Drinking Water Supply Human Health Protection-Fish Consumption Groundwater	40 μg/L 54 μg/L 40 μg/L	
ОН	Water Supply-Public Water Supply Outside Mixing Zone Human Health	40	
	30-day average	42 μg/L	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
WI	Human Threshold Criteria		
	Public Water Supplies		
	Warm Water Sport Fish Communities	28 μg/L	
	Cold Water Communities	9.1 μg/L	
	Great Lakes	9.3 μg/L	•
	Non-Public Water Supplies		
	Warm Water Sport Fish Communities	32 μg/L	
	Cold Water Communities	9.5 μg/L	
	Warm Water and Limited Fish and Limited Aquatic	41,000 μg/L	
н	·		
111	(Water Quality Standards: Basic Water		
	Quality Criteria for All Waters) Numeric Standards for Toxic Pollutants		
	Applicable to All Waters		
	Freshwater		
	Acute	1 200	
	Chronic	1,300 μg/L NS	
	Saltwater	143	
	Acute	13 μg/L	
	Chronic	NS	
	Fish Consumption	18 μg/L	
	Water Quality: Aquatic Life		CELDs 1994
AZ	Acute Criteria for Aquatic and Wildlife		
	Uses	2000 μg/L	
	A&Wc: Cold Water Fishery	2000 μg/L	
	A&Ws: Warm Water Fishery	2000 μg/L	
	A&Wedw: Effluent Dominated Water	NNS	
	A&We: Ephemeral		
	Chronic Criteria for Aquatic and Wildlife		
	Uses	1600 μg/L	
	A&Wc: Cold Water Fishery	1600 μg/L	
	A&Ws: Warm Water Fishery	1600 μg/L	•
	A&Wedw: Effluent Dominated Water	NNS	
	A&We: Ephemeral		
CO	Aquatic Life Segments		
	(organic compounds to the second		
	power)	3,980 μg/L	
	Standard (acute)	· •	
FL	Maximum Concentration Levels for		
	Mixing Zone Pollutants	540 μg/L	
ОН	Aquatic Life Habitat-Coldwater		
	Outside mixing zone		
	Maximum	200 μg/L	
	30-day average	8.9 μg/L	
	Human Health	•	••
	30-day average	54 μg/L	
	Inside Mixing Zone	· ·	
	Maximum	400 μg/L	
4			

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
	Outside Mixing Zone Maximum Human Health 30-day average	200 μg/L 54 μg/L	
	Inside Mixing Zone Maximum	400 μg/L	
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	
СО		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MN		Yes	
NY		Yes	
ОН		Yes	
sc		Yes	
TN		Yes	
VA		Yes	
Wi		Yes	
WV		Yes	
	Hazardous Constituents		CELDs 1994
AL .		Yes	
CO		Yes	·
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MA		Yes	
ME		Yes	
MD		Yes	
MN		Yes	
MT		Yes	
NH		Yes	
NJ		Yes	1

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
NE		Yes	
ND		Yes	
NY		Yes	
ОН		Yes	•
sc		Yes	
VA		Yes	
VT		Yes	
WI		Yes	
wv		Yes	
WY	`	Yes	
	FLUORE	:NE	
	Water Quality: Human Health		CELDs 1994
AL	Consumption of Water and Fish Fish Consumption Only	**	
AZ	Numeric Water Quality Criteria Domestic Water Source (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	280 μg/L 580 μg/L 5600 μg/L 5600 μg/L	
МО	Human Health Protection-Fish Consumption Drinking Water Supply Groundwater	0.03 µg/L 0.003 µg/L 0.003 µg/L	
ОН	Water Supply Public Water Supply Outside mixing zone Human Health 30-day average	0.028 μg/L	
	Water Quality: Aquatic Life		CELDs 1994
ОН	Aquatic Life Habitat-Coldwater Outside mixing zone Human Health 30-day average	0.31 μg/L	
	Aquatic Life Habitat-Limited Resource Warmwater Outside mixing zone Human Health		
	30-day average	0.31 μg/L	
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	
СО		Yes	
			1

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
CA		Yes	
IL		Yes	
LA		Yes	
KY ·		Yes	•
MN		Yes	
NY		Yes	
ОН		Yes	
SC			
TN		Yes	
		Yes	
VA		Yes	
WI		Yes	
WV		Yes	
	INDENO(1,2,3-CD)PYRENE		
	Water Quality: Human Health Criteria		CELDs 1994
AL	Consumption of Water and Fish Fish Consumption Only	**	
AZ	Numeric Water Quality Criteria Domestic Water Supply (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	0.003 μg/L 0.000003 μg/L 0.12 μg/L NNS μg/L	
MO	Human Health Protection-Fish Consumption Drinking Water Supply Groundwater	0.03 μg/L 0.003 μg/L 0.003 μg/L	
ОН	Water Supply-Public Water Supply Outside Mixing Zone Human Health		
WI	30-day average  Human Cancer Criteria  Public Water Supplies  Warm Water Sport Fish Communities	0.028 μg/L 0.023 mg/L	
	Cold Water Communities Great Lakes	0.023 mg/L 0.023 mg/L	
	Human Cancer Criteria Non-Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and	0.1 mg/L 0.1 mg/L 6.1 mg/L	
	Limited Aquatic Water Quality: Aquatic Life		CELDs 1994

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
ОН	Aquatic Life Habitat-Coldwater Outside mixing zone Human Health 30-day average	0.31 µg/L	
	Aquatic Life Habitat-Limited Resource Warmwater Outside mixing zone Human Health 30-day average	0.31 μg/L*	. •
	Hazardous Constituents	ο.ο τ μ <del>α</del> σε	CELDs 1994
AL	· instance and continuous income	Yes	OLLDS 1994
co		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MA		Yes	
ME		Yes	
MD	•	Yes	
MN		Yes	
MT		Yes	
NH		Yes	
NJ		Yes	
NE		Yes	
ND		Yes	
NY		Yes	
ОН		Yes	
sc		Yes	
VA		Yes	
VT		Yes	
WI		Yes	
WV		Yes	
WY		Yes	•
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	
CO		Yes	•

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference	
STATE (cont.)				
CA		Yes		
IL		Yes		
LA		Yes	•	
KY		Yes		
MN		Yes		
NY		Yes		
ОН		Yes		
sc		Yes		
TN		Yes		
VA		Yes		
WI		Yes		
wv		Yes		
	PHENANTHRENE			
	Water Quality: Human Health		CELDs 1994	
AL	Consumption of Water and Fish Fish Consumption Only	9:0 9:0		
ΑZ	Numeric Water Quality Criteria Domestic Water Supply (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	0.003 μg/L 0.0005 μg/L 0.12 μg/L NNS		
МО	Human Health Protection-Fish Consumption Drinking Water Supply Groundwater	0.03 μg/L 0.003 μg/L 0.003 μg/L		
WI	Human Cancer Criteria Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Great Lakes Non-Public Water Supplies Warm water Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and Limited Aquatic	0.023 mg/L 0.023 mg/L 0.023 mg/L 0.1 mg/L 0.1 mg/L 6.1 mg/L		
AZ	Water Quality: Aquatic Life  Acute Criteria for Aquatic and Wildlife  Uses  A&Wc: Cold Water Fishery	30 μg/L 30 μg/L	CELDs 1994s	
	A&Ws: Warm Water Fishery A&Wedw: Effluent Dominated Water A&We: Ephemeral	540 μg/L NNS	•	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
	Chronic Criteria for Aquatic and Wildlife Uses A&Wc: Cold Water Fishery A&Ws: Warm Water Fishery A&Wedw: Effluent Dominated Water A&We: Ephemeral	6.3 μg/L 6.3 μg/L 6.3 μg/L NNS	
	Groundwater Monitoring Parameters		CELDs 1994
AL		Yes	
СО		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
кү		Yes	
MN	•	Yes	
NY		Yes	
ОН		Yes	
SC	•	Yes	
TN		Yes	
VA		Yes	
WI	•	Yes	
WV		Yes	
	PYRENE		
	Water Quality: Human Health		CELDs 1994
AL .	Consumption of Water and Fish Fish Consumption Only	**	
AZ ·	Numeric Water Quality Criteria Domestic Water Source (DWS) Fish Consumption (FC) Full Body Contact (FBC) Partial Body Contact (PBC)	210 μg/L 1100 μg/L 4200 μg/L 4200 μg/L	
МО	Human Health Protection-Fish Consumption Drinking Water Supply Groundwater	0.03 μg/L 0.003 μg/L 0.003 μg/L	
ОН .	Water Supply Public Water Supply Outside mixing zone Human Health 30-day average	0.028 μg/L	

TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

Agency	Description	Information	Reference
STATE (cont.)			
WI	Human Cancer Criteria Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Great Lakes	0.023 mg/L 0.023 mg/L 0.023 mg/L	
	Human Cancer Criteria Non-Public Water Supplies Warm Water Sport Fish Communities Cold Water Communities Warm Water and Limited Fish and Limited Aquatic	0.1 mg/L 0.1 mg/L 6.1 mg/L	,
	Water Quality: Aquatic Life		CELDs 1994 •
ОН	Aquatic Life Habitat-Coldwater Outside mixing zone Human Health 30-day average	0.31 μg/L	
·	Aquatic Life Habitat-Limited Resource Warmwater Outside mixing zone Human Health 30-day average	0.31 μg/L	
	Groundwater Monitoring Parameters	. •	CELDs 1994
AL	•	Yes	
СО		Yes	
CA		Yes	
IL		Yes	
LA		Yes	
KY		Yes	
MN		Yes	
NY		Yes	
ОН		Yes	
SC		Yes	
TN		Yes	
VA		Yes	
WI		Yes	
WV		Yes	

<sup>&</sup>lt;sup>a</sup>Degree of evidence in animals revised on the basis of data that appeared after the most recent monograph and/or on the basis of present criteria. Overall evaluation based on evidence of carcinogenicity in monograph 32, 1983.

<sup>&</sup>lt;sup>b</sup>Group 2A = Probable human carcinogen

<sup>&</sup>lt;sup>c</sup>Group 2B = Possible human carcinogen

# TABLE 7-1. Regulations and Guidelines Applicable to Polycyclic Aromatic Hydrocarbons (continued)

<sup>d</sup>Group 3 = Not classifiable as to carcinogenicity

<sup>e</sup>The following PAHs were used as indicators in deriving this standard: B[a]P; B[b]F; B[a]F; B[k]F; fluoranthene; and I[123cd]P. Source: EPA 1986b.

fincludes anthracene, B[a]P, phenanthrene, acridine, chrysene, and pyrene

<sup>9</sup>Agent recommended by NIOSH to be treated as a potential occupational carcinogen.

<sup>h</sup>Because of their carcinogenic potential, the EPA-recommended concentration for PAHs in ambient water is zero. However, because attainment of this level may not be possible, the recommended criteria requires a E-G estimated incremental lifetime cancer risks.

Group D = not classifiable as to human carcinogenicity, Group B2 = Probable Human Carcinogen

When "all PAHs" are listed, it includes the following compounds, unless specified otherwise:

Anthracene, Acenaphthylene, Acenaphthene, B[a]A, B[a]P, B[b]F, B[h]F, B[g,h,i]P, Chrysene, DB[a,h]A, Fluoranthene, Flourene, I[1,2,3-cd]P, Phenanthrene, Pyrene

ACHIH = American Conference of Governmental Industrial Hygienists; B[a]A = Benzo[a]Anthracene; B[a]P = Benzo[a]Pyrene; B[b]F = Benzo[b]Fluoranthene; B[e]P = Benzo[e]Pyrene; B[ghi]P = Benzo(ghi)perylene; B[j]F = Benzo[j]Fluoranthene; B[ghi]P = Benzo[ghi]perylene; BP = Benzopyrene; DB[a,h]A = Dibenz[a,h]Anthracene; DB[a,e]P = Dibenzo[a,e]pyrene; DB[a,i] = Dibenzo[a,i]pyrene; DOT = Department of Transportation; EPA = Environmental Protection Agency; IARC = International Agency for Research on Cancer; I[123cd]P = Indeno[1,2,3-c,d]Pyrene; ng = nanogram; NIOSH = Natinonal Institute for Occupational Safety and Health; OERR = Office of Emergency and Remedial Response; OSHA = Occupational Safety and Health Administration; OWRS = Office of Water Regulations and Standards; PAH = Polycyclic Aromatic Hydrocarbons; PEL = Permissible Exposure Limit; RCRA = Resource Conservation and Recovery Act; REL = Recommended Exposure Limit; RfD = Reference Dose; TLV = Threshold Limit Value; TWA = Time-Weighted Average; u.f. = Uncertainty Factor; WHO = World Health Organization