3.1 CHEMICAL IDENTITY

Information regarding the chemical identity of diethyl phthalate is located in Table 3-1.

3.2 PHYSICAL AND CHEMICAL PROPERTIES

Information regarding the physical and chemical properties of diethyl phthalate is located in Table 3-2.

Characteristic	Information	Reference
Chemical name	Diethyl phthalate	HSDB 1994
Synonym(s)	1,2-Benzenedicarboxylic acid diethyl ester; diethyl o-phthalate; ethyl phthalate; o-benzenedicarboxylic acid diethyl ester; diethyl ester phthalic acid; phthalol; DEP; diethyl-o- phenylenediacetate	EPA 1989; HSDB 1994; OHM/TADS 1991
Registered trade name(s)	Neantine; Palatinol A; Phthalol; Placidol E; Solvanol; Unimoll DA; Anozol; Estol 1550	HSDB 1994
Chemical formula	$C_{12}H_{14}O_4$	HSDB 1994
Chemical structure	$O_{11} = OC_2H_5$ $CI = OC_2H_5$ $II = OC_2H_5$	
Identification numbers:		
CAS registry NIOSH RTECS EPA hazardous waste OHM/TADS DOT/UN/NA/IMCO shipping HSDB NCI	84-66-2 TI1050000 UO88 7217236 No data 926 NCI-C60048	HSDB 1994 HSDB 1994 HSDB 1994 HSDB 1994 HSDB 1994 HSDB-1994

TABLE 3-1. Chemical Identity of Diethyl Phthalate

CAS = Chemical Abstracts Services; DOT/UN/NA/IMCO = Department of Transportation/United Nations/North America/International Maritime Dangerous Goods Code; EPA = Environmental Protection Agency; HSDB = Hazardous Substances Data Bank; NCI = National Cancer Institute; NIOSH = National Institute for Occupational Safety and Health; OHM/TADS = Oil and Hazardous Materials/ Technical Assistance Data System; RTECS = Registry of Toxic Effects of Chemical Substances

TABLE 3-2. Physical and Chemical Properties of Diethyl Phthalate(continued)

Characteristic	Information	Reference
Henry's law constant ^a Autoignition temperature Flashpoint Flammability limits ^b Conversion factors Explosive limits	7.8×10 ⁻⁷ atm m ³ /mol 457°C 161°C 0.7% at 187°C 9.07 mg/m ³ = 1 ppm No data	EPA 1989 HSDB 1994 HSDB 1994 HSDB 1994 HSDB 1994

• -

^aTemperature not specified ^bLower flammability limit given; upper limit not available

--- ·

TABLE 3-2. Physical and Chemical Properties of Diethyl Phthalate

Characteristic	Information	Reference
Molecular weight	222.23	Anonymous 1988; Autian 1973
Color	Colorless	HSDB 1994
Physical state	Liquid	HSDB 1994
Melting point	-40.5°C	HSDB 1994
Boiling point	295-302°C	Autian 1973; Banerjee et al. 1990; EPA 1989 HSDB 1990; OHM/TADS 1991; Sax and Lewis 1989
Density		Lewis 1909
at 25°C	1.120 g/mL	Anonymous 1985
Odor	Slight aromatic odor	HSDB 1994
Odor threshold:		
Water	No data	
Air	No data	
Solubility:		
Water at 25°C	1,080 mg/L	Howard et al. 1985; HSDB 1994
Organic solvent(s)	Alcohol, ether, acetone, and benzene; vegetable oils; ketones, esters, aromatic hydrocarbons, and aliphatic solvents	HSDB 1994
Partition coefficients:		
Log K _{ow}	1.4–3.3	Callahan et al. 1979; Howard et al. 1985: HSDB 1994; Laane et al. 1987; Leyder and Boulanger 1983; Veith et al. 1980
Log K _{oc}	2.65	Wolfe et al. 1980b
Vapor pressure:		
at 20°C	3.45×10 ⁻⁴ mmHg	Grayson and Fosbraey 1982
at 25°C	1.65×10 ⁻³ mmHg	Howard et al. 1985; HSDB 1994