

8. REFERENCES

- *Aaserud O, Gjerstad L, Nakstad P, et al. 1988. Neurological examination, computerized-tomography, cerebral blood-flow and neuropsychological examination in workers with long-term exposure to carbon disulfide. *Toxicology* 49:2-3.
- *Aaserud O, Hammeren OJ, Tvedt B, et al. 1990. Carbon disulfide exposure and neurotoxic sequelae among viscose rayon workers. *Am J Ind Med* 18(1): 25-37
- *Aaserud O, Russell D, Nyberg-Hasen R, et al. 1992. Regional cerebral blood flow after long-term exposure to carbon disulfide. *Acta Neurol Stand* 85(4): 266-271
- *Abramova JI. 1966. The question of pathogenesis, specific prevention, and therapy of carbon disulfide intoxication. In: Brieger H, ed. *Toxicology of carbon disulfide*. Amsterdam, The Netherlands: Excerpta Medica Foundation, 32-34.
- ACGIH. 1978. Documentation of threshold limit values for substances in workroom air, 3rd ed. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- *ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. American Conference of Governmental Industrial Hygienists. Cincinnati, OH, 104-105.
- *ACGIH. 1994. TLV-Threshold limit values and biological exposure indices for 1994-1995. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- Adams DF, Farwell SO, Pack MR, et al. 1979. Preliminary measurements of biogenic sulfur-Containing gas emissions from soils. *J Air Pollut Control Assoc* 29:380-383.
- Adkins B Jr, Van Stee EW, Simmons JE, et al. 1986. Oncogenic response of strain A/J mice to inhaled chemicals. *J Toxicol Environ Health* 17:311-322.
- AIHA. 1978. Women in the workplace: A symposium. American Industrial Hygiene Association. Akron, Ohio, 164.
- Alumot E, Bielerai R. 1969. Residues of fumigant mixture in cereals fumigated and aired at two different temperatures. *J Agric Food Chem* 17:869-870.
- Andreyev MV, Kvartovkina LK. 1993. Impairment of reproductive health in women occupationally exposed to thiram [Abstract]. *Reprod Toxicol* 7:491.
- Aneja VP, Aneja AP, Adams DF. 1982. Biogenic sulfur compounds and the global sulfur cycle. *J Air Pollut Control Assoc* 32:803-807.

- *Aneja VP, Overton JH Jr, Cupitt LT, et al. 1980. Measurements of emission rates of carbon disulfide from biogenic sources and its possible importance to the stratospheric aerosol layer. *Chemical Engineering Communication* 4:721-727.
- Anger WK. 1985. Neurobehavioral tests used in NIOSH-supported worksite studies, 1973-1983. *Neurobehav Toxicol Teratol* 7:359-368.
- Anonymous. 1934. Carbon bisulphide poisoning. *Industrial Medicine* 3:113-114.
- Anonymous. 1985. Leading work-related diseases and injuries - United States. *Morbidity and Mortality Weekly Report* 34:219-226.
- Anonymous. 1986. Carbon disulphide. *Safety Practitioner* 4:16-17.
- Anonymous. 1988. *Morbidity and Mortality Weekly Report*. 37:7.
- *Antov G, Kazakova B, Spasovski M, et al. 1985. Effect of carbon disulphide on the cardiovascular system. *J Hyg Epidemiol Microbial Immunol* 29:329-335.
- *AOAC. 1984. Official methods of analysis. 10th ed. Association of Official Analytical Chemists. Washington, DC.
- Archer SR, McCurley WR, Rawlings GD. 1978. Source assessment: Pesticide manufacturing air emissions-overview and prioritization. Report to U.S. Environmental Protection Agency, Office of Research and Development, by Monsanto Research Corp., Dayton, OH. NTIS PB 279, 171, 153.
- Aribarg A. 1988. Environmental factors and infertility. In: Rowe PJ, Vikhlyaeva EM, eds. *Diagnosis and treatment of infertility*. Symposium, Yerevan, USSR, May 20-21, 1985. New York, NY: Lewiston, 69-80.
- Arnts RR, Seila RL, Bufalini JJ. 1989. Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene, and carbon disulfide. *JAPCA* 39:453-460.
- *Arp EW, Wolf PH, Checkoway H. 1983. Lymphocyte leukemia and exposures to benzene and other solvents in the rubber industry. *J Occup Med* 25:598-602.
- *Atkinson R, Perry RA, Pitts JN Jr. 1978. Rate constants for the reaction of hydroxyl radicals with carbonyl sulfide, carbon disulfide and dimethyl thioether over the temperature range 299-430 K. *Chem Phys Lett* 54:14-18.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency of Toxic Substances and Disease Registry, Atlanta, GA
- *Austin GT. 1974. The industrially significant organic chemicals -- Part 2. *Chem Eng* 127.
- Baker EL Jr. 1983. Neurological Disorders. In: Ron WN, ed. *Environmental and Occupational Medicine*. 1. Environmental and Occupational Disease. Boston, MA: Little, Brown and Co., 313-327.

Baker EL, Fine LJ. 1986. Solvent neurotoxicity: The current evidence. *J Occup Med* 28:126-129.

Baker EL, Feldman RG, French JG. 1990. Environmentally related disorders of the nervous system. *Med Clin North Am* 74(2): 325-346.

Balabaeva L, Tabacova S. 1980. Effect of carbon disulfide on oxygen consumption of maternal and fetal tissue after exposure during gestation [Abstract]. *Acta Morphol Acad Sci Hung* 28:204.

Balabaeva L, Tabacova S, Kurchatova G. 1979. Correlation of carbon disulfide exposure levels with tissue levels and some biochemical indices in maternal and fetal organism. *Proc Int Congr Occup Health* 19th 1:489-495.

*Balcarova O, Halik J. 1991. Ten-year epidemiological study of ischaemic heart disease (IHD) in workers exposed to carbon disulphide. *Sci Total Environ* 101(1-2): 97-99.

Bandy AR, Maroulis PJ. 1980. Impact of recent measurements of OCS, CS₂, and SO₂ in background air on the global sulfur cycle. In: Shriner DS, Richmond, C, R., Lindberg SE, ed. *Atmos sulfur deposition: Environ Impact Health Eff Proc Life Sci Symp*. 2nd ed. Ann Arbor, MI: Ann Arbor Sci., 55-63.

*Bandy AR, Thornton DC, Driedger AR. 1993a. Airborne measurements of sulfur dioxide, dimethylsulfide, carbon disulfide, and carbonyl sulfide by isotope dilution gas chromatography/mass spectrometry. *Journal of Geophysical Research* 98:23423-23433.

*Bandy AR, Thornton DC, Johnson JE. 1993b. Carbon disulfide measurements in the atmosphere of the western North Atlantic and the northwestern South Atlantic Oceans. *Journal of Geophysical Research* 98:23449-23457.

*Bandy AR, Tucker BJ, Maroulis PJ. 1985. Determination of part-per-trillion by volume levels of atmospheric carbon disulfide by gas chromatography/mass spectrometry. *Anal Chem* 57: 1310-1314.

*Banwart WL, Bremner JM. 1975. Formation of volatile sulfur compounds by microbial decomposition of sulfur-containing amino acids in soils. *Soil Biol Biochem* 7:359-364.

*Bao Y, Cai S, Zhao SF, et al. 1991. Birth defects in the offspring of female workers occupationally exposed to carbon disulfide in China [Abstract]. *Teratology* 43(5): 451-452.

Barnes I, Becker KH, Fink EH, et al. 1983. Rate constant and products of the reaction carbon disulfide hydroxyl in the presence of oxygen. *Int J Chem Kinet* 15:631-645.

*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.

*Bartonicek V. 1957. [The distribution of carbon disulphide in the whole blood, the brain and adrenal glands over a given period with parenteral administration to white rats.] *Prac Lek* 9:28-30. (Czech, English summary)

*Bartonicek V. 1959. [The distribution of free carbon disulfide and bound carbon disulfide liberated by acid hydrolysis in the organs of white rats. *Prac Lek* 10:504-510.1 (Czech, English summary)

- *Baselt RC. 1980. Biological monitoring methods for industrial chemicals. Davis, California: Biomedical Publications, 64-67.
- *Batten JH, Sutte GW, Wheeler RM. 1995. Effect of crop development on biogenic emissions from plant populations grown in closed plant growth chambers. *Phytochemistry* 39: 1351-1357.
- *Battista JR, Connelly JP. 1989. VOC contamination at selected Wisconsin landfills - sampling results and policy implications. Madison, Wisconsin: Wisconsin Department of Natural Resources. PUBL-SW-09489.
- Baulch DL, Cox RA, Hampson RF, et al. 1984. Evaluated kinetic and photochemical data for atmospheric chemistry: Supplement II. *Journal of Physical Chemistry Reference Data* 13:1259-1380.
- *Beauchamp RD Jr, Bus JS, Popp JA, et al. 1983. A critical review of the literature on carbon disulfide toxicity. *CRC Critical Reviews in Toxicology* 11: 169-278.
- Benowitz NL. 1992. Cardiotoxicity in the workplace. *Occup Med* 7(3): 465-478.
- Berck B. 1975. Analysis of fumigants and fumigant residues. *J Chromatogr Sci* 13:256-267.
- Bergman K, Danielsson BR, d'Argy R. 1984. Tissue disposition of carbon disulfide: I. Whole-body autoradiography of ³⁵S- and ¹⁴C-labelled carbon disulfide in adult male mice. *Acta Pharmacol Toxicol* 54:141-150.
- *Berresheim H. 1993. Distribution of atmospheric sulphur species over various wetland regions in the southeastern U.S.A. *Atmos Environ* 27A:211-221.
- *Bieloral R, Alumot E. 1966. Determination of residues of a fumigant mixture in cereal grain by electron-capture gas chromatography. *J Agric Food Chem* 14:622-625.
- Bittersohl G. 1971. On relationships in action between carbon disulfide and hydrogen sulfide. *Med Lav* 62:554-556.
- Blades AT. 1970. The response of carbon disulphide in a flame ionization detector. *J Chromatogr Sci* 8:414-415.
- *Bobnis W, Millo B, Gregorczyk J. 1976. Immunologic evaluation of β -lipoprotein antigen in the serum of men expose to carbon disulfide over protracted periods of time. *Archivum Immunologiae et Therapiae Experimentalis* 24:21-28.
- Bokina AI, Merkur'yeva RV, Eksler ND, et al. 1979. Experimental study of the mechanism and indices of harmful effects of certain chemical substances on the central nervous system. *Environ Health Perspect* 30:31-38.
- *Bond EJ, DeMatteis F. 1969. Biochemical changes in rat liver after administration of carbon disulphide, with particular reference to microsomal changes. *Biochem Pharmacol* 18:2531-2549.
- *Bond EJ, Butler WH, DeMatteis F, et al. 1969. Effects of carbon disulphide on the liver of rats. *Brit J Ind Med* 26:335-337.

Bremner JM, Banwart WL. 1976. Sorption of sulfur gases by soils. *Soil Biology and Biochemistry* 8:79-83.

*Brieger H. 1949. III. Effects of carbon disulfide on blood cells and bone marrow. *Journal of Industrial Hygiene Toxicology* 31:98-105.

Brieger H. 1961. Chronic carbon disulfide poisoning. *J Occup Med* 3:302-308.

*Brieger H. 1967. Carbon disulphide in the living organism. In: Brieger H, Teisinger J, ed. *International Symposium on Toxicology of Carbon Disulphide*. Amsterdam, The Netherlands: Excerpta Medica Foundation, 27-31.

*Brodzinsky R, Singh HB. 1983. Volatile organic chemicals in the atmosphere: An assessment of available data. Prepared under contract No. 68-02-3452. SRI International, Atmospheric Science Center, Menlo Park, CA.

*Bronstein AC, Currance PL, eds. 1988. *Emergency care for hazardous materials exposure*. Washington, DC: The C.V. Mosby Co., 139-140.

*Brugnone F, Maranelli G, Gugliemi G, et al. 1993. Blood concentrations of carbon disulphide in dithiocarbamate exposure and in the general population. *Int Arch Occup Environ Health* 64:503-507.

*Brugnone F, Perbellini L, Giuliani C, et al. 1994. Blood and urine concentrations of chemical pollutants in the general population. *Med Lav* 85:370-389.

*Bus JS. 1985. The relationship of carbon disulfide metabolism to development of toxicity. *Neurotoxicology* 6:73-80.

Butler WH, Magos L. 1970. Liver damage and excretion of bivalent sulfur after exposure to carbon disulfide [abstract]. *British Pharmacological Society* 40: 171- 172.

*Cai SX, Bao YS. 1981. Placental transfer, secretion into mother milk of carbon disulphide and the effects on maternal function of female viscose rayon worker. *Industrial Health* 19:15-29.

Calabrese EJ. 1984. Environmental validation of the homocystine theory of arteriosclerosis. *Med Hypotheses* 15:361-367.

*Campbell L, Jones AH, Wilson HK. 1985. Evaluation of occupational exposure to carbon disulphide by blood, exhaled air, and urine analysis. *Am J Ind Med* 8:143-153.

Candura F, Franco G, Malamani T, et al. 1979. Altered glucose tolerance in carbon disulfide exposed workers. *Acta Diabetol Lat* 16:259-264.

Caroldi S, Jarvis JA, Magos L. 1984. In vivo inhibition of dopamine- β -hydroxylase in rat adrenals during exposure to carbon disulphide. *Arch Toxicol* 55:265-267.

*Caroldi S, Magos L, Jarvis J, et al. 1987. The potentiation of the non-behavioral effects of amphetamine by carbon disulphide. *J Appl Toxicol* 7:63-66.

- *Carroll MA. 1985. Measurements of OCS and CS₂ in the free troposphere. *Journal of Geophysical Research* 90:10483-10486.
- *Cassitto MG, Bertazzi PA, Camerino D, et al. 1978. Subjective and objective behavioral alterations in carbon disulphide workers, *Med Lav* 69:144-150.
- *Cassitto MG, Camerino D, Imbriani M, et al. 1993. Carbon disulfide and the central nervous system: A 15-year neurobehavioral surveillance of an exposed population. *Environ Res* 63:252-263.
- Catignani GL, Neal RA. 1975. Studies of the inhibition of dopamine β-hydroxylase by thiono-sulfur containing compounds. *Life Sci* 16:1915-1921.
- *Cavalleri A. 1975. Serum thyroxine in the early diagnosis of carbon disulfide poisoning. *Arch Environ Health* 30:85-87.
- *Cavalleri A, Polatti F, Bolis PF. 1978. Acute effects of tetraethylthiuram disulfide on serum levels of hypophyseal hormones in humans. *Stand J Work Environ Health* 4:66-72.
- *Cavalleri A, Djuric D, Maugeri U, et al. 1967. 17-Ketosteroids and 17-hydroxycorticosteroids in the urine of young workers exposed to carbon disulfide. In: Brieger H, Theisinger J, eds. *International Symposium on Toxicology of Carbon Disulfide*. Amsterdam, The Netherlands: Excerpta Medica Foundation.
- *Chandra SV, Butler WH, Magos L. 1972. The effect of carbon disulphide on the myocardium of the rat. *Exp Mol Pathol* 17:249-259.
- *Chapman LJ, Sauter SL, Henning RA, et al. 1991. Finger tremor after carbon disulfide-based pesticide exposures. *Arch Neurol* 48(8):866-870.
- *Checkoway H, Wilcosky T, Wolf P, et al. 1984. An evaluation of the associations of leukemia and rubber industry solvent exposures. *Am J Ind Med* 5:239-249.
- Chengelis CP. 1988a. Changes in hepatic glutathione concentrations during carbon disulfide induced hepatotoxicity in the rat. *Res Commun Chem Pathol Pharmacol* 61:97-109.
- Chengelis CP. 1988b. Paradoxical effect of cobaltous chloride on carbon disulfide induced hepatotoxicity in rats. *Res Commun Chem Pathol Pharmacol* 61:83-96.
- Chengelis CP, Neal RA. 1979. Hepatic carbonyl sulfide metabolism. *Biochem Phys Res Commun* 90:993-999.
- Chengelis CP, Neal RA. 1987. Oxidative metabolism of carbon disulfide by isolated rat hepatocytes and microsomes. *Biochem Pharmacol* 36:363-368.
- Chester AE, Meyers FH. 1988. Central sympathoplegic and norepinephrine-depleting effects of antioxidants. *Proc Sot Exp Biol Med* 187:62-68.
- *Chin M, Davis DD. 1993. Global sources and sinks of OCS and CS₂ and their distributions. *Global Biogeochemical Cycles* 7:321-337.

- *Chrostek-Maj J, Czeczotko B. 1995a. The evaluation of the health state of the workers occupationally exposed to low concentration of carbon disulfide (CS₂). Part one: General medical examination and laboratory tests. *Przegląd Lekarski* 52:249-251.
- *Chrostek-Maj J, Czeczotko B. 1995b. The evaluation of the health state of the workers occupationally exposed to low concentration of carbon disulphide (CS₂). Part two: The complex way of the examination of the central nervous system (CNS). *Przegląd Lekarski* 52:252-256.
- *Chu CC, Huang CC, Chen RS, et al. 1995. Polyneuropathy induced by carbon disulphide in viscose rayon workers. *Occup Environ Med* 52:404-407.
- *Cirla AM, Graziano C. 1981. Health impairment in viscose-rayon workers with carbon disulfide risk below 30 mg/m³: An exposed-controls study. *Med Lav* 3:69-73.
- *Cirla AM, Villa A, Tomasini M. 1972. [Investigation of the incidence of coronary disease in workers exposed to carbon disulfide in a viscose-rayon industry]. *Med Lav* 63:431-441. (Italian, with English summary)
- *CIS. 1989. Directory of world chemical producers. 1989/90 ed. Oceanside, NY: Chemical Information Services, Ltd., 123.
- *Clerici WJ, Fechter LD. 1991. Effects of chronic carbon disulfide inhalation on sensory and motor function in the rat. *Neurotoxicol Teratol* 13(3): 249-255.
- *Clower M Jr, McCarthy JP, Carson LJ. 1986. Comparison of methodology for determination of ethylene dibromide in grains and grain-based foods. *J Assoc Off Anal Chem* 69:87-90.
- *Cohen AE, Paulus HJ, Keenan RG, et al. 1958. Skin absorption of carbon disulfide vapor in rabbits. I. Associated changes in blood protein and zinc. *AMA Archives Industrial Health* 17:164-169.
- *Cohen AE, Scheel LD, Kopp JF, et al. 1959. Biochemical mechanisms in chronic carbon disulfide poisoning. *Am Ind Hyg Assoc J* 20:303-323.
- Coleman WE, Lingg RD, Kopfler FC. 1976. The occurrence of volatile organics in five drinking water supplies using gas chromatography/mass spectrometry. In: Keith L, ed. *Analysis and Identification of Organic Substances in Water*. Vol. 21, Ann Arbor, MI: Ann Arbor Science, 305-327.
- Colenutt BA, Davies DN. 1980. The sampling and gas chromatographic analysis of organic vapors in landfill sites. *Int J Environ Anal Chem* 7:223-229.
- *Colombi A, Maroni M, Picchi O, et al. 1981. Carbon disulfide neuropathy in rats. A morphological and ultrastructural study of degeneration and regeneration. *Clin Toxicol* 18: 1463- 1474.
- Cooper P. 1976. Carbon disulphide toxicology: The present picture. *Food Cosmet Toxicol* 14:57-59.
- *Cooper DJ, Saltzman ES. 1993. Measurements of atmospheric dimethylsulfide, hydrogen sulfide, and carbon disulfide during GTE/CITE 3. *Journal of Geophysical Research* 98:23397-23409.

- *Cooper WJ, Cooper DJ, Saltzman ES, et al. 1987. Emissions of biogenic sulfur compounds from several wetland soils in Florida. *Atmos Environ* 21:1491-1496.
- Coppock RW, Buck WB, Mabee RL. 1981. Toxicology of carbon disulfide: A review. *Vet Hum Toxicol* 23:331-336.
- Costa LG. 1988. Interactions of neurotoxicants with neurotransmitter systems. *Toxicology* 49:359-366.
- Council on Scientific Affairs. 1985. Effects of toxic chemicals on the reproductive system. *JAMA* 253:3431-3437.
- *Cox C, Lowry LK, QueHee SS. 1992. Urinary 2-thiothiazolidine-4-carboxylic acid as a biological indicator of exposure to carbon disulfide: Derivation of a biological exposure index. *Applied Occupational Environmental Hygiene* 7:672-676.
- *Cox RA, Sheppard D. 1980. Reactions of OH radicals with gaseous sulfur compounds. *Nature* 284:330-331.
- Crutzen PJ, Heidt LE, Kransnec JP, et al. 1979. Biomass burning as a source of atmospheric gases CO, H₂, N₂O, NO, CH₃Cl and COS. *Nature* 282:253-256.
- Cunningham VJ. 1975. Effects of a single exposure to carbon disulphide on the rate of urea production and on plasma free fatty acid and glucose concentrations in the rat. *Br J Ind Med* 32:140-146.
- *Daft J. 1987. Determining multifumigants in whole grains and legumes, milled and low-fat grain products, spices, citrus fruit, and beverages. *J Assoc Off Anal Chem* 70:734-739.
- *Daft JL. 1988a. Fumigant contamination during large-scale food sampling for analysis. *Arch Environ Contam Toxicol* 17:177-182.
- *Daft JL. 1988b. Rapid determination of fumigant and industrial chemical residues in food. *J Assoc Off Anal Chem* 71:748-760.
- Daft JL. 1989. Determination of fumigants and related chemicals in fatty and nonfatty foods. *J Agric Food Chem* 37:560-564.
- Dalvi RR. 1987. Cytochrome P-450-dependent covalent binding of carbon disulfide to rat liver microsomal protein in vitro and its prevention by reduced glutathione. *Arch Toxicol* 61:155-157.
- *Dalvi RR, Howell CD. 1978. Interaction of parathion and malathion with hepatic cytochrome p-450 from rat treated with phenobarbital and carbon disulfide. *Drug Chem Toxicol* 1:191-202.
- *Dalvi RR, Neal RA. 1978. Metabolism in vivo of carbon disulfide to carbonyl sulfide and carbon dioxide in the rat. *Biochem Pharmacol* 27:1608-1609.
- *Dalvi RR, Hunter AL, Neal RA. 1975. Toxicological implications of the mixed-function oxidase catalyzed metabolism of carbon disulfide. *Chem Biol Interact* 10:349-361.

*Dalvi RR, Poore RE, Neal RA. 1974. Studies of the metabolism of carbon disulfide by rat liver microsomes. *Life Sci* 14:1785-1796.

*Danielsson BR, Bergman K, D'Argy R. 1984. Tissue disposition of carbon disulfide: 2. Whole-body autoradiography ³⁵S- and ¹⁴C-labelled carbon disulfide in pregnant mice. *Acta Pharmacol Toxicol* 54:233-240.

*Davidson M, Feinleib M. 1972. Carbon disulfide poisoning: A review. *Am Heart J* 83:100-114.

*DeCaprio AP, Spink DC, Chen X, et al. 1992. Characterization of isothiocyanates, thioureas, and other lysine adduction products in carbon disulfide-treated peptides and protein. *Chem Res Toxicol* 5(4): 496-504.

*de Gandarias JM, Echevarria E, Irazusta J, et al. 1992. Regional distribution of neuropeptidodegrading enzyme activity in the rat brain: Effects of subacute exposure to carbon disulfide. *J Biochem Toxicol* 7(3): 171-175.

de Gandarias JM, Echevarria E, Mugica J, et al. 1994. Changes in brain enkephalin immunostaining after acute carbon disulfide exposure in rats. *J Biochem Toxicol* 9:59-62.

*DeLaey JJ, DeRouck A, Priem H, et al. 1980. Ophthalmological aspects of chronic CS₂ intoxication. *Int Ophthalmol* 3:51-56.

*DeMatteis F. 1974. Covalent binding of sulfur to microsomes and loss of cytochrome p-450 during the oxidative desulfuration of several chemicals. *Mol Pharmacol* 10:849-854.

DeMatteis F. 1977. Hepatotoxicity of carbon disulfide and of other sulfur-containing chemicals: Possible significance of their metabolism by oxidative desulfuration. In: Jollow DJ, Kocsis JJ, Snyder R, eds. *Biol React Intermed*. New York, NY: Plenum Press, 314-319.

*DeMatteis F, Seawright AA. 1973. Oxidative metabolism of carbon disulphide by the rat: Effect of treatments which modify the liver toxicity of carbon disulphide. *Chem Biol Interact* 6:375-388.

*DeMello WZ, Cooper DJ, Cooper WJ, et al. 1987. Spatial and diel variability in the emissions of some biogenic sulfur compounds from a Florida *Spartina alterniflora* coastal zone. *Atmos Environ* 21:987-990.

Demus H. 1964. [On the reception, chemical transformation and excretion of carbon disulfide by the human body]. *Int Arch Gewerbepath Gewerbehyg* 20:507-536. (German)

Demus H. 1967. The mechanism of absorption, metabolism, and excretion of carbon disulphide in the human body. *Toxicology of Carbon Disulphide, Proceedings of a Symposium*. Prague, Czechoslovakia 42-49.

Dencker L, Danielsson BR. 1987. Transfer of drugs to the embryo and fetus after placentation. In: Nau H, Scott WJ Jr, eds. *Pharmacokinetics in Teratogenesis*. Vol. I. Interspecies Comparison and Maternal/Embryonic-Fetal Drug Transfer, 55-69.

Derikx PJ, Simons FH, OP Den Camp HJ, et al. 1991. Evolution of volatile sulfur compounds during laboratory-scale incubations and indoor preparation of compost used as a substrate in mushroom cultivation. *Appl Environ Microbiol* 57(2): 563-567.

*DeRouck A, DeLaey JJ, Van Hoorne M, et al. 1986. Chronic carbon disulfide poisoning: A 4-year follow-up study of the ophthalmological signs. *Int Ophthalmol* 9:17-28.

*Dietzmann K, Laass W. 1977. Histological and histochemical studies on the rat brain under conditions of carbon disulfide intoxication. *Exp Pathol* 13:320-327.

*Djerassi LS, Lumbroso R. 1968. Carbon disulphide poisoning with increased ethereal sulphate excretion. *Br J Ind Med* 25:220-222.

*Djuric D. 1967. Determination of carbon disulphide and its metabolites in biological material. In: Brieger H, Teisinger J, eds. *Toxicology of Carbon Disulfide*. Amsterdam, The Netherlands: Excerpta Medica Foundation, 52-61.

*Djuric D. 1971. Antabuse, carbon disulfide, and ethyl alcohol metabolism. *Arh Hig Rada Toksikol* 22:171-177.

Djuric D. 1991. Predisposition in exposure to carbon disulfide. In: "Ecogenetics: Genetic predisposition to the toxic effects of chemicals," Grandjean P, ed. Chapman & Hall, Regional Office for Europe 193-203.

*Djuric D, Postic-Grujin A, Graovac-Leposavic L, et al. 1973. Antabuse as an indicator of human susceptibility to carbon disulfide: Excretion of diethyldithiocarbamate sodium in the urine of workers exposed to CS₂ after oral administration of disulfiram. *Arch Environ Health* 26:287-289.

Djuric D, Stojadinovic LZ, Bojovic V, et al. 1967. Excretion of zinc in the urine of persons exposed to carbon disulfide. In: Brieger H, Teisinger J, eds. *Toxicology of Carbon Disulfide*. Amsterdam, The Netherlands: Excerpta Medica Foundation, 118-221.

DOC. 1973. Selected specific rates of reactions of transients from water in aqueous solution: 1. Hydrated electron. U.S. Department of Commerce, National Bureau of Standards. NSRDS-NBS 43.

DOC. 1977. Reaction rate and photochemical data for atmospheric chemistry-1977. Hampson RF Jr, Garvin D, eds. U.S. Department of Commerce, National Bureau of Standards, National Measurement Laboratory, Washington, DC, 107.

*DOD. 1991. Comparison of headspace gas chromatography with EPA SW-846 method 8240 for determination of volatile organic compounds in soil. Aberdeen Proving Ground, MD: U.S. Army Toxic and Hazardous Materials Agency. U.S. Department of the Army. CETHA-TE-CR-91009.

*Dormer M, Falek K, Hemminiki K, et al. 1981. Carbon disulfide is not mutagenic in bacteria or drosophila. *Mutat Res* 9 1: 163-166.

DOT. 1980. Chemical kinetic and photochemical data sheets for atmosphere reactions. Washington, DC: U.S. Department of Transportation, High Altitude Pollution Program; National Aeronautics and Space Administration, Upper Atmosphere Research Office; and National Bureau of Standards, Office of Standard Reference Data. FAA-EE-80-17.

*DOT. 1995a. U.S. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101.

*DOT. 1995b. U.S. Department of Transportation. Code of Federal Regulations. 49 CFR 172.102.

*Dreisbach RH, Robertson WO, eds. 1987. Handbook of poisoning: Prevention, diagnosis, and treatment. Norwalk, CT: Appleton and Lange, 258-259.

*Drexler H, Goen T, Angerer J., et al. 1994. Carbon disulfide. 1. External and internal exposure to carbon disulphide of workers in the viscose industry. *Int Arch Occup Environ Health* 65:359-365.

*Drexler H, Goen T, Angerer J. 1995a. Carbon disulfide. 2. Investigations on the uptake of CS₂ and the excretion of its metabolite 2-thiothiazolidine-4-carboxylic acid after occupational exposure. *Int Arch Occup Environ Health* 67:5-10.

*Drexler H, Ulm K, Hardt R, et al. 1995b. Carbon disulfide. 3. Risk-factors for coronary heart diseases in workers in the viscose industry. *Int Arch Occup Environ Health* 67:243-252.

Dunn AD and Rudorf WD. 1989. Carbon Disulfide in Organic Chemistry. Halsted Press. New York.

*Dutkiewicz T, Baranowska B. 1967. The significance of absorption of carbon disulfide through the skin in the evaluation of exposure. In: Brieger H, ed. Toxicology of carbon disulfide. Proceedings of a Symposium, Prague, 1966, 50-51.

*Egeland GM, Burkhart GA, Schnorr TM, et al. 1992. Effects of exposure to carbon disulphide on low density lipoprotein cholesterol concentration and diastolic blood pressure. *Br J Ind Med* 49(4): 287-293.

Ehrhardt W. 1967. Experiences of women exposed to carbon disulfide. In: Brieger H, Teisinger J, eds. Toxicology of carbon disulfide, proceedings. Amsterdam, The Netherlands: Excerpta Medica Foundation, 240-244.

*Eitzer BD. 1995. Emissions of volatile organic chemicals from municipal solid waste composting facilities. *Environmental Science and Technology* 29:896-902.

El-Hawari AM. 1978. Potentiation of dibromoethane (EDB) toxicity by disulfiram, thiram, diethyldithiocarbamate and carbon disulfide [Abstract]. *Pharmacologist* 20:213.

*El-Masry Z, Mehani S, El-Habashi A, et al. 1976. Effects of carbon disulfide on the liver of rats pre-treated with phenobarbitone. *Ain Shams Med J* 27:201.

El-Shaarawi AH, Estergy SR, Warry ND, et al. 1985. Evidence of contaminant loading to Lake Ontario from the Niagara River. *Can J Fish Aquat Sci* 42:1278-1289.

*El-Sobkey MK, Massoud AA, Abdel-Karim AH, et al. 1979. Serum thyroxine, serum cholesterol and its fractions in workers exposed to carbon disulphide. *J Egypt Public Health Assoc* 54:431-442.

Elattal MM. 1983. Viscose. *Encyclopaedia of Occupational Health and Safety*. Vol. 2, 2263-2264.

*Ellenhorn MJ, Barceloux DG, eds. 1988. *Medical toxicology. Diagnosis and treatment of human poisoning*. New York, NY: Elsevier, 144-820.

EPA. 1974. Draft analytical report: New Orleans area water supply study. Dallas, TX: Report to U.S. Environmental Protection Agency, Dallas, Texas, by the Lower Mississippi River facility, Surveillance and Analysis Division, Slidell, Louisiana.

*EPA. 1975a. Preliminary assessment of suspected carcinogens in drinking water. Interim report to Congress, June 1975. Washington, DC: U.S. Environmental Protection Agency.

*EPA. 1975b. Identification of organic compounds in effluents from industrial sources. Report to US Environmental Protection Agency, Office of Toxic Substances by Versar Inc., General Technologies Division, Springfield, VA. EPA 560/3-75-002; NTIS PB-241, 641.

*EPA. 1978a. Carbon disulfide, carbonyl sulfide: Literature review and environmental assessment. Washington, DC: U.S. Environmental Protection Agency. EPA-600/9-78/009.

*EPA. 1978b. Identification of organic compounds in industrial effluent discharges. Columbus OH: Battelle Columbus Labs. EPA-560-6-78-009; NTIS/PB291900.

*EPA. 1979. Identification of organic compounds in industrial effluent discharges. Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/4-79-016; NTIS PB-294794), 230.

EPA. 1980. Health impacts, emissions, and emission factors for noncriteria pollutants subject to de minimis guidelines and emitted from stationary conventional combustion processes. Research Triangle Park, NC: Environmental Protection Agency, Office of Air Quality Planning and Standards. NTIS/PB80-221237.

EPA. 1981. Treatability manual. I. Treatability data. Washington, DC: U.S. Environmental Protection Agency. EPA-600/2-82/001A, 646.

EPA. 1984a. 1981 Buffalo, New York, area sediment survey (BASS). U.S. Environmental Protection Agency. EPA/140-8435122.

*EPA. 1984b. Development of analytical test procedures for the measurement of organic priority pollutants in sludge. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Lab. EPA/600/4-84-001.

*EPA. 1984c. EPA Method Study 29, Method 624-Purgeables. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Lab. EPA/600/06.

*EPA. 1985a. EPA lists firms requesting voluntary cancellation of registration of pesticide products containing carbon tetrachloride, carbon disulfide, and ethylene dichloride. Effective Nov. 22, 1985. Federal Register 50:42997-42999.

EPA. 1985b. Determination of toxic chemicals in effluent from household septic tanks. Report to U.S. Environmental Protection Agency, Office of Research and Development, by the University of Washington, Department of Environmental Health Seattle, Washington. EPA-600/S2-85/1050, 4.

EPA. 1985c. Extension of follow-up of the rayon cohort through June 30, 1983. Washington, DC: U.S. Environmental Protection Agency, Inter-industry committee on carbon disulfide. EPA/OTS Dot #FYI-AX-0785-0427a.

EPA. 1985d. Assessment of the mutagenic potential of carbon disulfide, carbon tetrachloride, dichloromethane, ethylene dichloride, and methyl bromide: A comparative analysis in relation to ethylene dibromide. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Reproductive Effects Group. EPA/600/21; NTIS PB85-241800.

EPA. 1985e. Physical-chemical properties and categorization of RCRA wastes according to volatility. Versar Inc, Springfield, VA. EPA-450/3-85/007; NTIS PB85-204527, 129.

EPA. 1986a. EPA approves Unocal Corp pesticide petition (PP 6C3350) to establish temporal tolerance levels for carbon disulfide in/on grapefruit, grapes, oranges, and potatoes at 0.1 ppm resulting from nematicide sodium tetrathiocarbonate. Federal Register 51:23151.

*EPA. 1986b Health and environmental effects profile for carbon disulfide. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA/600/X-86/155, 129.

*EPA. 1986c. Superfund record of decision (EPA Region 4): Hipps Road Landfill, Jacksonville, Duval County, Florida, September 1986. Washington, DC: U.S. Environmental Protection Agency. EPA/ROD/RO4-86/010.

*EPA. 1986d. Superfund record of decision (EPA Region 5): Spiegelberg, Green Oak Township Livingston County, Michigan, September 1986. U.S. Environmental Protection Agency. EPA/ROD/RO5-86/039.

EPA. 1986e. U.S. Environmental Protection Agency. Federal Register 51:34534-34549.

EPA. 1986f. National body-burden database: Chemicals identified in human biological media, 1984. Report to U.S. Environmental Protection Agency, Office of Toxic Substances, Exposure Evaluation Division, Washington, DC, by Science Applications International Corporation, Public Information and Presentations, Oak Ridge, Tennessee. EPA/560-5-84/003.

EPA. 1987a. EPA proposes to revoke food additive regs permitting use of carbon disulfide and ethylene dichloride in fumigation of grain-processing machinery and processed grains used in production of fermented malt beverages. Federal Register 52:38198-38199.

EPA. 1987b. EPA proposes to revoke exemption of pesticide chemicals carbon disulfide, ethylene dichloride, and chloroform from requirement of tolerance. U.S. Environmental Protection Agency. Federal Register 52:38198-38199.

EPA. 1987c. U.S. Environmental Protection Agency. Federal Register 52:21152-21208.

EPA. 1988. Reference dose (RfD): Description and use in health risk assessments. Appendix A: Integrated risk information system supportive documentation. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86-032a.

*EPA. 1989a. U.S. Environmental Protection Agency. Federal Register 54:6129-6130.

*EPA. 1989b. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/8-88/066F.

*EPA. 1993. Pesticide tolerances for carbon disulfide. U.S. Environmental Protection Agency. Federal Register 58:33770-33772.

*EPA. 1995a. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 60.489.

*EPA. 1995b. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 122, Appendix D, Table V.

*EPA. 1995c. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 180.1004.

*EPA. 1995d. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 180.467.

*EPA. 1995e. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.4.

*EPA. 1995f. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 355, Appendix A.

*EPA. 1995g. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 116.4

*EPA. 1995h. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.31.

*EPA. 1995i. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.33[e].

*EPA. 1995j. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261, Appendix VIII.

*EPA. 1995k. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 264, Appendix IX.

*EPA. 1995l. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 372.

*EPA. 1995m. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.6.

Eskin TA, Merigan WH, Wood RW. 1988. Carbon disulfide effects on the visual system: II. Retinogeniculate degeneration. *Invest Ophthalmol Vis Sci* 29:519-527.

Faiman MD, Jensen JC, Lacoursier RB. 1984. Elimination kinetics of disulfiram in alcoholics after single and repeated doses. *Clin Pharmacol Ther* 36:520-526.

*Fain JE, Brakefield LA, Sherman LB, et al. 1987. Environmental risk management of land treatment operational units. *Hazard Waste and Hazardous Materials* 4:83-97.

*Fajen J, Albrig ht B, Leffingwell SS. 1981. A cross-sectional medical and industrial hygiene survey of workers exposed to carbon disulfide. *Stand J Work Environ Health* 7:20-27.

*Fall R, Albritton DL, Fehsenfeld C, et al. 1988. Laboratory studies of some environmental variables controlling sulfur emissions from plants. *Journal of Atmospheric Chemistry* 6:341-362.

FAO/WHO. 1966. Food and Agricultural Organization of the United Nations/World Health Organization. Monographs on fumigants. *Food Cosmet Toxicol* 4:43-436.

FAO/WHO. 1975. Food and Agricultural Organization of the United Nations/World Health Organization. Pesticides residue tolerances for foodgrains. *Pesticides* 9:33-34.

*Farwell SO, Sherrard AE, Pack MR, et al. 1979. Sulfur compounds volatilized form soils at different moisture contents. *Soil Biol Biochem* 11:411-415.

Fazzalari FA, ed. 1978. Compilation of odor and taste threshold values data. Philadelphia, PA: American Society for Testing and Materials, Committee E-18 on Sensory Evaluation of Materials and Products. ASTM Data Series DS 48A, 33.

*FEDRIP. 1989. Federal Research in Progress: Carbon disulfide. Dialog Information Service, Inc.

*FEDRIP. 1995. Federal Research in Progress: Carbon disulfide. Dialog Information Service, Inc.

Ferraro A, Jervis GA, Flicker DJ. 1941. Neuropathological changes in experimental carbon disulfide poisoning in cats. *Arch Pathol* 32:723-738.

Fine LJ. 1983. Occupational heart disease. In: Rom WN, ed. *Environmental and Occupational Medicine*. 1. Environmental and Occupational Disease. Boston, MA: Little, Brown and Co., 359-365.

Finkova A, Simko A, Kindrichova J, et al. 1973. [Gynecologic problems of women working in an environment contaminated with carbon disulfide]. *Cesk Gynekol* 38:535-563. (Czech)

*Flick EW. 1985. *Industrial solvents handbook*. 3rd ed. Park Ridge, NJ: Noyes Publications, 173.

- *Foa V, Cassitto MG, Forzi M, et al. 1976. Mental performance and personality disorders among workers exposed to carbon disulphide: Comparison between two different rayon plants. *Adverse Effects of Environmental Chemicals and Psychotropic Drugs, Neurophysiological and Behavioural Tests*. Vol. 2, 173-182.
- Franco G, Malamani T. 1976. Systolic time intervals as a measure of left ventricular function in viscose rayon workers exposed to carbon disulfide. *Stand J Work Environ Health* 2: 107-114.
- *Franco G, Malamani T, Germani L, et al. 1982. Assessment of coronary heart disease risk among viscose rayon workers exposed to carbon disulfide at concentrations of about 30 mg/m³. *Stand J Work Environ Health* 8: 113-120.
- Franco G, Malamani T, Piazza A. 1978. Glucose tolerance and occupational exposure to carbon disulphide. *Lancet* 2:1208.
- Franco G, Malamani T, Pozzi U. 1976. [Preclinical alterations of myocardial contractility as early sign of carbon disulfide intoxication]. *Med Lav* 67:483-495. (Italian, with English summary)
- *Frantik E. 1970. The development of motor disturbances in experimental chronic carbon disulphide intoxication. *Med Lav* 61:309-313.
- Frantik E, Meissner J. 1976. Treadmill measuring of dynamic motor capacity in rats. In: Horvath M, Frantik E, eds. *Adverse Effects of Environmental Chemicals and Psychotropic Drugs, Neurophysiological and Behavioral Tests*. Vol. 2, Amsterdam: Elsevier Scientific Publishing Company, 317-320.
- *Frantik E, Hornychova M, Horvath M. 1994. Relative acute neurotoxicity of solvents: Isoeffective air concentrations of 48 compounds evaluated in rats and mice. *Environ Res* 66:173-185.
- Freitag. 1931. Injury to health in the viscose rayon industry. *Melliand Textile Monthly* 3:758-759.
- *Freundt KJ, Liebalde GP, Sieber KH. 1974a. Effect of barbiturates on the liver of rats exposed to carbon disulphide vapour. *Int Arch Arbeitsmed* 32:297-303.
- *Freundt KJ, Lieberwirth K, Netz H, et al. 1976. Blood acetaldehyde in alcoholized rats and humans during inhalation of carbon disulphide vapor. *Int Arch Occup Environ Health* 37:35-46.
- *Freundt KJ, Schauenburg KJ, Eichhorn P. 1974b. Effect of acute exposure to carbon disulfide vapour upon some components of the hepatic-microsomal enzyme system in rats. *Arch Toxicol* 32:233-240.
- *Freundt KJ, Schnapp E, Dreher W. 1975. Pharmacokinetics of inhaled carbon disulphide in rats in relation to its inhibitory effect on the side-chain oxidation of hexobarbital. *Int Arch Occup Environ Health* 35:173-186.
- Froese RDJ, Goddard JD. 1992. The reaction of sulfur atoms with carbon disulfide: Potential energy surface features. *J Chem Phys* 96(10): 7449-7457.

FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Chemical Communication Subcommittee Federal-State Toxicology and Regulatory Alliance Committee. U. S. Environmental Protection Agency, Washington, DC.

Gagnaire F, Simon P, Bonnet P, et al. 1986. The influence of simultaneous exposure to carbon disulfide and hydrogen sulfide on the peripheral nerve toxicity and metabolism of carbon disulfide in rats. *Toxicol Lett* 34: 175-184.

*Gandhi DN, Venkatakrishna-Bhatt H. 1993. Carbon disulphide induced sensitivity changes of rat anococcygeus muscle to noradrenaline (NA). *Biomed Environ Sci* 6:223-230.

Garman JR, Freund T, Lawless EW. 1987. Testing for groundwater contamination at hazardous waste sites. *J Chromatogr Sci* 25:328-337.

*Garry VF, Nelson RL, Griffith J, et al. 1990. Preparation for human study of pesticide applicators: Sister chromatid exchanges and chromosome aberrations in cultured human lymphocytes exposed to selected fumigants. *Teratogenesis Carcinog Mutagen* 10:21-30.

Gerhart JM, Denny KH, Placke ME, et al. 1991. Developmental inhalation toxicology of carbon disulfide (CS₂) in rabbits [Abstract]. *The Toxicologist* 2:344.

*Gibson JD, Roberts RJ. 1972. Effect of carbon disulfide on liver function in vivo and in the isolated perfused liver. *J Pharmacol Exp Ther* 18:176.

Glinska D, Korus M. 1971. [Effect of carbon disulfide on metabolism and visceral changes in experimental animals: VII. Histochemical observations on glycogen nucleic acids and protein in the liver of rats chronically poisoned with large doses of carbon disulfide injected intraperitoneally]. *Patol Pol* 22:617-623. (Czech, with English abstract)

Glowa JR, Dews PB. 1987. Behavioral toxicology of volatile organic solvents: IV. Comparisons of the rate-decreasing effects of acetone, ethyl acetate, methyl ethyl ketone, toluene, and carbon disulfide on schedule-controlled behavior of mice. *Journal of American College Toxicology* 6:461-470.

Goldhaber SZ. 1983. Cardiovascular effects of potential occupational hazards. *J Am Coll Cardiol* 2:1210-1215.

Goldsmith JR. 1985. Occupational health in Chinese metallurgical industries: Report based on a visit. *Am J Ind Med* 7:353-357.

*Gondzik M. 1971. Histology and histochemistry of rat testicles as affected by carbon disulfide. *Pol Med J* 10:133-139.

Gordy ST, Trumper M. 1938. Carbon disulfide poisoning. *JAMA* 100:1543-1549.

*Gosselin RE, Smith RP, Hodge HC. 1984. *Clinical toxicology of commercial products*. 5th ed. Baltimore: Williams and Wilkins, III-91.

Goto S, Hotta R, Sugimoto K. 1971. Studies on chronic carbon disulfide poisoning: Pathogenesis of retinal microaneurysm due to carbon disulfide, with special reference to a subclinical defect of carbohydrate metabolism. *Int Arch Arbeitsmed* 28: 115-126.

*Gottfried MR, Graham DG, Morgan M, et al. 1985. The morphology of carbon disulfide neurotoxicity. *Neurotoxicology* 6(4):89-96.

Graedel TE. 1978. *Chemical compounds in the atmosphere*. New York, NY: Academic Press, 11-440.

Grasso P. 1988. Neurotoxic and neurobehavioral effects of organic solvents on the nervous system. *Occupational Medicine: State of the Art Reviews* 3:525-539.

Grasso P, Sharratt M, Davies DM, et al. 1984. Neurophysiological and psychological disorders and occupational exposure to organic solvents. *Food Chem Toxicol* 22:819-852.

Green EC. 1986. Biotransformation, distribution, and toxicity of carbon disulfide in immature rats [Abstract]. *Dissertation Abstracts International* 46:2268-B.

Green EC, Hunter A. 1985. Toxicity of carbon disulfide in developing rats: LD50 values and effects on the hepatic mixed-function oxidase enzyme system. *Toxicol Appl Pharmacol* 78: 130-138.

*Haddad LM, Winchester, JF, eds. 1990. *Clinical management of poisoning and drug overdose*, Second edition. Philadelphia, PA: W.B. Saunders Co., 1250-1252.

Haltia M. 1986. The neurotoxicity of carbon disulfide [Abstract]. *Acta Neurol Scand* 73:94.

Halton DM. 1988. A comparison of the concepts used to develop and apply occupational exposure limits for ionizing radiation and hazardous chemical substances. *Regul Toxicol Pharmacol* 8:343-355.

Hanninen H. 1971. Psychological picture of manifest and latent carbon disulfide poisoning. *Br J Ind Med* 28:374-381.

Hanninen H. 1985. Twenty-five years of behavioral toxicology within occupational medicine: A personal account. *Am J Ind Med* 7:19-30.

Hanson RL, Dahl AR, Rothenberg SJ, et al. 1985. Chemical and biological characterization of volatile components of environmental samples after fractionation by vacuum line cryogenic distillation. *Arch Environ Contam Toxicol* 14:289-297.

Hanst PL, Spiller LL, Watts DM, et al. 1975. Infrared measurements of fluorocarbons, carbon tetrachloride, carbon monoxide sulfide, and other atmospheric trace gases. *J Air Pollut Control Assoc* 25:1220-1226.

*Hardin BD, Bond GP, Sikov MR, et al. 1981. Testing of selected workplace chemicals for teratogenic potential. *Stand J Work Environ Health* 7(S4):66-75.

*Hartel PG, Reeder RE. 1993. Effects of drought and root injury on plant-generated CS₂ emissions in soil. *Plant and Soil* 148:271-276.

*Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environmental Mutagen Suppl* 1:3-142.

*HazDat. 1996. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

*Hedenstedt A, Rannug U, Ramel C, et al. 1979. Mutagenicity and metabolism studies on 12-thiuram and dithiodicarbamate compounds used as accelerators in the Swedish rubber industry. *Mutat Res* 68:313-325.

*Heicklen J, Wood WP, Olszyna KJ, et al. 1971. The reactions of unstable intermediates in the oxidation of CS₂. In: Tuesday CS₂, ed. Chemical reactions in the urban atmosphere, proceedings of a symposium, 1969. New York, NY: Elsevier Publishing Co., 191-222.

*Heikes DL. 1987. Purge and trap method for determination of volatile halocarbons and carbon-disulfide in table-ready foods. *J AOAC* 215-226.

*Heinrichs WL. 1983. Reproductive hazards of the workplace and the home. *Clin Obstet Gynecol* 26:429-436.

*Helasova P. 1969. [Observations on a group of children from an area polluted by carbon disulfide and hydrogen sulfide exhalation compared with a control group of children]. *Cs Hyg* 14:260-265. (Czech)

*Hemminki K, Niemi ML. 1982. Community study of spontaneous abortions: Relation to occupation and air pollution by sulfur dioxide, hydrogen sulfide, and carbon disulfide. *Int Arch Occup Environ Health* 51:55-63.

Henderson J, Baker HW, Hanna PJ. 1986. Occupation-related male infertility: A review. *Clin Reprod Fertil* 4: 87-106.

Herber RF, Poppe H. 1976. A new method for the estimation of exposure to carbon disulfide. *J Chromatogr* 118:23-34.

Herbig C. 1973. Psychological investigation into CS₂ effects on female workers. *Med Lav* 64:272-275.

Hernberg S. 1983. A decade of occupational health epidemiology in Finland [Abstract]. *Lancet* 2:498-500.

Hernberg S, Howe G, Virkola P, et al. 1969. Magnesium and zinc values of erythrocytes and plasma for workers exposed to carbon disulphide. *Work Environ Health* 6:9-13.

*Hernberg S, Nordman CH, Partanen T, et al. 1971. Blood lipids, glucose tolerance and plasma creatinine in workers exposed to carbon disulphide. *Work Environ Health* 8:11-16.

*Hernberg S, Nurminen M, Tolonen M. 1973. Excess mortality from coronary heart disease in viscose rayon workers exposed to carbon disulfide. *Work Environ Health* 10:93-99.

*Hernberg S, Partanen T, Nordman CH, et al. 1970. Coronary heart disease among workers exposed to carbon disulphide. *Br J Ind Med* 27:313-325.

*Hernberg S, Tolonen M, Nurminen M. 1976. Eight-year follow-up of viscose rayon workers exposed to carbon disulfide. *Stand J Work Environ Health* 2:27-30.

Herr DW, Boyes WK, Dyer RS. 1992. Alterations in rat flash and pattern reversal evoked potentials after acute or repeated administration of carbon disulfide (CS₂). *Fundam Appl Toxicol* 18(3):328-342.

*Heuser SG, Scudamore KA. 1968. Determination of residual acrylonitrile, carbon disulphide, carbon tetrachloride and ethylene dichloride in cereals after fumigation. *Chem Ind* 34: 1154-1 157.

*Hiatt M, Youngman DR, Donnelly JR. 1994. Separation and isolation of volatile organic compounds using vacuum distillation with GC/MS determination. *Anal Chem* 66:905-908.

Higgins J, Pollard AG. 1937. Studies in soil fumigation. II. Distribution of carbon disulphide in soil fumigated under various conditions. *Annals of Applied Biology* 24:895-910.

Himberg K, Pyysalo H, Paallysaho A, et al. 1987. Composition of sulfurous exhaust gases from sulfate and semi-alkaline pulping (SAP) processes of a pulp mill. *Atmos Environ* 21:1671-1674.

*Hines ME, Pelletier RE, Crill PM. 1993. Emissions of sulfur gases from marine and freshwater wetlands of the Florida Everglades: Rates and extrapolation using remote sensing. *Journal of Geophysical Research* 98:8991-8999.

*Hirata M, Ogawa Y, Okayama A, et al. 1992a. A cross-sectional study on the brainstem auditory evoked potential among workers exposed to carbon disulfide. *Int Arch Occup Environ Health* 64(5): 321-324.

*Hirata M, Ogawa Y, Okayama A, et al. 1992b. Changes in auditory brainstem response in rats chronically exposed to carbon disulfide. *Arch Toxicol* 66(5): 344-338.

*Hoffman P. 1987. Cardiotoxicity testing of organic solvents by coronary artery ligation in closed-chest rats. *Arch Toxicol* 61:79-82.

*Hoffman P, Klapperstück M. 1990. Effects of carbon disulfide on cardiovascular function after acute and subacute exposure of rats. *Biomed Biochem Acta* 49(1): 121-128.

*Hoffman P, Muller S. 1990. Subacute carbon disulfide exposure modifies adrenergic cardiovascular actions in rats. *Biomed Biochim Acta* 49(1): 115-120.

Hogstedt C, Andersson K, Hane M. 1984. A questionnaire approach to the monitoring of early disturbances in central nervous functions. In: Aitio A, Riihimaki V, Vainio H, eds. *Biological monitoring and surveillance of workers exposed to chemicals*. Washington, DC: Hemisphere Publishing Co., 275-287.

Holmberg B, Sjoström B. 1980. Toxicological aspects of chemical hazards in the rubber industry. *J Toxicol Environ Health* 6:1201-1209.

*HSDB. 1995. Hazardous Substances Data Bank. Bethesda, MD: National Institutes of Health, National Library of Medicine.

Hsu DS, Shaub WM, Burks TL, et al. 1979. Dynamics of reactions of O(3P) atoms with CS, CS₂, and OCS. *Chem Phys* 44:143-150.

*Hueper WC. 1936. Etiologic studies on the formation of skin blisters in viscose workers. *Journal of Industrial Hygiene and Toxicology* 18:432-447.

Humiczewska M, Putowa A, Samochowiec L, et al. 1971. The influence of dipolyenylphosphatidylcholine, and dimaleinic l-methylbutanoloamide of d-lisergic acid upon morphological and histochemical changes in the organs caused by a prolonged application of carbon disulphide in white rats. *Folia Biologica* 19:209-225.

Hunter AL, Neal RA. 1985. Inhibition of hepatic mixed function oxidase activity in vitro and in vivo by various thiono-sulfur-containing compounds. *Biochem Pharmacol* 24:2199-2205.

*Hwang Y, Matsuo T, Hanaki K, et al. 1995. Identification and quantification of sulfur and nitrogen containing odorous compounds in wastewater. *Water Research* 29:711-718.

Hyne JB. 1972a. Desulfurization of effluent gas streams. A review and comparison of techniques. *Proceedings of the Fifty-First Annual Convention, Natural Gas Processors Association Technical Papers* 51:85-94.

Hyne JB. 1972b. Methods for desulfurization of effluent gas streams. *The Oil and Gas Journal* 70:64-68, 73-78.

IARC. 1984. Identifying agents that damage human spermatogenesis: Abnormalities in sperm concentration and morphology. *Monitoring human exposure to carcinogenic and mutagenic agents. International Agency for Research on Cancer. IARC Publication No. 59, 387-402.*

Ioffe BV, Isidorov VA, Zenkevich IG. 1977. Gas chromatographic-mass spectrometric determination of volatile organic compounds in an urban atmosphere. *J Chromatogr* 142:787-795.

*IRIS. 1995. Integrated Risk Information System. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office.

*Ivey JP, Swan HB. 1995. An automated instrument for the analysis of atmospheric dimethyl sulfide and carbon disulfide. *Anal Chim Acta* 306:259-266.

Jarvis JA, Magos L. 1973. Effects of phenobarbitone and starving on the dopamine content of the adrenal glands of rats exposed to carbon disulphide. *Nauyn Schmiedeberg Arch Pharmacol* 278:207-213.

*Jarvisalo J, Kilpio J, Elovaara E, et al. 1977a. Deleterious effects of subacute carbon disulphide exposure on mouse liver. *Biochem Pharmacol* 26:1521-1524.

Jarvisalo J, Savolainen H, Elovaara E. 1977b. The in vivo toxicity of CS₂ to liver microsomes: Binding of labelled CS₂ and changes of the microsomal enzyme activities. *Acta Pharmacology Toxicology Suppl* 40:329-336.

Jarvisalo J, Savolainen H, Vainio H. 1977c. Effects of acute CS₂ intoxication on liver protein and drug metabolism. *Chem Biol Interact* 17:41-40.

Jarvisalo J, Gibbs AH, DeMatteis F. 1978. Accelerated conversion of heme to bile pigments caused in the liver by carbon disulfide and other sulfur-containing chemicals. *Mol Pharmacol* 14:1099-1106.

Jensen JC, Faiman MD. 1980. Determination of disulfiram and metabolites from biological fluids by high performance liquid chromatography. *J Chromatogr Biomed Appl* 181:407-416.

Jensen JC, Faiman MD, Hurwitz A. 1982. Elimination characteristics of disulfiram over time in five alcoholic volunteers. A preliminary study. *Am J Psychiatry* 139:1596-1598.

*Jirmanova I, Lukas E. 1984. Ultrastructure of carbon disulfide neuropathy. *Acta Neuropathol* 63:255-263.

Johnson BL. 1983. Effects of neurotoxic agents on behavior. *Developments in Toxicology and Environmental Science*. Vol. 11. *Developments in the Science and Practice of Toxicology*, 105-112.

Johnson BL. 1990. *Advances in neurobehavioral toxicology: Applications in environmentally and occupational health*. Lewis Publishers, Inc. Chelsea, MI, 512.

Johnson BL, Anger WK. 1983. Behavioral toxicology. In: Rom WN, ed. *Environmental and occupational medicine*. 1. *Environmental and occupational disease*. Boston, MA: Little, Brown and Co., 329-350.

*Johnson JE, Bates TS. 1993. Atmospheric measurements of carbonyl sulfide, dimethyl sulfide, and carbon disulfide using the electron capture sulfur detector. *Journal of Geophysical Research* 98:23411-23421.

*Johnson BL, Boyd J, Burg JR, et al. 1983. Effects on the peripheral nervous system of worker's exposure to carbon disulfide. *Neurotoxicology* 4:53-65.

Jones BM, Burrows JP, Cox RA, et al. 1982. OSC formation in the reaction of OH with CS₂. *Chem Phys Lett* 88:372-376.

Jones BM, Cox RA, Penkett SA. 1983. Atmospheric chemistry of carbon disulfide. *J Atmos Chem* 1:65-86.

*Jones-Price C, Wolkowski-Tyl R, Marr MC, et al. 1984a. Teratologic evaluation of carbon disulfide (CAS No. 75-15-0) administered to CD rats on gestational days 6 through 15. Research Triangle Park, NC: National Center for Toxicological Research, Division of Teratogenesis Research. NCTR 222-80-2031(C); NTIS PB84-0192343.

*Jones-Price C, Wolkowski-Tyl R, Marr MC, et al. 1984b. Teratologic evaluation of carbon disulfide (CAS No. 75-15-0) administered to New Zealand white rabbits on gestational days 6 through 19.

Research Triangle Park, NC: National Center for Toxicological Research, Division of Teratogenesis Research. NCTR 222-80-2031(C), NTIS PB84-0192350.

Jorgensen BB, Okholm-Hansen B. 1985. Emissions of biogenic sulfur gases from Danish estuary. *Atmos Environ* 19:1737-1750.

Junk GA, Ford CS. 1980. A review of organic emissions from selected combustion processes. *Chemosphere* 9: 187-230.

*Juntunen J, Linnoila I, Haltia M. 1977. Histochemical and electron microscopic observations on the myoneural junction of rats with carbon disulfide induced polyneuropathy. *Stand J Work Environ Health* 3:36-42.

*Kaiser KL, Comba ME. 1983. Volatile contaminants in the Welland River watershed (Ontario, Canada). *J Great Lakes Res* 9:274-280.

*Kaiser KL, Comba ME, Huneault H. 1983. Volatile halocarbon contaminants in the Niagara River and in Lake Ontario. *J Great Lakes Res* 9:212-223.

Kalisky O, Heist RH. 1985. Photoinduced nucleation of carbon disulfide. *J Chem Phys* 83:3668-3680.

*Kallonen R, Von Wright A, Tikkanen L, et al. 1985. The toxicity of fire effluents from textiles and upholstery materials. *J Fire Sci* 3:145-160.

*Kamal AA, Ahmed A, Saied K, et al. 1991. Quantitative evaluation of ECG components of workers exposed to carbon disulfide. *Environ Health Perspect* 90:301-304.

*Kamat SR. 1994. Comparative medical impact study of viscose rayon workers and adjoining community in relation to accidental leak. *Chemical Engineering World* 29: 107-111.

*Kanada M, Miyagawa M, Sato M, et al. 1994. Neurochemical profile of effects of 28 neurotoxic chemicals on the central nervous system in rats. (1). Effects of oral administration on brain contents of biogenic amines and metabolites. *Industrial Health* 32:145-164.

*Kanda K, Tsuruta H, Minami K. 1995. Emissions of biogenic sulfur gases from maize and wheatfields. *Soil Science and Plant Nutrition* 41:1-8.

Kane FJ Jr. 1970. Carbon disulfide intoxication from overdosage of disulfiram. *Am J Psychiatry* 127:690-694.

Kaplan BD. 1988. Characterization of treatment residues from hazardous waste treatment, storage, and disposal facilities. *Proc Ind Waste Conf* 42:409-417.

Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. *Ecotoxicol Environ Safety* 4:26-38.

Kendrat'eva II, Gumanichenko PP, Malakhova AM, et al. 1968. Effect of low concentrations of carbon disulfide on young trainees at a viscose factory. *Hyg Sanit* 33:429-433.

Keppel GE. 1969. Modification of the carbon disulfide evolution method for dithiocarbamate residues. *J AOAC* 52:162-167.

*Khalil MA, Rasmussen RA. 1984. Global sources, lifetimes and mass balances of carbonyl sulfide (OCS) and carbon disulfide (CS₂) in the earth's atmosphere. *Atmos Environ* 18: 1805-1813.

Kim KH, Andreae MO. 1987a. Carbon disulfide in seawater and the marine atmosphere over the North Atlantic *Journal of Geophysical Research* 92:14733-14738.

Kim KM, Andreae MO. 1987b. Determination of carbon-disulfide in natural-waters by adsorbent preconcentration and gas-chromatography with flame photometric detection. *Anal Chem* 59:2670-2673.

*Kivisto H, Elovaara E, Riihimaki V, et al. 1995. Effect of cytochrome P450 isozyme induction and glutathione depletion on the metabolism of CS₂ to TTCA in rats. *Arch Toxicol* 69:185-190.

*Klapperstuck M, Muller S, Hoffmann P. 1991. Carbon disulfide exposure attenuates adrenergic inotropic responses in rats. *J Hyg Epidemiol Microbiol Immunol* 35(2):113-120.

Klein G, Gromadies B, Buerger A, et al. 1981. [Long-term effects of carbon disulfide and halocarbons in general and of perchloroethylene in particular on lipid metabolism]. *Z Gesante Hyg Grenzgeb* 27:48-51. (German, with English summary)

Klein M, Muller S, Hoffmann P. 1991. Carbon disulfide exposure attenuates adrenergic inotropic response in rats. *J Hyg Epidemiol Microbiol Immunol* 35(2): 113-120.

Klein O, Paulova M. 1977. [Change of reabsorption capacity of the small intestine of the rabbit for xylose in acute intoxication with carbon disulfide]. *Cesk Gastroenterol Vyz* 31:461-464. (Czech, with English summary)

Knapikowa D, Andreasik Z, Kwiatkowski S, et al. 1988. Application of the Minnesota Code in evaluating electrocardiographic features of ischemic heart disease in patients exposed to carbon disulfide. *Int Arch Occup Environ Health* 60:351-353.

Knave B, Kolmodin-Nedman B, Persson HE. 1974. Chronic exposure to carbon disulfide: Effects on occupationally exposed workers with special reference to the nervous system. *Work Environ Health* 11:49-58.

*Kneebone BM, Freiser H. 1975. Determination of carbon disulfide in industrial atmospheres by an extraction-atomic absorption method. *Anal Chem* 47:942-944.

Knoblock K, Stetkiewicz J, Wronski-Nofer T. 1979. Conduction velocity in the peripheral nerves of rats with chronic carbon disulphide neuropathy. *Br J Ind Med* 36:148-152.

Kolb DK. 1988. Teratogenic chemicals in undergraduate general chemistry laboratories. *Stud Environ Sci* 31:247-255.

Kopfler FC, Melton RG, Mullaney JL, et al. 1977. Human exposure to water pollutants. *Adv Environ Sci Technol* 8:419-433.

- *Krill RM, Sowzooni WC. 1986. Chemical monitoring of Wisconsin's groundwater. *Am Water Works Assoc J* 78:70-75.
- Kroll RB, Rubin RJ. 1988. Effect of carbon disulfide (CS₂) on renal function in the rat. *Toxicologist* 8:853.
- *Krstev S, Perunicic B, Farkic B. 1992. The effects of long-term occupational exposure to carbon disulfide on serum lipids. *Eur J Drug Metab Pharmacokinet* 17(3):237-240.
- Kulig BM. 1986. Evaluating the neurotoxic potential of organic solvents: The effects of carbon disulfide in the rat [Abstract]. *J Clin Exp Neuropsychol* 8:140.
- Kuljak S, Stem P, Ratkovic D. 1974. Contribution of the action of CS₂ in the central nervous system. *Med Lav* 65:193-201.
- Kumayeva VP, Burykina LN, Zel'tser ML, et al. 1986. Experimental study of combined effect of solvents and noise. *J Hyg Epidemiol Microbiol Immunol* 30:49-56.
- Kurppa K, Gudbergsson H. 1983. Excess cancer incidence among patients with carbon disulfide poisoning: A result arising from a biased cohort [Abstract]. *Stand J Work Environ Health* 10:124.
- Kurppa K, Hietanen E, Klockers M, et al. 1984. Chemical exposures at work and cardiovascular morbidity. Atherosclerosis, ischemic heart disease, hypertension, cardiomyopathy, and arrhythmias. *Stand J Work Environ Health* 10:381-388.
- Kurylo MJ. 1978a. Elementary reactions of atmospheric sulfides. *J Photochem* 9:124-126.
- Kurylo MJ. 1978b. Flash photolysis resonance fluorescence investigation of the reactions of OH radicals with OCS and CS₂. *Chem Phys Lett* 58:238-242.
- Lam CW. 1984. Pharmacokinetics and binding characteristics of carbon-disulfide in blood [Abstract]. *Dissertation Abstracts International* 3675-B.
- *Lam CW, DiStefano V. 1982. Behavior and characterization of blood carbon disulfide in rats after inhalation. *Toxicol Appl Pharmacol* 64:327-334.
- *Lam CW, DiStefano V. 1983. Blood-bound carbon disulfide: An indicator of carbon disulfide exposure, and its accumulation in repeatedly exposed rats. *Toxicol Appl Pharmacol* 70:402-410.
- Lam CW, DiStefano V. 1986. Characterization of carbon disulfide binding in blood and to other biological substances. *Toxicol Appl Pharmacol* 86:235-242.
- Lam CW, DiStefano V, Morken DA. 1986. The role of the red blood cell in the transport of carbon disulfide. *J Appl Toxicol* 6:81-86.
- *Lancranjan I. 1972. Alterations of spermatic liquid in patients chronically poisoned by carbon disulphide. *Med Lav* 63:29-33.

*Lancranjan I, Sukmansky M, Stanuca L, et al. 1972. Study of the thyroid function in chronic carbon disulphide poisoning. *Med Lav* 63: 123-125.

Laurman W, Wronska-Nofer T. 1986. Serum lipid and lipoprotein-cholesterol in rats jointly exposed to carbon disulfide and ethanol. *Med Pr* 37:337-341.

*Lee BL, Yang XF, New AL, et al. 1995. Liquid-chromatographic determination of urinary 2-thiothiazolidine-4-carboxylic acid, a biomarker of carbon-disulfide exposure. *J Chromatogr B Biomed Appl* 668:265-272.

*Lefaux R. 1968. *Practical toxicology of plastics*. Cleveland: CRC Press, Inc., 117-119.

*Lehotzky K, Szeberenyi JM, Ungvary G, et al, 1985. Behavioural effects of prenatal exposure to carbon disulphide and to aromatol in rats. *Arch Toxicol Suppl* 8:442-446.

Leo A, Hansch C, Elkins D. 1971. Partition coefficients and their uses. *Chem Rev* 71:525-616.

*Lewey FH, Alpers BJ, Bellet S, et al. 1941. Experimental chronic carbon disulfide poisoning in dogs. *J Ind Hyg Toxicol* 23:415-436.

Lewy FH. 1938. Neurological aspects of CS₂ intoxication. Pennsylvania Department of Labor and Industry. Bulletin No. 46, 31-37.

*Liang YX, Glowa JR, Dews PB. 1983. Behavioral toxicology of volatile organic solvents. III. Acute and subacute effects of carbon disulfide exposure on the behavior of mice. *J Am Coll Toxicol* 2:379-389.

*Lieben J. 1974. International symposium on toxicology of carbon disulphide. *J Occup Med* 16:483-484.

*Lieben J, Menduke H, Flegel EE, et al. 1974. Cardiovascular effects of CS₂ exposure. *J Occup Med* 16:1449-453.

Lilis R. 1983. Carbon disulfide. In: Rom WN, ed. *Environmental and occupational medicine*. II. Environmental and occupational exposures. Boston, MA: Little, Brown and Co., 627-631.

Lindstrom K. 1981. Behavioral changes after long-term exposure to organic solvents and their mixtures. Determining factors and research results. *Stand J Work Environ Health* 7:48-53.

Lindstrom K, Mentysalo S. 1987. Physical and chemical factors that increase vulnerability to stress or act as stressors at work. In: Kalimo R, El-Batawi MA, Cooper CL, eds. *Psychosocial factors at work and their relation to health*. Geneva: World Health Organization, 112-123.

Logan JA, McElroy MB, Wofsy SC, et al 1979. Oxidation of CS₂ and COS: Sources for atmospheric SO₂. *Nature* 281:185-188.

*Lovegren NV, Fisher GS, Legendre MG, et al. 1979. Volatile constituents of dried legumes. *J Agric Food Chem* 27:851-853.

- Lovell DP, Tucker SP, Cunningham VJ. 1982. Irritation in the hepatotoxic effects of carbon disulphide in the rat: Evidence for polygenic inheritance. *Toxicol Lett* 10:11-16.
- *Lovelock JE. 1974. CS₂ and the natural sulphur cycle [communications]. *Nature* 248:625-626.
- Lukas E. 1970. Stimulation electromyography in experimental toxicology (Carbon disulphide neuropathy in rats). *Med Lav* 61:302-308.
- Lukas E, Kotas P, Obruening I. 1974. Copper and zinc levels in peripheral nerve tissues of rats with experimental carbon-disulphide neuropathy. *Br J Ind Med* 31:288-291.
- *Mack T, Freundt KJ, Henschler D. 1974. Inhibition of oxidative n-demethylation in man by low doses of inhaled carbon disulphide. *Biochem Pharmacol* 23:607-614.
- *MacMahon B, Monson RR. 1988. Mortality in the U.S.A. rayon industry. *J Occup Med* 30:698-705.
- Magos L. 1972a. Relevancy of bivalent sulfur excretion to carbon disulfide exposure in different metabolic conditions. *Br J Ind Med* 29:90-94.
- Magos L. 1972b. Toxicity of carbon disulfide. *Ann Occup Hyg* 15:303-311.
- Magos L. 1975. The clinical and experimental aspects of carbon disulfide intoxication. *Reviews on Environmental Health* 2:65-80.
- *Magos L, Butler WH. 1972. Effect of phenobarbitone and starvation on hepatotoxicity in rats exposed to carbon disulphide vapour. *Br J Ind Med* 29:95-98.
- *Magos L, Jarvis JA. 1970. Effects of diethyldithiocarbamate and carbon disulphide on brain tyrosine. *J Pharm Pharmacol* 22:936-938.
- Magos L, Butler WH, Jarvis JA. 1975. Carbon disulphide: Signs of chronic intoxication following acute exposure. *Proc Eur Soc Toxicol* 17:58-61.
- *Magos L, Butler WH, White IN. 1973. Hepatotoxicity of CS₂ in rats: Relation to postexposure liver weight and pre-exposure cytochrome P-450 level. *Biochem Pharmacol* 22:992-994.
- *Magos L, Green A, Jarvis JA. 1974. Half life of CS₂ in rats in relation to its effect on brain catecholamines. *Internationales Archiv fuer Arbeitsmedizin* 32:289-296.
- *Malone B. 1970. Method for determining multiple residues of organic fumigants in cereal grain. *J AOAC* 53:742-746.
- Mancuso TF, Locke BZ. 1972. Carbon disulphide as a cause of suicide. Epidemiological study of viscose rayon workers. *J Occup Med* 14:595-606.
- *Mannsville Chemical Products Corp. 1985. Chemical products synopsis: Carbon disulfide. Cortland, NY: Mannsville Chemical Products Corp.

Marano DE. 1984. Chemical fumigants in the grain-handling industry. *Health Hazards in the Occupational Environment* 7:76-82.

*Marchand M, Termonia M, Caprais JC, et al. 1994. Purge and trap GC-MS analysis of volatile organic compounds from the Guaymas Basin hydrothermal site (Gulf of California). *Analisis* 22:1326-331.

Maritza RM, Oehme FW. 1982. A review of the acute effects of carbon disulphide on lipid liver metabolism. *Vet Hum Toxicol* 24:337-341.

Maroni M, Colombi A, Rota E, et al. 1979. Biochemical and morphological investigations on nervous tissue of rats inhaling carbon disulfide. *Med Lav* 70:443-451.

*Maroulis PJ, Bandy AR. 1980. Measurements of atmospheric concentrations of carbon disulfide in the eastern United States. *Geophysical Research Letters* 7:681-684.

*Marquardt GD. 1987. Toxic air quality investigation at a hazardous waste site. In: Bennett G, Bennett J, eds. *Proceedings of the 8th national conference, November 16-18, 1987. Washington, DC: The Hazardous Materials Control Research Institute, 284-295.*

Martini RM. 1987. Acute effects of carbon disulfide on hepatic lipid metabolism in Fischer rats. *Acta Cient Venez* 38:362-365.

*Masuda Y, Nakayama N. 1983a. Protective action of diethyldithiocarbamate and carbon disulfide against renal injury induced by chloroform in mice. *Biochem Pharmacol* 32:3127-3135.

Masuda Y, Nakayama N. 1983b. Protective action of diethyldithiocarbamate and carbon disulfide against acute toxicities induced by 1,1-dichloroethylene in mice. *Toxicol Appl Pharmacol* 71:42-53.

Masuda Y, Nakayama N. 1984. Prevention of butylated hydroxytoluene-induced lung damage by diethyldithiocarbamate and carbon disulfide in mice. *Toxicol Appl Pharmacol* 75:81-90.

*Masuda Y, Yasoshima M. 1988. Loss of 3-methylcholanthrene-inducible form of cytochrome P-450 in liver microsomes following administration of carbon disulfide in C57BL/6 Cr mice. *Biochem Pharmacol* 37:2363-2371.

*Masuda Y, Yasoshima M, Nakayama N. 1986. Early, selective and reversible suppression of cytochrome P-450-dependent monooxygenase of liver microsomes following the administration of low doses of carbon disulfide in mice. *Biochem Pharmacol* 35:3941-3947.

Masuda Y, Yasoshima M, Shibata K. 1988. Effects of carbon disulfide, diethyldithiocarbamate, and disulfiram on drug metabolism in the perfused rat liver. *Res Commun Chem Pathol Pharmacol* 61:65-82.

*Matthews CG, Chapman LJ, Woodward AJ. 1990. Differential neuropsychological profiles in idiopathic versus pesticide-induced Parkinsonism. In: Barry L. Johnson (ed.) *Advances in Neurobehavioral Toxicology: Occupational and Environmental Health*. Chelsea, MI: Lewis Publishers, 323-330.

- Mattison DR. 1985. Clinical manifestations of ovarian toxicity. In: Dixon RL, ed. Target organ toxicology series. Reproductive Toxicology. New York: Raven Press, 109-130.
- *Maugeri U, Cavalleri A, Visconti E. 1967. Ophthalmodynamographic study in young workers exposed to carbon disulphide. In: Brieger H, Theisinger J, eds. International Symposium on Toxicology of Carbon Disulfide. Amsterdam, The Netherlands: Excerpta Medica Foundation.
- *MCA. 1968. Research on chemical odors: Part 1. Odor threshold for 53 commercial chemicals. Washington, DC: Manufacturing Chemists Association.
- *McCammon CS Jr, Quinn PM, Kupel RE. 1975. A charcoal sampling method and a gas chromatographic analytical procedure for carbon disulfide. *Am Ind Hyg Assoc J* 36:618-625.
- *McKee RW, Kiper C, Fountain JM, et al. 1943. A solvent vapor, carbon disulfide. *JAMA* 122:217-222.
- *McKenna MJ, DiStefano V. 1977a. Carbon disulfide: I. The metabolism of inhaled carbon disulfide in the rat. *J Pharmacol Exp Ther* 202:245-252.
- *McKenna MJ, DiStefano V. 1977b. Carbon disulfide: II. A proposed mechanism for the action of carbon disulfide on dopamine β -hydroxylase. *J Pharmacol Exp Ther* 202:253-266.
- *McMahon BM Jr. 1971. Analysis of commercially fumigated grains for residues of organic fumigants. *J AOAC* 54:964-965.
- *Merigan WH, Wood RW, Zehl DN. 1985. Recent observations on the neurobehavioral toxicity of carbon disulfide. *Neurotoxicology* 6:81-88.
- *Merigan WH, Wood RW, Zehl D, et al. 1988. Carbon disulfide effects on the visual system: I. Visual thresholds and ophthalmoscopy. *Invest Ophthalmol Vis Sci* 29:512-518.
- Metcalf RL. 1978. Insect control technology. Kirk-Othmer Encyclopedia of Chemical Technology. Vol. 13, 3rd ed. New York, NY: John Wiley, 467.
- *Meuling WJ, Bragt PC, Braun CL. 1990. Biological monitoring of carbon disulfide. *Am J Ind Med* 17(2): 247-257.
- *Meyer CR. 1981. Semen quality in workers exposed to carbon disulfide compared to a control group from the same plant. *J Occup Med* 23:435-439.
- *Micu D, Mihailescu E, Vilau C, et al. 1985. The value of some cytoenzymochemical investigations of the leukocytes and platelets in estimating the effects of occupational exposure to benzene, vinyl chloride and carbon disulfide. *Rev Roum Med Intern* 23:115-120.
- Model AA. 1972. Clinico-physiological features of an asthenic syndrome of carbon disulfide etiology. *Med Lav* 63:40-42.
- Morata TC. 1989. Study of the effects of simultaneous exposure to noise and carbon disulfide on workers' hearing. *Stand Audio* 18:53-58.

Morehead FF. 1940. Determination of carbon disulfide in air by means of copper and diethylamine in 2-methoxyethanol. *Industrial and Engineering Chemistry* 12:373-374.

*Morgan DP, ed. 1982. Recognition and management of pesticide poisonings. Washington, DC: U.S. Government Printing Office, 68-76.

*Moriya M, Ohta T, Watanabe K, et al. 1979. Inhibitors for the mutagenicities of colon carcinogens 1,2-dimethylhydrazine and azoxymethane in the host-mediated assay. *Cancer Lett* 7:325-330.

MRI. 1984. Performance evaluation of full-scale hazardous waste incinerators. Volume I (executive summary). Report submitted to U.S. Environmental Protection Agency by Midwest Research Institute. Dot. #211016 B2-9.

Mueller FX, Miller JA. 1974. Determination of organic vapors in industrial atmospheres. *American Laboratory* 6:49-61.

Nagasaka M. 1977. Binary diffusion coefficients of carbon disulfide in gases. *Journal of Chemical Engineering of Japan* 10:253-257.

*NAS/NRC. 1989. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.

NATICH. 1992. Report of Federal, State and Local Air Toxics Activities. National Air Toxics Information Clearinghouse. Environmental Protection Agency, Research Triangle Park, NC.

*NATICH. 1995. National Air Toxics Information Clearinghouse Database. Environmental Protection Agency, Research Triangle Park, NC.

Neal RA. 1980. Microsomal metabolism of thionosulfur compounds: Mechanisms and toxicological significance. *Rev Biochem Toxicol* 2:131.

Neal RA, Halpert J. 1982. Toxicology of thiono-sulfur compounds. *Annu Rev Pharmacol Toxicol* 22:321-339.

*Nedjma M, Maujean A. 1995. Improved chromatographic analysis of volatile sulfur compounds by the static headspace technique on water-alcohol solutions and brandies with chemiluminescence detection. *J Chromatogr A* 704:495-502.

Nelson BK. 1986. Developmental neurotoxicity of in utero exposure to industrial solvents in experimental animals. *Neurotoxicology* 7:441-448.

Nesswetha L, Nesswetha W. 1967. The clinical evaluation of compensated carbon disulfide intoxications in the German Federal Republic since 1948. *Toxicology of Carbon Disulfide* 214-216.

*NFPA. 1986. Fire protection guide on hazardous materials. 9th ed. Boston, MA: National Fire Protection Association, 325M-24.

Nichols DG, Cleland JG, Green DA, et al. 1979. Pollutants from synthetic fuels production: Environmental evaluation of coal gasification screening tests. Research Triangle Park, NC: Industrial Environmental Research Lab. NTIS/PB81-114308.

NIOSH. 1974. Five years of experience with CS₂. Behavioral Toxicology. Early Detection of Occupational Hazards Workshop, Cincinnati, Ohio, U.S.A. June 24-29, 1973. Cincinnati, OH: U.S. Department of Health, Education and Welfare, National Institute for Occupational Safety and Health, 60-63.

*NIOSH. 1977. Criteria for a recommended standard. Occupational exposure to carbon disulfide. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, National Institute for Occupational Safety and Health, Division of Criteria Documentation and Standards Development. DHEW(NIOSH) publication no. 77-156.

*NIOSH. 1978. Occupational health guideline for carbon disulfide. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, 1-3.

*NIOSH. 1980. Teratogenic-mutagenic risks of workplace contaminants: Trichloroethylene, perchloroethylene, and carbon disulfide. Prepared by Litton Bionetics, Inc., under Contract No. 210-77-0047. NIOSH, Washington, DC. NTIS PB82-185075.

*NIOSH. 1983. Paternal exposure to carbon disulfide and spouse's pregnancy experience. Department of Health and Human Services, National Institute for Occupational Safety and Health, Centers for Disease Control.

*NIOSH. 1984a. Health effects of occupational exposure to carbon disulfide. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. NTIS/PB85-110229.

*NIOSH. 1984b. NIOSH manual of analytical methods: 1. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Division of Physical Sciences and Engineering. DHHS(NIOSH) publication no. 84-100, 331.

NIOSH. 1984c. NIOSH manual of analytical methods. Vol. 1, 3rd ed. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Division of Physical Sciences and Engineering. DHHS (NIOSH) publication no. 84-100.

*NIOSH. 1985. National Occupational Exposure Survey Field Guidelines, Cincinnati, OH: US Dept. of Health and Human Services. DHHS(NIOSH) publication no. 88-106.

NIOSH. 1987. Current intelligence bulletin 48: Organic solvent neurotoxicity. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS(NIOSH) publication no. 87-104.

*NIOSH. 1989. National Occupational Exposure Survey. Cincinnati, OH: National Institute for Occupational Safety and Health, October 19, 1989.

NIOSH. 1990. NIOSH pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS(NIOSH) publication, 60.

*NIOSH. 1994. NIOSH/OSHA Pocket Guide To Chemical Hazards. Washington, DC: US Department of Health and Human Services, National Institute for Occupational Safety and Health.

NOAA. 1980. Quantitation of pollutants in suspended matter and water from pungent sound. Report to National Oceanic and Atmospheric Administration, Marine Ecosystem Analysis (MESA) Budget Sound Project, Seattle, WA, by Battelle Pacific Northwest Laboratories, Richland, WA. NOAA-80061003; NTIS PB80-203524, 110.

NOES. 1965. National Occupation Exposure Survey. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

NOHS. 1975. National Occupational Health Survey. National Institute for Occupational Safety and Health.

NTP. 1979. Annual plan for fiscal year 1980. Department of Health, Education, and Welfare, National Toxicology Program. DHEW NTP 79-7.

NTP. 1993. National Toxicology Program. Status of studies in progress provided by the NTP. December 1993.

NTP. 1994. National Toxicology Program. Review of current DHHS, DOE, and EPA research related to toxicology. Research Triangle Park, NC: U.S. Department of Health and Human Services.

Nurminen M. 1976. Survival experience of a cohort of carbon disulphide exposed workers from an eight-year prospective follow-up period. *Int J Epidemiol* 5:179-185.

Nurminen M. 1986. Reappraisal of an epidemiological study. *Epidemiol Occup Health*. Copenhagen, Denmark: World Health Organization, WHO Regional Publications, 341-374.

Nurminen M, Hernberg S. 1984. Cancer mortality among carbon disulfide-exposed workers. *J Occup Med* 26:341.

*Nurminen M, Hernberg S. 1985. Effects of intervention on the cardiovascular mortality of workers exposed to carbon disulfide: A 15-year follow-up. *Br J Ind Med* 41:32-35.

*Nurminen N, Mutanen P, Tolonen H, et al. 1982. Quantitated effects of carbon disulfide exposure, elevated blood pressure and aging on coronary mortality. *Am J Epidemiol* 115: 107-118.

Obrebska MJ, Parke DV. 1980. A possible mechanism of carbon disulfide hepatotoxicity. *Biochem Soc Trans* 8:97-98.

Obrebska MJ, Kentish P, Parke DV. 1980. Effects of carbon disulfide on rat liver microsomal mixed-function oxidases, in vivo and in vitro. *Biochem J* 188:107-112.

Ockelmann G, Buergermeister S, Ciompa R, et al. 1987. Aircraft measurements of various sulfur compounds in a marine and continental environment. *Phys Chem Behav Atmos Pollut. EUR 10832*, 596-603.

O'Donoghue JL. 1985. Carbon disulfide and organic sulfur-containing compounds. *Neurotoxicity of Industrial and Commercial Chemicals 2*:39-60.

Ogata M, Taguchi I. 1989. Determination of urinary 2-thiothiazolidine-4-carboxylic acid by automated high performance liquid chromatography as an index of carbon disulfide exposure. *Ind Health 27*:31-35.

Ohlson CS, Hogstedt C. 1981. Parkinson's disease and occupational exposure to organic solvents, agricultural chemicals and mercury: A case-referent study. *Stand J Work Environ Health 7*:252-256.

Okayama A, Fun L, Yamatodani A, et al. 1987. Effect of exposure to carbon disulfide on tryptophan metabolism and the tissue vitamin B6 contents of rats. *Arch Toxicol 60*:450-453.

*Okayama A, Ogama Y, Goto S, et al. 1988. Enzymatic studies on tryptophan metabolism disorder in rats chronically exposed to carbon disulfide. *Toxicol Appl Pharmacol 94*:356-361.

Olexsey RA, Blaney BL, Turner RJ, et al. 1988. Technologies for the recovery of solvents from hazardous wastes. *Hazard Waste Hazard Mater 5*:365-377.

Oliver LC, Weber RP. 1984. Chest pain in rubber chemical workers exposed to carbon disulphide and methemoglobin formers. *Br J Ind Med 41*:296-304.

Oliver T. 1982. Indiarubber: Dangers incidental to the use of disulphide of carbon and naphth. *Dangerous trades. The historical, social, and legal aspects of industrial occupations as affecting health, by a number of experts 470-474.*

*Opacka J, Baranski B, Wronska-Nofer T. 1984. Effect of alcohol intake on some disturbances induced by chronic exposure to carbon disulphide in rats. I. Behavioural alterations. *Toxicol Lett 23*:91-97.

Opacka J, Opalska B, Kolakowski J, et al. 1986. Neurotoxic effects of the combined exposure to carbon disulfide and ethanol in rats. *Toxicol Lett 32*:9-18.

*Orzechowska-Juzwenko K, Wronska-Nofer T, Wiela A, et al. 1984. Effect of chronic exposure to carbon disulfide on biotransformation of phenazone in rabbits. *Toxicol Lett 22*: 171-174.

Orzechowska-Juzwenko K, Wronska-Nofer T, Wiela A, et al. 1985. Phenazone biotransformation as a maker of metabolic efficiency of the liver in rabbits chronically exposed to carbon disulfide. *Naunyn Schmiedeberg Arch Pharmacol 330*:R13.

OSHA. 1982. Occupational Safety and Health Administration. *Federal Register 47*:30420.

*OSHA. 1995a. U.S. Department of Labor. Occupational Safety and Health Administration. *Code of Federal Regulations 29 CFR 1910.1000.*

*OSHA. 1995b. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations 29 CFR 1910.20.

*PAI. 1991. Developmental toxicology report: Developmental inhalation toxicity study of carbon disulfide in the New Zealand White rabbit. Frederick, MD: Pathology Associates, Inc.

Pal T, Ganguly A, Maity DS. 1986. Use of a silver gelatin complex for the microdetermination of hydrogen sulphide in the atmosphere. *Analyst* 111:691-693.

Panaro JM. 1984. Air monitoring and data interpretation during remedial action at a hazardous waste site. *Hazardous wastes and environmental emergency: Management, prevention, cleanup and control*. Hazardous Materials Control Research Institute, Silver Spring, MD, 160-164.

Pappolla M, Penton R, Weiss HS, et al. 1987. Carbon disulfide axonopathy. Another experimental model characterized by acceleration of neurofilament transport and distinct changes of axonal size. *Brain Res* 424:272-280.

Paulus HJ, Lippmamr M, Cohen AE. 1957. Fumigation of shelled corn with a mixture of carbon disulfide and carbon tetrachloride. *Am Ind Hyg Assoc Quarterly* 18:345-350.

*Pawlowicz G. 1993. Ground water contamination in bedrock wells and preventative measures to assure safe drinking water in Duval County, Florida. In: Eckstein Y, Zaporozec A, eds. *Hydrogeol. Invest., Eval., Ground Water Model., Proc. Ind. Agric. Impacts Hydrol. Environ., USA/CIS Jt. Conf. Environ. Hydrol. Hydrogeol.*, 2nd. Alexandria, VA: Water Environ Fed 175-187.

*Pellizzari ED, Hartwell TD, Harris BS, et al. 1982. Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol* 28:322-328.

*Peltonen K. 1989. Sampling and determination of carbon disulfide in air by gas chromatography with electron-capture detection. *J Chromatogr* 464:422-427.

*Perbellini L, Maranelli G, Lombardini F, et al. 1994. Carbon disulfide in blood: A method for storing and analysing samples. *Med Lav* 85:171-178.

*Pergal M, Vukojevic N, Cirin-Popov N, et al. 1972a. Carbon disulfide metabolites excreted in the urine of exposed workers. I. Isolation and identification of 2-mercapto-2-thiazolinone-5. *Arch Environ Health* 25:38-41.

*Pergal M, Vukojevic N, Djuric D. 1972b. Carbon disulfide metabolites excreted in the urine of exposed workers. II. Isolation and identification of thiocarbamide. *Arch Environ Health* 25:42-44.

Peters HA, Levine RL, Matthews CG, et al. 1982. Carbon disulfide-induced neuropsychiatric changes in grain storage workers. *American Journal of Industrial Medicine* 3:373-391.

*Peters HA, Levine RL, Matthews CC, et al. 1986a. Extrapyrmidal symptoms from carbon disulfide exposure in grain storage workers. *Neurology* 36:342.

- *Peters HA, Levine RL, Matthews CG, et al. 1986b. Synergistic neurotoxicity of carbon tetrachloride/carbon disulfide (80/20 fumigants) and other pesticides in grain storage workers. *Acta Pharmacol Toxicol* 59:535-546.
- *Peters HA, Levine RL, Matthews CG, et al. 1988. Extrapyramidal and other neurologic manifestations associated with carbon disulfide fumigant exposure. *Arch Neurol* 45:537-540.
- *Phillips M. 1992. Detection of carbon disulfide in breath and air: A possible new risk factor for coronary artery disease. *Int Arch Occup Environ Health* 64(2): 119-123.
- *Pilarska K, Cwajda H, Woyke M. 1973. [Effect of carbon disulfide on the hematopoietic system of rats. I. Evaluation of peripheral blood.] *Acta Haematol Pol* 4:1. (Polish, English summary)
- *Pines A. 1982. Blood electrolyte levels in long-term occupational exposure to carbon disulphide. *Ind Health* 20:325-333.
- *Plas C, Wimmer K, Holubar P, et al. 1993. Degradation of carbon disulphide by a *Thiobacillus* isolate. *Appl Microbial Biotechnol* 38:820-823.
- *Pas WH, Berresheim H. 1993. Automotive tire wear as a source for atmospheric OCS and CS₂. *Geophysical Research Letters* 20:815-817.
- *Prerovska I, Drdkova S. 1967. [Long-term effect of industrial noxae on exposed workers with respect to atherosclerosis.] *Cas Lek Cesk* 106:752-759. (Czech, English summary)
- Prinslow DA, Vaida V. 1989. Photodissociation of (OCS)₂ and (CS₂)₂: Competing photochemical pathways. *J Phys Chem* 93:1836-1840.
- *Putz-Anderson V, Albright DE, Lett ST, et al. 1983. A behavioral examination of workers exposed to carbon disulfide. *Neurotoxicology* 4:67-77.
- Quadland HP. 1944. Carbon disulphide Part 4 of the literature study of reports of occupational diseases attributed to volatile solvents. *Ind Med* 13:143-149.
- Rainey JM. 1977. Disulfiram toxicity and carbon disulfide poisoning. *Am J Psychiatry* 134:371-378.
- *Raitta C, Tolonen M. 1975. Ocular pulse wave in workers exposed to carbon disulfide. *Albrecht von Graefes Arch Klin Exp Ophthalmol* 195:149-54.
- Raitta C, Tolonen M. 1980. Microcirculation of the eye in workers exposed to carbon disulfide. In: Merigan WH, Weiss B, eds. *Neurotoxicity of the visual system*. New York, NY: Raven Press, 73-86.
- *Raitta C, Teir H, Tolonen M, et al. 1981. Impaired color discrimination among viscose rayon workers exposed to carbon disulfide. *JOM J Occup Med* 23:189-192.
- *Raitta C, Tolonen M, Nurminen M. 1974. Microcirculation of ocular fundus in viscose rayon workers exposed to carbon disulfide. *Albrecht von Graefes Arch Klin Exp Ophthalmol* 191:151-164.

- Ramaswamy SS. 1975. Relevance of biochemical parameters as indicators of toxic effects in workers exposed to toxic chemicals. *Environmental Pollution and Human Health, Proceedings of the International Symposium on Industrial Toxicology* 166-177.
- *Rasmussen RA, Khalil MA K, Dalluge RW, et al. 1982. Carbonyl sulfide and carbon disulfide from the eruptions of Mount St. Helens. *Science* 215:665-667.
- *Rebert CS, Becker E. 1986. Effects of inhaled carbon disulfide on sensory-evoked potentials of Long-Evans rats. *Neurobehav Toxicol Teratol* 8:533-541.
- Rebert CS, Sorenson SS, Pryor GT. 1986. Effects of intraperitoneal carbon disulfide on sensory-evoked potentials of Fisher-344 rats. *Neurobehav Toxicol Teratol* 8:543-549.
- Reece GM, White B, Drinker P. 1948. Determination and recording of carbon disulfide and hydrogen sulfide in the viscose-rayon industry. *J Ind Hyg Toxicol* 22:416-424.
- Reinert KH, Hunter JV, Sabatino T. 1983. Dynamic heated headspace analyses of volatile organic compounds present in fish tissue samples. *J Agric Food Chem* 31:1057-1060.
- Richter GN, Schlinger WG. 1980. Environmental assessment of the Texaco coal gasification process. In: Cooper HBH Jr, ed. *Proc Conf Air Qual Management Electr Power Ind. Vol. 2, 2nd ed.* Austin Texas: University of Texas at Austin, College of Engineering, 1571-1585.
- Riddick JA, Bunger WB, Sakano TK. 1986. *Techniques of Chemistry. Vol. II. Organic solvents: Physical properties and methods of purification.* 4th ed. New York, NY: Wiley and Sons.
- *Rigterink JH. 1988. Rayon viscose: past, present and future. In: Brown CLJ, ed. *Occupational health in the production of artificial organic fibers.* Enka, Arnhem, The Netherlands, 14-19.
- Rosenman KD. 1984. Cardiovascular disease and work place exposures. *Arch Environ Health* 39:218-224.
- Rosenstock L, Cullen MR. 1986. *Organic solvents and related substances.* Clin Occup Med. Philadelphia, PA: W.B. Saunders Company, 214-225.
- Rosier JA, Van Peteghem CH. 1987. Determination of toxicologically important partition coefficients of carbon disulfide by means of the vial equilibration method. *Br J Ind Med* 44:212-213.
- Rosier J, Veulemans H, Masschelein R, et al. 1987a. Experimental human exposure to carbon disulfide: I. Respiratory uptake and elimination of carbon disulfide under rest and physical exercise. *Int Arch Occup Environ Health* 59:233-242.
- Rosier J, Veulemans H, Masschelein R, et al. 1987b. Experimental human exposure to carbon disulfide: II. Urinary excretion of 2-thiothiazolidine-4-carboxylic acid (TTCA) during and after exposure. *Int Arch Occup Environ Health* 59:243-250.
- *Rossoff IS. 1974. *Handbook of veterinary drugs: A compendium for research and clinical use.* New York, NY: Springer Publishing Company, 82.

*Roy WR, Griffin RA. 1985. Mobility of organic solvents in water-saturated soil materials. *Environ Geol Water Sci* 7:241-247.

*RTECS. 1995. Registry of Toxic Effects of Chemical Substances. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health: Washington, DC. May 11, 1989.

*Rubin HH, Arieff AJ. 1945. Carbon disulfide and hydrogen sulfide clinical study of chronic low-grade exposures. *J Ind Hyg Toxicol* 27:123-129.

Rubin HH, Arieff AJ, Tauber FW. 1950. Carbon disulfide and hydrogen sulfide. II. A follow-up clinical study of low grade exposures. *Arch Ind Hyg Occup Med* 2:529-533.

*Ruby MG, Prokop WH, Kalman DA. 1987. Measurement of odor emissions from a sewage treatment plant. *Proc APCA Annu Meet* 80:87/75A.4 16.

Rubin RJ. 1990. Role of metabolic activation in the renal toxicity of carbon disulfide. *Toxicol Lett* 53(1-2):211-213.

*Ruijten MW, Salle HJ, Verberk MM. 1993. Verification of effects on the nervous system of low level occupational exposure to CS₂. *Br J Ind Med* 50(4): 301-307.

*Ruijten MW, Salle HJ, Ververk MM, et al. 1990. Special nerve functions and colour discrimination in workers with long-term low level exposure to carbon disulphide. *Br J Ind Med* 47(9): 589-595.

*Ruth JH. 1986. Odor thresholds and initiation levels of several chemical substances: A review. *Am Ind Hyg Assoc J* 47:A142-A151.

*Saillenfait AM, Bonnet P, de Ceurriz J. 1989. Effects of inhalation exposure to carbon disulfide and its combination with hydrogen sulfide on embryonal and fetal development in rats. *Toxicol Lett* 48:57-66.

Sakurai H. 1982. A morbidity study of viscose rayon workers exposed to carbon disulfide. *Br J Ind Med* 39:39-44.

Sanborn CR, Cooke M, Bresler WE, et al. 1983. Characterization of emissions of PAHs from residential coal-fired space heaters. *Proceedings, the Annual Meeting of the Air Pollution Control Association* 4:83-54.4.

Sandalls FJ, Penkett SA. 1977. Measurements of carbonyl sulfide and carbon disulfide in the atmosphere. *Atmos Environ* 11:197-199.

Sanotskij IV, Grodetzkaya MS, Gasenian GA, et al. 1984. The study of the combined effect of carbon disulfide and other harmful environmental factors (noise, alcohol, stress) on cardiovascular system. Combined effects of occupational exposures. *Proceedings of the Fourth Finnish-Soviet Joint Symposium, Institute of Occupational Health, Helsinki, Finland.* 29-41.

*Santodonato J, Bosch S, Meylan W, et al. 1985. Monograph on human exposure to chemicals in the workplace: Carbon disulfide. Syracuse, NY: Syracuse Research Corporation, Center for Chemical Hazard Assessment. Report No. SRC-TC-84-986.

Sauter AM, Von Wartburg JP. 1977. Quantitative analysis of disulfiram and its metabolites in human blood by gas-liquid chromatography. *J Chromatogr* 133:167-172.

Savolainen H. 1983a. Neurotoxicity of industrial chemicals and contaminants: Aspects of biocemical mechanisms and effects. *Arch Toxicol Suppl* 5:71-83.

Savolainen H. 1983b. Trends and prospects in experimental neurotoxicology. *Stand J Work Environ Health* 9:214-218.

Savolainen H, Jarvisalo J. 1977. Effects of acute CS₂ intoxication on protein metabolism in rat brain. *Chem Biol Interact* 17:51-59.

Savolainen J, Jarvisalo J, Elovaara E, et al. 1977. The binding of CS₂ in central nervous system of control and phenobarbital-pretreated rats. *Toxicology* 7:207-214.

*Sax NI, Lewis RJ Sr. 1987. *Hawley's condensed chemical dictionary*. 10th ed. New York, NY: Van Nostrand Reinhold Co., 220-221.

*Sax NI, Lewis JR Sr. 1989. *Dangerous properties of industrial materials*. 7th ed. New York, NY: Van Nostrand Reinhold Co., 711-712.

Schilling RS. 1970. Coronary heart disease in viscose rayon workers. *Am Heart J* 80:1-2.

*Schrag SO, Dixon RL. 1985. Occupational exposures associated with male reproductive dysfunction. *Ann Rev Pharmacol Toxicol* 25:567-592.

*Seawright AA, Filippich LJ, Steele DP. 1972. The effect of carbon disulfide on the toxicity of carbon tetrachloride for sheep. *Aust Vet J* 48:38.

*Seawright AA, Wilkie IW, Costigan P, et al. 1980. The effect of an equimolar mixture of carbon tetrachloride and carbon disulphide on the liver of the rat. *Biochem Pharmacol* 29:1007-1014.

Selevan S, Jones J. 1988. Walk-through survey. Report, Avtex Fibers, Inc., Front Royal, Virginia, July 14-15, 1977. *Government Reports Announcements and Index (GRA&I)*, Issue 24, 1988

Seppalainen AM. 1975. Applications of neurophysiological methods in occupational medicine: A review. *Stand J Work Environ Health* 1:1-14.

Seppalainen AM, Haltia M. 1980. Carbon disulfide. In: Spencer PS, Schaumberg HH, eds. *Experimental and clinical neurotoxicology*. Baltimore, MD: Williams and Wilkins Company, 356-373.

*Seppalainen AM, Tolonen MT. 1974. Neurotoxicity of long-term exposure to carbon disulfide in the viscose rayon industry: A neurophysiological study. *Work Environ Health* 11:145-153.

*Seppalainen AM, Tolonen M, Karli P, et al. 1972. Neurophysiological findings in chronic carbon disulfide poisoning. A descriptive study. *Work Environ Health* 9:71-75.

Sever LE, Hessol NA. 1985. Toxic effects of occupational and environmental chemicals on the testes. In: Thomas JA, Korach KS, McLachan JA, eds. *Endocrine toxicology*. New York, NY: Raven Press, 211-248.

Shackelford WM, Cline DM. 1983. An evaluation of automated spectrum matching for survey identification of wastewater components by gas chromatography-mass spectrometry. *Anal Chim Acta* 146:15-27.

Sharma SC, Chopra YM. 1981. Effect of carbon disulfide toxicity on carbohydrate metabolism [Abstract]. *Indian J Biochem Biophys* 18:147.

*Sidorowicz V, Budziszewska D, Murawska T, et al. 1980. Structural disturbances in erythrocytes in workers exposed to carbon disulfide (CS₂). *Arh Hig Rada Toksikol* 31:125-129.

Sidorowicz W, Zatonski W, Andrzejak R, et al. 1977. The effect of carbon disulfide on red cell metabolism. *Acta Biol Med Ger* 36:645-649.

*Sikora A, Lanauuer-Lewowicka H, Kazibutowska Z. 1990. Visually evoked potentials and simple reaction times to visual stimuli in chronic disulphide intoxication. *Pol J Occup Med* 3(3): 293-299.

Simmons JE, Sloane RA, Van Stee EW. 1988. Hepatic cholesterol metabolism as a function of carbon disulfide concentration and treatment with phenobarbital. *Am Ind Hyg Assoc J* 49:427-433.

*Sirnó R, De Wit R, Grimalt JO, et al. 1993. Dimethylsulphide and other volatile organic sulphur compounds in some neglected ecosystems: A study in evaporitic environments and sulphate-rich karstic lakes. In: Restelli G, Angeletti G, eds. *Dimethylsulphide: Oceans, atmosphere, and climate*. Dordrecht, The Netherlands: Kluwer 173-181.

*Simon P, Nicot T. 1993. Automated column-switching high-performance liquid chromatography for the determination of 2-thiothiazolidine-4-carboxylic acid in urine. *J Chromatogr* 620:47-53.

*Simon P, Nicot T, Dieudonne M. 1994. Dietary habits, a non-negligible source of 2-thiothiazolidine-4-carboxylic acid and possible overestimation of carbon disulfide exposure. *Int Arch Occup Environ Health* 66:85-90.

*Sine C, ed. 1989. *Farm chemicals handbook '89*. Willoughby, OH: Meister Publishing Co., C 60.

Sittig M, ed. 1985. *Handbook of toxic and hazardous chemicals and carcinogens*. 2nd ed. Park Ridge, NJ: Noyes Data Corp., 187-190.

*Sklarew DS, Hayes DJ, Petersen MR, et al. 1984. Trace sulfur-containing species in the offgas from 2 oil shale retorting processes. *Environmental Science and Technology* 18:592-600.

Slagle IR, Gilbert JR, Gutman D. 1974. Kinetics of the reaction between oxygen atoms and carbon disulfide. *J Chem Phys* 61:704-709.

- *Smith DG, Krause LA. 1978. Analysis of charcoal tube samples for carbon disulfide using a photoionization detector. *Am Ind Hyg Assoc J* 39:939-944.
- *Snyderwine EG, Hunter A. 1987. Metabolism and distribution of ¹⁴C- and ³⁵S-labelled carbon disulfide in immature rats of different ages. *Drug Metab Dispos* 15:289-294.
- *Snyder-wine EG, Kroll R, Rubin RJ. 1988. The possible role of the ethanol-inducible isozymes of cytochrome p-450 in the metabolism and distribution of carbon disulfide. *Toxicol Appl Pharmacol* 93:11-21.
- Sokal JA. 1968. Intracellular distribution of pyridine nucleotides in the liver of rats after long-term exposure to carbon disulfide. *Biochem Pharmacol* 17:2489-2493.
- Sorini SS, Jackson LP. 1988. Evaluation of the toxicity characteristic leaching procedure (TCLP) on utility wastes. *Nucl Chem Waste Manage* 8:217-233.
- *Soucek B. 1957. [Transformation of carbon disulfide in the organism]. *J Hyg Epidemiol Microbiol Immunol* 1:10-22. (German)
- Soucek B, Pavelkova E. 1953. [Absorption, metabolism and action of carbon disulfide in the organism. Part IV: The absorption and excretion of carbon disulfide in humans during long-term experiments]. *Pracovni Lekrstvi* 5:181-191. (Czech)
- *South Carolina Department of Health. 1986. Investigation of groundwater at South Carolina Recycling and Disposal Company Bluff Road site, Richland County, South Carolina. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA/OTS Dot. #86-870001991.
- *Spencer EY. 1982. Guide to the chemicals used in crop protection. In: 7th, ed. Information Canada Publication No. 1093. Agriculture Canada, Research Institute, 87.
- Spencer PS, Schaumberg HH. 1985, Organic solvent neurotoxicity: Facts and research needs. *Stand J Work Environ Health* 11:53-60.
- Sperlingova I, Kuljalova V, Frantik E. 1982. Chronic carbon disulfide exposure and impaired glucose tolerance. *Environ Res* 29:151-159.
- *Spyker DA, Gallanosa AG, Suratt PM. 1982. Health effects of acute carbon disulfide exposure. *J Toxicol Clin Toxicol* 19:87-93.
- *SRI. 1989. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 516.
- *Stanosz S, Kuligowski D, Pieleszek A, et al. 1994a. Concentration of dopamine in plasma, activity of dopamine β-hydroxylase in serum and urinary excretion of free catecholamines and vanillylmandelic acid in women chronically exposed to carbon disulfide. *Int J Occup Med Environ Health* 7:257-261.
- *Stanosz S, Kuligowski D, Zuk E, et al. 1994b. The pattern of some lipid fractions in the serum of women chronically exposed to carbon disulfide. *Industrial Health* 32: 183-186.

- *Staubes R, Georgii HW, Ockelmann G. 1987. Emissions of biogenic sulfur compounds from various soils. Physical-chemical behavior of atmospheric pollutants. Commission of the European Communities. Publication No. EUR 10832, 427-433.
- Stauffer Chemical Company. 1973. Product safety information - Carbon disulfide. Westport, Connecticut: Stauffer Chemical Company, Industrial Chemical Division. Report No. 1044-000-00/73.
- Stuedler PA, Peterson BJ. 1985. Annual cycle of gaseous sulfur emissions from a New England *Spartina alterniflora* marsh. *Atmos Environ* 19:1411-1416.
- Stuedler PA, Melillo JM, Ferry E, et al. 1987. Carbonyl sulfide and carbon disulfide emissions from temperate and boreal forest soils [Abstract]. *Abstr Pap Am Chem Soc* 194:ENVR 268.
- *Stokinger HE, Scheel LD. 1973. Hypersusceptibility and genetic problems in occupational medicine -A consensus report. *J Occup Med* 15:564-573.
- *Strittmatter CF, Peters T Jr, McKee RW. 1950. Metabolism of labelled carbon disulfide in guinea pigs and mice. *Arch Ind Hyg Occup Med* 1:54-64.
- *Stutz DR, Janusz SJ, eds. 1988. Hazardous materials injuries. Second edition. Beltsville, MD: Bradford Communication Corp., 400-401.
- Styblova V. 1977. [Electroencephalography in diagnosis of early cerebral changes due to carbon disulfide]. *Int Arch Occup Environ Health* 38:263-282. (German)
- Sugimoto K, Goto S. 1980. Retinopathy in chronic carbon disulfide exposure. In: Merigan WH, Weiss B, eds. *Neurotoxicity of the visual system*. New York, NY: Raven Press, 55-71.
- *Sugimoto K, Goto S, Hotta R. 1976. An epidemiological study on retinopathy due to carbon disulfide: CS₂ exposure level and development of retinopathy. *Int Arch Occup Environ Health* 37:1-8.
- *Sugimoto K, Goto S, Kanda S, et al. 1978. Studies on angiopathy due to carbon disulfide: Retinopathy and index of exposure dosages. *Stand J Work Environ Health* 4:151-158.
- *Sugimoto K, Goto S, Taniguchi H, et al. 1977. Ocular fundus photography of workers exposed to carbon disulfide - A comparative epidemiological study between Japan and Finland. *Int Arch Occup Environ Health* 39:97-101.
- Sugimoto K, Seki Y, Goto S, et al. 1981. An occupational hygiene survey in a Chinese viscose rayon factory. *Proceedings of the Tenth Asian Conference on Occupational Health, Singapore*. Vol. 2, 455-459.
- *Sugimoto K, Seki Y, Goto S, et al. 1984. An epidemiological study on carbon disulfide: Angiopathy in a Chinese viscose rayon factory. *Int Arch Occup Environ Health* 54: 127-134.
- Sunshine I, ed. 1975. *Methodology for analytical toxicology*. Cleveland, OH: CRC Press Inc., 407-411.

- *Swaen GM, Braun C, Slangen JJ. 1994. Mortality of Dutch workers exposed to carbon disulfide. *Int Arch Occup Environ Health* 66: 103-110.
- Sweetnam PM, Taylor SW, Elwood PC. 1987. Exposure to carbon disulphide and ischemic heart disease in a viscose rayon factory. *Br J Ind Med* 44:220-227.
- Sze ND, Ko MK. 1979. Is CS₂ a precursor for atmospheric COS? *Nature* 278:731-732.
- Sze ND, Ko MK. 1980. Photochemistry of COS, CS₂, CH₃SCH₂, and H₂S: Implications for the atmospheric sulfur cycle. *Atmos Environ* 14: 1223-1239.
- *Szendzikowski S, Stetkiewicz J, Wronska-Nofer T, et al. 1974. Pathomorphology of the experimental lesion of the peripheral nervous system in white rats chronically exposed to carbon disulfide. In: Hausmanowa-Petrusewicz I, Jedrzejowska H, eds. *Proceedings of the Symposium on the Structure and Function of Normal Dis Muscle and Peripheral Nerves*. Warsaw, Poland: Polish Medical Publishers, 319-326.
- *Szymankova G. 1968. [Observations on the effects of carbon disulfide on vision in workers engaged in the manufacture of synthetic fibers.] *Klin Oczna* 38:41-44. (Czech)
- Tabacova S. 1976. Further observations on the effect of carbon disulfide inhalation on rat embryo development [Abstract]. *Teratology* 14:374-375.
- *Tabacova S, Balabaeva L. 1980a. Carbon disulfide intra uterine sensitization [Abstract]. *Toxicol Lett (Amst)* 0:256.
- *Tabacova S, Balabaeva L. 1980b. Subtle consequences of prenatal exposure to low carbon disulphide levels. *Arch Toxicol Suppl* 4:252-254.
- Tabacova S, Hinkova L, Balabaeva L. 1978. Carbon disulfide teratogenicity and postnatal effects in rat. *Toxicol Lett* 2:129-133.
- *Tabacova S, Nikiforov B, Balabaeva L. 1983. Carbon disulfide intrauterine sensitization. *J Appl Toxicol* 3:223-229.
- Takahashi S. 1971. On the reaction of oxygen atom with carbon disulfide. (Part 1). *Memoirs of the Defense Academy Japan* XI: 191-208.
- Tanner CM. 1992. Occupational and environmental causes of parkinsonism. *Occup Med* 7(3): 503-513.
- Tarkowski S, Cremer JE. 1972. Metabolism of glucose and free amino acids in brain, studied with ¹⁴C-labelled glucose and butyrate in rats intoxicated with carbon disulfide. *J Neurochem* 19:2631-2640.
- *Tarkowski S, Sobczak H. 1971. Oxidation and phosphorylation processes in brain mitochondria of rats exposed to carbon disulfide. *J Neurochem* 18: 177-182.

*Tarkowski S, Kolakowski J, Gomy R, et al. 1980. The content of high-energy phosphates and ultrastructure of mitochondria in the brain of rats exposed to carbon disulfide. *Toxicol Lett* 5:207-212.

Teisinger J. 1971. [Some mechanism of chronic carbon disulfide poisoning]. *Prac Lek* 23:306-308. (Czech)

*Teisinger J. 1974. 1972 Yant Memorial Lecture: New advances in the toxicology of carbon disulfide. *Am Ind Hyg Assoc J* 35:55-61.

*Teisinger J, Soucek B. 1949. Absorption and elimination of carbon disulfide in man. *J Ind Hyg Toxicol* 31:67-73.

Teisinger J, Soucek B. 1952. [The importance of metabolism of some toxic vapours considering their transmission and excretion in man]. *Cs Lek Ces* 91:1372-1375. (Czech)

*Tepe SJ, Zenick H. 1984. The effects of carbon disulfide on the reproductive system of the male rat. *Toxicology* 32:47-56.

*Thienpont LM, Depourecq GC, Nelis HJ, et al. 1990. Liquid chromatographic determination of 2-thioxothiazolidine-4-carboxylic acid isolated from urine by affinity chromatography on organomercurial agarose gel. *Anal Chem* 62(24): 2673-2675.

Thomas RG. 1962. Volatilization from water. In: Handbook of chemical property estimation methods. *Environmental Behavior of Organic Compounds*. New York: McGraw-Hill, 13-1, 15-34.

*Thornton DC, Bandy AR. 1993. Sulfur dioxide and dimethyl sulfide in the central Pacific troposphere. *Journal of Atmospheric Chemistry* 17:1-13.

Thornton DC, Bandy AR, Dreidger AR III. 1987. Dimethyl sulfide, sulfur dioxide and carbon disulfide over the Southern Pacific Ocean [Abstract]. *Abstr Pap Am Chem Sot* 194:ENVR 92.

*Tiller JR, Schilling RS, Morris JM. 1968. Occupational toxic factors in mortality from coronary heart disease. *Br Med J* 4:407-411.

*Tilson HA, Cabe PA, Ellinwood EH Jr, et al. 1979. Effects of carbon disulfide motor function and responsiveness to d-amphetamine in rats. *Neurobehavioral Toxicology* 1:57-63.

*Timmerman RW. 1978. Carbon disulfide. In: Grayson M, ed. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 4, 3rd ed. New York, NY: John Wiley, 743.

Tintera J, Graovac-Leposavic LJ, Milic S. 1972. Excretion of some tryptophan metabolites in man exposed to carbon disulfide. *Med Lav* 63:126-133.

*Tolonen H. 1975. Vascular effects of carbon disulfide: A review. *Stand J Work Environ Health* 1:63-77.

*Tolonen M, Hernberg S, Nordman CH, et al. 1976. Angina pectoris, electrocardiographic findings and blood pressure in Finnish and Japanese workers exposed to carbon disulfide. *Int Arch Occup Environ Health* 37:249-264.

- *Tolonen H, Hernberg S, Nurminen M, et al. 1975. A follow-up study of coronary heart disease in viscose rayon workers exposed to carbon disulfide. *Br J Ind Med* 32:1-10.
- *Tolonen M, Nurminen M, Hernberg S. 1979. 10-Year coronary mortality of workers exposed to carbon disulfide. *Stand J Work Environ Health* 5:109-114.
- Tomlinson T, Boon AG, Trotman GN. 1966. Inhibition of nitrification in the activated sludge process of sewage disposal. *J Appl Bacteriol* 29:266-291.
- Toon OB, Turco RP, Whitten R, et al. 1981. Implications of stratospheric aerosol measurements for models of aerosol formation and evolution. *Geophysical Research Letters* 8:23-25.
- *Toxigenics. 1983a. 90-Day vapor inhalation toxicity study of carbon disulfide in Fischer 344 rats. Submitted by Toxigenics to Chemical Industry Institute of Toxicology, Research Triangle Park, NC. MRID No. 41628805.
- *Toxigenics. 1983b. 90-Day vapor inhalation toxicity study of carbon disulfide in Sprague-Dawley rats. Submitted by Toxigenics to Chemical Industry Institute of Toxicology, Research Triangle Park, NC. MRID No. 41628804.
- *Toxigenics. 1983c. 90-Day vapor inhalation toxicity study of carbon disulfide in B6C3F1 mice. Submitted by Toxigenics to Chemical Industry Institute of Toxicology, Research Triangle Park, NC.
- *Toyama T, Kusano H. 1953. An experimental study on absorption and excretion of carbon disulphide. *Jap J Hyg* 8:10
- *Toyama T, Sakurai H. 1967. Ten years change in exposure level and toxicological manifestations of carbon disulphide workers. In: Brieger H, Teisinger J, eds. *Toxicology of carbon disulfide*. Excerpta Medica Foundation, 197-204.
- *TRI93. 1995. Toxic Chemical Release Inventory. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances.
- Triebig G, Schaller KH. 1986. Air monitoring of solvent exposed workers with passive samplers in comparison to "biological monitoring (BM)." *Toxicol Environ Chem* 12:285-312.
- *Tsuyoshi W. 1959. [Experimental studies on CS₂ and H₂S poisoning: The histological changes in hematopoietic organs and other main internal organs.] *Shikoku Igaku Zasshi* 14:549-554. (Japanese)
- Tucker SP, Lovell DP, Seawright AA, et al. 1981. Variation in the hepatotoxic effects of carbon disulfide between different strains of rat. *Arch Toxicol* 45:287-296.
- Turco RP, Whitten RC, Toon OB, et al. 1981. Stratospheric hydroxyl radical concentrations: New limitations suggested by observations of gaseous and particulate sulfur. *J Geophys Res* 86:1129-1 139.
- Turner SM, Liss PS. 1985. Measurements of various sulfur gases in a coastal marine environment. *J Atmos Chem* 2:223-32.

UK/DOE. 1974. Carbon disulfide vapor. Methods for the detection of toxic substances in air. London, England: United Kingdom, Department of Employment, Her Majesty's Factory Inspectorate. Booklet No. 6.

UK/DSIR. 1939. Methods for the detection of toxic gases in industry: Carbon disulfide vapour. London, England: United Kingdom, Department of Scientific and Industrial Research, His Majesty's Stationery Office. Leaflet No. 6.

*UK/HSE. 1981. Carbon disulfide. London, England: United Kingdom, Health and Safety Executive, His Majesty's Stationery Office.

*UK/HSE. 1983. Carbon disulfide in air: Laboratory method using charcoal adsorption tubes, solvent desorption and gas chromatography. London, England: United Kingdom, Health and Safety Executive, Occupational Medicine and Hygiene Laboratory. MDHS Report No. 15.

Vacha J, Seifert J. 1977. Biosynthesis of cytidine nucleotides and levels of cytochrome p-450 in rat liver after administration of carbon tetrachloride. *Toxicology* 8:157-164.

*Valentine LM, Graham DG, Anthony DC. 1993. Covalent cross-linking of erythrocyte spectrin by carbon disulfide in vivo. *Toxicology and Applied Pharmacology* 121:71-77.

*Valentine WM, Amarnath V, Amarnath K, et al. 1995. Carbon disulfide mediated protein crosslinking by N,N-diethyldithiocarbamate. *Chemical Research in Toxicology* 8(1):99-102.

*Van Doorn R, Leijdekkers CP, Henderson PT, et al. 1981a. Determination of thio compounds in urine of workers exposed to carbon disulfide. *Arch Environ Health* 36:289-297.

*Van Doorn R, Delbressine LP, Leijdekkers CM, et al. 1981b. Identification and determination of 2-thiothiazolidine-4-carboxylic acid in urine of workers exposed to carbon disulfide. *Arch Toxicol* 47:51-58.

Vanderstraeten P, Wauters E, Muylle E, et al. 1988. A continuous quantitative detection method for total mercaptans, organic sulfides, H₂S, and CS₂ for odouriferous emissions. *JAPCA* 38:1271-1274.

*Vanhoorne M, de Rouck A, De Bacquer D. 1995. Epidemiological study of eye irritation by hydrogen sulfide and/or carbon disulfide exposure in viscose rayon workers. *Ann Occup. Hyg.* 39:307-315.

*Vanhoorne M, Comhaire F, De Bacquer D. 1994. Epidemiological study of the effects of carbon disulfide on male sexuality and reproduction. *Arch Environ Health* 49:273-278.

*Vanhoorne M, De Bacquer D, De Backer G. 1992a. Epidemiological study of the cardiovascular and liver effects of carbon disulfide. *Int J Epidemiol* 21(4): 745-752.

*Vanhoorne M, De Bacquer D, Barbier F. 1992b. Epidemiological study of gastrointestinal and liver effects of carbon disulfide. *Int Arch Occup Environ Health* 63(8): 517-523.

Vanhoorne M, Blancke V, De Bacquer D, et al. 1992c. Use of pharmaceuticals in industrial workers possible implications for epidemiological studies. *Int Arch Occup Environ Health* 64(1): 25-30.

- *Vanhoorne M, van den Berg L, Devreese A, et al. 1991. Survey of chemical exposures in a viscose rayon plant. *Ann Occup Hyg* 35(6): 619-631.
- *van Poucke L, van Peteghem C, Vanhoorne M. 1990. Accumulation of carbon disulphide metabolites. *Int Arch Occup Environ Health* 62(6): 479-482.
- Van Stee EW, Simmons JE, Sloane RA, et al. 1986. Failure of carbon disulfide and levothyroxine to modify the cardiovascular response of rabbits to a high-cholesterol diet. *Toxicology* 40:45-58.
- *Vasak V, Kopecky J. 1967. On the role of pyridoxamine in the mechanism of the toxic action of carbon disulphide. In: Brieger H, ed. *Toxicology of carbon disulfide*. Amsterdam, The Netherlands: Excerpta Medica Foundation, 35-41.
- *Vasilescu C. 1976. Sensory and motor conduction in chronic carbon disulfide poisoning. *Eur Neurol* 14:447-457.
- *Verschueren K. 1983. *Handbook of environmental data on organic chemicals*. 2nd ed. New York, NY: Van Nostrand Reinhold Co., 340-341.
- Vertin PG. 1967. Biochemical and clinical studies of the pathophysiology of carbon disulfide. *Toxicology of Carbon Disulfide*, Excerpta Medica 94-99.
- *VIEW. 1989. Listing of CAS numbers and frequency of occurrence [database].
- *Vigliani EC. 1954. Carbon disulfide poisoning in viscose rayon factories. *Br J Ind Med* II:235-244.
- *Visconti E, Vidakovic A, Cavalleri A, et al. 1967. Fibrinolytic activity in young workers exposed to carbon disulphide. In: Brieger H, Theisinger J, eds. *International Symposium on Toxicology of Carbon Disulfide*. Amsterdam, The Netherlands: Excerpta Medica Foundation.
- *Vogt WG, Walsh JJ. 1985. Volatile organic compounds in gases from landfill simulators. *Proc APCA Annu Meet* 78th 6:17.
- *Wagar G, Tolonen M, Stenman UH, et al. 1981. Endocrinologic studies in men exposed occupationally to carbon disulfide. *J Toxicol Environ Health* 7:363-371.
- Waldman M, Vanecek M. 1982. Volumetric method for the determination of carbon disulfide in air using personal sampling and adsorption by active charcoal. *Ann Occup Hyg* 25:5-15.
- Wallace LA, Pellizzari E, Hartwell T, et al. 1984. Personal exposure to volatile organic compounds. I. Direct measurements in breathing-zone air, drinking water, food, and exhaled breath. *Environ Res* 35:293-319.
- *Wang YL, Zhao XH. 1987. Occupational health of working women in China. *Asia-Pacific Journal of Public Health* 1:66-71.
- *Wattenberg LM, Fiala ES. 1978. Inhibition of 1,2-dimethylhydrazine-induced neoplasia of the large intestine in female CFl mice by carbon disulfide: Brief communication. *JNCI* 60:1515-1517.

- *Weast RC. 1989. CRC Handbook of chemistry and physics. 70th ed. Boca Raton, FL: CRC Press Incorporated, B-82.
- Wei CN, Timmons RB. 1975. ESR study of the kinetics of the reaction of O(3P) atoms with CS₂ and OCS. *J Chem Phys* 62:3240-5.
- Weiss B, Wood RW, Macys DA. 1979. Behavioral toxicology of carbon disulfide and toluene. *Environ Health Perspect* 30:39-45.
- *Weiss G, ed. 1980. Hazardous chemicals data book. Vol. 4, Noyes Data Corporation: Park Ridge, NJ, 243.
- *Wells J, Koves E. 1974. Detection of carbon disulfide (a disulfiram metabolites) in expired air by gas chromatography. *J Chromatogr* 92:442-444.
- *WHO. 1979. Environmental Health Criteria 10: Carbon disulfide. Geneva, Switzerland: United Nations Environment Programme; World Health Organization.
- *WHO. 1981. Recommended health-based limits in occupational exposure to selected organic solvents. Geneva, Switzerland: World Health Organization.
- *WHO. 1986. Diseases caused by carbon disulfide. Geneva, Switzerland: World Health Organization, 97-101.
- Whorton MD, Bedinghaus J, Obrinsky D, et al. 1983. Reproductive disorders. In: Levy BS, Wegman DH, ed. Reproductive health. Recognizing and preventing work-related disease. Boston, MA: Little, Brown and Co., 307-315.
- Wilcosky TC, Tyroler HA. 1983. Mortality from heart disease among workers exposed to solvents. *J Occup Med* 25:879-885.
- *Wilcosky TC, Checkoway H, Marshall EG, et al. 1984. Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J* 45:809-811.
- Wiley FH, Hueper WC, Von Oettingen WF. 1936. On the toxic effects of low concentrations of carbon disulfide. *J Ind Hyg Toxicol* 18:733-740.
- *Wilkie IW, Seawright AA, Hrdlicka J. 1985. The hepatotoxicity of carbon disulfide in sheep. *J Appl Toxicol* 5:360-367.
- *Wilmarth KR, Viana ME, Abou-Donia MB. 1993. Carbon disulfide inhalation increases Ca²⁺/calmodulin-dependent kinase phosphorylation of cytoskeletal proteins in the rat central nervous system. *Brain Research* 628:293-300.
- *Windholz M, ed. 1983. The Merck Index. 10th ed. Rahway, NJ: Merck and Co., Inc., 251.
- *Wine PH, Chameides WL, Ravishankara AR. 1981. Potential role of carbon disulfide photooxidation in tropospheric sulfur chemistry. *Geophys Res Lett* 8:543-546.

*Wolbach CD, Van Burne D, Castaldini C. 1987. Characterization of hazardous waste incineration residuals. *Nucl Chem Waste Manage* 7:43-52.

Wolff MS. 1983. Occupationally derived chemicals in breast milk. *Am J Ind Med* 4:259-281.

Wood RW. 1981. Neurobehavioral toxicity of carbon disulfide. *Neurobehav Toxicol Teratol* 3:397-405.

*Wood WP, Heicklen J. 1971. The photooxidation of carbon disulfide. *J Phys Chem* 75:854-860.

Wood WP, Heicklen J. 1973. Photooxidation of carbon disulfide at 2139 Åmstroms. *J Photochem* 2: 173-182.

Word JQ, Hardy JT, Crecelius EA, et al. 1987. A laboratory study of the accumulation and toxicity of contaminants at the sea surface from sediments proposed for dredging. *Marine Environmental Research* 23:325-338.

*Worthing CR, ed. 1987. *The pesticide manual: A world compendium*. 8th ed. Suffolk, Great Britain: The Lavenham Press Ltd, 2030.

Wright FL. 1960. Flash photolysis of carbon disulfide and its photochemically initiated oxidation. *J Phys Chem* 64:1648-1652.

*Wronska-Nofer T. 1972. The influence of low doses of nicotinic acid upon the development of lipid disturbances in rats chronically exposed to carbon disulphide. *Internationales Archiv fuer Arbeitsmedizin* 29:285-290.

*Wronska-Nofer T. 1973. Disturbances of lipids metabolism in rats in dependence upon carbon disulfide concentrations in the air. *Med Lav* 64:8-12.

Wronska-Nofer T. 1977. Effect of carbon disulfide intoxication on fecal excretion of end products of cholesterol metabolism. *Int Arch Occup Environ Health* 40:261-265.

*Wronska-Nofer T, Parke M. 1978. Influence of carbon disulphide on metabolic processes in the aorta wall: Study of the rate of cholesterol synthesis and the rate of influx of ¹⁴C-cholesterol from serum into the aorta wall. *Int Arch Occup Environ Health* 42:63-68.

*Wronska-Nofer T, Klimczak J, Wisniewska-Knypl JM, et al. 1986. Combined effect of ethanol and carbon disulfide on cytochrome p-450 monooxygenase, lipid peroxidation and ultrastructure of the liver in chronically exposed rats. *J Appl Toxicol* 6:297-302.

*Wronska-Nofer T, Szendzikowski S, Obrebska-Parke M. 1980. Influence of chronic carbon disulfide intoxication on the development of experimental atherosclerosis in rats. *Br J Ind Med* 37:387-393.

Wronska-Nofer T, Tarkowski S, Gomy R, et al. 1972. Accelerated turnover rate of nicotinamide-adenine dinucleotides in the liver of rats intoxicated with carbon disulfide. *Biochem Pharmacol* 21:2945-1950.

*Wyrobek AJ. 1983. Methods for evaluating the effects of environmental chemicals on human sperm production. *Environ Health Perspect* 48:53-59.

Yang M, Wang L, Xie G, et al. 1993. Effects of intermediate metabolites of 37 xenobiotics on the catalytic activities of reconstituted cytochrome P-450Ib1 and P-450IA1 enzyme systems. *Biomed Environ Sci* 6(1): 8-26.

*Yaroslavskii VK. 1969. Toxic action of carbon disulfide on reproductive function and potentiation of the effect by tryptophan. *Bull Exp Biol Med (U.S.S.R.)* 68:1158-1160.

Yasoshima M, Masuda Y. 1986. Effect of carbon disulfide on the anticholinesterase action of several organophosphorous insecticides in mice. *Toxicol Lett (Amst)* 32: 179-184.

Yasoshima M, Masuda Y. 1988. Effects of carbon disulfide on liver microsomal cytochrome p-450 in phenobarbitol and 3-methylcholanthrene-induced animals. *Jpn J Pharmacol* 46:

*Zenick H, Blackburn K, Jope E, et al. 1984. An evaluation of the copulatory, endocrinologic, and spermatotoxic effects of carbon disulfide in the rat. *Toxicol Appl Pharmacol* 73:275-283.

*Zhou SY, Liang YX, Chen ZQ, et al. 1988. Effects of occupational exposure to low-level carbon disulfide (CS₂) on menstruation and pregnancy. *Ind Health* 26:203-214.

*Zielhuis RL, Stijkel A, Verberk MM, et al. 1984. Carbon disulfide. In: *Health risks to female workers in occupational exposure to chemical agents*. Berlin, FRG: Springer-Verlag, 15-21.

