

## 8. REFERENCES

- \*ACGIH. 1988. Threshold limit values (TLVs) and biological exposure indices for 1988-1989. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- \*ACGIH. 1991. 1,2-Dichloroethylene. Documentation of the threshold limit values for substances in workroom air. 6th ed:429-431. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- \*ACGIH. 1994. Documentation of the threshold limit values for substances in workroom air. American Conference of Governmental and Industrial Hygienist. Cincinnati, OH.
- \*Aldis H, Osbomy J, Wolf F. 1983. Investigation of soil and water contamination at Western Processing, King County, Washington. Natl Conf Manage Uncontrolled Hazard Waste Sites, 43-53.
- \*Alvarez L, Valentine R, Hurtt ME. 1990. Developmental toxicity of inhaled trans- 1,2-dichloroethylene (t-DCE) in the rat [abstract]. Toxicologist 10:41.
- \*Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. J Appl Toxicol 3:272-290.
- \*Andersen ME, Gargas M, Jones R, et al. 1980. Determination of the kinetic constants for metabolism of inhaled toxicants in vivo using gas uptake measurements. Toxicol Appl Pharmacol 54:100-116.
- \*AOAC. 1990a. Method 969.29. Ethylene dichloride and trichloroethylene in spice oleoresins-gas chromatographic method. In: Helrich K, ed. Official Methods of Analysis of the Association of Official Analytical Chemists, 15th ed. Arlington, VA: Association of Analytical Chemists, Inc, 1175.
- \*AOAC. 1990b. Method 966.05. Fumigant mixtures-gas chromatographic method. In: Helrich K, ed. Official Methods of Analysis of the Association of Official Analytical Chemists, 15th ed. Arlington, VA: Association of Analytical Chemists, Inc., 164.
- \*APHA/AWWA/WEF. 1992. Standard methods for the examination of water and waste water, 18th ed. Washington, DC: American Public Health Association, American Water Works Association, Water Environment Federation, 6-17-6-57.
- \*Arthur CL, Pratt K, Motiagh S, et al. 1992. Environmental analysis of organic compounds in water using solid phase micro extraction. J High Res Chrom 15:741-744.
- \*Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. Anal Chem 64:1021-1029.
- \*Cited in text

## 8. REFERENCES

- \*Ashley DL, Bonin MA, Cardinali FL, et al. 1994. Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem* 40(7):1401-1404.
- \*ASTER. 1994. ASTER ecotoxicity profile on dichloroethene. U.S. Environmental Protection Agency, Environmental Research Laboratory-Duluth, MN.
- \*ASTER. 1995. ASTER ecotoxicity profile on dichloroethene. U.S. Environmental Protection Agency, Environmental Research Laboratory-Duluth, MN.
- \*Atkinson R, Carter WPL. 1984. Kinetics and mechanisms of gas-phase reactions of ozone with organic compounds under atmospheric conditions. *Chem Rev* 84:437-470.
- \*ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.
- \*ATSDR/CDC. 1989. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta, GA.
- \*ATSDR/CDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta, GA.
- \*Ausbel R, Wijnen MHJ. 1975. Primary steps in the photolysis of cis-1,2-dichloroethylene. *Int J Chem Kinet* 75:739-75 1.
- \*Bagley DM, Gossett JM. 1990. Tetrachloroethylene transformation to trichloroethylene and cis-1,2-dichloroethylene by sulfate-reducing enrichment cultures. *Appl Env Micro* 56(8):25 1 1-25 16.
- \*Barber LB II, Thurman EM, Schroeder MP, et al. 1988. Long-term fate of organic micropollutants in sewage-contaminated groundwater. *Environ Sci Technol* 22:205-211.
- Barber LB, Thurman EM, Takahashi Y, et al. 1992. Comparison of purge and trap GC/MS and the purgeable organic chloride analysis for monitoring volatile chlorinated hydrocarbons. *Ground Water* 30:836-842.
- Barkley J, Bunch J, Bursey JT, et al. 1980. Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment- A multimedia environmental study. *Biomed Mass Spectrom* 7:139-147.
- \*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regulatory Toxicology and Pharmacology* 8:471-486.
- \*Barnes DW, Sanders VM, White KL Jr., et al. 1985. Toxicology of trans-1,2-dichloroethylene in the mouse. *Drug Chem Toxicol* 8:373-392.
- \*Barrio-Lage G, Parsons FZ, Nassar RS, et al. 1986. Sequential dehalogenation of chlorinated ethenes. *Environ Sci Tech* 20:96-98.

## 8. REFERENCES

- Barrio-Lage GA, Parsons FZ, Nassar RS, et al. 1987. Biotransformation of trichloroethene in a variety of subsurface materials. *Environ Toxicol Chem* 6:571-578.
- \*Bason CW, Colbum T. 1992. U.S. application and distribution of pesticides and industrial chemicals capable of disrupting endocrine and immune systems. In: *Chemically-induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing Co., Inc.
- \*Battista JR, Connelly JP. 1989. VOC contamination at selected Wisconsin landfills-sampling results and policy implications. Madison, WI: Wisconsin Department of Natural Resources.
- \*Bauer S, Solyom D. 1994. Determination of volatile organic compounds at the parts per trillion level in complex aqueous matrices using membrane introduction mass spectrometry. *Anal Chem* 66:4422-4431.
- \*Baum G, Oppenlander T. 1995. Vacuum-UV-oxidation of chloroorganic compounds in an excimer flow through photoreactor. *Chemosphere* 30(9):1781-1790.
- \*Bennett, GF. 1989. Impact of toxic chemicals on local wastewater treatment plant and the environment. *Environ Geol Water Sci* 13(3):201-212.
- \*Bennett H. 1981. *Encyclopedia of chemical trade names and synonyms*. Vol. I. New York, NY: Chemical Publishing Co, 379.
- \*Bolt HM, Filser JG, Wiegand M, et al. 1980. Studies on liver microsomal metabolism and interaction of vinyl chloride and related compounds in relation to possible carcinogenicity. *Proc 19th Int Congr Occup Health*, vol. 1, *Chem Hazards* 30:369-377.
- \*Benin MA, Ashley DL, Cardinali FL, et al. 1992. Importance of enhanced mass resolution in removing interferences when measuring volatile organic compounds in human blood by using purge and trap gas chromatography/mass spectrometry. *Amer Soc Mass Spec* 3:831-841.
- \*Bonse G, Urban TH, Reichert D, et al. 1975. Chemical reactivity, metabolic oxirane formation and biological reactivity of chlorinated ethylenes in the isolated perfused rat liver preparation. *Biochem Pharmacol* 24: 1829- 1834.
- \*Brock WJ. 1990. Acute toxicity studies with trans-1,2dichloroethylene (DCE). *Journal of the American College of Toxicology* 1: 10- 11.
- \*Brodzinsky R, Singh HB. 1982. *Volatile organic chemicals in the atmosphere: An assessment of available data*. Menlo Park, CA: Atmospheric Science Center, SRI International. Contract 68-02-3452, 198.
- \*Bronzetti G, Bauer C, Corsi C, et al. 1984. Comparative genetic activity of cis- and trans-1,2,dichloroethylene in yeast. *Teratog Carcinog Mutagen* 4:365-375.
- \*Brown KW, Donnelly KC. 1988. An estimation of the risk associated with the organic constituents of hazardous and municipal waste landfill leachates. *Hazardous Waste and Hazardous Materials* 5:1-30.

## 8. REFERENCES

- \*Burbach BL, Perry JJ. 1993. Biodegradation and biotransformation of groundwater pollutant mixtures by *Mycobacterium vaccae*. *Applied and Environmental Microbiology* 1025-1029.
- \*Bysshe SE. 1982. Bioconcentration factor in aquatic organisms. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw Hill Book Co., 5-1-5-30.
- \*Cantelli-Forti G, Bronzetti G. 1988. Mutagenesis and carcinogenesis of halogenated ethylenes. *Ann N Y Acad Sci* 534:679-693.
- \*CAS. 1994. Chemical Abstract Service. Registry File. Online.
- Caste110 G, Timossi A, Gerbino TC. 1988. Gas chromatographic separation of halogenated compounds on non-polar and polar wide bore capillary columns. *J Chrom* 454:129-143.
- \*CELDs. 1993. Computer-aided Environmental Legislative Database. University of Illinois, Urbana.
- \*Cema M, Kypenova H. 1977. Mutagenic activity of chloroethylene analyzed by screening system tests. *Mutat Res* 46:214-215.
- \*Chai M, Arthur CL, Pawliszyn J, et al. 1993. Determination of volatile chlorinated hydrocarbons in air and water with solid-phase microextraction. *Analyst* 118:1501-1505.
- \*CHEMLINE. 1988. National Library of Medicine. Database. On-line: 11/30/88.
- \*Clark RM, Fronk CA, Lykins BW, Jr. 1988. Removing organic contaminants from groundwater. *Environ Sci Technol* 22(10):1126-1130.
- \*Cline PV, Viste DR. 1985. Migration and degradation patterns of volatile organic compounds. *Waste Manage Res* 3:351-360.
- Cochran JW, Yates JM. 1988. Analysis of volatile organic chemicals in aqueous samples by purge/GC with a selective water removal. *J High Res Chrom & Chrom Comm* 11:869-873.
- Cochran JW, Yates MV, Henson JM. 1988. A modified purge and trap/gas chromatography method for analysis of volatile hydrocarbons in microbiological degradation studies. *J Microbio Meth* 8:347-354.
- \*Cole RH, Frederick RE, Healy RP. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- \*Coniglio WA, Miller K, Mackeever D. 1980. The occurrence of volatile organics in drinking water. Briefing prepared by the Criteria and Standards Division, Science and Technology Branch, Exposure Assessment Project, U.S. Environmental Protection Agency.
- \*Costa AK, Ivanetich KM. 1982. The 1,2-dichloroethylenes: Their metabolism by hepatic cytochrome P-450 in vitro. *Biochem Pharmacol* 31:2093-2102.

## 8. REFERENCES

- \*Costa AK, Ivanetich KM. 1984. Chlorinated ethylenes: Their metabolism and effect on DNA repair in rat hepatocytes. *Carcinogenesis* 5:1629-1636.
- \*Dahlberg JA. 1969. The nonsensitized photo-oxidation of trichlorethylene in air. *Acta Chemica Scandinavica* 23:3081-3090.
- \*DeCeurriiz J, Desiles JP, Bonnet P, et al. 1983. Concentration-dependent behavioral changes in mice following short-term inhalation to various industrial solvents. *Toxicol Appl Pharmacol* 67:383-389.
- \*Dever RJ. 1986. Responding to industrial contamination of groundwater: A case study. *J Am Water Works Assoc* 78:182-86.
- \*Dilling WL. 1977. Interphase transfer processes. II. Evaporation rates of chloromethanes, ethanes, propanes, and propylenes from dilute aqueous solutions. Comparisons with theoretical predictions. *Environ Sci Technol* 11:405-409.
- DOT. 1984-1985. CHRIS - Hazardous Chemical Data. Volume II. Washington, D.C. U.S. Coast Guard, Department of Transportation.
- Dreisch FA, Munson TO. 1983. Purge-and-trap analysis using fused silica capillary column GC/MS. *J Chromatogr Sci* 21:111-118.
- Driscoll JN, Duffy M, Pappas S, et al. 1987. Analysis of purgeable organics in water by capillary GC/PID-EICD. *J Chromatogr Sci* 25:369-375.
- \*Ehlke TA, Imbriotta TE, Wilson BH, et al. 1992. Biotransformation of cis-1,2-dichloroethylene in aquifer material from Picattiny Arsenal, Morris County, New Jersey. U.S. Geological Survey, Toxic Substances Hydrology Program. Proceedings of the Technical Meeting, Monterey, CA, March 11-15, 1991.
- \*Eichelberger JW, Bellar TA, Donnelly JP, et al. 1990. Determination of volatile organics in drinking water with U.S. EPA method 524.2 and the ion trap detector. *J Chrom Sci* 28:460-467.
- \*Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants of the Great Lakes ecosystem. *Environ Sci Tech* 15:30-38.
- \*EPA. 1973. Guidelines establishing test procedures for the analysis of pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.
- \*EPA. 1975a. Preliminary assessment of suspected carcinogens in drinking water. Interim report to Congress, June, 1975. Washington, DC: U.S. Environmental Protection Agency.
- \*EPA. 1975b. National Primary Drinking Water Regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.
- \*EPA. 1976. Frequency of organic compounds identified in water. Athens, GA: U.S. Environmental Protection Agency, Environmental Research Laboratory, (authors: Shackelford and Keith) EPA-600/4-76-062, 130.

## 8. REFERENCES

- \*EPA. 1979. Water related environmental fate of 129 priority pollutants. Vol II. Washington DC: U. S. Environmental Protection Agency Office of Water Planning and Standards, Office of Water and Waste Management. EPA 440/4-79-029b.
- \*EPA. 1980a. Identification and listing of hazardous wastes. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.
- \*EPA. 1980b. Treatability manual. Vol. 1. Treatability data. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC. EPA-600/8-80-042.
- \*EPA. 1980c. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.
- \*EPA. 1980d. Ambient water quality criteria document for DCE. Prepared by the U. S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cinn., OH, for the Office of Water Regulations and Standards, Washington, DC. EPA-440/5-80-041.
- \*EPA. 1981a. Aquatic fate process data for organic priority pollutants. U.S. Environmental Protection Agency, Washington, DC, 159-160. (authors: Mabey WR et al.) EPA-440/4-81-014.
- \*EPA. 1981b. Electroplating. Total toxic organics. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.
- EPA. 1981c. Sources of toxic pollutants found in influents to sewage treatment plants. Washington DC: U.S. Environmental Protection Agency. (authors: Levins P et al.) EPA-440/4-81-008,118.
- \*EPA. 1982. Methods for organic chemical analysis of municipal and industrial wastewater. Longbottom JE, Lichtenberg JJ, eds. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, EPA-600/4-82-057.
- \*EPA. 1983a. Measurements of hazardous organic chemicals in the ambient atmospheric. Menlo Park, CA: SRI International, 99. (authors: Singh HB, et al.) EPA-600/3-83-002.
- EPA. 1983b. Total toxic organics. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.02.
- \*EPA. 1984. Data acquisition for environmental transport and fate screening. Menlo Park, CA. SRI International, 45. (authors: Jaber HM, et al.) EPA-600/6-84/009.
- \*EPA. 1985. Designation of reportable quantities and notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.
- EPA. 1986a. Reference values for risk assessment. Cincinnati, OH: U.S. Environmental Protection Agency. Prepared by The Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, for the Office of Solid Waste, Washington, DC.
- \*EPA. 1986b. Superfund record of decision (EPA Region 5): Forest Waste Disposal Site, Genessee County, Michigan, June 1986. U.S. Environmental Protection Agency. EPA/ROD/R05-86/034.

## 8. REFERENCES

- \*EPA. 1986c. Superfund record of decision (EPA Region 10): Ponders Corner Site, Washington (Second Remedial Action), September 1985. U.S. Environmental Protection Agency. EPA/ROD/R10-85/006.
- \*EPA. 1986d. Superfund record of decision (EPA Region 4): Hollingsworth Solderless Terminal Company Site, Fort Lauderdale, Florida, April 1986. U.S. Environmental Protection Agency. EPA/ROD/R04-86-007.
- \*EPA. 1986e. Methods for the determination of organic compounds in finished drinking water and raw source water. U.S. Environmental Protection Agency, Physical and Chemical Methods Branch, Environmental Monitoring and Support Lab, Cincinnati, OH.
- \*EPA. 1986f. Superfund record of decision (EPA Region 8): Marshall Landfill Site, Boulder County, Colorado, September 1986 report. U.S. Environmental Protection Agency. EPA/ROD/R08-86/008.
- \*EPA. 1986g. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.
- \*EPA. 1986h. Test Methods for Evaluating Solid Waste. SW846, volume IB, 3rd edition. Office of Solid Waste and Emergency Response. U. S. Environmental Protection Agency
- \*EPA. 1987a. Superfund record of decision (EPA Region 2): Lang Property, Pemberton Township, New Jersey, September 1986. U.S. Environmental Protection Agency. EPA/ROD/R02-86/031.
- \*EPA. 1987b. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.
- \*EPA. 1987~. U.S. EPA contract laboratory program statement of work for organic analysis. 8/87. U.S. Environmental Protection Agency.
- EPA. 1987d. Health advisory for trans-1,2-dichloroethylene. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.
- EPA. 1987e. Health advisory for cis-1,2-dichloroethylene. U.S. Environmental Protection Agency, Office of Drinking Water, Washington, DC.
- \*EPA. 1987f. Land disposal restrictions. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.
- \*EPA. 1988a. Super-fund record of decision (EPA Region 2): Vega Alta Public Supply-Wells, Puerto Rico (First Remedial Action), September 1987. U.S. Environmental Protection Agency. EPA/ROD/RO2-87-050.
- \*EPA. 1988b. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.
- EPA. 1989. Reportable quantity. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.

## 8. REFERENCES

- \*EPA. 1990a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/8-90/066A.
- EPA. 1990b. Drinking water criteria document for the dichloroethylenes. U.S. Environmental Protection Agency, Washington, DC. PB91-143396
- \*EPA. 1991. Criteria for municipal solid waste landfills (Eff. 10-9-93). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258.
- \*EPA. 1993. Contaminated sediment news. EPA-823-N92-001, Number 8.
- \*EPA. 1994. Drinking water regulations and health advisories. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- \*EPA. 1995a. U. S. Environmental Protection Agency. Volume 60. Federal Register, 11702, March 2, 1995.
- \*EPA. 1995b. Universal Treatment Standard. U. S. Environmental Protection Agency. 60 FR 242.
- \* EPA. 1995c. Drinking water regulations and health advisories. Washington, DC. U. S. Environmental Protection Agency, Office of Water. May 1995.
- \*Fain JE, Brakefiled LA, Sherman L, et al. 1987. Environmental risk management of land treatment operational units. Hazardous Waste and Hazardous Material 4:83-97.
- Federal Register. 1989. Federal Register 54(224):48572-48529.
- \*Feiler HD, Starch PJ, Southworth R. 1980. Organics in municipal sludges survey of forty cities. In: Natl Conf Munic Ind Sludge Util Disposal. Silvery Spring, MD: Inf Transfer, 53-57.
- \*Filser JG, Bolt HM. 1979. Pharmacokinetics of halogenated ethylenes in rats. Arch Toxicol 42:123-136.
- \*Filser JG, Bolt HM. 1980. Characteristics of haloethylene-induced acetonemia in rats. Arch Toxicol 45(2):109-116.
- Filser JG, Bolt HM. 1981. Inhalation pharmacokinetics based on gas uptake studies. I. Improvement of kinetic models. Arch Toxicol 47:279-292.
- \*Filser JG, Bolt HM, Kimmich K, et al. 1978. Exhalation of acetone by rats on exposure to trans-1,2-dichloroethylene and related compounds. Toxicol Lett 2:247-252..
- \*Filser JG, Jung P, Bolt HM. 1982. Increased acetone exhalation induced by metabolites of halogenated C1 and C2 compounds. Arch Toxicol 49: 107-116.
- \*Fogel MM, Taddeo AR, Fogel S. 1986. Biodegradation of chlorinated ethenes by a methane-utilizing mixed culture. Appl Environ Microbiol 51:720-724.



## 8. REFERENCES

- \*Frst C, Stieglitz L, Roth W, et al. 1989. Determination of volatile organic pollutants in leachate from different landfills. *Vom Wasser* 72:295-305.
- \*Frantik E, Homychova M, Horvath M. 1994. Relative acute neurotoxicity of solvents: Isoeffective air concentrations of 48 compounds evaluated in rats and mice. *Environmental Research* 66(2):173-185.
- \*Freundt KJ, Liebaladt GP, Lieberwirth E. 1977. Toxicity studies on trans-1,2-dichloroethylene. *Toxicology* 7:141-153.
- \*Freundt KJ, Macholz J. 1978. Inhibition of mixed function oxidases in rat liver by trans-and cis-1,2-dichloroethylene. *Toxicology* 10:131-139.
- \*Friedman MA. 1988. Volatile organic compounds in groundwater and leachate at Wisconsin landfills. Madison, WI: Wisconsin Department of Natural Resources. PUBL-WK-192 88.
- \*FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. U.S. Environmental Protection Agency. Chemical Communication Subcommittee, Federal State Toxicology and Regulatory Alliance Committee (FSTRAC).
- \*Fusillo TV, Hochreiter JJ, Lord DG. 1985. Distribution of volatile organic compounds in a New Jersey coastal plain aquifer system. *Ground Water* 23:354-360.
- \*Galli A, Bauer C, Bronzetti G, et al. 1982. [Genetic activity of 1,2-dichloroethylene. A. In vitro studies]. *Boll Sot Ital Biol Sper* 58:860-863. (Italian)
- \*Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol* 98(1):87-99.
- \*Gargas ML, Clewell HJ III, Andersen ME. 1990. Gas uptake inhalation techniques and the rates of metabolism of chloromethanes, chloroethanes, and chloroethylenes in the rat inhalation. *Toxicology* 2(3):295-319.
- \*Gargas ML, Seybold PG, Andersen ME. 1988. Modeling the tissue solubilities and metabolic rate constant ( $V_{max}$ ) of halogenated methanes, ethanes, and ethylenes. *Toxicol Lett* 43(1):235-256.
- Gehring DG, Barsotti DJ, Gibbon HE. 1992. Chlorofluorocarbons alternatives analysis. Part II: The determination of HCFC-141b purity by gas chromatography. *J Chrom Sci* 30:301-305.
- \*Ghassemi M, Qunilivan S, Bachmaier J. 1984. Characteristics of leachates from hazardous waste landfills. *J Environ Sci Health* 19(Pt A):579-620.
- \*Goodenkauf O, Atkinson JC. 1986. Occurrence of volatile organic chemicals in Nebraska groundwater. *Ground Water* 24:231-233.
- \*Goodman MA, Tuazon EC, Atkinson R, et al. 1986. A study of the atmospheric reactions of chloroethanes with OH radicals. In: ACS Div Environ Chem 192nd Natl Mtg 26: 169- 171.

## 8. REFERENCES

- \*Gosselin RE, Smith RP, Hodge HC. 1984. Clinical toxicology of commercial products. 5th ed., Baltimore, MD: Williams and Wilkins, 162.
- \*Gossett JM. 1987. Measurement of Henry's Law constant for C1 and C2 chlorinated hydrocarbons. *Environ Sci Tech* 21:202-206.
- \*Gossett RW, Brown DA, Young DR. 1983. Predicting the bioaccumulation of organic compounds in marine organisms using octanol/water partition coefficients. *Mar Pollut Bull* 14:387-392.
- \*Gradiski D, Bonnet P, Raoult G, et al. 1978. Comparative acute inhalation toxicity of the principal chlorinated aliphatic solvents. *Arch Mal Prof Med Trav Secur Sot* 39:249-257.
- \*Granstrom ML, Ahlert RC, Wiesenfeld J. 1984. The relationships between the pollutants in the sediments and in the water of the Delaware and Raritan Canal. *Water Sci Tech* 16:375-380.
- \*Greim H, Bonse G, Radwan Z, et al. 1975. Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol* 24:2013-2017.
- \*Grimsrud EP, Rasmussen RA. 1975. Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. *Atmos Environ* 9: 1014-1017.
- \*Gryder-Boute t DE, Kennish JM. 1988. Using headspace sampling with capillary column GC/MS to analyze trace volatile organics in water and wastewater. *J Am Water Works Assoc* 52-55.
- Guild LV, Myrmel KH, Dietrich DF. 1992. Bi-level passive monitor validation: A reliable way of assuring sampling accuracy for a larger number of related chemical hazards. *Appl Occup Environ Hyg* 7:310-317.
- \*Gupta KC, Ulsamer AG, Gammage R. 1984. Volatile organic compounds in residential air: Levels, sources and toxicity. *Proc - APCA Annu Meet* 77, 84:1.3-3.1.
- \*Gurtler R, Moller U, Sommer S, et al. 1994. Photooxidation of exhaust pollutants. *Chemosphere* 29(8):1671-1682.
- \*Hall DW. 1984. Volatile organic contamination in an alluvial aquifer, Southington, Connecticut. In: *Hazard Wastes Environ Emerg Manage Prev Cleanup Control Internatl Conf Exhib*, 190-197.
- \*Hall LC, Mallon B, Hsieh P, et al. 1989. Health risk assessment of trans-1,2-dichloroethylene in California drinking water. Environmental Sciences Division, Lawrence Livermore National Laboratory, Livermore, CA.
- \*Hall LW Jr, Hall WS, Bushong SJ, et al. 1987. In-situ striped bass (*Morone saxatilis*) contaminant and water quality studies in the Potomac River. *Aquat Toxicol* 10:73-99.
- \*Hallen RT, Pyne JW Jr., Molton PM. 1986. Transformation of chlorinated ethenes and ethanes by anaerobic microorganisms. In: *ACS Div Environ Chem* 26:344-346.

## 8. REFERENCES

- \*Hamilton A. 1934. Industrial toxicology. New York, NY: Harper and Brothers Publishers, 217-218.
- \*Hand DW, Crittenden JC, Gehin JL, et al. 1986. Design and evaluation of an air stripping tower for removing VOCs from groundwater. Journal American Water Works Association 78:87-97.
- \*Hansch C, Leo AJ. 1985. MedChem project. Pomona College, Claremont, CA. Issue No. 26.
- \*Hara K, Nagata T, Kishimoto E. 1980. Gas chromatographic/mass spectrometric demonstration of chlorinated aliphatic hydrocarbons in biological materials. Jap J Legal Med 34: 507-513.
- \*Hawley GG. 1981. The condensed chemical dictionary. 10th ed. New York, NY: Van Nostrand Reinhold Co., 335.
- \*Hayes JR, Condie LW Jr., Egle JL Jr., et al. 1987. The acute and subchronic toxicity in rats of trans- 1,2-dichloroethylene in drinking water. J Am Coll Toxicol 6:471-478.
- \*HAZDAT. 1995. Database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- \*HAZDAT. 1996. Database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- \*Henschler D. 1977. Metabolism and mutagenicity of halogenated olefins: A comparison of structure and activity. Environ Health Perspect 21:61-64.
- \*Hewitt AD, Miyares PH, Leggett DC, et al. 1991. Comparison of headspace gas chromatography with EPA SW-846 method 8240 for the determination of volatile organic compounds in soil. Special Report 91-4. U.S. Army Toxic and Hazardous Materials Agency.
- Hiatt MH. 1981. Analysis of fish and sediment for volatile priority pollutants. Anal Chem 53:1541-1543.
- Hiatt MH. 1983. Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography/mass spectrometry. Anal Chem 55:506-516.
- \*Ho JS. 1989. A sequential analysis for volatile organics in water by purge and trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series. J Chrom Sci 27:91-98.
- \*Ho JS, Hodakievic P, Bellar TA. 1989. A fully automated purge and trap system for analyzing volatile organics-in drinking water. Am Lab 21:41-51.
- \*Hopkins GD, McCarty PL. 1995. Field evaluation of in Situ aerobic cometabolism of trichloroethylene and three dichloroethylene isomers using phenol and toluene as the primary substrates. Environ Sci Technol 16:1628-1637.
- \*Horvath AL. 1982. Halogenated hydrocarbons solubility - miscibility with water. New York, NY: Marcel Dekker Inc., 496-497.

## 8. REFERENCES

- \*HSDB. 1995. Hazardous Substances Databank (online database). National Library of Medicine, National Toxicology Information Program. Bethesda, MD. October 1995.
- \*Hurt ME, Valentine R, Alvarez L. 1993. Developmental toxicity of inhaled trans- 1,2-dichloroethylene in the rat. *Fundam Appl Toxicol* 20(2):225-230.
- \*IRIS. 1994. Integrated Risk Information System (IRIS) on Dichloroethylene. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH. May 1994.
- \*IRIS. 1995. Integrated Risk Information System (IRIS) on Dichloroethylene. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH. February 1995.
- \*Janssen DB, Grobben G, Hoekstra R, et al. 1988. Degradation of trans-1,2-dichloroethene in mixed and pure cultures of methanotrophic bacteria. *Appl Microbial Biotechnol* 29:392-399.
- \*Jeffers PM, Ward LM, Woytowitch LM, et al. 1989. Homogenous hydrolysis rate constants for selected chlorinated methanes, ethanes, ethenes, and propanes. *Environ Sci Technol* 23:965-969.
- \*Jenkins LJ Jr., Trabulus MJ, Murphy SD. 1972. Biochemical effects of 1,1-dichloroethylene in rats: Comparison with carbon tetrachloride and 1,2-dichloroethylene. *Toxicol Appl Pharmacol* 23:501-510.
- \*Kallman MJ, Lynch MR, Landauer MR. 1983. Taste aversions to several halogenated hydrocarbons. *Neurobehav Toxicol Teratol* 5:23-27.
- \*Kastner M. 1991. Reductive dechlorination of tri- and tetrachloroethylenes depends on transition from aerobic to anaerobic conditions. *Appl Env Micro* 57(7):2039-2046.
- \*Kawamura K, Kaplan IR. 1983. Organic compounds in the rainwater of Los Angeles. *Environ Sci Tech* 17:497-501.
- Ke H, Levine SP, Berkley R. 1992a. Analysis of complex mixtures of vapors in ambient air by fast-gas chromatography. *J Air Waste Manage Assoc* 42:1446-1452.
- \*Ke H, Levine SP, Mouradian RF, et al. 1992b. Fast gas chromatography for air monitoring: Limits of detection and quantitation. *Am Ind Hyg Assoc J* 32:130-137.
- \*Kessels H, Hoogerwerf W, Lips J. 1992. The determination of volatile organic compounds from EPA method 524.2 using purge and trap capillary gas chromatography, ECD and FID detection. *J Chrom Sci* 30:247-255.
- \*Krill RM, Sonzogni WC. 1986. Chemical monitoring of Wisconsin's groundwater. *J Am Water Works Assoc* 78:70-75.
- \*Kuney JH, ed. 1988. *Chemyclopedia* 1989. Vol. 7. American Chemical Society, Washington, DC, 287.

## 8. REFERENCES

- \*Lao RC, Thomas RS, Bastien P, et al. 1982. Analysis of organic priority pollutants and non-priority pollutants in environmental samples by GUMS/computer systems. In: Albaiges J, ed. *Analytical Techniques in Environmental Chemistry II*. Pergamon Press LTD, New York, NY: 107-118.
- \*LaRegina J, Bozzelli JW, Harkov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey. An up-to-date review of the present situation. *Environ Prog* 5:18-27.
- \*Lee MD, Thomas JM, Borden RC, et al. 1988. Bioremediation of aquifers contaminated with organic compounds. *CRC Critical Reviews in Environmental Control* 18(1):29-89.
- \*Lehmann KB, Schmidt-Kehl L. 1936. The thirteen most important chlorinated aliphatic hydrocarbons from the standpoint of industrial hygiene. *Arch fur Hygiene*, 116, 131.
- \*Leibman KC, Ortiz E. 1977. Metabolism of halogenated ethylenes. *Environ Health Perspect* 21:91-97.
- \*Lesage S, Jackson RE, Priddle MW, et al. 1990. Occurrence and fate of organic solvent residues in anoxic groundwater at the Gloucester Landfill, Canada. *Environ Sci Technol* 24(4):559-566.
- \*Leschber R, Mergler-Voelkl R, Nerger M. 1990. Soil and groundwater contamination by low boiling chlorinated hydrocarbons in Berlin. Formation of metabolites and their analytical determination. *Intern J Environ Anal Chem* 39: 159-164.
- \*Lin SN, Fu FWY, Bruckner JV, et al. 1982. Quantitation of 1,1- and 1,2-dichloroethylene in body tissues by purge- and trap gas chromatography. *J Chromatogr* 244:311-320.
- \*Lipsky D, Jacot B. 1985. Hazardous emissions from sanitary landfills. Proceedings of 78th Annual Meeting of the Air Pollution Control Association, Detroit, MI, June 16-21, 1985.
- Lopez-Avila V, Heath N, Hu A. 1987. Determination of purgeable halocarbons and aromatics by photoionization and Hall electrolytic conductivity detectors connected in series. *J Chromatogr Sci* 25:356-363.
- Lopez-Avila V, Wood R, Flanagan M, et al. 1987. Determination of volatile priority-pollutants in water by purge and trap and capillary column gas chromatography/mass spectrometry. *J Chromatogr Sci* 25:286-291.
- \*Lue-Hing C, Lordi DT, Kelada NP. 1981. Fate of priority pollutants in large municipal treatment plants. *Aiche Sym Ser* 77:144-150.
- \*Lyman WJ. 1982.. Adsorption coefficient for soils and sediments. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw Hill Book Co., 4-1-4-33.
- \*Manning RO, Brown KH, Srivastan V, et al. 1990. Pharmacokinetics of trans-1,2-dichloroethylene (DCE) and 1,1-dichloroethane (DCA) in rats [Abstract]. *Toxicologist* 10:235.

## 8. REFERENCES

- \*Matz G, Kesners P. 1993. Spray and trap method for water analysis by thermal desorption gas chromatography/mass spectrometry in field applications. *Anal Chem* 65:2366-2371.
- \*McCauley PT, Robinson M, Condie LW, et al. 1990. The effect of subacute and subchronic oral exposure to cis- 1,2-dichloroethylene in rats. Cincinnati OH: U.S. Environmental Protection Agency, Health Effects Research Laboratory, and Air Force Aerospace Medical Research Laboratory, Wright-Patterson AFB, OH.
- \*McClenny WA, Pleil JD, Evans GF, et al. 1991. Canister-bases method for monitoring toxic VOCs in ambient air. *J Air Waste Manage Assoc* 41:1308-1318.
- \*McMillan DA. 1986. Toxicity of the cis- and trans-isomers of 1,2-dichloroethylene. *Diss Abstr Int B* 47:III.
- Mehran M, Cooper WJ, Mehran M, et al. 1986. Comparison of direct headspace and aqueous injection techniques for halogenated hydrocarbons in water. *J Chromatogr Sci* 24:142-146.
- \*Mehran MF, Nickelsen MG, Golkar N, et al. 1990. Improvement of the purge and trap technique for the rapid analysis of volatile organic pollutants in water. *J High Res Chrom* 13:429-433.
- \*Merck Index. 1989. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 11th ed. Budavari S ed. Rahway, NJ: Merck and Co., Inc.
- \*Michael LC, Pellizzari ED, Norwood DL. 1991. Application of the master analytical scheme to the determination of volatile organics in wastewater influents and effluents. *Environ Sci Technol* 25:150-155.
- Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. *Environ Sci Technol* 22:565-570.
- \*Michal J. 1976. Toxicity of pyrolysis and combustion products of poly(vinyl chloride). *Fire Mater* 1:57-62.
- \*Milde G, Nergler M, Mergler R. 1988. Biological degradation of volatile chlorinated hydrocarbons in groundwater. *Water Sci Tech* 20(3):67-73.
- \*Mochida K, Gomyoda M, Fujita T. 1995. Toxicity of 1,1-Dichloroethane and 1,2-Dichloroethylene determined using cultured human KB cells. *Bull Environ Contam Toxicol* 55:316-319.
- \*Mortelmans K, Haworth S, Lawlor T, et al. 1986. Salmonella mutagenicity tests. II. Results from the testing of 270 chemicals. *Environ Mutag* 7: 1-19.
- \*Mudder TI. 1981. Development of empirical structure-biodegradability relationships and testing protocol for slightly soluble and volatile priority pollutants. Ann Arbor, MI. Univ Microfilms Intemat 106-109, 133-143.
- \*Mudder TI, Musterman JL. 1982. Development of empirical structure biodegradability relationships and biodegradability testing protocol for volatile and slightly soluble priority pollutants. Preprint

## 8. REFERENCES

Extended Abstract presented before the Division of Environ Chem, Kansas City, MO, September 1982. Am Chem Soc.

Munch DW, Eichelberger JW. 1992. Evaluation of 48 compounds for possible inclusion in U.S. EPA method 524.2, revision 3.0: Expansion of the method analyte list to a total of 83 compounds. J Chrom Sci 30:471-477.

\*Munson AE, Sanders VM, Douglas KA, et al. 1982. In vivo assessment of immunotoxicity. Environ Health Perspect 43:41-52.

\*Myers VB. 1983. Remedial activities at the Miami drum site, Florida. Uncontrolled Hazard. Waste Sites. Natl Conf Manage, 354-357.

Namkung E, Rittman BE. 1987. Estimating volatile organic compound emissions from publicly owned treatment works. J Wat Pollut Control Fed 59:670-678.

\*NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.

\*NATICH. 1992. National Air Toxics Information ClearingHouse. NATICH database report of federal, state, and local air toxics activities. September 1992. EPA-453\R-92-008.

\*Naylor LM, Loehr RC. 1982. Priority pollutants in municipal sewage sludge. Biocycle 23:18-22.

\*Nicola RM, Branchflower R, Pierce D. 1987. Chemical contaminants in bottomfish. J Environ Health 49:342-347.

\*NIOSH. 1987. Supplement to the NIOSH manual of analytical methods. 3rd ed. Eller PM, ed. Washington, DC: National Institute for Occupational Safety and Health. U.S. Government Printing Office.

\*NIOSH. 1988. National occupational exposure survey. May 10, 1998. National Institute for Occupational Safety and Health.

\*NIOSH. 1992. Recommendations for occupational safety and health. Compendium of policy documents and statements. U.S. Department of Health and Human Services, National Institute of Occupational Safety and Health, Cincinnati, OH.

\*NIOSWOSHA. 1978. Occupational health guidelines for 1,2-dichloroethylene. In: Occupational health guide to chemical hazards, 1-4.

\*OHM-TADS. 1988. Oil and Hazardous Materials-Technical Assistance Data System. -U.S. Environmental Protection Agency, National Institute of Health. Computer database on-line: December 5, 1988.

\*OSHA. 1989. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.

## 8. REFERENCES

- \*OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Office of Technology Assessment, Washington, DC. OTA-BA-438.
- \*Otson R. 1987. Purgeable organics in Great Lakes raw and treated water. *Intern J Environ Anal Chem* 31:41-53.
- \*Otson R, Williams DT, Bothwell PD. 1982. Volatile organic compounds in water at thirty Canadian potable water treatment facilities. *J Assoc Off Analyt Chem* 65: 1370-1374.
- \*Oxenford JL, McGeorge LJ, Jenniss JW. 1989. Determination of practical quantitation levels for organic compounds in drinking water. *J Am Water Works Assoc* 81: 149-154.
- \*Page BD, Lacroix G. 1993. Application of solid-phase microextraction to the headspace gas chromatographic analysis of halogenated volatile in selected foods. *J Chrom* 648: 199-211.
- \*Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environ Sci Technol* 15:1475-1481.
- \*Paolini M, Mesirca R, Pozzetti L, et al. 1992. Selective induction of murine liver cytochrome P450 IIB 1 by halogenated hydrocarbons. *Toxicol Environ Chem* 36(3):235-49.
- \*Parsons F, Wood PR, DeMarco J. 1984. Transformations of tetrachloroethene and trichloroethane in microcosms and groundwater. *J Am Water Works Association* 76:56-59.
- \*Pellizzari ED. 1978. Quantification of chlorinated hydrocarbons in previously collected air samples. *Gov Rep Announce* 79:68.
- Pellizzari ED, Erickson MD, Zweidinger RA. 1979. Formulation of preliminary assessment of halogenated organic compounds in man and environmental media. Research Triangle Park, NC: U. S. Environmental Protection Agency, EPA-560/13-79-006; 369.
- \*Pennington D. 1983. Hydrogeological investigation of a hazardous waste site in Atlantic City, NJ. In: JW Mercer, PSC Rao, IW Marine, eds. *Role of unsaturated zone in radioactive and hazardous waste disposal*. Ann Arbor Science 21 1-227.
- Plaa GL, Larson RE. 1965. Relative nephrotoxic properties of chlorinated methane, ethane, and ethylene derivatives in mice. *Toxicol Appl Pharmacol* 7:37-44.
- \*Plumb RH Jr. 1987. A comparison of ground water monitoring data from CERCLA and RCRA sites. *Ground Water Monit Rev* 7:94-100.
- \*Pollack AJ, Hoidren MW, McClenny WA. 1991. Multi-adsorbent preconcentration and gas chromatographic analysis of air toxics with an automated collection/analytical system. *J Air Waste Manage Assoc* 41:1213-1217.
- Rampy LW, Quast JF, Humiston CG, et al. 1977. Interim results of two-year toxicological studies in rats of vinylidene chloride incorporated in the drinking water or administered by repeated inhalation. *Environ Health Perspect* 21:33-43.



## 8. REFERENCES

- Rappaport SM. 1993. Threshold limit values, permissible exposure limits, and feasibility: The basis for exposure limits in the United States. *Am J Ind Med* 23:683-694.
- \*Raymer JH, Thomas KW, Cooper SD, et al. 1990. A device for sampling of human alveolar breath for the measurement of expired volatile organic compounds. *J Anal Tox* 14:337-344.
- Reding R. 1987. Chromatographic monitoring methods for organic contaminants under the Safe Drinking Water Act. *J Chrom Sci* 25:338-344.
- \*Riley RG, Crecelius EA, Mann DC, et al. 1980. Quantitation of pollutants in suspended matter and water from Puget Sound. NOAA-80061003. Richland, WA: Battelle Pacific Northwest Lab, 110.
- Rogan WJ, Gladen BC, McKinney JD, et al. 1986. Polychlorinated biphenyls and dichlorodiphenyl dichloroethane in human milk effects of maternal factors and previous lactation. *Am J Public Health* 76:172-177.
- Rosen ME, Pankow JF. 1991. Adsorption/thermal desorption for the determination of volatile organic compounds in water. *J Chrom* 527:321-328.
- \*RTECS. 1994. Registry of Toxic Effects of Chemical Substances (RTECS). National Institute for Occupational Safety and Health (NIOSH). Computer database online.
- \*Sahel GV, Clark TP. 1984. Volatile organic compounds as indicators of municipal solid waste leachate contamination. *Waste Manag Res* 2: 119-130.
- \*Sabljić A. 1984. Predictions of the nature and strength of soil sorption of organic pollutants by molecular topology. *J Agric Food Chem* 32:243.
- \*Sanhueza E, Hecklen J. 1975a. Reaction of atomic oxygen (3P) with dichloroethylene. *J Photochem* 4:1-15.
- \*Sanhueza E, Hecklen J. 1975b. Oxidation of cis- and trans-1,2-dichloroethane. *Int J Chem Kinet* 7:589-604.
- \*SANSS. 1994. Structure and Nomenclature Search System. Chemical Information System (CIS). Computer data base online.
- \*Sato A, Nakajima T. 1979. A structure-activity relationship of some chlorinated hydrocarbons. *Arch Environ Health* 34(2):69-75.
- Sato A, Nakajima T. 1987. Pharmacokinetics of organic solvent vapors in relation to their toxicity. *Stand J Work Environ Health* 13:81-93.
- \*Sawada M, Sofuni T, Ishidate M, Jr. 1987. Cytogenetic studies on 1,1-dichloroethylene and its two isomers in mammalian cells in vitro and in vivo. *Mutat Res* 187: 157- 164.
- \*Sax NI. 1979. Dangerous properties of industrial materials. 5th ed. New York, NY: Van Nostrand Reinhold Co., 561.

## 8. REFERENCES

- Schwartz BS, Ford DP, Bolla KI, et al. 1990. Solvent associated decrements in olfactory function in paint manufacturing workers. *Am J Ind Med* 18:697-706.
- \*Semprini L. 1995. In Situ bioremediation of chlorinated solvents. *Environmental Perspectives* 103(5):101-105.
- \*Shackelford WM, Cline DM, Faas L, et al. 1983. Database on identification of wastewater component. U.S. Environmental Protection Agency, Environmental Research Laboratory, Athens, GA.
- \*Shah JJ, Singh HB. 1988. Distribution of volatile organic chemicals in outdoor and indoor air. *Environ Sci Technol* 22(12):1381-1388.
- \*Shen TT. 1982a. Estimation of organic compound emissions from waste lagoons. *J Air Pollut Cont Assoc* 32:79-82.
- \*Shen TT. 1982b. Air quality assessment for land disposal of industrial wastes. *Environ Manage* 6:297-305.
- Shirey R, Cole S. 1993. A VOCARB 4000 purge trap ensures high recovery of polar and oxygenated compounds in water. *The SUPELCO Reporter* 12(3):8.
- \*Shopp GM Jr, Sanders VM, White KL Jr, et al. 1985. Humoral and cell-mediated immune status of mice exposed to trans-1,2-dichloroethylene. *Drug Chem Toxicol* 8:393-407.
- \*Silka LR, Wallen DA. 1988. Observed rates of biotransformation of chlorinated aliphatics in groundwater. In: *Superfund: Proc, 9th National Conference: Publ. Haz. Mat. Contrl. Res. Inst.* 138-141.
- \*Singh UP, Orban JE. 1987. The Biscayne Aquifer contamination: cleanup and prevention. *Water Resour Bull* 23:879-888.
- \*Sittig M. 1994. World-wide limits for toxic and hazardous chemicals in air, water and soil. New Jersey, Noyes Publication. 274-276.
- \*Smith JA. 1988. Vapor distribution of trichloroethane and related compounds in soil gas above contaminated groundwater at Picatinny Arsenal, New Jersey Preprints. In: *Amer Chem Soc Div Environ Chem 196th Mtg* 28:376-377.
- \*Smith LR, Dragun J. 1984. Degradation of volatile chlorinated aliphatic priority pollutants in groundwater. *Environ Inter* 10:291-298.
- \*Snider EH, Manning FS. 1982. A survey of pollutant emission levels in wastewater and residuals from the petroleum refining industry. *Environ Int* 7:237-258.
- \*Soni M, Bauer S, Amy JW, et al. 1995. Direct determination of organic compounds in water at parts-per-quadrillion levels by membrane introduction mass spectrometry. *Anal Chem* 67:1409-1412.
- \*Spagnoli JJ. 1986. Managing the industrial/hazardous contribution to the Niagara River. *Northeastern Environmental Science* 5:23-32.

## 8. REFERENCES

- Spencer HC, Rowe VK, Adams EM, et al. 1951. Vapor toxicity of 1,2-dichloroethane ethylene dichloride determined by experiments on laboratory animals. *Arch Ind Health* 4:482-493.
- \*Staples CA, Werner A, Hoogheem T. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Enviro Toxicol Chem* 4:31-42.
- \*Stenzel M, Gupta US. 1985. Treatment of contaminated groundwaters with granular activated carbon and air stripping. *Journal Air Pollution Control Association* 35(12): 1304-1309.
- \*Stevens VL. 1979. 1,2-Dichloroethylene. In: Grayson M, Eckroth D, eds. *Kirk-Othmer encyclopedia of chemical technology*, 3rd ed., Vol. 5. New York, NY: John Wiley and Sons, 742-745.
- \*Stonebraker RD, Smith AJ, Jr. 1980. Containment and treatment of a mixed chemical discharge from "The Valley of the Drum" near Louisville, Kentucky. In: *Control Hazard Mater Spills, Proc Natl Conf Nashville, TN*, 1-10.
- \*Streete PJ, Ruprah M, Ramsey JD, et al. 1992. Detection and identification of volatile substances by headspace capillary gas chromatography to aid the diagnosis of acute poisoning. *Analyst* 117:1111-1127.
- \*Suffet IH, Brenner L, Cairo PR. 1980. Gas chromatography-mass spectrometry identification of trace organics in Philadelphia, Pennsylvania, USA drinking waters during a two year period. *Water Res* 14:853-857.
- \*Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters OctanoVwater partition coefficient, soil sorption constant, water to air ratio and water solubility. *Res Rev* 85:17-28.
- \*Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Contr Fed* 53:1503-1518.
- \*Tandoi V, Distefano TD, Bower PA, et al. 1994. Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high rate anaerobic enrichment culture. *Environ Sci Technol* 28:973-979.
- \*Thomas RG. 1982. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH., eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw Hill Book Co., Chapter 15.
- Thompson JA, Ho B, Mastovich SL. 1985. Dynamic headspace analysis of volatile metabolites from the reductive dehalogenation of trichloro- and tetrachloroethanes by hepatic microsomes- - *Anal Biochem* 145:376-384.
- \*TOMES. 1994. TOMES (Toxicology, Occupational Medicine and Environment Series), electronic data base Vol 78, Micromedex, Inc.
- \*TRI91. 1993. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.

## 8. REFERENCES

- \*TRI93. 1995. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- \*Tuazon EC, Atkinson R, Aschmann SM, et al. 1988. Atmospheric reactions of chloroethenes with the OH radical. *International Journal of Chemical Kinetics*. 20:241-265.
- \*Tuazon EC, Atkinson R, Winer AM, et al. 1984. A study of the atmospheric reaction of 1,3 dichloropropene and other selected organochlorine compounds. *Arch Environ Contam Toxicol* 13:691-700.
- \*Uehori R, Nagata T, Kimura K, et al. 1987. Screening of volatile compounds present in human blood using retention indices in gas chromatography. *J Chrom* 411:251-257.
- \*Van H. 1988. OPD chemical buyers directory. 76th ed. New York, NY: Shnell Publishing Co., 239.
- \*Vannelli T, Logan M, Arciero DM, et al. 1990. Degradation of halogenated aliphatic compounds by the ammonia-oxidizing bacterium *Nitrosomonas europaea*. *Appl Env Micro* 56(4):1169-1171.
- \*Veith GD, Kosian P. 1983. Estimating bioconcentration potential from octanol/water partition coefficients. In: MacKay, et al. eds. *Physical behavior of PCBs in the Great Lakes*. Ann Arbor, MI: Ann Arbor Science Publishers, 269-282.
- \*VIAR. 1987. Contract laboratory statistical database. Output Date: April 13, 1987.
- VIEW Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. November 8, 1989.
- Villalobos R, Annino R. 1991. Computer-aided design and optimization of an on-line gas chromatographic procedure for the analysis of purgeable compounds in waste water. *J High Res Chrom* 14:681-685.
- \*Vogel TM, Criddle CS, McCarty PL. 1987. Transformations of halogenated aliphatic compounds. *Environ Sci Technol* 2(8):722-736.
- \*Vogt WG, Walsh JJ. 1985. Volatile organic compounds in gases from landfill simulators. In: *Proc APCA Annu Meet* 78:17.
- \*Wang T, Lenahan R, Kanik M. 1985b. Impact of trichloroethylene contaminated groundwater discharged to the main canal and Indian River Lagoon. Vero Beach, Florida. *Bull Environ Contam Toxicol* 34:578-586. - . - -
- \*Wang T, Lenahan R, Kanik M, et al. 1985a. The removal of trichloroethylene contaminated groundwater at Vero Beach, Florida. *Arch Environ Contam Toxicol* 14:719-723.
- Ware GW ed. 1988. Cis and trans-1,2-dichloroethylene. In: *Reviews of Environmental Contamination and Toxicology*. U.S. Environmental Protection Agency, Office of Drinking Water, Health Advisories 106:93-112.

## 8. REFERENCES

- \*Weast RC. 1983. CRC handbook of chemistry and physics. 72nd ed. Boca Raton, FL: CRC Press, Inc., C295.
- \*Westrick JJ, Mello JW, Thomas RF. 1984. The groundwater supply survey. J Amer Water Works Assoc 76:52-59.
- Williams DT, Coburn JA, Bancsi JJ. 1984. Study of total organic halogen as a means to detect groundwater contamination. Environ Int 10:39-44.
- \*Wilson BH, Smith GB, Rees JF. 1986. Biotransformations of selected alkylbenzenes and halogenated aliphatic hydrocarbons in methanogenic aquifer material: A microcosm study. Environ Sci Technol 20:997-1002.
- \*Wirier AM, Atkinson R. 1987. Lifetimes and fates of toxic chemicals in California's atmosphere. Riverside, CA: California University.
- \*Witmer C, Cooper K, Jowa L, et al. 1990. Oral toxicity of trans-1,2-dichloroethylene (DCE) and 1,1,1-trichloroethane (TCE) given alone and in combination to rats [Abstract]. Toxicologist 10:51.
- \*Wolf F, Gorelik L. 1984. Persistence of synthetic solvent contaminants in a glacial outwash. Aquifer, Washington State. Munic Ind Waste, 7th Annu Madison Waste Conf, 116-131.
- \*Wood JA, Porter ML. 1987. Hazardous pollutants in class II landfills. J Air Pollut Control Assoc 37:609-615.
- \*Wylie PL. 1988. Comparing headspace with purge and trap for analysis of volatile priority pollutants. J Am Water Works Assoc 80:65-72.
- \*Yeh and Kastenbergh. 1991. Health risk assessment of biodegradable volatile organic chemicals: a case study of PCE, TCE, DCE, and VC. Journal of Hazardous Materials. 27: 111-126.
- \*Zhang Z. 1991. A gas-phase reactivity study of OH radicals with 1,1-dichloroethene and cis- and trans-1,2-dichloroethene over the temperature range 240-400° K. J Phys Chem 95: 194-196.