TOXICOLOGICAL PROFILE FOR ETHYLENE GLYCOL

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Agency for Toxic Substances and Disease Registry

November 2010

ETHYLENE GLYCOL

DISCLAIMER

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

ETHYLENE GLYCOL iii

UPDATE STATEMENT

A Toxicological Profile for Ethylene Glycol, Draft for Public Comment was released in October 2007. This edition supersedes any previously released draft or final profile.

Toxicological profiles are revised and republished as necessary. For information regarding the update status of previously released profiles, contact ATSDR at:

Agency for Toxic Substances and Disease Registry
Division of Toxicology and Environmental Medicine/Applied Toxicology Branch
1600 Clifton Road NE
Mailstop F-62
Atlanta, Georgia 30333

ETHYLENE GLYCOL iv

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for these toxic substances described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a public health statement that describes, in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health are identified by ATSDR.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a toxic substance to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staffs of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Thomas R. Frieden, M.D., M.P.H.

Administrator

Agency for Toxic Substances and

Disease Registry

*Legislative Background

The toxicological profiles are developed under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended (CERCLA or Superfund). CERCLA section 104(i)(1) directs the Administrator of ATSDR to "...effectuate and implement the health related authorities" of the statute. This includes the preparation of toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list. In addition, ATSDR has the authority to prepare toxicological profiles for substances not found at sites on the National Priorities List, in an effort to "...establish and maintain inventory of literature, research, and studies on the health effects of toxic substances" under CERCLA Section 104(i)(1)(B), to respond to requests for consultation under section 104(i)(4), and as otherwise necessary to support the site-specific response actions conducted by ATSDR.

ETHYLENE GLYCOL vii

QUICK REFERENCE FOR HEALTH CARE PROVIDERS

Toxicological Profiles are a unique compilation of toxicological information on a given hazardous substance. Each profile reflects a comprehensive and extensive evaluation, summary, and interpretation of available toxicologic and epidemiologic information on a substance. Health care providers treating patients potentially exposed to hazardous substances will find the following information helpful for fast answers to often-asked questions.

Primary Chapters/Sections of Interest

Chapter 1: Public Health Statement: The Public Health Statement can be a useful tool for educating patients about possible exposure to a hazardous substance. It explains a substance's relevant toxicologic properties in a nontechnical, question-and-answer format, and it includes a review of the general health effects observed following exposure.

- **Chapter 2: Relevance to Public Health**: The Relevance to Public Health Section evaluates, interprets, and assesses the significance of toxicity data to human health.
- **Chapter 3: Health Effects**: Specific health effects of a given hazardous compound are reported by type of health effect (death, systemic, immunologic, reproductive), by route of exposure, and by length of exposure (acute, intermediate, and chronic). In addition, both human and animal studies are reported in this section.

NOTE: Not all health effects reported in this section are necessarily observed in the clinical setting. Please refer to the Public Health Statement to identify general health effects observed following exposure.

Pediatrics: Four new sections have been added to each Toxicological Profile to address child health issues:

Section 1.6 How Can (Chemical X) Affect Children?

Section 1.7 How Can Families Reduce the Risk of Exposure to (Chemical X)?

Section 3.7 Children's Susceptibility

Section 6.6 Exposures of Children

Other Sections of Interest:

Section 3.8 Biomarkers of Exposure and Effect Section 3.11 Methods for Reducing Toxic Effects

ATSDR Information Center

Phone: 1-800-CDC-INFO (800-232-4636) or 1-888-232-6348 (TTY) **Fax:** (770) 488-4178

The following additional material can be ordered through the ATSDR Information Center:

Case Studies in Environmental Medicine: Taking an Exposure History—The importance of taking an exposure history and how to conduct one are described, and an example of a thorough exposure history is provided. Other case studies of interest include Reproductive and Developmental Hazards; Skin Lesions and Environmental Exposures; Cholinesterase-Inhibiting Pesticide Toxicity; and numerous chemical-specific case studies.

ETHYLENE GLYCOL viii

Managing Hazardous Materials Incidents is a three-volume set of recommendations for on-scene (prehospital) and hospital medical management of patients exposed during a hazardous materials incident. Volumes I and II are planning guides to assist first responders and hospital emergency department personnel in planning for incidents that involve hazardous materials. Volume III—

Medical Management Guidelines for Acute Chemical Exposures—is a guide for health care professionals treating patients exposed to hazardous materials.

Fact Sheets (ToxFAQs) provide answers to frequently asked questions about toxic substances.

Other Agencies and Organizations

The National Center for Environmental Health (NCEH) focuses on preventing or controlling disease, injury, and disability related to the interactions between people and their environment outside the workplace. Contact: NCEH, Mailstop F-29, 4770 Buford Highway, NE, Atlanta, GA 30341-3724 • Phone: 770-488-7000 • FAX: 770-488-7015.

The National Institute for Occupational Safety and Health (NIOSH) conducts research on occupational diseases and injuries, responds to requests for assistance by investigating problems of health and safety in the workplace, recommends standards to the Occupational Safety and Health Administration (OSHA) and the Mine Safety and Health Administration (MSHA), and trains professionals in occupational safety and health. Contact: NIOSH, 200 Independence Avenue, SW, Washington, DC 20201 • Phone: 800-356-4674 or NIOSH Technical Information Branch, Robert A. Taft Laboratory, Mailstop C-19, 4676 Columbia Parkway, Cincinnati, OH 45226-1998 • Phone: 800-35-NIOSH.

The National Institute of Environmental Health Sciences (NIEHS) is the principal federal agency for biomedical research on the effects of chemical, physical, and biologic environmental agents on human health and well-being. Contact: NIEHS, PO Box 12233, 104 T.W. Alexander Drive, Research Triangle Park, NC 27709 • Phone: 919-541-3212.

Referrals

The Association of Occupational and Environmental Clinics (AOEC) has developed a network of clinics in the United States to provide expertise in occupational and environmental issues. Contact:

AOEC, 1010 Vermont Avenue, NW, #513, Washington, DC 20005 • Phone: 202-347-4976
• FAX: 202-347-4950 • e-mail: AOEC@AOEC.ORG • Web Page: http://www.aoec.org/.

The American College of Occupational and Environmental Medicine (ACOEM) is an association of physicians and other health care providers specializing in the field of occupational and environmental medicine. Contact: ACOEM, 25 Northwest Point Boulevard, Suite 700, Elk Grove Village, IL 60007-1030 • Phone: 847-818-1800 • FAX: 847-818-9266.

ETHYLENE GLYCOL is

CONTRIBUTORS

CHEMICAL MANAGER(S)/AUTHOR(S):

Obaid Faroon, D.V.M., Ph.D.
Carolyn Tylenda, D.M.D., Ph.D.
Carolyn C. Harper, M.S., Ph.D.
Dianyi Yu, M.D., Ph.D.
Amanda Cadore, M.P.H.
ATSDR, Division of Toxicology and Environmental Medicine, Atlanta, GA

Stephen Bosch, B.S. David Wohlers, Ph.D. Daniel Plewak, B.S. Heather Carlson-Lynch, S.M. SRC, Inc., North Syracuse, NY

THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

- 1. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying end points.
- 2. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific Minimal Risk Levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.
- 3. Data Needs Review. The Applied Toxicology Branch reviews data needs sections to assure consistency across profiles and adherence to instructions in the Guidance.
- 4. Green Border Review. Green Border review assures the consistency with ATSDR policy.

ETHYLENE GLYCOL x

ETHYLENE GLYCOL x

PEER REVIEW

A peer review panel was assembled for ethylene glycol. The panel consisted of the following members:

Draft for Public Comment:

- 1. Phillip Goad, Ph.D., Center for Toxicology and Environmental Health, LLC, North Little Rock, Arkansas;
- 2. Jerrold Leikin, M.D., ENH-OMEGA, Glenview, Illinois; and
- 3. Kenneth McMartin, Ph.D., Louisiana State University, Shreveport, Louisiana.

These experts collectively have knowledge of ethylene glycol's physical and chemical properties, toxicokinetics, key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

ETHYLENE GLYCOL xii

CONTENTS

DISCLA	AIMER .		ii		
UPDAT	UPDATE STATEMENT				
		ENCE FOR HEALTH CARE PROVIDERS			
CONTR	RIBUTO!	RS	ix		
LIST O	F FIGUE	RES	.xvii		
LIST O	F TABL	ES	xix		
1 DIID		A A TOWN COTTAIN TO NOT			
		ALTH STATEMENT			
1.1		IS ETHYLENE GLYCOL?	I		
1.2		HAPPENS TO ETHYLENE GLYCOL WHEN IT ENTERS THE	2		
1.2		ONMENT?			
1.3					
1.4 1.5		CAN ETHYLENE GLYCOL ENTER AND LEAVE MY BODY? CAN ETHYLENE GLYCOL AFFECT MY HEALTH?			
1.5		CAN ETHYLENE GLYCOL AFFECT MY HEALTH?			
1.7		CAN FAMILIES REDUCE THE RISK OF EXPOSURE TO ETHYLENE	4		
1./		OL?	1		
1.8		RE A MEDICAL TEST TO DETERMINE WHETHER I HAVE BEEN EXPOSED	7		
1.0		HYLENE GLYCOL?	5		
1.9		RECOMMENDATIONS HAS THE FEDERAL GOVERNMENT MADE TO			
1.7		ECT HUMAN HEALTH?	5		
1.10		E CAN I GET MORE INFORMATION?			
1.10	WILLIA				
2. REL	EVANC	E TO PUBLIC HEALTH	9		
2.1	BACK	GROUND AND ENVIRONMENTAL EXPOSURES TO ETHYLENE GLYCOL			
	IN THI	E UNITED STATES	9		
2.2	SUMM	ARY OF HEALTH EFFECTS	10		
2.3	MINIM	[AL RISK LEVELS (MRLs)	16		
		FECTS			
3.1		DUCTION			
3.2		SSION OF HEALTH EFFECTS BY ROUTE OF EXPOSURE			
3.2.		alation Exposure			
_	.2.1.1	Death			
	.2.1.2	Systemic Effects			
	.2.1.3	Immunological and Lymphoreticular Effects			
	.2.1.4	Neurological Effects			
	.2.1.5	Reproductive Effects			
	.2.1.6	Developmental Effects			
		al Exposure			
3.2.	.2.2.1	Death			
	.2.2.1	Systemic Effects.			
	.2.2.3	Immunological and Lymphoreticular Effects			
	.2.2.4	Neurological Effects			
	.2.2.5	Reproductive Effects			
_		1			

ETHYLENE GLYCOL xiv

3.2.2.6 Developmental Effects	
3.2.2.7 Cancer	111
3.2.3 Dermal Exposure	111
3.2.3.1 Death	111
3.2.3.2 Systemic Effects	112
3.2.3.3 Immunological and Lymphoreticular Effects	112
3.2.3.4 Neurological Effects	114
3.2.3.5 Reproductive Effects	114
3.2.3.6 Developmental Effects	114
3.2.3.7 Cancer	115
3.3 GENOTOXICITY	115
3.4 TOXICOKINETICS	117
3.4.1 Absorption	117
3.4.1.1 Inhalation Exposure	117
3.4.1.2 Oral Exposure	118
3.4.1.3 Dermal Exposure	119
3.4.2 Distribution	119
3.4.2.1 Inhalation Exposure	
3.4.2.2 Oral Exposure	
3.4.2.3 Dermal Exposure	
3.4.3 Metabolism	
3.4.4 Elimination and Excretion.	127
3.4.4.1 Inhalation Exposure	
3.4.4.2 Oral Exposure	
3.4.4.3 Dermal Exposure	
3.4.5 Physiologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	130
3.5 MECHANISMS OF ACTION	
3.5.1 Pharmacokinetic Mechanisms	
3.5.2 Mechanisms of Toxicity	138
3.5.3 Animal-to-Human Extrapolations	142
3.6 TOXICITIES MEDIATED THROUGH THE NEUROENDOCRINE AXIS	
3.7 CHILDREN'S SUSCEPTIBILITY	
3.8 BIOMARKERS OF EXPOSURE AND EFFECT	
3.8.1 Biomarkers Used to Identify or Quantify Exposure to Ethylene Glycol	
3.8.2 Biomarkers Used to Characterize Effects Caused by Ethylene Glycol	
3.9 INTERACTIONS WITH OTHER CHEMICALS	
3.10 POPULATIONS THAT ARE UNUSUALLY SUSCEPTIBLE	
3.11 METHODS FOR REDUCING TOXIC EFFECTS	
3.11.1 Reducing Peak Absorption Following Exposure	
3.11.2 Reducing Body Burden	154
3.11.3 Interfering with the Mechanism of Action for Toxic Effects	156
3.12 ADEQUACY OF THE DATABASE	
3.12.1 Existing Information on Health Effects of ethylene glycol	
3.12.2 Identification of Data Needs	
3.12.3 Ongoing Studies	173
4. CHEMICAL AND PHYSICAL INFORMATION	
4.1 CHEMICAL IDENTITY	
4.2 PHYSICAL AND CHEMICAL PROPERTIES	175

5. PRODUCTION, IMPORT/EXPORT, USE, AND DISPOSAL	179
5.1 PRODUCTION	
5.2 IMPORT/EXPORT	183
5.3 USE	
5.4 DISPOSAL	
6. POTENTIAL FOR HUMAN EXPOSURE	187
6.1 OVERVIEW	
6.2 RELEASES TO THE ENVIRONMENT	
6.2.1 Air	
6.2.2 Water	
6.2.3 Soil	
6.3 ENVIRONMENTAL FATE	
6.3.1 Transport and Partitioning	
1	
\mathcal{E}	
6.3.2.1 Air	
6.3.2.2 Water	
6.3.2.3 Sediment and Soil	
6.4 LEVELS MONITORED OR ESTIMATED IN THE ENVIRONMENT	
6.4.1 Air	
6.4.2 Water	
6.4.3 Sediment and Soil	
6.4.4 Other Environmental Media	
6.5 GENERAL POPULATION AND OCCUPATIONAL EXPOSURE	
6.6 EXPOSURES OF CHILDREN	
6.7 POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	
6.8 ADEQUACY OF THE DATABASE	
6.8.1 Identification of Data Needs	
6.8.2 Ongoing Studies	205
7. ANALYTICAL METHODS	
7.1 BIOLOGICAL MATERIALS	207
7.2 ENVIRONMENTAL SAMPLES	212
7.3 ADEQUACY OF THE DATABASE	215
7.3.1 Identification of Data Needs	215
7.3.2 Ongoing Studies	216
8. REGULATIONS, ADVISORIES, AND GUIDELINES	217
A DEFENENCES	221
9. REFERENCES	221
10. GLOSSARY	249
APPENDICES	
APPENDICES A. ATSDR MINIMAL RISK LEVELS AND WORKSHEETS	A 1
B. USER'S GUIDE	
C. ACRONYMS, ABBREVIATIONS, AND SYMBOLS	
D. INDEX	

ETHYLENE GLYCOL xvi

ETHYLENE GLYCOL xvii

LIST OF FIGURES

3-1.	Levels of Significant Exposure to Ethylene Glycol - Inhalation	43
3-2.	Levels of Significant Exposure to Ethylene Glycol - Oral	81
3-3.	Metabolic Pathway for Ethylene Glycol	124
3-4.	Conceptual Representation of a Physiologically Based Pharmacokinetic (PBPK) Model for a Hypothetical Chemical Substance	132
3-5.	Existing Information on Health Effects of Ethylene Glycol	157
6-1.	Frequency of NPL Sites with Ethylene Glycol Contamination	188

ETHYLENE GLYCOL xviii

ETHYLENE GLYCOL xix

LIST OF TABLES

3-1.	Levels of Significant Exposure to Ethylene Glycol - Inhalation	42
3-2.	Levels of Significant Exposure to Ethylene Glycol - Oral	52
3-3.	Levels of Significant Exposure to Ethylene Glycol - Dermal	113
3-4.	Genotoxicity of Ethylene Glycol In Vitro	116
3-5.	Distribution of Radioactivity (Percent of Administered Dose) in Tissues 96 Hours After Oral or Percutaneous Exposure to ¹⁴ C-Ethylene Glycol	121
3-6.	Radioactivity (Percent of Administered Dose) in Excreta 96 Hours After 6-Hour Occluded Percutaneous Exposure to ¹⁴ C-Ethylene Glycol	122
3-7.	Radioactivity (Percent of Administered Dose) in Excreta 96 Hours After Oral or Exposure to 14C-Ethylene Glycol	129
3-8.	Physiological Parameters in PBPK Models for Ethylene Glycol	134
3 - 9.	Biochemical Parameters in PBPK Models for Ethylene Glycol	135
4-1.	Chemical Identity of Ethylene Glycol	176
4-2.	Physical and Chemical Properties of Ethylene Glycol	177
5-1.	Companies that Produce Ethylene Glycol in the United States and Annual Capacities During 2008	180
5-2.	Facilities that Produce, Process, or Use Ethylene Glycol	181
5-3.	U.S. Ethylene Glycol Imports and Exports by Year in Metric Tons	184
6-1.	Releases to the Environment from Facilities that Produce, Process, or Use Ethylene Glycol	190
7-1.	Analytical Methods for Determining Ethylene Glycol in Biological Materials	208
7-2.	Analytical Methods for Determining Ethylene Glycol in Environmental Samples	213
8-1.	Regulations, Advisories, and Guidelines Applicable to Ethylene Glycol	219