

Chapter 8. Bibliography

ATSDR's Public Health Assessment Guidance Manuals (2005):

<http://www.atsdr.cdc.gov/HAC/PHAManual/toc.html>

Anderson HA, Falk C, Hanrahan L, Olson J, Burse V, Needham L, et al., Profiles of Great Lakes Critical Pollutants: A Sentinel Analysis of Human Blood and Urine – The Great Lakes Consortium. *Environ Health Perspect* 106(5):279-289. (1998).

Baibergenova A., Kudyakov R., Zdeb M., Carpenter D.O. Low Birth Weight and Residential Proximity to PCB-Contaminated Waste Sites. *Environ. Health Perspect.* 111: 1352-1357 (2003).

Bloom M.S., Vena J.E., Swanson M.K., Moysich K.B., Olson J.R. Profiles of Ortho-Polychlorinated Biphenyl Congeners, Dichlorodiphenyldichloroethylene, Hexachlorobenzene, and Mirex Among Male Lake Ontario Sportfish Consumers: The New York State Angler Cohort Study. *Environ. Res.* 97: 178-194 (2005).

Buck G.M., Vena J.E., Greizerstein H.B., Weiner J.M., McGuinness B., Mendola P, Kostyniak P.J., Swanson M., et al. PCB Congeners and Pesticides and Female Fecundity: New York State Angler Prospective Pregnancy Study. *Environ. Toxicol. Pharmacol.* 12: 83-92 (2002).

Courval JM, DeHoog JV, Stein AD, Tay EM, He J, Humphrey HEB, and Paneth N. Sport-Caught Fish Consumption and Conception Delay in Licensed Michigan Anglers. *Environ Res* 80 (Suppl 2):183-188. (1999).

Decaprio AP, Johnson GW, Tarbell AM, Carpenter DO, Chiarenzelli JR, Morse GS, Santiago-Rivera AL, Schymura MJ, Akwesasne Task Force on the Environment. Polychlorinated Biphenyl (PCB) Exposure Assessment by Multivariate Statistical Analysis of Serum Congener Profiles in an Adult Native American Population. *Environ Res* 98:284-302. (2005).

Dellinger JA. Exposure Assessment and Initial Intervention Regarding Fish Consumption of Tribal Members of the Upper Great Lakes Region in the United States. *Environ Res* 95(3):325-340. (2004).

* EPA Great Lakes National Program Office <http://www.epa.gov/glnpo/aoc/> (for AOC location information)

* EPA TRI (Toxics Release Inventory): <http://www.epa.gov/tri/>, 2003 Public Data Release data set (frozen March 3, 2003 and released to the public June 30, 2003)

* EPA NPL fact sheets accessed in 2003.
<http://www.epa.gov/epahome/whereyoulive.htm#regiontext>

Fei Xue, Claudia Holzman, Mohammad Hossein Rahbar, Kay Trosko and Lawrence Fischer. Maternal Fish Consumption, Mercury Levels and Risk of Preterm Delivery. *Environ Health Perspect.* 115(1):42-47 (2006).

Fein G.G., Jacobson J.L., Jacobson S.W., Schwartz P.M., Dowler J.K. Prenatal Exposure to Polychlorinated Biphenyls, Effects on Birth Size and Gestational Age. *J. Pediatr.* 105: 315-320 (1984).

Fitzgerald EF, Hwanf SA, Lamvert G, Gomez M, Tarbell A. PCB Exposure and In Vivo CYP1A2 Activity Among Native Americans. *Environ Health Perspectives* 113(3): 1-6. (2005).

Gardiner J.C. Impairments of Memory and Learning in Older Adults Exposed to Polychlorinated Biphenyls via Consumption of Great Lakes Fish. *Environ. Health Perspect.* 109, 605-611 (2001).

* HazDat. Agency for Toxic Substances and Disease Registry Hazardous Substance Release and Health Effects Database <http://www.atsdr.cdc.gov/hazdat.html>

* HRSA (Health Resources and Services Administration) *Community Health Status Reports* (2000) <http://www.phf.org/data-infra.htm>

Lonky E., Reihman J., Darvill T., Mather J.S., Daly, H.: Neonatal Behavioral Assessment Scale Performance in Humans Influenced by Maternal Consumption of Environmentally Contaminated Lake Ontario Fish. *J. Great Lakes Res.* 22 (2): 198-221 (1996).

Mendola P., Buck G.M., Sever L.E., Zielezny M., Vena J.E. Consumption of PCB-Contaminated Freshwater Fish and Shortened Menstrual Cycle Length. *Am. J. Epidemiol.* 146: 955-960 (1997).

Mendola P., Robinson L.K., Buck G.M., Druschel C.M., Fitzgerald E.F., Sever L.E., Vena J.E. Birth Defects Associated with Maternal Sport Fish Consumption: Potential Effect Modification by Sex of Offspring. *Environ. Res.* 97 (2): 133-140 (2005).

Schantz S.L., Gasior D.M., Polverejan E., McCaffrey R.J., Sweeney A.M., Humphrey H.E.B., Gardiner J.C. Impairments of Memory and Learning in Older Adults Exposed to Poly-Chlorinated Biphenyls via Consumption of Great Lakes Fish. *Environ Health Perspect* 109(6):605-611. (2001).

Smith B.J. PCB Levels in Human Fluids: Sheboygan Case Study. TR WIS-SG-83-240. Madison, Wisconsin, University of Wisconsin Sea Grant Institute, (1984).

Stewart PW, Sargent DM, Reihman J, Gump BB, Lonkey E, Darvill T, Hicks, H, and Pagano. Response Inhibition During Differential Reinforcement of Low Rates (DRL) Schedules May be Sensitive to Low-Level PCB, MeHg, and Pb Exposure in Children. *Environ Health Perspect* 114:1923-1929. (2006).

Stewart P., Fitzgerald S., Reihman J., Gump B., Lonky, E., Darvill T., Pagano J., Hauser P. Prenatal PCB Exposure, the Corpus Callosum and Response Inhibition. *Environ. Health Perspect.* 111 (13): 1670-1677 (2003).

Stewart P., Reihman J., Lonky E., Darvill T., Pagano, J. Prenatal PCB Exposure and Neonatal Behavioral Assessment Scale (NBAS) Performance. *Neurotoxicol. Teratol.* 22: 21-29 (2000).

Tilden J., Hanrahan L.P., Anderson H., Palit C., Olson J., Kenzie W.M. Health Advisories for Consumers of Great Lakes Sport Fish: Is the Message Being Received? *Environ. Health Perspect.* 105(12): 1360-1365 (1997).

Turyk M, Anderson HA, Hanrahan LP, Falk C, Steenport DN, Needham LL, Jr. Patterson DG, Freels S, Persky V, The Great Lakes Consortium. Relationship of Serum Levels of Individual PCB, Dioxin, and Furan Congeners and DDE with Great Lakes Sport-Caught Fish Consumption. *Environ Res* 100: 173-183. 2006.

U.S. Census <http://factfinder.census.gov/> (2000 demographic data)

Vasiliu O, Cameron L, Gardiner J, DeGuire P, and Karmaus W. Polybrominated Biphenyls, Polychlorinated Biphenyls, Body Weight, and Incidence of Adult-Onset Diabetes Mellitus. *Epidemiology* 17(4): 352-359. (2006).