

CHAPTER 8. REFERENCES

- Alarcon RA. 1976. Studies on the in vivo formation of acrolein: 3-hydroxy-propylmercapturic acid as an index of cyclophosphamide (NSC-26271) activation. *Cancer Treat Rep* 60(4):327-335.
- Albin B. 1962. Handling and toxicity. In: Smith CW, ed. *Acrolein*. New York, NY: John Wiley & Sons, 234-239.
- Alewel DI, Jackson TW, Vance SA, et al. 2023a. Sex-specific respiratory and systemic endocrine effects of acute acrolein and trichloroethylene inhalation. *Toxicol Lett* 382:22-32. <https://doi.org/10.1016/j.toxlet.2023.05.005>.
- Alewel DI, Jackson TW, Rentschler KM, et al. 2023b. Differential transcriptomic alterations in nasal versus lung tissue of acrolein-exposed rats. *Front Toxicol* 5:1280230. <https://doi.org/10.3389/ftox.2023.1280230>.
- Alwis KU, Blount BC, Britt AS, et al. 2012. Simultaneous analysis of 28 urinary VOC metabolites using ultra high performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry (UPLC-ESI/MSMS). *Anal Chim Acta* 750:152-160. <https://doi.org/10.1016/j.aca.2012.04.009>.
- Alwis KU, deCastro BR, Morrow JC, et al. 2015. Acrolein exposure in U.S. tobacco smokers and non-tobacco users: NHANES 2005-2006. *Environ Health Perspect* 123(12):1302-1308. <https://doi.org/10.1289/ehp.1409251>.
- Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl Toxicol* 3(6):272-290. <https://doi.org/10.1002/jat.2550030603>.
- Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- Andersen KJ, Leighty EG, Takahashi MT. 1972. Evaluation of herbicides for possible mutagenic properties. *J Agric Food Chem* 20(3):649-656. <https://doi.org/10.1021/jf60181a046>.
- Annesi-Maesano I, Hulin M, Lavaud F, et al. 2012. Poor air quality in classrooms related to asthma and rhinitis in primary schoolchildren of the French 6 Cities Study. *Thorax* 67(8):682-688. <https://doi.org/10.1136/thoraxjnl-2011-200391>.
- Ansari GAS, Gan JC, Barton BK. 1988. Synergistic inactivation of plasma a1-proteinase inhibitor by aldehydes of cigarette smoke with styrene oxide and 1,2-dichloroethane. *Arch Environ Contam Toxicol* 17:533-536. <https://doi.org/10.1007/BF01055520>.
- Aranyi C, O'Shea WJ, Graham JA, et al. 1986. The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol* 6(4):713-720. [https://doi.org/10.1016/0272-0590\(86\)90184-3](https://doi.org/10.1016/0272-0590(86)90184-3).
- Arntz D, Hopp M, Jacobi S, et al. 2012. Acrolein and methacrolein. In: *Ullmann's encyclopedia of industrial chemistry*. online. https://doi.org/10.1002/14356007.a01_149.pub2.
- Arumugam N, Sivakumar V, Thanislass J, et al. 1999a. Acute pulmonary toxicity of acrolein in rats-underlying mechanism. *Toxicol Lett* 104(3):189-194. [https://doi.org/10.1016/s0378-4274\(98\)00370-1](https://doi.org/10.1016/s0378-4274(98)00370-1).
- Arumugam N, Thanislass J, Ragunath K, et al. 1999b. Acrolein-induced toxicity. Defective mitochondrial function as a possible mechanism. *Arch Environ Contam Toxicol* 36(4):373-376. <https://doi.org/10.1007/PL00006608>.
- Asgharian B, Price OT, Schroeter JD, et al. 2011. Derivation of mass transfer coefficients for transient uptake and tissue disposition of soluble and reactive vapors in lung airways. *Ann Biomed Eng* 39(6):1788-1804. <https://doi.org/10.1007/s10439-011-0274-9>.
- Asgharian B, Price OT, Schroeter JD, et al. 2012. A lung dosimetry model of vapor uptake and tissue disposition. *Inhal Toxicol* 24(3):182-193. <https://doi.org/10.3109/08958378.2012.654857>.
- Astry CL, Jakab GJ. 1983. The effects of acrolein exposure on pulmonary antibacterial defenses. *Toxicol Appl Pharmacol* 67(1):49-54. [https://doi.org/10.1016/0041-008x\(83\)90243-0](https://doi.org/10.1016/0041-008x(83)90243-0).

8. REFERENCES

- Atkinson R. 1985. Kinetics and mechanisms of the gas-phase reactions of hydroxyl radical with organic compounds under atmospheric conditions. *Chem Rev* 85(1):69-201. <https://doi.org/10.1021/cr00071a004>.
- Atkinson R, Aschmann SM, Goodman MA. 1987. Kinetics of the gas-phase reactions of nitrate radicals with a series of alkynes, haloalkenes, and α,β -unsaturated aldehydes. *Int J Chem Kinet* 19(5):299-307. <https://doi.org/10.1002/kin.550190404>.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634. https://archives.federalregister.gov/issue_slice/1989/9/11/37613-37634.pdf. June 15, 2023.
- ATSDR. 2004a. Health consultation: Sunoco Service Station, Greensburg, Westmoreland County, Pennsylvania. EPA Facility ID: PAD982362626. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/HAC/pha/SunocoService101804HC-PA/SunocoService101804HC-PA-pt1.pdf>. June 15, 2023.
- ATSDR. 2004b. Health consultation: Freeland groundwater site, Freeland, Luzerne County, Pennsylvania. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/HAC/pha/Freeland080904HC-PA/Freeland080904HC-PA.pdf>. June 15, 2023.
- ATSDR. 2005. Public health assessment for Conrail Rail Yard, Elkhart, Elkhart County, Indiana. EPA Facility ID: IND000715490. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/HAC/pha/ConrailRailYd/ConrailRailYardPHA081105.pdf>. June 15, 2023.
- ATSDR. 2016. Evaluating vapor intrusion pathways guidance for ATSDR's division of community health investigations. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://stacks.cdc.gov/view/cdc/79266>. October 2, 2024.
- ATSDR. 2022. Acrolein. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/SPL/resources/index.html>. April 13, 2023.
- ATSDR. 2024. Sanders2015 HLCs used in SHOWER Model v4.0.1 and PHAST. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/pha-guidance/resources/SHOWER-Model-Users-Guide-508.pdf>. December 16, 2024.
- Au W, Sokova OI, Kopnin B, et al. 1980. Cytogenetic toxicity of cyclophosphamide and its metabolites in vitro. *Cytogenet Cell Genet* 26(2-4):108-116. <https://doi.org/10.1159/000131432>.
- Auerbach SS, Mahler J, Travlos GS, et al. 2008. A comparative 90-day toxicity study of allyl acetate, allyl alcohol and acrolein. *Toxicology* 253(1-3):79-88. <https://doi.org/10.1016/j.tox.2008.08.014>.
- Ayer HE, Yeager DW. 1982. Irritants in cigarette smoke plumes. *Am J Public Health* 72(11):1283-1285. <https://doi.org/10.2105/ajph.72.11.1283>.
- Babiuk C, Steinhagen WH, Barrow CS. 1985. Sensory irritation response to inhaled aldehydes after formaldehyde pretreatment. *Toxicol Appl Pharmacol* 79(1):143-149. [https://doi.org/10.1016/0041-008x\(85\)90376-x](https://doi.org/10.1016/0041-008x(85)90376-x).
- Baldauf RW, Gabele P, Crews W, et al. 2005. Criteria and air-toxic emissions from in-use automobiles in the National Low-Emission Vehicle Program. *J Air Waste Manag Assoc* 55(9):1263-1268. <https://doi.org/10.1080/10473289.2005.10464722>.
- Ballantyne B, Dodd DE, Pritts IM, et al. 1989. Acute vapour inhalation toxicity of acrolein and its influence as a trace contaminant in 2-methoxy-3,4-dihydro-2H-pyran. *Hum Toxicol* 8(3):229-235. <https://doi.org/10.1177/096032718900800305>.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486. [https://doi.org/10.1016/0273-2300\(88\)90047-5](https://doi.org/10.1016/0273-2300(88)90047-5).
- Bartsch H, Malaveille C, Camus AM, et al. 1980. Validation and comparative studies on 180 chemicals with *S. typhimurium* strains and V79 Chinese hamster cells in the presence of various metabolizing systems. *Mutat Res* 76(1):1-50. [https://doi.org/10.1016/0165-1110\(80\)90002-0](https://doi.org/10.1016/0165-1110(80)90002-0).

8. REFERENCES

- Basu AK, Marnett LJ. 1984. Molecular requirements for the mutagenicity of malondialdehyde and related acroleins. *Cancer Res* 44(7):2848-2854.
- Beauchamp RO, Andjelkovich DA, Kligerman AD, et al. 1985. A critical review of the literature on acrolein toxicity. *Crit Rev Toxicol* 14(4):309-380. <https://doi.org/10.3109/10408448509037461>.
- Bein K, Birru RL, Wells H, et al. 2021. Sex-dependent acrolein sensitivity in mice is associated with differential lung cell, protein, and transcript changes. *Physiol Rep* 9(19):e14997. <https://doi.org/10.14814/phy2.14997>.
- Belushkin M, Tabin Djoko D, Esposito M, et al. 2020. Selected harmful and potentially harmful constituents levels in commercial e-cigarettes. *Chem Res Toxicol* 33(2):657-668. <https://doi.org/10.1021/acs.chemrestox.9b00470>.
- Bergers WWA, Beyersbergen van Henegouwen AG, Hammer AH, et al. 1996. Breathing patterns of awake rats exposed to acrolein and perfluoroisobutylene determined with an integrated system of nose-only exposure and online analyzed multiple monitoring of breathing. *Inhal Toxicol* 8(1):81-93. <https://doi.org/10.3109/08958379609005428>.
- Bessonneau V, Mosqueron L, Berrube A, et al. 2013. VOC contamination in hospital, from stationary sampling of a large panel of compounds, in view of healthcare workers and patients exposure assessment. *PLoS One* 8(2):e55535. <https://doi.org/10.1371/journal.pone.0055535>.
- Bignami M, Cardamone G, Comba P, et al. 1977. Relationship between chemical structure and mutagenic activity in some pesticides: The use of *Salmonella typhimurium* and *Aspergillus nidulans*. *Mutat Res* 46:243-244. [https://doi.org/10.1016/0165-1161\(77\)90103-0](https://doi.org/10.1016/0165-1161(77)90103-0)
- Bilimoria MH. 1975. The detection of mutagenic activity of chemicals and tobacco smoke in a bacterial system. *Mutat Res* 31(5):328.
- Boettner EA, Ball GL. 1980. Thermal degradation products from PVC film in food-wrapping operations. *Am Ind Hyg Assoc J* 41(7):513-522. <https://doi.org/10.1080/15298668091425167>.
- Bogdanffy MS, Sarangapani R, Plowchalk DR, et al. 1999. A biologically based risk assessment for vinyl acetate-induced cancer and noncancer inhalation toxicity. *Toxicol Sci* 51(1):19-35. <https://doi.org/10.1093/toxsci/51.1.19>.
- Boor PJ, Sanduja R, Nelson TJ, et al. 1987. In vivo metabolism of the cardiovascular toxin, allylamine. *Biochem Pharmacol* 36(24):4347-4353. [https://doi.org/10.1016/0006-2952\(87\)90683-6](https://doi.org/10.1016/0006-2952(87)90683-6).
- Bouley G, Dubreuil A, Godin J, et al. 1975. [Effects in the rat of a weak dose of acrolein inhaled continuously]. *Eur J Toxicol Environ Hyg* 8(5):291-297. (French)
- Bowmer KH, Higgins ML. 1976. Some aspects of the persistence and fate of acrolein herbicide in water. *Arch Environ Contam Toxicol* 5:87-96. <https://doi.org/10.1007/BF02220892>.
- Bowmer KH, Lang ARG, Higgins ML, et al. 1974. Loss of acrolein from water by volatilization and degradation. *Weed* 14(5):325-328. <https://doi.org/10.1111/j.1365-3180.1974.tb01069.x>.
- Brock N, Pohl J, Stekar J. 1981. Studies on the urotoxicity of oxazaphosphorine cytostatics and its prevention - I. Experimental studies on the urotoxicity of alkylating compounds. *Eur J Cancer* 17(6):595-607. [https://doi.org/10.1016/0014-2964\(81\)90261-9](https://doi.org/10.1016/0014-2964(81)90261-9).
- Buckley LA, Jiang XZ, James RA, et al. 1984. Respiratory tract lesions induced by sensory irritants at the RD50. *Toxicol Appl Pharmacol* 74(3):417-429. [https://doi.org/10.1016/0041-008X\(84\)90295-3](https://doi.org/10.1016/0041-008X(84)90295-3).
- Burcham PC. 2017. Acrolein and human disease: Untangling the knotty exposure scenarios accompanying several diverse disorders. *Chem Res Toxicol* 30(1):145-161. <https://doi.org/10.1021/acs.chemrestox.6b00310>.
- Burk T, Zarus G. 2013. Community exposures to chemicals through vapor intrusion: a review of past Agency for Toxic Substances and Disease Registry public health evaluations. *J Environ Health* 75(9):36-41.
- Bysshe SE. 1982. Bioconcentration factor in aquatic organisms. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York: McGraw Hill Book Co., 5-1 to 5-30.
- Cahill TM. 2010. Development and application of a sensitive method to determine concentrations of acrolein and other carbonyls in ambient air. Tempe, AZ: Arizona State University. EPA Grant

8. REFERENCES

- Number: R834677C149.
https://cfpub.epa.gov/ncer_abstracts/index.cfm/fuseaction/display.abstractDetail/abstract_id/10051/report/0. May 21, 2023.
- Cahill TM. 2014. Ambient acrolein concentrations in coastal, remote, and urban regions in California. *Environ Sci Technol* 48(15):8507-8513. <https://doi.org/10.1021/es5014533>.
- Calingasan NY, Uchida K, Gibson GE. 1999. Protein-bound acrolein: a novel marker of oxidative stress in Alzheimer's disease. *J Neurochem* 72(2):751-756. <https://doi.org/10.1046/j.1471-4159.1999.0720751.x>.
- Carmella SG, Chen M, Zhang Y, et al. 2007. Quantitation of acrolein-derived (3-hydroxypropyl)mercapturic acid in human urine by liquid chromatography-atmospheric pressure chemical ionization tandem mass spectrometry: effects of cigarette smoking. *Chem Res Toxicol* 20(7):986-990. <https://doi.org/10.1021/tx700075y>.
- Casella IG, Contursi M. 2004. Quantitative analysis of acrolein in heated vegetable oils by liquid chromatography with pulsed electrochemical detection. *J Agric Food Chem* 52(19):5816-5821. <https://doi.org/10.1021/jf049440q>.
- Cassee FR, Groten JP, Feron VJ. 1996a. Changes in the nasal epithelium of rats exposed by inhalation to mixtures of formaldehyde, acetaldehyde, and acrolein. *Fundam Appl Toxicol* 29(2):208-218. <https://doi.org/10.1006/faat.1996.0024>.
- Cassee FR, Arts JH, Groten JP, et al. 1996b. Sensory irritation to mixtures of formaldehyde, acrolein, and acetaldehyde in rats. *Arch Toxicol* 70(6):329-337. <https://doi.org/10.1007/s002040050282>.
- CDC. 2013. Notes from the field: Acute pesticide-related illness resulting from occupational exposure to acrolein - Washington and California, 1993-2009. Centers for Disease Control and Prevention. *MMWR Morb Mortal Wkly Rep* 62(16):313-314.
- CDC. 2021. Volatile organic compound (VOC) metabolites - urine (UVOC_H). National Health and Nutrition Examination Survey. Centers for Disease Control and Prevention. https://wwwn.cdc.gov/Nchs/Nhanes/2013-2014/UVOC_H.htm. April 21, 2023.
- CEPA. 2002. Pesticide volatile organic compound emissions inventory 2002 update: Estimated emissions January-December 2001. Sacramento, CA: California Environmental Protection Agency. https://downloads.regulations.gov/EPA-R09-OAR-2012-0194-0013/attachment_13.pdf. June 21, 2023.
- Champeix J, Courtial L, Perche E, et al. 1966. [Acute bronchopneumopathy from acrolein vapors]. *Arch Mal Prof* 27(10):794-796. (French)
- Chan WR, Sidheswaran M, Sullivan DP, et al. 2016. Cooking-related PM_{2.5} and acrolein measured in grocery stores and comparison with other retail types. *Indoor Air* 26(3):489-500. <https://doi.org/10.1111/ina.12218>.
- Chang X, Wang Y, Zheng B, et al. 2022. The role of acrolein in neurodegenerative diseases and its protective strategy. *Foods* 11(20):3203. <https://doi.org/10.3390/foods11203203>.
- Chaviano AH, Gill WB, Ruggiero KJ, et al. 1985. Experimental cytoxic cystitis and prevention by acetylcysteine. *J Urol* 134(3):598-600. [https://doi.org/10.1016/s0022-5347\(17\)47309-5](https://doi.org/10.1016/s0022-5347(17)47309-5).
- Chen HC. 2023. Mass spectrometry analysis of DNA and protein adducts as biomarkers in human exposure to cigarette smoking: Acrolein as an example. *Chem Res Toxicol* 36(2):132-140. <https://doi.org/10.1021/acs.chemrestox.2c00354>.
- Chen HJ, Lin WP. 2009. Simultaneous quantification of 1,N₂-propano-2'-deoxyguanosine adducts derived from acrolein and crotonaldehyde in human placenta and leukocytes by isotope dilution nanoflow LC nanospray ionization tandem mass spectrometry. *Anal Chem* 81(23):9812-9818. <https://doi.org/10.1021/ac9019472>.
- Chen HJ, Lin WP. 2011. Quantitative analysis of multiple exocyclic DNA adducts in human salivary DNA by stable isotope dilution nanoflow liquid chromatography-nanospray ionization tandem mass spectrometry. *Anal Chem* 83(22):8543-8551. <https://doi.org/10.1021/ac201874d>.

8. REFERENCES

- Chen HJ, Wang CC, Chan DC, et al. 2019. Adverse effects of acrolein, a ubiquitous environmental toxicant, on muscle regeneration and mass. *J Cachexia Sarcopenia Muscle* 10(1):165-176. <https://doi.org/10.1002/jcsm.12362>.
- Chen C, Lu J, Peng W, et al. 2022a. Acrolein, an endogenous aldehyde induces Alzheimer's disease-like pathologies in mice: A new sporadic AD animal model. *Pharmacol Res* 175:106003. <https://doi.org/10.1016/j.phrs.2021.106003>.
- Chen HC, Cheng SW, Chen NY, et al. 2022b. Characterization and quantification of acrolein-induced modifications in hemoglobin by mass spectrometry-effect of cigarette smoking. *Chem Res Toxicol* 35(12):2260-2270. <https://doi.org/10.1021/acs.chemrestox.2c00262>.
- Chen M, Carmella SG, Lindgren BR, et al. 2023. Increased levels of the acrolein metabolite 3-hydroxypropyl mercapturic acid in the urine of e-cigarette users. *Chem Res Toxicol* 36(4):583-588. <https://doi.org/10.1021/acs.chemrestox.2c00145>.
- Cheng G, Guo J, Carmella SG, et al. 2022. Increased acrolein-DNA adducts in buccal brushings of e-cigarette users. *Carcinogenesis* 43(5):437-444. <https://doi.org/10.1093/carcin/bgac026>.
- Chiang KM, Xiu L, Peng CY, et al. 2022. Particulate matters, aldehydes, and polycyclic aromatic hydrocarbons produced from deep-frying emissions: comparisons of three cooking oils with distinct fatty acid profiles. *NPJ Sci Food* 6(1):28. <https://doi.org/10.1038/s41538-022-00143-5>.
- Clewell HJ. 1995. The application of physiologically based pharmacokinetic modeling in human health risk assessment of hazardous substances. *Toxicol Lett* 79(1-3):207-217. [https://doi.org/10.1016/0378-4274\(95\)03372-r](https://doi.org/10.1016/0378-4274(95)03372-r).
- Conklin DJ, Barski OA, Lesgards JF, et al. 2010. Acrolein consumption induces systemic dyslipidemia and lipoprotein modification. *Toxicol Appl Pharmacol* 243(1):1-12. <https://doi.org/10.1016/j.taap.2009.12.010>.
- Conklin DJ, Haberzettl P, Jagatheesan G, et al. 2017a. Role of TRPA1 in acute cardiopulmonary toxicity of inhaled acrolein. *Toxicol Appl Pharmacol* 324:61-72. <https://doi.org/10.1016/j.taap.2016.08.028>.
- Conklin DJ, Malovichko MV, Zeller I, et al. 2017b. Biomarkers of chronic acrolein inhalation exposure in mice: Implications for tobacco product-induced toxicity. *Toxicol Sci* 158(2):263-274. <https://doi.org/10.1093/toxsci/kfx095>.
- Corley RA, Kabilan S, Kuprat AP, et al. 2012. Comparative computational modeling of airflows and vapor dosimetry in the respiratory tracts of rat, monkey, and human. *Toxicol Sci* 128(2):500-516. <https://doi.org/10.1093/toxsci/kfs168>.
- Costa DL, Kutzman RS, Lehmann JR, et al. 1986. Altered lung function and structure in the rat after subchronic exposure to acrolein. *Am Rev Respir Dis* 133(2):286-291. <https://doi.org/10.1164/arrd.1986.133.2.286>.
- Crook TR, Souhami RL, McLean AE. 1986. Cytotoxicity, DNA cross-linking, and single strand breaks induced by activated cyclophosphamide and acrolein in human leukemia cells. *Cancer Res* 46(10):5029-5034.
- Crowley LN, Le BL, Cicalo C, et al. 2022. Acrolein, an environmental toxicant and its applications to in vivo and in vitro atherosclerosis models: An update. *Environ Toxicol Pharmacol* 93:103890. <https://doi.org/10.1016/j.etap.2022.103890>.
- Curren RD, Yang LL, Conklin PM, et al. 1988. Mutagenesis of xeroderma pigmentosum fibroblasts by acrolein. *Mutat Res* 209(1-2):17-22. [https://doi.org/10.1016/0165-7992\(88\)90104-2](https://doi.org/10.1016/0165-7992(88)90104-2).
- Dachir S, Cohen M, Gutman H, et al. 2015. Acute and long-term ocular effects of acrolein vapor on the eyes and potential therapies. *Cutan Ocul Toxicol* 34(4):286-293. <https://doi.org/10.3109/15569527.2014.975241>.
- Danyal K, de Jong W, O'Brien E, et al. 2016. Acrolein and thiol-reactive electrophiles suppress allergen-induced innate airway epithelial responses by inhibition of DUOX1 and EGFR. *Am J Physiol Lung Cell Mol Physiol* 311(5):L913-L923. <https://doi.org/10.1152/ajplung.00276.2016>.
- Daubert TE, Danner RP. 1987. Acrolein. In: *Physical and thermodynamic properties of pure chemicals*. Columbus, OH: Greyden Press.

8. REFERENCES

- Davis TRA, Battista SP, Kensler CJ. 1967. Mechanism of respiratory effects during exposure of guinea pigs to irritants. *Arch Environ Health* 15(4):412-419. <https://doi.org/10.1080/00039896.1967.10664942>.
- Dawkins L, Cox S, Goniewicz M, et al. 2018. 'Real-world' compensatory behaviour with low nicotine concentration e-liquid: subjective effects and nicotine, acrolein and formaldehyde exposure. *Addiction* 113(10):1874-1882. <https://doi.org/10.1111/add.14271>.
- Dawson J, Norbeck K, Anundi I, et al. 1984. The effectiveness of N-acetylcysteine in isolated hepatocytes against the toxicity of paracetamol, acrolein, and paraquat. *Arch Toxicol* 55(1):11-15. <https://doi.org/10.1007/BF00316579>.
- de Oliveira Moura T, Oliveira Santana F, Palmeira Campos V, et al. 2019. Inorganic and organic contaminants in drinking water stored in polyethylene cisterns. *Food Chem* 273:45-51. <https://doi.org/10.1016/j.foodchem.2018.03.104>.
- deCastro BR. 2014. Acrolein and asthma attack prevalence in a representative sample of the United States adult population 2000-2009. *PLoS One* 9(5):e96926. <https://doi.org/10.1371/journal.pone.0096926>.
- DeJarnett N, Conklin DJ, Riggs DW, et al. 2014. Acrolein exposure is associated with increased cardiovascular disease risk. *J Am Heart Assoc* 3(4):e000934. <https://doi.org/10.1161/jaha.114.000934>.
- Destailats H, Spaulding RS, Charles J. 2002. Ambient air measurement of acrolein and other carbonyls at the Oakland-San Francisco Bay Bridge toll plaza. *Environ Sci Technol* 36(10):2227-2235. <https://doi.org/10.1021/es011394c>.
- Dodson VN. 1994. Exposure to pyrolysis products. In: Zenz C, Dickerson OB, Horvath EP, eds. *Occupational medicine*. 3rd ed. St. Louis, MO: Mosby-Year Book, Inc., 926-936.
- DOE. 2024a. Protective action criteria (PAC) based on AEGLs, ERPGs, or TEELs. U.S. Department of Energy. <https://edms3.energy.gov/pac/TeelDocs>. September 13, 2024.
- DOE. 2024b. Definition of PACs (AEGLs, ERPGs or TEELs). U.S. Department of Energy. <https://edms3.energy.gov/pac/TeelDef>. September 13, 2024.
- DOI. 1994. Acrolein hazards to fish, wildlife, and invertebrates: A synoptic review. National Biological Survey. Washington, DC: U.S. Department of the Interior. ADA323207. Contaminant Hazard Reviews Report 28. Biological Report 23. <https://apps.dtic.mil/sti/pdfs/ADA323207.pdf>. June 20, 2023.
- Dong JZ, Glass JN, Moldoveanu SC. 2000. A simple GC-MS technique for the analysis of vapor phase mainstream cigarette smoke. *J Microcolumn Sep* 12(3):145-152. [https://doi.org/10.1002/\(SICI\)1520-667X\(2000\)12:3<142::AID-MCS3>3.0.CO;2-A](https://doi.org/10.1002/(SICI)1520-667X(2000)12:3<142::AID-MCS3>3.0.CO;2-A).
- Dorman DC, Struve MF, Wong BA, et al. 2008. Respiratory tract responses in male rats following subchronic acrolein inhalation. *Inhal Toxicol* 20(3):205-216. <https://doi.org/10.1080/08958370701864151>.
- Draminski W, Eder E, Henschler D. 1983. A new pathway of acrolein metabolism in rats. *Arch Toxicol* 52:243-247. <https://doi.org/10.1007/BF00333903>.
- Dupbukt JM, Sundqvist K, Grafstroem RC. 1987. Aldehyde-induced cytotoxicity in cultured human bronchial epithelial cells. *Altern Lab Anim* 14(3):146-150. <https://doi.org/10.1177/026119298701400306>.
- Dwivedi AM, Johanson G, Lorentzen JC, et al. 2015. Acute effects of acrolein in human volunteers during controlled exposure. *Inhal Toxicol* 27(14):810-821. <https://doi.org/10.3109/08958378.2015.1115567>.
- Eder E, Henschler D, Neudecker T. 1982. Mutagenic properties of allylic and α,β -unsaturated compounds: Consideration of alkylating mechanisms. *Xenobiotica* 12(12):831-848. <https://doi.org/10.3109/00498258209038955>.
- Edney EO, Shepson PB, Kleindienst TE, et al. 1986. The photooxidation of allyl chloride. *Int J Chem Kinet* 18(5):597-608. <https://doi.org/10.1002/kin.550180509>.
- Egle JL. 1970. Retention of inhaled acetaldehyde in man. *J Pharmacol Exp Ther* 174(1):14-19.

8. REFERENCES

- Egle JL. 1972. Retention of inhaled formaldehyde, propionaldehyde, and acrolein in the dog. *Arch Environ Health* 25(2):119-124. <https://doi.org/10.1080/00039896.1972.10666147>.
- Einhorn IN. 1975. Physiological and toxicological aspects of smoke produced during the combustion of polymeric materials. *Environ Health Perspect* 11:163-189. <https://doi.org/10.1289/ehp.7511163>.
- Ellenberger J, Mohn GR. 1977. Mutagenic activity of major mammalian metabolites of cyclophosphamide toward several genes of *Escherichia coli*. *J Toxicol Environ Health* 3(4):637-650. <https://doi.org/10.1080/15287397709529598>.
- El-Masri HA, Mumtaz MM, Yushak ML. 2004. Application of physiologically-based pharmacokinetic modeling to investigate the toxicological interaction between chlorpyrifos and parathion in the rat. *Environ Toxicol Pharmacol* 16(1-2):57-71. <https://doi.org/10.1016/j.etap.2003.10.002>.
- Environment Canada. 2000. Canadian Environmental Protection Act, 1999. Priority substances list assessment report: Acrolein. Environment Canada, Health Canada. https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/ewh-sent/alt_formats/hecs-sesc/pdf/pubs/contaminants/psl2-lsp2/acrolein/acrolein-eng.pdf. June 15, 2023.
- EPA. 1979. Water-related environmental fate of 129 priority pollutants. Washington, DC: U.S. Environmental Protection Agency. EPA440479029A. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100K7FH.txt>. June 15, 2023.
- EPA. 1980. Ambient water quality criteria for acrolein. Washington, DC: U.S. Environmental Protection Agency. EPA440580016. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=10004QN6.txt>. June 21, 2023.
- EPA. 1983. [Data evaluation record: Teratology studies in mice (MRID: 00156439) and rats (MRID: 00156438)]. U.S. Environmental Protection Agency.
- EPA. 1989. Land disposal restrictions for third scheduled wastes. U.S. Environmental Protection Agency. *Fed Regist* 54(224):48372-48374, 48413-48414.
- EPA. 1991. National pretreatment program: Report to Congress. U.S. Environmental Protection Agency. PB91228726. <https://www3.epa.gov/npdes/pubs/owm0244.pdf>. June 21, 2023.
- EPA. 1993. A summary of the emissions characterization and noncancer respiratory effects of wood smoke. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB94186731. EPA453R93036. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000IK0H.txt>. June 21, 2023.
- EPA. 1994. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. Washington, DC: U.S. Environmental Protection Agency. EPA600890066F. https://epa-prgs.ornl.gov/chemicals/help/documents/METHODS_FOR_DERIVATION.PDF. June 15, 2023.
- EPA. 1998a. Hazardous air pollutants. U.S. Environmental Protection Agency. www.epa.gov/ttn/chief/trends/98/chapter7.pdf. March 18, 2007.
- EPA. 1998b. Study of hazardous air pollutant emissions from electric utility steam generating units. Final report to Congress. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB98131774. EPA453R98004A. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB98131774.xhtml>. June 21, 2023.
- EPA. 2003. Toxicological review of acrolein (CAS No. 107-02-8). In support of summary information on the Integrated Risk Information System (IRIS). Washington, DC: U.S. Environmental Protection Agency. EPA635R03003. <https://iris.epa.gov/static/pdfs/0364tr.pdf>. June 21, 2023.
- EPA. 2012. Advances in inhalation gas dosimetry for derivation of a reference concentration (RFC) and use in risk assessment. Washington, DC: U.S. Environmental Protection Agency. PB2013106530. EPA600R12044. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB2013106530.xhtml>. June 21, 2023.
- EPA. 2016. Vapor intrusion screening level calculator. Washington, DC: U.S. Environmental Protection Agency. https://epa-visl.ornl.gov/cgi-bin/visl_search. October 2, 2024.

8. REFERENCES

- EPA. 2018a. 2018 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA822F18001. <https://www.epa.gov/system/files/documents/2022-01/dwtable2018.pdf>. June 15, 2022.
- EPA. 2018b. Compiled AEGL values. U.S. Environmental Protection Agency. https://www.epa.gov/sites/default/files/2018-08/documents/compiled_aegls_update_27jul2018.pdf. April 12, 2020.
- EPA. 2018c. About acute exposure guideline levels (AEGLs). U.S. Environmental Protection Agency. <https://www.epa.gov/aegl/about-acute-exposure-guideline-levels-aegls>. July 26, 2018.
- EPA. 2019. Development of the proposed unregulated contaminant monitoring rule for the fifth monitoring cycle (UCMR 5): Public meeting and webinar. U.S. Environmental Protection Agency. EPA815A19001. <https://www.epa.gov/sites/default/files/2019-10/documents/ucmr5-stakeholdermeeting-190830.pdf>. April 11, 2023.
- EPA. 2022a. 2020 CDR data. U.S. Environmental Protection Agency. <https://www.epa.gov/chemical-data-reporting/access-cdr-data#2020>. October 26, 2022.
- EPA. 2022b. EPA administered permit programs: The national pollutant discharge elimination system. U.S. Environmental Protection Agency. Code of Federal Regulation. 40 CFR 122. <https://www.govinfo.gov/content/pkg/CFR-2022-title40-vol24/pdf/CFR-2022-title40-vol24-part122.pdf>. June 22, 2023.
- EPA. 2022c. Criteria and standards for the national pollutant discharge elimination system. U.S. Environmental Protection Agency. Code of Federal Regulation. 40 CFR 125. <https://www.govinfo.gov/content/pkg/CFR-2022-title40-vol24/pdf/CFR-2022-title40-vol24-part125.pdf>. June 22, 2023.
- EPA. 2022d. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulation. 40 CFR 268. <https://www.govinfo.gov/content/pkg/CFR-2022-title40-vol29/pdf/CFR-2022-title40-vol29-part268.pdf>. June 22, 2023.
- EPA. 2022e. Electroplating point source category. U.S. Environmental Protection Agency. Code of Federal Regulation. 40 CFR 413. <https://www.govinfo.gov/content/pkg/CFR-2022-title40-vol31/pdf/CFR-2022-title40-vol31-part413.pdf>. June 22, 2023.
- EPA. 2022f. Steam electric power generating point source category. U.S. Environmental Protection Agency. Code of Federal Regulation. 40 CFR 423. <https://www.govinfo.gov/content/pkg/CFR-2022-title40-vol31/pdf/CFR-2022-title40-vol31-part423.pdf>. June 22, 2023.
- EPA. 2022g. Metal finishing point source category. U.S. Environmental Protection Agency. Code of Federal Regulation. 40 CFR 433. <https://www.govinfo.gov/content/pkg/CFR-2022-title40-vol32/pdf/CFR-2022-title40-vol32-part433.pdf>. June 22, 2023.
- EPA. 2022h. 2017 Data: National emission inventory (NEI) data. U.S. Environmental Protection Agency. <https://www.epa.gov/air-emissions-inventories/2017-national-emissions-inventory-nei-data>. October 20, 2022.
- EPA. 2022i. Toxic chemical release inventory reporting forms and instructions: Revised 2021 version. U.S. Environmental Protection Agency. EPA740B22002. https://ordspub.epa.gov/ords/guideme_ext/guideme_ext/guideme/file/ry_2021_rfi.pdf. August 22, 2023.
- EPA. 2023a. Annual summary data: Acrolein. Air quality system: Concentration by monitor. U.S. Environmental Protection Agency. https://aqz.epa.gov/aqzweb/airdata/download_files.html. October 31, 2024.
- EPA. 2023b. East Palestine, Ohio train derailment: Air sampling data. U.S. Environmental Protection Agency. <https://www.epa.gov/east-palestine-oh-train-derailment/air-sampling-data>. September 5, 2023.
- EPA. 2023c. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141. <https://www.govinfo.gov/content/pkg/CFR-2023-title40-vol25/pdf/CFR-2023-title40-vol25-part141.pdf>. May 3, 2024.

8. REFERENCES

- EPA. 2024a. 2020 National emission inventory (NEI) data. U.S. Environmental Protection Agency. <https://www.epa.gov/air-emissions-inventories/2020-national-emissions-inventory-nei-data>. October 31, 2024.
- EPA. 2024b. Annual summary data: Acrolein. Air quality system: Concentration by monitor. U.S. Environmental Protection Agency. https://aqs.epa.gov/aqsweb/airdata/download_files.html. October 31, 2024.
- EPA. 2024c. Acrolein: Proposed interim registration review decision. Case Number 2005. U.S. Environmental Protection Agency. EPA-HQ-OPP-2015-0571-0053. <https://www.regulations.gov/document/EPA-HQ-OPP-2015-0571-0053>. December 6, 2024.
- Epstein SS, Arnold E, Andrea J, et al. 1972. Detection of chemical mutagens by the dominant lethal assay in the mouse. *Toxicol Appl Pharmacol* 23(2):288-325. [https://doi.org/10.1016/0041-008x\(72\)90192-5](https://doi.org/10.1016/0041-008x(72)90192-5).
- Esterbauer H, Zollner H, Scholz N. 1975. Reaction of glutathione with conjugated carbonyls. *Z Naturforsch C Biosci* 30(4):466-473. <https://doi.org/10.1515/znc-1975-7-808>.
- Esterbauer H, Ertl A, Scholz N. 1976. The reaction of cysteine with α,β -unsaturated aldehydes. *Tetrahedron* 32:285-289. [https://doi.org/10.1016/0040-4020\(76\)87015-9](https://doi.org/10.1016/0040-4020(76)87015-9).
- Etemadi A, Poustchi H, Chang CM, et al. 2024. Exposure to polycyclic aromatic hydrocarbons, volatile organic compounds, and tobacco-specific nitrosamines and incidence of esophageal cancer. *J Natl Cancer Inst* 116(3):379-388. <https://doi.org/10.1093/jnci/djad218>.
- Etzkorn WG, Pedersen SE, Snead TE. 2002. Acrolein and derivatives. In: Kirk-Othmer encyclopedia of chemical technology. John Wiley & Sons, Inc., 265-288.
- FDA. 2024. Food additives permitted for direct addition to food for human consumption. Subpart I - Multipurpose additives. Food starch-modified. Food and Drug Administration. Code of Federal Regulations. 21 CFR 172.892. <https://www.govinfo.gov/content/pkg/CFR-2024-title21-vol3/pdf/CFR-2024-title21-vol3-sec172-892.pdf>. October 28, 2024.
- Feng Z, Hu W, Hu Y, et al. 2006. Acrolein is a major cigarette-related lung cancer agent: Preferential binding at p53 mutational hotspots and inhibition of DNA repair. *Proc Natl Acad Sci U S A* 103(42):15404-15409. <https://doi.org/10.1073/pnas.0607031103>.
- Feng X, Liang R, Shi D, et al. 2022a. Urinary acrolein metabolites, systemic inflammation, and blood lipids: Results from the National Health and Nutrition Examination Survey. *Chemosphere* 286(Pt 2):131791. <https://doi.org/10.1016/j.chemosphere.2021.131791>.
- Feng Y, Ding D, Xiao A, et al. 2022b. Characteristics, influence factors, and health risk assessment of volatile organic compounds through one year of high-resolution measurement at a refinery. *Chemosphere* 296:134004. <https://doi.org/10.1016/j.chemosphere.2022.134004>.
- Feng X, Qiu F, Zheng L, et al. 2024. Exposure to volatile organic compounds and mortality in US adults: A population-based prospective cohort study. *Sci Total Environ* 928:172512. <https://doi.org/10.1016/j.scitotenv.2024.172512>.
- Fent KW, Mayer AC, Toennis C, et al. 2022. Firefighters' urinary concentrations of VOC metabolites after controlled-residential and training fire responses. *Int J Hyg Environ Health* 242:113969. <https://doi.org/10.1016/j.ijheh.2022.113969>.
- Feroe AG, Attanasio R, Scinicariello F. 2016. Acrolein metabolites, diabetes and insulin resistance. *Environ Res* 148:1-6. <https://doi.org/10.1016/j.envres.2016.03.015>.
- Feron VJ, Kruyse A. 1977. Effects of exposure to acrolein vapor in hamsters simultaneously treated with benzo(a)pyrene or diethylnitrosamine. *J Toxicol Environ Health* 3(3):379-394. <https://doi.org/10.1080/15287397709529571>.
- Feron VJ, Kruyse A, Til HP, et al. 1978. Repeated exposure to acrolein vapour: Subacute studies in hamsters, rats and rabbits. *Toxicology* 9(1-2):47-57. [https://doi.org/10.1016/0300-483x\(78\)90030-6](https://doi.org/10.1016/0300-483x(78)90030-6).
- Feron VJ, Til HP, de Vrijer F, et al. 1991. Aldehydes: occurrence, carcinogenic potential, mechanism of action and risk assessment. *Mutat Res* 259(3-4):363-385. [https://doi.org/10.1016/0165-1218\(91\)90128-9](https://doi.org/10.1016/0165-1218(91)90128-9).

8. REFERENCES

- Ferreira DC, Nicolli KP, Souza-Silva É A, et al. 2018. Carbonyl compounds in different stages of vinification and exposure risk assessment through Merlot wine consumption. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 35(12):2315-2331. <https://doi.org/10.1080/19440049.2018.1539530>.
- Fleer R, Brendel M. 1982. Toxicity, interstrand cross-links, and DNA fragmentation induced by activated cyclophosphamide in yeast: Comparative studies on 4-hydroxyperoxy-cyclophosphamide, its monofunctional analogue, acrolein, phosphoramidate mustard, and nor-nitrogen mustard. *Chem Biol Interact* 39(1):1-15. [https://doi.org/10.1016/0009-2797\(82\)90002-3](https://doi.org/10.1016/0009-2797(82)90002-3).
- Florin I, Rutberg L, Curvall M, et al. 1980. Screening of tobacco smoke constituents for mutagenicity using the Ames' test. *Toxicology* 15(3):219-232. [https://doi.org/10.1016/0300-483X\(80\)90055-4](https://doi.org/10.1016/0300-483X(80)90055-4).
- Foiles PG, Akerkar SH, Chung FL. 1989. Application of an immunoassay for cyclic acrolein deoxyguanosine adducts to assess their formation in DNA of *Salmonella typhimurium* under conditions of mutation induction by acrolein. *Carcinogenesis* 10(1):87-90. <https://doi.org/10.1093/carcin/10.1.87>.
- Frederick CB, Bush ML, Lomax LG, et al. 1998. Application of a hybrid computational fluid dynamics and physiologically based inhalation model for interspecies dosimetry extrapolation of acidic vapors in the upper airways. *Toxicol Appl Pharmacol* 152(1):211-231. <https://doi.org/10.1006/taap.1998.8492>.
- Furlanut M, Franceschi L. 2003. Pharmacology of ifosfamide. *Oncology* 65(Suppl 2):2-6. <https://doi.org/10.1159/000073350>.
- Gaffney JS, Streit GE, Spall WD, et al. 1987. Beyond acid rain. Do soluble oxidants and organic toxins interact with SO₂ and NO_x to increase ecosystem effects? *Environ Sci Technol* 21(6):519-524. <https://doi.org/10.1021/es00160a001>.
- Gardner EP, Sperry PD, Calvert JG. 1987. Photodecomposition of acrolein in oxygen-nitrogen mixtures. *J Phys Chem* 91(7):1922-1930. <https://doi.org/10.1021/j100291a048>.
- Ghilarducci DP, Tjeerdema RS. 1995. Fate and effects of acrolein. *Rev Environ Contam Toxicol* 144:95-146. https://doi.org/10.1007/978-1-4612-2550-8_2.
- Gillman IG, Pennington ASC, Humphries KE, et al. 2020. Determining the impact of flavored e-liquids on aldehyde production during Vaping. *Regul Toxicol Pharmacol* 112:104588. <https://doi.org/10.1016/j.yrtph.2020.104588>.
- Ginsberg GL, Foos BP, Firestone MP. 2005. Review and analysis of inhalation dosimetry methods for application to children's risk assessment. *J Toxicol Environ Health A* 68(8):573-615. <https://doi.org/10.1080/15287390590921793>.
- Graedel TE, Farrow LA, Weber TA. 1978. Urban kinetic chemical calculations with altered source conditions. *Atmos Environ* 12(6-7):1403-1412. [https://doi.org/10.1016/0004-6981\(78\)90082-3](https://doi.org/10.1016/0004-6981(78)90082-3).
- Grafstrom RC, Dypbukt JM, Willey JC, et al. 1988. Pathobiological effects of acrolein in cultured human bronchial epithelial cells. *Cancer Res* 48(7):1717-1721.
- Griffiths SD, Entwistle JA, Kelly FJ, et al. 2022. Characterising the ground level concentrations of harmful organic and inorganic substances released during major industrial fires, and implications for human health. *Environ Int* 162:107152. <https://doi.org/10.1016/j.envint.2022.107152>.
- Grosjean D. 1990. Atmospheric chemistry of toxic contaminants. 3. Unsaturated aliphatics: Acrolein, acrylonitrile, maleic anhydride. *J Air Waste Manage Assoc* 40(12):1664-1669. <https://doi.org/10.1080/10473289.1990.10466814>.
- Grosjean D, Wright B. 1983. Carbonyls in urban fog, ice fog, cloudwater and rainwater. *Atmos Environ* 17(10):2093-2096. [https://doi.org/10.1016/0004-6981\(83\)90368-2](https://doi.org/10.1016/0004-6981(83)90368-2).
- Grosjean D, Grosjean E, Gertler AW. 2001. On-road emissions of carbonyls from light-duty and heavy-duty vehicles. *Environ Sci Technol* 35(1):45-53. <https://doi.org/10.1021/es001326a>.
- Guerin MR, Higgins CE, Jenkins RA. 1987. Measuring environmental emissions from tobacco combustion: Sidestream cigarette smoke literature review. *Atmos Environ* 21(2):291-297. [https://doi.org/10.1016/0004-6981\(87\)90004-7](https://doi.org/10.1016/0004-6981(87)90004-7).

8. REFERENCES

- Guo H, Hao H, Zhang Q, et al. 2019. Components and dispersion characteristics of organic and inorganic odorous gases in a large-scale dairy farm. *J Air Waste Manag Assoc* 69(6):717-725. <https://doi.org/10.1080/10962247.2018.1562389>.
- Gupta S, Fink MK, Martin LM, et al. 2020. A rabbit model for evaluating ocular damage from acrolein toxicity in vivo. *Ann N Y Acad Sci* 1480(1):233-245. <https://doi.org/10.1111/nyas.14514>.
- Gurtoo HL, Marinello AJ, Struck RF, et al. 1981. Studies on the mechanism of denaturation of cytochrome P-450 by cyclophosphamide and its metabolites. *J Biol Chem* 256(22):11691-11701. [https://doi.org/10.1016/S0021-9258\(19\)68462-0](https://doi.org/10.1016/S0021-9258(19)68462-0).
- Guth S, Habermeyer M, Baum M, et al. 2013. Thermally induced process-related contaminants: the example of acrolein and the comparison with acrylamide: opinion of the Senate Commission on Food Safety (SKLM) of the German Research Foundation (DFG). *Mol Nutr Food Res* 57(12):2269-2282. <https://doi.org/10.1002/mnfr.201300418>.
- Han S, Xie M, Cheng S, et al. 2024. Associations between specific volatile organic chemical exposures and cardiovascular disease risks: insights from NHANES. *Front Public Health* 12:1378444. <https://doi.org/10.3389/fpubh.2024.1378444>.
- Hansch C, Leo A. 1995. Nonspecific toxicity. In: *Exploring QSAR - Fundamentals and applications in chemistry and biology*. Washington, DC: American Chemical Society, 211.
- Harahap Y, Yanuar A, Muhammad C, et al. 2020. Quantification of 3-hydroxypropyl mercapturic acid in the urine of patients with breast cancer to monitor cyclophosphamide toxicity. *Ther Drug Monit* 42(4):548-553. <https://doi.org/10.1097/FTD.0000000000000737>.
- Hazari MS, Rowan WH, Winsett DW, et al. 2008. Potentiation of pulmonary reflex response to capsaicin 24h following whole-body acrolein exposure is mediated by TRPV1. *Respir Physiol Neurobiol* 160(2):160-171. <https://doi.org/10.1016/j.resp.2007.09.003>.
- Hemminki K, Falck K, Vainio H. 1980. Comparison of alkylation rates and mutagenicity of directly acting industrial and laboratory chemicals: Epoxides, glycidyl ethers, methylating and ethylating agents, halogenated hydrocarbons, hydrazine derivatives, aldehydes, thiuram and dithiocarbamate derivatives. *Arch Toxicol* 46(3-4):277-285. <https://doi.org/10.1007/BF00310445>.
- Henriks-Eckerman M, Engström B, Anäs E. 1990. Thermal degradation products of steel protective paints. *Am Ind Hyg Assoc J* 51(4):241-244. <https://doi.org/10.1080/15298669091369592>.
- Herr SA, Malek S, Rochat MC, et al. 2021. Evidence of acrolein in synovial fluid of dogs with osteoarthritis as a potential inflammatory biomarker. *BMC Musculoskelet Disord* 22(1):894. <https://doi.org/10.1186/s12891-021-04762-z>.
- Hess LG, Kurtz AN, Stanton DB. 1978. Acrolein and derivatives. In: Grayson M, Eckroth D, eds. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 1. 3rd ed. New York, NY: John Wiley and Sons, 277-297.
- Highsmith VR, Zweidinger RB. 1988. Characterization of indoor and outdoor air associated with residences using woodstoves: A pilot study. *Environ Int* 14(3):213-219. [https://doi.org/10.1016/0160-4120\(88\)90141-9](https://doi.org/10.1016/0160-4120(88)90141-9).
- Hikisz P, Jacenik D. 2023. The tobacco smoke component, acrolein, as a major culprit in lung diseases and respiratory cancers: Molecular mechanisms of acrolein cytotoxic activity. *Cells* 12(6):879. <https://doi.org/10.3390/cells12060879>.
- Hodgkin JH, Galbraith MN, Chong YK. 1982. Combustion products from burning polyethylene. *J Macromol Sci Chem* 17(1):35-44. <https://doi.org/10.1080/00222338208056463>.
- Hoffmann D, Brunnemann KD, Gori GB, et al. 1975. On the carcinogenicity of marijuana smoke. *Recent Adv Phytochem* 9:63-81. https://doi.org/10.1007/978-1-4684-0823-2_3.
- Holzer G, Oro J, Bertsch W. 1976. Gas chromatographic-mass spectrometric evaluation of exhaled tobacco smoke. *J Chromatogr* 126:771-785. [https://doi.org/10.1016/s0021-9673\(01\)84119-4](https://doi.org/10.1016/s0021-9673(01)84119-4).
- Hopstock KS, Perraud V, Dalton AB, et al. 2024. Chemical analysis of exhaled vape emissions: Unraveling the complexities of humectant fragmentation in a human trial study. *Chem Res Toxicol* 37(6):1000-1010. <https://doi.org/10.1021/acs.chemrestox.4c00088>.

8. REFERENCES

- Horton AD, Guerin MR. 1974. Determination of acetaldehydes and acrolein in the gas phase of cigarette smoke using cryothermal gas chromatography. *Tobacco Sci* 18:19-22.
- Huang YJ, Jin MH, Pi RB, et al. 2013. Acrolein induces Alzheimer's disease-like pathologies in vitro and in vivo. *Toxicol Lett* 217(3):184-191. <https://doi.org/10.1016/j.toxlet.2012.12.023>.
- IARC. 1995. Acrolein. IARC monographs on the evaluation of carcinogenic risks to humans. Dry cleaning, some chlorinated solvents and other industrial chemicals. Vol. 63. Lyon, France: World Health Organization. International Agency for Research on Cancer. https://www.ncbi.nlm.nih.gov/books/NBK464353/pdf/Bookshelf_NBK464353.pdf. June 20, 2023.
- IARC. 2021. Acrolein. IARC monographs on the evaluation of carcinogenic risks to humans. Acrolein, crotonaldehyde, and arecoline. Vol. 128. Lyon, France: International Agency for Research on Cancer. <https://publications.iarc.fr/602>. April 14, 2023.
- Imazato T, Kanematsu M, Kishikawa N, et al. 2015. Determination of acrolein in serum by high-performance liquid chromatography with fluorescence detection after pre-column fluorogenic derivatization using 1,2-diamino-4,5-dimethoxybenzene. *Biomed Chromatogr* 29(9):1304-1308. <https://doi.org/10.1002/bmc.3422>.
- IRIS. 2003. Chemical assessment summary: Acrolein; CASRN 107-02-8. Integrated Risk Information System. U.S. Environmental Protection Agency. https://iris.epa.gov/static/pdfs/0364_summary.pdf. April 14, 2023.
- Ismahil MA, Hamid T, Habertzettl P, et al. 2011. Chronic oral exposure to the aldehyde pollutant acrolein induces dilated cardiomyopathy. *Am J Physiol Heart Circ Physiol* 301(5):H2050-H2060. <https://doi.org/10.1152/ajpheart.00120.2011>.
- Izard C. 1973. [Mutagenic effects of acrolein and its two epoxides, glycidol and glycidal in *Saccharomyces cerevisiae*.] *C R Acad Sci Ser D* 276:3037-3040. (French)
- Jaeger RJ, Murphy SD. 1973. Alterations of barbiturate action following 1,1-dichloroethylene, corticosterone, or acrolein. *Arch Int Pharmacodyn Ther* 205(2):281-292.
- Jakubowski M, Linhart I, Pielas G, et al. 1987. 2-Cyanoethylmercapturic acid (CEMA) in the urine as a possible indicator of exposure to acrylonitrile. *Br J Ind Med* 44(12):834-840. <https://doi.org/10.1136/oem.44.12.834>.
- Jang JH, Bruse S, Huneidi S, et al. 2014. Acrolein-exposed normal human lung fibroblasts in vitro: cellular senescence, enhanced telomere erosion, and degradation of Werner's syndrome protein. *Environ Health Perspect* 122(9):955-962. <https://doi.org/10.1289/ehp.1306911>.
- Jiang K, Huang C, Liu F, et al. 2022. Origin and fate of acrolein in foods. *Foods* 11(13):1976. <https://doi.org/10.3390/foods11131976>.
- Jonsson A, Persson KA, Grigoriadis V. 1985. Measurements of some low molecular weight oxygenated, aromatic, and chlorinated hydrocarbons in ambient air and in vehicle emissions. *Environ Int* 11(2-4):383-392. [https://doi.org/10.1016/0160-4120\(85\)90033-9](https://doi.org/10.1016/0160-4120(85)90033-9).
- Kajjser GP, Korst A, Beijnen JH, et al. 1993. The analysis of ifosfamide and its metabolites (review). *Anticancer Res* 13(5A):1311-1324.
- Kane LE, Alarie Y. 1977. Sensory irritation to formaldehyde and acrolein during single and repeated exposures in mice. *Am Ind Hyg Assoc J* 38(10):509-522. <https://doi.org/10.1080/0002889778507665>.
- Kane LE, Alarie Y. 1978. Evaluation of sensory irritation from acrolein-formaldehyde mixtures. *Am Ind Hyg Assoc J* 39(4):270-274. <https://doi.org/10.1080/0002889778507758>.
- Kane LE, Alarie Y. 1979. Interactions of sulfur dioxide and acrolein as sensory irritants. *Toxicol Appl Pharmacol* 48:305-315. [https://doi.org/10.1016/0041-008X\(79\)90037-1](https://doi.org/10.1016/0041-008X(79)90037-1).
- Kanuri M, Minko IG, Nechev LV, et al. 2002. Error prone translesion synthesis past gamma-hydroxypropano deoxyguanosine, the primary acrolein-derived adduct in mammalian cells. *J Biol Chem* 277(21):18257-18265. <https://doi.org/10.1074/jbc.M112419200>.
- Kasahara DI, Poynter ME, Othman Z, et al. 2008. Acrolein inhalation suppresses lipopolysaccharide-induced inflammatory cytokine production but does not affect acute airways neutrophilia. *J Immunol* 181(1):736-745. <https://doi.org/10.4049/jimmunol.181.1.736>.

8. REFERENCES

- Kawanishi M, Matsuda T, Nakayama A, et al. 1998. Molecular analysis of mutations induced by acrolein in human fibroblast cells using supF shuttle vector plasmids. *Mutat Res* 417(2-3):65-73. [https://doi.org/10.1016/S1383-5718\(98\)00093-X](https://doi.org/10.1016/S1383-5718(98)00093-X).
- Kaye CM. 1973. Biosynthesis of mercapturic acids from allyl alcohol, allyl esters, and acrolein. *Biochem J* 134:1093-1101. <https://doi.org/10.1042/bj1341093>.
- Kaye CM, Young L. 1972. The synthesis of mercapturic acids from allyl compounds in the rat. *Biochem J* 127(5):87P. <https://doi.org/10.1042/bj1270087pa>.
- Kerber PJ, Duell AK, Powers M, et al. 2022. Effects of common e-liquid flavorants and added nicotine on toxicant formation during vaping analyzed by (1)H NMR spectroscopy. *Chem Res Toxicol* 35(7):1267-1276. <https://doi.org/10.1021/acs.chemrestox.2c00110>.
- Khudoley W, Mizgirev I, Pliss GB. 1987. The study of mutagenic activity of carcinogens and other chemical agents with *Salmonella typhimurium* assays: Testing of 126 compounds. *Arch Geschwulstforsch* 57(6):453-462.
- Kim SI, Pfeifer GP, Besaratinia A. 2007. Lack of mutagenicity of acrolein-induced DNA adducts in mouse and human cells. *Cancer Res* 67(24):11640-11647. <https://doi.org/10.1158/0008-5472.Can-07-2528>.
- Kim J, Xi J, Si X, et al. 2014. Hood nebulization: effects of head direction and breathing mode on particle inhalability and deposition in a 7-month-old infant model. *J Aerosol Med Pulm Drug Deliv* 27(3):209-218. <https://doi.org/10.1089/jamp.2013.1051>.
- Kim BG, Lee PH, Lee SH, et al. 2019. Claudins, VEGF, Nrf2, Keap1, and nonspecific airway hyper-reactivity are increased in mice co-exposed to allergen and acrolein. *Chem Res Toxicol* 32(1):139-145. <https://doi.org/10.1021/acs.chemrestox.8b00239>.
- Kim JW, Jo EH, Moon JE, et al. 2020. In vitro and in vivo inhibitory effect of *Citrus junos tanaka* peel extract against oxidative stress-induced apoptotic death of lung cells. *Antioxidants* 9(12):1231. <https://doi.org/10.3390/antiox9121231>.
- Kimbell JS, Godo MN, Gross EA, et al. 1997. Computer simulation of inspiratory airflow in all regions of the F344 rat nasal passages. *Toxicol Appl Pharmacol* 145(2):388-398. <https://doi.org/10.1006/taap.1997.8206>.
- Kimbell JS, Subramaniam RP, Gross EA, et al. 2001. Dosimetry modeling of inhaled formaldehyde: comparisons of local flux predictions in the rat, monkey, and human nasal passages. *Toxicol Sci* 64(1):100-110. <https://doi.org/10.1093/toxsci/64.1.100>.
- Kissel CL, Brady JL, Guerra AM, et al. 1978. Analysis of acrolein in aged aqueous media. Comparison of various analytical methods with bioassays. *J Agric Food Chem* 26(6):1338-1343. <https://doi.org/10.1021/jf60220a007>.
- Kozekov ID, Turesky RJ, Alas GR, et al. 2010. Formation of deoxyguanosine cross-links from calf thymus DNA treated with acrolein and 4-hydroxy-2-nonenal. *Chem Res Toxicol* 23(11):1701-1713. <https://doi.org/10.1021/tx100179g>.
- Krokan H, Grafstrom RC, Sundqvist K, et al. 1985. Cytotoxicity, thiol depletion and inhibition of O6-methylguanine-DNA methyltransferase by various aldehydes in cultured human bronchial fibroblasts. *Carcinogenesis* 6(12):1755-1759. <https://doi.org/10.1093/carcin/6.12.1755>.
- Kuang H, Li Z, Lv X, et al. 2021. Exposure to volatile organic compounds may be associated with oxidative DNA damage-mediated childhood asthma. *Ecotoxicol Environ Saf* 210:111864. <https://doi.org/10.1016/j.ecoenv.2020.111864>.
- Kucab JE, Zou X, Morganello S, et al. 2019. A compendium of mutational signatures of environmental agents. *Cell* 177(4):821-836 e816. <https://doi.org/10.1016/j.cell.2019.03.001>.
- Kumar R, Adhikari S, Driver EM, et al. 2022. Towards a novel application of wastewater-based epidemiology in population-wide assessment of exposure to volatile organic compounds. *Sci Total Environ* 845:157008. <https://doi.org/10.1016/j.scitotenv.2022.157008>.
- Kunkler PE, Zhang L, Johnson PL, et al. 2018. Induction of chronic migraine phenotypes in a rat model after environmental irritant exposure. *Pain* 159(3):540-549. <https://doi.org/10.1097/j.pain.0000000000001124>.

8. REFERENCES

- Kurhanewicz N, McIntosh-Kastrinsky R, Tong H, et al. 2017. TRPA1 mediates changes in heart rate variability and cardiac mechanical function in mice exposed to acrolein. *Toxicol Appl Pharmacol* 324:51-60. <https://doi.org/10.1016/j.taap.2016.10.008>.
- Kurhanewicz N, Ledbetter A, Farraj A, et al. 2018. TRPA1 mediates the cardiac effects of acrolein through parasympathetic dominance but also sympathetic modulation in mice. *Toxicol Appl Pharmacol* 347:104-114. <https://doi.org/10.1016/j.taap.2018.03.027>.
- Kutzman RS, Wehner RW, Haber SB. 1984. Selected responses of hypertension-sensitive and-resistant rats to inhaled acrolein. *Toxicology* 31(1):53-65. [https://doi.org/10.1016/0300-483x\(84\)90155-0](https://doi.org/10.1016/0300-483x(84)90155-0).
- Kutzman RS, Popenoe EA, Schmaeler M, et al. 1985. Changes in rat lung structure and composition as a result of subchronic exposure to acrolein. *Toxicology* 34(2):139-151. [https://doi.org/10.1016/0300-483X\(85\)90163-5](https://doi.org/10.1016/0300-483X(85)90163-5).
- Lacroix M, Burckel H, Foussereau J, et al. 1976. Irritant dermatitis from diallylglycol carbonate monomer in the optical industry. *Contact Dermatitis* 2(4):183-195. <https://doi.org/10.1111/j.1600-0536.1976.tb03025.x>.
- Lam CW, Casanova M, Heck HD. 1985. Depletion of nasal mucosal glutathione by acrolein and enhancement of formaldehyde-induced DNA-protein cross-linking by simultaneous exposure to acrolein. *Arch Toxicol* 51:67-71. <https://doi.org/10.1007/BF00348311>.
- Lame MW, Segall HJ. 1987. In vitro effects of trans-4-hydroxy-2-alkenals on mouse liver cytochrome P-450. *Chem-Biol Interact* 62(1):59-74. [https://doi.org/10.1016/0009-2797\(87\)90079-2](https://doi.org/10.1016/0009-2797(87)90079-2).
- Lau C, Fiedler H, Hutzinger O, et al. 1997. Levels of selected organic compounds in materials for candle production and human exposure to candle emissions. *Chemosphere* 34(5-7):1623-1630. [https://doi.org/10.1016/s0045-6535\(97\)00458-x](https://doi.org/10.1016/s0045-6535(97)00458-x).
- Leach CL, Hatoum NS, Ratajczak HV, et al. 1987. The pathologic and immunologic effects of inhaled acrolein in rats. *Toxicol Lett* 39(2-3):189-198. [https://doi.org/10.1016/0378-4274\(87\)90232-3](https://doi.org/10.1016/0378-4274(87)90232-3).
- Lee HW, Wang HT, Weng MW, et al. 2014. Acrolein- and 4-aminobiphenyl-DNA adducts in human bladder mucosa and tumor tissue and their mutagenicity in human urothelial cells. *Oncotarget* 5(11):3526-3540. <https://doi.org/10.18632/oncotarget.1954>.
- Lei T, Qian H, Yang J, et al. 2023a. The exposure to volatile organic chemicals associates positively with rheumatoid arthritis: a cross-sectional study from the NHANES program. *Front Immunol* 14:1098683. <https://doi.org/10.3389/fimmu.2023.1098683>.
- Lei T, Qian H, Yang J, et al. 2023b. The association analysis between exposure to volatile organic chemicals and obesity in the general USA population: A cross-sectional study from NHANES program. *Chemosphere* 315:137738. <https://doi.org/10.1016/j.chemosphere.2023.137738>.
- Leikauf GD, Concel VJ, Liu P, et al. 2011. Haplotype association mapping of acute lung injury in mice implicates activin a receptor, type 1. *Am J Respir Crit Care Med* 183(11):1499-1509. <https://doi.org/10.1164/rccm.201006-0912OC>.
- Lewis RJ. 1997. Acrolein. In: Hawley's condensed chemical dictionary. New York, NY: John Wiley & Sons, Inc., 17.
- Li L, Jiang L, Geng C, et al. 2008. The role of oxidative stress in acrolein-induced DNA damage in HepG2 cells. *Free Radic Res* 42(4):354-361. <https://doi.org/10.1080/10715760802008114>.
- Li C, Jiang J, Dong H, et al. 2017. Computational modeling and validation of human nasal airflow under various breathing conditions. *J Biomech* 64:59-68. <https://doi.org/10.1016/j.jbiomech.2017.08.031>.
- Liang Z, Feng Q, Zhang Y, et al. 2024. Odorous VOCs released from bio-decomposition and its interaction mechanism with bacteria: Compared inter-type with intra-type household garbage. *J Clean Prod* 447:141523. <https://doi.org/10.1016/j.jclepro.2024.141523>.
- Lijinsky W, Andrews AW. 1980. Mutagenicity of vinyl compounds in *Salmonella typhimurium*. *Teratog Carcinog Mutagen* 1(3):259-267. <https://doi.org/10.1002/tcm.1770010303>.
- Lijinsky W, Reuber MD. 1987. Chronic carcinogenesis studies of acrolein and related compounds. *Toxicol Ind Health* 3(3):337-345. <https://doi.org/10.1177/074823378700300306>.
- Lioy PJ, Fan Z, Zhang J, et al. 2011. Personal and ambient exposures to air toxics in Camden, New Jersey. *Res Rep Health Eff Inst* 160(160):3-127; discussion 129-151.

8. REFERENCES

- Lipari F, Swarin SJ. 1982. Determination of formaldehyde and other aldehydes in automobile exhaust with an improved 2,4-dinitrophenylhydrazine method. *J Chromatogr* 247(2):297-306. [https://doi.org/10.1016/S0021-9673\(00\)85953-1](https://doi.org/10.1016/S0021-9673(00)85953-1).
- Lipari F, Dasch JM, Scruggs WF. 1984. Aldehyde emissions from woodburning fireplaces. *Environ Sci Technol* 18(5):326-330. <https://doi.org/10.1021/es00123a007>.
- Liu X, Jeffries HE, Sexton KG. 1999a. Atmospheric photochemical degradation of 1,4-unsaturated dicarbonyls. *Environ Sci Technol* 33(23):4212-4220. <https://doi.org/10.1021/es990469y>.
- Liu X, Jeffries HE, Sexton KG. 1999b. Hydroxyl radical and ozone initiated photochemical reactions of 1,3-butadiene. *Atmos Environ* 33(18):3005-3022. [https://doi.org/10.1016/S1352-2310\(99\)00078-3](https://doi.org/10.1016/S1352-2310(99)00078-3).
- Liu X, Lovell MA, Lynn BC. 2005. Development of a method for quantification of acrolein-deoxyguanosine adducts in DNA using isotope dilution-capillary LC/MS/MS and its application to human brain tissue. *Anal Chem* 77(18):5982-5989. <https://doi.org/10.1021/ac050624t>.
- Liu X, Durkes AC, Schrock W, et al. 2019. Subacute acrolein exposure to rat larynx in vivo. *Laryngoscope* 129(9):E313-e317. <https://doi.org/10.1002/lary.27687>.
- Liu Q, Lou H, Zhang X, et al. 2023a. Association between acrolein exposure and respiratory hazards: A systematic review and meta-analysis. *Atmos Pollut Res* 14(1):101633. <https://doi.org/10.1016/j.apr.2022.101633>.
- Liu W, Cao S, Shi D, et al. 2023b. Single-chemical and mixture effects of multiple volatile organic compounds exposure on liver injury and risk of non-alcoholic fatty liver disease in a representative general adult population. *Chemosphere* 339:139753. <https://doi.org/10.1016/j.chemosphere.2023.139753>.
- Loden M. 1986. The in vitro permeability of human skin to benzene, ethylene glycol, formaldehyde, and n-hexane. *Acta Pharmacol Toxicol* 58(5):382-389. <https://doi.org/10.1111/j.1600-0773.1986.tb00126.x>.
- Löfroth G, Burton RM, Forehand L, et al. 1989. Characterization of environmental tobacco smoke. *Environ Sci Technol* 23(5):610-614. <https://doi.org/10.1021/es00063a015>.
- Logue JM, Small MJ, Stern D, et al. 2010. Spatial variation in ambient air toxics concentrations and health risks between industrial-influenced, urban, and rural sites. *J Air Waste Manag Assoc* 60(3):271-286. <https://doi.org/10.3155/1047-3289.60.3.271>.
- Lomonaco T, Manco E, Corti A, et al. 2020. Release of harmful volatile organic compounds (VOCs) from photo-degraded plastic debris: A neglected source of environmental pollution. *J Hazard Mater* 394:122596. <https://doi.org/10.1016/j.jhazmat.2020.122596>.
- Loquet C, Toussaint G, Letalaer JY. 1981. Studies on mutagenic constituents of apple brandy and various alcoholic beverages collected in western France, a high incidence area for esophageal cancer. *Mutat Res* 88:155-164. [https://doi.org/10.1016/0165-1218\(81\)90014-8](https://doi.org/10.1016/0165-1218(81)90014-8).
- Lorenz DR, Misra V, Chettimada S, et al. 2021. Acrolein and other toxicant exposures in relation to cardiovascular disease among marijuana and tobacco smokers in a longitudinal cohort of HIV-positive and negative adults. *EClinicalMedicine* 31:100697. <https://doi.org/10.1016/j.eclinm.2020.100697>.
- Lue-Hing C, Lordi DT, Kelada NP. 1981. Fate of priority pollutants in large municipal treatment plants. *AICHE Symp Ser* 77(209):144-150.
- Luo X, Carmella SG, Chen M, et al. 2020. Urinary cyanoethyl mercapturic acid, a biomarker of the smoke toxicant acrylonitrile, clearly distinguishes smokers from nonsmokers. *Nicotine Tob Res* 22(10):1744-1747. <https://doi.org/10.1093/ntr/ntaa080>.
- Lutz D, Eder E, Neudecker T, et al. 1982. Structure-mutagenicity relationship in α,β -unsaturated carbonylic compounds and their corresponding allylic alcohols. *Mutat Res* 93:305-315. [https://doi.org/10.1016/0027-5107\(82\)90146-4](https://doi.org/10.1016/0027-5107(82)90146-4).
- Lyman WJ. 1982. Adsorption coefficient for soils and sediments. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw Hill, 4-1 to 4-33.

8. REFERENCES

- Lyon JP, Jenkins LJ, Jones RA, et al. 1970. Repeated and continuous exposure of laboratory animals to acrolein. *Toxicol Appl Pharmacol* 17(3):726-732. [https://doi.org/10.1016/0041-008x\(70\)90047-5](https://doi.org/10.1016/0041-008x(70)90047-5).
- Magin DF. 1980. Gas chromatography of simple monocarbonyls in cigarette whole smoke as benzyloxime derivatives. *J Chromatogr* 202(2):255-261. [https://doi.org/10.1016/S0021-9673\(00\)81734-3](https://doi.org/10.1016/S0021-9673(00)81734-3).
- Maldotti A, Chiorboli C, Bignozzi CA, et al. 1980. Photooxidation of 1,3-butadiene containing systems rate constant determination for the reaction of acrolein with hydroxyl radicals. *Int J Chem Kinet* 12:905-913. <https://doi.org/10.1002/kin.550121202>.
- Malkina IL, Kumar A, Green PG, et al. 2011. Identification and quantitation of volatile organic compounds emitted from dairy silages and other feedstuffs. *J Environ Qual* 40(1):28-36. <https://doi.org/10.2134/jeq2010.0302>.
- Manning DL, Maskarinec MP, Jenkins RA, et al. 1983. High performance liquid chromatographic determination of selected gas phase carbonyls in tobacco smoke. *J Assoc Off Anal Chem* 66(1):8-12. <https://doi.org/10.1093/jaoac/66.1.8>.
- Marnett LJ, Hurd HK, Hollstein MC, et al. 1985. Naturally occurring carbonyl compounds are mutagens in *Salmonella* tester strain TA104. *Mutat Res* 148(1-2):25-34. [https://doi.org/10.1016/0027-5107\(85\)90204-0](https://doi.org/10.1016/0027-5107(85)90204-0).
- Marron EL, Prasse C, Buren JV, et al. 2020. Formation and fate of carbonyls in potable water reuse systems. *Environ Sci Technol* 54(17):10895-10903. <https://doi.org/10.1021/acs.est.0c02793>.
- Mason JB, Fujita EM, Campbell DE, et al. 2011. Evaluation of passive samplers for assessment of community exposure to toxic air contaminants and related pollutants. *Environ Sci Technol* 45(6):2243-2249. <https://doi.org/10.1021/es102500v>.
- Matsumoto M, Yamano S, Senoh H, et al. 2021. Carcinogenicity and chronic toxicity of acrolein in rats and mice by two-year inhalation study. *Regul Toxicol Pharmacol* 121:104863. <https://doi.org/10.1016/j.yrtph.2021.104863>.
- McCarthy MC, Hafner HR, Montzka SA. 2006. Background concentrations of 18 air toxics for North America. *J Air Waste Manag Assoc* 56(1):3-11. <https://doi.org/10.1080/10473289.2006.10464436>.
- McDonald JD, Zielinska B, Fujita EM, et al. 2000. Fine particle and gaseous emission rates from residential wood combustion. *Environ Sci Technol* 34:2080-2091. <https://doi.org/10.1021/es9909632>.
- McGraw KE, Riggs DW, Rai S, et al. 2021a. Exposure to volatile organic compounds - acrolein, 1,3-butadiene, and crotonaldehyde - is associated with vascular dysfunction. *Environ Res* 196:110903. <https://doi.org/10.1016/j.envres.2021.110903>.
- McGraw KE, Riggs DW, Rai S, et al. 2021b. Supplemental material: Exposure to volatile organic compounds - acrolein, 1,3-butadiene, and crotonaldehyde - is associated with vascular dysfunction. *Environ Res* 196 <https://doi.org/10.1016/j.envres.2021.110903>.
- McGraw KE, Konkole SL, Riggs DW, et al. 2023. Exposure to volatile organic compounds is associated with hypertension in black adults: The Jackson Heart Study. *Environ Res* 223:115384. <https://doi.org/10.1016/j.envres.2023.115384>.
- McGuigan M, Chapman G, Lewis E, et al. 2022. High-performance liquid chromatography-tandem mass spectrometry analysis of carbonyl emissions from e-cigarette, or vaping, products. *ACS Omega* 7(9):7655-7661. <https://doi.org/10.1021/acsomega.1c06321>.
- Mendy A. 2024. Personal communication: Units of measure and tabulated values in Mendy et al. (2022) to Sam Keith (ATSDR). November 8, 2024.
- Mendy A, Burcham S, Merianos AL, et al. 2022. Urinary volatile organic compound metabolites and reduced lung function in U.S. adults. *Respir Med* 205:107053. <https://doi.org/10.1016/j.rmed.2022.107053>.
- Mendy A, Burcham S, Merianos AL, et al. 2024. Urinary volatile organic compound metabolites are associated with reduced lung function in U.S. Children and adolescents. *Toxics* 12(4):289. <https://doi.org/10.3390/toxics12040289>.

8. REFERENCES

- Moghe A, Ghare S, Lamoreau B, et al. 2015. Molecular mechanisms of acrolein toxicity: relevance to human disease. *Toxicol Sci* 143(2):242-255. <https://doi.org/10.1093/toxsci/kfu233>.
- Mohamed MF, Kang D, Aneja VP. 2002. Volatile organic compounds in some urban locations in United States. *Chemosphere* 47(8):863-882. [https://doi.org/10.1016/S0045-6535\(02\)00107-8](https://doi.org/10.1016/S0045-6535(02)00107-8).
- Morello-Frosch RA, Woodruff TJ, Axelrad DA, et al. 2000. Air toxics and health risks in California: the public health implications of outdoor concentrations. *Risk Anal* 20(2):273-291. <https://doi.org/10.1111/0272-4332.202026>.
- Morris JB. 1996. Uptake of acrolein in the upper respiratory tract of the F344 rat. *Inhal Toxicol* 8(4):387-403. <https://doi.org/10.3109/08958379609052914>.
- Morris JB, Hassett DN, Blanchard KT. 1993. A physiologically based pharmacokinetic model for nasal uptake and metabolism of nonreactive vapors. *Toxicol Appl Pharmacol* 123(1):120-129. <https://doi.org/10.1006/taap.1993.1228>.
- Morris JB, Symanowicz PT, Olsen JE, et al. 2003. Immediate sensory nerve-mediated respiratory responses to irritants in healthy and allergic airway-diseased mice. *J Appl Physiol* 94(4):1563-1571. <https://doi.org/10.1152/jappphysiol.00572.2002>.
- Mumtaz MM, Ray M, Crowell SR, et al. 2012a. Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A* 75(1):6-24. <https://doi.org/10.1080/15287394.2012.625546>.
- Mumtaz M, Fisher J, Blount B, et al. 2012b. Application of physiologically based pharmacokinetic models in chemical risk assessment. *J Toxicol* 2012:904603. <https://doi.org/10.1155/2012/904603>.
- Murphy SD. 1965. Mechanism of the effect of acrolein on rat liver enzymes. *Toxicol Appl Pharmacol* 7:833-843. [https://doi.org/10.1016/0041-008X\(65\)90009-8](https://doi.org/10.1016/0041-008X(65)90009-8).
- Murphy SD, Klingshirn DA, Ulrich CE. 1963. Respiratory response of guinea pigs during acrolein inhalation and its modification by drugs. *J Pharmacol Exp Ther* 141(1):79-83.
- Murphy SD, Davis HV, Zaratzian VL. 1964. Biochemical effects in rats from irritating air contaminants. *Toxicol Appl Pharmacol* 6:520-528. [https://doi.org/10.1016/0041-008x\(64\)90084-5](https://doi.org/10.1016/0041-008x(64)90084-5).
- Nardini M, Finkelstein ET, Reddy S, et al. 2002. Acrolein-induced cytotoxicity in cultured human bronchial epithelial cells. Modulation by alpha-tocopherol and ascorbic acid. *Toxicology* 170(3):173-185. [https://doi.org/10.1016/s0300-483x\(01\)00540-6](https://doi.org/10.1016/s0300-483x(01)00540-6).
- NAS/NRC. 2006. Human biomonitoring for environmental chemicals. Washington, DC: The National Academies Press, National Research Council. <https://doi.org/10.17226/11700>.
- Natusch DF. 1978. Potentially carcinogenic species emitted to the atmosphere by fossil-fueled power plants. *Environ Health Perspect* 22:79-90. <https://doi.org/10.1289/ehp.782279>.
- Navarro KM, West MR, O'Dell K, et al. 2021. Exposure to particulate matter and estimation of volatile organic compounds across wildland firefighter job tasks. *Environ Sci Technol* 55(17):11795-11804. <https://doi.org/10.1021/acs.est.1c00847>.
- Nazaroff WW, Singer BC. 2004. Inhalation of hazardous air pollutants from environmental tobacco smoke in U.S. residences. *J Expo Anal Environ Epidemiol* 14:S71-S77. <https://doi.org/10.1038/sj.jea.7500361>.
- Nielsen GD, Bakbo JC, Holst E. 1984. Sensory irritation and pulmonary irritation by airborne allyl acetate, allyl alcohol and allyl ether compared to acrolein. *Acta Pharmacol Toxicol* 54:292-298. <https://doi.org/10.1111/j.1600-0773.1984.tb01933.x>.
- NIOSH. 1982. Health hazard evaluation: HETA 81-133-1110, Gerlinger Casting Corporation, Salem, Oregon. Cincinnati, OH: National Institute for Occupational Safety and Health. PB84142116. <https://www.cdc.gov/niosh/hhe/reports/pdfs/81-133-1110.pdf>. June 15, 2023.
- NIOSH. 1983. Health hazard evaluation: HETA 82-223-1340, Rubbermaid Incorporated, Wooster, Ohio. Cincinnati, OH: National Institute for Occupational Safety and Health. PB85101053. <https://www.cdc.gov/niosh/hhe/reports/pdfs/82-223-1340.pdf>. June 15, 2023.
- NIOSH. 1986. Health hazard evaluation report: HETA 83-376-1556, Portsmouth Naval Shipyard, Portsmouth, New Hampshire. Cincinnati, OH: National Institute for Occupational Safety and Health. PB86133683. <https://www.cdc.gov/niosh/hhe/reports/pdfs/83-376-1556.pdf>. June 21, 2023.

8. REFERENCES

- NIOSH. 2018. Appendix C. Supplementary exposure limits. Aldehydes. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/nengapdx.html>. April 14, 2023.
- NIOSH. 2019. Acrolein. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0011.html>. April 14, 2023.
- Nishikawa H, Hayakawa T, Sakai T. 1987a. Determination of acrolein and crotonaldehyde in automobile exhaust gas by gas chromatography with electroncapture detection. *Analyst* 112:859-862. <https://doi.org/10.1039/AN9871200859>.
- Nishikawa H, Hayakawa T, Sakai T. 1987b. Gas chromatographic determination of acrolein in rain water using bromination of O-methylxime. *Analyst* 112:45-48. <https://doi.org/10.1039/AN9871200045>.
- NLM. 2024. PubChem compound summary: Acrolein. U.S. National Library of Medicine. <https://pubchem.ncbi.nlm.nih.gov/compound/7847>. October 31, 2024.
- Nordone AJ, Matherly R, Bonnivier B, et al. 1996a. The mobility and degradation of acrolein in agricultural canals treated with magnacide H herbicide. *Chemosphere* 32(5):807-814. [https://doi.org/10.1016/0045-6535\(95\)00371-1](https://doi.org/10.1016/0045-6535(95)00371-1).
- Nordone AJ, Matherly R, Bonnivier B, et al. 1996b. Effect of Magnacide® H herbicide residuals on water quality within wildlife refuges of the Klamath Basin, CA. *Bull Environ Contam Toxicol* 56(6):964-970. <https://doi.org/10.1007/s001289900139>.
- Nordone AJ, Kovacs MF, Doane R. 1997. [14]C Acrolein accumulation and metabolism in leaf lettuce. *Bull Environ Contam Toxicol* 58(5):787-792. <https://doi.org/10.1007/s001289900403>.
- NPIRS. 2023. Acrolein (CAS#: 107-2-8) (PC Code: 701). National Pesticide Information Retrieval System. <https://www.npirs.org/ppis/>. April 11, 2023.
- NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Academy Press. National Research Council. PB93216091. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB93216091.xhtml>. June 15, 2023.
- NTP. 1981. A subchronic inhalation study of Fischer 344 rats exposed to 0, 0.4, 1.4, or 4.0 ppm acrolein. National Toxicology Program. Interagency Agreement No. 221-Y01-ES-9-0043. <https://www.bnl.gov/isd/documents/24033.pdf>. June 21, 2023.
- NTP. 2006a. NTP technical report on the comparative toxicity studies of allyl acetate, allyl alcohol, and acrolein. Research Triangle Park, NC: National Toxicology Program. https://ntp.niehs.nih.gov/sites/default/files/ntp/htdocs/st_rpts/tox048.pdf. June 21, 2023.
- NTP. 2006b. CEBS data TOX-48: Allyl alcohol (107-18-6), allyl acetate (591-87-7), acrolein (107-02-8) tables. Research Triangle Park, NC: National Toxicology Program. NIH Publication No. 06-4413. Toxicity Report Series No. 48. <https://cebs.niehs.nih.gov/cebs/publication/TOX-48>. June 22, 2023.
- NTP. 2013. Draft OHAT approach for systematic review and evidence integration for literature-based health assessments - February 2013. National Toxicology Program. https://ntp.niehs.nih.gov/ntp/ohat/evaluationprocess/draftohatapproach_february2013.pdf. June 15, 2023.
- NTP. 2015. OHAT risk of bias rating tool for human and animal studies. National Toxicology Program. https://ntp.niehs.nih.gov/ntp/ohat/pubs/riskofbiastool_508.pdf. March 19, 2019.
- NTP. 2021. CASRN index. 15th Report on carcinogens. National Toxicology Program. <https://ntp.niehs.nih.gov/pubhealth/roc/index-1.html#P>. January 10, 2022.
- O'Brien E, Spiess PC, Habibovic A, et al. 2016. Inhalation of the reactive aldehyde acrolein promotes antigen sensitization to ovalbumin and enhances neutrophilic inflammation. *J Immunotoxicol* 13(2):191-197. <https://doi.org/10.3109/1547691x.2015.1033571>.
- O'Dell K, Hornbrook RS, Permar W, et al. 2020. Hazardous air pollutants in fresh and aged western US wildfire smoke and implications for long-term exposure. *Environ Sci Technol* 54(19):11838-11847. <https://doi.org/10.1021/acs.est.0c04497>.

8. REFERENCES

- Ohno Y, Ormstad K. 1985. Formation, toxicity and inactivation of acrolein during biotransformation of cyclophosphamide as studies in freshly isolated cells from rat liver and kidney. *Arch Toxicol* 57:99-103. <https://doi.org/10.1007/BF00343118>.
- Oladeji O, Saitas M, Mustapha T, et al. 2023a. Air pollutant patterns and human health risk following the East Palestine, Ohio, train derailment. *Environ Sci Technol Lett* 10(8):680-685. <https://doi.org/10.1021/acs.estlett.3c00324>.
- Oladeji O, Saitas M, Mustapha T, et al. 2023b. Supplemental material: Air pollutant patterns and human health risk following the East Palestine, Ohio, train derailment. *Environ Sci Technol Lett* 10(8) <https://doi.org/10.1021/acs.estlett.3c00324>.
- O'Neil MJ. 2013. Acrolein. In: *The Merck index: An encyclopedia of chemicals, drugs, and biologicals*. 15th ed. Cambridge, UK: Royal Society of Chemistry, online. <https://www.rsc.org/Merck-Index/monograph/m1389/acrolein>. May 25, 2023.
- OSHA. 2023a. Occupational safety and health standards. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z-2. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. <https://www.govinfo.gov/content/pkg/CFR-2023-title29-vol6/pdf/CFR-2023-title29-vol6-sec1910-1000.pdf>. September 13, 2024.
- OSHA. 2023b. Occupational safety and health standards for shipyard employment. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. <https://www.govinfo.gov/content/pkg/CFR-2023-title29-vol7/pdf/CFR-2023-title29-vol7-sec1915-1000.pdf>. September 13, 2024.
- OSHA. 2023c. Safety and health regulations for construction. Subpart D - Occupational health and environment controls. Gases, vapors, fumes, dusts, and mists. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55. <https://www.govinfo.gov/content/pkg/CFR-2023-title29-vol8/pdf/CFR-2023-title29-vol8-sec1926-55.pdf>. September 13, 2024.
- Overton JH, Kimbell JS, Miller FJ. 2001. Dosimetry modeling of inhaled formaldehyde: the human respiratory tract. *Toxicol Sci* 64(1):122-134. <https://doi.org/10.1093/toxsci/64.1.122>.
- Pal VK, Li AJ, Zhu H, et al. 2022. Diurnal variability in urinary volatile organic compound metabolites and its association with oxidative stress biomarkers. *Sci Total Environ* 818:151704. <https://doi.org/10.1016/j.scitotenv.2021.151704>.
- Pan J, Awoyemi B, Xuan Z, et al. 2012. Detection of acrolein-derived cyclic DNA adducts in human cells by monoclonal antibodies. *Chem Res Toxicol* 25(12):2788-2795. <https://doi.org/10.1021/tx3004104>.
- Parent RA, Caravello HE, Long JE. 1991a. Oncogenicity study of acrolein in mice. *J Am Coll Toxicol* 10(6):647-659. <https://doi.org/10.3109/10915819109078657>.
- Parent RA, Paust DE, Schrimpf MK, et al. 1991b. Gene mutation assay of acrolein in the CHO/HGPRT test system. *J Appl Toxicol* 11(2):91-95. <https://doi.org/10.1002/jat.2550110204>.
- Parent RA, Caravello HE, Long JE. 1992a. Two-year toxicity and carcinogenicity study of acrolein in rats. *J Appl Toxicol* 12(2):131-139. <https://doi.org/10.1002/jat.2550120210>.
- Parent RA, Caravello HE, Balmer MF, et al. 1992b. One-year toxicity of orally administered acrolein to the beagle dog. *J Appl Toxicol* 12(5):311-316. <https://doi.org/10.1002/jat.2550120504>.
- Parent RA, Caravello HE, Hoberman AM. 1992c. Reproductive study of two generations of rats. *Fundam Appl Toxicol* 19(2):228-237. [https://doi.org/10.1016/0272-0590\(92\)90156-c](https://doi.org/10.1016/0272-0590(92)90156-c).
- Parent RA, Caravello HE, Christian MS, et al. 1993. Developmental toxicity of acrolein in New Zealand white rabbits. *Fundam Appl Toxicol* 20(2):248-256. <https://doi.org/10.1006/faat.1993.1033>.
- Parent RA, Caravello HE, Sharp DE. 1996a. Metabolism and distribution of [2,3-¹⁴C]acrolein in Sprague-Dawley rats. *J Appl Toxicol* 16(5):449-457. [https://doi.org/10.1002/\(SICI\)1099-1263\(199609\)16:5<449::AID-JAT369>3.0.CO;2-9](https://doi.org/10.1002/(SICI)1099-1263(199609)16:5<449::AID-JAT369>3.0.CO;2-9).
- Parent RA, Caravello HE, San RH. 1996b. Mutagenic activity of acrolein in *S. typhimurium* and *E. coli*. *J Appl Toxicol* 16(2):103-108. [https://doi.org/10.1002/\(SICI\)1099-1263\(199603\)16:2<103::AID-JAT318>3.0.CO;2-Q](https://doi.org/10.1002/(SICI)1099-1263(199603)16:2<103::AID-JAT318>3.0.CO;2-Q).

8. REFERENCES

- Parent RA, Paust DE, Schrimpf MK, et al. 1998. Metabolism and distribution of [2,3-14C]acrolein in Sprague-Dawley rats. II. Identification of urinary and fecal metabolites. *Toxicol Sci* 43(2):110-120. <https://doi.org/10.1006/toxs.1998.2462>.
- Park SL, Le Marchand L, Cheng G, et al. 2022. Quantitation of DNA adducts resulting from acrolein exposure and lipid peroxidation in oral cells of cigarette smokers from three racial/ethnic groups with differing risks for lung cancer. *Chem Res Toxicol* 35(10):1914-1922. <https://doi.org/10.1021/acs.chemrestox.2c00171>.
- Patel JM, Wood JC, Leibman KC. 1980. The biotransformation of allyl alcohol and acrolein in rat liver and lung preparations. *Drug Metab Dispos* 8(5):305-308.
- Pawłowicz AJ, Munter T, Zhao Y, et al. 2006. Formation of acrolein adducts with 2'-deoxyadenosine in calf thymus DNA. *Chem Res Toxicol* 19(4):571-576. <https://doi.org/10.1021/tx0503496>.
- Pawłowicz AJ, Kronberg L. 2008. Characterization of adducts formed in reactions of acrolein with thymidine and calf thymus DNA. *Chem Biodivers* 5(1):177-188. <https://doi.org/10.1002/cbdv.200890009>.
- Perez CM, Ledbetter AD, Hazari MS, et al. 2013. Hypoxia stress test reveals exaggerated cardiovascular effects in hypertensive rats after exposure to the air pollutant acrolein. *Toxicol Sci* 132(2):467-477. <https://doi.org/10.1093/toxsci/kft008>.
- Perez CM, Hazari MS, Ledbetter AD, et al. 2015. Acrolein inhalation alters arterial blood gases and triggers carotid body-mediated cardiovascular responses in hypertensive rats. *Inhal Toxicol* 27(1):54-63. <https://doi.org/10.3109/08958378.2014.984881>.
- Plowchalk DR, Andersen ME, Bogdanffy MS. 1997. Physiologically based modeling of vinyl acetate uptake, metabolism, and intracellular pH changes in the rat nasal cavity. *Toxicol Appl Pharmacol* 142(2):386-400. <https://doi.org/10.1006/taap.1996.8052>.
- Potts WJ, Lederer TS, Quast JF. 1978. A study of the inhalation toxicity of smoke produced upon pyrolysis and combustion of polyethylene foams. Part I. Laboratory studies. *J Combust Toxicol* 5:408-433.
- RAIS. 2023. Acrolein. Risk Assessment Information System. Oak Ridge National Laboratory. https://rais.ornl.gov/cgi-bin/tools/TOX_search. June 22, 2023.
- Ren S, Kalthorn TF, Slattery JT. 1999. Inhibition of human aldehyde dehydrogenase 1 by the 4-hydroxycyclophosphamide degradation product acrolein. *Drug Metab Dispos* 27(1):133-137.
- RePORTER. 2024. Acrolein. Research Portfolio Online Reporting Tools. National Institutes of Health. <https://reporter.nih.gov/>. October 31, 2024.
- Rice RB, Boaggio K, Olson NE, et al. 2023. Wildfires increase concentrations of hazardous air pollutants in downwind communities. *Environ Sci Technol* 57(50):21235-21248. <https://doi.org/10.1021/acs.est.3c04153>.
- Rom O, Korach-Rechtman H, Hayek T, et al. 2017. Acrolein increases macrophage atherogenicity in association with gut microbiota remodeling in atherosclerotic mice: protective role for the polyphenol-rich pomegranate juice. *Arch Toxicol* 91(4):1709-1725. <https://doi.org/10.1007/s00204-016-1859-8>.
- Rooney AA, Boyles AL, Wolfe MS, et al. 2014. Systematic review and evidence integration for literature-based environmental health science assessments. *Environ Health Perspect* 122(7):711-718. <https://doi.org/10.1289/ehp.1307972>.
- RTECS. 2019. Acrolein. Registry of Toxic Effects of Chemical Substances. National Institute of Occupational Safety and Health. <https://www.cdc.gov/niosh/npg/npgd0011.html>. May 22, 2023.
- Ruiz P, Ray M, Fisher J, et al. 2011. Development of a human Physiologically Based Pharmacokinetic (PBPK) Toolkit for environmental pollutants. *Int J Mol Sci* 12(11):7469-7480. <https://doi.org/10.3390/ijms12117469>.
- Rylander R. 1974. Review of studies on environmental tobacco smoke. *Stand J Respir Dis Suppl* 91:10-20.
- Sakata T, Smith RA, Garland EM, et al. 1989. Rat urinary bladder epithelial lesions induced by acrolein. *J Environ Pathol Toxicol Oncol* 9(2):159-169.

8. REFERENCES

- Sakellaris I, Saraga D, Mandin C, et al. 2021. Association of subjective health symptoms with indoor air quality in European office buildings: The OFFICAIR project. *Indoor Air* 31(2):426-439. <https://doi.org/10.1111/ina.12749>.
- Salgado MS, Monedero E, Villanueva F, et al. 2008. Night-time atmospheric fate of acrolein and crotonaldehyde. *Environ Sci Technol* 42(7):2394-2400. <https://doi.org/10.1021/es702533u>.
- Scheepers PTJ, Van Wel L, Beckmann G, et al. 2017. Chemical characterization of the indoor air quality of a university hospital: Penetration of outdoor air pollutants. *Int J Environ Res Public Health* 14(5):497. <https://doi.org/10.3390/ijerph14050497>.
- Schroeter JD, Kimbell JS, Gross EA, et al. 2008. Application of physiological computational fluid dynamics models to predict interspecies nasal dosimetry of inhaled acrolein. *Inhal Toxicol* 20(3):227-243. <https://doi.org/10.1080/08958370701864235>.
- Seaman VY, Bennett DH, Cahill TM. 2007. Origin, occurrence, and source emission rate of acrolein in residential indoor air. *Environ Sci Technol* 41(20):6940-6946. <https://doi.org/10.1021/es0707299>.
- Seidell A. 1941. Acrolein. In: *Solubilities of organic compounds. A compilation of quantitative solubility data from the periodical literature. Vol. 11.* New York, NY: D. Van Nostrand Company, Inc., 241-243.
- Seizinger DE, Dimitriadis B. 1972. Oxygenates in exhaust from simple hydrocarbon fuels. *J Air Pollut Control Assoc* 22(1):47-51. <https://doi.org/10.1080/00022470.1972.10469608>.
- Sherwood RL, Leach CL, Hatoum NS, et al. 1986. Effects of acrolein on macrophage functions in rats. *Toxicol Lett* 32(1-2):41-49. [https://doi.org/10.1016/0378-4274\(86\)90047-0](https://doi.org/10.1016/0378-4274(86)90047-0).
- Sigsby JE, Tejada S, Ray W, et al. 1987. Volatile organic compound emissions from 46 in-use passenger cars. *Environ Sci Technol* 21(5):466-475. <https://doi.org/10.1021/es00159a007>.
- Sim VM, Pattle RE. 1957. Effect of possible smog irritants on human subjects. *J Am Med Assoc* 165(15):1908-1913. <https://doi.org/10.1001/jama.1957.02980330010003>.
- Singh A, Spak SN, Stone EA, et al. 2015. Uncontrolled combustion of shredded tires in a landfill - Part 2: Population exposure, public health response, and an air quality index for urban fires. *Atmos Environ* 104:273-283. <https://doi.org/10.1016/j.atmosenv.2015.01.002>.
- Sithu SD, Srivastava S, Siddiqui MA, et al. 2010. Exposure to acrolein by inhalation causes platelet activation. *Toxicol Appl Pharmacol* 248(2):100-110. <https://doi.org/10.1016/j.taap.2010.07.013>.
- Skog E. 1950. A toxicological investigation of lower aliphatic aldehydes. I. Toxicity of formaldehyde, acetaldehyde; propionaldehyde and butyraldehyde; as well as of acrolein and crotonaldehyde. *Acta Pharmacol Toxicol* 6(4):299-318. <https://doi.org/10.1111/j.1600-0773.1950.tb03477.x>.
- Sleiman M, Logue JM, Luo W, et al. 2014. Inhalable constituents of thirdhand tobacco smoke: chemical characterization and health impact considerations. *Environ Sci Technol* 48(22):13093-13101. <https://doi.org/10.1021/es5036333>.
- Smith RA, Cohen SM, Lawson TA. 1990. Acrolein mutagenicity in the V79 assay. *Carcinogenesis* 11(3):497-498. <https://doi.org/10.1093/carcin/11.3.497>.
- Smith AM, Mao J, Doane RA, et al. 1995. Metabolic fate of [¹⁴C]acrolein under aerobic and anaerobic aquatic conditions. *J Agric Food Chem* 43(9):2497-2503. <https://doi.org/10.1021/jf00057a033>.
- Smith MT, Guyton KZ, Gibbons CF, et al. 2016. Key characteristics of carcinogens as a basis for organizing data on mechanisms of carcinogenesis. *Environ Health Perspect* 124(6):713-721. <https://doi.org/10.1289/ehp.1509912>.
- Smyth HF, Carpenter CP, Weil CS. 1951. Range-finding toxicity data: List IV. *AMA Arch Ind Hyg Occup Med* 4(2):119-122.
- Snow SJ, McGee MA, Henriquez A, et al. 2017. Respiratory effects and systemic stress response following acute acrolein inhalation in rats. *Toxicol Sci* 158(2):454-464. <https://doi.org/10.1093/toxsci/kfx108>.
- Spada N, Fujii E, Cahill TM. 2008. Diurnal cycles of acrolein and other small aldehydes in regions impacted by vehicle emissions. *Environ Sci Technol* 42(19):7084-7090. <https://doi.org/10.1021/es801656e>.

8. REFERENCES

- Spiess PC, Kasahara D, Habibovic A, et al. 2013. Acrolein exposure suppresses antigen-induced pulmonary inflammation. *Respir Res* 14(1):107. <https://doi.org/10.1186/1465-9921-14-107>.
- Sprince H, Parker CM, Smith GG. 1979. Comparison of protection by L-ascorbic acid, L-cysteine, and adrenergic-blocking agents against acetaldehyde, acrolein, and formaldehyde toxicity: Implications in smoking. *Agents Actions* 9(4):407-414. <https://doi.org/10.1007/BF01970669>.
- Srivastava S, Sithu SD, Vladykovskaya E, et al. 2011. Oral exposure to acrolein exacerbates atherosclerosis in apoE-null mice. *Atherosclerosis* 215(2):301-308. <https://doi.org/10.1016/j.atherosclerosis.2011.01.001>.
- Steinhagen WH, Barrow CS. 1984. Sensory irritation structure-activity study of inhaled aldehydes in B6C3F1 and Swiss-Webster mice. *Toxicol Appl Pharmacol* 72(3):495-503. [https://doi.org/10.1016/0041-008x\(84\)90126-1](https://doi.org/10.1016/0041-008x(84)90126-1).
- Stevens JF, Maier CS. 2008. Acrolein: sources, metabolism, and biomolecular interactions relevant to human health and disease. *Mol Nutr Food Res* 52(1):7-25. <https://doi.org/10.1002/mnfr.200700412>.
- Struve MF, Wong VA, Marshall MW, et al. 2008. Nasal uptake of inhaled acrolein in rats. *Inhal Toxicol* 20(3):217-225. <https://doi.org/10.1080/08958370701864219>.
- Subramaniam RP, Richardson RB, Morgan KT, et al. 1998. Computational fluid dynamics simulations of inspiratory airflow in the human nose and nasopharynx. *Inhal Toxicol* 10(2):91-120. <https://doi.org/10.1080/089583798197772>.
- Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio and water solubility. *Res Rev* 85:17-28. https://doi.org/10.1007/978-1-4612-5462-1_3.
- Sweeney LM, Gearhart JM. 2020. Examples of physiologically based pharmacokinetic modeling applied to risk assessment. In: Fisher JW, Gearhart JM, Lin Z, eds. *Physiologically based pharmacokinetic (PBPK) modeling*. Academic Press, 281-299. <https://doi.org/10.1016/B978-0-12-818596-4.00011-4>.
- Szekely AM, Bleichert F, Numann A, et al. 2005. Werner protein protects nonproliferating cells from oxidative DNA damage. *Mol Cell Biol* 25(23):10492-10506. <https://doi.org/10.1128/MCB.25.23.10492-10506.2005>.
- Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Contr Fed* 53:1503-1518.
- Takamoto S, Sakura N, Namera A, et al. 2004. Monitoring of urinary acrolein concentration in patients receiving cyclophosphamide and isophamide. *J Chromatogr B Anal Technol Biomed Life Sci* 806(1):59-63. <https://doi.org/10.1016/j.jchromb.2004.02.008>.
- Tan YM, Chan M, Chukwudebe A, et al. 2020. PBPK model reporting template for chemical risk assessment applications. *Regul Toxicol Pharmacol* 115:104691. <https://doi.org/10.1016/j.yrtph.2020.104691>.
- Tan L, Liu Y, Liu J, et al. 2024. Associations of individual and mixture exposure to volatile organic compounds with metabolic syndrome and its components among US adults. *Chemosphere* 347:140683. <https://doi.org/10.1016/j.chemosphere.2023.140683>.
- Tang MS, Wang HT, Hu Y, et al. 2011. Acrolein induced DNA damage, mutagenicity and effect on DNA repair. *Mol Nutr Food Res* 55(9):1291-1300. <https://doi.org/10.1002/mnfr.201100148>.
- Tanne C. 1983. Candle manufacture. In: Parmeggiani L, ed. *Encyclopedia of occupational health and safety*. 3rd (revised) ed. Geneva: International Labour Office, 383-384.
- Thomas RG. 1982. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw Hill Book Co., 15-11 to 15-34.
- Thredgold L, Gaskin S, Heath L, et al. 2020. Understanding skin absorption of common aldehyde vapours from exposure during hazardous material incidents. *J Expo Sci Environ Epidemiol* 30(3):537-546. <https://doi.org/10.1038/s41370-019-0127-4>.

8. REFERENCES

- Thweatt WD, Harward CN, Parrish ME. 2007. Measurement of acrolein and 1,3-butadiene in a single puff of cigarette smoke using lead-salt tunable diode laser infrared spectroscopy. *Spectrochim Acta A Mol Biomol Spectrosc* 67(1):16-24. <https://doi.org/10.1016/j.saa.2006.10.034>.
- Tian G, Longest PW. 2010a. Application of a new dosimetry program TAOCS to assess transient vapour absorption in the upper airways. *Inhal Toxicol* 22(13):1047-1063. <https://doi.org/10.3109/08958378.2010.521783>.
- Tian G, Longest PW. 2010b. Development of a CFD boundary condition to model transient vapor absorption in the respiratory airways. *J Biomech Eng* 132(5):051003. <https://doi.org/10.1115/1.4001045>.
- Tomlin CD. 2003. Acrolein. In: *The pesticide manual: a world compendium*. 13th ed. British Crop Protection Council, 15-16.
- Tran LN, Chiu EY, Hunsaker HC, et al. 2023. Carbonyls and aerosol mass generation from vaping nicotine salt solutions using fourth- and third-generation e-cigarette devices: Effects of coil resistance, coil age, and coil metal material. *Chem Res Toxicol* 36(10):1599-1610. <https://doi.org/10.1021/acs.chemrestox.3c00172>.
- TRI23. 2024. Acrolein. TRI search. Washington, DC: U.S. Environmental Protection Agency. <https://www.epa.gov/enviro/tri-search>. October 31, 2024.
- Triebig G, Zober MA. 1984. Indoor air pollution by smoke constituents-a survey. *Prev Med* 13(6):570-581. [https://doi.org/10.1016/s0091-7435\(84\)80007-9](https://doi.org/10.1016/s0091-7435(84)80007-9).
- Uchida K, Kanematsu M, Morimitsu Y, et al. 1998a. Acrolein is a product of lipid peroxidation reaction. Formation of free acrolein and its conjugate with lysine residues in oxidized low density lipoproteins. *J Biol Chem* 273(26):16058-16066. <https://doi.org/10.1074/jbc.273.26.16058>.
- Uchida K, Kanematsu M, Sakai K, et al. 1998b. Protein-bound acrolein: potential markers for oxidative stress. *Proc Natl Acad Sci U S A* 95(9):4882-4887. <https://doi.org/10.1073/pnas.95.9.4882>.
- USGS. 1998a. Transport, behavior, and fate of volatile organic compounds in streams. Washington, DC: U.S. Geological Survey. U.S. Geological Survey Professional Paper 1589. <https://pubs.usgs.gov/pp/1589/report.pdf>. June 21, 2023.
- USGS. 1998b. Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory - Determination of 86 volatile organic compounds in water by gas chromatography/mass spectrometry, including detections less than reporting limits. Denver, CO: U.S. Geological Survey. Open-File Report 97-829. <https://doi.org/10.3133/ofr97829>.
- Vainiotalo S, Matveinen K. 1993. Cooking fumes as a hygienic problem in the food and catering industries. *Am Ind Hyg Assoc J* 54(7):376-382. <https://doi.org/10.1080/15298669391354838>.
- VanderVeen LA, Hashim MF, Nechev LV, et al. 2001. Evaluation of the mutagenic potential of the principal DNA adduct of acrolein. *Proc Am Assoc Cancer Res* 276(12):9066-9070. <https://doi.org/10.1074/jbc.M008900200>.
- Veith GD, Macek KJ, Petrocelli SR, et al. 1980. An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. In: Easton JG, Parrish PR, Hendricks AC, eds. *Aquatic toxicology: ASTM STP 707*. American Society of Testing Materials, 116-129.
- Verschueren K. 2001. Acrolein. In: *Handbook of environmental data on organic chemicals*. Vol. 1. New York, NY: John Wiley & Sons, Inc., 122-124.
- von der Hude W, Behm C, Guertler R, et al. 1988. Evaluation of the SOS chromotest. *Mutat Res* 203(2):81-94. [https://doi.org/10.1016/0165-1161\(88\)90023-4](https://doi.org/10.1016/0165-1161(88)90023-4).
- Vreeke S, Peyton DH, Strongin RM. 2018. Triacetin enhances levels of acrolein, formaldehyde hemiacetals, and acetaldehyde in electronic cigarette aerosols. *ACS Omega* 3(7):7165-7170. <https://doi.org/10.1021/acsomega.8b00842>.
- Waegemaekers TH, Bensink MP. 1984. Non-mutagenicity of 27 aliphatic acrylate esters in the Salmonella-microsome test. *Mutat Res* 137(2-3):95-102. [https://doi.org/10.1016/0165-1218\(84\)90097-1](https://doi.org/10.1016/0165-1218(84)90097-1).

8. REFERENCES

- Wahlang B, Gripshover TC, Gao H, et al. 2022. Associations between residential exposure to volatile organic compounds and liver injury markers. *Toxicol Sci* 185(1):50-63. <https://doi.org/10.1093/toxsci/kfab119>.
- Wahlang B, Gao H, Rai SN, et al. 2023. Associations between residential volatile organic compound exposures and liver injury markers: The role of biological sex and race. *Environ Res* 221:115228. <https://doi.org/10.1016/j.envres.2023.115228>.
- Waits A, Chang CH, Yu CJ, et al. 2022. Exposome of attention deficit hyperactivity disorder in Taiwanese children: exploring risks of endocrine-disrupting chemicals. *J Expo Sci Environ Epidemiol* 32(1):169-176. <https://doi.org/10.1038/s41370-021-00370-0>.
- Wang HT, Zhang S, Hu Y, et al. 2009. Mutagenicity and sequence specificity of acrolein-DNA adducts. *Chem Res Toxicol* 22(3):511-517. <https://doi.org/10.1021/tx800369y>.
- Wang HT, Hu Y, Tong D, et al. 2012. Effect of carcinogenic acrolein on DNA repair and mutagenic susceptibility. *J Biol Chem* 287(15):12379-12386. <https://doi.org/10.1074/jbc.M111.329623>.
- Wang HT, Lin JH, Yang CH, et al. 2017. Acrolein induces mtDNA damages, mitochondrial fission and mitophagy in human lung cells. *Oncotarget* 8(41):70406-70421. <https://doi.org/10.18632/oncotarget.19710>.
- Wang TW, Liu JH, Tsou HH, et al. 2019. Identification of acrolein metabolites in human buccal cells, blood, and urine after consumption of commercial fried food. *Food Sci Nutr* 7(5):1668-1676. <https://doi.org/10.1002/fsn3.1001>.
- Wang CC, Chen HJ, Chan DC, et al. 2021. Low-dose acrolein, an endogenous and exogenous toxic molecule, inhibits glucose transport via an inhibition of Akt-regulated GLUT4 signaling in skeletal muscle cells. *Int J Mol Sci* 22(13):7228. <https://doi.org/10.3390/ijms22137228>.
- Wang B, Yu L, Liu W, et al. 2022. Cross-sectional and longitudinal associations of acrolein exposure with pulmonary function alteration: Assessing the potential roles of oxidative DNA damage, inflammation, and pulmonary epithelium injury in a general adult population. *Environ Int* 167:107401. <https://doi.org/10.1016/j.envint.2022.107401>.
- Wang B, Liu W, Yu L, et al. 2023. Acrolein exposure impaired glucose homeostasis and increased risk of Type 2 diabetes: An urban adult population-based cohort study with repeated measures. *Environ Sci Technol* 57(18):7162-7173. <https://doi.org/10.1021/acs.est.2c09299>.
- Watzek N, Scherbl D, Feld J, et al. 2012. Profiling of mercapturic acids of acrolein and acrylamide in human urine after consumption of potato crisps. *Mol Nutr Food Res* 56(12):1825-1837. <https://doi.org/10.1002/mnfr.201200323>.
- Weber A, Fischer T, Grandjean E. 1979. Passive smoking in experimental and field conditions. *Environ Res* 20(1):205-216. [https://doi.org/10.1016/0013-9351\(79\)90099-9](https://doi.org/10.1016/0013-9351(79)90099-9).
- Weber-Tschopp A, Fischer T, Gierer R, et al. 1977. [Experimental irritating effects of acrolein on man]. *Int Arch Occup Environ Health* 40:117-130. (German)
- Wendt CH, Bowler RP, Demorest C, et al. 2023. Levels of urinary mercapturic acids of acrolein, methacrolein, crotonaldehyde, and methyl vinyl ketone in relationship to chronic obstructive pulmonary disease in cigarette smokers of the subpopulations and intermediate outcome measures in COPD study (SPIROMICS). *Chem Res Toxicol* 36:1643-1650. <https://doi.org/10.1021/acs.chemrestox.3c00197>.
- Wharton FD. 1978. Environmental aspects of nitrile barrier polymers. *Polym Plast Technol Eng* 10(1):1-2. <https://doi.org/10.1080/03602557808055842>.
- Whitehouse MW, Beck FWJ. 1975. Irritancy of cyclophosphamide-derived aldehydes (acrolein, chloroacetaldehyde) and their effect on lymphocyte distribution in vivo: Protective effect of thiols and bisulphite ions. *Agents Actions* 5(5):541-548. <https://doi.org/10.1007/bf01972692>.
- WHO. 1991. Acrolein. *Environmental Health Criteria* 127. Geneva, Switzerland: World Health Organization. <https://apps.who.int/iris/bitstream/handle/10665/37496/9241571276-eng.pdf?sequence=1>. June 20, 2023.

8. REFERENCES

- WHO. 1999. International consultation on environmental tobacco smoke (ETS) and child health. Geneva, Switzerland: World Health Organization. WHO/NCD/TFI/99.10. https://www.smoke-free.ca/pdf_1/whoetsreport.PDF. June 21, 2023.
- WHO. 2002. Acrolein. Concise International Chemical Assessment Document 43. Geneva, Switzerland: World Health Organization. <https://apps.who.int/iris/bitstream/handle/10665/42490/a75363.pdf?sequence=1&isAllowed=y>. January 02, 2002.
- WHO. 2010. Guidelines for indoor air quality: Selected pollutants. World Health Organization. <https://www.who.int/publications/i/item/9789289002134>. September 13, 2024.
- WHO. 2022. Guidelines for drinking-water quality. Fourth edition incorporating the first and second addenda. World Health Organization. <https://www.who.int/publications/i/item/9789240045064>. June 22, 2022.
- Williams ID, Revitt DM, Hamilton RS. 1996. A comparison on carbonyl compound concentrations at urban roadside and indoor sites. *Sci Total Environ* 189/190:475-483. [https://doi.org/10.1016/0048-9697\(96\)05248-5](https://doi.org/10.1016/0048-9697(96)05248-5).
- Windholz M, Budavari S, Blumetti RF, et al. 1983. Acrolein. In: *The Merck index*. 10th ed. Rahway, NJ: Merck and Co., Inc, 126.
- WQP. 2023. Acrolein. Water quality portal Environmental Protection Agency (EPA); National Water Quality Monitoring Council (NWQMC); United States Geological Survey (USGS). <https://www.waterqualitydata.us/portal/>. February 21, 2023.
- WQP. 2024. Acrolein. Water quality portal Environmental Protection Agency (EPA); National Water Quality Monitoring Council (NWQMC); United States Geological Survey (USGS). <https://www.waterqualitydata.us/portal/>. October 31, 2024.
- WSSA. 1983. Acrolein. In: *Herbicide handbook of the Weed Science Society of America*. 5th ed. Champaign, IL: Weed Science Society of America, 8-12.
- Wu KY, Wu CF, Luo YS, et al. 2023. Study of urinary mercapturic acids as biomarkers of human acrylonitrile exposure. *Toxicol Lett* 373:141-147. <https://doi.org/10.1016/j.toxlet.2022.11.006>.
- Xi J, Hu Q, Zhao L, et al. 2018. Molecular binding contributes to concentration dependent acrolein deposition in rat upper airways: CFD and molecular dynamics analyses. *Int J Mol Sci* 19(4):997. <https://doi.org/10.3390/ijms19040997>.
- Xiong R, Wu Q, Bryant M, et al. 2021. In vitro dosimetry analyses for acrolein exposure in normal human lung epithelial cells and human lung cancer cells. *Environ Toxicol Pharmacol* 83:103576. <https://doi.org/10.1016/j.etap.2020.103576>.
- Xiong Y, Liu X, Li T. 2024. The urinary metabolites of volatile organic compounds and asthma in young children: NHANES 2011-2018. *Heliyon* 10(3):e24199. <https://doi.org/10.1016/j.heliyon.2024.e24199>.
- Xu J, Niehoff NM, White AJ, et al. 2022a. Fossil-fuel and combustion-related air pollution and hypertension in the Sister Study. *Environ Pollut* 315:120401. <https://doi.org/10.1016/j.envpol.2022.120401>.
- Xu J, Niehoff NM, White AJ, et al. 2022b. Supplemental material: Fossil-fuel and combustion-related air pollution and hypertension in the Sister Study. *Environ Pollut* 315 <https://doi.org/10.1016/j.envpol.2022.120401>.
- Yan M, Zhu H, Luo H, et al. 2023. Daily exposure to environmental volatile organic compounds triggers oxidative damage: Evidence from a large-scale survey in China. *Environ Sci Technol* 57(49):20501-20509. <https://doi.org/10.1021/acs.est.3c06055>.
- Yang IY, Johnson F, Grollman AP, et al. 2002. Genotoxic mechanism for the major acrolein-derived deoxyguanosine adduct in human cells. *Chem Res Toxicol* 15(2):160-164. <https://doi.org/10.1021/tx010123c>.
- Yang X, Wu X, Choi YE, et al. 2004. Effect of acrolein and glutathione depleting agents on thioredoxin. *Toxicology* 204(2-3):209-218. <https://doi.org/10.1016/j.tox.2004.06.056>.

8. REFERENCES

- Yang J, Hashemi S, Han W, et al. 2022. Exposure and risk assessment of second- and third-hand tobacco smoke using urinary cotinine levels in South Korea. *Int J Environ Res Public Health* 19(6):3746. <https://doi.org/10.3390/ijerph19063746>.
- Yeager RP, Kushman M, Chemerynski S, et al. 2016. Proposed mode of action for acrolein respiratory toxicity associated with inhaled tobacco smoke. *Toxicol Sci* 151(2):347-364. <https://doi.org/10.1093/toxsci/kfw051>.
- Yildizbayrak N, Orta-Yilmaz B, Aydin Y, et al. 2020. Acrolein exerts a genotoxic effect in the Leydig cells by stimulating DNA damage-induced apoptosis. *Environ Sci Pollut Res Int* 27(13):15869-15877. <https://doi.org/10.1007/s11356-020-08124-5>.
- Yin R, Liu S, Zhao C, et al. 2013. An ammonium bicarbonate-enhanced stable isotope dilution UHPLC-MS/MS method for sensitive and accurate quantification of acrolein-DNA adducts in human leukocytes. *Anal Chem* 85(6):3190-3197. <https://doi.org/10.1021/ac3034695>.
- Yin Y, He J, Pei J, et al. 2021. Influencing factors of carbonyl compounds and other VOCs in commercial airliner cabins: On-board investigation of 56 flights. *Indoor Air* 31(6):2084-2098. <https://doi.org/10.1111/ina.12903>.
- Yoshida M, Uemura T, Mizoi M, et al. 2023. Urinary amino acid-conjugated acrolein and taurine as new biomarkers for detection of dementia. *J Alzheimers Dis* 92(1):361-369. <https://doi.org/10.3233/JAD-220912>.
- Young M, Feng C, Cecil T, et al. 2023. Carbonyl yields in cigars under three smoking regimens using a linear smoking machine. *Chem Res Toxicol* 36(1):94-103. <https://doi.org/10.1021/acs.chemrestox.2c00322>.
- Zhang S, Chen H, Wang A, et al. 2018. Combined effects of co-exposure to formaldehyde and acrolein mixtures on cytotoxicity and genotoxicity in vitro. *Environ Sci Pollut Res Int* 25(25):25306-25314. <https://doi.org/10.1007/s11356-018-2584-z>.
- Zhang S, Zhang J, Chen H, et al. 2019. Combined cytotoxicity of co-exposure to aldehyde mixtures on human bronchial epithelial BEAS-2B cells. *Environ Pollut* 250:650-661. <https://doi.org/10.1016/j.envpol.2019.03.118>.
- Zhang S, Chen H, Zhang J, et al. 2020a. The multiplex interactions and molecular mechanism on genotoxicity induced by formaldehyde and acrolein mixtures on human bronchial epithelial BEAS-2B cells. *Environ Int* 143:105943. <https://doi.org/10.1016/j.envint.2020.105943>.
- Zhang S, Zhang J, Cheng W, et al. 2020b. Combined cell death of co-exposure to aldehyde mixtures on human bronchial epithelial BEAS-2B cells: Molecular insights into the joint action. *Chemosphere* 244:125482. <https://doi.org/10.1016/j.chemosphere.2019.125482>.
- Zhang Y, Liang Z, Tang C, et al. 2020c. Malodorous gases production from food wastes decomposition by indigenous microorganisms. *Sci Total Environ* 717:137175. <https://doi.org/10.1016/j.scitotenv.2020.137175>.
- Zhang S, Tang H, Zhou M, et al. 2024. Sexual dimorphism association of combined exposure to volatile organic compounds (VOC) with kidney damage. *Environ Res* 258:119426. <https://doi.org/10.1016/j.envres.2024.119426>.
- Zheng L, Park J, Walls M, et al. 2013. Determination of urine 3-HPMA, a stable acrolein metabolite in a rat model of spinal cord injury. *J Neurotrauma* 30(15):1334-1341. <https://doi.org/10.1089/neu.2013.2888>.
- Zimmering S, Mason JM, Valencia R, et al. 1985. Chemical mutagenesis testing in *Drosophila*. II. Results of 20 coded compounds tested for the National Toxicology Program. *Environ Mutagen* 7(1):87-100. <https://doi.org/10.1002/em.2860070105>.
- Zitting A, Heinonen T. 1980. Decrease of reduced glutathione in isolated rat hepatocytes caused by acrolein, acrylonitrile and the thermal degradation products of styrene copolymers. *Toxicology* 17(3):333-341. [https://doi.org/10.1016/0300-483x\(80\)90014-1](https://doi.org/10.1016/0300-483x(80)90014-1).
- Zweidinger RB, Sigsby JE, Tejada SB, et al. 1988. Detailed hydrocarbon and aldehyde mobile source emissions from roadway studies. *Environ Sci Technol* 22(8):956-962. <https://doi.org/10.1021/es00173a015>.