


Toxicological Profile for Ethylene Oxide

August 2022



U.S. Department of Health and Human Services
Agency for Toxic Substances and Disease Registry

DISCLAIMER

Use of trade names is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry, the Public Health Service, or the U.S. Department of Health and Human Services.

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for these toxic substances described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a relevance to public health discussion which would allow a public health professional to make a real-time determination of whether the presence of a particular substance in the environment poses a potential threat to human health. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to the protection of public health are identified by ATSDR.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a toxic substance to ascertain the levels of significant human exposure for the substance due to associated acute, intermediate, and chronic exposures;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, intermediate, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staffs of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.



Patrick N. Breyse, Ph.D., CIH
Director, National Center for Environmental Health and
Agency for Toxic Substances and Disease Registry
Centers for Disease Control and Prevention



Christopher M. Reh, Ph.D.
Associate Director
Agency for Toxic Substances and Disease Registry
Centers for Disease Control and Prevention

*Legislative Background

The toxicological profiles are developed under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended (CERCLA or Superfund). CERCLA section 104(i)(1) directs the Administrator of ATSDR to "...effectuate and implement the health related authorities" of the statute. This includes the preparation of toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List (NPL) and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list. In addition, ATSDR has the authority to prepare toxicological profiles for substances not found at sites on the NPL, in an effort to "...establish and maintain inventory of literature, research, and studies on the health effects of toxic substances" under CERCLA Section 104(i)(1)(B), to respond to requests for consultation under section 104(i)(4), and as otherwise necessary to support the site-specific response actions conducted by ATSDR.

VERSION HISTORY

Date	Description
August 2022	Final toxicological profile released
September 2020	Draft for public comment toxicological profile released
December 1990	Final toxicological profile released

CONTRIBUTORS & REVIEWERS

CHEMICAL MANAGER TEAM

Jennifer Przybyla, Ph.D. (Lead)
 Nickolette Roney, M.P.H.
 Henry Abadin, M.S.P.H.
 Breanna Alman, M.P.H.
 Brittany Szafran, D.V.M., Ph.D.

David W. Wohlers, Ph.D.
 Lynn Barber, M.S.
 Mario Citra, Ph.D.
 Gary L. Diamond, Ph.D.
 Lisa Ingerman, Ph.D., D.A.B.T.
 Julie M. Klotzbach, Ph.D.
 Kim Zaccaria, Ph.D., D.A.B.T.
 SRC, Inc., North Syracuse, NY

ATSDR, Office of Innovation and Analytics, Toxicology
 Section, Atlanta, GA

REVIEWERS

Interagency Minimal Risk Level Workgroup:

Includes ATSDR; National Center for Environmental Health (NCEH); National Institute for Occupational Safety and Health (NIOSH); U.S. Environmental Protection Agency (EPA); National Toxicology Program (NTP).

Additional reviews for science and/or policy:

ATSDR, Office of Community Health and Hazard Assessment; ATSDR, Office of Capacity Development and Applied Prevention Science; ATSDR, Office of Science; NCEH, Division of Laboratory Science; NCEH, Division of Environmental Health Science and Practice; EPA.

PEER REVIEWERS

Peer Reviewers for the full profile:

1. Thomas E. McKone, Ph.D.; Professor Emeritus; School of Public Health; University of California; Berkeley, California
2. Kyle Steenland, Ph.D.; Professor, Department of Environmental Health; Professor, Department of Epidemiology; Rollins School of Public Health; Emory University; Atlanta, Georgia
3. Lewis Weinstock, Project Manager; Office of Air and Radiation; Office of Air Quality Planning & Standards; U.S. Environmental Protection Agency; Research Triangle Park, North Carolina
4. Timothy R. Fennell, Ph.D.; Senior Director, Analytical Chemistry and Pharmaceuticals; RTI International; Durham, North Carolina
5. Ivan Rusyn, M.D., Ph.D.; Professor, Department of Veterinary Integrative Biosciences; College of Veterinary Medicine & Biomedical Sciences; Texas A&M University; College Station, Texas
6. James Wagner, Ph.D.; Associate Professor, Pathobiology and Diagnostic Investigation; College of Veterinary Medicine; Michigan State University; East Lansing, Michigan

Peer Reviewers for the intermediate-duration inhalation MRL:

1. Mary Beth Genter, Ph.D., DABT; Professor, Department of Environmental Health, University of Cincinnati; Cincinnati, Ohio
2. Thomas E. McKone, Ph.D.; Energy Analysis and Environmental Impacts Division, Lawrence Berkeley National Laboratory; Berkeley California
3. Ivan Rusyn, M.D., Ph.D.; Professor; Department of Veterinary Integrative Biosciences, College of Vet Medicine & Biomedical Sciences, Texas A&M University; College Station, Texas

These experts collectively have knowledge of toxicology, chemistry, and/or health effects. All reviewers were selected in conformity with Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

ATSDR scientists review peer reviewers' comments and determine whether changes will be made to the profile based on comments. The peer reviewers' comments and responses to these comments are part of the administrative record for this compound.

The listing of peer reviewers should not be understood to imply their approval of the profile's final content. The responsibility for the content of this profile lies with ATSDR.

CONTENTS

DISCLAIMER	ii
FOREWORD	iii
VERSION HISTORY	v
CONTRIBUTORS & REVIEWERS	vi
CONTENTS	viii
LIST OF FIGURES	x
LIST OF TABLES	xi
CHAPTER 1. RELEVANCE TO PUBLIC HEALTH	1
1.1 OVERVIEW AND U.S. EXPOSURES	1
1.2 SUMMARY OF HEALTH EFFECTS	2
1.3 MINIMAL RISK LEVELS (MRLs)	7
CHAPTER 2. HEALTH EFFECTS	10
2.1 INTRODUCTION	10
2.2 DEATH	38
2.3 BODY WEIGHT	38
2.4 RESPIRATORY	39
2.5 CARDIOVASCULAR	40
2.6 GASTROINTESTINAL	41
2.7 HEMATOLOGICAL	41
2.8 MUSCULOSKELETAL	42
2.9 HEPATIC	42
2.10 RENAL	43
2.11 DERMAL	43
2.12 OCULAR	44
2.13 ENDOCRINE	45
2.14 IMMUNOLOGICAL	45
2.15 NEUROLOGICAL	46
2.16 REPRODUCTIVE	48
2.17 DEVELOPMENTAL	50
2.18 OTHER NONCANCER	51
2.19 CANCER	51
2.20 GENOTOXICITY	72
CHAPTER 3. TOXICOKINETICS, SUSCEPTIBLE POPULATIONS, BIOMARKERS, CHEMICAL INTERACTIONS	79
3.1 TOXICOKINETICS	79
3.1.1 Absorption	80
3.1.2 Distribution	80
3.1.3 Metabolism	81
3.1.4 Excretion	82
3.1.5 Physiologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	83
3.1.6 Animal-to-Human Extrapolations	92
3.2 CHILDREN AND OTHER POPULATIONS THAT ARE UNUSUALLY SUSCEPTIBLE	92
3.3 BIOMARKERS OF EXPOSURE AND EFFECT	93
3.3.1 Biomarkers of Exposure	94

3.3.2	Biomarkers of Effect	95
3.4	INTERACTIONS WITH OTHER CHEMICALS	95
CHAPTER 4. CHEMICAL AND PHYSICAL INFORMATION		96
4.1	CHEMICAL IDENTITY	96
4.2	PHYSICAL AND CHEMICAL PROPERTIES	96
CHAPTER 5. POTENTIAL FOR HUMAN EXPOSURE		98
5.1	OVERVIEW	98
5.2	PRODUCTION, IMPORT/EXPORT, USE, AND DISPOSAL	100
5.2.1	Production	100
5.2.2	Import/Export.....	102
5.2.3	Use	102
5.2.4	Disposal.....	103
5.3	RELEASES TO THE ENVIRONMENT.....	103
5.3.1	Air	104
5.3.2	Water.....	107
5.3.3	Soil	108
5.3.4	Other Sources	108
5.4	ENVIRONMENTAL FATE	108
5.4.1	Transport and Partitioning.....	108
5.4.2	Transformation and Degradation	109
5.5	LEVELS IN THE ENVIRONMENT.....	111
5.5.1	Air	113
5.5.2	Water.....	116
5.5.3	Sediment and Soil	117
5.5.4	Other Media	117
5.6	GENERAL POPULATION EXPOSURE.....	118
5.7	POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	122
CHAPTER 6. ADEQUACY OF THE DATABASE.....		125
6.1	INFORMATION ON HEALTH EFFECTS.....	125
6.2	IDENTIFICATION OF DATA NEEDS	127
6.3	ONGOING STUDIES.....	132
CHAPTER 7. REGULATIONS AND GUIDELINES		133
CHAPTER 8. REFERENCES		136
APPENDICES		
APPENDIX A.	ATSDR MINIMAL RISK LEVEL WORKSHEETS	A-1
APPENDIX B.	LITERATURE SEARCH FRAMEWORK FOR ETHYLENE OXIDE	B-1
APPENDIX C.	FRAMEWORK FOR ATSDR'S SYSTEMATIC REVIEW OF HEALTH EFFECTS DATA FOR ETHYLENE OXIDE	C-1
APPENDIX D.	USER'S GUIDE.....	D-1
APPENDIX E.	QUICK REFERENCE FOR HEALTH CARE PROVIDERS	E-1
APPENDIX F.	GLOSSARY	F-1
APPENDIX G.	ACRONYMS, ABBREVIATIONS, AND SYMBOLS.....	G-1

LIST OF FIGURES

1-1. Health Effects Found in Animals Following Inhalation Exposure to Ethylene Oxide.....	3
1-2. Health Effects Found in Animals Following Oral Exposure to Ethylene Oxide.....	4
1-3. Summary of Sensitive Targets of Ethylene Oxide – Inhalation	8
2-1. Overview of the Number of Studies Examining Ethylene Oxide Health Effects.....	13
2-2. Levels of Significant Exposure to Ethylene Oxide – Inhalation.....	27
2-3. Levels of Significant Exposure to Ethylene Oxide – Oral.....	35
2-4. Summary of Studies Evaluating Leukemia in Workers Exposed to Inhaled Ethylene Oxide.....	63
2-5. Summary of Epidemiological Studies Evaluating Non-Hodgkin's Lymphoma in Workers Exposed to Inhaled Ethylene Oxide	65
2-6. Summary of Epidemiological Studies Evaluating Breast Cancer in Workers Exposed to Ethylene Oxide	66
2-7. Summary of Epidemiological Studies Evaluating Lympho-Hematopoietic Cancer in Workers Exposed to Inhaled Ethylene Oxide	67
2-8. Summary of Epidemiological Studies Evaluating Myeloma-Multiple Myeloma in Workers Exposed to Inhaled Ethylene Oxide	69
2-9. Summary of Epidemiological Studies Evaluating Lymphosarcoma/Reticulosarcoma in Workers Exposed to Inhaled Ethylene Oxide.....	70
3-1. Metabolism of Ethylene Oxide.....	82
3-2. Physiologically Based Toxicokinetic Model for Inhaled Ethylene and Inhaled or Metabolically Formed Ethylene Oxide.....	84
5-1. Number of NPL Sites with Ethylene Oxide Contamination.....	98
6-1. Summary of Existing Health Effects Studies on Ethylene Oxide By Route and Endpoint	126

LIST OF TABLES

1-1. Minimal Risk Levels (MRLs) for Ethylene Oxide	9
2-1. Levels of Significant Exposure to Ethylene Oxide – Inhalation.....	14
2-2. Levels of Significant Exposure to Ethylene Oxide – Oral.....	34
2-3. Study Design Details for Selected Cohorts of Workers Exposed to Ethylene Oxide.....	56
2-4. Genotoxicity of Ethylene Oxide in Humans.....	73
2-5. Genotoxicity of Ethylene Oxide in Experimental Test Species <i>In Vivo</i>	75
2-6. Genotoxicity of Ethylene Oxide <i>In Vitro</i>	77
3-1. Physiological and Physicochemical Parameters Used in the Physiologically Based Toxicokinetic Model.....	85
3-2. Biochemical Parameters Used in the Physiologically Based Toxicokinetic Model	86
4-1. Chemical Identity of Ethylene Oxide	96
4-2. Physical and Chemical Properties of Ethylene Oxide	97
5-1. Facilities that Produce, Process, or Use Ethylene Oxide.....	101
5-2. Releases to the Environment from Facilities that Produce, Process, or Use Chemical Ethylene Oxide	104
5-3. Ethylene Oxide Emissions from the National Emissions Inventory.....	106
5-4. Lowest Limit of Detection Based on Standards	112
5-5. Summary of Environmental Levels of Ethylene Oxide.....	112
5-6. Historical Ambient Air Monitoring Data from Selected States.....	112
5-7. Ethylene Oxide Ambient Air Levels from NATA.....	114
5-8. Ethylene Oxide Ambient Air Concentrations at National Air Toxics Trends Stations and Urban Air Toxics Monitoring Program Stations October 2018 to March 2019.....	116
5-9. Geometric Mean and Selected Percentiles of Blood Ethylene Oxide Hemoglobin Adduct Levels (pmol/g hemoglobin) Among Nonsmokers in the U.S. Population from the National Health and Nutrition Examination Survey (NHANES) 2013–2016.....	120
5-10. Geometric Mean and Selected Percentiles of Blood Ethylene Oxide Hemoglobin Adduct Levels (pmol/g hemoglobin) Among Cigarette Smokers in the U.S. Population from the National Health and Nutrition Examination Survey (NHANES) 2013–2016.....	121
7-1. Regulations and Guidelines Applicable to Ethylene Oxide.....	133