

8. REFERENCES

- *Abanobi SE, Farber E, Sarma DSR. 1979. Persistence of DNA damage during development of liver angiosarcoma in rats fed dimethylnitrosamine. *Cancer Res* 39:1592-1596.
- *Abe S, Sasaki M. 1982. Induction of sister-chromatid exchanges by indirect mutagens/carcinogens in cultured rat hepatoma and esophageal tumor cells and in Chinese hamster Don cells co-cultivated with rat cells. *Mutat Res* 93:409-418.
- *ACGIH (American Conference of Governmental Industrial Hygienists). 1989. Threshold limit values and biological exposure indices for 1989-1990. Cincinnati, OH: ACGIH, 32, 46-47.
- *Adair GM, Carver JH. 1983. Induction and expression of mutations at multiple drug-resistance marker loci in Chinese hamster ovary cells. *Environ Mutagen* 5:161-175.
- *Aleksandrov VA. 1974. [Embryotoxic and transplacental oncogenic action of symmetrical dialkynitrosamines on the progeny of rats.] *Bull Exp Biol Med* 78:1308-1310. (Russian)
- *Althoff J, Pour P, Grandjean C, et al. 1977. Transplacental effects of nitrosamines in Syrian hamsters. 3. Dimethyl- and dipropylnitrosamine. *Z Krebsforsch Klin Onkol* 90:79-86.
- *Amacher DE, Paillet SC. 1982. Hamster hepatocyte-mediated activation of procarcinogens to mutagens in the L5178Y/TK mutation assay. *Mutat Res* 106(2):305-316.
- *Amacher DE, Paillet SC. 1983. The activation of procarcinogens to mutagens by cultured rat hepatocytes in the L5178Y/TK mutation assay. *Mutat Res* 113:77-88.
- *Anderson LM, Giner-Sorolla A, Ebeling D, et al. 1978. Effects of imipramine, nitrite, and dimethylnitrosamine on reproduction in mice, *Res Commun Chem Pathol Pharmacol* 19:311-327.
- *Anderson TM, Harrington GW, Pylypiw HM Jr, et al. 1986. Tissue levels and biological effects of N-nitrosodimethylamine in mice during chronic low or high dose exposure with or without ethanol. *Drug Metab Dispos* 14:733-739.

*Denotes studies cited in text

8. REFERENCES

- Anderson LM, Hagiwara A, Kovatch RM, et al. 1989. Transplacental initiation of liver, lung, neurogenic, and connective tissue tumors by N-nitroso compounds in mice. *Fund Appl Toxicol* 12:604-620.
- *Andrae U, Jahnel P, Greim H. 1979. Induction of DNA repair synthesis in human lymphoblastoid cells by metabolically activated chemicals as shortterm test for DNA-damaging compounds [Abstract]. *Mutat Res* 64:125.
- *Andrae U, Schwarz LR. 1981. Induction of DNA repair synthesis in isolated rat hepatocytes by 5-diazouracil and other DNA damaging compounds. *Cancer Lett* 13:187-193.
- *Arai M, Aoki Y, Nakanishi K, et al. 1979. Long-term experiment of maximal noncarcinogenic dose of dimethylnitrosamine for carcinogenesis in rats. *Gann* 70:549-558.
- *Araki A, Muramatsu M, Matsushima T. 1984. Comparison of mutagenicities of N-nitrosamines on Salmonella typhimurium TA100 and Escherichia coli WP2 UVRA/PK101 using rat and hamster liver S9. *Gann* 75:8-16.
- *Archer MC, Lee L, Bruce WR. 1982. Analysis and formation of nitrosamines in the human intestine. In: Bartsch H et al., ed. IARC Monograph Series No. 41: N-nitroso compounds: occurrence and biological effects. Lyons, France: WHO, 357-363.
- *Atkinson R. 1985. Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds under atmospheric conditions. *Chem Rev* 85:69-201.
- *Atkinson R, Carter WPL. 1984. Kinetics and mechanisms of the gas-phase reactions of ozone with organic compounds under atmospheric conditions. *Chem Rev* 84:437-470.
- *Ayanaba A, Alexander M. 1974. Transformation of methylamines and formation of a hazardous product, dimethylnitrosamine, in samples of treated sewage and lake water. *J Environ Qual* 3:83-89.
- *Bakke JP, Mirsalis JC. 1984. Measurement of unscheduled DNA synthesis (UDS) in fetal and maternal liver following in vivo exposure to genotoxic agents [abstract]. *Environ Mutagen* 6:446.
- *Bamborschke S, O'Connor PJ, Margison GP, Maru GB, Kleihues P. 1983. DNA methylation by dimethylnitrosamine in the Mongolian gerbil (*meriones unguiculatus*): Implications for a non-inducible hepatic repair system for 06-methylguanine. *Cancer Res* 43:1306-1311.
- *Barnes JM, Magee PN. 1954. Some toxic properties of dimethylnitrosamine. *Br J Ind Med* 11:167-174.

8. REFERENCES

- *Barnes D, Bellin J, DeRosa C, et al. 1987. Reference dose (RfD): description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC: US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.
- *Bartsch H, Malaveille C, Camus AM et al. 1980. Validation and comparative studies on 180 chemicals with *2. typhimurium* strains and V79 Chinese hamster cells in the presence of various metabolizing systems. *Mutat Res* 76:1-50.
- *Bauknecht TH, Vogel W, Bayer U, et al. 1977. Comparative in vivo mutagenicity testing by SCE and micronucleus induction in mouse bone marrow. *Human Genet* 35:299-307.
- *Bellar TA, Budde WL, Eichelberger JW. 1979. The identification and measurement of volatile organic compounds in aqueous environmental samples. In: Schuetzle D, ed. ACS Symposium Series No. 94. Monitoring toxic substances. Washington, DC: ACS, 49-62.
- *Bermudez E, Mirsalis JC, Eales HC. 1982. Detection of DNA damage in primary cultures of rat hepatocytes following in vivo and in vitro exposure to genotoxic agents. *Environ Mutagen* 4:667-679.
- *Bhattacharyya K. 1965. Fetal and Neonatal Responses to hepatotoxic agents. *J Pathol Bacterial* 90:151-161.
- *Billedieu SM, Thompson HC Jr, Miller BJ, et al. 1986. Volatile N-nitrosamines in infant pacifiers sold in the United States as determined by gas chromatography/thermal energy analysis. *J Assoc Off Anal Chem* 69:31-34.
- *Blazak W, Stewart B, DiBiasio-Erwin D, et al. 1985. Induction of sister chromatid exchanges (SCE) by dimethylnitrosamine (DMN) in Chinese hamster cells co-cultured with primary human hepatocytes (PHH) [abstract]. *Environ Mutagen*. 7:32.
- *Blount JL, Woodruff RC, Hudson SJ. 1985. Interaction between mobile DNA element-induced lethal mutations and chemical mutagens in the hybrid dysgenic system of *Drosophila melanogaster*. *Mutat Res* 149:33-40.
- *Bolognesi C, Rossi L, Santi L. 1988. A new method to reveal the genotoxic effects of N-nitrosodimethylamine in pregnant mice. *Mutat Res* 207:57-62.
- *Bontoyan WR, Law MW, Wright DP. Jr., 1979. Nitrosamines in agricultural and home-use pesticides. *J Agr Food Chem* 27:631-635.
- *Bradley MO, Dysart G, Fitzsimmons K, et al. 1982. Measurements by filter elution of DNA single- and double-strand breaks in rat hepatocytes: effects of nitrosamines and gamma-irradiation. *Cancer Res* 42:2592-2597.

8. REFERENCES

- *Brambilla G, Cavanna M, Pino A, et al. 1981. Quantitative correlation among DNA damaging potency of six N-nitroso compounds and their potency in inducing tumor growth and bacterial mutations. *Carcinogenesis* 2:425-429.
- *Brewer WS, Draper AC III, Wey SS. 1980. The detection of dimethylnitrosamine and diethylnitrosamine in municipal sewage sludge applied to agricultural soils. *Environ Pollut Ser B Chem Phys* 1:37-43.
- *Broberg RK, Mitchell MJ, Smith SL, et al. 1987. Specific reduction of N,N-dimethylnitrosamine mutagenicity in *Drosophila melanogaster* by dimethyl sulfoxide. *Environ Mol Mutagen* 10:425-432.
- *Brunnemann KD, Masaryk J, Hoffmann D. 1983. Role of tobacco stems in the formation of N-nitrosamines in tobacco and cigarette mainstream and sidestream smoke. *J Agric Food Chem* 31:1221-1224.
- *Brunnemann KD, Genoble L, Hoffmann D. 1985. N-Nitrosamine in chewing tobacco: an international comparison. *J Agric Food Chem* 33:1178-1181.
- *Bysshe SB. 1982. Bioconcentration factor in aquatic organisms. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw Hill Book Co., 5-6
- *Callahan MA, Slimak MW, Gabel NW, et al. 1979. Water-related environmental fate of 129 priority pollutants. Vol. II. Washington, DC: Office of Water Planning and Standards, Office of Water and Waste Management, U.S. EPA. EPA 440/4-79-029b.
- *Canas BJ, Haverty DC, Joe FL Jr, et al. 1986. Current trends in levels of volatile N-nitrosamines in fried bacon and fried-out bacon fat. *J Assoc Off Anal Chem* 69:1020-1021.
- *Carlton WW, Price PS. 1973. Dietary copper and the induction of neoplasms in the rat by acetylaminofluorene and dimethylnitrosamine. *Fd Cosmet TOXICOL* ii:a27-840.
- *Carter RL, Percival WH, Roe FJC. 1969. Exceptional sensitivity of mink to the hepatotoxic effects of dimethylnitrosamine. *J Pathol* 97:79-88.
- *Carver JH, Salazar EP, Knize MG, et al. 1981. Mutation induction at multiple gene loci in Chinese hamster ovary cells: The genetic activity of 15 coded carcinogens and noncarcinogens. In: *Evaluation of short-term tests for carcinogens: Report of the International Collaborative program*. *Prog Mutat Res* 1:594-601.
- *CAS (Chemical Abstract Service). 1988. Registry file. On-line: 8: 08/03/88.

8. REFERENCES

- *Cesarone CF, Bolognesi C, Santi L. 1979. DNA repair synthesis in mice spermatids after treatment with N-methyl-N-nitroso urea and N-N-dimethylnitrosamine. Preliminary results. TOXICOL 12:183-186.
- *Cesarone CF, Bolognesi C, Santi L. 1982. Evaluation of damage to DNA after in vivo exposure to different classes of chemicals. Arch Toxicol Suppl 5:355-359.
- *Chamberlain WJ, Arrendale RF. 1982. Rapid method for the analysis of volatile N-nitrosamines in cigarette smoke by glass capillary chromatography. J Chromatog 234:478-481.
- *Clapp NK, Toya RE Sr. 1970. Effect of cumulative dose and dose rate on dimethylnitrosamine oncogenesis in RF mice. J Nat Cancer Inst 45:495-498.
- *Clapp NK, Tyndall RL, Otten JA. 1971. Differences in tumor types and organ susceptibility in BALB/c and RF mice following dimethylnitrosamine and diethylnitrosamine. Cancer Res 31:196-198.
- *Clive D, Johnson KO, Spector JFS, et al. 1979. Validation and characterization of the L5178Y/TK+/- mouse lymphoma mutagen assay system. Mutat Res 59:61-108.
- *Cohen JB, Bachman JD. 1978. Measurement of environmental nitrosamines. IARC Sci Publ 19:357-372.
- *Cohen SZ, Zweig G, Law M, et al. 1978. Analytical determination of N-nitroso compounds in pesticides by the United States Environmental Protection Agency A preliminary study. IARC Sci Publ 19:333-342.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. J Water Pollut Cont Fed 56:898-908.
- *Cooper SW, Kimbrough RD. 1980. Acute dimethylnitrosamine poisoning outbreak. J Forensic Sci 25: 874-882.
- *Cooper SF, Lemoyne C, Gauvreau D. 1987. Identification and quantitation of N-nitrosamines in human postmortem organs. J Anal Toxicol 11:12-18.
- *Crampton RF. 1980. Carcinogenic dose-related response to nitrosamines. Oncology 37:251-254.
- *Crygan P, Greim H, Garro AJ, et al. 1973. Microsomal metabolism of dimethylnitrosamine and the cytochrome P-450 dependency of its activation to a mutagen. Cancer Res 33:2983-2986.

8. REFERENCES

- *Dashman T, Kamm JJ. 1979. Effects of high doses of vitamin E on dimethylnitrosamine hepatotoxicity and drug metabolism in the rat. *Biochem Pharmacol* 28:1485-1490.
- *Daugherty JP, Clapp NK. 1976. Studies on nitrosamine metabolism: I. Subcellular distribution of radioactivity in tumor-susceptible tissues of RFM mice following administration of (14C)dimethylnitrosamine. *Life Sciences* 19:265-271.
- *De Flora S, Zanacchi P, Camoirano A, et al. 1984. Genotoxic activity and potency of 135 compounds in the Ames reversion test and in a bacterial DNA repair test. *Mutat Res* 133:161-198.
- *Dean-Raymond D, Alexander M. 1976. Plant uptake and leaching of dimethylnitrosamine. *Nature* 262:394-396.
- *Den Engelse L, Hollander CF, Misdorp W. 1974. A sex-dependent difference in the type of tumours induced by dimethyl nitrosamine in the livers of C3HF mice. *Eur J Cancer* 10:129-135.
- *Diaz Gomez MI, Swann PF, Magee PN. 1977. The absorption and metabolism in rats of small oral doses of dimethylnitrosamine. *Biochem J* 164:497-500.
- *Diaz Gomez MI, Godoy HM, Castro JA. 1981. Further studies on dimethylnitrosamine metabolism, activation and its ability to cause liver injury. *Arch Toxicol* 47:159-168.
- *Diaz Gomez MI, Godoy Hm, Villarruel MC, et al. 1983. No response of pigeon liver to dimethylnitrosamine acute effects. *Cancer Lett* 18:157-162.
- *Diaz Gomez MI, Tamayo D, Castro JA. 1986. Administration of N-nitrosodimethylamine, N-nitrosopyrrolidine, or N'-nitrosonornicotine to nursing rats: their interactions with liver and kidney nucleic acids from sucklings. *J Natl Cancer Inst* 76:1133-1136.
- *Dickins M, Wright K, Phillips M, et al. 1985. Toxicity and mutagenicity of 6 anti-cancer drugs in Chinese hamster V79 cells co-cultured with rat hepatocytes. *Mutat Res* 157:189-198.
- *Doolittle DJ, Bermudez E, Working PK, et al. 1984. Measurement of genotoxic activity in multiple tissues following inhalation exposure to dimethylnitrosamine. *Mutat Res* 141:123-127.
- *Dreisch FA, Gower M, Munson TO. 1980. Survey of the Huntington and Philadelphia river water supplies for purgeable organic contaminants. Annapolis, MD: U.S. EPA. EPA 903/9-81-003.
- *Dropkin D. 1985. Sampling of automobile interiors for organic emissions. Report. EPA 600/3-85-008. NITS PB85-172567/GAR, 29 pp.

8. REFERENCES

- *Druckrey H, Preussmann R, Ivankovic S, et al. 1967. [Organotrophic carcinogenic effects of 65 different N-nitroso compounds on BD rats.] Z Krebsforsch 69:103-201. (German)
- *Dunn SR, Pensabene JW, Simenhoft ML. 1986. Analysis of human blood for volatile N-nitrosoamines by gas chromatography-chemiluminescence detection. J Chromatog 377:35-47.
- *Eichelberger JW, Kerns EH, Olynyk P, et al. 1983. Precision and accuracy in the determination of organics in water by fused silica capillary column gas chromatography/mass spectrometry and packed column gas chromatography/mass spectrometry. Anal Chem 55:1471-1479.
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. Environ Sci Tech 15:30-38.
- *Ellis DD, Jone CM, Larson RA, et al'. 1982. Organic constituents of mutagenic secondary effluents from wastewater treatment plants. Arch Environ Contam Toxicol. 11:373-382.
- *EPA. 1977. Computer print-out of non-confidential production data from TSCA inventory. Washington, DC. OPTS, CID.
- *EPA. 1980a. Guidelines and methodology used in the preparation of health effect assessment chapters of the consent decree water criteria documents. US Environmental Protecton Agency. Federal Register 45:79347-79357.
- *EPA. 1980. Ambient water quality criteria for nitrosamines. Prepared by the Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH, for the Office of Water Regulations and Standards, Washington, DC. EPA 440/5-80-064. NTIS PB81-117756, C-48.
- *EPA. 1982. Test methods. Methods for organic chemical analysis of municipal and industrial wastewater. Method No. 607. Cincinnati, OH: Environmental Monitoring and Support Laboratory, U.S. EPA.
- *EPA. 1986. Graphical Exposure Modeling System (GEMS). PCCHEM computer program.
- *EPA. 1987. 40 CFR Parts 300 and 355. Extremely hazardous substances list and threshold planning quantities; emergency planning and release notification requirements. Final rule. Fed Reg 52:13378-13410.
- *EPA. 1988a. Integrated Risk Information System (IRIS). Risk Estimate for carcinogenicity for N-Nitrosodimethylamine. Online. (Verification data 03/01/88.) Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.

8. REFERENCES

*EPA. 1988b. Storage and Retrieval Water Quality Data Base (STORET) Online: 09/06/88

*Fajen JM. 1980. Industrial hygiene study of workers exposed to nitrosamines. In: Proceedings of the first NCI/EPA/NIOSH collaborative workshop: Progress on joint environmental and occupational cancer studies, May 6-8, Rockville, MD.

*Fajen JM, Rounbehler DP, Fine DH. 1982. Summary report on N-nitrosamines in the factory environment. In: Bartsch H et al, ed. IARC Monograph Series No. 41, N-nitroso compounds: occurrence and biological effects. Lyons, France: WHO, 223-230.

*Faustman E. 1989. Written communication to ATSDR (September 7, 1989).

*Fazio T, Haverty DC. 1982. Volatile N-nitrosamines in direct flame-dried processed foods. In: IARC Sci Publ 41:277-286.

*Federal Register. 1981. Notice: FDA action level for N-nitrosodimethylamine in barley malt; availability of guide. 46:39218-39219.

*Federal Research in Progress. 1988. On-line: July 1988. Dialog File 165. Dialog Information Services, Inc.

*Fiddler W, Pensabene JW, Doerr RC, et al. 1977. The presence of dimethyl and diethyl-nitrosamines in deionized water. Fd Cosmet Toxicol 15:441-443.

*Fiddler W, Pensabene JW, Kimoto WI. 1981. Investigations of edible oils for volatile nitrosamines. J Food Science 46:603-605.

*Fine DH. 1982. Presence of nitrosamines in human beings. In: Magee PN, ed. Banbury Report: Nitrosamines and human cancer, Vol. 12. Cold Spring Harbor, NY, Cold Spring Harbor Laboratory, 271-281.

*Fine DH, Rounbehler DP, Belcher NM, et al. 1976a. N-Nitroso compounds: detection in ambient air. Science 192:1328-1330.

*Fine DH, Rounbehler DP, Pellizzari ED, et al. 1976b. N-Nitrosodimethylamine in air. Bull Environ Cont Tox 15:739-746.

*Fine DH, Rounbehler DP, Sawicki E, et al. 1977a. Determination of dimethylnitrosamine in air and water by thermal energy analysis: validation of analytical procedures. Environ Sci Technol 11:577-580.

*Fine DH, Rounbehler DP, Rounbehler A, et al. 1977b. Determination of dimethylnitrosamine in air, water, and soil by thermal energy analysis: measurements in Baltimore, MD. Environ Sci Technol 11:581-584.

8. REFERENCES

- *Fine DH, Rounbehler DP, Fan T, Ross R. 1977c. Human exposure to N-nitroso compounds in the environment. In: Hiatt HH, Watson JD, Winsten JA, eds. Origins of human cancer. Book A: Incidence of cancer in humans. Cold Spring Laboratory, 293-307.
- *Fisher RL, Reiser RW, Lasoski BA. 1977. Determination of sub-microgram per cubic meter levels of N-nitrosodimethylamine in air. *Anal Chem* 49:1821-1823.
- *Frank CW, Berry CM. 1981. N-Nitrosamines. In: Clayton GD, Clayton FE, eds. Patty's industrial hygiene and toxicology. 3rd ed. New York, NY: John Wiley & Sons, 3117-3133.
- *Freund HA. 1937. Clinical manifestations and studies in parenchymatous hepatitis. *Ann Int Med* 10:1144-1155.
- *Frezza D, Smith B, Zeiger E. 1983. The intrasanguineous host-mediated assay procedure using Saccharomyces cerevisiae: comparison with two other metabolic activation systems. *Mutat Res* 108:161-168.
- *Friedman MA, Sanders V. 1976. Acute toxicity of dimethylnitrosamine in the presence of inhibitors of DMN demethylase. *Experientia* 32:495-496.
- *Friedman MA, Staub J. 1976. Inhibition of mouse testicular DNA synthesis by mutagens and carcinogens as a potential simple mammalian assay for mutagenesis. *Mutat Res* 37:67-76.
- *FSTRAC (Federal-State Toxicology and Regulatory Alliance Committee). 1988. Summary of State and Federal drinking water standards and guidelines. Chemical Communication Subcommittee, March 10, 17.
- Fumero S, Mellano D, Peano S, et al. 1985. Micronucleus induction in rat fetal blood by DMNA directly injected into the fetus [abstract]. *Mutat Res* 147:295.
- *Fussgaenger RD, Ditschuneit H. 1980. Lethal exitus of a patient with N-Nitrosodimethylamine poisoning 2.5 years following the first ingestion and signs of intoxication. *Oncol* 37:273-277.
- *Garland WA, Kuenzig W, Rubio FU, et al. 1986. Urinary excretion of nitrosodimethylamine and nitrosoproline in humans: interindividual and intraindividual differences and the effect of administered ascorbic acid and alpha-tocopherol. *Cancer Res* 46:5392-5400.
- *Gellert J, Moreno F, Haydn M, et al. 1980. Decreased hepatotoxicity of dimethylnitrosamine (DMN) following chronic alcohol consumption. *Adv Exp med Biol* 132:237-243.
- *Geyer H, Scheunert I, Korte F. 1986. Bioconcentration potential of organic environmental chemicals in humans. *Regul Toxicol Pharmacol* 6:313-347.

8. REFERENCES

- *Gaff EU, Fine DH. 1979. Analysis of volatile N-nitrosamines in alcoholic beverages. *Fd Cosmet Toxicol* 17:569-573.
- *Gordon RJ. 1978. Survey for airborne nitrosamines [Abstract]. *Gov Rep Announce Index* 79:65.
- *Gough TA, Webb KS, McPhail MF. 1977. Volatile nitrosamines from ionexchange resins. *Fd Cosmet Toxicol* 15:437-440.
- *Gough TA, Webb KS, Swann PF. 1983. An examination of human blood for the presence of volatile nitrosamines. *Fd Chem Toxicol* 21:151-156.
- *Greene S, Alexander M, Leggett D. 1981. Formation of N-nitrosodimethylamine during treatment of municipal waste water by simulated land application. *J Environ Qual* 10:416-421.
- *Griciute L, Castegnaro M, Bereziat JC. 1981. Influence of ethyl alcohol on carcinogenesis with N-nitrosodimethylamine. *Cancer Lett* 13:345-352.
- *Groenen PJ, de Cock-Bethbeder MW, Bouman J. et al. 1980. Formation of N-nitrosamines and N-nitrosamino acids from food products and nitrite under simulated gastric conditions. Proc of the VIth Intern Symp on N-Nitroso Compounds International Agency for Research on Cancer (IARC) Lyon.
- *Hadjiolov D, Mundt D. 1974. Effect of aminoacetonitrile on the metabolism of dimethylnitrosamine and methylation of RNA during liver carcinogenesis. *J Natl Cancer Inst* 52:753-756.
- *Hamilton A, Hardy HL. 1974. Industrial Toxicology. Third Edition Publishing Science Group, Inc. Acton, MA. p. 311.
- *Hansch C, Leo AJ. 1985. Medchem project issue no. 26. Claremont, CA, Pomona College.
- *Hanst PL, Spence JW, Miller M. 1977. Atmospheric chemistry of N-nitrosodimethylamine. *Environ Sci Technol* 11:403-405.
- *Hard GC, Butler WI-I. 1970. Toxicity of dimethylnitrosamine for the rat testis. *J Pathol* 102:201-207.
- *Hashimoto S, Yokokura T, Kawai Y, et al. 1976. Dimethylnitrosamine formation in the gastro-intestinal tract of rats. *Fd Cosmet Toxicol* 14:553-556.
- *Havery DC, Hotchkiss JH, Fazio T. 1981. Nitrosamines in malt and malt beverages. *J Food Sci* 46:501-505.

8. REFERENCES

- *Havery DC, Perpetti GA, Canas BJ, et al. 1985. Reduction in levels of , volatile N-nitrosamines in rubber nipples for babies' bottles. *Fd Chem Toxicol* 23:991-993.
- *Hawley GG. 1981. The condensed chemical dictionary. 10th ed. New York, NY. Van Nostrand Reinhold Company, Inc., 737.
- *Heading CE, Phillips JC, Lake BG et al. 1974. Some aspects of the metabolism of dimethylnitrosamine in the rat. *Biochem Soc Trans* 2:607-610.
- *Heath DF. 1962. The decomposition and toxicity of dialkyinitrosamines in rats. *Biochem J* 85:72-91.
- *Hemminki K. 1982. Dimethylnitrosamine adducts excreted in rat urine. *Chem-Biol Interact* 39:139-148.
- *Herron DC, Shank RC. 1980. Methylated purines in human liver DNA after probable dimethylnitrosamine poisoning. *Cancer Res* 40:3116-3117.
- *Hindle RW, Armstrong JF, Peake AA. 1987. Determination of N-nitrosodimethylamine levels in some Canadian 2,4-D amine formulations. *J Assoc Off Anal them* 70:49-51.
- *Hoffman D, Adams JD, Brunnemann KD. 1987. A critical look at N-nitrosamines in environmental tobacco smoke. *Toxicol Lett* 35:1-8.
- *Holsapple MP, Munson AE, McNerney P, et al. 1983. Immunosuppression by subchronic exposure to dimethylnitrosamine in female B6C3F1 mice. In: 67th annual meeting of the Federation of American Societies for Experimental Biology, Chicago, IL, April 10-15. *Fed Proc* 42:abstract 469.
- *Holsapple MP, Tucker AN, McNerney PJ, et al. 1984. Effects of N-nitrosodimethylamine on humoral immunity. *J Pharmacol Exp Ther* 229:493-500.
- *Holsapple MP, Bick PH, Duke SS. 1985. Effects of N-nitrosodimethylamine on cell-mediated immunity. *J Leukocyte Biol* 37:367-381.
- *Hotchkiss JH, Havery DC, Fazio T. 1981. Rapid method for estimation of N-nitrosodimethylamine in malt beverages. *J Assoc Off Anal Chem* 64:929-932.
- *HSDB. 1988. Hazardous Substance Data Base. Record no. 1667. On-line 08/19/88.
- *Hsie AW, Machanoff R, Couch DB, et al. 1978. Mutagenicity of dimethylnitrosamine and ethyl methanesulfonate as determined by the hostmediated CHO/HGPRT assay. *Mutat Res* 51:77-84.

8. REFERENCES

- *Huang DP, Ho, JHC, Webb KS, et al. 1981. Volatile nitrosamines in salt-preserved fish before and after cooking. *Fd Cosmet Toxicol.* 19:167-172.
- *IARC (International Agency for Research on Cancer). 1978. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Some N-nitroso compounds Vol. 17. p. 125-175.
- *IARC (International Agency for Research on Cancer). 1982. Laboratory decontamination and destruction of carcinogens in laboratory wastes: Some N-nitrosoamines. IARC Scientific Publication No. 43.
- IARC (International Agency for Research on Cancer). 1984. N-nitroso compounds: Occurrence, biological effects and relevance to human cancer. IARC Scientific Publication No. 57.
- *IARC (International Agency for Research on Cancer). 1987a. IARC monographs on the evaluation of carcinogenic risks to humans. Update of IARC Monographs Vols 1-42, Suppl 7, 31-32, 67-68.
- IARC (International Agency for Research on Cancer). 1987b. The relevance of N-nitroso compounds to human cancer. Exposures and mechanisms. IARC Scientific Publication No. 84.
- *Ikeuchi T, Sasaki M. 1981. Differential inducibility of chromosome aberrations and sister-chromatid exchanges by indirect mutagens in various mammalian cell lines. *Mutat Res* 90:149-161.
- *Imbriani M, Ghittori S, Pezzagno G, et al. 1985. Urine/air partition coefficients for some industrially important substances. *G Ital Med Lav* 7:133-40.
- *Inoue K, Shibata T, Abe T. 1983. Induction of sister-chromatid exchanges in human lymphocytes by indirect carcinogens with and without metabolic activation. *Mutat Res* 117:301-309.
- *Inui N, Nishi Y, Taketomi M, et al. 1979. Transplacental action of sodium nitrite on embryonic cells of Syrian golden hamster. *Mutat Res* 66:149-158.
- *Ireton HJC, McGiven AR, Davies DJ. 1972. Renal mesenchymal tumour induced in rats by dimethylnitrosamine: light- and electron-microscope studies. *Path* 108:181.
- *IRPTC (International Register of Potentially Toxic Chemicals). 1988. United Nations Environment Programme. Geneva, Switzerland: IRPTC/UNEP.
- *Ishidate M. Jr., Yoshikawa K. 1980. Chromosome aberration tests with Chinese hamster cells in vitro with and without metabolic activation: A comparative study on mutagens and carcinogens. In: Further studies in the assessment of toxic actions. *Arch Toxicol Suppl* 4:41-44.

8. REFERENCES

- *Ishinishi N, Tanaka A, Hisanaga A, et al. 1988. Comparative-study on the carcinogenicity of N-nitrosodiethylamine, N-nitrosodimethylamine, N-nitrosomorpholine, N-nitrosopyrrolidine and N-nitrosodi-n-propylamine to the lung of Syrian golden hamsters following intermittent instillations to the trachea. *Carcinogenesis* 9:947-950.
- *Ishiwata H, Mizushiro H, Tanimura A, et al. 1977. Metabolic fate of the precursors of N-nitroso compounds. I. Gastro-intestinal absorption of N-nitrosodimethylamine and its precursors in guinea-pigs. *J Fd Hyg Soc* 18:524-528.
- *Ito N, Fukushima S, Tsuda H, et al. 1982. Induction of preneoplastic and neoplastic lesions in rats treated N-nitroso compounds. *IARC Sci Publ* 41:597-601.
- *Iversen OH. 1980. Tumorigenicity of N-nitroso-diethyl, -dimethyl and -diphenyl-amines in skin painting experiments. A study utilizing the tetrazolium test and skin applications on hairless mice. *Eur J Cancer* 16:695-698.
- *Jacobson KH, Wheelwright HJ Jr, Clem JH, et al. 1955. Studies on the toxicology of N-nitrosodimethylamine vapor. *AMA Arch Indust. Health* 12: 617-622.
- *Jagannath DR, Vultaggio DM, Brusick DJ. 1981. Genetic activity of 42 coded compounds in the mitotic gene conversion assay using *Saccharomyces cerevisiae* strain D4. In: Evaluation of short-term tests for carcinogens: Report of the International collaborative Program. *Prog Mutat Res* 1:456-467.
- *Jenkins SA, Grandison A, Baxter JN, et al. 1985. A dimethylnitros-amineinduced model of cirrhosis and portal hypertension in the rat. *J Hepatol* 1:489-499.
- *Johansson EB, Tjälve H. 1978. The distribution of (14C)dimethylnitrosamine in mice. Autoradiographic studies in mice with inhibited and noninhibited dimethylnitrosamine metabolism and a comparison with the distribution of (14C)formaldehyde. *Toxicol Appl Pharmacol* 45:565-575.
- *Johnson KW, Munson AE, Holsapple MP. 1987a. Primary cellular target responsible for dimethylnitrosamine-induced immunosuppression in the mouse. *Immunopharmacology* 13:47-60.
- *Johnson KW, Munson AE, Kim D-H, et al. 1987b. Role of reactive metabolites in suppression of humoral immunity by N-nitrosodimethylamine. *J. Pharmacol Exp Ther* 240:847-855.

8. REFERENCES

- *Kaminski NE, Jordan SD, Page D., et al. 1989. Suppression of humoral immune responses by dialkylnitrosamines: Structure-activity relationships. *Fund Appl Toxicol* 12:321-332.
- *Kaplan DL, Kaplan AM. 1985. Biodegradation of N-nitrosodimethylamine in aqueous and soil systems. *Appl Environ Microbial* 50:1077-1086.
- *Katoh Y, Tanaka M, Takayama S. 1982. Higher efficiency of hamster hepatocytes than rat hepatocytes for detecting dimethylnitrosamine and diethylnitrosamine in hepatocyte-mediated Chinese hamster V79 cell mutagenesis assay, *Mutat Res* 105:265-269.
- *Keefer LK. 1989. Written communication (May 1) to Stephen Bosch, Syracuse Research Corporation, Syracuse, NY, regarding on-going metabolism studies. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, Frederick Cancer Research Facility, Frederick, MD.
- *Keefer LK, Lijinsky W, Garcia H. 1973. Deuterium isotope effect on the carcinogenicity of dimethylnitrosamine in rat liver. *J Natl Cancer Inst* 51:299-302.
- *Keefer LK, Anjo T, Heur YH, et al, 1987. Potential for metabolic deactivation of carcinogenic N-nitrosodimethylamine in vivo. *IARC Sci Publ* 84:113-116.
- *Khanna SD, Puri D. 1966. The hepatotoxic effects of dimethylnitrosamine in the rat. *J Path Bact* 91:605-608.
- *Khudoley V, Malaveille C, Bartsch H. 1981. Mutagenicity studies in *Salmonella typhimurium* on some carcinogenic N-nitrosoamines in vitro and in the host-mediated assay in rats. *Cancer Res* 41:3205-3210.
- *Kimbrough RD. 1982. Pathological changes in human beings acutely poisoned by dimethylnitrosamine. In: Magee PN, ed. *Banbury Report, Vol. 12. Nitrosamines and human cancer; meeting*. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 25-36.
- *Kimoto WI, Dooley CJ, Carre J, et al. 1981. Nitrosamines in tap water after concentration by a carbonaceous adsorbent. *Water Res* 15:1099-1106.
- *Kimoto WI, Silbert LS, Fiddler W. 1984. Confirmation of N-nitrosodimethylamine and N-nitrosopyrrolidine in foods by conversion to their nitramines with pentafluoroperoxybenzoic acid. *J Assoc Off Anal Chem* 67:751-756.
- *Klein RG. 1982. Calculations and measurements on the volatility of N-nitrosoamines and their aqueous solutions. *Toxicology* 23:135-147.

8. REFERENCES

- *Klein RG, Schmezer P. 1984. Quantitative measurement of the exhalation rate of volatile N-nitrosamines in inhalation experiments with anesthetized Sprague-Dawley rats. IARC Sci Publ 57:513-517.
- *Kobayashi M, Tchan YT. 1978. Formation of dimethylnitrosamine in polluted environment and the role of photosynthetic bacteria. Water Res 12:199-201.
- *Koppang N, Rimeslatten H. 1976. Toxic and carcinogenic effects of nitrosodimethylamine in mink. IARC Sci Publ 14:443-452.
- *Kornbrust D, Dietz D. 1985. Aroclor 1254 pretreatment effects on DNA repair in rat hepatocytes elicited by in vivo and in vitro exposure to various chemicals. Environ Mutagen 7:857-870.
- *Korsrud GO, Grice HG, Goodman TK, et al. 1973. Sensitivity of several serum enzymes for the detection of thioacetamide, dimethylnitrosamine-and diethanolamine-induced liver damage in rats. Tox Appl Pharm 26:299-313.
- *Kosaka H, Uozumi M, Nakajima T. 1984. Measurement of nitrosodimethylamine by capillary gas chromatography-mass spectrometry with the 15N-labelled compound as an internal standard. Int Arch Occup Environ Health 54:233-239.
- *Kroeger-Koepke MB, Michejda CJ. 1979. Evidence for several demethylase enzymes in the oxidation of dimethylnitrosamine and phenylmethylnitrosamine by rat liver fractions. Cancer Res 39:1587-1591.
- *Kuroki T, Drevon C, Montesano R. 1977. Microsome-mediated mutagenesis in V79 Chinese hamster cells by various nitrosamines. Cancer Res 37:1044-1050.
- *Lakritz L, Simenhoff ML, Dunn SR, et al. 1980. N-Nitrosodimethylamine in human blood. Fd Cosmet Toxicol 18:77-79.
- *Lakritz L, Pensabene JW. 1981. Survey of fluid and nonfat dry milks for N-nitrosamines. J Dairy Sci 64:371-374.
- *Lakritz L, Pensabene JW. 1984. Survey of human milk for volatile N-nitrosamines and the influence of diet on their formation. Fd Chem Toxicol 22:721-724.
- *Landon EJ, Naukam RJ, Rama Sastry BV. 1986. Effects of calcium channel blocking agents on calcium and centrilobular necrosis in the liver of rats treated with hepatotoxic agents. Biochem Pharmacol 35:697-705.
- *Langenbach R. 1986. Mutagenic activity and structure-activity relationships of short-chain dialkyl N-nitrosamines in a hamster hepatocyte V79 cell-mediated system. Mutat Res 163:303-311.

8. REFERENCES

- *Langenbach R, Leavitt S, Hix C, et al. 1986. Rat and hamster hepatocytemediated induction of SCEs and mutation in V79 cells and mutation of Salmonella by aminofluorene and dimethylnitrosamine. *Mutat Res* 161:29-37.
- *Lawrence JF, Weber DF. 1984. Determination of polycyclic aromatic hydrocarbons in Canadian samples of processed vegetable and dairy products by liquid chromatography with fluorescence detection. *J Agric Food Chem* 32:794-797.
- *Lee WR, Abrahamson S, Valencia R, et al. 1983. The sex-linked recessive lethal test for mutagenesis in Drosophila melanogaster. A report of the U.S. Environmental Protection Agency Genetox Program. *Mut Res* 123:183-279.
- *Lele PS, Dunn SR, Simenhoff ML, et al. 1983. Evidence for generation of the precarcinogen nitrosodimethylamine in the small intestine in chronic renal failure. *Kidney Int* 24 suppl 16:S229-S233.
- *Lele P, Dunn SR, Simenhoff ML. 1985. Demonstration of the carcinogen dimethylnitrosamine (DMNA) generation in gut by ethanol inhibition of its first-pass metabolism by liver in chronic renal failure [abstract], *Kidney Int* 27:245.
- *Lele PS, Dunn SR, Simenhoff ML. 1987. Nutritional and metabolic modulation of the carcinogen nitrosodimethylamine in chronic renal failure. *Kidney Int* 32, suppl 22:S-159-S-161.
- *Lijinsky W, Reuber MD. 1981. Comparative carcinogenesis by some aliphatic nitrosamines in Fischer rats. *Cancer Lett* 14:297-302.
- *Lijinsky W. 1987. Structure-activity relations in carcinogens by N-nitroso compounds. *Cancer Metastasis Rev* 6:301-356.
- *Lijinsky W, Kovatch RM, Riggs CW. 1987. Carcinogenesis by nitrosodialkylamines and azoxyalkanes given by gavage to rats and hamsters. *Cancer Res*. 47:3968-3972.
- *Lijinsky W, Reuber MD. 1984. Carcinogenesis in rats by nitrosodimethylamine and other nitrosomethylalkylamines at low doses. *Cancer Lett* 22:83-88.
- Lijinsky W. 1986. The significance of N-nitroso compounds on environmental carcinogens. *J Environ Sci Health C4(1)*:1-45.
- *Lorr NA, Miller KW, Chung HR, et al. 1984. Potentiation of the hepatotoxicity of N-nitrosodimethylamine by fasting, diabetes, acetone, and isopropanol. *Toxicol Appl Pharmacol* 73:423-431.

8. REFERENCES

- *Lotlikar PD, Baldy WJ Jr, Dwyer EN. 1975. Dimethylnitrosamine demethylation by reconstituted liver microsomal cytochrome P-450 enzyme system. *Biochem J* 152:705-708.
- *Lotlikar PD, Hong YS, Baldy WS Jr. 1978. Effect of dimethylnitrosamine concentration on its demethylation by liver microsomes from control and 3-methylcholanthrene pretreated rats, hamster and guinea pigs. *Cancer Lett* 4:355-361.
- Lu SH, Yang WX, Guo LP, et al. 1987. Determination of N-nitrosamines in gastric juice and urine and a comparison of endogenous formation of N-nitrosoproline and its inhibition in subjects from high-and low-risk areas for oesophageal cancer. *IARC Sci Publ* 84:538-543.
- *Luster MI, Blank JA, Dean JH. 1987. Molecular and cellular basis of chemically induced immunotoxicity. *Ann Rev Pharmacol Toxicol* 27:23-49.
- *Luster MI, Munson AE, Thomas PT, et al. 1988. Method Evaluation. Development of a testing battery to assess chemical-induced immunotoxicity National Toxicology Program's guidelines for immunotoxicity evaluation in mice. *Fund Appl Toxicol* 10:2-19.
- *Lyman WJ. 1985. Estimation of physical properties. In: Neely WB, Blau GE, eds. *Environmental exposure from chemicals*, Vol. 1, Boca Raton, FL: CRC Press Inc., 30-31.
- *Lyman WJ. 1982. Adsorption coefficient for soils and sediments. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw-Hill Book Co., 4-9.
- *Madle E, Kasper P, Madle S, et al. 1987. Hepatocyte-mediated SCE induction by indirect mutagens: Importance of hepatocyte density and cell-to-cell contact. *Mutat Res* 188:153-160.
- *Maduagwu EN, Bassir O. 1980. A comparative assessment of toxic effects of dimethylnitrosamine in six different species. *Toxicol Appl Pharmacol* 53:211-219.
- *Magee PN. 1956. Toxic liver injury: The metabolism of dimethylnitrosamine. *Biochem J* 64:676-682.
- *Magee PN, Barnes JM. 1956. The production of malignant primary hepatic tumours in the rat by feeding dimethylnitrosamine *Br J Cancer* 10:114-122.
- *Magee PN, Montesan R, Preussman R. 1976. N-nitroso compounds and related carcinogens. *ACS Monograph* 173:491-625.

8. REFERENCES

- *Maling HM, Stripp B, Sipes IG, et al. 1975. Enhanced hepatotoxicity of carbon tetrachloride, thioacetamide, and dimethylnitrosamine by pretreatment of rats with ethanol and some comparisons with potentiation by isopropanol. *Toxicol Appl Pharmacol* 33:291-308.
- *Mallik MAB, Tesfai K. 1981. Transformation of nitrosamines in soil and in vitro by soil microorganisms. *Bull Environ Contam Toxicol* 27:115-121.
- *Martelli A, Robbiano L, Giuliano L, et al. 1985. DNA fragmentation by N-nitrosodimethylamine and methyl methanesulfonate in human hepatocyte primary cultures. *Mutat Res* 144:209-211.
- *Martin0 PE, Diaz Gomez MI, Tamayo D, et al. 1988. Studies on the mechanism of the acute and carcinogenic effects of N-nitrosodimethylamine on mink liver. *J Toxicol Environ Health* 23:183-192.
- *Massey RC, Key PE, McWeeny DJ., Jr. et al. 1987. An investigation of apparent total N-nitroso compounds in beer. In: Relevance of N-nitroso compounds to Human Cancer. Exposures and Mechanisms. IARC Sci Publ 84:219-221.
- *Matsuoka A, Hayashi M, Ishidate M., Jr. 1979. Chromosomal aberration tests on 29 chemicals combined with S9 mix in vitro. *Mutat Res* 66:277-290.
- *Matsuoka A, Sofuni T, Ishidate M. 1986. Effect of surfactants on the induction of chromosomal aberrations in Chinese hamster cells in culture [Abstract]. *Mutat Res* 164:273-274.
- *McCormick A, Nicholson MJ, Baylis MA, et al. 1973. Nitrosamines in cigarette smoke condensate. *Nature* 244:237-238.
- *McGiven AR, Ireton HJC. 1972. Renal epithelial dysplasia and neoplasia in rats given dimethylnitrosamine. *J Pathol* 108:187-190.
- *McQueen CA, Kreiser DM, Williams GM. 1983. The hepatocyte primary culture/DNA repair assay using mouse or hamster hepatocytes. *Environ Mutagen* 5:1-8.
- *Mehta R, Silinskas KC, Zucker PF, et al. 1987. Micronucleus formation induced in rat liver and esophagus by nitrosamines. *Cancer Lett* 35:313-320.
- *Mills AL, Alexander M. 1976. Factors affecting dimethylnitrosamine formation in samples of soil and water. *J Environ Qual* 5:437-440.

8. REFERENCES

*Mirvish SS, Issenberg P, Sornson HC. 1976. Air-water and ether-water distribution of N-nitroso Compound: Implications for laboratory safety, analytic methodology, and carcinogenicity for the rat esophagus, nose, and liver. *J Natl Cancer Inst* 56:1125-1129.

*Moiseev GE, Benemanskii V. 1975. [Concerning the carcinogenic activity of low concentrations of nitrosodimethylamine during inhalation.] *Vopr Onkol* (Leningr) 21:107-109. (Russian)

*Montesano R, Bresil H, Pegg AE. 1982. Metabolism of dimethylnitrosamine and repair of O-6-methylguanine in DNA by human liver. In: Magee PN, ed. Banbury report, Vol. 12, Nitrosamines and human cancer. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 141-152.

*Mufti SI, Salvagnini M, Lieber CS, et al. 1988. Chronic ethanol consumption inhibits repair of dimethylnitrosamine induced DNA alkylation, *Biochem Biophys Res Corn* 152:423-441.

*Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludges. *Arch Environ Contam Toxicol* 13:75-83.

*Myers MJ, Pullen JK, Schook LB. 1986. Alteration of macrophage differentiation into accessory and effector cells from exposure to dimethylnitrosamine (DMN) in vivo. *Immunopharmacology* 12:105-115.

*Myers MJ, Dickens CS, Schook LB. 1987. Alteration of macrophage antitumor activity and transferrin receptor expression by exposure to dimethylnitrosamine in vivo. *Immunopharmacology* 13:195-205.

*Napalkov NP, Alexandrov VA. 1968. On the effects of blastomogenic substances during embryogenesis. *Z Krebsforsch* 71:32-50.

*NATICH (National Air Toxics Information Clearinghouse). 1987. NATICH data base report on state, local and EPA air toxics activities, 101.

*Neal SB, Probst GS. 1983. Chemically-induced sister chromatid exchange in vivo in bone marrow of Chinese hamsters. An evaluation of 24 compounds. *Mutat Res* 113:33-43.

*Neurath GB, Duenger M, Pein FG, et al. 1977. Primary and secondary amines in the human environment. *Fd Cosmet Toxicol* 15:275-282.

*Ng WL, Fong LYY, Newberne PM. 1984. Forestomach squamous papillomas in the rat: effect of dietary zinc deficiency on induction. *Cancer Lett* 22:329-332.

*NIOSH. 1988. National Occupational Exposure Survey (NOES) as of May 10, 1988. Washington, DC: National Institute for Occupational Safety and Health.

8. REFERENCES

- *Nishie K. 1983. Comparison of the effects of N-nitrosodimethylamine on pregnant and nonpregnant Holtzman rats. *Fd Chem Toxicol* 21:453-462.
- *Nishie K, Norred WP, Wasserman A, et al. 1972. Phototoxicity and differential hepatotoxicity as biological indicators of nitrosamine activity. *Toxicol Appl Pharmacol* 23:680-691.
- *O'Connor PJ, Chu Y-H, Cooper DP, Maru GB, Smith RA Margison GP. 1982. Species difference in the inducibility of hepatic O⁶-alkylguanine repair in rodents. *Biochimie* 64:769-773.
- *Odagiri Y, Adachi S, Katayama H, et al. 1986. Detection of the cytogenetic effect of inhaled aerosols by the micronucleus test. *Mutat Res* 170:79-83.
- *O'Neill JP, Machanoff R, San Sebastian JR, et al. 1982. Cytotoxicity and mutagenicity of dimethylnitrosamine in mammalian cells (CHO/HGPRT system): Enhancement by calcium phosphate. *Environ Mutagen* 4:7-18.
- *OHM-TADS. (Oil and Hazardous Materials Technical Assistance Data System). 1988. Computer data base. On-line: July 31, 1988.
- *Ohta T, Suzuki J, Iwano Y, et al. 1982. Photochemical nitrosation of dimethylamine in aqueous solution containing nitrite. *Chemosphere* 11:797-801.
- *Okinaka RT, Barnhart BJ, Chen DJ. 1981. Comparison between sisterchromatid exchange and mutagenicity following exogenous metabolic activation of promutagens. *Mutat Res* 91:57-61.
- *Oliver JE. 1979. Volatilization of some herbicide-related nitrosamines from soils. *J Environ Qual* 8:596-601.
- *Oliver JE, Kearney PC, Kontson A. 1979. Degradation of herbicide-related nitrosamines in aerobic soils. *J Agric Food Chem* 27:887-891.
- *Omori Y, Takahashi A, Ohno Y, et al. 1979. Drug-nitrite interactions: Species and sex differences in the formation of dimethylnitrosamine and its effects on the hepatic enzyme activities. *Arch Toxicol Suppl* 2:349-354.
- *Otsuka H, Kuwahara A. 1971. Hemangiomatous lesions of mice treated with nitrosodimethylamine. *Gann* 62:147-156.
- *Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environ Sci Technol* 15:1475-1481.
- *Pancholy SK. 1978. Formation of carcinogenic nitrosamines in soils. *Soil Biol Biochem* 10:27-32.

8. REFERENCES

- *Pedal I, Besserer K, Goerttler K, et al. 1982. Fatal nitrosamine poisoning. Arch Toxicol 50:101-112.
- *Pegg AE. 1980. Metabolism of N-Nitrosodimethylamine. IARC Sci Publ 27:3-22.
- *Pegg AE, Hui G. 1978. Removal of methylated purines from rat liver DNA after administration of dimethylnitrosamine. Cancer Res 38:2011-2017.
- *Pegg AE, Perry W. 1981. Alkylation of nucleic acids and metabolism of small doses of dimethylnitrosamine in the rat. Cancer Res 41:3128-3132.
- *Pegg AE, Perry W, Bennett RA. 1981. Effect of partial hepatectomy on removal of O⁶-methylguanine from alkylated DNA by rat liver extracts. Biochem J 197:195-201.
- *Pensabene JW, Miller AJ, Greenfield EL, et al. 1982. Rapid dry column method for determination of N-nitrosopyrrolidine in fried bacon. J Assoc Off Anal Chem 65:151-156.
- *Pensabene JW, Fiddler W. 1988. Determination of volatile N-nitro-.amine in frankfurters containing minced fish and surimi. J Assoc Off Anal Chem 71:839-843.
- *Petzold R, Gray R, Brantom P, et al. 1984. Nitrosamine carcinogenesis in 5120 rodents: Chronic administration of sixteen different concentrations of NDEA, NDMA, NPYR and NPIP in the water of 4440 inbred rats with parallel studies on NDEA alone of the effect of age of starting (3, 6 or 20 weeks) and of species (rats, mice or hamsters). IARC Sci Publ 57:627-666.
- *Petzold GL, Swenberg JA. 1978. Detection of DNA damage induced *in vivo* following exposure of rats to carcinogens. Cancer Res 38:1589-1594.
- *Phillips JC, Lake BG, Heading CE, et al. 1975. Studies on the metabolism of dimethylnitrosamine in the rat: I. Effect of dose, route of administration and sex. Fd Cosmet Toxicol 13:203-209
- *Pignatelli B, Richard I, Bourgade M, et al. 1987. An improved method for analysis of total N-nitroso compounds in gastric juice In: Relevance of N-nitroso compounds to Human Cancer: Exposures and Mechanisms. IARC Sci Publ 84:209-215.
- *Poirier S, G Hubert, de-The H et al. 1987. Occurrence of volatile nitrosamines in food samples collected in three high-risk areas for nasopharyngeal carcinoma. IARC Sci Publ 84:415-419.
- *Polo J, Chow UL. 1976. Efficient photolytic degradation of nitrosamines. J Natl Cancer Inst 56:997-1001.

8. REFERENCES

- *Prasanna HR, Lotlikar PD, Barndt C, et al. 1985. Factors influencing the activity of dimethylnitrosamine demethylase in hamster, rat and chicken liver microsomes. *Cancer Lett* 26:25-32.
- *Preussmann R. 1984. Occurrence and exposure to N-nitroso compounds and precursors. *IARC Sci Publ.* 57:3-15.
- *Prival MJ, Mitchell VD. 1981. Influence of microsomal and cytosolic fractions from rat, mouse, and hamster liver on the mutagenicity of dimethylnitrosamine in the Salmonella plate incorporation assay. *Cancer Res* 41:4361-4367.
- *Pylypiw HM Jr. 1987. The development and application of analytical methods for the study of volatile and non-volatile N-nitrosamines (Pharmacokinetics). *Disser Abstr Inter* 48:1028-B.
- *Pylypiw HM Jr., Zimmerman F, Harrington GW, et al. 1985. Apparatus for trace determination of volatile N-nitrosamines in small samples. *Anal Chem* 57:2996-2997.
- *Raabe OG. 1986. Inhalation uptake of selected chemical vapors at trace levels. Report to California state Air Resources Board, Sacramento. NTIS PB86-209863.
- *Rao GS, Osborn JC, Adatia MR. 1982. Drug-nitrite interactions in human saliva: effects of food constituents on carcinogenic N-nitrosamine formation. *J Dent Res* 61:768-771.
- *Reuber MD. 1975. Hepatic vein thrombosis in Buffalo strain female rats ingesting dimethylnitrosamine. *Pathol Europ* 10:241-244.
- *Rhoades JW, Hosenfeld JM, Taylor JM, et al. 1980. Comparison of analysis of wastewaters for N-nitrosamines using various detectors. *IARC Sci Publ* 31:377-381.
- *Ross RD, Morrison J, Rounbehler DP, et al. 1977. N-Nitroso compound impurities in herbicide formulations. *J Agric Food Chem* 25:1416-1418.
- *Rounbehler DP, Reisch J, Fine DH. 1980. Nitrosamines in new motor-cars. *Fd Cosmet Toxicol* 18:147-151.
- *RTECS. 1988. Registry of Toxic Effects of Chemical Substances. On-line: 08/05/88. Washington, DC: National Institute for Occupational Safety and Health.
- *Sabljic A. 1987. On the prediction of soil sorption coefficients of organic pollutants from molecular structure: application of molecular topology model. *Environ. Sci Technol* 21:358-366.

8. REFERENCES

- *Sakai A, Inoue T, Tanimura A. 1984. Formation of Volatile Nitrosamines by Drug-Nitrite Interactions Under Physiological Conditions. *Gann* 75:245-252.
- *SANSS. 1988. Structure and Nomenclature Search System. On-line: 07/28/88. Chemical Information System.
- *Sawicki E, Belsky T, Friedel RA, et al. 1977. N-nitrosodimethylamine in ambient air. Analytical method. *Health Lab Sci* 14:59-63.
- *Scanlan RA, Barbour JF, Hotchkiss JH, et al. 1980. N-Nitrosodimethylamine in beer. *Fd Cosmet Toxicol* 18:27-30.
- *Scanlan RA. 1983. Formation and Occurrence of Nitrosamines in Food. *Cancer Res.* (Suppl.) 43:2435s-2440s.
- *Scherf HR, Schmahl D. 1975. Experimental investigations on immunodepressive properties of carcinogenic substances in male Sprague-Dawley rats. 52:76-87.
- *Sen NP, Seaman S. 1981a. Gas liquid chromatographic-thermal energy analyzer determination of N-nitrosodimethylamine in beer at low parts per billion level. *J Assoc Off Anal Chem* 64:933-938.
- *Sen NP, Seaman S. 1981b. Possible presence of volatile N-nitrosamines in cooking oils, margarine and butter. *J Agric Food Chem* 29:787-789.
- *Sen NP, Seaman S, Karpinsky K. 1984. Determination of N-nitrosodimethylamine in nonfat dry milk: collaborative study. *J Assoc Off Anal Chem* 67:232-236.
- *Sen NP, Tessier L, Seaman SW, et al. 1985a. Volatile and nonvolatile nitrosamines in fish and the effect of deliberate nitrosation under simulated gastric conditions. *J Agric Food Chem* 33:264-268.
- *Sen NP, Kushwaha SC, Seaman SW, et al. 1985b. Nitrosamines in baby bottle nipples and pacifiers: occurrence, migration and effect of infant formulas and fruit juices on in vitro formation of nitrosamines under simulated gastric conditions. *J Agric Food Chem* 33:428-433.
- *Shapley D. 1976. Nitrosamines: scientists on the trail of prime suspect in urban cancer. *Science* 191:268-270.
- *Sharma RK, Lemmon M, Bakke J, et al. 1983. Studies of in utero sister chromatid exchange induction and cell replication kinetics [abstract]. *Environ Mutagen* 5:406.
- *Sharma RK, Jacobson-Kram D, Lemmon M et al. 1985. Sister chromatid and cell replication kinetics in fetal and material cells after treatment with chemical teratogens. *Mutat Res* 158:217-231.

8. REFERENCES

- *Shimizu RW, Sun JD, Li AP, et al. 1984. The use of sister-chromatid exchange in Chinese hamster primary lung cell cultures to measure genotoxicity. *Mutat Res* 130:333-342.
- *Singer B. 1979. N-nitroso alkylating agents: formation and persistence of alkyl derivatives in mammalian as contributing factors in carcinogens. *J Natl Cancer Inst* 62:1329-1339.
- *Sirianni SR, Huang CC. 1987. Comparison of S9 fractions from rats, mice, and Chinese hamsters to metabolize dimethylnitrosamine and diethylnitrosamine to intermediates that induce sister-chromatid exchanges in V79 cells. *Mutat Res* 188:7-11.
- *Skaare JU, Nafstad I. 1978. Interaction of vitamin E and selenium with the hepatotoxic agent dimethylnitrosamine. *Acta Pharmacol Toxicol* 43:119-128.
- *Song PJ, Hu JF. 1988. N-Nitrosamines in Chinese foods. *Fd Chem Toxicol* 26:205-208.
- *Spiegelhalder B. 1984. Occupational exposure to N-nitrosamines. Air measurements and biological monitoring. *IARC Sci Publ* 57:937-942.
- *Spiegelhalder B, Preussmann R. 1984. Contamination of toiletries and cosmetic products with volatile and nonvolatile N-nitroso carcinogens. *J Cancer Res Clin Oncol* 108:160-163.
- *Spiegelhalder B, Preussmann R. 1985. In vivo nitrosation of amidopyrine in humans: use of 'ethanol effect' for biological monitoring of N-nitrosodimethylamine in urine. *Carcinogenesis* 6:545-548.
- *Spiegelhalder B, Eisenbrand G, Preussmann R. 1979. Contamination of beer with trace quantities of N-nitrosodimethylamine. *Fd Cosmet Toxicol* 17:29-31.
- *Spiegelhalder B, Eisenbrand G, Preussmann R. 1982. Urinary excretion of N-nitrosamines in rats and humans. *IARC Sci Publ* 41:443-449.
- *State of Kentucky. 1986. New or Modified Sources Emitting Toxic Air Pollution. 401 KAR 63:022.
- *Steinmetz KL, Mirsalis JC. 1984. Induction of unscheduled DNA synthesis in primary cultures of rat pancreatic cells following in vivo and in vitro treatment with genotoxic agents. *Environ Mutagen* 6:321-330.
- *Strombeck DR, Harrold D, Rogers Q, et al. 1983. Plasma amino acid, glucagon, and insulin concentrations in dogs with nitrosamine-induced hepatic disease. *Am J Vet Res* 44:2028-2036.

8. REFERENCES

- *Stumpf R, Margison GP, Montesano R, Pegg AE. 1979. Formation and loss of alkylated purines from DNA of hamster liver after administration of dimethylnitrosamine. *Cancer Res* 39:50-54.
- *Sumi Y, Miyakawa M. 1983. Susceptibility of germ-free rats to the hepatotoxic effects of dimethylnitrosamine or dimethylamine plus sodium nitrite administered orally. *Cancer Res* 43:2942-2946.
- *Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid Method for the Estimation of the Environmental Parameters Octanol/Water Partition Coefficient, Soil Sorption Constant, Water to Air Ratio and Water Solubility. *Res Rev* 85:17-28.
- *Swarm PF. 1984. Effect of ethanol on nitrosamine metabolism and distribution. Implications for the role of nitrosamines in human cancer and for the influence of alcohol consumption on cancer incidence. *IARC Sci Publ* 57:501-512.
- *Swarm PF, Coe AM, Mace R. 1984. Ethanol and dimethylnitrosamine and diethylnitrosamine metabolism and disposition in the rat. Possible relevance to the influence of ethanol on human cancer incidence. *Carcinogenesis* 5:1337-1343.
- *Tabak HH, Quave SA, Mashni CI, et al, 1981A. Biodegradability studies for predicting the environmental fate of organic priority pollutants. In: Test protocols for environmental fate and movement of toxicants. Proceedings of 94th annual meeting of symposium association of official Anal Chem, Washington, DC, 267-327.
- *Takayama S, Oota K. 1965. Induction of malignant tumors in various strains of mice by oral administration of N-nitrosodimethylamine and N-nitrosodiethylamine. *Gann* 56:189-199.
- *Tate RL III, Alexander M. 1975. Stability of nitrosamines in samples of lake water, soil, and sewage. *J Natl Cancer Inst.* 54:327-330.
- *Tates AD, Neuteboom I, Hofker M., et al. 1980. A micronucleus technique for detecting clastogenic effects of mutagens/carcinogens (DEN, DMN) in hepatocytes of rat liver in vivo. *Mutat Res* 74:11-20.
- *Telling GM. 1972. A gas-liquid chromatographic procedure for the detection of volatile N-nitrosamines at the ten parts per billion level in foodstuffs after conversion to their corresponding nitramines. *J Chromatog* 73:79-87.
- *Terao K, Aikawa T, Kera K. 1978. A synergistic effect of nitrosodimethylamine on sterigmatocystin carcinogenesis in rats. *Fd Cosmet Toxicol* 16:591-596.

8. REFERENCES

- *Terracini B, Palestro G, Ramella GM, et al. 1966. Carcinogenicity of dimethylnitrosamine in Swiss mice. *Br J Cancer* 20:871-876.
- *Terracini B, Magee PN, Barnes JM. 1967. Hepatic pathology in rats on low dietary levels of dimethylnitrosamine. *Br J Cancer* 21:559-565.
- *Thomas RG. 1982. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. New York, NY: McGraw-Hill Book Co., 15-27.
- *Thomas P, Fugmann R, Aranyi C, et al. 1985. The effect of dimethylnitrosamine on host resistance and immunity. *Toxicol Appl Pharmacol* 77:219-229.
- *Thompson HC Jr, Billedeau SM, Miller BJ. 1986. Gas chromatographic thermal energy analysis method for N-nitrosodibutylamine in latex infant pacifiers: collaborative study. *J Assoc Off Anal Chem* 69:504-507.
- *Tomkins DJ, Kwok SE, Douglas GR, et al. 1982. Sister chromatid exchange response of human diploid fibroblasts and Chinese hamster ovary cells to dimethylnitrosamine and benzo(a)pyrene. *Environ Mutagen* 4:203-214.
- *Trzoz RJ, Petzold GL, Brunden MN, et al. 1978. The evaluation of sixteen carcinogens in the rat using the micronucleus test. *Mutat Res* 58:79-86.
- *Tuazon EC, Carter WPL, Atkinson R, et al. 1984. Atmospheric reactions of N-nitrosodimethylamine and dimethylnitramine. *Environ Sci Tech* 18:49-54.
- *Ungar H. 1984. Primary portal venopathy in the golden hamster treated with low doses of dimethylnitrosamine. *Liver* 4:244-254.
- *Ungar H. 1986. Venoocclusive disease of the liver and phlebectatic peliosis in the golden hamster exposed to dimethylnitrosamine. *Path Res Pratt* 181:180-187.
- *Usero JL, Del Arco A, Izquierdo C, et al. 1987. Comparative study of highperformance liquid chromatography with ultraviolet detection and gas chromatography with the Hall electrolytic conductivity detector in the analysis of N-nitroso compounds. *J Chromatog* 407:355-362.
- VIAR. 1987. Contract Laboratory Program Statistical Database. Output date: April 13, 1987.
- *VIEW Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. , June, 1989.

8. REFERENCES

- *Wade GG, Mandel R, Ryser HJ-P. 1987. Marked synergism of dimethylnitrosamine carcinogenesis in rats exposed to cadmium. *Cancer Res* 47:6606-6613.
- *Walker EA, Castegnaro M, Garren L, et al. 1978. Limitations to the protective effect of rubber gloves for handling nitrosamines. *IARC Sci Publ* 19:535-543.
- *Waynflete HB, Magee PN. 1974. The effect of N-nitroso-N-methylurea and N-dimethylnitrosamine on cell mediated and humoral immune responses in rats and mice. *Br J Cancer* 30:512-523.
- *Weast RC, ed. 1983. CRC handbook of chemistry and physics. 64th ed. Boca Raton, FL: CRC Press, C-270.
- *Webb KS, Gough TA, Carrick A, et al. 1979. Mass spectrometric and chemiluminescent detection of picogram amounts of N-nitrosodimethylamine. *Anal Chem* 51:989-992.
- *Weston RJ. 1984. Analysis of cereals, malted foods and dried legumes for N-nitrosodimethylamine. *J Sci Food Agric* 35:782-786.
- *Wild CP, Lu SH, Montesano R. 1987. Radioimmunoassay used to detect DNA alkylation adducts in tissues from populations at high risk for oesophageal and stomach cancer. *Iarc Sci Publ* 84:534-537.
- *Windholz M, ed. 1983. The Merck index. 10th ed. Rahway, NJ: Merck and Co., Inc., 952, 864, 1387-1388.
- *Wishnok JS, Rogers AE, Sanchez O, et al. 1978. Dietary effects on the pharmacokinetics of three carcinogenic nitrosamines. *Toxicol Appl Pharmacol* 43:391-398.
- *Wyrobek AJ, Bruce WR. 1975. Chemical induction of sperm abnormalities in mice. *Proc Nat Acad Sci*. 72:4425-4429.
- *Xesarone CF, Bolognesi C, Santi L. 1979. DNA repair synthesis in mice spermatids after treatment with N-methyl-N-nitroso-urea and N-dimethylnitrosamine: preliminary results. *Toxicology* 12:183-186.
- *Yamane Y, Sakai K, Umeda T, et al. 1984. Suppressive effect of cupric acetate on DNA alkylation, DNA synthesis and tumorigenesis in the liver of dimethylnitrosamine-treated rats. *Gann* 75:1062-1069.
- *Yoo J-SH, Guengerich FP, Yang CS. 1988. Metabolism of N-nitrosodialkylamines by human liver microsomes. *Cancer Res* 88:1499-1505.
- *Yu MC, Henderson BE. 1987. Intake of Cantonese-style salted fish as a cause of nasopharyngeal carcinoma. *IARC Sci Publ* 84:547-549.

8. REFERENCES

*Zeisel SH, daCosta KA, LaMont JT. 1988. Mono-, di- and trimethylamine in human gastric fluid: Potential substrates for nitrosodimethylamine formation. *Carcinogenesis* 9:179-181.

*Zoeteman BCJ, Harmsen K, Linders JBHJ, et al. 1980. Persistent organic pollutants in river water and ground water of The Netherlands. *Chemosphere* 9:231-249.