

9. REFERENCES

- *ACGIH. 2013. Glutaraldehyde. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 32.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- *Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- *Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Subcommittee on Biomarkers of Organ Damage and Dysfunction. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- *Ahishali E, Uygur-Bayramicli O, Dolapcioglu C, et al. 2009. Chemical colitis due to glutaraldehyde: Case series and review of the literature. *Dig Dis Sci* 54(12):2541-2545.
- *AIHA. 2011. Emergency response planning guidelines (ERPG). Fairfax, VA: American Industrial Hygiene Association. <http://www.aiha.org/INSIDEAIHA/GUIDELINEDEVELOPMENT/ERPG/Pages/default.aspx>. April 24, 2013.
- *Altman PL, Dittmer DS. 1974. In: *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies of Experimental Biology, 1987-2008, 2041.
- *Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, and replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87(2):185-205.
- *API. 2015. Hydraulic fracturing. Unlocking America's natural gas resources. American Petroleum Institute. <http://www.api.org/~media/Files/Oil-and-Natural-Gas/Hydraulic-Fracturing-primer/Hydraulic-Fracturing-Primer-2015-highres.pdf>. December 9, 2015.
- *Arntz D, Fischer A, Hopp M, et al. 2012. Acrolein and methacrolein. In: *Ullmann's encyclopedia of industrial chemistry*. http://onlinelibrary.wiley.com/doi/10.1002/14356007.a01_149.pub2/abstract. April 6, 2014.
- *Azadi S, Klink KJ, Meade BJ. 2004. Divergent immunological responses following glutaraldehyde exposure. *Toxicol Appl Pharmacol* 197(1):1-8.

*Cited in text

9. REFERENCES

- *Ballantyne B. 1995. Toxicology of glutaraldehyde. Review of studies and human health effects. Dow Chemical. ©The Dow Chemical Company. Do not reproduce without permission.
- *Ballantyne B, Jordan SL. 2001. Toxicological, medical and industrial hygiene aspects of glutaraldehyde with particular reference to its biocidal use in cold sterilization procedures. *J Appl Toxicol* 21(2):131-151.
- *Ban-Weiss GA, McLaughlin JP, Harley RA, et al. 2008. Carbonyl and nitrogen dioxide emissions from gasoline- and diesel-powered motor vehicles. *Environ Sci Technol* 42:3944-3950.
- *Bardazzi F, Melino M, Alagna G, et al. 1986. Glutaraldehyde dermatitis in nurses. *Contact Dermatitis* 14(5):319-320.
- *Baric I, Wagner L, Feyh P, et al. 1999. Sensitivity and specificity of free and total glutaric acid and 3-hydroxyglutaric acid measurements by stable-isotope dilution assays for the diagnosis of glutaric aciduria type I. *J Inher Metab Dis* 22(8):867-881.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486.
- *BASF. 2013. [E-mail communication between SRC and BASF and unpublished studies related to Substance: 111-30-8_master_glutaral (IUC4 DSN 559)]. BASF - The Chemical Company. [unpublished study to be peer reviewed].
- BASF Corp. 1990a. Report No.: T-2198. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.
- BASF Corp. 1990b. Report No.: T-2203. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.
- BASF Corp. 1990c. Report No.: T-2248. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.
- BASF Corp. 1990d. Report No.: T-2249. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.
- BASF Corp. 1990e. Report No.: T-2287. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.
- *BASF Corp. 1990f. Report No.: T-2295. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.

9. REFERENCES

*BASF Corp. 1990g. Report No.: T-2296. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.

BASF Corp. 1990h. Report No.: T-2297. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.

*BASF Corp. 1990i. Report No.: T-2298. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.

*BASF Corp. 1990j. Report No.: T-2299. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.

BASF Corp. 1990k. Report No.: T-2303. Letter from BASF Corp to US EPA regarding submission of data on glutaraldehyde with attachments (English and German). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0526410-1.

*BASF Corp. 1990l. Prenatal toxicity range-finding study in rats oral administration (drinking water) (February 02, 1990) (summary tables only) with cover letter dated 121691. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86920000653. OTS0535536.

*BASF Corp. 1990m. Prenatal toxicity range-finding study in rabbits oral administration (gavage) (February 12, 1990) (summary tables only) with cover letter dated 121691. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535535.

*BASF Corp. 1991a. Study of the prenatal toxicity of glutaraldehyde in rabbits after oral administration (gavage) (February 11, 1991) (Final report) with attachment and cover letter dated 121691. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86920000655. OTS0535538.

*BASF Corp. 1991b. Study of the prenatal toxicity of glutaraldehyde in rats after oral administration (drinking water) (February 11, 1991) (Final report) with attachment and cover letter dated 121691. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86920000654. OTS0535537.

*BASF Corp. 1991c. Letter submitting two enclosed prenatal toxicity oral administration range-finding studies (summary tables only) on pentanedial. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86920000656. OTS0535539.

*Beauchamp RO, St Clair MB, Fennell TR, et al. 1992. A critical review of the toxicology of glutaraldehyde. Crit Rev Toxicol 22(3-4):143-174.

*Berger GS, ed. 1994. Epidemiology of endometriosis. In: Endometriosis: Modern surgical management of endometriosis. New York, NY: Springer-Verlag, 3-7.

*Birnbaum BA, Gordon RB, Jacobs JE. 1995. Glutaraldehyde colitis: Radiologic findings. Radiology 195(1):131-134.

9. REFERENCES

- *Cain WS, Schmidt R, Jalowayski AA. 2007. Odor and chemesthesis from exposures to glutaraldehyde vapor. *Int Arch Occup Environ Health* 80(8):721-731.
- *Calder IM, Wright LP, Grimstone D. 1992. Glutaraldehyde allergy in endoscopy units. *Lancet* 339(8790):433.
- *Caraccio TR, McGuigan MA. 2004. Formaldehyde and glutaraldehyde. In: Dart RC, ed. *Medical toxicology*. 3rd ed. Philadelphia, PA: Lippincott Williams & Wilkins, 1246-1250.
- *Chan-Yeung M, McMurren T, Catonio-Begley F, et al. 1993. Occupational asthma in a technologist exposed to glutaraldehyde. *J Allergy Clin Immunol* 91(5):974-978.
- *ChemIDplus. 2013. Glutaral. ChemIDplus. Bethesda, MD: U.S. National Library of Medicine. <http://sis.nlm.nih.gov/chemical.html>. March 20, 2013.
- *Chotani GK, Dodge TC, van Scheltinga AHT, et al. 2012. Enzymes, 2. Discovery and production. In: *Ullmann's encyclopedia of industrial chemistry*. http://onlinelibrary.wiley.com/doi/10.1002/14356007.m09_m01/abstract. April 6, 2014.
- *Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- *Cohen NL, Patton CM. 2006. Worker safety and glutaraldehyde in the gastrointestinal lab environment. *Gastroenterol Nurs* 29(2):100-104.
- *Collins JJ, Burns C, Spencer P, et al. 2006. Respiratory cancer risks among workers with glutaraldehyde exposure. *J Occup Environ Med* 48(2):199-203.
- *Confidential. 1987a. Cytogenicity study-bone marrow in-vivo (final report; with attachment, cover sheet and letter dated 112691 (sanitized)). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0533792.
- *Confidential. 1987b. In vivo alkaline elution assay of WI226.01 for DNA cross links in rat testis with attachments, cover sheet and letter dated 112691 (sanitized). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0533790.
- *Confidential. 1987c. In vivo alkaline elution assay of WI226.01 for DNA strand breaks in rat rat testis with attachments, cover sheet and letter dated 112691 (sanitized). Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0533791.
- Confidential. 1991. Letter to USEPA regarding the enclosed evaluation summary on the lever modification of the Magnusson-Kligman guinea pig maximization test with glutaraldehyde (sanitized) w-attach. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS05333498.
- *Confidential. 2002. 24-Month drinking water study in Wistar rats with glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E/FYI. 8EHQ-0902-15204A. <http://yosemite.epa.gov/oppts/epatscat8.nsf/ReportSearchView/A93991737DA6857485256D6E0055A03A>. April 9, 2014.

9. REFERENCES

- *Connaughton P. 1993. Occupational exposure to glutaraldehyde associated with tachycardia and palpitations. *Med J Aust* 159(8):567.
- *Corrado OJ, Osman J, Davies RJ. 1986. Asthma and rhinitis after exposure to glutaraldehyde in endoscopy units. *Hum Toxicol* 5:325-327.
- *Costa LG, Aschner M, Vitalone A, et al. 2004. Developmental neuropathology of environmental agents. *Annu Rev Pharmacol Toxicol* 44:87-110. 10.1146/annurev.pharmtox.44.101802.121424.
- *Cullinan P, Hayes J, Cannon J, et al. 1992. Occupational asthma in radiographers. *Lancet* 340(Dec):1477.
- *Cusano F, Luciano S. 1993. Contact allergy to benzalkonium chloride and glutaraldehyde in a dental nurse. *Contact Dermatitis* 28(2):127-128.
- *Dailey JR, Parnes RE, Aminlari A. 1993. Glutaraldehyde keratopathy. *Am J Ophthalmol* 115(2):256-258.
- *Descotes J. 1988. Identification of contact allergens: The mouse ear sensitization assay. *J Toxicol Cutaneous Ocul Toxicol* 7(4):263-272.
- *Di Prima T, De Pasquale R, Nigro M. 1988. Contact dermatitis from glutaraldehyde. *Contact Dermatitis* 19(3):219-220.
- *Di Stefano F, Siriruttanapruk S, McCoach J, et al. 1999. Glutaraldehyde: An occupational hazard in the hospital setting. *Allergy* 54(10):1105-1109.
- *Dillon D, Combes R, Zeiger E. 1998. The effectiveness of Salmonella strains TA100, TA102 and TA104 for detecting mutagenicity of some aldehydes and peroxides. *Mutagenesis* 13(1):19-26.
- *Di Prima T, De Pasquale R, Nigro M. 1988. Contact dermatitis from glutaraldehyde. *Contact Dermatitis* 19(3):219-220.
- *DOE. 2012. Protective action criteria (PAC). Oak Ridge, TN: U.S. Department of Energy and Subcommittee on Consequence Assessment and Protective Actions (SCAPA). <http://orise.orau.gov/emi/scapa/chem-pacs-teels/default.htm>. April 24, 2013.
- *Dolce P, Gourdeau M, April N, et al. 1995. Outbreak of glutaraldehyde-induced proctocolitis. *Am J Infect Control* 23(1):34-39.
- *Durante L, Zulty JC, Israel E, et al. 1992. Investigation of an outbreak of bloody diarrhea: Association with endoscopic cleaning solution and demonstration of lesions in an animal model. *Am J Med* 92(5):476-480.
- *Ek CJ, Dziegielewska KM, Habgood MD, et al. 2012. Barriers in the developing brain and Neurotoxicology. *Neurotoxicology* 33(3):586-604. 10.1016/j.neuro.2011.12.009.
- *Ema M, Itami T, Kawasaki H. 1992. Teratological assessment of glutaraldehyde in rats by gastric intubation. *Toxicol Lett* 63(2):147-153.

9. REFERENCES

- *Emmanuel E, Hanna K, Bazin C, et al. 2005. Fate of glutaraldehyde in hospital wastewater and combined effects of glutaraldehyde and surfactants on aquatic organisms. *Environ Int* 31(3):399-406.
- *EPA. 1990. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development. EPA600890066A. PB90238890.
- *EPA. 1991. Guidelines for developmental toxicity risk assessment. U.S. Environmental Protection Agency. EPA600FR91001. http://www2.epa.gov/sites/production/files/2014-11/documents/dev_tox.pdf. February 23, 2015.
- *EPA. 1994. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. U.S. Environmental Protection Agency. EPA600890066F.
- *EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.
- *EPA. 1998a. Health effects test guidelines. OPPTS 870.7800. Immunotoxicity. U.S. Environmental Protection Agency. EPA712C98351. <http://www.regulations.gov/contentStreamer?objectId=09000064809bc936&disposition=attachment&contentType=pdf>. February 23, 2015.
- *EPA. 1998b. Health effects test guidelines. OPPTS 870.6200. Neurotoxicity screening. U.S. Environmental Protection Agency. EPA712C98238. <http://www.regulations.gov/contentStreamer?objectId=09000064809bc92e&disposition=attachment&contentType=pdf>. February 23, 2015.
- *EPA. 1998c. Health effects test guidelines. OPPTS 870.3700. Prenatal developmental toxicity study. U.S. Environmental Protection Agency. EPA712C98207. <http://www.regulations.gov/contentStreamer?objectId=09000064809bc488&disposition=attachment&contentType=pdf>. February 23, 2015.
- *EPA. 1998d. Health effects test guidelines. OPPTS 870.3800. Reproduction and fertility effects. U.S. Environmental Protection Agency. EPA712C98208. <http://www.regulations.gov/contentStreamer?objectId=09000064809bc489&disposition=attachment&contentType=pdf>. February 23, 2015.
- *EPA. 1998e. RCRA waste minimization PBT priority chemical list. U.S. Environmental Protection Agency. Fed Regist 63 FR 60332 <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.
- *EPA. 2006. Glutaraldehyde: Report of the cancer assessment review committee. U.S. Environmental Protection Agency, Office of Prevention, Pesticides and Toxic Substances.
- *EPA. 2007. Reregistration eligibility decision for glutaraldehyde. U.S. Environmental Protection Agency. EPA739R07006. <http://www.epa.gov/oppsrrd1/REDs/glutaraldehyde-red.pdf>. April 5, 2014.

9. REFERENCES

- *EPA. 2009a. Drinking water contaminant candidate list. U.S. Environmental Protection Agency. Fed Regist 74 FR 51850:51850-51862. <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2009b. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F090004. <http://water.epa.gov/drink/contaminants/upload/mcl-2.pdf>. April 24, 2013.
- *EPA. 2009c. National recommended water quality criteria. Washington, DC: U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology. <http://water.epa.gov/scitech/swguidance/standards/criteria/current/index.cfm>. April 24, 2013.
- *EPA. 2012a. Designated as hazardous substances in accordance with section 311(b)(2)(a) of the Clean Water Act. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 116.4 <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2012b. Drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA 822-S-12-001. <http://water.epa.gov/drink/standards/hascience.cfm>. April 24, 2013.
- *EPA. 2012c. Identification and listing of hazardous waste. Hazardous constituents. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261, Appendix VIII <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2012d. Reportable quantities of hazardous substances designated pursuant to section 311 of the Clean Water Act. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 117.3 <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2012e. Standards for owners and operators of hazardous waste TSD facilities. Groundwater monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 264, Appendix IX <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2012f. Superfund, emergency planning, and community right-to-know programs. Designation, reportable quantities, and notifications. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.4 <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2012g. Superfund, emergency planning, and community right-to-know programs. Extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 355, Appendix A. <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2012h. Superfund, emergency planning, and community right-to-know programs. Toxic chemical release reporting. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 372.65 <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2012i. Toxic Substances Control Act. Chemical lists and reporting periods. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 712.30 <http://www.gpo.gov/fdsys>. April 24, 2013.
- *EPA. 2012j. Toxic Substances Control Act. Health and safety data reporting. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 716.120 <http://www.gpo.gov/fdsys>. April 24, 2013.

9. REFERENCES

- *EPA. 2013a. Acute exposure guideline levels (AEGLs). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. <http://www.epa.gov/oppt/aegl/>. April 24, 2013.
- *EPA. 2013b. Acute exposure guideline levels (AEGLs). Second AEGL chemical priority list. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. http://www.epa.gov/opptintr/aegl/pubs/priority_2.htm. April 24, 2013.
- *EPA. 2013c. Hazardous air pollutants. Clean Air Act. U.S. Environmental Protection Agency. United States Code 42 USC 7412 <http://www.epa.gov/ttn/atw/orig189.html>. April 24, 2013.
- *EPA. 2013d. Inert ingredients permitted for use in nonfood pesticide products. Washington, DC: U.S. Environmental Protection Agency. <http://iaspub.epa.gov/apex/pesticides/f?p=124:1>. April 24, 2013.
- *EPA. 2013e. Master testing list. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. <http://www.epa.gov/opptintr/chemtest/pubs/mtl.html>. April 24, 2013.
- *EPA. 2013f. National ambient air quality standards (NAAQS). Washington, DC: Office of Air and Radiation, U.S. Environmental Protection Agency. <http://www.epa.gov/air/criteria.html>. April 24, 2013.
- *EPA. 2013g. Glutaraldehyde. Inert finder. U.S. Environmental Protection Agency. http://iaspub.epa.gov/apex/pesticides/f?p=INERTFINDER:3:0::NO::P3_ID:7419. March 20, 2013.
- *FDA. 2007. Redbook 2000. Guidance for industry and other stakeholders toxicological principles for the safety assessment of food ingredients U.S. Food and Drug Administration. <http://www.fda.gov/downloads/Food/GuidanceRegulation/UCM222779.pdf>. February 23, 2015.
- *FDA. 2013. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. <http://www.accessdata.fda.gov/scripts/fcn/fcnavigation.cfm?rpt=eafuslisting>. April 24, 2013.
- *Fomon SJ. 1966. Body composition of the infant: Part 1: The male reference infant. In: Faulkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35(Suppl 5):1169-1175.
- *Fowler JF. 1989. Allergic contact dermatitis from glutaraldehyde exposure. *J Occup Med* 31(10):852-853.
- *Frantz SW, Beskitt JL, Tallant MJ, et al. 1993. Glutaraldehyde: Species comparisons of in vitro skin penetration. *J Toxicol Cutaneous Ocul Toxicol* 12(4):349-361.
- *Fukunaga K, Khatibi A. 2000. Glutaraldehyde colitis: A complication of screening flexible sigmoidoscopy in the primary care setting. *Ann Intern Med* 133(4):315.
- *Galloway SM, Bloom AD, Resnick M, et al. 1985. Development of a standard protocol for in vitro cytogenetic testing with Chinese hamster ovary cells: Comparison of results for 22 compounds in two laboratories. *Environ Mutagen* 7:1-51.

9. REFERENCES

- *Gannon PF, Bright P, Campbell M, et al. 1995. Occupational asthma due to glutaraldehyde and formaldehyde in endoscopy and x ray departments. *Thorax* 50(2):156-159.
- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect* 101(Supp 2):65-71.
- *Greenberg MI. 2002. Healthcare workers. In: Goldfrank LR, Howland MA, Flomenbaum NE, et al., eds. *Goldfrank's toxicologic emergencies*. 7th ed. New York, NY: McGraw-Hill Medical Publishing Division, 1677-1678.
- *Gross EA, Mellick PW, Kari FW, et al. 1994. Histopathology and cell replication responses in the respiratory tract of rats and mice exposed by inhalation to glutaraldehyde for up to 13 weeks. *Fundam Appl Toxicol* 23(3):348-362.
- *Guthua SW, Macigo FG, Mwaniki DL, et al. 2001. Symptoms in health personnel exposed to disinfectants. *East Afr Med J* 78(3):157-160.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences and Press Institute Press.
- *Halatek T, Opalska B, Swiercz R, et al. 2003. Glutaraldehyde inhalation exposure of rats: effects on lung morphology, Clara-cell protein, and hyaluronic acid levels in BAL. *Inhal Toxicol* 15(1):85-97.
- *Hamann CP, Rodgers PA, Sullivan K. 2003. Allergic contact dermatitis in dental professionals: effective diagnosis and treatment. *J Am Dent Assoc* 134(2):185-194.
- *Hansen KS. 1983a. Glutaraldehyde occupational dermatitis. *Contact Dermatitis* 9(1):81-82.
- *Hansen KS. 1983b. Occupational dermatoses in hospital cleaning women. *Contact Dermatitis* 9(5):343-351.
- *Hanson JM, Plusa SM, Bennett MK, et al. 1998. Glutaraldehyde as a possible cause of diarrhoea after sigmoidoscopy. *Br J Surg* 85(10):1385-1387.
- *Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen* 5(Suppl 1):3-142.
- *HazDat. 2007. Glutaraldehyde. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- *Hemminki K, Falck K, Vainio H. 1980. Comparison of alkylation rates and mutagenicity of directly acting industrial and laboratory chemicals. *Arch Toxicol* 46:277-285.
- *Hemminki K, Kyyronen P, Lindbohm ML. 1985. Spontaneous abortions and malformations in the offspring of nurses exposed to anaesthetic gases, cytostatic drugs, and other potential hazards in hospitals, based on registered information of outcome. *J Epidemiol Community Health* 39(2):141-147.
- *Hemminki K, Mutanen P, Saloniemi I, et al. 1982. Spontaneous abortions in hospital staff engaged in sterilising instruments with chemical agents. *Br Med J (Clin Res Ed)* 285(6353):1461-1463.

9. REFERENCES

- *Hilton J, Dearman RJ, Harvey P, et al. 1998. Estimation of relative skin sensitizing potency using the local lymph node assay: A comparison of formaldehyde with glutaraldehyde. *Am J Contact Dermat* 9(1):29-33.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- *Hoechst Celanese Corp. 1981. An acute inhalation toxicity study of C-204 in the rat with glutaraldehyde (project report) with cover letter dated 112791. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86-920000304. OTS0533523.
- *HSDB. 2011. Glutaraldehyde. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. April 6, 2014.
- *IARC. 2013. Agents classified by the IARC monographs. Volumes 1-107. Lyon, France: International Agency for Research on Cancer. <http://monographs.iarc.fr/ENG/Classification/index.php>. April 24, 2013.
- *IPCS. 1998. Glutaraldehyde. OECD Screening information dataset (SIDS) high production volume chemicals. International Programme on Chemical Safety. <http://www.inchem.org/documents/sids/sids/111308.pdf>. April 5, 2014.
- *IPCS. 2000. Glutaraldehyde. International Chemical Safety Cards (ICSCs). International Programme on Chemical Safety. <http://www.inchem.org/documents/icsc/icsc/eics0158.htm>. March 20, 2013.
- *IRIS. 2013. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/iris/>. April 24, 2013.
- *Jachuck SJ, Bound CL, Steel J, et al. 1989. Occupational hazard in hospital staff exposed to 2 per cent glutaraldehyde in an endoscopy unit. *J Soc Occup Med* 39(2):69-71.
- *Jolibois B, Guerbet M, Vassal S. 2002. Glutaraldehyde in hospital wastewater. *Arch Environ Contam Toxicol* 42(2):137-144.
- *Jordan WJ, Dahl MV, Albert HL. 1972. Contact dermatitis from glutaraldehyde. *Arch Dermatol* 105(1):94-95.
- *Jung R, Engelhart G, Herbolt B, et al. 1992. Collaborative study of mutagenicity with *Salmonella typhimurium* TA102. *Mutat Res* 278:265-270.
- *Kamber M, Flückiger-Isler S, Engelhardt G, et al. 2009. Comparison of the Ames II and traditional Ames test responses with respect to mutagenicity, strain specificities, need for metabolism and correlation with rodent carcinogenicity. *Mutagenesis* 24(4):359-366.
- *Kanerva L, Miettinen P, Alanko K, et al. 2000. Occupational allergic contact dermatitis from glyoxal, glutaraldehyde and neomycin sulfate in a dental nurse. *Contact Dermatitis* 42(2):116-117.
- *Katagiri H, Yamamoto T, Uchimura A, et al. 2011. The alterations in neurotransmitters and their metabolites in discrete brain regions in the rats after inhalation of disinfectant, glutaraldehyde or ortho-phthalaldehyde for 4 weeks. *Ind Health* 49(3):328-337.

9. REFERENCES

- *Kearns GL, Abdel-Rahman SM, Alander SW, et al. 2003. Developmental pharmacology-drug disposition, action, and therapy in infants and children. *N Engl J Med* 349(12):1157-1167. 10.1056/NEJMra035092.
- *Kiec-Swierczynska M, Krecisz B. 2001. Occupational allergic contact dermatitis in hairdressers due to glutaraldehyde. *Contact Dermatitis* 44(3):185-186.
- *Kieć-Świerczyńska M, Krecisz B, Pałczyński C, et al. 2001. Allergic contact dermatitis from disinfectants in farmers. *Contact Dermatitis* 45(3):168-169.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29(18):4430-4433.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- *Kucenic MJ, Belsito DV. 2002. Occupational allergic contact dermatitis is more prevalent than irritant contact dermatitis: A 5-year study. *J Am Acad Dermatol* 46(5):695-699.
- *Kuchenmeister F, Schmezer P, Engelhardt G. 1998. Genotoxic bifunctional aldehydes produce specific images in the comet assay. *Mutat Res* 419:69-78.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- *Leikin JB, Paloucek FP. 2002. Glutaraldehyde. In: *Poisoning and toxicology handbook*. 3rd ed. Hudson, OH: Lexi-Comp, Inc., 625-626.
- *Leung H. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantyne B, Marrs T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- *Leung HW. 2001. Aerobic and anaerobic metabolism of glutaraldehyde in a river water-sediment system. *Arch Environ Contam Toxicol* 41(3):267-273.
- *Levin DE, Hollstein M, Christman MF, et al. 1982. A new Salmonella tester strain (TA102) with A-T base pairs at the site of mutation detects oxidative mutagens. *Proc Natl Acad Sci USA* 79:7445-7449.
- *Lewis RJ. 2007. Glutaraldehyde. In: *Hawley's condensed chemical dictionary*. 15th ed. Hoboken, NJ: John Wiley & Sons, Inc., 610.
- *Lindahl R, Levin JO. 1995. Laboratory validation of a diffusive sampler for the determination of glutaraldehyde in air. *J Chromatogr A* 710(1):175-180.
- *Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4(2-3):301-324.

9. REFERENCES

- *Maibach H. 1975. Glutaraldehyde: Cross-reactions to formaldehyde? *Contact Dermatitis* 1(5):326-327.
- *Marnett LJ, Hurd HK, Hollstein MC, et al. 1985. Naturally occurring carbonyl compounds are mutagens in *Salmonella* tester strain TA104. *Mutat Res* 148:25-34.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74(2-3):135-149.
- *McCurdy R. 2011. EPA hydraulic fracturing workshop 1. February 24-25, 2011. Chesapeake Energy. <http://www.epa.gov/sites/production/files/documents/highratehfinnon-marcellusunconventionals shale.pdf>. December 9, 2015.
- *McEntee T. 2000. Industrial antimicrobial agents. In: *Kirk-Othmer encyclopedia of chemical technology*. <http://onlinelibrary.wiley.com/doi/10.1002/0471238961.0914042113030514.a01/abstract>. April 6, 2014.
- *McGinley HR. 2012. Glutaraldehyde uses and counterfeits. *Water Technol* 35(9):30-33.
- *McGregor DB, Brown A, Cattanaach P, et al. 1988. Responses of the L5178Y tk-positive/tk-negative mouse lymphoma cell forward mutation assay II: 18 coded chemicals. *Environ Mol Mutagen* 11(1):91-118.
- *Mckelvey JA, Garman RH, Anuszkiewicz CM, et al. 1992. Percutaneous pharmacokinetics and material balance studies with glutaraldehyde. *Cutan Ocul Toxicol* 11(4):341-367.
- *Mirsalis JC, Tyson CK, Steinmetz KL, et al. 1989. Measurement of unscheduled DNA synthesis and S-phase synthesis in rodent hepatocytes following in vivo treatment: Testing of 24 compounds. *Environ Mol Mutagen* 14(3):155-164.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokinet* 5(6):485-527.
- *Myers DR, Pashley DH, Lake FT, et al. 1986. Systemic absorption of ¹⁴C-glutaraldehyde from glutaraldehyde-treated pulpotomy sites. *Pediatr Dent* 8(3):134-138.
- *NAS/NRC. 1989. Report of the oversight committee. In: *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.
- *Neeper-Bradley TL, Ballantyne B. 2000. Two-generation reproduction study by dosing with glutaraldehyde in the drinking water of CD rats. *J Toxicol Environ Health A* 60:107-129.
- *Nethercott JR, Holness DL, Page E. 1988. Occupational contact dermatitis due to glutaraldehyde in health care workers. *Contact Dermatitis* 18(4):193-196.
- *Nettis E, Colanardi MC, Soccio AL, et al. 2002. Occupational irritant and allergic contact dermatitis among healthcare workers. *Contact Dermatitis* 46:101-107.

9. REFERENCES

- *NICNAS. 1994. Priority existing chemical Number 3. Glutaraldehyde. Full public report. Canberra, Australia: National Industrial Chemicals Notification and Assessment Scheme. Australian Government Publishing Service.
- *NIOSH. 1987a. Glutaraldehyde at Montgomery Hospital, Norristown, Pennsylvania Health Hazard Evaluation (HHE). Cincinnati, OH: National Institute for Occupational Safety and Health. HETA862261769. <http://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0226-1769.pdf>. April 10, 2014.
- *NIOSH. 1987b. Health Hazard Evaluation Report HETA 85-257-1791, Mercy Medical Center, Denver, Colorado. Cincinnati, OH: National Institute for Occupational Safety and Health. HETA852571791.
- *NIOSH. 2000. Glutaraldehyde. International Chemical Safety Cards. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/ipcsneng/neng0158.html>. April 6, 2014
- *NIOSH. 2011. Glutaraldehyde. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npg/npgd0301.html>. April 6, 2014.
- *Norbäck D. 1988. Skin and respiratory symptoms from exposure to alkaline glutaraldehyde in medical services. *Scand J Work Environ Health* 14(6):366-371.
- *NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Research Council. National Academy Press. PB93216091.
- *NTP. 1993. NTP Technical report on toxicity studies of glutaraldehyde (CAS No. 111-30-8) administered by inhalation to F344/N rats and B6C3F1 mice. Research Triangle Park, NC: National Toxicology Program, U.S. Department of Health and Human Services. NIH Publication 93-3348, Number 25.
- *NTP. 1999. NTP Technical Report on the toxicology and carcinogenesis studies of glutaraldehyde in F344/N rats and B6C3F1 mice. Inhalation studies. Research Triangle Park, NC: National Toxicology Program, U.S. Department of Health and Human Services. NIH Publication No. 99-3980. NTP TR490.
- *NTP. 2013a. Draft OHAT approach for systematic review and evidence integration for literature-based health assessments—February 2013. National Toxicology Program. http://ntp.niehs.nih.gov/ntp/ohat/evaluationprocess/draftohatapproach_february2013.pdf. October 15, 2014.
- *NTP. 2013b. Appendix 2: Guidance for assessing risk of bias in the protocol for evaluating the evidence for an association between pfoa and pfos exposure and immunotoxicity. In: Systematic review to evaluate the evidence for an association between perfluorooctanoic acid (PFOA) or perfluorooctane sulfonate (PFOS) exposure and immunotoxicity. National Toxicology Program. http://ntp.niehs.nih.gov/ntp/ohat/evaluationprocess/appendix_2_pfoa_pfos_riskofbias.pdf. February 26, 2015.
- *NTP. 2014. Report on carcinogens. Thirteenth edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. http://ntp.niehs.nih.gov/ntp/roc/content/listed_substances_508.pdf. November 30, 2015.
- *Nunoshiba T, Hashimoto M, Nishioka H. 1991. Cross-adaptive response in *Escherichia coli* caused by pretreatment with H₂O₂ against formaldehyde and other aldehyde compounds. *Mutat Res* 255(3):265-271.

9. REFERENCES

- *OECD. 1983. Test No. 415: One-generation reproduction toxicity study. OECD guidelines for the testing of chemicals, section 4: Health effects. OECD ilibrary. Organisation for Economic Co-operation and Development. http://www.oecd-ilibrary.org/environment/test-no-415-one-generation-reproduction-toxicity-study_9789264070844-en. February 23, 2015.
- *OECD. 1992. Test No. 406: Skin sensitisation. OECD guidelines for the testing of chemicals, section 4: Health effects. OECD ilibrary. Organisation for Economic Co-operation and Development. http://www.oecd-ilibrary.org/environment/test-no-406-skin-sensitisation_9789264070660-en. February 23, 2015.
- *OECD. 1998. Test No. 408: Repeated dose 90-day oral toxicity study in rodents. OECD guidelines for the testing of chemicals, section 4: Health effects. OECD ilibrary. Organisation for Economic Co-operation and Development. http://www.oecd-ilibrary.org/environment/test-no-408-repeated-dose-90-day-oral-toxicity-study-in-rodents_9789264070707-en. February 23, 2015.
- *OECD. 2001a. Test No. 414: Prenatal development toxicity study. OECD guidelines for the testing of chemicals, section 4: Health effects. OECD ilibrary. Organisation for Economic Co-operation and Development. http://www.oecd-ilibrary.org/environment/test-no-414-prenatal-development-toxicity-study_9789264070820-en. February 23, 2015.
- *OECD. 2001b. Test No. 416: Two-generation reproduction toxicity. OECD guidelines for the testing of chemicals, section 4: Health effects. OECD ilibrary. Organisation for Economic Co-operation and Development. http://www.oecd-ilibrary.org/environment/test-no-416-two-generation-reproduction-toxicity_9789264070868-en. February 23, 2015.
- *OECD. 2009a. Test No. 412: Subacute inhalation toxicity: 28-Day study. OECD guidelines for the testing of chemicals, section 4: Health effects. OECD ilibrary. Organisation for Economic Co-operation and Development. http://www.oecd-ilibrary.org/environment/test-no-412-subacute-inhalation-toxicity-28-day-study_9789264070783-en. February 23, 2015.
- *OECD. 2009b. Test No. 451: Carcinogenicity studies. OECD guidelines for the testing of chemicals, section 4: Health effects. OECD ilibrary. Organisation for Economic Co-operation and Development. http://www.oecd-ilibrary.org/environment/test-no-451-carcinogenicity-studies_9789264071186-en. February 23, 2015.
- *OECD. 2009c. Test No. 452: Chronic toxicity studies. OECD guidelines for the testing of chemicals, section 4: Health effects. OECD ilibrary. Organisation for Economic Co-operation and Development. http://www.oecd-ilibrary.org/environment/test-no-452-chronic-toxicity-studies_9789264071209-en. February 23, 2015.
- *OECD. 2009d. Test No. 453: Combined chronic toxicity/carcinogenicity studies. OECD guidelines for the testing of chemicals, section 4: Health effects. OECD ilibrary. Organisation for Economic Co-operation and Development. http://www.oecd-ilibrary.org/environment/test-no-453-combined-chronic-toxicity-carcinogenicity-studies_9789264071223-en. February 23, 2015.
- *Ong TH, Tan KL, Lee HS, et al. 2004. A case report of occupational asthma due to glutaraldehyde exposure. *Ann Acad Med Singapore* 33(2):275-278.

9. REFERENCES

- *OSHA. 2013a. Toxic and hazardous substances. Occupational safety and health standards. Occupational Safety and Health Administration. Code of Federal Regulations 29 CFR 1910.1000, Table Z-1. <http://www.osha.gov/law-regs.html>. April 24, 2013.
- *OSHA. 2013b. List of highly hazardous chemicals, toxics, and reactives. Occupational safety and health standards. Occupational Safety and Health Administration. Code of Federal Regulations 29 CFR 1910.119, Appendix A. <http://www.osha.gov/law-regs.html>. April 24, 2013.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.
- *Palczynski C, Walusiak J, Krakowiak A, et al. 2005. Glutaraldehyde-induced occupational asthma: BALF components and BALF and serum Clara cell protein (CC16) changes due to specific inhalatory provocation test. *Occup Med (Lond)* 55(7):572-574.
- *Palczynski C, Walusiak J, Ruta U, et al. 2001. Occupational asthma and rhinitis due to glutaraldehyde: Changes in nasal lavage fluid after specific inhalatory challenge test. *Allergy* 56(12):1186-1191.
- *Perera PM, Kularathne K, Gawarammana IB. 2008. Laryngeal edema and metabolic acidosis after Omnicide ingestion. *Clin Toxicol (Phila)* 46(9):858-860.
- *Peters K, Richards FM. 1977. Chemical cross-linking: Reagents and problems in studies of membrane structure. *Annu Rev Biochem* 46:523-551.
- *Pisaniello DL, Gun RT, Tkaczuk MN, et al. 1997. Glutaraldehyde exposures and symptoms among endoscopy nurses in South Australia. *Appl Occup Environ Hyg* 12(3):171-177.
- *Potter DW, Wederbrand KS. 1995. Total IgE antibody production in BALB/c mice after dermal exposure to chemicals. *Fundam Appl Toxicol* 26(1):127-135.
- *Quirce S, Gomez M, Bombin C, et al. 1999. Glutaraldehyde-induced asthma. *Allergy* 54(10):1121-1122.
- *Ranly DM, Horn D. 1990. Distribution, metabolism, and excretion of [¹⁴C] glutaraldehyde. *J Endod* 16(3):135-139.
- *Ranly DM, Amstutz L, Horn D. 1990. Subcellular localization of glutaraldehyde. *Endod Dent Traumatol* 6(6):251-254.
- *Ravis SM, Shaffer MP, Shaffer CL, et al. 2003. Glutaraldehyde-induced and formaldehyde-induced allergic contact dermatitis among dental hygienists and assistants. *J Am Dent Assoc* 134(8):1072-1078.
- *Reifenrath WG, Prystowsky SD, Nonomura JH, et al. 1985. Topical glutaraldehyde-percutaneous penetration and skin irritation. *Arch Dermatol Res* 277(3):242-244.
- *RePORTER. 2014. Glutaraldehyde. National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. April 7, 2014.
- *Rietz B. 1985. Determination of three aldehydes in the air of working environments. *Anal Lett* 18(19):2369-2379.

9. REFERENCES

- *Rooney AA, Boyles AL, Wolfe MS, et al. 2014. Systematic review and evidence integration for literature-based environmental health science assessments. *Environ Health Perspect* 122(7):711-718. 10.1289/ehp.1307972.
- *Rozen P, Somjen GJ, Baratz M, et al. 1994. Endoscope-induced colitis: Description, probable cause by glutaraldehyde, and prevention. *Gastrointest Endosc* 40(5):547-553.
- *Ruiz-Rubion M, Alejandre-Duran E, Pueyo C. 1985. Oxidative mutagens specific for A-T base pairs induce forward mutations to L-arabinose resistance in *Salmonella typhimurium*. *Mutat Res* 147:153-163.
- *Sakagami Y, Yamazaki H, Ogasawara N, et al. 1988b. The evaluation of genotoxic activities of disinfectants and their metabolites by umu test. *Mutat Res* 209:155-160.
- *Sakagami Y, Yamasaki K, Yokoyama H, et al. 1988a. DNA repair test of disinfectants by liquid rec-assay. *Mutat Res* 193(1):21-30.
- *Sanderson KV, Cronin E. 1968. Glutaraldehyde and contact dermatitis. *Br Med J* 3(5621):802.
- *Sano LL, Krueger AM, Landrum PF. 2005. Chronic toxicity of glutaraldehyde: Differential sensitivity of three freshwater organisms. *Aquat Toxicol* 71(3):283-296.
- *Sasaki Y, Endo R. 1978. Mutagenicity of aldehydes in *Salmonella*. *Mutat Res* 54(2):251-252.
- *Saunders NR, Ek CJ, Habgood MD, et al. 2008. Barriers in the brain: A renaissance? *Trends Neurosci* 31(6):279-286. 10.1016/j.tins.2008.03.003.
- *Saunders NR, Liddelow SA, Dziegielewska KM. 2012. Barrier mechanisms in the developing brain. *Frontiers in pharmacology* 3:Article 46. 10.3389/fphar.2012.00046.
- *Scheuplein R, Charnley G, Dourson M. 2002. Differential sensitivity of children and adults to chemical toxicity. I. Biological basis. *Regul Toxicol Pharmacol* 35(3):429-447.
- *Sekine Y, Oikawa D, Saitoh K, et al. 2005. Evaluation of passive sampler for measurement of glutaraldehyde in occupational indoor air. *J Health Sci* 51(6):629-635.
- *Shaffer MP, Belsito DV. 2000. Allergic contact dermatitis from glutaraldehyde in health-care workers. *Contact Dermatitis* 43(3):150-156.
- *Shigematsu Y, Hata I, Tanaka Y, et al. 2005. Stable-isotope dilution gas chromatography-mass spectrometric measurement of 3-hydroxyglutaric acid, glutaric acid and related metabolites in body fluids of patients with glutaric aciduria type 1 found in newborn screening. *J Chromatogr B Analyt Technol Biomed Life Sci* 823(1):7-12.
- *Shih HY, Wu DC, Huang WT, et al. 2011. Glutaraldehyde-induced colitis: Case reports and literature review. *Kaohsiung J Med Sci* 27(12):577-580.
- *Siebert J, Harke HP. 2012. Disinfectants. In: *Ullmann's encyclopedia of industrial chemistry*. http://onlinelibrary.wiley.com/doi/10.1002/14356007.a08_551.pub2/abstract. April 6, 2014.
- *Simonenko V, Syuch N, Prostakishin G, et al. 2009. Unfavorable outcome in severe systemic toxicity after concentrated glutaraldehyde ingestion. *Toxicology Letters (Shannon)* 189(Sp. Iss. SI):S253.

9. REFERENCES

- *Slesinski RS, Hengler WC, Guzzie PJ, et al. 1983. Mutagenicity evaluation of glutaraldehyde in a battery of in vitro bacterial and mammalian test systems. *Food Chem Toxicol* 21(5):621-629.
- *Smith DR, Wang R. 2006. Glutaraldehyde exposure and its occupational impact in the health care environment. *Environ Health Prev Med* 11:3-10.
- *Speit G, Neuss S, Schutz P, et al. 2008. The genotoxic potential of glutaraldehyde in mammalian cells in vitro in comparison with formaldehyde. *Mutat Res* 649(1-2):146-154.
- *St Clair MB, Bermudez E, Gross EA, et al. 1991. Evaluation of the genotoxic potential of glutaraldehyde. *Environ Mol Mutagen* 18(2):113-119.
- *Stein BL, Lamoureux E, Miller M, et al. 2001. Glutaraldehyde-induced colitis. *Can J Surg* 44(2):113-116.
- *Stern ML, Holsapple MP, Ja, et al. 1989. Contact hypersensitivity response to glutaraldehyde in Guinea pigs and mice. *Toxicol Ind Health* 5(1):31-43.
- *Stingeni L, Lapomarda V, Lisi P. 1995. Occupational hand dermatitis in hospital environments. *Contact Dermatitis* 33(3):172-176.
- *Stromberg PC, Vogtsberger LM, Marsh LR, et al. 1983. Pathology of the mononuclear cell leukemia of Fischer rats. II. Hematology. *Vet Pathol* 20:709-717.
- *Tam M, Freeman S. 1989. Occupational allergic contact dermatitis due to glutaraldehyde: a study of six cases due to Wavicide and Aldecyde. *J Occup Health Safety—Aust NZ* 5:487-491.
- *Teta MJ, Avashia BH, Cawley TJ, et al. 1995. Absences of sensitizations and cancer increases among glutaraldehyde workers. *Toxic Subst Mech* 14:293-305.
- *Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 365-394.
- *Thomas S, Russell AD. 1974. Temperature-induced changes in the sporicidal activity and chemical properties of glutaraldehyde. *Appl Microbiol* 28(3):331-335.
- *Trigg C, Heap D, Herdman M, et al. 1992. A radiographer's asthma. *Respir Med* 86(2):167-169.
- *Tsai CC, Huang RN, Sung HW, et al. 2000. In vitro evaluation of the genotoxicity of a naturally occurring crosslinking agent (genipin) for biologic tissue fixation. *J Biomed Mater Res* 52(1):58-65.
- *Uhr H, Mielke B, Exner O, et al. 2013. Biocides. In: *Ullmann's encyclopedia of industrial chemistry*. http://onlinelibrary.wiley.com/doi/10.1002/14356007.a16_563.pub2/abstract. April 9, 2014.
- *Unal M, Yucel I, Akar Y, et al. 2006. Outbreak of toxic anterior segment syndrome associated with glutaraldehyde after cataract surgery. *J Cataract Refract Surg* 32(10):1696-1701.

9. REFERENCES

Union Carbide. 1991. Letter submitting multiple enclosed studies on multiple chemicals with attachment. Union Carbide Chemicals and Plastics Company Inc. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991a. Report 17-61. Range finding tests on glutaraldehyde (25% aqueous). Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991b. Report 24-80. Progress report for the month ended August 31, 1961. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991c. Special report 37-54. Miscellaneous toxicity studies. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991d. Special report 38-111. Glutaraldehyde. Results of feeding in the diets of rats for 7 days. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991e. Special report 38-146. UCARCIDE sanitizer 401 and 402 (sanitizer 402 is one part sanitizer 401; 9 parts water) range finding toxicity studies. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991f. Report 39-5. Glutaraldehyde. Results of inclusion in the drinking water of rats for 4 days. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991g. Special report 39-40. Miscellaneous toxicity studies. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991h. Project report 41-77. Miscellaneous toxicity studies. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991i. Project report 44-7. UCARCIDE antimicrobial 125LT. D.O.T. skin irritation study. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991j. Project report 44-15. UCARCIDE 250 antimicrobial. Department of Transportation (D.O.T.) skin corrosivity tests. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

9. REFERENCES

*Union Carbide Chem & Plas Co. 1991k. Project report 44-65. Glutaraldehyde dilutions. Percutaneous toxicity and eye irritation studies. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991l. Project report 45-124. Glutaraldehyde dilutions. Acute peroral toxicity studies. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991m. Project report 47-33. Glutaraldehyde dilutions. Primary skin and eye irritancy studies. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991n. Project report 47-166. Aquacar 514 water treatment microbiocide. Acute toxicity and irritancy study. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991o. Project report 47-190. Glutaraldehyde. Two-week inclusion in drinking water of rats. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991p. Project report 48-3. Aquacar 514. Acute inhalation toxicity study. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991q. Project report 48-51. Glutaraldehyde dilutions (45%, 15% and 10%). Acute percutaneous studies. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991r. Project report 48-107. Addendum to glutaraldehyde: Ninety-day inclusion in drinking water. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991s. Project report 49-97. UCARCIDE instrument sterilant 602. Acute peroral toxicity study in the rat. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991t. Project report 50-92. UCARCIDE 145LT. Acute peroral toxicity study in the rat. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

9. REFERENCES

Union Carbide Chem & Plas Co. 1991u. Report 50-105. UCARCIDE antimicrobial 145LT. Acute percutaneous and inhalation toxicity studies. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991v. Laboratory project ID 51-27. Glutaradehyde: Fourteen-day drinking water toxicity study in mice. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991w. Laboratory project ID 52-1. Glutaraldehyde: Ninety-day drinking water toxicity study in mice. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991x. Laboratory project ID 53-8. UCARCIDE antimicrobial 250. Acute vapor inhalation toxicity test in rats. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991y. Project report 44-107. Evaluation of subchronic dermal toxicity of glutaraldehyde in mice. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991z. Laboratory project ID 50-101. UCARCIDE antimicrobial 145LT. Acute peroral toxicity study in the rat. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991aa. Laboratory project ID 50-102. UCARCIDE antimicrobial 145LT. Acute percutaneous toxicity study in the rabbit. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

Union Carbide Chem & Plas Co. 1991bb. Laboratory project ID 50-103. UCARCIDE antimicrobial 145LT primary skin irritancy study in the rabbit. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991cc. Laboratory project ID 50-104. UCARCIDE antimicrobial 145LT primary eye irritancy study in the rabbit. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

*Union Carbide Chem & Plas Co. 1991dd. Project report 52-10. Glutaraldehyde: 2-Week dosing feasibility study in dogs with administration via the drinking water or by gavage. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.

9. REFERENCES

- *Union Carbide Chem & Plas Co. 1991ee. Project report 52-93. Glutaraldehyde: 13-Week toxicity study in dogs with administration via the drinking water. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.
- *Union Carbide Chem & Plas Co. 1991ff. Project report 43-130. A preliminary material balance study of glutaraldehyde in the rats. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.
- *Union Carbide Chem & Plas Co. 1991gg. Project report 43-16. Glutaraldehyde (50%). In vitro mutagenesis studies: 3-Test battery. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.
- *Union Carbide Chem & Plas Co. 1991hh. Project report 44-67. Glutaraldehyde (50%). In vitro mutagenesis studies: CHO mutation test. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.
- *Union Carbide Chem & Plas Co. 1991ii. Project report 44-131. Glutaraldehyde. Salmonella/microsome (Ames). Bacterial mutagenicity assay. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.
- *Union Carbide Chem & Plas Co. 1991jj. Laboratory project ID 54-101. UCARCIDE antimicrobial 250 (Glutaraldehyde, 50% aqueous solution): In vitro chromosomal aberrations assay in Chinese hamster ovary cells. Letter submitting multiple enclosed studies on multiple chemicals with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0535072.
- *Union Carbide Chem & Plas Co. 1992. UCARCIDE antimicrobial 250: Acute peroral toxicity study in the rat (final report) with cover letter dated 01/16/92. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86920000753. OTS0535081.
- *Union Carbide Corp. 1966. Repeated insult patch test of glutaraldehyde, 5% solution, with cover letter dated 11/14/95. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0558276.
- *Union Carbide Corp. 1976. Human sensory irritation threshold of glutaraldehyde vapor, with cover letter dated 4/11/96. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86960000358. OTS0558406.
- *Union Carbide Corp. 1980. Repeated insult patch test of glutaraldehyde (0.1%, 0.2%, 0.5% solution) with cover letter dated 11/14/95. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86960000134. OTS0558274.
- Union Carbide Corp. 1991. Letter submitting an ocular and respiratory irritation study for two glutaraldehyde containing aqueous mixtures. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86-930000216. OTS0537659.

9. REFERENCES

*Union Carbide Corp. 1992a. Report 27-137. Range finding tests on glutaraldehyde, 45% aqueous. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

*Union Carbide Corp. 1992b. Project report 40-50. Glutaraldehyde, 50% aqueous solution. Range finding toxicity studies. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

*Union Carbide Corp. 1992c. Project report 40-120. Glutaraldehyde 25% aqueous. Range finding toxicity studies. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

*Union Carbide Corp. 1992d. Project report 46-63. Glutaraldehyde vapor nine-day inhalation study on rats. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

*Union Carbide Corp. 1992e. Project report 46-95. Glutaraldehyde vapor nine-day inhalation study on rats. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

*Union Carbide Corp. 1992f. Project report 46-101. Glutaraldehyde vapor subchronic inhalation study on rats. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

Union Carbide Corp. 1992g. Project report 47-21. Glutaraldehyde. Acute inhalation toxicity with chamber analysis. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP.

*Union Carbide Corp. 1992h. Project report 51-14. 50% Aqueous glutaraldehyde samples (UGARCID 250 and BASF 50% glutaraldehyde. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

*Union Carbide Corp. 1992i. Project report 51-37. Glutaraldehyde dilutions: Acute peroral toxicity studies in the mouse. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

*Union Carbide Corp. 1992j. Project report 52-116. 50% Glutaraldehyde (UCARCIDE 250) primary skin irritancy studies in the rabbit. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

Union Carbide Corp. 1992k. Project report 44-97. Glutaraldehyde. Six-hour static LT50 on rats. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.

9. REFERENCES

- *Union Carbide Corp. 1992. Report 44-96. Glutaraldehyde four-hour LC50 inhalation study on rats. Initial submission: Letter submitting twelve enclosed toxicology studies on glutaraldehyde. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. OTS0536179.
- Union Carbide Corp. 1996. Human sensory irritation threshold of glutaraldehyde vapor, with cover letter dated 04/11/1996. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS0558406.
- *U.S. Coast Guard. 2004. Evaluation of biocides for potential treatment of ballast water. Washington, DC: United States Coast Guard. ADA429663.
- *van Birgelen AP, Chou BJ, Renne RA, et al. 2000. Effects of glutaraldehyde in a 2-year inhalation study in rats and mice. *Toxicol Sci* 55(1):195-205.
- *van Miller JP, Hermansky SJ, Losco PE, et al. 2002. Chronic toxicity and oncogenicity study with glutaraldehyde dosed in the drinking water of Fischer 344 rats. *Toxicology* 175(1-3):177-189.
- *van Triel JJ, van Bree BW, Roberts DW, et al. 2011. The respiratory allergen glutaraldehyde in the local lymph node assay: Sensitization by skin exposure, but not by inhalation. *Toxicology* 279(1-3):115-122.
- *Varpela E, Otterstrom S, Hackman R. 1971. Liberation of alkalinized glutaraldehyde by respirators after cold sterilization. *Acta Anaesthesiol Scand* 15(4):291-298.
- *Vergnes JS, Ballantyne B. 2002. Genetic toxicology studies with glutaraldehyde. *J Appl Toxicol* 22(1):45-60.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238(2):476-483.
- *Vock EH, Lutz WK, Ilinskaya O, et al. 1999. Discrimination between genotoxicity and cytotoxicity for the induction of DNA double-strand breaks in cells treated with aldehydes and diepoxides. *Mutat Res* 441(1):85-93.
- *von der Hude W, Behm C, Gurtler R, et al. 1988. Evaluation of the SOS chromotest. *Mutat Res* 203:81-94.
- *Vyas A, Pickering CA, Oldham LA, et al. 2000. Survey of symptoms, respiratory function, and immunology and their relation to glutaraldehyde and other occupational exposures among endoscopy nursing staff. *Occup Environ Med* 57(11):752-759.
- *Waldron HA. 1992. Glutaraldehyde allergy in hospital workers. *Lancet* 339(8797):880.
- *Watanabe K, Sakamoto K, Sasaki T. 1998. Comparisons on chemically-induced mutation among four bacterial strains, *Salmonella typhimurium* TA102 and TA2638, and *Escherichia coli* WP2/pKM101 and WP2 uvrA/pKM101. *Mutat Res* 412:17-31.
- *Waters A, Beach J, Abramson M. 2003. Symptoms and lung function in health care personnel exposed to glutaraldehyde. *Am J Ind Med* 43(2):196-203.

9. REFERENCES

- *Wellons SL, Trawick EG, Stowers MF, et al. 1998. Laboratory and hospital evaluation of four personal monitoring methods for glutaraldehyde in ambient air. *Am Ind Hyg Assoc J* 59(2):96-103.
- *Werley MS, Ballantyne B, Neptun DA, et al. 1996. Four-week repeated skin contact study with glutaraldehyde in rats. *J Toxicol Cutaneous Ocul Toxicol* 15(2):179-193.
- *Werley MS, Burleigh-Flayer HD, Ballantyne B. 1995. Respiratory peripheral sensory irritation and hypersensitivity studies with glutaraldehyde vapor. *Toxicol Ind Health* 11(5):489-501.
- *West AB, Kuan SF, Bennick M, et al. 1995. Glutaraldehyde colitis following endoscopy: clinical and pathological features and investigation of an outbreak. *Gastroenterology* 108(4):1250-1255.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *WHO. 2010. Guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. April 24, 2013.
- *WHO. 2011. Guidelines for drinking-water quality. Geneva, Switzerland: World Health Organization. http://www.who.int/water_sanitation_health/publications/2011/dwq_guidelines/en/index.html. April 24, 2013.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: An advance treatise. Volume II: The elements Part A*. New York, NY: Academic Press, 1-247.
- *Wilcox P, Naidoo A, Wedd DJ, et al. 1990. Comparison of *Salmonella typhimurium* TA102 with *Escherichia coli* WP2 tester strains. *Mutagenesis* 5(3):285-291.
- *Winslow RM. 2003. Blood substitutes. In: *Kirk-Othmer encyclopedia of chemical technology*. <http://onlinelibrary.wiley.com/doi/10.1002/0471238961.0212151523091419.a01.pub2/abstract>. April 6, 2014.
- *Wu A, Schmalz J, Bennett W. 1994. Identification of UrinAid-adulterated urine specimens by fluorometric analysis. *Clin Chem* 40(5):845-846.
- *Wulff K, Henniger G. 2012. Enzymes, 7. Enzymes in analysis. In: *Ullmann's encyclopedia of industrial chemistry*. http://onlinelibrary.wiley.com/doi/10.1002/14356007.m09_m06/abstract. April 6, 2014.
- *Yamaguchi F, Tsutsui T. 2003. Cell-transforming activity of fourteen chemical agents used in dental practice in Syrian hamster embryo cells. *J Pharmacol Sci* 93:497-500.
- *Yoon JS, Mason JM, Valencia R, et al. 1985. Chemical mutagenesis testing in drosophila. IV. Results of 45 coded compounds tested for the national toxicology program. *Environ Mutagen* 7:349-367.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12(1):29-34.

9. REFERENCES

*Zeiger E, Gollapudi B, Spencer P. 2005. Genetic toxicity and carcinogenicity studies of glutaraldehyde-a review. *Mutat Res* 589(2):136-151.

*Zimmering S, Mason JM, Valencia R. 1989. Chemical mutagenesis testing in *Drosophila*: VII. Results of 22 coded compounds tested in larval feeding experiments. *Environ Mol Mutagen* 14(4):245-251.

*Zissu D, Bonnet P, Binet S. 1998. Histopathological study in B6C3F1 mice chronically exposed by inhalation to glutaraldehyde. *Toxicol Lett* 95(2):131-139.

*Zissu D, Gagnaire F, Bonnet P. 1994. Nasal and pulmonary toxicity of glutaraldehyde in mice. *Toxicol Lett* 71(1):53-62.