

9. REFERENCES

*Abdellatif AG, Preat V, Vamecq J, et al. 1990. Peroxisome proliferation and modulation of rat liver carcinogenesis by 2,4-dichlorophenoxyacetic acid, 2,4,5-trichlorophenoxyacetic acid, perfluorooctanoic acid and nafenopin. *Carcinogenesis* 11(11):1899-1902.

*Abraxis. 2007. 2,4-D Tube kit (40T) PN 54004B. Warminster, PA: Abraxis LLC.
http://www.abraxiskits.com/uploads/products/docfiles/315_A2%204D%20TB%20Users%20Guide.doc. October 2, 2015.

*Abraxis. 2008. 2,4-D Plate assay kit (96T) PN 54003A. Warminster, PA: Abraxis LLC.
http://www.abraxiskits.com/uploads/products/docfiles/313_A2%204D%20PL%20Users%20Guide%20R2.pdf. October 2, 2015.

*ACGIH. 2015. 2,4-D. TLVs and BEIs based on the documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 24, 70-75.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect* 103(Suppl 7):103-112.

*Ahmadi F, Bakhshandeh F. 2009. *In vitro* study of damaging effects of 2,4-dichlorophenoxyacetic acid on DNA structure by spectroscopic and voltammetric techniques. *DNA Cell Biol* 28(10):527-533. 10.1089/dna.2009.0892.

*Ahmed FE, Hart RW, Lewis NJ. 1977. Pesticide induced DNA damage and its repair in cultured human cells. *Mutat Res* 42(2):161-174.

*AIHA. 2014. Current ERPG Values (2014). Fairfax, VA: American Industrial Hygiene Association.
<https://www.aiha.org/get-involved/AIHA-Guideline-Foundation/Emergency-Response-Planning-Guidelines/Documents/2014-ERP-G-Values.pdf>. March 4, 2015.

*Alavanja MCR, Samanic C, Dosemeci M, et al. 2003. Use of agricultural pesticides and prostate cancer risk in the agricultural health study cohort. *Am J Epidemiol* 57(9):800-814.

*Alexander BH, Mandel JS, Baker BA, et al. 2007. Biomonitoring of 2,4-dichlorophenoxyacetic acid exposure and dose in farm families. *Environ Health Perspect* 115(3):370-376. 10.1289/ehp.8869.

*Altman PL, Dittmer DS. 1974. Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies of Experimental Biology.

*Amer SM, Aly FA. 2001. Genotoxic effect of 2,4-dichlorophenoxy acetic acid and its metabolite 2,4-dichlorophenol in mouse. *Mutat Res* 494(1-2):1-12.

* Cited in text

+ Cited in supplemental document

9. REFERENCES

- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives: Refinement, reduction, and replacement. New York, NY: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87(2):185-205.
- *Andreotti G, Beane Freeman LE, Hou L, et al. 2009. Agricultural pesticide use and pancreatic cancer risk in the Agricultural Health Study cohort. *Int J Cancer* 124(10):2495-2500.
- *Andreotti G, Hoppin JA, Hou L, et al. 2015. Pesticide use and relative leukocyte telomere length in the Agricultural Health Study. *PLoS ONE* 10(7):e0133382.
- *Aprea C, Sciarra G, Bozzi N. 1997. Analytical methods for the determination of urinary 2,4-dichlorophenoxyacetic acid and 2-methyl-4-chlorophenoxyacetic acid in occupationally exposed subjects and in the general population. *J Anal Toxicol* 21(4):262-267.
- *Arbuckle TE, Bruce D, Ritter L, et al. 2006. Indirect sources of herbicide exposure for families on Ontario farms. *J Expo Sci Environ Epidemiol* 16(1):98-104. 10.1038/sj.jea.7500441.
- *Arbuckle TE, Lin Z, Mery LS. 2001. An exploratory analysis of the effect of pesticide exposure on the risk of spontaneous abortion in an Ontario farm population. *Environ Health Perspect* 109(8):851-857.
- *Arbuckle TE, Savitz DA, Mery LS, et al. 1999. Exposure to phenoxy herbicides and the risk of spontaneous abortion. *Epidemiology* 10:752-760.
- *Arcury TA, Grzywacz JG, Barr DB, et al. 2007. Pesticide urinary metabolite levels of children in eastern North Carolina farmworker households. *Environ Health Perspect* 115(8):1254-1260. 10.1289/ehp.9975.
- *Arcury TA, Grzywacz JG, Talton JW, et al. 2010. Repeated pesticide exposure among North Carolina migrant and seasonal farmworkers. *Am J Ind Med* 53(8):802-813. 10.1002/ajim.20856.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- *ATSDR. 2015. 2,4-D. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention. <http://www.atsdr.cdc.gov/SPL/resources/index.html>. August 4, 2016.
- *Aylward LL, Morgan MK, Arbuckle TE, et al. 2010. Biomonitoring data for 2,4-dichlorophenoxyacetic acid in the United States and Canada: Interpretation in a public health risk assessment context using biomonitoring equivalents. *Environ Health Perspect* 118(2):177-181. 10.1289/ehp.0900970.
- *Badawi AF, Cavalieri EL, Rogan EG. 2000. Effect of chlorinated hydrocarbons on expression of cytochrome P450 1A1, 1A2 and 1B1 and 2- and 4-hydroxylation of 17 β -estradiol in female Sprague-Dawley rats. *Carcinogenesis* 21(8):1593-1599.
- *Baker SE, Barr DB, Driskell WJ, et al. 2000. Quantification of selected pesticide metabolites in human urine using isotope dilution high-performance liquid chromatography/tandem mass spectrometry. *J Expo Anal Environ Epidemiol* 10(6 Pt 2):789-798.

9. REFERENCES

- *Bakke B, De Roos AJ, Barr DB, et al. 2009. Exposure to atrazine and selected non-persistent pesticides among corn farmers during a growing season. *J Expo Sci Environ Epidemiol* 19(6):544-554. 10.1038/jes.2008.53.
- *Bartley TJ, Hattrup AJ. 1970. 2,4-D contamination and persistence in irrigation water. *Proc West Soc Weed Sci* 23:10-33.
- *Baur JR, Bovey RW. 1974. Ultraviolet and volatility loss of herbicides. *Arch Environ Contam Toxicol* 2(3):275-288.
- *Beard JD, Hoppin JA, Richards M, et al. 2013. Pesticide exposure and self-reported incident depression among wives in the Agricultural Health Study. *Environ Res* 126:31-42.
- *Becher H, Flesch-Janys D, Kauppinen T, et al. 1996. Cancer mortality in German male workers exposed to phenoxy herbicides and dioxins. *Cancer Causes Control* 7(3):312-321.
- *Berger GS, ed. 1994. Epidemiology of endometriosis. In: *Endometriosis: Modern surgical management of endometriosis*. New York, NY: Springer-Verlag, 3-7.
- *Bergesse JR, Balegno HF. 1995. 2,4-Dichlorophenoxyacetic acid influx is mediated by an active transport system in Chinese hamster ovary cells. *Toxicol Lett* 81(2-3):167-173.
- *Berkley MC, Magee KR. 1963. Neuropathy following exposure to a dimethylamine salt of 2, 4-D. *Arch Intern Med* 111(3):351-352. 10.1001/archinte.1963.03620270077012.
- *Berndt WO, Koschier F. 1973. *In vitro* uptake of 2,4-dichlorophenoxyacetic acid (2,4-D) and 2,4,5-trichlorophenoxyacetic acid (2,4,5-T) by renal cortical tissue of rabbits and rats. *Toxicol Appl Pharmacol* 26(4):559-570.
- *Berwick P. 1970. 2,4-Dichlorophenoxyacetic acid poisoning in man; some interesting clinical and laboratory findings. *J Am Med Assoc* 214(6):1114-1117.
- *Beseler C, Stallones L, Hoppin JA, et al. 2006. Depression and pesticide exposures in female spouses of licensed pesticide applicators in the Agricultural Health Study cohort. *J Occup Environ Med* 48(10):1005-1013.
- *Bhatti P, Blair A, Bell EM, et al. 2010. Predictors of 2,4-dichlorophenoxyacetic acid exposure among herbicide applicators. *J Expo Sci Environ Epidemiol* 20(2):160-168. 10.1038/jes.2009.14.
- *Bidleman TE. 1988. Atmospheric processes. Wet and dry deposition of organic compounds are controlled by their vapor-particle partitioning. *Environ Sci Technol* 22(4):361-367.
- *Blair RM, Fang H, Branham WS, et al. 2000. The estrogen receptor relative binding affinities of 188 natural and xenochemicals: Structural diversity of ligands. *Toxicol Sci* 54(1):138-153.
- *Bloemen LJ, Mandel JS, Bond GG, et al. 1993. An update of mortality among chemical workers potentially exposed to the herbicide 2,4-dichlorophenoxyacetic acid and its derivatives. *J Occup Med* 35(12):1208-1212.

9. REFERENCES

- *Boers D, Portengen L, Bueno-de-Mesquita HB, et al. 2010. Cause-specific mortality of Dutch chlorophenoxy herbicide manufacturing workers. *Occup Environ Med* 67(1):24-31. 10.1136/oem.2008.044222.
- *Bond GG, Wetterstroem NH, Roush GJ, et al. 1988. Cause specific mortality among employees engaged in the manufacture, formulation, or packaging of 2,4-dichlorophenoxyacetic acid and related salts. *Br J Ind Med* 45(2):98-105.
- *Bortolozzi A, Duffard R, Antonelli M, et al. 2002. Increased sensitivity in dopamine D₂-like brain receptors from 2,4-dichlorophenoxyacetic acid (2,4-D)-exposed and amphetamine-challenged rats. *Ann N Y Acad Sci* 965:314-323.
- *Bortolozzi A, Duffard R, de Duffard AM. 2003. Asymmetrical development of the monoamine systems in 2,4-dichlorophenoxyacetic acid treated rats. *Neurotoxicology* 24(1):149-157.
- *Bortolozzi A, Duffard RO, Rubio M, et al. 1998. Regionally specific changes in central brain monoamine levels by 2,4-dichlorophenoxyacetic acid in acute treated rats. *Neurotoxicology* 19(6):839-851.
- *Bortolozzi A, Evangelista de Duffard AM, Dajas F, et al. 2001. Intracerebral administration of 2,4-dichlorophenoxyacetic acid induces behavioral and neurochemical alterations in the rat brain. *Neurotoxicology* 22(2):221-232.
- +*Bortolozzi AA, Duffard RO, Evangelista De Duffard A. 1999. Behavioral alterations induced in rats by a pre- and postnatal exposure to 2,4-dichlorophenoxyacetic acid. *Neurotoxicol Teratol* 21(4):451-465.
- *Bortolozzi AA, Evangelista De Duffard AM, Duffard RO, et al. 2004. Effects of 2,4-dichlorophenoxyacetic acid exposure on dopamine D₂-like receptors in rat brain. *Neurotoxicol Teratol* 26(4):599-605. 10.1016/j.ntt.2004.04.001.
- *Botre C, Botre F, Mazzei F. 2000. Inhibition-based biosensors for the detection of environmental contaminants: Determination of 2,4-dichlorophenoxyacetic acid. *Environ Toxicol Chem* 19(12):2876-2881.
- *Bradberry SM, Proudfoot AT, Allister Vale J. 2007. Herbicides. In: Shannon MW, Borron SW, Burns MJ, eds. *Haddad and Winchester's clinical management of poisoning and drug overdose*. 4th ed. Philadelphia, PA: WB Saunders Company, 1195-1211.
- *Bradberry SM, Watt BE, Proudfoot AT, et al. 2000. Mechanisms of toxicity, clinical features, and management of acute chlorophenoxy herbicide poisoning: A review. *J Toxicol Clin Toxicol* 38(2):111-122.
- *Brand RM, Charron AR, Dutton L, et al. 2004. Effects of chronic alcohol consumption on dermal penetration of pesticides in rats. *J Toxicol Environ Health A* 67(2):153-161. 10.1080/15287390490264794.
- *Brand RM, Jendrzejewski JL, Charron AR. 2007a. Potential mechanisms by which a single drink of alcohol can increase transdermal absorption of topically applied chemicals. *Toxicology* 235(3):141-149. 10.1016/j.tox.2007.03.008.

9. REFERENCES

- *Brand RM, McMahon L, Jendrzejewski JL, et al. 2007b. Transdermal absorption of the herbicide 2,4-dichlorophenoxyacetic acid is enhanced by both ethanol consumption and sunscreen application. *Food Chem Toxicol* 45(1):93-97. 10.1016/j.fct.2006.08.005.
- *Brand RM, Pike J, Wilson RM, et al. 2003. Sunscreens containing physical UV blockers can increase transdermal absorption of pesticides. *Toxicol Ind Health* 19(1):9-16.
- *Brand RM, Spalding M, Mueller C. 2002. Sunscreens can increase dermal penetration of 2,4-dichlorophenoxyacetic acid. *J Toxicol Clin Toxicol* 40(7):827-832.
- *Brown LM, Burmeister LF, Everett GD, et al. 1993. Pesticide exposures and multiple myeloma in Iowa men. *Cancer Causes Control* 4(2):153-156.
- *Brusco A, Saavedra JP, Garcia G, et al. 1997. 2,4-dichlorophenoxyacetic acid through lactation induces astrogliosis in rat brain. *Mol Chem Neuropathol* 30(3):175-185.
- *Bucheli TD, Mueller SR, Heberle S, et al. 1998. Occurrence and behavior of pesticides in rainwater, roof runoff, and artificial stormwater infiltration. *Environ Sci Technol* 32(22):3457-3464.
- *Bueno De Mesquita HB, Doornbos G, Van Der Kuip DA, et al. 1993. Occupational exposure to phenoxy herbicides and chlorophenols and cancer mortality in The Netherlands. *Am J Ind Med* 23(2):289-300.
- *Bugbee GJ, White JC, Krol WJ. 2003. Control of variable watermilfoil in Bashan Lake, CT with 2,4-D: Monitoring of lake and well water. *J Aquat Plant Manage* 41:18-25.
- *Buist SCN, Cherrington NJ, Choudhuri S, et al. 2002. Gender-specific and developmental influences on the expression of rat organic anion transporters. *J Pharmacol Exp Ther* 301(1):145-151.
- *Burns C, Bodner K, Swaen G, et al. 2011. Cancer incidence of 2,4-D production workers. *Int J Environ Res Public Health* 8(9):3579-3590. 10.3390/ijerph8093579.
- *Burns CJ, Beard KK, Cartmill JB. 2001. Mortality in chemical workers potentially exposed to 2,4-dichlorophenoxyacetic acid (2,4-D) 1945-94: An update. *Occup Environ Med* 58(1):24-30.
- *Burns CJ, Swaen GM. 2012. Review of 2,4-dichlorophenoxyacetic acid (2,4-D) biomonitoring and epidemiology. *Crit Rev Toxicol* 42(9):768-786. 10.3109/10408444.2012.710576.
- *Cantor KP, Blair A, Everett G, et al. 1992. Pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota. *Cancer Res* 52(9):2447-2455.
- *Carlo GL, Cole P, Miller AB, et al. 1992. Review of a study reporting an association between 2,4-dichlorophenoxyacetic acid and canine malignant lymphoma: Report of an expert panel. *Regul Toxicol Pharmacol* 16(3):245-252.
- *CDC. 2009. Fourth national report on human exposure to environmental chemicals. Centers for Disease Control and Prevention. <http://www.cdc.gov/exposurereport/pdf/fourthreport.pdf>. August 27, 2015.

9. REFERENCES

- *CDC. 2013. Fourth national report on human exposure to environmental chemicals, updated tables. Atlanta, GA: Center for Disease Control and Prevention, U.S. Department of Health and Human Services. <http://www.cdc.gov/exposurereport/>. September 21, 2015.
- *CDC. 2015. Fourth national report on human exposure to environmental chemicals, updated tables (February 2015). Centers for Disease Control and Prevention, U.S. Department of Health and Human Services. http://www.cdc.gov/biomonitoring/pdf/FourthReport_UpdatedTables_Feb2015.pdf. December 14, 2015.
- *Chamberlain E, Shi H, Wang T, et al. 2012. Comprehensive screening study of pesticide degradation via oxidation and hydrolysis. American Chemical Society. J Agric Food Chem 60(1):354-363. 10.1021/jf2033158.
- +*Charles JM, Bond DM, Jeffries TK, et al. 1996b. Chronic dietary toxicity/oncogenicity studies on 2,4-dichlorophenoxyacetic acid in rodents. Fundam Appl Toxicol 33(2):166-172.
- +*Charles JM, Cunny HC, Wilson RD, et al. 1996a. Comparative subchronic studies on 2,4-dichlorophenoxyacetic acid, amine, and ester in rats. Fundam Appl Toxicol 33(2):161-165.
- *Charles JM, Cunny HC, Wilson RD, et al. 1999a. Ames assay and unscheduled DNA synthesis assays on 2,4-dichlorophenoxyacetic acid and its derivatives. Mutat Res 444:207-216.
- *Charles JM, Cunny HC, Wilson RD, et al. 1999b. *In vivo* micronucleus assays on 2,4-dichlorophenoxyacetic acid and its derivatives. Mutat Res 444:227-234.
- +*Charles JM, Dalgard DW, Cunny HC, et al. 1996c. Comparative subchronic and chronic dietary toxicity studies on 2,4-dichlorophenoxyacetic acid, amine, and ester in the dog. Fundam Appl Toxicol 29(1):78-85.
- +*Charles JM, Hanley TR, Jr., Wilson RD, et al. 2001. Developmental toxicity studies in rats and rabbits on 2,4-dichlorophenoxyacetic acid and its forms. Toxicol Sci 60(1):121-131.
- *Charlton AJ, Stuckey V, Sykes MD. 2009. Determination of the phenoxyacid herbicides MCPA, mecoprop and 2,4-D in kidney tissue using liquid chromatography with electrospray tandem mass spectrometry. Bull Environ Contam Toxicol 82(6):711-715. 10.1007/s00128-009-9636-5.
- *Chaturvedi AK, Kuntz DJ, Rao NGS. 1991. Metabolic aspects of the toxicology of mixtures of parathion, toxaphene and/or 2,4-D in mice. J Appl Toxicol 11(4):245-251.
- *ChemIDplus. 2015. 2,4-D. RN: 94-75-7. ChemIDplus. Bethesda, MD: U.S. National Library of Medicine. <http://chem.sis.nlm.nih.gov/chemidplus/>. September 21, 2015.
- +*Chernoff N, Setzer RW, Miller DB, et al. 1990. Effects of chemically induced maternal toxicity on prenatal development in the rat. Teratology 42(6):651-658. 10.1002/tera.1420420610.
- *Clark Wright FDE. 1967. Determination of 2,4-D residues in animal tissues. J Agric Food Chem 15(1):171-173.
- *Clausen M, Leier G, Witte I. 1990. Comparison of the cytotoxicity and DNA-damaging properties of 2,4-D and U 46 D fluid (dimethylammonium salt of 2,4-D). Arch Toxicol 64(6):497-501.

9. REFERENCES

- *Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- *Coggon D, Pannett B, Winter P. 1991. Mortality and incidence of cancer at four factories making phenoxy herbicides. *Br J Ind Med* 48(3):173-178.
- *Cohen S, Svrcek A, Durborow T, et al. 1999. Water quality impacts by golf courses. *J Environ Qual* 28(3):798-809.
- +*Collins TF, Williams CH. 1971. Teratogenic studies with 2,4,5-T and 2,4-D in the hamster. *Bull Environ Contam Toxicol* 6(6):559-567.
- *Colt JS, Lubin J, Camann D, et al. 2004. Comparison of pesticide levels in carpet dust and self-reported pest treatment practices in four US sites. *J Expo Anal Environ Epidemiol* 14(1):74-83. 10.1038/sj.jea.7500307.
- *Costa LG, Aschner M, Vitalone A, et al. 2004. Developmental neuropathology of environmental agents. *Annu Rev Pharmacol Toxicol* 44:87-110. 10.1146/annurev.pharmtox.44.101802.121424.
- *Craig A. 1998. Herbicides and fungicides. In: Viccellio P, Bania T, Brent J, et al., eds. *Emergency toxicology*. 2nd ed. Philadelphia, PA: Lippincott-Raven Publishers, 415-423.
- *Curwin BD, Hein MJ, Sanderson WT, et al. 2005a. Urinary and hand wipe pesticide levels among farmers and nonfarmers in Iowa. *J Expo Anal Environ Epidemiol* 15(6):500-508. 10.1038/sj.jea.7500428.
- *Curwin BD, Hein MJ, Sanderson WT, et al. 2005b. Pesticide contamination inside farm and nonfarm homes. *J Occup Environ Hyg* 2(7):357-367. 10.1080/15459620591001606.
- *De Roos AJ, Cooper GS, Alavanja MC, et al. 2005. Rheumatoid arthritis among women in the Agricultural Health Study: Risk associated with farming activities and exposures. *Ann Epidemiol* 15:762-770.
- *De Roos AJ, Zahm SH, Cantor KP, et al. 2003. Integrative assessment of multiple pesticides as risk factors for non-Hodgkin's lymphoma among men. *Occup Environ Med* 60:E11.
- *Dhillon AS, Tarbutton GL, Levin JL, et al. 2008. Pesticide/environmental exposures and Parkinson's disease in east Texas. *J Agromedicine* 13(1):37-48.
- +*Dickow LM, Podell M, Gerken DF. 2000. Clinical effects and plasma concentration determination after 2,4-dichlorophenoxyacetic acid 200 mg/kg administration in the dog. *J Toxicol Clin Toxicol* 38(7):747-753.
- +*Dinamarca VM, Hidalgo ME, Cavieres MF. 2007. Lack of effects of 2,4-dichlorophenoxyacetic acid administration on markers of oxidative stress during early pregnancy in mice. *Toxicology* 237(1-3):104-110. 10.1016/j.tox.2007.05.002.
- *DOE. 1997. Direct analysis of TCLP acidic semivolatile compounds in radioactive liquid waste or leachates using HPLC with ultraviolet absorbance detection. U.S. Department of Energy. <http://www.caslab.com/Test-Methods-Search/PDF/DOE-Method-OH100R.pdf>. September 21, 2015.

9. REFERENCES

*DOE. 2012a. Table 3: PACs by CASRN (pdf). PAC Rev 27 Tables - PAC data and chemical properties presented in pdf and excel tables. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 27 for Chemicals of Concern - March 2012. Oak Ridge, TN: U.S. Department of Energy. <http://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-27-chemicals-concern-march-2012>. March 4, 2015.

*DOE. 2012b. Protective action criteria (PAC): Chemicals with AEGLs, ERPGs, & TEELs. Definition of PACs (AEGLs, ERPGs or TEELs). Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 27 for Chemicals of Concern - March 2012. Oak Ridge, TN: U.S. Department of Energy. <http://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-27-chemicals-concern-march-2012>. March 24, 2015.

*Donald DB, Cessna AJ, Sverko E, et al. 2007. Pesticides in surface drinking-water supplies of the northern Great Plains. *Environ Health Perspect* 115(8):1183-1191. 10.1289/ehp.9435.

*Doucette WJ. 2000. Soil and sediment sorption coefficients. In: Boethling RS, MacKay D, eds. *Handbook of property estimation methods for chemicals. Environmental and health sciences*. Boca Raton, FL: Lewis Publishers, 141-188.

*Draper WM. 1982. A multiresidue procedure for the determination and confirmation of acidic herbicide residues in human urine. *J Agric Food Chem* 30(2):227-231.

+*Drill VA, Hiratzka T. 1953. Toxicity of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid. A report on their acute and chronic toxicity in dogs. *AMA Arch Ind Hyg Occup Med* 7(1):61-67.

*Dudley AWJ, Thapar NT. 1972. Fatal human ingestion of 2,4-D, a common herbicide. *Arch Pathol* 94(3):270-275.

*Duff RM, Kissel JC. 1996. Effect of soil loading on dermal absorption efficiency from contaminated soils. *J Toxicol Environ Health* 48(1):93-106. 10.1080/009841096161492.

*Duffard R, Garcia G, Rosso S, et al. 1996. Central nervous system myelin deficit in rats exposed to 2,4-dichlorophenoxyacetic acid throughout lactation. *Neurotoxicol Teratol* 18(6):691-696.

*Duggan RE, Corneliusen PE, Duggan MB, et al. 1983. Pesticide residue levels in foods in the United States from July 1, 1969 to June 30, 1976: Summary. *J Assoc Off Anal Chem* 66(6):1534-1535.

*Durakovic Z, Durakovic A, Durakovic S, et al. 1992. Poisoning with 2,4-dichlorophenoxyacetic acid treated by hemodialysis. *Arch Toxicol* 66(7):518-521.

*Durkin P, Hertzberg R, Diamond G. 2004. Application of PBPK model for 2,4-D to estimates of risk in backpack applicators. *Environ Toxicol Pharmacol* 16(1-2):73-91. 10.1016/j.etap.2003.09.003.

Eder G, Weber K. 1980. Chlorinated phenols in sediments and suspended matter of the Weser estuary. *Chemosphere* 9(2):111-119.

*Ek CJ, Dzieglewska KM, Habgood MD, et al. 2012. Barriers in the developing brain and neurotoxicology. *Neurotoxicology* 33(3):586-604. 10.1016/j.neuro.2011.12.009.

9. REFERENCES

- *Ekstrom AM, Eriksson M, Hansson L, et al. 1999. Occupational exposures and risk of gastric cancer in a population-based case-control study. *Cancer Res* 59:5932-5937.
- *Ellgehausen H, Guth JA, Esser HO. 1980. Factors determining the bioaccumulation potential of pesticides in the individual compartments of aquatic food chains. *Ecotoxicol Environ Saf* 4:134-157.
- +*Elo HA, Hervonen H, Ylitalo P. 1988. Comparative study on cerebrovascular injuries by three chlorophenoxyacetic acids (2,4-D, 2,4,5-T and MCPA). *Comp Biochem Physiol C* 90(1):65-68.
- *Elo HA, Ylitalo P. 1979. Distribution of 2-methyl-4-chlorophenoxyacetic acid and 2,4-dichlorophenoxyacetic acid in male rats: Evidence for the involvement of the central nervous system in their toxicity. *Toxicol Appl Pharmacol* 51(3):439-446.
- *Engel LS, Hill DA, Hoppin JA, et al. 2005. Pesticide use and breast cancer risk among farmers' wives in the agricultural health study. *Am J Epidemiol* 161(2):121-135.
- *Ensminger MP, Budd R, Kelley KC, et al. 2013. Pesticide occurrence and aquatic benchmark exceedances in urban surface waters and sediments in three urban areas of California, USA, 2008-2011. *Environ Monit Assess* 185(5):3697-3710. 10.1007/s10661-012-2821-8.
- *EPA. 1980. Adsorption, movement, and biological degradation of large concentrations of selected pesticides in soils. Cincinnati, OH: U.S. Environmental Protection Agency, Municipal Environmental Research Laboratory, Office of Research and Development. EPA600280124.
- +*EPA. 1984. Memorandum: Review of subchronic feeding studies in mice and rats for inclusion in 2,4-D file. [Releasable agency review for MRID 00131303 and 00131304]. U.S. Environmental Protection Agency.
- +*EPA. 1985. Memorandum: Accession No. No. 254708. Interim 52-week report on 2,4-D acid (2,4-dichlorophenoxy acetic acid). Chronic feeding/oncogenicity study in rats submitted by the 2,4-D industry task force on research data. [Releasable agency review for MRID 00160876]. U.S. Environmental Protection Agency.
- +*EPA. 1986. Data evaluation report. Effects of 2,4-D on two-generations of reproduction in rats. [Releasable agency review for MRID 00150557]. U.S. Environmental Protection Agency.
- +*EPA. 1987a. Data evaluation report. Study type: Mouse oncogenicity study. Tox. Chem. No.: 315. Accession number: 400618-01. MRID No.: 40061801. Title of report: Oncogenicity study in mice with 2,4-dichlorophenoxy-acetic acid (2,4-D). [Releasable agency review for MRID 40061801]. U.S. Environmental Protection Agency.
- +*EPA. 1987b. Data evaluation report. Addendum to the study of 2,4-D on two-generations of reproduction in rats: Correction to histopathology of the kidneys. [Releasable agency for MRID 00163996]. U.S. Environmental Protection Agency.
- *EPA. 1988. Pesticides in ground water data base 1988 interim report. U.S. Environmental Protection Agency. <http://nepis.epa.gov/Adobe/PDF/2000O1PT.PDF>. September 22, 2015.
- *EPA. 1990. Nonoccupational Pesticide Exposure Study (NOPES). Research Triangle Park, NC: U.S. Environmental Protection Agency.

9. REFERENCES

+*EPA. 1991a. 21-Day dermal irritation and dermal toxicity study in rabbits with 2,4-dichlorophenoxyacetic acid. [Releasable agency review for MRID 41735301 and 41735301]. U.S. Environmental Protection Agency.

*EPA. 1991b. Puget Sound Pesticide Reconnaissance Survey, 1990. Seattle, WA: U.S. Environmental Protection Agency. <http://nepis.epa.gov/Exe/ZyPDF.cgi?Dockey=9100YQ44.PDF>. October 1, 2015.

+*EPA. 1992. Data evaluation report. Study type: Primary dermal irritation. Guideline: 81-5. Caswell No. 315. MRID No. 422327-01. HED project no. 2-1863. Title of report: 2,4-Dichlorophenoxyacetic acid: Generic data submission as required in the 2,4-D registration standard. [Releasable agency review for MRID 42232701]. U.S. Environmental Protection Agency.

*EPA. 1995a. Method 515.1. Determination of chlorinated acids in water by gas chromatography with an electron capture detector. Cincinnati, OH: U.S. Environmental Protection Agency, National Exposure Research Laboratory, Office of Research and Development.

https://owpubauthor.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_11_06_methods_method_515_1.pdf. September 25, 2015.

*EPA. 1995b. Method 515.2. Determination of chlorinated acids in water using liquid-solid extraction and gas chromatography with an electron capture detector. Cincinnati, OH: U.S. Environmental Protection Agency, National Exposure Research Laboratory, Office of Research and Development. http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_11_06_methods_method_515_2.pdf. September 25, 2015.

*EPA. 1996a. Method 515.3. Determination of chlorinated acids in drinking water by liquid-liquid extraction, derivatization and gas chromatography with electron capture detection. U.S. Environmental Protection Agency, National Exposure Research Laboratory, Office of Research and Development. <http://www.epa.gov/safewater/methods/pdfs/methods/met515.pdf>. October 1, 2015.

*EPA. 1996b. Method 8151A. Chlorinated herbicides by GC using methylation or pentafluorobenzylolation derivatization. U.S. Environmental Protection Agency, Office of Solid Waste. <http://www.epa.gov/wastes/hazard/testmethods/sw846/pdfs/8151a.pdf>. September 25, 2015.

*EPA. 1997c. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. EPA630R96012.

*EPA. 2000. Method 515.4. Determination of chlorinated acids in drinking water by liquid-liquid microextraction, derivatization, and fast gas chromatography with electron capture detection. Cincinnati, OH: U.S. Environmental Protection Agency, 515.514-511 to 515.514-548. http://www.epa.gov/safewater/methods/pdfs/methods/met515_4.pdf. October 1, 2015.

*EPA. 2004. Environmental Fate and Effects Division's risk assessment for the Reregistration Eligibility Document for 2,4-dichlorophenoxyacetic acid (2,4-D). EPA200401670003. U.S. Environmental Protection Agency. <http://www.regulations.gov/#!documentDetail;D=EPA-HQ-OPP-2004-0167-0003>. January 27, 2016.

+*EPA. 2005a. Reregistration eligibility decision for 2,4-D. U.S. Environmental Protection Agency. http://www.epa.gov/pesticides/reregistration/REDs/24d_red.pdf. August 27, 2015.

9. REFERENCES

*EPA. 2005b. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.

+*EPA. 2008. Data evaluation record. Subchronic toxicity-rat; OPPTS 870.3465 [82-4]; OECD 413. PC code 030001. DP Barcode D352172. U.S. Environmental Protection Agency.

*EPA. 2009. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F090004. <http://water.epa.gov/drink/contaminants/upload/mcl-2.pdf>. March 4, 2015.

*EPA. 2012. 2012 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA822S12001. <http://water.epa.gov/action/advisories/drinking/upload/dwstandards2012.pdf>. March 4, 2015.

*EPA. 2013a. The Clean Air Act amendments of 1990 list of hazardous air pollutants. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/ttn/atw/orig189.html>. March 4, 2015.

*EPA. 2013b. Subchapter D-Water programs. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 116.4. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol22/pdf/CFR-2014-title40-vol22-sec116-4.pdf>. March 4, 2015.

*EPA. 2013c. Subpart A - General provisions. Determination of reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 117.3. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol22/pdf/CFR-2014-title40-vol22-sec117-3.pdf>. March 4, 2015.

*EPA. 2013d. Subpart D - Specific toxic chemical listings. Chemicals and chemical categories to which this part applies. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 372.65. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol28/pdf/CFR-2014-title40-vol28-sec372-65.pdf>. March 4, 2015.

*EPA. 2014a. Subchapter J-Superfund, emergency planning, and community right-to-know programs. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.4. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol28/pdf/CFR-2014-title40-vol28-sec302-4.pdf>. March 4, 2015.

*EPA. 2014b. Subpart B - Manufacturers reporting - preliminary assessment information. Chemical lists and reporting periods. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 712.30. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol31/pdf/CFR-2014-title40-vol31-sec712-30.pdf>. April 9, 2015.

*EPA. 2014c. Final registration of Enlist Duo™ herbicide. U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2014-10/documents/final_registration_-_enlist_duo.pdf. December 9, 2016.

*EPA. 2015a. Final AEGLs (176). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. http://www.epa.gov/oppt/aegl/pubs/compiled_aegl_update09jun2015.pdf. July 23, 2015.

9. REFERENCES

*EPA. 2015b. National recommended water quality criteria. Washington, DC: U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology.
<http://water.epa.gov/scitech/swguidance/standards/criteria/current/index.cfm>. July 23, 2015.

*EPA. 2015c. EDSP: Weight of evidence analysis of potential interaction with estrogen, androgen or thyroid pathways. Chemical: 2,4-Dichlorophenoxy acetic acid (2,4-D). Memorandum: EDSP weight of evidence conclusions on the tier 1 screening assays for the list 1 chemicals. U.S. Environmental Protection Agency. http://www2.epa.gov/sites/production/files/2015-06/documents/24-d-030001_2015-06-29_txr0057151.pdf. August 27, 2015.

*EPA. 2015d. Memorandum. Date: 6/29/2015. 2,4-D: Data evaluation records (DERs) for EDSP tier 1 assays. U.S. Environmental Protection Agency.

*EPA. 2015e. Monitoring unregulated drinking water contaminants. National Contaminant Occurrence Database (NCOD). Six-Year Review 2 Contaminant Occurrence Data (1998-2005). U.S. Environmental Protection Agency. <http://www.epa.gov/dwucmr/national-contaminant-occurrence-database-ncod>. September 16, 2015.

*EPA. 2015f. Chemical data access tool (CDAT). 2012 Chemical data reporting (CDR), acetic acid, 2-(2,4-dichlorophenoxy)-. CAS Number: 94-75-7. U.S. Environmental Protection Agency.
http://java.epa.gov/oppt_chemical_search/. December 7, 2015.

*EPA. 2016. Registration of Enlist Duo. U.S. Environmental Protection Agency.
<https://www.epa.gov/ingredients-used-pesticide-products/registration-enlist-duo>. December 6, 2016.

*Epstein SS, Arnold E, Andrea J, et al. 1972. Detection of chemical mutagens by the dominant lethal assay in the mouse. *Toxicol Appl Pharmacol* 23:288-325.

*Eriksson M, Hardell L, Carlberg M, et al. 2008. Pesticide exposure as risk factor for non-Hodgkin lymphoma including histopathological subgroups analysis. *Int J Cancer* 123(7):1657-1663.

*Evangelista de Duffard AM, Bortolozzi A, Duffard RO. 1995. Altered behavioral responses in 2,4-dichlorophenoxyacetic acid treated and amphetamine challenged rats. *Neurotoxicology* 16(3):479-488.

*Eyres W. 2009. Water chestnut (*Trapa natans* L.) infestation in the Susquehanna River Watershed: Population assessment, control, and effects. Biological Field Station, Oneonta, NY: State University of New York College at Oneonta. Occasional paper no. 44.
<http://www.oneonta.edu/academics/biofld/PUBS/OP/W.%20Eyres%20Thesis%202009%20OP%2044.pdf>. January 26, 2016.

*Fang H, Tong W, Branham WS, et al. 2003. Study of 202 natural, synthetic, and environmental chemicals for binding to the androgen receptor. *Chem Res Toxicol* 16(10):1338-1358.

*Fang SC, Lindstrom FT. 1980. *In vitro* binding of ¹⁴C-labeled acidic compounds to serum albumin and their tissue distribution in the rat. *J Pharmacokinet Biopharm* 8(6):583-597.

*Farwell SO, Robinson E, Powell WJ, et al. 1976. Survey of airborne 2,4-D in south-central Washington. *J Air Pollut Control Assoc* 26(3):224-230.

9. REFERENCES

- *Faustini A, Settimi L, Pacifici R, et al. 1996. Immunological changes among farmers exposed to phenoxy herbicides: Preliminary observations. *Occup Environ Med* 53(9):583-585.
- *FDA. 2005. U.S. Food and Drug Administration - Total Diet Study Market Baskets 2004-1 through 2005-4. College Park, MD: U.S. Food and Drug Administration, Center for Food Safety and Applied Nutrition, Office of Food Safety, 1-36.
<http://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291686.pdf>. September 21, 2015.
- *FDA. 2013. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. <http://www.accessdata.fda.gov/scripts/fcn/fcnnavigation.cfm?rpt=eafuslisting>. January 8, 2014.
- *FDA. 2014. Subpart B-Requirements for specific standardized beverages. U.S. Food and Drug Administration. Code of Federal Regulations 21 CFR 165.110. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title21-vol2/pdf/CFR-2014-title21-vol2-sec165-110.pdf>. July 28, 2015.
- *Feldmann RJ, Maibach HI. 1974. Percutaneous penetration of some pesticides and herbicides in man. *Toxicol Appl Pharmacol* 28(1):126-132.
- *Ferri A, Duffard R, de Duffard AM. 2007. Selective oxidative stress in brain areas of neonate rats exposed to 2,4-dichlorophenoxyacetic acid through mother's milk. *Drug Chem Toxicol* 30(1):17-30. 10.1080/01480540601017629.
- *Ferri A, Duffard R, Sturtz N, et al. 2003. Iron, zinc and copper levels in brain, serum and liver of neonates exposed to 2,4-dichlorophenoxyacetic acid. *Neurotoxicol Teratol* 25(5):607-613.
- *Figgs LW, Holland NT, Rothmann N, et al. 2000. Increased lymphocyte replicative index following 2,4-dichlorophenoxyacetic acid herbicide exposure. *Cancer Causes Control* 11(4):373-380.
- *Flower KB, Hoppin JA, Lynch CF, et al. 2004. Cancer risk and parental pesticide application in children of Agricultural Health Study participants. *Environ Health Perspect* 112(5):631-635.
- +*Fofana D, Kobae H, Oku S, et al. 2000. Prenatal developmental effects of pure 2,4-dichlorophenoxyacetic acid (2,4-D) on the rat. *Congenit Anom (Kyoto)* 40(4):287-296.
- +*Fofana D, Kobae H, Sameshima K, et al. 2002. Postnatal survival of rat offspring prenatally exposed to pure 2,4-dichlorophenoxyacetic acid (2,4-D). *Congenit Anom (Kyoto)* 42(1):32-35.
- *Fomon SJ. 1966. Body composition of the infant: Part 1: The male reference infant. In: Faulkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35(Suppl 5):1169-1175.
- *Fontana A, Prastaro C, Vineis P, et al. 1998. Incidence rates of lymphomas and environmental measurements of phenoxy herbicides: Ecological analysis and case-control study. *Arch Environ Health* 53(6):384-387.
- *Foster RK, McKercher RB. 1973. Laboratory incubation studies of chlorophenoxyacetic acids in chernozemic soils. *Soil Biol Biochem* 5(3):333-337.

9. REFERENCES

- *Frank R, Logan L. 1988. Pesticide and industrial chemical residues at the mouth of the Grand, Saugeen and Thames Rivers, Ontario, Canada 1981-1985. *Arch Environ Contam Toxicol* 17(6):741-754.
- *Freitag D, Geyer H, Kraus A, et al. 1982. Ecotoxicological profile analysis. VII. Screening chemicals for their environmental behavior by comparative evaluation. *Ecotoxicol Environ Saf* 6:60-81.
- +*Fukuyama T, Tajima Y, Ueda H, et al. 2009. Allergic reaction induced by dermal and/or respiratory exposure to low-dose phenoxyacetic acid, organophosphorus, and carbamate pesticides. *Toxicology* 261(3):152-161. 10.1016/j.tox.2009.05.014.
- *Furman OS, Yu M, Teel AL, et al. 2013. Water quality parameters controlling the photodegradation of two herbicides in surface waters of the Columbia Basin, Washington. *Chemosphere* 93(9):1734-1741. 10.1016/j.chemosphere.2013.05.050.
- *Galloway SM, Armstrong MJ, Reuben C, et al. 1987. Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals. *Environ Mol Mutagen* 10(Suppl 10):1-175.
- *Gambini GF, Mantovani C, Pira E, et al. 1997. Cancer mortality among rice growers in Novara Province, northern Italy. *Am J Ind Med* 31(4):435-441.
- *Garabrant DH, Philbert MA. 2002. Review of 2,4-dichlorophenoxyacetic acid (2,4-D) epidemiology and toxicology. *Crit Rev Toxicol* 32(4):233-257. 10.1080/20024091064237.
- +*Garcia G, Tagliaferro P, Bortolozzi A, et al. 2001. Morphological study of 5-HT neurons and astroglial cells on brain of adult rats perinatal or chronically exposed to 2,4-dichlorophenoxyacetic acid. *Neurotoxicology* 22(6):733-741.
- *Garcia G, Tagliaferro P, Ferri A, et al. 2004. Study of tyrosine hydroxylase immunoreactive neurons in neonate rats lactationally exposed to 2,4-dichlorophenoxyacetic acid. *Neurotoxicology* 25(6):951-957. 10.1016/j.neuro.2004.05.004.
- *Garcia GB, Konjuh C, Duffard RO, et al. 2006. Dopamine- β -hydroxylase immunohistochemical study in the locus coeruleus of neonate rats exposed to 2,4-dichlorophenoxyacetic acid through mother's milk. *Drug Chem Toxicol* 29(4):435-442. 10.1080/01480540600838058.
- *Garrett NE, Stack HF, Waters MD. 1986. Evaluation of the genetic activity profiles of 65 pesticides. *Mutat Res* 168(3):301-325.
- *Garry VF, Harkins ME, Erickson LL, et al. 2002. Birth defects, season of conception, and sex of children born to pesticide applicators living in the Red River Valley of Minnesota, USA. *Environ Health Perspect* 110(3):441-449.
- *Garry VF, Schreinemachers D, Harkins ME, et al. 1996. Pesticide applicators, biocides, and birth defects in rural Minnesota. *Environ Health Perspect* 104(4):394-399.
- *Garry VF, Tarone RE, Kirsch IR, et al. 2001. Biomarker correlations of urinary 2,4-D levels in foresters: Genomic instability and endocrine disruption. *Environ Health Perspect* 109(5):495-500.

9. REFERENCES

- *Gervais JA, Luukinen B, Buhl K, et al. 2008. 2,4-D Technical Fact Sheet. National Pesticide Information Center, Oregon State University Extension Services. <http://npic.orst.edu/factsheets/2,4-DTech.pdf>. Sept 11, 2015.
- *Gilliom RJ, Barbash JE, Kolpin DW, et al. 1999. Testing water quality for pesticide pollution: U.S. Geological Survey investigations reveal widespread contamination of the nation's water resources. *Environ Sci Technol* 33(7):164A-169A.
- *Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect* 101(Supp 2):65-71.
- *Glozier NE, Struger J, Cessna AJ, et al. 2012. Occurrence of glyphosate and acidic herbicides in select urban rivers and streams in Canada, 2007. *Environ Sci Pollut Res Int* 19(3):821-834. 10.1007/s11356-011-0600-7.
- *Gold AJ, Morton TG, Sullivan WM, et al. 1988. Leaching of 2,4-D and dicamba from home lawns. *Water Air Soil Pollut* 37:121-129.
- *Goldner WS, Sandler DP, Yu F, et al. 2010. Pesticide use and thyroid disease among women in the Agricultural Health Study. *Am J Epidemiol* 171(4):455-464.
- *Goldner WS, Sandler DP, Yu F, et al. 2013. Hypothyroidism and pesticide use among male private pesticide applicators in the Agricultural Health Study. *J Occup Environ Med* 55(10):1171-1178. 10.1097/JOM.0b013e31829b290b.
- *Goldstein NP, Jones PH, Brown JR. 1959. Peripheral neuropathy after exposure to an ester of dichlorophenoxyacetic acid. *J Am Med Assoc* 171(10):1306-1309.
- *Gonzalez M, Soloneski S, Reigosa MA, et al. 2005. Genotoxicity of the herbicide 2,4-dichlorophenoxyacetic acid and a commercial formulation, 2,4-dichlorophenoxyacetic acid dimethylamine salt. I. Evaluation of DNA damage and cytogenetic endpoints in Chinese Hamster ovary (CHO) cells. *Toxicol in Vitro* 19(2):289-297. 10.1016/j.tiv.2004.10.004.
- *Goodman JE, Loftus CT, Zu K. 2015. 2,4-Dichlorophenoxyacetic acid and non-Hodgkin's lymphoma, gastric cancer, and prostate cancer: Meta-analyses of the published literature. *Ann Epidemiol* 25:626-636.
- +*Gorzinski SJ, Kociba RJ, Campbell RA, et al. 1987. Acute, pharmacokinetic, and subchronic toxicological studies of 2,4-dichlorophenoxyacetic acid. *Fundam Appl Toxicol* 9(3):423-435.
- *Graham RC, Ulery AL, Neal RH, et al. 1992. Herbicide residue distributions in relation to soil morphology in two California vertisols. *Soil Sci* 153(2):115-121.
- *Green LM. 1991. A cohort mortality study of forestry workers exposed to phenoxy acid herbicides. *Br J Ind Med* 48(4):234-238.
- *Griffin RJ, Godfrey VB, Kim YC, et al. 1997a. Sex-dependent differences in the disposition of 2,4-dichlorophenoxyacetic acid in Sprague-Dawley rats, B6C3F1 mice, and Syrian hamsters. *Drug Metab Dispos* 25(9):1065-1071.

9. REFERENCES

- *Griffin RJ, Salemme J, Clark J, et al. 1997b. Biliary elimination of oral 2,4-dichlorophenoxyacetic acid and its metabolites in male and female Sprague-Dawley rats, B6C3F1 mice, and Syrian hamsters. *J Toxicol Environ Health* 51(4):401-413. 10.1080/00984109708984033.
- *Grissom REJ, Brownie C, Guthrie FE. 1985. Dermal absorption of pesticides in mice. *Pestic Biochem Physiol* 24(1):119-123.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences and Press Institute Press.
- *Hancock DB, Martin ER, Mayhew GM, et al. 2008. Pesticide exposure and risk of Parkinson's disease: A family-based case-control study. *BMC Neurol* 10.1186/1471-2377-8-6.
- +*Hansen WH, Quaife ML, Habermann RT, et al. 1971. Chronic toxicity of 2,4-dichlorophenoxyacetic acid in rats and dogs. *Toxicol Appl Pharmacol* 20(1):122-129.
- *Haque R, Deagen J, Schmedding D. 1975. Binding of 2,4-dichloro- and 2,4,5-trichlorophenoxyacetic acids to bovine serum albumin. A proton magnetic resonance study. *J Agric Food Chem* 23(4):763-766.
- *Hardell L, Eriksson M. 1999. A case-control study of non-Hodgkin's lymphoma and exposure to pesticides. *Cancer Metastasis Rev* 85(6):1353-1360.
- *Hardell L, Eriksson M, Degerman A. 1994. Exposure to phenoxyacetic acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of Non-Hodgkin's lymphoma. *Cancer Res* 54(9):2386-2389.
- *Harris SA, Solomon KR. 1992. Human exposure to 2,4-D following controlled activities on recently sprayed turf. *J Environ Sci Health B* 27(1):9-22. 10.1080/03601239209372764.
- *Harris SA, Solomon KR, Stephenson GR. 1992. Exposure of homeowners and bystanders to 2,4-dichlorophenoxyacetic acid (2,4-D). *J Environ Sci Health B* 27(1):23-38. 10.1080/03601239209372765.
- *Hartge P, Colt JS, Severson RK, et al. 2005. Residential herbicide use and risk of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev* 14(4):934-937. 10.1158/1055-9965.epi-04-0730.
- *Hayes HM, Tarone RE, Cantor KP, et al. 1991. Case-control study of canine malignant lymphoma: Positive association with dog owner's use of 2,4-dichlorophenoxyacetic acid herbicides. *J Natl Cancer Inst* 83(17):1226-1231.
- *Hayes HM, Tarone RE, Cantor KP. 1995. On the association between canine malignant lymphoma and opportunity for exposure to 2,4-dichlorophenoxyacetic acid. *Environ Res* 70(2):119-125. 10.1006/enrs.1995.1056.
- *Hays SM, Aylward LL, Driver J, et al. 2012. 2,4-D exposure and risk assessment: Comparison of external dose and biomonitoring based approaches. *Regul Toxicol Pharmacol* 64(3):481-489. 10.1016/j.yrtp.2012.09.001.
- *Health Canada. 2010. 8.9. Phenoxy herbicide. Report on human biomonitoring of environmental chemicals in Canada. http://www.hc-sc.gc.ca/ewh-semt/pubs/contaminants/chms-ecms/section8-eng.php#n8_8. August 28, 2015.

9. REFERENCES

*Health Canada. 2016. Special review of 2,4-D: Proposed decision for consultation. Ottawa, Ontario: Health Canada. http://www.hc-sc.gc.ca/cps-spc/alt_formats/pdf/pest/part/consultations/rev2016-08/REV2016-08-eng.pdf. November 29, 2016.

*Helling CS. 1971. Pesticide mobility in soils III. Influence of soil properties. *Soil Sci Soc Amer Proc* 35:743-748.

*Hietanen E, Linnainmaa K, Vainio H. 1983. Effects of phenoxyherbicides and glyphosate on the hepatic and intestinal biotransformation activities in the rat. *Acta Pharmacol Toxicol (Copenh)* 53(2):103-112.

+*Hill EV, Carlisle H. 1947. Toxicity of 2,4-dichlorophenoxyacetic acid for experimental animals. *J Ind Hyg Toxicol* 29(2):85-95.

*Hill RH, Head SL, Baker S, et al. 1995. Pesticide residues in urine of adults living in the United States: Reference range concentrations. *Environ Res* 71(2):99-108. 10.1006/enrs.1995.1071.

*Hill RH, To T, Holler JS, et al. 1989. Residues of chlorinated phenols and phenoxy acid herbicides in the urine of Arkansas children. *Arch Environ Contam Toxicol* 18(4):469-474.

*Hoar SK, Blair A, Holmes FF, et al. 1986. Agricultural herbicide use and risk of lymphoma and soft-tissue sarcoma. *J Am Med Assoc* 256(9):1141-1147.

*Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.

*Holland NT, Duramad P, Rothman N, et al. 2002. Micronucleus frequency and proliferation in human lymphocytes after exposure to herbicide 2,4-dichlorophenoxyacetic acid *in vitro* and *in vivo*. *Mutat Res* 521(1-2):165-178.

*Holman RE, Leidy RB, Walker AE. 2000. Evaluation of selected pesticides in North Carolina surface water supplies: Intake study. *J Am Water Resour Assoc* 36(1):75-85.

*Hope BK, Pillsbury L, Boling B. 2012. A state-wide survey in Oregon (USA) of trace metals and organic chemicals in municipal effluent. *Sci Total Environ* 417-418:263-272. 10.1016/j.scitotenv.2011.12.028.

*Hoppin JA, Umbach DM, London SJ, et al. 2006a. Pesticides and adult respiratory outcomes in the Agricultural Health Study. *Ann N Y Acad Sci* 1076:343-354.

*Hoppin JA, Umbach DM, London SJ, et al. 2006b. Pesticides associated with wheeze among commercial pesticide applicators in the Agricultural Health Study. *Am J Epidemiol* 163(12):1129-1137.

*Hoppin JA, Umbach DM, London SJ, et al. 2008. Pesticides and atopic and nonatopic asthma among farm women in the Agricultural Health Study. *Am J Respir Crit Care Med* 177:11-18.

*Hou L, Andreotti G, Baccarelli AA, et al. 2013. Lifetime pesticide use and telomere shortening among male pesticide applicators in the Agricultural Health Study. *Environ Health Perspect* 121(8):919-924. 10.1289/ehp.1206432.

9. REFERENCES

*HSDB. 2015. 2,4-D. CASRN: 94-75-7. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. September 21, 2015.

*Hughes DL, Ritter DJ, Wilson RD. 2001. Determination of 2,4-dichlorophenoxyacetic acid (2,4-D) in human urine with mass selective detection. *J Environ Sci Health B* 36(6):755-764. 10.1081/pfc-100107409.

*IRIS. 2002. 2,4-Dichlorophenoxyacetic acid (2,4-D) (CASRN 94-75-7). Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/iris/subst/0150.htm>. July 23, 2015.

*IARC. 2016. 2,4-Dichlorophenoxyacetic acid. In: 2,4-Dichlorophenoxyacetic acid (2,4-D) and some organochlorine insecticides. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 113. Lyon, France: International Agency for Research on Cancer, 1-126. <http://monographs.iarc.fr/ENG/Monographs/vol113/mono113-03.pdf>. December 8, 2016.

*Johnson WG, Lavy TL, Gbur EE. 1995. Sorption, mobility and degradation of triclopyr and 2,4-D on four soils. *Weed Sci* 43:678-684.

+*Joshi SC, Tibrewal P, Sharma A, et al. 2012. Evaluation of toxic effect of 2,4-D (2,4-dichlorophenoxyacetic acid) on fertility and biochemical parameters of male reproductive system of albino rats. *Int J Pharm Sci* 4(Suppl 3):338-342.

*Jung J, Ishida K, Nishihara T. 2004. Anti-estrogenic activity of fifty chemicals evaluated by *in vitro* assays. *Life Sci* 74(25):3065-3074.

*Kaioumova DF, Khabutdinova L. 1998. Cytogenetic characteristics of herbicide production workers in Ufa. *Chemosphere* 37(9-12):1755-1759.

*Kamel F, Tanner CM, Umbach DM, et al. 2007. Pesticide exposure and self-reported Parkinson's disease in the Agricultural Health Study. *Am J Epidemiol* 165(4):364-374.

+*Kavlock RJ, Short RD JR, Chernoff N. 1987. Further evaluation of an *in vivo* teratology screen. *Teratog Carcinog Mutagen* 7:7-16.

*Kaya B, Yanikoglu A, Marcos R. 1999. Genotoxicity studies on the phenoxyacetates 2,4-D and 4-CPA in the *Drosophila* wing spot test. *Teratog Carcinog Mutagen* 19(4):305-312.

*Kearns GL, Abdel-Rahman SM, Alander SW, et al. 2003. Developmental pharmacology--drug disposition, action, and therapy in infants and children. *N Engl J Med* 349(12):1157-1167. 10.1056/NEJMra035092.

*Keller T, Skopp G, Wu M, et al. 1994. Fatal overdose of 2,4-dichlorophenoxyacetic acid (2,4-D). *Forensic Sci Int* 65(1):13-18.

*Khanna S, Fang SC. 1966. Metabolism of C¹⁴-labeled 2,4-dichlorophenoxyacetic acid in rats. *J Agric Food Chem* 14(5):500-503.

*Kim CS, O'Tuama LA. 1981. Choroid plexus transport of 2,4-dichlorophenoxyacetic acid: Interaction with the organic acid carrier. *Brain Res* 224(1):209-212.

9. REFERENCES

- *Kim CS, Binienda Z, Sandberg JA. 1996. Construction of a physiologically based pharmacokinetic model for 2,4-dichlorophenoxyacetic acid dosimetry in the developing rabbit brain. *Toxicol Appl Pharmacol* 136(2):250-259. 10.1006/taap.1996.0032.
- *Kim CS, Gargas ML, Andersen ME. 1994. Pharmacokinetic modeling of 2,4-dichlorophenoxyacetic acid (2,4-D) in rat and in rabbit brain following single dose administration. *Toxicol Lett* 74(3):189-201.
- *Kim CS, Keizer RF, Pritchard JB. 1988. 2,4-Dichlorophenoxyacetic acid intoxication increases its accumulation within the brain. *Brain Res* 440(2):216-226.
- *Kim CS, O'Tuama LA, Mann JD, et al. 1983. Saturable accumulation of the anionic herbicide, 2,4-dichlorophenoxyacetic acid (2,4-D), by rabbit choroid plexus: Early developmental origin and interaction with salicylates. *J Pharmacol Exp Ther* 225(3):699-704.
- *Kim CS, Sandberg JA, Slikker W, et al. 2001. Quantitative exposure assessment: Application of physiologically-based pharmacokinetic (PBPK) modeling of low-dose, long-term exposures of organic acid toxicant in the brain. *Environ Toxicol Pharmacol* 9(4):153-160.
- *Kim CS, Slikker W, Jr., Binienda Z, et al. 1995. Development of a physiologically based pharmacokinetic model for 2,4-dichlorophenoxyacetic acid dosimetry in discrete areas of the rabbit brain. *Neurotoxicol Teratol* 17(2):111-120.
- *Kim HJ, Park YI, Dong MS. 2005. Effects of 2,4-D and DCP on the DHT-induced androgenic action in human prostate cancer cells. *Toxicol Sci* 88(1):52-59. 10.1093/toxsci/kfi287.
- +*Kimura T, Kuroki K, Doi K. 1998. Dermatotoxicity of agricultural chemicals in the dorsal skin of hairless dogs. *Toxicol Pathol* 26(3):442-447.
- *Kirrane EF, Hoppin JA, Kamel F, et al. 2005. Retinal degeneration and other eye disorders in wives of farmer pesticide applicators enrolled in the Agricultural Health Study. *Am J Epidemiol* 161:1020-1029.
- *Kitchin KT, Brown JL. 1988. Biochemical effects of three chlorinated phenols in rat liver. *Toxicol Environ Chem* 16(3):165-172.
- *Klecka G, Persoon C, Currie RS. 2010. Chemicals of emerging concern in the Great Lakes Basin: An analysis of environmental exposures. *Rev Environ Contam Toxicol* 207:1-85.
- *Klucinski P, Kossmann S, Tustanowski J, et al. 2001. Humoral and cellular immunity rates in chemical plant workers producing dust pesticides. *Med Science Monit* 7(6):1270-1274.
- *Knapp DW, Peer WA, Conteh A, et al. 2013. Detection of herbicides in the urine of pet dogs following home lawn chemical application. *Sci Total Environ* 456-457:34-41.
- *Knopp D. 1994. Assessment of exposure to 2,4-dichlorophenoxyacetic acid in the chemical industry: Results of a five year biological monitoring study. *Occup Environ Med* 51(3):152-159.
- *Knopp D, Schiller F. 1992. Oral and dermal application of 2,4-dichlorophenoxyacetic acid sodium and dimethylamine salts to male rats: Investigations on absorption and excretion as well as induction of hepatic mixed-function oxidase activities. *Arch Toxicol* 66(3):170-174.

9. REFERENCES

- *Kogevinas M, Becher H, Benn T, et al. 1997. Cancer mortality in workers exposed to phenoxy herbicides, chlorophenols, and dioxins. *Am J Epidemiol* 145(12):1061-1075.
- *Kogevinas M, Kauppinen T, Winkelmann R, et al. 1995. Soft tissue sarcoma and non-Hodgkin's lymphoma in workers exposed to phenoxy herbicides, chlorophenols, and dioxins: Two nested case-control studies. *Epidemiology* 6(4):396-402.
- *Kohli JD, Khanna RN, Gupta BM, et al. 1974. Absorption and excretion of 2,4-dichlorophenoxyacetic acid in man. *Xenobiotica* 4:2:97-100.
- *Kojima H, Katsura E, Takeuchi S, et al. 2004. Screening for estrogen and androgen receptor activities in 200 pesticides by *in vitro* reporter gene assays using Chinese hamster ovary cells. *Environ Health Perspect* 112(5):524-531.
- *Kolberg J, Helgeland K, Jonsen J. 1973. Binding of 2,4-dichloro- and 2, 4, 5-trichlorophenoxyacetic acid to bovine serum albumin. *Acta Pharmacol Toxicol (Copenh)* 33(5):470-475.
- *Kolpin DW, Barbash JE, Gilliom RJ. 2000. Pesticides in ground water of the United States, 1992-1996. *Ground Water* 38(6):858-863.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29(18):4430-4433.
- *Konasewich DE, Traversy WJ, Zar H. 1978. Great Lakes water quality board-appendix E. Status report on organic and heavy metal contaminants in the Lakes Erie, Michigan, Huron and Superior basins. International Joint Commission.
- *Konjuh C, Garcia G, Lopez L, et al. 2008. Neonatal hypomyelination by the herbicide 2,4-dichlorophenoxyacetic acid. Chemical and ultrastructural studies in rats. *Toxicol Sci* 104(2):332-340. 10.1093/toxsci/kfn085.
- *Korte C, Jalal SM. 1982. 2,4-D induced clastogenicity and elevated rates of sister chromatid exchanges in cultured human lymphocytes. *J Hered* 73(3):224-226.
- *Kubo T, Urano K, Ulsumi H. 2002. Mutagenicity characteristics of 255 environmental chemicals. *J Health Sci* 48(6) 10.1248/jhs.48.545.
- *Kuntz DJ, Rao NGS, Berg IE, et al. 1990. Toxicity of mixtures of parathion, toxaphene and/or 2,4-D in mice. *J Appl Toxicol* 10(4):257-266.
- *LaVerda NL, Goldsmith DF, Alavanja MCR, et al. 2015. Pesticide exposures and body mass index (BMI) of pesticide applicators from the Agricultural Health Study. *J Toxicol Environ Health Part A* 78(20):1255-1276.
- *Lavy TL, et al. 1984. Project completion report to United States Department of Agriculture Forest Service. Exposure of forestry applicators using formulations containing 2,4-D, dichlorprop, or picloram in non-aerial applications. (As cited in Durkin et al. 2004)
- *Lavy TL, Norris LA, Mattice JD, et al. 1987. Exposure of forestry ground workers to 2 4-D picloram and dichlorprop. *Environ Toxicol Chem* 6(3):209-224.

9. REFERENCES

- *Lee W, Lijinsky W, Heineman E, et al. 2004a. Agricultural pesticide use and adenocarcinomas of the stomach and oesophagus. *Occup Environ Med* 61(9):743-749.
- *Lee WJ, Cantor KP, Berzofsky JA, et al. 2004b. Non-Hodgkin's lymphoma among asthmatics exposed to pesticides. *Int J Cancer* 111(2):298-302.
- *Lee WJ, Sandler DP, Blair A, et al. 2007. Pesticide use and colorectal cancer risk in the Agricultural Health Study. *Int J Cancer* 121(2):339-346. 10.1002/ijc.22635.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- *Lerda D, Rizzi R. 1991. Study of reproductive function in persons occupationally exposed to 2,4-dichlorophenoxyacetic acid (2,4-D). *Mutat Res* 262(1):47-50.
- *Leung H. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantyne B, Marrs T, Turner P, eds. General and applied toxicology. Vol. 1. New York, NY: Stockton Press, 153-164.
- *Lin N, Garry VF. 2000. *In vitro* studies of cellular and molecular developmental toxicity of adjuvants, herbicides, and fungicides commonly used in Red River Valley, Minnesota. *J Toxicol Environ Health A* 60(6):423-439.
- *Lindquist NG, Ullberg S. 1971. Distribution of the herbicides 2,4,5-T and 2,4,-D in pregnant mice. Accumulation in the yolk sac epithelium. *Experientia* 27(12):1439-1441.
- *Linnainmaa K. 1984. Induction of sister chromatid exchanges by the peroxisome proliferators 2,4-D, MCPA, and clofibrate *in vivo* and *in vitro*. *Carcinogenesis* 5(6):703-707.
- *Liu D, Strachan WMJ, Thomson K, et al. 1981. Determination of the biodegradability of organic compounds. *Environ Sci Technol* 15(7):788-793.
- *Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4(2-3):301-324.
- *Loomis D, Guyton K, Grosse Y, et al. 2015. Carcinogenicity of lindane, DDT, and 2,4-dichlorophenoxyacetic acid. *Lancet Oncol* 16(8):891-892. 10.1016/s1470-2045(15)00081-9.
- *Lyman WJ, Reehl WF, Rosenblatt DH. 1990. In: *Handbook of chemical property estimation methods. Environmental behavior of organic compounds*. Washington, DC: American Chemical Society.
- *Madrigal-Bujaidar E, Hernandez-Ceruelos A, Chamorro G. 2001. Induction of sister chromatid exchanges by 2,4-dichlorophenoxyacetic acid in somatic and germ cells of mice exposed *in vivo*. *Food Chem Toxicol* 39(9):941-946.
- *Mage DT, Allen RH, Gondy G, et al. 2004. Estimating pesticide dose from urinary pesticide concentration data by creatinine correction in the Third National Health and Nutrition Examination Survey (NHANES-III). *J Expo Anal Environ Epidemiol* 14:457-465.
- *Magnusson J, Ramel C, Eriksson A. 1977. Mutagenic effects of chlorinated phenoxyacetic acids in *Drosophila Melanogaster*. *Hereditas* 87(1):121-123.

9. REFERENCES

- *Maire MA, Rast C, Landkocz Y, et al. 2007. 2,4-Dichlorophenoxyacetic acid: Effects on Syrian hamster embryo (SHE) cell transformation, c-Myc expression, DNA damage and apoptosis. *Mutat Res* 631(2):124-136. 10.1016/j.mrgentox.2007.03.008.
- +*Marty MS, Neal BH, Zablotny CL, et al. 2013. An F₁-extended one-generation reproductive toxicity study in Crl:CD(SD) rats with 2,4-dichlorophenoxyacetic acid. *Toxicol Sci* 136(2):527-547. 10.1093/toxsci/kft213.
- +*Mattsson JL, Charles JM, Yano BL, et al. 1997. Single-dose and chronic dietary neurotoxicity screening studies on 2,4-dichlorophenoxyacetic acid in rats. *Fundam Appl Toxicol* 40(1):111-119.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74(2-3):135-149.
- +*Mazhar FM, Moawad KM, El-Dakdoky MH, et al. 2014. Fetotoxicity of 2,4-dichlorophenoxyacetic acid in rats and the protective role of vitamin E. *Toxicol Ind Health* 30(5):480-488. 10.1177/0748233712459915.
- *McDuffie HH, Pahwa P, McLaughlin JR, et al. 2001. Non-Hodgkin's lymphoma and specific pesticide exposures in men: Cross-Canada study of pesticides and health. *Cancer Epidemiol Biomarkers Prev* 10(11):1155-1163.
- *Meister RT, Sine C, Gill-Totten JA, et al. 2014. 2,4-D. In: MeisterPro. Crop protection handbook. Volume 100. Willoughby, OH: Meister Media Worldwide, 223-224.
- *Mersch-Sundermann V, Schneider U, Klopman G, et al. 1994. SOS induction in *Escherichia coli* and *Salmonella* mutagenicity: A comparison using 330 compounds. *Mutagenesis* 9(3):205-224.
- *Metayer C, Colt JS, Buffler PA, et al. 2013. Exposure to herbicides in house dust and risk of childhood acute lymphoblastic leukemia. *J Expo Sci Environ Epidemiol* 23(4):363-370. 10.1038/jes.2012.115.
- *Meylan WM, Howard PH. 1993. Computer estimation of the atmospheric gas-phase reaction rate of organic compounds with hydroxyl radicals and ozone. *Chemosphere* 26(12):2293-2299.
- *Mikalsen SO, Holen I, Sanner T. 1990. Morphological transformation and catalase activity of Syrian hamster embryo cells treated with hepatic peroxisome proliferators, TPA and nickel sulphate. *Cell Biol Toxicol* 6(1):1-13.
- *Miles CJ, Pfeuffer RJ. 1997. Pesticides in canals of south Florida. *Arch Environ Contam Toxicol* 32(337-345).
- *Miligi L, Costantini AS, Veraldi A, et al. 2006. Cancer and pesticides: An overview and some results of the Italian multicenter case-control study on hematolymphopoietic malignancies. *Ann N Y Acad Sci* 1076:366-377. 10.1196/annals.1371.036.
- *Mills PK, Yang RC. 2007. Agricultural exposures and gastric cancer risk in Hispanic farm workers in California. *Environ Res* 104(2):282-289. 10.1016/j.envres.2006.11.008.
- *Mills PK, Yang R, Riordan D. 2005. Lymphohematopoietic cancers in the United Farm Workers of America (UFW), 1988-2001. *Cancer Causes Control* 16(7):823-830. 10.1007/s10552-005-2703-2.

9. REFERENCES

- *Mills PK, Yang RC. 2005. Breast cancer risk in Hispanic agricultural workers in California. *Int J Occup Environ Health* 11:123-131. 10.1179/oeh.2005.11.2.123.
- *Moody RP, Franklin CA, Ritter L, et al. 1990. Dermal absorption of the phenoxy herbicides 2,4-D, 2,4-D amine, 2,4-D isoctyl, and 2,4,5-T in rabbits, rats, rhesus monkeys, and humans: A cross-species comparison. *J Toxicol Environ Health* 29(3):237-245. 10.1080/15287399009531387.
- *Moody RP, Nadeau B, Chu I. 1994. *In vitro* dermal absorption of pesticides: V. *In vivo* and *in vitro* comparison of the herbicide 2,4-dichlorophenoxyacetic acid in rat, guinea pig, pig, human and tissue-cultured skin. *Toxicol in Vitro* 8(6):1219-1224.
- *Morgan MK. 2015. Predictors of urinary levels of 2,4-dichlorophenoxyacetic acid, 3,5,6-trichloro-2-pyridinol, 3-phenoxybenzoic acid, and pentachlorophenol in 121 adults in Ohio. *Int J Hyg Environ Health* 218(5):479-488.
- *Morgan MK, Sheldon LS, Thomas KW, et al. 2008. Adult and children's exposure to 2,4-D from multiple sources and pathways. *J Expo Sci Environ Epidemiol* 18(5):486-494. 10.1038/sj.jes.7500641.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokinet* 5(6):485-527.
- *Mustonen R, Elovaara E, Zitting A, et al. 1989. Effects of commercial chlorophenolate, 2,3,7,8-TCDD, and pure phenoxyacetic acids on hepatic peroxisome proliferation, xenobiotic metabolism and sister chromatid exchange in the rat. *Arch Toxicol* 63(3):203-208.
- *Mustonen R, Kangas J, Vuojolahti P, et al. 1986. Effects of phenoxyacetic acids on the induction of chromosome aberrations *in vitro* and *in vivo*. *Mutagenesis* 1(4):241-245.
- *NAS/NRC. 1989. Report of the oversight committee. Biologic markers in reproductive toxicology. Washington, DC, 15-35.
- *NEMI. 1992. Method 555. Determination of chlorinated acids in water by high performance liquid chromatography with a photodiode array ultraviolet detector. In: Methods for the determination of organic compounds in drinking water - Supplement II. Cincinnati, OH: National Environmental Methods Index. U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory, Office of Research and Development, 555-1 to 555-25. EPA600R92129. https://www.nemi.gov/methods/method_summary/4788/. October 6, 2015.
- *NEMI. 2011. ASTM D5317 - 98(2011). Standard test method for determination of chlorinated organic acid compounds in water by gas chromatography with an electron capture detector. National Environmental Methods Index. U.S. Environmental Protection Agency. U.S. Geological Survey. https://www.nemi.gov/methods/method_summary/5430/. October 2, 2015.
- *Nesbitt HJ, Watson JR. 1980. Degradation of the herbicide 2,4-D in river water. II. The role of suspended sediment, nutrients and water temperature. *Water Res* 14:1689-1694.
- *Nielsen K, Kaempe B, Jensen-Holm J. 1965. Fatal poisoning in man by 2,4-dichlorophenoxyacetic acid (2,4-D): Determination of the agent in forensic materials. *Acta Pharmacol Toxicol (Copenh)* 22:224-234.

9. REFERENCES

*NIH. 2014. The Agricultural Health Study. National Institute of Health and National Institute of Environmental Health Sciences in collaboration with the U.S. Environmental Protection Agency and NIOSH. <http://aghealth.nih.gov/>. August 25, 2014.

*NIOSH. 1994. Method 5001. Issue 2. 2,4-D. NIOSH Manual of Analytical Methods (NMAM). Fourth Edition. National Institute of Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/500124-d.pdf>. October 1, 2015.

*NIOSH. 1998a. Method 5602. Issue 1. Chlorinated and organonitrogen herbicides (air sampling). NIOSH Manual of Analytical Methods (NMAM), Fourth Edition. National Institute of Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/5602.pdf>. October 1, 2015.

*NIOSH. 1998b. Methods 9200. Issue 1. Chlorinated and organonitrogen herbicides (hand wash). NIOSH Manual of Analytical Methods (NMAM), Fourth Edition. National Institute of Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/9200.pdf>. October 1, 2015.

*NIOSH. 1998c. Method 9201. Issue 1. Chlorinated and organonitrogen herbicides (patch). NIOSH Manual of Analytical Methods (NMAM), Fourth Edition. National Institute of Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/9201.pdf>. October 1, 2015.

*NIOSH. 2015. 2,4-D. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/npgd0173.html>. July 23, 2015.

*Nishihara T, Nishikawa J, Kanayama T, et al. 2000. Estrogenic activities of 517 chemicals by yeast two-hybrid assay. *J Health Sci* 46(4):282-298.

*Nishioka MG, Lewis RG, Brinkman MC, et al. 2001. Distribution of 2,4-D in air and on surfaces inside residences after lawn applications: Comparing exposure estimates from various media for young children. *Environ Health Perspect* 109(11):1185-1191.

*NITE. 2010a. Substance Data. #32: Bioaccumulation: Aquatic/sediment. 2,4-Dichlorophenoxyacetic acid. JCHECK - Japan Chemical Collaborative Knowledge database. National Institute of Technology and Evaluation, Ministry of Health, Labour and Welfare, Ministry of the Environment. http://www.safe.nite.go.jp/jcheck/template.action?ano=22533&mno=3-927&cno=94-75-7&request_locale=en[6/22/2015 June 22, 2015].

*NITE. 2010b. Substance data. #28: Biodegradation in water: Screening tests. (2,4-Dichlorophenoxy)acetic acid. JCHECK - Japan Chemicals Collaborative Knowledge database. National Institute of Technology and Evaluation, Ministry of Health, Labour and Welfare, Ministry of the Environment. http://www.safe.nite.go.jp/jcheck/template.action?ano=1603&mno=3-927&cno=94-75-7&request_locale=en. June 22, 2015.

*Norris LA, Greiner D. 1967. The degradation of 2,4-D in forest litter. *Bull Environ Contam Toxicol* 2(2):65-74. 10.1007/bf01684146.

NPIC. 2008. 2,4-D Technical fact sheet. National Pesticide Information Center, Oregon State University Extension Services. <http://npic.orst.edu/factsheets/2,4-DTech.pdf>. September 11, 2015.

*NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Research Council. National Academy Press. PB93216091.

9. REFERENCES

- *NTP. 2014. Report on carcinogens. Thirteenth edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program.
<http://ntp.niehs.nih.gov/pubhealth/roc/roc13/>. April 9, 2015.
- *Orberg J. 1980. Observations on the 2,4-dichlorophenoxyacetic acid (2,4-D) excretion in the goat. *Acta Pharmacol Toxicol (Copenh)* 46(1):78-80.
- *Orton F, Lutz I, Kloas W, et al. 2009. Endocrine disrupting effects of herbicides and pentachlorophenol: *In vitro* and *in vivo* evidence. *Environ Sci Technol* 43(6):2144-2150.
- *OSHA. 2013. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1910.1000.
<http://www.gpo.gov/fdsys/pkg/CFR-2014-title29-vol6/pdf/CFR-2014-title29-vol6-sec1910-1000.pdf>. March 4, 2015.
- *OSHA. 2014a. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z - Shipyards. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1915.1000.
<http://www.gpo.gov/fdsys/pkg/CFR-2013-title29-vol7/pdf/CFR-2013-title29-vol7-sec1915-1000.pdf>. March 4, 2015.
- *OSHA. 2014b. Appendix A to Part 1926.55-1970 American Conference Of Governmental Industrial Hygienists' threshold limit values of airborne contaminants. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1926.55. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title29-vol8/pdf/CFR-2014-title29-vol8-sec1926-55.pdf>. March 4, 2015.
- *Osterloh J, Lotti M, Pond SM. 1983. Toxicologic studies in a fatal overdose of 2,4-D, MCPP, and chlорpyrifos. *J Anal Toxicol* 7(3):125-129.
- *Ostrom KM. 1990. A review of the hormone prolactin during lactation. *Prog Food Nutr Sci* 14:1-44.
- *Ou LT. 1984. 2,4-D degradation and 2,4-D degrading microorganisms in soils. *Soil Sci* 137(2):100-107.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- +*Ozaki K, Mahler JF, Haseman JK, et al. 2001. Unique renal tubule changes induced in rats and mice by the peroxisome proliferators 2,4-dichlorophenoxyacetic acid (2,4-D) and WY-14643. *Toxicol Pathol* 29(4):440-450.
- *Pahwa P, McDuffie HH, Dosman JA, et al. 2006. Hodgkin lymphoma, multiple myeloma, soft tissue sarcomas, insect repellents, and phenoxyherbicides. *J Occup Environ Med* 48(3):264-274. 10.1097/01.jom.0000183539.20100.06.
- *Patterson TA, Slikker W, Binienda Z, et al. 2000. Distribution of 2,4-dichlorophenoxyacetic acid (2,4-D) in the rat after low-dose, chronic administration. *Toxicologist* 54(1):56.
- *PHED Task Force. 1995. PHED: The Pesticide Handlers Exposure Database. Version 1.1. Health Canada, U.S. Environmental Protection Agency, and American Crop Protection Association. (As cited in Durkin et al. 2004).

9. REFERENCES

- *Pont AR, Charron AR, Brand RM. 2004. Active ingredients in sunscreens act as topical penetration enhancers for the herbicide 2,4-dichlorophenoxyacetic acid. *Toxicol Appl Pharmacol* 195(3):348-354. 10.1016/j.taap.2003.09.021.
- *Poulin P, Krishnan K. 1995. An algorithm for predicting tissue: Blood partition coefficients of organic chemicals from n-octanol: Water partition coefficient data. *J Toxicol Environ Health* 46(1):117-129. 10.1080/15287399509532021.
- *Pritchard JB. 1980. Accumulation of anionic pesticides by rabbit choroid plexus *in vitro*. *J Pharmacol Exp Ther* 212:354-359.
- *Que Hee SS, Sutherland RG, Vetter M. 1975. GLC analysis of 2,4-D concentrations in air samples from central Saskatchewan in 1972. *Environ Sci Technol* 9(1):62-66.
- *Rao PSC, Davidson JM. 1982. Retention and transformations of selected pesticides and phosphorus in soil-water systems: A critical review. Athens, GA: U.S. Environmental Protection Agency, Environmental Research Laboratory. EPA600S382060.
- *Rasmussen B, Svahlin H. 1978. Mutagenicity tests of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid in genetically stable and unstable strains of *Drosophila melanogaster*. *Ecol Bull* 27:190-192.
- *RePorter. 2015. 2,4-D. National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. July 22, 2015.
- *Reynolds PM, Reif JS, Ramsdell HS, et al. 1994. Canine exposure to herbicide-treated lawns and urinary excretion of 2,4-dichlorophenoxyacetic acid. *Cancer Epidemiol Biomarkers Prev* 3(3):233-237.
- *Roberts DM. 2015. Herbicides. In: Goldfrank LR, Hoffman RS, Howland MA, et al., eds. *Goldfrank's toxicologic emergencies*. 10 ed. Stamford, CT: Appleton and Lange, 1389-1408.
- *Roca M, Leon N, Pastor A, et al. 2014. Comprehensive analytical strategy for biomonitoring of pesticides in urine by liquid chromatography-orbitrap high resolution mass spectrometry. *J Chromatogr A* 1374:66-76.
- *Rodgers CA, Stalling DL. 1972. Dynamics of an ester of 2,4-D in organs of three fish species. *Weed Sci* 20(1):101-105.
- *Rogers WM, Kendall DC, Salmon GD, et al. 1995. Accumulated pesticide and industrial chemical findings from a ten-year study of ready-to-eat foods. *J AOAC Int* 78(3):614-631.
- *Rosenberg A, Alexander M. 1980. 2,4,5-Trichlorophenoxyacetic acid (2,4,5-T) decomposition in tropical soil and its cometabolism by bacteria *in vitro*. *J Agric Food Chem* 28(4):705-709.
- *Ross JH, Driver JH, Harris SA, et al. 2005. Dermal absorption of 2,4-D: A review of species differences. *Regul Toxicol Pharmacol* 41(1):82-91. 10.1016/j.yrtph.2004.10.001.
- *Rosso SB, Caceres AO, de Duffard AM, et al. 2000b. 2,4-Dichlorophenoxyacetic acid disrupts the cytoskeleton and disorganizes the Golgi apparatus of cultured neurons. *Toxicol Sci* 56(1):133-140.

9. REFERENCES

- *Rosso SB, Di Paolo OA, Evangelista de Duffard AM, et al. 1997. Effects of 2,4-dichlorophenoxyacetic acid on central nervous system of developmental rats. Associated changes in ganglioside pattern. *Brain Res* 769(1):163-167.
- *Rosso SB, Garcia GB, Madariaga MJ, et al. 2000a. 2,4-Dichlorophenoxyacetic acid in developing rats alters behaviour, myelination and regions brain gangliosides pattern. *Neurotoxicology* 21(1-2):155-163.
- *Rosso SB, Gonzalez M, Bagatolli LA, et al. 1998. Evidence of a strong interaction of 2,4-dichlorophenoxyacetic acid herbicide with human serum albumin. *Life Sci* 63(26):2343-2351.
- *RTECS. 2009. Acetic acid, (2,4-dichlorophenoxy)- RTECS #: AG682500, CAS#: 94-75-7. The Registry of Toxic Effects of Chemical Substances. <http://www.cdc.gov/niosh-rtecs/AG682428.html>. September 11, 2015.
- +*Saghir SA, Marty MS, Zablotny CL, et al. 2013. Life-stage-, sex-, and dose-dependent dietary toxicokinetics and relationship to toxicity of 2,4-dichlorophenoxyacetic acid (2,4-D) in rats: Implications for toxicity test dose selection, design, and interpretation. *Toxicol Sci* 136(2):294-307. 10.1093/toxsci/kft212.
- *Sandal S, Yilmaz B. 2011. Genotoxic effects of chlorpyrifos, cypermethrin, endosulfan and 2,4-D on human peripheral lymphocytes cultured from smokers and nonsmokers. *Environ Toxicol* 26(5):433-442. 10.1002/tox.20569.
- *Sandberg JA, Duhart HM, Lipe G, et al. 1996. Distribution of 2,4-dichlorophenoxyacetic acid (2,4-D) in maternal and fetal rabbits. *J Toxicol Environ Health* 49(5):497-509.
- *Saracci R, Kogevinas M, Bertazzi P, et al. 1991. Cancer mortality in workers exposed to chlorophenoxy herbicides and chlorophenols. *Lancet* 338(8774):1027-1032.
- *Sathyannarayana S, Basso O, Karr CJ, et al. 2010. Maternal pesticide use and birth weight in the Agricultural Health Study. *J Agromedicine* 15(2):127-136.
- *Sauerhoff MW, Braun WH, Blau GE, et al. 1977. The fate of 2,4-dichlorophenoxyacetic acid (2,4-D) following oral administration to man. *Toxicology* 8(1):3-11.
- *Saunders NR, Ek CJ, Habgood MD, et al. 2008. Barriers in the brain: A renaissance? *Trends Neurosci* 31(6):279-286. 10.1016/j.tins.2008.03.003.
- *Saunders NR, Liddelow SA, Dziegielewska KM. 2012. Barrier mechanisms in the developing brain. *Front Pharmacol* 3(10.3389/fphar.2012.00046):Article 46. 10.3389/fphar.2012.00046.
- *Scher DP, Sawchuk RJ, Alexander BH, et al. 2008. Estimating absorbed dose of pesticides in a field setting using biomonitoring data and pharmacokinetic models. *J Toxicol Environ Health A* 71(6):373-383. 10.1080/15287390701801638.
- *Scheuplein R, Charnley G, Dourson M. 2002. Differential sensitivity of children and adults to chemical toxicity. I. Biological basis. *Regul Toxicol Pharmacol* 35(3):429-447.
- *Schop RN, Hardy MH, Goldberg MT. 1990. Comparison of the activity of topically applied pesticides and the herbicide 2,4-D in two short-term *in vivo* assays of genotoxicity in the mouse. *Fundam Appl Toxicol* 15(4):666-675.

9. REFERENCES

*Schreinemachers DM. 2010. Perturbation of lipids and glucose metabolism associated with previous 2,4-D exposure: A cross-sectional study of NHANES III data, 1988-1994. Environ Health 9:11. 10.1186/1476-069x-9-11.

*Schultz DP, Whitney EW. 1974. Monitoring 2,4-D residues at Loxahatchee National Wildlife Refuge. Pestic Monit J 7(3-4):146-152.

+*Schwetz BA, Sparschu G, Gehring PJ. 1971. The effect of 2,4-dichlorophenoxyacetic acid (2,4-D) and esters of 2,4-D on rat embryonal, foetal and neonatal growth and development. Food Cosmet Toxicol 9(6):801-807.

*Sell CR, Maitlen JC. 1983. Procedure for the determination of residues of (2,4-dichlorophenoxy)acetic acid in dermal exposure pads, hand rinses, urine, and perspiration from agricultural workers. J Agric Food Chem 31(3):572-575.

*Serota D. 1983. Subchronic toxicity study in rats—2,4-dichloro-phenoxyacetic acid (2,4-D). Project No. 2184-102 final report. Unpublished study received 14 October 1983 under unknown Admin. No. Prepared by Hazleton Laboratories America, by 2,4-D Task Force, Washington, DC, CDL:251474-A, MRID No. 00131304. (As cited in Durkin et al. 2004).

*Sikka HC, Butler GL, Rice CP. 1976. Effects, uptake, and metabolism of methoxychlor, mirex, and 2,4-D in seaweeds. Gulf Breeze, FL: U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory. EPA600376048.

*Slager RE, Poole JA, LeVan TD, et al. 2009. Rhinitis associated with pesticide exposure among commercial pesticide applicators in the Agricultural Health Study. Occup Environ Med 66(11):718-724. 10.1136/oem.2008.041798.

*Smith RA, Lewis D. 1987. Suicide by ingestion of 2,4-D: A case history demonstrating the prudence of using GC/MS as an investigative rather than a confirmatory tool. Vet Hum Toxicol 29(3):259-261.

*Smith FA, et al. 1980. Pharmacokinetics of 2,4-dichlorophenoxyacetic acid in Fisher 344 rats. Dow Chemical USA, R&D Report HET K-002372-(24) dated 9 December 1980. (As cited in Durkin et al. 2004).

*Soloneski S, Gonzalez NV, Reigosa MA, et al. 2007. Herbicide 2,4-dichlorophenoxyacetic acid (2,4-D)-induced cytogenetic damage in human lymphocytes *in vitro* in presence of erythrocytes. Cell Biol Int 31(11):1316-1322. 10.1016/j.cellbi.2007.05.003.

*Soto AM, Sonnenschein C, Chung KL, et al. 1995. The E-SCREEN assay as a tool to identify estrogens: An update on estrogenic environmental pollutants. Environ Health Perspect 103(7):113-122.

+*Squibb RE, Tilson HA, Mitchell CL. 1983. Neurobehavioral assessment of 2,4-dichlorophenoxyacetic acid (2,4-D) in rats. Neurobehav Toxicol Teratol 5(3):331-335.

*Stanley CW, Barney JE, Helton MR, et al. 1971. Measurement of atmospheric levels of pesticides. Environ Sci Technol 5(5):430-435.

+*Steiss JE, Braund KG, Clark EG. 1987. Neuromuscular effects of acute 2,4-D exposure in dogs. J Neurol Sci 78(3):295-302.

9. REFERENCES

- *Stürz N, Bongiovanni B, Rassetto M, et al. 2006. Detection of 2,4-dichlorophenoxyacetic acid in rat milk of dams exposed during lactation and milk analysis of their major components. *Food Chem Toxicol* 44(1):8-16. 10.1016/j.fct.2005.03.012.
- +*Stürz N, Deis RP, Jahn GA, et al. 2008. Effect of 2,4-dichlorophenoxyacetic acid on rat maternal behavior. *Toxicology* 247(2-3):73-79. 10.1016/j.tox.2008.02.001.
- *Stürz N, Evangelista de Duffard A, Duffard R. 2000. Detection of 2,4-dichlorophenoxyacetic acid (2,4-D) residues in neonates fed by 2,4-D exposed dams. *Neurotoxicology* 21(1-2):147-154.
- +*Stürz N, Jahn GA, Deis RP, et al. 2010. Effect of 2,4-dichlorophenoxyacetic acid on milk transfer to the litter and prolactin release in lactating rats. *Toxicology* 271(1-2):13-20. 10.1016/j.tox.2010.01.016.
- *Styles JA. 1973. Cytotoxic effects of various pesticides *in vivo* and *in vitro*. *Mutat Res* 21(1):50-51.
- *Subba-Rao RV, Rubin HE, Alexander M. 1982. Kinetics and extent of mineralization of organic chemicals at trace levels in freshwater and sewage. *Appl Environ Microbiol* 43(5):1139-1150.
- *Swan SH, Kruse RL, Liu F, et al. 2003. Semen quality in relation to biomarkers of pesticide exposure. *Environ Health Perspect* 111(12):1478-1484.
- *Tanner CM, Ross GW, Jewell SA, et al. 2009. Occupation and risk of Parkinsonism: A multicenter case-control study. *Arch Neurol* 66(9):1106-1113. 10.1001/archneurol.2009.195.
- *Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 365-394.
- *Thomas KW, Dosemeci M, Coble JB, et al. 2010a. Assessing a pesticide exposure intensity algorithm in the Agricultural Health Study. *J Expo Sci Environ Epidemiol* 20(6):559-569.
- *Thomas KW, Dosemeci M, Hoppin JA, et al. 2010b. Urinary biomarker, dermal, and air measurement results for 2,4-D and chlorpyrifos farm applicators in the Agricultural Health Study. *J Expo Sci Environ Epidemiol* 20(2):119-134. 10.1038/jes.2009.6.
- *Thongsinthusak T, Ross JH, Saiz SG, et al. 1999. Estimation of dermal absorption using the exponential saturation model. *Regul Toxicol Pharmacol* 29:37-43.
- *Thorn A, Gustavsson P, Sadigh J, et al. 2000. Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides. *Occup Environ Med* 57:718-720.
- *Timchalk C. 2004. Comparative inter-species pharmacokinetics of phenoxyacetic acid herbicides and related organic acids. Evidence that the dog is not a relevant species for evaluation of human health risk. *Toxicology* 200(1):1-19. 10.1016/j.tox.2004.03.005.
- *Torstensson L. 1978. Effects of phenoxyacetic acid herbicides on soil organisms. *Ecol Bull* 27:263-284.
- *Torstensson NTL, Stark J, Goeransson B. 1975. The effect of repeated applications of 2,4-D and MCPA on their breakdown in soil. *Weed Res* 15(3):159-164.

9. REFERENCES

*TRI13 2015. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: U.S. Environmental Protection Agency, Office of Information Analysis and Access, Office of Environmental Information. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. September 17, 2015.

*Tripathy NK, Routry PK, Sahu GP, et al. 1993. Genotoxicity of 2,4-dichlorophenoxyacetic acid tested in somatic and germ-line cells of Drosophila. *Mutat Res* 319(3):237-242.

+*Troudi A, Ben Amara I, Samet AM, et al. 2012a. Oxidative stress induced by 2,4-phenoxyacetic acid in liver of female rats and their progeny: Biochemical and histopathological studies. *Environ Toxicol* 27(3):137-145. 10.1002/tox.20624.

+*Troudi A, Sefi M, Ben Amara I, et al. 2012b. Oxidative damage in bone and erythrocytes of suckling rats exposed to 2,4-dichlorophenoxyacetic acid. *Pestic Biochem Physiol* 104(1):19-27.

*Turkula TE, Jalal SM. 1985. Increased rates of sister chromatid exchanges induced by the herbicide 2,4-D. *J Hered* 76(3):213-214.

*Tyynela K, Elo HA, Ylitalo P. 1990. Distribution of three common chlorophenoxyacetic acid herbicides into the rat brain. *Arch Toxicol* 64(1):61-65.

*USDA. 2001. 2,4-D-Acid, Casrn: 94-75-7. ARS Pesticide properties database. http://www.ars.usda.gov/util/download.cfm?file=SP2UserFiles/ad_hoc/12755100DatabaseFiles/PesticidePropertiesDatabase/IndividualPesticideFiles/2,4-D-ACID.TXT. September 11, 2015.

*USDA. 2014. Pesticide data program. Annual summary, calendar year 2013. United States Department of Agriculture.

<http://www.ams.usda.gov/sites/default/files/media/2013%20PDP%20Anuual%20Summary.pdf>. September 24, 2015.

*USGS. 1987. Chlorophenoxy acids, total recoverable (0-3105-83) and dissolved (0-11-5-83), gas chromatographic. In: Techniques of water-resources investigations of the United States Geological Survey. Chapter A3. Methods for the determination of organic substances in water and fluvial sediments. U.S. Geological Survey, 40-43. http://pubs.usgs.gov/twri/twri5a3/pdf/twri_5-A3.pdf. September 11, 2015.

*USGS. 1996. Methods of analysis by the U.S. Geological Survey National Water quality Laboratory - determination of pesticides in water by carbopak-b solid-phase extraction and high-performance liquid chromatography. Denver, CO: U.S. Geological Survey. Open-file report 96-216. <http://nwql.usgs.gov/pubs/OFR/OFR-96-216.pdf>. September 21, 2015.

*USGS. 2001. Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory - Determination of pesticides in water by graphitized carbon-based solid-phase extraction and high-performance liquid chromatography/mass spectrometry. Denver, CO: U.S. Geological Survey. Water-Resources Investigations Report 01-4134. <http://nwql.usgs.gov/pubs/WRIR/WRIR-01-4134.pdf>. September 21, 2015.

*USGS. 2007. The quality of our nation's waters. Pesticides in the nation's streams and ground water, 1992-2001. U.S. Geological Survey, U.S. Department of the Interior.

9. REFERENCES

- *USGS. 2016. Pesticide National Synthesis Project. National Water-Quality Assessment Program. Estimated agricultural use for 2,4-D, 2014. (Preliminary). U.S. Geological Survey, U.S. Department of the Interior.
http://water.usgs.gov/nawqa/pnsp/usage/maps/show_map.php?year=2014&map=24D&hilo=L&disp=2,4-D. October 6, 2016.
- *Valcin M, Henneberger PK, Kullman GJ, et al. 2007. Chronic bronchitis among nonsmoking farm women in the Agricultural Health Study. *J Occup Environ Med* 49:574-583.
- *van Ravenzwaay B, Hardwick TD, Needham D, et al. 2003. Comparative metabolism of 2,4-dichlorophenoxyacetic acid (2,4-D) in rat and dog. *Xenobiotica* 33(8):805-821. 10.1080/0049825031000135405.
- *Vasudevan D, Cooper EM. 2004. 2,4-D sorption in iron oxide-rich soils: Role of soil phosphate and exchangeable Al. *Environ Sci Technol* 38:163-170.
- *Venkat JA, Shami S, Davis K, et al. 1995. Relative genotoxic activities of pesticides evaluated by a modified SOS microplate assay. *Environ Mol Mutagen* 25(1):67-76.
- *Venkov P, Topashka-Ancheva M, Georgieva M, et al. 2000. Genotoxic effect of substituted phenoxyacetic acids. *Arch Toxicol* 74(9):560-566.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238(2):476-483.
- *Vogel E, Chandler JLR. 1974. Mutagenicity testing of cyclamate and some pesticides in *Drosophila melanogaster*. *Experientia* 30 6:621-623.
- *von Stackelberg K. 2013. A systematic review of carcinogenic outcomes and potential mechanisms from exposure to 2,4-D and MCPA in the environment. *J Toxicol* 2013:371610. 10.1155/2013/371610.
- *Waite DT, Cessna AJ, Grover R, et al. 2002. Environmental concentrations of agricultural herbicides: 2,4-D and triallate. *J Environ Qual* 31(1):129-144.
- *Wang Y, Subb-Rao RV, Alexander M. 1984. Effect of substrate concentration and organic and inorganic compounds on the occurrence and rate of mineralization and cometabolism. *Appl Environ Microbiol* 47(6):1195-1200.
- *Watson JR. 1977. Seasonal variation in the biodegradation of 2,4-D in river water. *Water Res* 14:153-157.
- *Webber MD, Wang C. 1995. Industrial organic compounds in selected Canadian soils. *Can J Soil Sci* 75:513-524.
- *Weisenburger DD. 1990. Environmental epidemiology of non-Hodgkin's lymphoma in eastern Nebraska. *Am J Ind Med* 18(3):303-305.
- *Weselak M, Aruckle TE, Wigle DT, et al. 2007. *In utero* pesticide exposure and childhood morbidity. *Environ Res* 103(1):79-86.

9. REFERENCES

- *Weselak M, Arbuckle TE, Wigle DT, et al. 2008. Pre- and post-conception pesticide exposure and the risk of birth defects in an Ontario farm population. *Reprod Toxicol* 25(4):472-480.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *Wester RC, Melendres J, Logan F, et al. 1996. Percutaneous absorption of 2,4-dichlorophenoxyacetic acid from soil with respect to soil load and skin contact time: *In vivo* absorption in Rhesus monkey and *in vitro* absorption in human skin. *J Toxicol Environ Health* 47(4):335-344.
- *WHO. 1989. 2,4-Dichlorophenoxyacetic acid (2,4-D) - environmental aspects. Environmental Health Criteria 84. World Health Organization. <http://www.inchem.org/documents/ehc/ehc/ehc84.htm>. September 11, 2015.
- *WHO. 2003. 2,4-D in drinking-water. Background document for development of WHO Guidelines for drinking-water quality. World Health Organization. WHO/SDE/WSH/03.04/70. http://www.who.int/water_sanitation_health/dwq/chemicals/24D.pdf. September 22, 2015.
- *WHO. 2010. WHO guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. September 9, 2014.
- *WHO. 2011. Guidelines for drinking-water quality. Geneva, Switzerland: World Health Organization. http://whqlibdoc.who.int/publications/2011/9789241548151_eng.pdf?ua=1. September 9, 2014.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advance treatise. Volume II: The elements Part A. New York, NY: Academic Press, 1-247.
- *Wilson RD, Geronimo J, Armbuster JA. 1997. 2,4-D dissipation in field soils after applications of 2,4-D dimethylamine salt and 2,4-D 2-ethylhexyl ester. *Environ Toxicol Chem* 16(6):1239-1246.
- *Wojtalik TA, Hall TF, Hill LO. 1971. Monitoring ecological conditions associated with widespread applications of DMA 2,4-D to aquatic environments. *Pestic Monit J* 4(4):184-203.
- *Woods JS, Polissar L, Severson RK, et al. 1987. Soft tissue sarcoma and non-Hodgkin's lymphoma in relation to phenoxyherbicide and chlorinated phenol exposure in western Washington. *J Natl Cancer Inst* 78:899-910.
- *Yang W, Carmichael SL, Roberts EM, et al. 2014. Residential agricultural pesticide exposures and risk of neural tube defects and orofacial clefts among offspring in the San Joaquin Valley of California. *Am J Epidemiol* 179(6):740-748. 10.1093/aje/kwt324.
- *Yiin JH, Ruder AM, Stewart PA, et al. 2012. The Upper Midwest Health Study: A case-control study of pesticide applicators and risk of glioma. *Environ Health* 11:39. 10.1186/1476-069x-11-39.
- *Yilmaz HR, Yuksel E. 2005. Effect of 2,4-dichlorophenoxyacetic acid on the activities of some metabolic enzymes for generating pyridine nucleotide pool of cells from mouse liver. *Toxicol Ind Health* 21(9):231-237.

9. REFERENCES

- *Ylitalo P, Narhi U, Elo HA. 1990. Increase in the acute toxicity and brain concentrations of chlorophenoxyacetic acids by probenecid in rats. *Gen Pharmacol* 21(5):811-814.
- *Zahm SH. 1997. Mortality study of pesticide applicators and other employees of a lawn care service company. *J Occup Environ Med* 39(11):1055-1067.
- *Zahm SH, Weisenburger DD, Babbit PA, et al. 1990. A case-control study of non-Hodgkin's lymphoma and the herbicide 2,4-dichlorophenoxyacetic acid (2,4-D) in eastern Nebraska. *Epidemiology* 1(5):349-356.
- *Zeljezic D, Garaj-Vrhovac V. 2004. Chromosomal aberrations, micronuclei and nuclear buds induced in human lymphocytes by 2,4-dichlorophenoxyacetic acid pesticide formulation. *Toxicology* 200(1):39-47. 10.1016/j.tox.2004.03.002.
- *Zetterberg G. 1978. Genetic effects of phenoxy acids on microorganisms. *Ecol Bull* 27:193-204.
- *Zetterberg G, Busk L, Elovson R, et al. 1977. The influence of pH on the effects of 2,4-D (2,4-dichlorophenoxyacetic acid, Na salt) on *Saccharomyces cerevisiae* and *Salmonella typhimurium*. *Mutat Res* 42(1):3-18.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12(1):29-34.