9. REFERENCES

Abbasi SA. 1989. Sub-microdetermination of antimony(III) and antimony(V) in natural and polluted waters and total antimony in biological materials by flameless AAS following extractive separation with N-p-methoxyphenyl-2-furylacrylohydroxamic acid. Anal Lett 22:237-256.

Abdel-Mequid M, Habib YA, Abdallah A, et al. 1967. The effect of antibilharzial antimonial compounds on the percentage of oxygen saturation of blood. J Egypt Med Assoc 50:369-374.

ACGIH. 1989. Threshold limit values and biological exposure indices for 1989-1990. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*ACGIH. 2015. Antimony, antimony hydride, and antimony trioxide. In: TLVs and BEIs based on the documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*Acquire. 1989. Acquire database. September 7, 1989.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. Environ Health Perspect 103(Supp 7):103-112.

*AEGLs. 2008. Acute exposure guideline levels (AEGLs) for stibine (antimony hydride) 7803-52-3. [Interim]. U.S. Environmental Protection Agency. http://www2.epa.gov/sites/production/files/2014-09/documents/stibine_interim_ornl_jun_2008c.pdf. November 9, 2015.

*AIHA. 2015. Current ERPG Values (2015). Fairfax, VA: American Industrial Hygiene Association. https://www.aiha.org/get-

involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Documents/2015%20ERP G%20Levels.pdf. November 9, 2015.

*Ainsworth N, Cooke JA, Johnson MS. 1990. Distribution of antimony in contaminated grassland: 2. Small mammals and invertebrates. Environ Poll 65:79-87.

*Ainsworth N, Cooke JA, Johnson MS. 1991. Behavior and toxicity of antimony in the short-tailed field vole (*Microtus agrestis*). Ecotoxicol Environ Saf 21(2):165-170.

*Alkhawajah A, Larbi EB, Jain S, et al. 1992. Subacute toxicity of pentavalent antimony compounds in rats. Hum Exp Toxicol 11(4):283-288.

*Alkhawajah AM, Jain S, Larbi EB. 1996. Effects of antimony compounds on foetal development in rats. J Appl Anim Res 10:15-24.

*Altman PL, Dittmer DS. 1974. Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies of Experimental Biology, 1987-2008, 2041.

* Cited in text

⁺ Cited in supplemental document

*Alvarez M, Malecot CO, Gannier F, et al. 2005. Antimony-induced cardiomyopathy in guinea-pig and protection by L-carnitine. Br J Pharmacol 144(1):17-27. 10.1038/sj.bjp.0706030.

*Amereih S, Meisel T, Scholger R, et al. 2005. Antimony speciation in soil samples along two Austrian motorways by HPLC-ID-ICP-MS. J Environ Monit 7(12):1200-1206. 10.1039/b510321e.

*Anawar HM, Freitas MC, Canha N, et al. 2011. Arsenic, antimony, and other trace element contamination in a mine tailings affected area and uptake by tolerant plant species. Environ Geochem Health 33(4):353-362. 10.1007/s10653-011-9378-2.

*Andersen EM, Cruz-Saldarriaga M, Llanos-Cuentas A, et al. 2005. Comparison of meglumine antimoniate and pentamidine for Peruvian cutaneous leishmaniasis. Am J Trop Med Hyg 72(2):133-137.

*Andersen ME, Clewell HJ, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol Appl Pharmacol 87(2):185-205.

*Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives: Refinement, reduction, and replacement. New York, NY: Marcel Dekker, Inc., 9-25.

*Anderson KA, Isaacs B. 1995. Simultaneous determination of arsenic, selenium, and antimony in environmental samples by hydride generation for inductively coupled plasma atomic emission spectrometry. J AOAC Int 78(4):1055-1060.

Andreae MO. 1983. The determination of the chemical species of some of the "hydride elements" (arsenic, antimony, tin and germanium) in seawater: Methodology and results. NATO Conference 49:1-19.

*Andreae MO, Froelich PN. 1984. Arsenic, antimony, germanium biogeochemistry in the Baltic Sea. Tellus Ser B 36B:101-117.

*Andreae MO, Byrd JT, Froehlich PN. 1983. Arsenic, antimony, germanium, and tin in the Tejo estuary, Portugal: Modeling a polluted estuary. Environ Sci Technol 17:731-737.

*Andresen B, Salbu B. 1982; Determination of trace elements in seawater using magnesium hydroxide scavenger as preconcentration agent. Radiochem Radioanal Lett 52:19-27.

+*Angrisani M, Lampa E, Lisa M, et al. 1988. Vasomotor reactivity and postnatal exposure to antimony trichloride. Curr Ther Res 43:153-159.

Anonymous. 1977. Arsenic, selenium and antimony in urine and air analytical method by hydride generation and atomic absorption spectroscopy. Health Lab Sci 14:53-58.

*APHA. 1972. Methods of air sampling and analysis. Washington, DC: American Public Health Association, 285-289.

*Apte SC, Howard AG. 1986. Determination of dissolved inorganic antimony(V) and antimony(II1) species in natural waters by hydride generation atomic absorption spectrometry. J Anal Atom Spectrom 1:221-225.

*Arimoto R, Duce RA. 1987. Air-sea transfer of trace elements. Adv Chem Ser 216:131-150.

191

*Asakura K, Satoh H, Chiba M, et al. 2009. Genotoxicity studies of heavy metals: Lead, bismuth, indium, silver and antimony. J Occup Health 51(6):498-512.

*Asta MP, Nordstrom KD, McCleskey BR. 2012. Simultaneous oxidation of arsenic and antimony at low and circumneutral pH, with and without microbial catalysis. Appl Geochem 27(1):281-291. 10.1016/j.apgeochem.2011.09.002.

*ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. Fed Regist 54(174):37618-37634.

*ATSDR. 1992. Toxicological profile for antimony and compounds. Atlanta, GA: Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.

*ATSDR. 2015. Antimony. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention. http://www.atsdr.cdc.gov/SPL/resources/index.html. July 6, 2016.

Auguston JH. 1976. Soldiers' water vessels as a lead source. Ann Occup Hyg 19:169-171.

Aulenbach DB, Meyer MA, Beckwith E, et al. 1987. Removal of heavy metals in POTW. Environ Prog 6:91-98.

*Austin LS, Millward GE. 1988. Simulated effects of tropospheric emissions on the global antimony cycle. Atmos Environ 22:1395-1403.

*Avento JM, Touval I. 1980. Flame retardants (antimony). In: Kirk-Othmer encyclopedia of chemical technology. Vol. 10, 3rd ed. New York, NY: John Wiley and Sons, Inc., 355-356.

Ayhan M, Krajewski W, Krueger J. 1982. Possibility of the formation of arsine and stibine during the simultaneous melting of lead-antimony and lead-calcium battery scrap. Erzmetall 35:155-158.

*Baceva K, Stafilov T, Matevski V. 2014. Bioaccumulation of heavy metals by endemic *Viola* species from the soil in the vicinity of the As-Sb-Tl mine "allchar' Republic of Macedonia. Int J Phytoremediation 16(4):347-365. 10.1080/15226514.2013.783551.

*Bailey MR, Ansoborlo E, Guilmette RA, et al. 2007. Updating the ICRP human respiratory tract model. Radiat Prot Dosimetry 127(1-4):31-34.

*Bailly R, Lauwerys R, Buchet JP, et al. 1991. Experimental and human studies on antimony metabolism: Their relevance for the biological monitoring of workers exposed to inorganic antimony. Br J Ind Med 48(2):93-97.

*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8(4):471-486.

*Basinger MA, Jones MM. 1981. Structural requirements for chelate antidotal efficacy in acute antimony(II1) intoxication. Res Commun Chem Pathol Pharmacol 32:355-363.

Bauer CF, Andren AW. 1988. Variability of particulate trace element emissions from the Columbia coal-fired power plant, Portage, Wisconsin. Sci Total Environ 68:251-266.

Beijer K, Jernelov A. 1986. Sources, transport and transformation of metals in the environment. In: Friberg L, Norberg JF, Urik VB, eds. Handbook on the toxicology of metals. 2nd ed. New York, NY: Elsevier, 68-83.

+*Belyaeva AP. 1967. [The effect of antimony on reproduction.] Gig Truda Prof Zabol 11:32. (Russian)

*Belzile N, Chen Y, Filella M. 2011. Human exposure to antimony: I. Sources and intake. Crit Rev Environ Sci 41:1309-1373.

*Bentley R, Chasteen TG. 2002. Microbial methylation of metalloids: Arsenic, antimony, and bismuth. Microbiol Mol Biol Rev 66(2):250-271.

*Berger GS, ed. 1994. Epidemiology of endometriosis. In: Endometriosis: Modern surgical management of endometriosis. New York, NY: Springer-Verlag, 3-7.

Berman JD, Gallalee JF, Gallalee JV. 1988. Pharmacokinetics of pentavalent antimony (Pentostam) in hamsters. Am J Trop Med Hyg 39:41-45.

*Bio/Dynamics. 1985. A three month inhalation toxicity study of antimony trioxide in the rat followed by a recovery period. Prepared by Bio/dynamics, Inc., E. Millstone, NJ for the Antimony Oxide Industry Association, Washington, DC. 83-7646.

*Bio/Dynamics. 1990. A one year inhalation toxicity study of antimony trioxide in the rat (with a one year recovery period). Prepared by Bio/dynamics, Inc., E. Millstone, NJ for the Antimony Oxide Industry Association, Washington, DC.

*Bodek I, Lyman WJ, Reehl RF, et al. 1988. Environmental inorganic chemistry properties processes and estimation methods. New York, NY: Pergamon Press, 7.1-1 to 7.1-5.

*Boex TJ, Padgham C, Nurse PA, et al. 1998. Antimony and sudden infant death syndrome. Lancet 351(9109):1102-1103.

*Bradley WR, Frederick WG 1941. The toxicity of antimony-animal studies. Ind Med 10:15-22.

Brannon JM, Patrick WH. 1985. Fixation and mobilization of antimony in sediments. Environ Pollut Ser B 9:107-126.

Braun H, Maul S, Vogg H. 1983. [Heavy metals in the gas phase - selected examples for emission and environmental impact measurements.] Kornforschungszentrum Karlsruhe GmbH, Laboratorium fur Isotpoentechnik, Karlsruhe, Germany. (German)

+*Brieger H, Semisch CW III, Stasney J, et al. 1954. Industrial antimony poisoning. Ind Med Surg 23:521-523.

*Bromberger-Barnea B, Stephens NL. 1965. Effects of antimony on myocardial performance in isolated and intact canine hearts. Am Ind Hyg Assoc J 26:404-408.

Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: The C.V. Mosby Company, 40, 103-104, 109-110, 123124, 127-128, 165-166.

193

Buddenmeier RW, Hunt JR. 1988. Transport of colloidal contaminants in groundwater: Radionuclide migration at the Nevada Test Site. Appl Geochem 1:535-548.

Burroughs GE, Horan J. 1981. Health hazard evaluation report no. HHE-80023-804. Becton-Dickinson Company, Columbus, Nebraska. Cincinnati, OH: Hazard Evaluations and Technical Assistance Branch, Division of Surveillance, Hazard Evaluations and Field Studies, National Institute for Occupational Safety and Health. PB82191222.

*Callahan MA, Slimak MW, Gabel NW, et al. 1979. Water-related environmental fate of 129 priority pollutants. Vol. 1. Washington, DC: Office of Water Planning and Standards, U.S. Environmental Protection Agency. EPA440479029a, 5-1 to 5-8.

*Carapella SC. 1978. Antimony and antimony alloys. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 3, 3rd ed. New York, NY: John Wiley and Sons, Inc., 96-105.

Cassady ME, Etchison B. 1976. Walk-through survey of Chemetron Corporation Inorganic Chemicals Division. Cincinnati, OH: Industrial Hygiene Section, Division of Surveillance, Hazard Evaluations, and Field Studies, National Institute for Occupational Safety and Health.

Casto BC, Meyers J, DiPaolo JA. 1979. Enhancement of viral transformation for evaluation of the carcinogenic or mutagenic potential of inorganic metal salts. Cancer Res 39:193-198.

*Cavallo D, Iavicoli I, Setini A, et al. 2002. Genotoxic risk and oxidative DNA damage in workers exposed to antimony trioxide. Environ Mol Mutagen 40(3):184-189. 10.1002/em.10102.

*CDC. 2009. Fourth national report on human exposure to environmental chemicals. Centers for Disease Control and Prevention. http://www.cdc.gov/exposurereport/pdf/FourthReport.pdf. May 2, 2016.

*CDC. 2015. Fourth national report on human exposure to environmental chemicals, updated tables (February 2015). Centers for Disease Control and Prevention. http://www.cdc.gov/biomonitoring/pdf/FourthReport_UpdatedTables_Feb2015.pdf. December 14, 2015.

*Charles River Laboratories. 2006. Clinical laboratory parameters for Crl:CD(SD) rats. March, 2006. http://www.criver.com/files/pdfs/rms/cd/rm_rm_r_clinical_parameters_cd_rat_06.aspx. September 13, 2016.

*Chen YW, Deng TL, Filella M, et al. 2003. Distribution and early diagenesis of antimony species in sediments and porewaters of freshwater lakes. Environ Sci Technol 37(6):1163-1168.

*Chulay JD, Fleckenstein L, Smith DH. 1988. Pharmacokinetics of antimony during treatment of visceral leishmaniasis with sodium stibogluconate or meglumine antimoniate. Trans Royal Soc Tropical Med 82:69-72.

*Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1(4):111-131.

CLPSD. 1989. Contract Laboratory Program Statistical Database. Viar and Company, Alexandria, VA.

*Coelho DR, De-Carvalho RR, Rocha RC, et al. 2014a. Effects of *in utero* and lactational exposure to SbV on rat neurobehavioral development and fertility. Reprod Toxicol 50:98-107. 10.1016/j.reprotox.2014.10.016.

*Coelho DR, Miranda ES, Saint'Pierre TD, et al. 2014b. Tissue distribution of residual antimony in rats treated with multiple doses of meglumine antimoniate. Mem Inst Oswaldo Cruz 109(4):420-427.

+*Colak EH, Yomralioglu T, Nisanci R, et al. 2015. Geostatistical analysis of the relationship between heavy metals in drinking water and cancer incidence in residential areas in the Black Sea region of Turkey. J Environ Health 77(6):86-93.

*Cole H, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. J Water Pollut 56:898-908.

+*Cooper DA, Pendergrass EP, Vorwald AJ, et al. 1968. Pneumoconiosis among workers in an antimony industry. Am J Roentgenol Rad Ther Nuclear Med 103:495-508.

*Costa LG, Aschner M, Vitalone A, et al. 2004. Developmental neuropathology of environmental agents. Annu Rev Pharmacol Toxicol 44:87-110. 10.1146/annurev.pharmtox.44.101802.121424.

Costantini S, Giordano R, Rizzica M, et al. 1985. Applicability of anodic-stripping voltammetry and graphite furnace atomic-absorption spectrometry to the determination of antimony in biological matrixes: A comparative study. Analyst 110:1355-1359.

*Cotten M, Logan ME. 1966. Effects of antimony on the cardiovascular system and intestinal smooth muscle. J Pharmacol Exp Ther 151:7-22.

*Cotton FA, Wilkinson G. 1966. Advanced inorganic chemistry. A comprehensive text. New York, NY: Interscience Publishers, 498-503.

Craig AB Jr., Vandervort R, Burton DJ, et al. 1981. Environmental and occupational protection in the secondary lead industry. DHHS (NIOSH) Publ ISS 81-114, 360-398.

Crecelius EA, Bothner MH, Carpenter R. 1975. Geochemistries of arsenic, antimony, mercury, and related elements in sediments of Puget Sound. Environ Sci Technol 9:325-333.

Crecelius EA, Johnson CJ, Hofer GC. 1974. Contamination of soils near a copper smelter by arsenic, antimony and lead. Water Soil Pollut 3:337-342.

*Cruz A, Rainey PM, Herwaldt BL, et al. 2007. Pharmacokinetics of antimony in children treated for leishmaniasis with meglumine antimoniate. J Infect Dis 195(4):602-608. 10.1086/510860.

*Cullen A, Kiberd B, Matthews T, et al. 1998. Antimony in blood and urine of infants. J Clin Pathol 51(3):238-240.

*Cunningham WC. 1987. Radiochemical determination of arsenic, chromium, molybdenum, antimony and selenium in foods. J Radioanal Nucl Chem 113:423-430.

*Cutter GA. 1992. Kinetic controls on metalloid speciation in seawater. Mar Chem 40(1-2):65-80. 10.1016/0304-4203(92)90048-F.

Cyr F, Mehra MC, Mallet VN. 1987. Leaching of a chemical contaminants from a municipal landfill site. Bull Environ Contam Toxicol 38:775-782.

*Dams R, Vandecasteele C, Desmet B, et al. 1988. Element concentrations in the air of an indoor shooting range. Sci Total Environ 77:1-14.

*Dancaster CP, Duckworth WC, Matthews REP. 1966. Stokes-Adams attacks following sodium antimonylgluconate (Triostam). S Afr Med J 40:1029-1030.

Dean JA. 1985. Langes handbook of chemistry. 13th ed. New York, NY: McGraw-Hill, 4-21 to 2-23.

*De Doncker K, Dumarey R, Dams R, et al. 1983. Determination of antimony in atmospheric particulate matter by hydride generation and atomic absorption spectrometry. Anal Chim Acta 153:33-40.

*De Gregori I, Quiroz W, Pinochet H, et al. 2007. Speciation analysis of antimony in marine biota by HPLC-(UV)-HG-AFS: Extraction procedures and stability of antimony species. Talanta 73(3):458-465. 10.1016/j.talanta.2007.04.015.

*De La Calle-Guntinas MB, Madrid Y, Camara C. 1991. Determination of antimony(III) and antimony(V) in water by selective extraction with lactic acid-Malachite Green followed by graphite furnace atomic absorption spectrometry. Anal Chim Acta 247(1):7-12.

DeLaune RD, Smith CJ. 1985. Release of nutrients and metals following oxidation of freshwater and saline sediment. J Environ Qual 14:164-168.

*Delves HT, Sieniawska CE, Fell GS, et al. 1997. Determination of antimony in urine, blood and serum and in liver and lung tissues of infants by inductively coupled plasma mass spectrometry. Analyst 122(11):1323-1329.

Demanze C, Rugroff L, Karleskind A. 1984. [Determination of metals in cosmetic and body hygiene products.] Parfums Cosmet Aromes 58:69-70, 73-74, 76, 78. (French).

+*Dernehl CU, Nau CA, Sweets HH. 1945. Animal studies on the toxicity of inhaled antimony trioxide. J Ind Hyg Toxicol 27:256-262.

*Dezateux C, Delves HT, Stocks J, et al. 1997. Urinary antimony levels in infants are low and unrelated to age or passive smoking. Child Care Health Dev 23(5):423-424.

+*Dieter MP, Jameson CW, Elwell MR, et al. 1991. Comparative toxicity and tissue distribution of antimony potassium tartrate in rats and mice dosed by drinking water or intraperitoneal injection. J Toxicol Environ Health 34(1):51-82. 10.1080/15287399109531548.

*DOE. 2009a. Analysis of background distributions of metals in the soil at Lawrence Berkeley National Laboratory. U.S. Department of Energy. LBNL-1782E. http://www2.lbl.gov/ehs/erp/assets/pdfs/Background%20Metals%20in%20Soil%20Report0409.pdf. March 18, 2016.

*DOE. 2009b. A review of metal concentrations measured in surface soil samples collected on and around the Hanford Site. U.S. Department of Energy. PNNL-18577. http://www.pnl.gov/main/publications/external/technical_reports/PNNL-18577.pdf. March 15, 2016. *DOE. 2012a. Table 3: PACs by CASRN (pdf). PAC Rev 27 Tables - PAC data and chemical properties presented in pdf and excel tables. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 27 for Chemicals of Concern - March 2012. Oak Ridge, TN: U.S. Department of Energy. http://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-27-chemicals-concern-march-2012. March 4, 2015.

*DOE. 2012b. Protective action criteria (PAC): Chemicals with AEGLs, ERPGs, & TEELs. Definition of PACs (AEGLs, ERPGs or TEELs). Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 27 for Chemicals of Concern - March 2012. Oak Ridge, TN: U.S. Department of Energy. http://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-27-chemicals-concern-march-2012. March 24, 2015.

Donaldson H. 1976. Industrial hygiene survey of Texas Smelting and Refining Division of National Lead Industries, Laredo, Texas. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.

Donaldson H, Gentry S. 1975. II. Air sampling industrial hygiene survey: The Harshaw Chemical Company, Gloucester City, New Jersey. Cincinnati, OH: Department of Health, Education and Welfare, Division of Surveillance, Hazard Evaluations, and Field Studies, National Institute for Occupational Safety and Health.

*Dorea JG, Merchan-Hamann E, Ryan DE, et al. 1989. Retention of antimony in hair during leishmaniasis treatment. Clin Chim Acta 179:341-345.

Drummond GS, Kappas A. 1981. Potent heme-degrading action of antimony and antimony-containing parasiticidal agents. J Exp Med 153:245-256.

*Dunn JT. 1928. A curious case of antimony poisoning. Analyst 531:532-533.

*Dutkiewicz VA, Parekh PP, Husain L. 1987. An evaluation of regional elemental signatures relevant to the northeastern United States. Atmos Environ 21:1033-1044.

*Eagle H, Germuth G, Magnuson HJ, et al. 1947. The protective action of BAL in experimental antimony poisoning. J Pharmacol Exp Ther 89(2):196-204.

*Eckel WP, Langley WD. 1988. A background-based ranking technique for assessment of elemental enrichment in soils at hazardous waste sites. In: Proceedings of the 9th Superfund '88 National Conference, Washington, DC, November 28-30, 1988, 282-285.

Eckel WP, Jacob TA. 1988. Ambient levels of 24 dissolved metals in U.S. surface and grounds waters. Presented before the Division of Environmental Chemistry, American Chemical Society, Los Angeles, CA, September 25-30, 1988. Preprint of extended abstract. Alexandria, VA: Viar and Company, 371-372.

*Eckel WP, Jacob TA. 1989. Ambient concentrations of 25 "dissolved" and "total" metals in U.S. surface waters. Alexandria, VA: Viar and Company.

*Edel J, Marafante E, Sabbioni E, et al. 1983. Metabolic behaviour of inorganic forms of antimony in the rat. Proc Heavy Metal Environ Int Conf 1:574-577.

*Ek CJ, Dziegielewska KM, Habgood MD, et al. 2012. Barriers in the developing brain and neurotoxicology. Neurotoxicology 33(3):586-604. 10.1016/j.neuro.2011.12.009.

*Elinder CG, Friberg L. 1986. Antimony. In: Handbook on the toxicology of metals. Vol. II. 2nd ed. Amsterdam: Elsevier Science Publishers, 26-42.

*Elliott BM, Mackay JM, Clay P, et al. 1998. An assessment of the genetic toxicology of antimony trioxide. Mutat Res 415(1-2):109-117.

*Enger J, Marunkov A, Chekalin N, et al. 1995. Direct detection of antimony in environmental and biological samples at trace concentrations by laser-induced fluorescence in graphite furnace with an intensified charge coupled device. J Anal Atom Spectrom 10(8):539-549.

*EPA. 1980. Ambient water quality criteria for antimony. Washington, DC: Office of Water Regulations and Standards Criteria Division, U.S. Environmental Protection Agency. EPA440580020. PB81117319.

EPA. 1981. Treatability manual. Volume I. U.S. Environmental Protection Agency. EPA600282001a 1.4.7-1 to 1.4.7-5.

*EPA. 1983a. Antimony metal, antimony trioxide, and antimony sulfide response to the Interagency Testing Committee. Fed Regist 48:717-725.

*EPA. 1983b. Methods for chemical analysis of water and wastes. Cincinnati, OH: Environmental Monitoring and Support Laboratory, U.S. Environmental Protection Agency. EPA600479020, 204.1-l to 204.1-2; 204.2-l to 204.2-2; Metals-20 to Metals-29.

EPA. 1985. 40 CFR Parts 117 and 302: List of hazardous substances and reportable quantities. Fed Regist 50(65):13476. 119

*EPA. 1986. 40 CFR Parts 117 and 302: List of hazardous substances and reportable quantities. Fed Regist 51(188):34541.

EPA. 1987. U40 CFR Parts 117 and 302: List of hazardous substances and reportable quantities. Fed Regist 52(50):8168.

*EPA. 1988. Analysis of clean water act effluent guidelines pollutants. Summary of the chemicals regulated by industrial point source category. 40 CFR Parts 400-475.

*EPA. 1990. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development. EPA600890066A. PB90238890.

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. EPA630R96012.

*EPA. 2000. National air pollutant emission trends, 1900-1998. U.S. Environmental Protection Agency. EPA454R00002. http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000ETJA.txt. March 17, 2016.

*EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.

*EPA. 2009. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F090004. http://water.epa.gov/drink/contaminants/upload/mcl-2.pdf. March 4, 2015.

*EPA. 2012. 2012 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA822S12001. http://water.epa.gov/action/advisories/drinking/upload/dwstandards2012.pdf. March 4, 2015.

*EPA. 2013a. Title 42 - The public health and welfare. Chapter 85 - Air pollution prevention and control. Subchapter I - programs and activities. Part A - Air quality and emission limitations. Hazardous air pollutants. United States Code. U.S. Environmental Protection Agency. 42 USC 7412. http://www.gpo.gov/fdsys/pkg/USCODE-2013-title42/pdf/USCODE-2013-title42-chap85-subchapI-partA-sec7412.pdf. April 9, 2015.

*EPA. 2013b. Subchapter D-water programs. Designation of hazardous substances. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 116.4. http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol22/pdf/CFR-2014-title40-vol22-sec116-4.pdf. March 4, 2015.

*EPA. 2013c. Subpart A - General provisions. Determination of reportable quantities. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 117.3. http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol22/pdf/CFR-2014-title40-vol22-sec117-3.pdf. March 4, 2015.

*EPA. 2013d. Subpart D - Specific toxic chemical listings. Chemicals and chemical categories to which this part applies. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 372.65. http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol28/pdf/CFR-2014-title40-vol28-sec372-65.pdf. March 4, 2015.

*EPA. 2014. Subpart B - Manufacturers reporting - preliminary assessment information. Chemical lists and reporting periods. Code of Federal Regulations. U.S. Environmental Protection Agency. 40 CFR 712.30. http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol31/pdf/CFR-2014-title40-vol31-sec712-30.pdf. April 9, 2015.

*EPA. 2015a. Air quality system (AQS). Data files. Annual summary data. U.S. Environmental Protection Agency. http://aqsdr1.epa.gov/aqsweb/aqstmp/airdata/download_files.html. December 2, 2015.

*EPA. 2015b. National recommended water quality criteria. Washington, DC: U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology. http://water.epa.gov/scitech/swguidance/standards/criteria/current/index.cfm. July 23, 2015.

*EPA. 2016. Air emissions inventories. 2011 National Emissions Inventory (NEI) data. U.S. Environmental Protection Agency. https://www.epa.gov/air-emissions-inventories/2011-national-emissions-inventory-nei-data. March 21, 2016.

*FDA. 2013. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. http://www.accessdata.fda.gov/scripts/fcn/fcnnavigation.cfm?rpt=eafuslisting. January 8, 2014.

*FDA. 2014. Subchapter B - Requirements for specific standardized beverages. Bottled water. Code of Federal Regulations. Food and Drug Administration. 21 CFR 165.110. http://www.gpo.gov/fdsys/pkg/CFR-2014-title21-vol2/pdf/CFR-2014-title21-vol2-sec165-110.pdf. March 4, 2015.

*Felicetti SW, Thomas RG, McClellan RO. 1974a. Retention of inhaled antimony-124 in the beagle dog as a function of temperature of aerosol formation. Health Phys 26:525-531.

*Felicetti SW, Thomas RG, McClellan RO. 1974b. Metabolism of two valence states of inhaled antimony in hamsters. Am Ind Hyg Assoc J 355:292-300.

Fergusson JE, Forbes EA, Schroeder RJ, et al. 1986. The elemental composition and sources of house dust and street dust. Sci Total Environ 50:217-221.

*Filella M, Belzile N, Chen YW. 2002. Antimony in the environment: a review focused on natural waters: II. Relevant solution chemistry. Earth-Science Reviews 59(1-4):265-285. 10.1016/S0012-8252(02)00089-2.

*Filella M, Philippo S, Belzile N, et al. 2009b. Natural attenuation processes applying to antimony: A study in the abandoned antimony mine in Goesdorf, Luxembourg. Sci Total Environ 407(24):6205-6216. 10.1016/j.scitotenv.2009.08.027.

*Filella M, Williams PA, Belzile N. 2009a. Antimony in the environment: Knowns and unknowns. Huanjing Huaxue 6(2):95-105. 10.1071/EN09007.

+*Fleming AJ. 1982. The toxicity of antimony trioxide. Sponsored by E.I. Du Pont de Nemours and Co., Wilmington, DE. OTS215027.

*Fomon SJ. 1966. Body composition of the infant: Part 1: The male reference infant. In: Faulkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.

*Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35(Suppl 5):1169-1175.

Foster RB. 1989. Antimony mobility in soil using soil TLC. Prepared by Springborn Life Sciences, Inc., Wareham, MA for the Antimony Oxide Industry Association, Washington, DC.

*Freedman LD, Doak GO, Long GG. 1978. Antimony compounds. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 3, 3rd ed. New York, NY: John Wiley and Sons, Inc., 105-128.

*Friedrich K, Vieira FA, Porrozzi R, et al. 2012. Disposition of antimony in rhesus monkeys infected with *Leishmania braziliensis* and treated with meglumine antimoniate. J Toxicol Environ Health A 75(2):63-75. 10.1080/15287394.2012.624826.

*Garbos S, Bulska E, Hulanicki A, et al. 2000. Determination of total antimony and antimony(V) by inductively coupled plasma mass spectrometry after selective separation of antimony(III) by solvent extraction with N-benzoyl-N-phenylhydroxylamine. Spectrochimica Acta Part B: Atomic Spectroscopy 55(7):795-802. 10.1016/S0584-8547(00)00212-3.

*Gebel T, Birkenkamp P, Luthin S, et al. 1998a. Arsenic(III), but not antimony(III), induces DNA-protein crosslinks. Anticancer Res 18(6A):4253-4257.

*Gebel T, Claussen K, Dunkelberg H. 1998b. Human biomonitoring of antimony. Int Arch Occup Environ Health 71(3):221-224.

*Gellhorn A, van Dyke HB. 1946. The correlation between distribution of antimony in tissues and chemotherapeutic effect in experimental leishmaniasis. J Pharmacol Exp Ther 88:162-172.

*Gellhorn A, Tupikova NA, van Dyke HB. 1946. The tissue distribution and excretion of four organic antimonials after single or repeated administration to normal hamsters. J Pharmacol Exp Ther 87:169-180.

*Gerber GB, Maes J, Eykens B. 1982. Transfer of antimony and arsenic to the developing organism. Arch Toxicol 49:159-168.

*Gerhardsson L, Brune D, Nordberg GF, et al. 1982. Antimony in lung, liver and kidney tissue from deceased smelter workers. Scand J Work Environ Health 8:201-208.

Gerritse RG, Vriesema R, Dalenberg JW, et al. 1982. Effect of sewage sludge on trace element mobility in soils. J Environ Qual 11:359-364.

Ghaleb HA, Shoeb HA, el-Gawhary N, et al. 1979. Acute toxicity studies of some new organic trivalent antimonials. J Egypt Med Assoc 62:45-62.

Gillain G, Brihaye C. 1985. A routine speciation method for a pollution survey of coastal seawater. Oceanol Acta 8:231-235.

*Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. Environ Health Perspect 101(Supp 2):65-71.

Gladney ES, Gordon GE. 1978. Coal combustion: Source of toxic elements in urban air. J Environ Sci Health A13:481-491.

*Gladney ES, Perrin DR, Robinson RD, et al. 1984. Multitechnique determination of elemental concentrations in NBS Urban Air Particulate SRM 1648 and evaluation of its use for quality assurance. J Radioanal Nucl Chem 83:379-386.

*Goodwin LG, Page JE. 1943. A study of the excretion of organic antimonials using a polarographic procedure. Biochem J 37:198-209.

Gordon GE, Sheffield AE. 1986. Variability of compositions of particles released by coal-fired power plants. ACS Symp Ser 248-254.

Greenburg RR, Zoller WH, Gordon GE. 1978. Composition and size distribution of particles released in refuse incinerators. Environ Sci Technol 12:566-573.

+*Gross P, Brown JHU, Hatch TF. 1952. Experimental endogenous lipoid pneumonia. Am J Pathol 28:211-221.

+*Gross P, Brown JHU, Westrick ML, et al. 1955. Toxicological study of calcium halophosphate phosphors and antimony trioxide. I. Acute and chronic toxicity and some pharmacologic aspects. Arch Ind Health 11:473-478.

+*Groth DH, Stettler LE, Burg JR, et al. 1986. Carcinogenic effects of antimony trioxide and antimony ore concentrate in rats. J Toxicol Environ Health 18:607-626.

*Grund SC, Hanusch K, Breunig HJ, et al. 2012. Antimony and antimony compounds. In: Ullman's encyclopedia of industrial chemistry. Wiley-VCH Verlag GmbH & Co. 10.1002/14356007.a03_055.pub2.

Gudzovskij GA. 1983. Antimony, alloys and compounds. In: Encyclopedia of Occupational Health and Safety, 176-178.

*Gurnani N, Sharma A, Talukder G. 1992b. Cytotoxic effects of antimony trichloride on mice *in vivo*. Cytobios 70(281):131-136.

*Gurnani N, Sharma A, Talukder G. 1992a. Comparison of the clastogenic effects of antimony trioxide on mice *in vivo* following acute and chronic exposure. Biometals 5(1):47-50.

*Gurnani N, Sharma A, Talukder G. 1993. Comparison of clastogenic effects of antimony and bismuth as trioxides on mice *in vivo*. Biol Trace Elem Res 37(2-3):281-292. 10.1007/bf02783802.

*Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences and Press Institute Press.

*Haldar AK, Sen P, Roy S. 2011. Use of antimony in the treatment of leishmaniasis: Current status and future directions. Mol Biol Int 2011:571242. 10.4061/2011/571242.

*Hansen C, Tsirigotaki A, Bak SA, et al. 2010. Elevated antimony concentrations in commercial juices. J Environ Monit 12(4):822-824. 10.1039/b926551a.

Hansen ID, Fisher HL. 1980. Elemental distribution in coal fly ash particles. Environ Sci Technol 14:1111-1117.

*Hantson P, Leonard ED, Crutzen-Fayt MC, et al. 1996. Cytogenetic observations after meglumine antimoniate therapy for visceral leishmaniasis. Pharmacotherapy 16(5):869-871.

*Han-Wen S, Xiao-Quan S, Zhe-Ming N. 1982. Selective separation and differential determination of antimony(III) and antimony(V) by solvent extraction with N-benzoyl-N-phenylhydroxylamine and graphite-furnace atomic-absorption spectrometry using a matrix-modification technique. Talanta 29(7):589-593.

*Harris JW. 1956. Studies on the mechanism of drug-induced hemolytic anemia. J Lab Clin Med 47:760-775.

Hasanen E, Pohjola V, Hahkala M. 1986. Emissions from power plants fueled by peat, coal, natural gas and oil. Sci Total Environ 54:29-51.

Hay DJ, Finkelstein A, Klicius R. 1986. The national incinerator testing and evaluation program twostage incinerator combustion tests. Chemosphere 15:1201-1212.

*HazDat. 2007. Antimony and compounds. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry.

Henderson A, Jolliffe D. 1985. Cardiac effects of sodium stibogluconate. Br J Clin Pharmacol 19:73-77.

*Herbst KA, Rose G, Hanusch K, et al. 1985. Antimony and antimony compounds. In: Ullmann's encyclopedia of industrial chemistry. Vol. A3, 5th ed. Free Republic of Germany: VCH Vereage gesellschaft Weinheim, 55-76.

*Herrera CE, Kirmeyer HJ, Hoyt BP. 1982. Seattle distribution system corrosion control study: Volume III: Potential for drinking water contamination from tin/antimony solder. U.S. Environmental Protection Agency, Washington, DC. EPA600282013. PB82231242.

Hewitt PJ. 1988. Accumulation of metals in the tissues of occupationally exposed workers. Environ Geochem Health 10:113-116.

*Hext PM, Pinto PJ, Rimmel BA. 1999. Subchronic feeding study of antimony trioxide in rats. J Appl Toxicol 19(3):205-209.

*Hillamo R, Pacyna JM, Bartonova A. 1988. Characterization of aerosols during long-range transport episodes of air pollution to Norway. J Aerosol Sci 19:1257-1261.

+*Hiraoka N. 1986. The toxicity and organ-distribution of antimony after chronic administration to rats. J Kyoto Prefect Univ Med 95:997-1017.

*Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. J Natl Cancer Inst 84(5):313-320.

*Honey M. 1960. The effects of sodium antimony tartrate on the myocardium. Br Heart J 22:601-616.

*Hopper JF, Barrie LA. 1988. Regional and background aerosol trace elemental composition observed in eastern Canada. Tellus Ser B 40B:446-462.

+*Horton JR, Gawroski CL, Newton PE, et al. 1986. Evaluation of the acute toxicity, irritation, sensitization, and subchronic dermal toxicity of antimony thioantimonate lubricant. ADA166 873/O.

+*Houpt K, Zgoda JC, Stahlbaum CC. 1984. Use of taste repellants and emetics to prevent accidental poisoning of dogs. Am J Vet Res 45:1501-1503.

*HSDB. 2005a. Antimony, elemental. Hazardous Substances Data Bank. National Library of Medicine. http://toxnet.nlm.nih.gov. June 22, 2015.

*HSDB. 2005b. Antimony trichloride. Hazardous Substances Data Bank. National Library of Medicine. http://toxnet.nlm.nih.gov. June 22, 2015.

*HSDB. 2009a. Antimony sulfide. Hazardous Substances Data Bank. National Library of Medicine. http://toxnet.nlm.nih.gov. June 22, 2015.

*HSDB. 2009b. Stibine. Hazardous Substances Data Bank. National Library of Medicine. http://toxnet.nlm.nih.gov. June 22, 2015.

*HSDB. 2013. Antimony trioxide. Hazardous Substances Data Bank. National Library of Medicine. http://toxnet.nlm.nih.gov. June 22, 2015.

*HSDB. 2014. Antimony potassium tartrate. Hazardous Substances Data Bank. National Library of Medicine. http://toxnet.nlm.nih.gov. June 22, 2015.

*Huang H, Shu SC, Shih JH, et al. 1998. Antimony trichloride induces DNA damage and apoptosis in mammalian cells. Toxicology 129(2-3):113-123.

*IARC. 2015. Agents classified by the IARC monographs. Volumes 1–114. Lyon, France: International Agency for Research on Cancer. http://monographs.iarc.fr/ENG/Classification/List of Classifications Vol1-114.pdf. November 9, 2015.

*Iavicoli I, Caroli S, Alimonti A, et al. 2002. Biomonitoring of a worker population exposed to low antimony trioxide levels. J Trace Elem Med Biol 16(1):33-39. 10.1016/s0946-672x(02)80006-2.

*ICRP. 1981. Metabolic data for antimony. Limits for intakes of radionuclides by workers (ICRP Publication 30, Part 3). International Commission on Radiological Protection. Ann ICRP 6(2/3):46-49.

*ICRP. 1994. Molybdenum. In: Age-dependent doses to members of the public from intake of radionuclides: Part 2. Ingestion dose coefficients. ICRP publication 67. Tarrytown, NY: International Commission on Radiological Protection. Elsevier Science, Inc., 45-47.

*Iijima A, Sato K, Fujitani Y, et al. 2009. Clarification of the predominant emission sources of antimony in airborne particulate matter and estimation of their effects on the atmosphere in Japan. Huanjing Huaxue 6(2):122-132. 10.1071/EN08107.

*IRIS. 1987. Antimony; CASRN 7440-36-0. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. http://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0006_summary.pdf. November 9, 2015.

*IRIS. 1995. Antimony trioxide; CASRN 1309-64-4. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. http://cfpub.epa.gov/ncea/iris/iris documents/documents/subst/0676 summary.pdf. November 9, 2015.

Ives JA, Doughty PA, Casuccio GS. 1984. Superfund and fugitive dust - an air quality study. Proc Air Pollut Contr Assoc 6:84-100.

*Iyengar GV, Kasperek K, Feinendegen LE. 1978. Determination of certain selected bulk and trace elements in bovine liver matrix using neutron activation analysis. Phys Med Biol 23:66-77.

Iyengar GV, Kasperek K, Feinendegen LE. 1982. Determination of cobalt, copper, iron, mercury, manganese, antimony, selenium, and zinc in milk samples. Sci Total Environ 24:267-274.

Iyengar GV, Tanner JT, Wolf WR, et al. 1987. Preparation of a mixed human diet material for the determination of nutrient elements, selected toxic elements and organic nutrients: A preliminary report. Sci Total Environ 61:235-252.

*Jablonska-Czapla M, Szopa S, Grygoyc K, et al. 2014. Development and validation of HPLC-ICP-MS method for the determination inorganic Cr, As and Sb speciation forms and its application for Plawniowice Reservoir (Poland) water and bottom sediments variability study. Talanta 120:475-483. 10.1016/j.talanta.2013.11.092.

*Jenkins RO, Craig PJ, Goessler W, et al. 1998. Antimony leaching from cot mattresses and sudden infant death syndrome (SIDS). Hum Exp Toxicol 17(3):138-139.

*Johnson CA, Moench H, Wersin P, et al. 2005. Solubility of antimony and other elements in samples taken from shooting ranges. J Environ Qual 34(1):248-254.

*Johnson DL, Davis BL, Dzubay TG, et al. 1984. Chemical and physical analyses of Houston aerosol for interlaboratory comparison of source apportionment procedures. Atmos Environ 18:1539-1553.

Joliffe DS. 1985. Nephrotoxicity of pentavalent antimonials. Lancet 1:584.

+*Jones RD. 1994. Survey of antimony workers: Mortality 1961-1992. Occup Environ Med 51(11):772-776.

Jones W, Gamble J. 1984. Epidemiological-environmental study of lead acid battery workers. I. Environmental study of five lead acid battery plants. Environ Res 35:1-10.

*Kanematsu N, Hara M, Kada T. 1980. Ret assay and mutagenicity studies on metal compounds. Mutat Res 77:109-116.

+*Kanisawa M, Schroeder HA. 1969. Life term studies on the effects of trace elements on spontaneous tumors in mice and rats. Cancer Res 29:892-895.

*Katayama Y, Ishida N. 1987. Determination of antimony in nail and hair by thermal neutron activation analysis. Radioisotopes 36:103-107.

*Kearns GL, Abdel-Rahman SM, Alander SW, et al. 2003. Developmental pharmacology-drug disposition, action, and therapy in infants and children. N Engl J Med 349(12):1157-1167. 10.1056/NEJMra035092.

Kempton S, Sterritt RM, Lester JN. 1983. Factors affecting the fate and behavior of toxic elements in the activated sludge process. Environ Pollut Ser A 32~51-78.

*Kentner M, Leinemann M, Schaller KH, et al. 1995. External and internal antimony exposure in starter battery production. Int Arch Occup Environ Health 67(2):119-123.

+*Kim HA, Heo Y, Oh SY, et al. 1999. Altered serum cytokine and immunoglobulin levels in the workers exposed to antimony. Hum Exp Toxicol 18(10):607-613.

Kim KW, Choi BS, Kang SK, et al. 1997. Assessment of workers' exposure to antimony trioxide in Korea. J Occup Health 39(4):345-348.

*Kimbrough DE, Wakakuwa JR. 1989. Acid digestion for sediments, sludges, soils, and soil wastes. A proposed alternative to EPA SW 846 Method 3050. Environ Sci Technol 23:898-900.

*King LD. 1988. Retention of metals by several soils of the southeastern United States. J Environ Qual 17:239-246.

*Kirkland D, Whitwell J, Deyo J, et al. 2007. Failure of antimony trioxide to induce micronuclei or chromosomal aberrations in rat bone-marrow after sub-chronic oral dosing. Mutat Res 627(2):119-128. 10.1016/j.mrgentox.2006.10.012.

*Kobayashi A, Ogra Y. 2009. Metabolism of tellurium, antimony and germanium simultaneously administered to rats. J Toxicol Sci 34(3):295-303.

*Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. Biochemistry 29(18):4430-4433.

*Kowalczyk GS, Gordon GE, Rheingrover SW. 1982. Identification of atmospheric particulate sources in Washington, D.C. Using chemical element balances. Environ Sci Technol 16:79-90.

*Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. Principles and methods of toxicology. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.

*Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches. San Diego, CA: Academic Press, 399-437.

*Kubo T, Urano K, Utsumi H. 2002. Mutagenicity characteristics of 255 environmental chemicals. J Health Sci 48(6):545-554.

*Kuroda K, Endo G, Okamoto A, et al. 1991. Genotoxicity of beryllium, gallium and antimony in short-term assays. Mutat Res 264(4):163-170.

*Kuryshev YA, Wang L, Wible BA, et al. 2006. Antimony-based antileishmanial compounds prolong the cardiac action potential by an increase in cardiac calcium currents. Mol Pharmacol 69(4):1216-1225. 10.1124/mol.105.019281.

*Landsberger S, Jervis RE, Kajrys G, et al. 1983. Characterization of trace elemental pollutants in urban snow using proton induced x-ray emission and instrumental neutron activation analysis. Int J Environ Anal Chem 16:95-130.

*Lantzsch H, Gebel T. 1997. Genotoxicity of selected metal compounds in the SOS chromotest. Mutat Res 389(2-3):191-197.

Lantzy RJ, Mackenzie FT. 1979. Atmospheric trace metals: Global cycles and assessment of man's impact. Geochem Cosmochem Acta 43:511-525.

*Lawn SD, Armstrong M, Chilton D, et al. 2006. Electrocardiographic and biochemical adverse effects of sodium stibogluconate during treatment of cutaneous and mucosal leishmaniasis among returned travellers. Trans R Soc Trop Med Hyg 100:264-269.

*Lauwers LF, Roelants A, Rosseel PM, et al. 1990. Oral antimony intoxications in man. Crit Care Med 18(3):324-326.

Lee RE Jr., Crist HL, Riley AE, et al. 1975. Concentration and size of trace metal emissions from a power plant, a steel plant and a cotton gin. Environ Sci Technol 9:643-647.

*Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. Pediatr Clin North Am 44(1):55-77.

*Lehr CR, Kashyap DR, McDermott TR. 2007. New insights into microbial oxidation of antimony and arsenic. Appl Environ Microbiol 73(7):2386-2389. 10.1128/aem.02789-06.

*Leung H. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantyne B, Marrs T, Turner P, eds. General and applied toxicology. Vol. 1. New York, NY: Stockton Press, 153-164.

*Lewis RJ. 2012. Antimony pentoxide. AQF750. In: Sax's dangerous properties of industrial medicine. Hoboken, NJ: John Wiley & Sons, Inc., 341-342.

*Li T. 2011. Antimony and antimony alloys. In: Kirk-Othmer encyclopedia of chemical toxicology. John Wiley & Sons, Inc. 10.1002/0471238961.011420091209.a01.pub3.

*Liao YH, Yu HS, Ho CK, et al. 2004. Biological monitoring of exposures to aluminium, gallium, indium, arsenic, and antimony in optoelectronic industry workers. J Occup Environ Med 46:931-936.

*Lima MI, Arruda VO, Alves EV, et al. 2010. Genotoxic effects of the antileishmanial drug Glucantime. Arch Toxicol 84(3):227-232. 10.1007/s00204-009-0485-0.

*Lippincott SW, Ellerbrook LD, Rhees M, et al. 1947. A study of the distribution and fate of antimony when used as tartar emetic and fuadin in the treatment of American soldiers with *Schistosomiasis japonica*. J Clin Invest 26:370-378.

*Livingston AL. 1978. Forage plant estrogens. J Toxicol Environ Health 4(2-3):301-324.

Llewellyn TO. 1989. Antimony. In: Minerals yearbook metals and minerals 1987, Volume 1. Pittsburgh, PA: Bureau of Mines, U.S. Department of the Interior. http://digicoll.library.wisc.edu/cgi-bin/EcoNatRes/EcoNatRes-idx?id=EcoNatRes.MinYB1987v1. March 16, 2016.

*Longerich HP, Friel JK, Fraser C, et al. 1991. Analysis of the drinking water of mothers of neural tube defect infants and of normal infants for 14 selected trace elements by inductively coupled plasma-mass spectrometry (ICP-MS). Can J Appl Spectrosc 36(1):15-21.

*Lopez-Garcia I, Sanchez-Merlos M, Hernandez-Cordoba M. 1997. Arsenic and antimony determination in soils and sediments by graphite furnace atomic absorption spectrometry with slurry sampling. Spectrochimica Acta Part B Atomic Spectroscopy 52(4):437-443.

*Ludersdorf R, Fuchs A, Mayer P, et al. 1987. Biological assessment of exposure to antimony and lead in the glass-producing industry. Int Arch Occup Environ Health 59:469-474.

*Luo J, Bai Y, Liang J, et al. 2014. Metagenomic approach reveals variation of microbes with arsenic and antimony metabolism genes from highly contaminated soil. PLoS ONE 9(10):e108185. 10.1371/journal.pone.0108185.

*Maciaszczyk-Dziubinska E, Wawrzycka D, Wysocki R. 2012. Arsenic and antimony transporters in eukaryotes. Int J Mol Sci 13(3):3527-3548. 10.3390/ijms13033527.

*Maher W. 1986. Measurement of total antimony in marine organisms and waters by stibine generation and atomic absorption spectrometry. Anal Lett 19:295-305.

*Mansour MM, Rasoul AAA, Schulert AR. 1967. Anti-bilharzial antimony drugs. Nature 214:819-820.

*Mansour SE, Reese HH. 1965. Experimental antimony toxicity on lower motor neurons and muscles of mice. Exp Parasitol 16:148-157.

Markham MC, Hannan MC, Liu L, et al. 1958. Photochemical properties of antimony trioxide. J Phys Chem 62:989-992.

+*Marmo E, Matera MG, Acampora R, et al. 1987. Prenatal and postnatal metal exposure: Effect on vasomotor reactivity development of pups. Curr Ther Res 42:823-838.

Martinson JP. 1988. Biotransformation of antimony oxide in natural sediments under aerobic and anaerobic conditions. Prepared by Springborn Life Sciences, Inc., Wareham, MA for the Antimony Oxide Industry Association, Washington, DC.

Maxfield D, Rodriguez JM, Buettner M, et al. 1974. Heavy metal pollution in the sediments of the Coeur d'Alene River delta. Environ Pollut 7:1-6.

*Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. Toxicology 74(2-3):135-149.

+*Mendy A, Gasana J, Vieira ER. 2012. Urinary heavy metals and associated medical conditions in the US adult population. Int J Environ Health Res 22(2):105-118.

Metzger M, Braun H. 1989. Striping voltammetric determination of traces of antimony(II1) and antimony(V) in natural waters after selective extraction. Anal Chim Acta 189:263-275.

*Miekeley N, Carneiro MTW, Silveira CLP. 1998. How reliable are human hair reference intervals for trace elements? Sci Total Environ 218(1):9-17.

*Migliore L, Cocchi L, Nesti C, et al. 1999. Micronuclei assay and FISH analysis in human lymphocytes treated with six metal salts. Environ Mol Mutagen 34(4):279-284.

*Migon C, Mori C. 1999. Arsenic and antimony release from sediments in a Mediterranean estuary. Hydrobiologia 392(1):81-88.

*Michalke K, Wickenheiser EB, Mehring M, et al. 2000. Production of volatile derivatives of metal(loid)s by microflora involved in anaerobic digestion of sewage sludge. Appl Environ Microbiol 66(7):2791-2796.

*Milford JB, Davidson CL. 1985. The sizes of particulate trace elements in the atmosphere-a review. Air Pollut Contr Assoc 35:1249-1257.

Miller MH. 1973. Antimony. U.S. Geological Survey Professional Paper 820. Alexandria VA: U.S. Geological Survey, 45-50.

Minear RA, Ball RO, Church RL. 1981. Database for influent heavy metals in publicly owned treatment works. Cincinnati, OH: Municipal Environmental Research laboratory, U.S. Environmental Protection Agency. EPA 600/52-81-220, 1-5.

*Miranda ES, Miekeley N, De-Carvalho RR, et al. 2006. Developmental toxicity of meglumine antimoniate and transplacental transfer of antimony in the rat. Reprod Toxicol 21(3):292-300. 10.1016/j.reprotox.2005.09.010.

*Miravet R, López-Sánchez JF, Rubio R. 2006. Leachability and analytical speciation of antimony in coal fly ash. Anal Chim Acta 576(2):200-206. 10.1016/j.aca.2006.06.003.

*Mitsunobu S, Harada T, Takahashi Y. 2006. Comparison of antimony behavior with that of arsenic under various soil redox conditions. Environ Sci Technol 40(23):7270-7276. 10.1021/es060694x.

Mok WM, Wai CM. 1987. Simultaneous extraction of trivalent and pentavalent antimony and arsenic species in natural waters for neutron activation analysis. Anal Chem 59:233-236.

*Mok WM, Wai CM. 1988. Determination of arsenic and antimony in biological materials by solvent extraction and neutron activation. Talanta 35:183-186.

*Mok WM, Wai CM. 1990. Distribution and mobilization of arsenic and antimony species in the Coeur d'Alene River, Idaho. Environ Sci Technol 24:102-108.

Molokhia A, Lilley JD. 1986. Unusual levels of trace elements in dental filling materials. An investigation by neutron activation analysis. Acta Pharmacol Toxicol Suppl 59:56-59.

*Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. Clin Pharmacokinet 5(6):485-527.

Müller J. 1985. Atmospheric pathways of heavy metals. Proc Heavy Metal Environ Int Conf 1:214-216.

Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludge. Arch Environ Contam Toxicol 13:75-83.

*Muramatsu Y, Parr RM. 1988. Concentrations of some trace elements in hair, liver and kidney from autopsy subjects - relationship between hair and internal organs. Sci Total Environ 76:29-40.

*Murrell NE. 1987. Impact of metallic solders on water quality. Proc Am Water Works Assoc 1987(Pt. 1):39-43.

+*Myers RC, Homan ER, Well CS, et al. 1978. Antimony trioxide range-finding toxicity studies. Carnegie-Mellon Institute of Research, Carnegie-Mellon University, Pittsburgh, PA, sponsored by Union Carbide. OTS206062.

*Nakamaru YM, Sekine K. 2008. Sorption behavior of selenium and antimony in soils as a function of phosphate ion concentration. Soil Sci Plant Nutr 54(3):332-341. 10.1111/j.1747-0765.2008.00247.x.

*NAS/NRC. 1989. Report of the oversight committee. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.

*Neves DB, Caldas ED, Sampaio RN. 2009. Antimony in plasma and skin of patients with cutaneous leishmaniasis--relationship with side effects after treatment with meglumine antimoniate. Trop Med Int Health 14(12):1515-1522. 10.1111/j.1365-3156.2009.02408.x.

+*Newton PE, Bolte HF, Daly IW, et al. 1994. Subchronic and chronic inhalation toxicity of antimony trioxide in the rat. Fundam Appl Toxicol 22(4):561-576.

Nightingale HI. 1987. Water quality beneath urban runoff water management basins. Water Resource Bull 23:197-205.

NIOSH. 1981. Occupational health guidelines for chemical hazards. U.S. Department of Health and Human Services. National Institute for Occupational Safety and Health.

*NIOSH. 1985. Method 8005. Elements in blood or tissue. Cincinnati, OH: Division of Physical Sciences and Engineering, National Institute for Occupational Safety and Health.

*NIOSH. 1987. Method 6008. Stibine. Manual of analytical methods: Cincinnati, OH: Division of Physical Sciences and Engineering, National Institute for Occupational Safety and Health, 6008-1 to 6008-4.

*NIOSH. 1989. National Occupational Exposure Survey (NOES). Washington, DC: National Institute for Occupational Safety and Health. March 29, 1989.

NIOSH: 1990. NIOSH pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

*NIOSH. 2015a. Antimony. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. http://www.cdc.gov/niosh/npg/npgd0036.html. November 9, 2015.

*NIOSH. 2015b. Stibine. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. http://www.cdc.gov/niosh/npg/npgd0568.html. November 9, 2015.

*NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Research Council. National Academy Press. PB93216091.

*Nriagu JO. 1989. A global assessment of natural sources of atmospheric trace metals. Nature 338:47-49.

NTP. 1990. National Toxicology Program. Technical report on the toxicity studies of antimony potassium tartrate in F344/N rats, and B6C3Fl mice (dosed water and intraperitoneal injection studies). Draft (NTPTOX 11). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health.

+*NTP. 1992. NTP report on the toxicity studies of antimony potassium tartrate in F344/N rats and B6C3F₁ mice (drinking water and intraperitoneal injection studies). Research Triangle Park, NC: NTP Tox 11. NIH Publication No. 92-3130.

*NTP. 2013. Draft OHAT approach for systematic review and evidence integration for literature-based health assessments- February 2013. National Toxicology Program, U.S. Department of Health and Human Services, Office of Health Assessment and Translation. https://ntp.niehs.nih.gov/ntp/ohat/evaluationprocess/draftohatapproach_february2013.pdf. April 13, 2016

*NTP. 2014. Report on carcinogens. Thirteenth edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. http://ntp.niehs.nih.gov/pubhealth/roc/roc13/. April 9, 2015.

*NTP. 2015. Handbook for conducting a literature-based health assessment using OHAT approach for systematic review and evidence integration. National Toxicology Program, U.S. Department of Health and Human Services, Office of Health Assessment and Translation. http://ntp.niehs.nih.gov/ntp/ohat/pubs/handbookjan2015 508.pdf. October 2, 2015.

+*NTP. 2016. NTP technical report on the toxicology and carcinogenesis studies of antimony trioxide (CAS No. 1309-64-4) in Wistar Han [Crl:WI (Han)] rats and B6C3F1/N mice. NTP TR 590.

*Ohmori S, Tsuji H, Kusaka Y, et al. 1981. Radioactivation analysis of hair. A means of biological monitoring of the environment. J Radioanal Chem 63:269-282.

Olmez I, Gulovali MC, Gordon GE. 1978. Trace substances in human saliva. Environ Health 7:231-240.

*Olmez I, Kotra JP, Lowery S, et al. 1985. Airborne lead and trace elements in an indoor shooting range: A study of the DC National Guard Armory Pistol Range. Environ Toxicol Chem 4:447-452.

+*Omura M, Tanaka A, Hirata M, et al. 2002. Testicular toxicity evaluation of two antimony compounds, antimony trioxide and antimony potassium tartrate, in rats and mice. Environ Health Prev Med 7(1):15-18. 10.1007/bf02898061.

OSHA. 1989. U.S. Department of Labor. Occupational Safety and Health Administration. OSHA occupational standards permissible exposure limits. 29 CFR 1910.1000. Fed Regist 54:2924.

*OSHA. 2013. Subpart Z - Toxic and hazardous substances. Air contaminants. Code of Federal Regulations. Occupational Safety and Health Standards. 29 CFR 1910.1000. http://www.gpo.gov/fdsys/pkg/CFR-2014-title29-vol6/pdf/CFR-2014-title29-vol6-sec1910-1000.pdf. March 4, 2015.

*OSHA. 2014. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z - Shipyards. Code of Federal Regulations. Occupational Safety and Health Standards. 29 CFR 1915.1000. http://www.gpo.gov/fdsys/pkg/CFR-2013-title29-vol7/pdf/CFR-2013-title29-vol7-sec1915-1000.pdf. March 4, 2015.

*Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.

*Paßlack N, Mainzer B, Lahrssen-Wiederholt M, et al. 2014a. Concentrations of strontium, barium, cadmium, copper, zinc, manganese, chromium, antimony, selenium and lead in the equine liver and kidneys. SpringerPlus 3:343. 10.1186/2193-1801-3-343.

*Paßlack N, Mainzer B, Lahrssen-Wiederholt M, et al. 2014b. Concentrations of strontium, barium, cadmium, copper, zinc, manganese, chromium, antimony, selenium and lead in the liver and kidneys of dogs, depending on age, sex and the occurrence of a chronic kidney disease. J Vet Sci 16(1):57-66.

*Paßlack N, Mainzer B, Lahrssen-Wiederholt M, et al. 2014c. Liver and kidney concentrations of strontium, barium, cadmium, copper, zinc, manganese, chromium, antimony, selenium and lead in cats. BMC Vet Res 10:163. 10.1186/1746-6148-10-163.

Pacyna JM. 1984. Estimation of the atmospheric emissions of trace elements from anthropogenic sources in Europe. Atmos Environ 18:41-50.

*Pacyna JM, Pacyna EG. 2001. An assessment of global and regional emissions of trace metals to the atmosphere from anthropogenic sources worldwide. NRC Research Press. Environ Rev 9(4):269-298. 10.1139/a01-012. http://www.nrcresearchpress.com/doi/abs/10.1139/a01-012. 2016/03/17.

*Pacyna JM, Semb A, Hanssen JE. 1984. Emission and long-range transport of trace elements in Europe. Tellus Ser B 36B:163-178.

+*Palacios N, Fitzgerald K, Roberts AL, et al. 2014. A prospective analysis of airborne metal exposures and risk of Parkinson disease in the nurses' health study cohort. Environ Health Perspect 122(9):933-938. 10.1289/ehp.1307218.

*Palacios R, Osorio LE, Grajales LF, et al. 2001. Treatment failure in children in a randomized clinical trial with 10 and 20 days of meglumine antimonate for cutaneous leishmaniasis due to *Leishmania Viannia* species. Am J Trop Med Hyg 64(3-4):187-193.

*Pan X, Zhang D, Chen X, et al. 2010. Antimony accumulation, growth performance, antioxidant defense system and photosynthesis of *Zea mays* in response to antimony pollution in soil. Water Air Soil Pollut 215(1):517-523. 10.1007/s11270-010-0496-8.

*Pandey AK, Kumar M, Thakur CP. 1988. EGG changes in prolonged treatment of kalazar with antimony compounds [letter]. J Assoc Physicians India 36:398-399.

Papastefanou C, Manolopoulou M, Sawidis T. 1988. Lichens and mosses: Biological monitors of radioactive fallout from the Chernobyl Reactor accident. J Environ Radioactivity 9:199-207.

Parris GE, Brinckman FE. 1975. Reactions which relate to the environmental mobility of arsenic and antimony. I. Quarternization of trimethylarsine and trimethylstibine. J Org Chem 40:3801-3803.

Parris GE, Brinckman FE. 1976. Reactions which relate to environmental mobility of arsenic and antimony. II. Oxidation of trimethylarsine and trimethylstilbene. Environ Sci Technol 10:1128-1134.

*Paton GR, Allison AC. 1972. Chromosome damage in human cell cultures induced by metal salts. Mutat Res 16:332-336.

*Pattenden NJ, Branson JR, Fisher EMR. 1982. Trace element measurements in wet and dry deposition and airborne particulate at an urban site. Deposition Atmos Pollut Proc Collog 173-184.

*Perez-Corona T, Madrid Y, Camara C. 1997. Evaluation of selective uptake of selenium (Se(IV) and Se(VI)) and antimony (Sb(III) and Sb(V)) species by baker's yeast cells (*Saccharomyces cerevisiae*). Anal Chim Acta 345(1-3):249-255.

*Plunkert PA. 1982. Antimony. In: Minerals handbook. Pittsburgh, PA: Bureau of Mines, U.S. Department of the Interior, 93-101.

+*Poon R, Chu I, Lecavalier P, et al. 1998. Effects of antimony on rats following 90-day exposure via drinking water. Food Chem Toxicol 36(1):21-35.

+*Potkonjak V, Pavlovich M. 1983. Antimoniosis: A particular form of pneumoconiosis. I. Etiology, clinical and x-ray findings. Int Arch Occup Environ Health 51:199-207.

*Potkonjak V, Vishnjich V. 1983. Antimoniosis: A particular form of pneumoconiosis. II. Experimental investigation. Int Arch Occup Environ Health 51:299-303.

Pradeau D, Petiot J, Bissery V, et al. 1988. Study on the transfer of inorganic elements from glass to solvents in pharmaceutical use. Int Pharm J 2:209-215.

+*Price NH, Yates WG, Allen SD. 1979. Toxicity evaluation for establishing IDLH values. Cincinnati, OH: National Institute for Occupational Safety and Health. PB87-229498.

*Quiroz W, Arias H, Bravo M, et al. 2011. Development of analytical method for determination of Sb(V), Sb(III) and TMSb(V) in occupationally exposed human urine samples by HPLC-HG-AFS. Microchem J 97(1):78-84.

*Ragaini RC, Ralston HR, Roberts N. 1977. Environmental trace metal contamination in Kellogg, Idaho near a lead smelting complex. Environ Sci Technol 11:773-781.

Rai D, Zachara JM, Schwab AP, et al. 1984. Chemical attenuation rates, coefficients, and constants in leachate migration. Volume 1: A critical review. Electric Power Research Institute Publication EPRI EA-3356.

Rawlings GD. 1980. Analysis of priority pollutants at a primary aluminum production facility. Environ Int 3:321-325.

*Rees PH, Keating MI, Kager PA, et al. 1980. Renal clearance of pentavalent antimony (sodium stibogluconate). Lancet 2:226-229.

+*Renes LE. 1953. Antimony poisoning in industry. Arch Ind Hyg 7:99-108.

*RePORTER. 2015. Antimony. National Institutes of Health, Research Portfolio Online Reporting Tools. http://projectreporter.nih.gov/reporter.cfm. November 4, 2016.

*Ribeiro RR, Ferreira WA, Martins PS, et al. 2010. Prolonged absorption of antimony(V) by the oral route from non-inclusion meglumine antimoniate-beta-cyclodextrin conjugates. Biopharm Drug Dispos 31(2-3):109-119. 10.1002/bdd.695.

*Richardson BA. 1994. Sudden infant death syndrome: a possible primary cause. J Forensic Sci Soc 34(3):199-204.

*Rooney AA, Boyles AL, Wolfe MS, et al. 2014. Systematic review and evidence integration for literature-based environmental health science assessments. Environ Health Perspect 122(7):711-718. 10.1289/ehp.1307972.

+*Rossi F, Acampora R, Vacca C, et al. 1987. Prenatal and postnatal antimony exposure in rats: Effect on vasomotor reactivity development of pups. Teratogen Carcinogen Mutagen 7:491-496.

Rossmann R. 1988. Estimation of trace metal storage in Lake St. Clair post-settlement sediments using composite samples. J Great Lakes Res 14:66-75.

*RTECS. 2015. Antimony and compounds. Registry of Toxic Effects on Chemical Substances. National Institute of Occupational Safety and Health. MDL Information Systems, Inc. June 2, 2015.

Rugemalila JB. 1980. Fatal stibocaptate toxicity. East Afr Med J 57:720-722.

Sabbioni E, Goetz L, Bignoli G. 1984. Health and environmental implications of trace metals released from coal-fired power plants: An assessment study of the situation in the European community. Sci Total Environ 40:141-154.

Sabbioni E, Goetz L, Springer A, et al. 1983. Trace metals from coal-fired power plants: Derivation of an average data base for assessment studies of the situation in the European communities. Sci Total Environ 29:213-227.

Salisbury SA. 1980. Health hazard evaluation no ME-79-075-784 at St. Clair Rubber Company, Marysville, Michigan. Cincinnati, OH: Hazard Evaluations and Technical Assistance Branch, Division of Surveillance Hazard Evaluations, and Field Studies, National Institute for Occupational Safety and Health.

*Sarkis JE, Neto ON, Viebig S, et al. 2007. Measurements of gunshot residues by sector field inductively coupled plasma mass spectrometry-further studies with pistols. Forensic Sci Int 172(1):63-66. 10.1016/j.forsciint.2006.12.007.

*Saunders NR, Ek CJ, Habgood MD, et al. 2008. Barriers in the brain: A renaissance? Trends Neurosci 31(6):279-286. 10.1016/j.tins.2008.03.003.

*Saunders NR, Liddelow SA, Dziegielewska KM. 2012. Barrier mechanisms in the developing brain. Front Pharmacol 3:Article 46. 10.3389/fphar.2012.00046.

*Schaumlöffel N, Gebel T. 1998. Heterogeneity of the DNA damage provoked by antimony and arsenic. Mutagenesis 13(3):281-286.

*Scheinost AC, Rossberg A, Vantelon D, et al. 2006. Quantitative antimony speciation in shootingrange soils by EXAFS spectroscopy. Geochim Cosmochim Acta 70(13):3299-3312.

*Scheuplein R, Charnley G, Dourson M. 2002. Differential sensitivity of children and adults to chemical toxicity. I. Biological basis. Regul Toxicol Pharmacol 35(3):429-447.

+*Schnorr TM, Steenland K, Thun MJ, et al. 1995. Mortality in a cohort of antimony smelter workers. Am J Ind Med 27(5):759-770.

*Schonwald S. 2004. Antimony. In: Dart RC, ed. Medical toxicology. Philadelphia, PA: Lippincott Williams & Wilkins, 1391-1392.

Schroeder HA, Mitchener M, Balassa JJ, et al. 1968. Zirconium, niobium, antimony, and fluorine in mice: Effects on growth, survival and tissue levels. J Nutr 95:95-101.

+*Schroeder HA, Mitchener M, Nason AP. 1970. Zirconium, niobium, antimony, vanadium and lead in rats: Life-time studies. J Nutr 100:59-68.

*Shacklette HT, Boerngen JG. 1984. Element concentration in soils and other surficial materials of the conterminous United States. U.S. Geological Survey Professional Paper 1270. Alexandria VA: U.S. Geological Survey.

*Shannon MW, Borron SW, Burns MJ. 2007. Antimony. In: Haddad and Winchester's clinical management of poisoning and drug overdose. Philadelphia, PA: Saunders Elsevier, 917, 1158.

+Shirai S, Suzuki Y, Yoshinaga J, et al. 2010. Maternal exposure to low-level heavy metals during pregnancy and birth size. J Environ Sci Health A Tox Hazard Subst Environ Eng 45:1468-1474. 10.1080/10934529.2010.500942.

+*Shiue I. 2014. Higher urinary heavy metal, arsenic, and phthalate concentrations in people with high blood pressure: US NHANES, 2009-2010. Int J Environ Res Public Health 11(6):5989-5999. 10.3109/08037051.2014.925228.

+*Shiue I. 2015. Relationship of environmental exposures and ankylosing spondylitis and spinal mobility: US NHANES, 2009-2010. Int J Environ Health Res 25(3):322-329. 10.1080/09603123.2014.945512.

+*Shiue I, Hristova K. 2014. Higher urinary heavy metal, phthalate and arsenic concentrations accounted for 3-19% of the population attributable risk for high blood pressure: US NHANES, 2009-2012. Hypertens Res 37(12):1075-1081. 10.1038/hr.2014.121.

Small M, Germani MS, Small AM, et al. 1981. Airborne plume study of emissions from the processing of copper ores in southeastern Arizona. Environ Sci Technol 15:293-299.

*Smichowski P. 2008. Antimony in the environment as a global pollutant: A review on analytical methodologies for its determination in atmospheric aerosols. Talanta 75(1):2-14. 10.1016/j.talanta.2007.11.005.

*Smith MM, White MA, Wilson HK. 1995. Determination of antimony in urine by solvent extraction and electrothermal atomization atomic absorption spectrometry for the biological monitoring of occupational exposure. J Anal Atom Spectrom 10(6):349-352.

+*Smyth HF, Carpenter CP. 1948. Further experience with the range finding test in the industrial toxicology laboratory. J Ind Hyg Toxicol 30:63-68.

+*Smyth HF, Thompson WL. 1945. The single dose and subacute-toxicity of antimony oxide (SB₂O₃). Melon Institute of Industrial Research, University of Pittsburgh. OTS206062.

*Stauffer RE, Thompson JM. 1984. Arsenic and antimony in geothermal waters of Yellowstone National Park, Wyoming, USA. Geochim Cosmochim Acta 48(12):2547-2561.

+*Stevenson CJ. 1965. Antimony spots. Transactions of the St. John's Hospital Dermatology Society, 51:40-42.

*Stoessel RP, Michaelis W. 1986. Wet and dry deposition of heavy metals. In: Proceedings of the 2nd Environmental Contamination International Conference, 85-88.

Strohal P, Huljer D, Lubic S, et al. 1975. Antimony in the coastal marine environment, North Adriatic. Estuarine Coastal Marine Sci 3:119-123.

*Sturgeon RE, Willie SN, Berman SS. 1985. Preconcentration of selenium and antimony from seawater for determination by graphite furnace atomic absorption spectrometry. Anal Chem 57:6-9.

Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 206-207.

*Sumino K, Hayakawa K, Shibata T, et al. 1975. Heavy metals in normal Japanese tissues. Arch Environ Health 30:487-494.

*Sun H, Yan SC, Cheng WS. 2000. Interaction of antimony tartrate with the tripeptide glutathione implication for its mode of action. Eur J Biochem 267(17):5450-5457.

+*Sunagawa S. 1981. Experimental studies on antimony poisoning. Igaku kenkyu 51:129-142.

*Sundar S, Sinha PR, Agrawal NK, et al. 1998. A cluster of cases of severe cardiotoxicity among kalaazar patients treated with a high-osmolarity lot of sodium antimony gluconate. Am J Trop Med Hyg 59(1):139-143.

Sutker BJ. 1988. Fire retardants. In: Ullmann's encyclopedia of industrial chemistry. 5th ed. Free Republic of Germany: VCH Vereagegeselschaft Weinheim, 136-137.

Swellengrebel NH, Sterman MM. 1961. Animal parasites in man. Princeton, NJ: D. Van Nostrand Co., Inc., 178-180.

*Takagi Y, Matsuda S, Imai S, et al. 1986. Trace elements in human hair: An international comparison. Bull Environ Contam Toxicol 36:793-800.

*Takagi Y, Matsuda S, Imai Y, et al. 1988. Survey of trace elements in human nails: An international comparison. Bull Environ Contam Toxicol 41:690-695.

Tanner JT, Friedman MH. 1977. Neutron activation analysis for trace elements in foods. J Radioanal Chem 37:529.

*Tarabar AF. 2014. Antimony. In: Goldfrank's toxicologic emergencies. 10th ed. New York, NY: McGraw-Hill Education, 1161-1167.

*Taylor PJ. 1966. Acute intoxication from antimony trichloride. Br J Ind Med 23:318-321.

*Telford K, Maher W, Krikowa F, et al. 2008. Measurement of total antimony and antimony species in mine contaminated soils by ICPMS and HPLC-ICPMS. J Environ Monit 10(1):136-140. 10.1039/b715465h.

*Thakur CP. 1998. Sodium antimony gluconate, amphotericin, and myocardial damage. Lancet 351(9120):1928-1929.

*Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. Chemically induced alterations in sexual and functional development: The wildlife/human connection. Princeton, NJ: Princeton Scientific Publishing, 365-394.

*Thomas RG, Felicetti SW, Lucchino RV, et al. 1973. Retention patterns of antimony in mice following inhalation of particles formed at different temperatures. Proc Exp Biol Med 144:544-550.

*Tirmenstein MA, Mathias PI, Snawder JE, et al. 1997. Antimony-induced alterations in thiol homeostasis and adenine nucleotide status in cultured cardiac myocytes. Toxicology 119(3):203-211.

*Tirmenstein MA, Plews PI, Walker CV, et al. 1995. Antimony-induced oxidative stress and toxicity in cultured cardiac myocytes. Toxicol Appl Pharmacol 130(1):41-47. 10.1006/taap.1995.1006.

*Toraason M, Wey HE, Richards DE, et al. 1997. Altered Ca2+ Mobilization during excitation contraction in cultured cardiac myocytes exposed to antimony. Toxicol Appl Pharmacol 146(1):104-115.

*TRI14 2016. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. http://www.epa.gov/triexplorer/. March 22, 2016.

Trnovsky M, Oxer JP, Rudy RJ, et al. 1988. Site remediation of heavy metals contaminated soils and groundwater at a former battery reclamation site in Florida. In: Proceedings of the Hazardous Waste: Detection, Control, and Treatment World Conference, Pt. B, 1581-1590.

*Tschan M, Robinson B, Schulin R. 2008. Antimony uptake by *Zea mays* (L.) and *Helianthus annuus* (L.) from nutrient solution. Environ Geochem Health 30(2):187-191. 10.1007/s10653-008-9142-4.

*Tschan M, Robinson BH, Schulin R. 2009. Antimony in the soil–plant system – a review. Huanjing Huaxue 6(2):106-115. 10.1071/EN08111.

*Tu AS, Sivak A. 1984. Evaluation of antimony thioantimonate in three *in vitro*_short-term assays. Wright-Patterson Air Force Base, OH: U.S. Air Force Aerospace Medical Research Laboratory. ADA150348.

*U.S. Bureau of Mines. 1989. Antimony in the 2nd quarter of 1989. Mineral Industry Series. U.S. Bureau of Mines, Pittsburgh, PA. August 23, 1989.

*USGS. 2004. Mineral commodity profiles. Antimony. U.S. Geological Survey. Open-File Report 03-019. http://pubs.usgs.gov/of/2003/of03-019/of03-019.pdf. March 17, 2016.

*USGS. 2010. Water-chemistry data for selected springs, geysers, and streams in Yellowstone National Park, Wyoming, 2006-2008. U.S. Department of the Interior, U.S. Geological Survey. Open-File Report 2010-1192. Water-chemistry data for selected springs, geysers, and streams in Yellowstone National Park, Wyoming, 2006-2008. March 15, 2016.

*USGS. 2011. National water-quality assessment program. Trace elements and radon in groundwater across the United States, 1992-2003. U.S. Department of the Interior, U.S. Geological Survey. Scientific Investigations Report 2011-5059. http://pubs.usgs.gov/sir/2011/5059/pdf/sir2011-5059_report-covers_508.pdf. March 22, 2016.

*USGS. 2015. Mineral industry surveys. Antimony in the fourth quarter 2014. U.S. Geological Survey. http://minerals.usgs.gov/minerals/pubs/commodity/antimony/mis-2014q4-antim.pdf. March 17, 2016.

*Vandecasteele C, Vermeir G, Dams R. 1988. Element concentrations in the air of an indoor shooting range. Environ Technol Lett 9:1287-1294.

Van der Sloot HA, Wijkstra J, Van Dalen A, et al. 1982. Leaching of trace elements from coal solid waste. Netherlands Energy Research Foundation, ECN, Petten. ECN-120.

*Van Velzen D, Langenkamp H, Herb G. 1998. Antimony, its sources, applications and flow paths into urban and industrial waste: A review. Waste Manag Res 16(1):32-40.

*Vasquez L, Scorza Dagert JV, Scorza JV, et al. 2006. Pharmacokinetics of experimental pentavalent antimony after intramuscular administration in adult volunteers. Curr Ther Res Clin Exp 67(3):193-203. 10.1016/j.curtheres.2006.06.005.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238(2):476-483.

*Vinas P, Lopez-Garcia I, Merino-Merono B, et al. 2006. Liquid chromatography-hydride generationatomic fluorescence spectrometry hybridation for antimony speciation in environmental samples. Talanta 68(4):1401-1405. 10.1016/j.talanta.2005.07.056.

*Vong RJ, Larson TV, Zoller WH. 1988. A multivariate chemical classification of rainwater samples. Chemom Intel1 Lab Syst 3:99-109.

Von Gunten HR, Kull TP. 1986. Infiltration of inorganic compounds from the Glatt River, Switzerland, into a groundwater aquifer. Water Air Soil Pollut 29:333-346.

Warren CJ, Dudas M.J. 1988. Leaching behavior of selected trace elements in chemically weathered alkaline fly ash. Sci Total Environ 76:229-246.

*Watt WD. 1980. Chronic inhalation toxicity of antimony trioxide: Validation of the T.L.V. Progress report-summary of results. OTS206195.

+*Watt WD. 1983. Chronic inhalation toxicity of antimony trioxide: Validation of the threshold limit value. Dissertation, Wayne State University.

*Weast RC. 1988. Handbook of chemistry and physics. 69th ed. Boca Raton, FL: CRC Press, B-8, B-72 to B-73.

Webber MD, Shamess A. 1987. Heavy metal concentrations in Halton Region soils: An assessment for future municipal sludge utilization. Can J Soil Sci 67:893-903.

*West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Pediatr 32:10-18.

Westrick ML. 1953. Physiologic responses attending administration of antimony, alone or with simultaneous injections of thyroxin. Proc Soc Exp Biol Med 82:56-60.

*Wey HE, Richards D, Tirmenstein MA, et al. 1997. The role of intracellular in antimony-induced toxicity in cultured cardiac myocytes. Toxicol Appl Pharmacol 145(1):202-210.

*WHO. 2003. Antimony in drinking-water. World Health Organization. http://www.who.int/water_sanitation_health/dwq/chemicals/antimony.pdf. March 15, 2016.

*WHO. 2010. WHO guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. September 9, 2014.

*WHO. 2011. Guidelines for drinking-water quality. Geneva, Switzerland: World Health Organization. http://whqlibdoc.who.int/publications/2011/9789241548151_eng.pdf?ua=1. September 9, 2014.

*Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advance treatise. Volume II: The elements Part A. New York, NY: Academic Press, 1-247.

*Wiersema JM, Wright L, Rogers B, et al. 1984. Human exposure to potentially toxic elements through ambient air in Texas. Proc Air Pollut Contr Assoc 1:84-1.2.

Wil Research Laboratories, Inc. 1979. Acute eye irritation study in rabbits with antimony oxide. Sponsored by PPG Industries Inc., Pittsburgh, PA.

Willetts P, Anderson RA, Farmer JG, et al. 1982. Inorganic elements in the tracheas of fire fatalities. Fire Mater 6:32-37.

*Wilson SC, Lockwood PV, Ashley PM, et al. 2010. The chemistry and behaviour of antimony in the soil environment with comparisons to arsenic: A critical review. Environ Pollut 158(5):1169-1181. 10.1016/j.envpol.2009.10.045.

*Windholz M, ed. 1983. The Merck index. 10th ed. Rahway, NJ: Merck and Co., 102-104.

Woessner WM, Shapley. 1985. Effects of U.S. antimony's disposal ponds on an alluvial aquifer and Prospect Creek, western Montana.

*Wong LCK, Winston JM, Hagensen J, et al. 1979. Study of carcinogenicity and toxicity of inhaled antimony trioxide, antimony ore concentrate and thallic oxide in rats. Cincinnati, OH: National Institute for Occupational Safety and Health, U.S. Department of Health. OTS0511065.

Yocom JE. 1983. Industrial sources of metals. NeuroToxicology 4:91-102.

Young M. 1979a. Walk-through survey report of General Battery and Ceramic Corporation, Dallas, Texas. Cincinnati, OH: Division of Surveillance, Hazard Evaluations, and Field Studies, Industry-wide Studies Branch, Industrial Hygiene Section, National Institute for Occupational Safety and Health. Young M. 1979b. Walk-through survey report of Standard Industries, Inc. (Reliable Battery Company), San Antonio, Texas. Cincinnati, OH: Division of Surveillance, Hazard Evaluations, and Field Studies, Industry-wide Studies Branch, Industrial Hygiene Section, National Institute for Occupational Safety and Health.

Young M, Beaumont J, Brown D, et al. 1979. Walk-through survey report of Electric Storage Battery, Inc., Dallas, Texas. Cincinnati, OH: Division of Surveillance, Hazard Evaluations, and Field Studies, Industry-wide Studies Branch, Industrial Hygiene Section, National Institute for Occupational Safety and Health.

*Yu RC, Rappaport SM. 1996. Relation between pulmonary clearance and particle burden: A Michaelis-Menten-like kinetic model. Occup Environ Med 53(8):567-572.

*Zaki MH, Shookhoff HB, Sterman M, et al. 1964. Astiban in *Schistosomiasis mansoni*: A controlled therapeutic trial in a nonendemic area. Am J Trop Med Hyg 13:803-810.

Zhang J, Billiet J, Dams R. 1985. Elemental composition and source investigation of particulates suspended in the air of an iron foundry. Sci Total Environ 41:13-28.

+*Zheng FY, Qian SH, Li SX, et al. 2006. Speciation of antimony by preconcentration of Sb(III) and Sb(V) in water samples onto nanometer-size titanium dioxide and selective determination by flow injection-hydride generation-atomic absorption spectrometry. Anal Sci 22(10):1319-1322.

*Zheng G, Zhong H, Guo Z, et al. 2014. Levels of heavy metals and trace elements in umbilical cord blood and the risk of adverse pregnancy outcomes: A population-based study. Biol Trace Elem Res 160(3):437-444. 10.1007/s12011-014-0057-x.

*Zeiger E, Anderson B, Haworth S, et al. 1992. Salmonella mutagenicity tests: V. Results from the testing of 311 chemicals. Environ Mol Mutagen 21:2-141.

*Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12(1):29-34.

*Zikovsky L, Badillo M. 1987. An indirect study of air pollution by neutron activation analysis of snow. J Radioanal Nucl Chem 114:147-153.