

9. REFERENCES

- Abdel-Rahman SZ, Ammenheuser MM, Omiecinski CJ, et al. 2005. Variability in human sensitivity to 1,3-butadiene: Influence of polymorphisms in the 5'-flanking region of the microsomal epoxide hydrolase gene (EPHX1). *Toxicol Sci* 85(1):624-631.
- Abdel-Rahman SZ, Ammenheuser MM, Ward JB. 2001. Human sensitivity to 1,3-butadiene: Role of microsomal epoxide hydrolase polymorphisms. *Carcinogenesis* 22(3):415-423.
- Abdel-Rahman SZ, El-Zein RA, Ammenheuser MM, et al. 2003. Variability in human sensitivity to 1,3-butadiene: Influence of the allelic variants of the microsomal epoxide hydrolase gene. *Environ Mol Mutagen* 41(2):140-146.
- ACGIH. 2008. 1,3-Butadiene. In: *Threshold limit values for chemical substances and physical agents and biological exposure indices*. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- Adam T, Mitsche S, Streibel T, et al. 2006. Puff-by-puff resolved characterisation of cigarette mainstream smoke by single photon ionisation (SPI)-time-of-flight mass spectrometry (TOFMS): Comparison of the 2R4F research cigarette and pure Burley, Virginia, Oriental and Maryland tobacco cigarettes. *Anal Chim Acta* 572(2):219-229.
- Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27(4):532-537.
- Adler ID, Filser J, Gonda H, et al. 1998. Dose response study for 1,3-butadiene-induced dominant lethal mutations and heritable translocations in germs cells of male mice. *Mutat Res* 397(1):85-92.
- Adler ID, Filser JG, Gassner P, et al. 1995a. Heritable translocations induced by inhalation exposure of male mice to 1,3-butadiene. *Mutat Res* 347(3-4):121-127.
- *Adler ID, Kliesch U, Tiveron C, et al. 1995b. Clastogenicity of diepoxybutane in bone marrow cells and male germ cells of mice. *Mutagenesis* 10(6):535-541.
- Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA. *Fed Regist* 54(174):37618-37634.
- AIChE. 2000. 1,3-Butadiene. C₄H₆. In: *Physical and thermodynamic properties of pure chemicals*. American Institute of Chemical Engineers, Design Institute for Physical Property Data. Philadelphia, PA: Taylor and Francis.
- AIHA. 2008. Emergency Response Planning Guidelines (ERPG). Fairfax, VA: American Industrial Hygiene Association. <http://www.aiha.org/1documents/Committees/ERP-erpglevels.pdf>. May 19, 2009.

* Not cited in text

9. REFERENCES

- Albertini RJ, Carson ML, Kirman CR, et al. 2010. 1,3-Butadiene: II. Genotoxicity profile. *Crit Rev Toxicol* 40(Suppl 1):12-73.
- Albertini RJ, Sram RJ, Vacek PM, et al. 2001. Biomarkers for assessing occupational exposures to 1,3-butadiene. *Chem Biol Interact* 135-136:429-453.
- Albertini RJ, Sram RJ, Vacek PM, et al. 2007. Molecular epidemiological studies in 1,3-butadiene exposed Czech workers: Female-male comparisons. *Chem Biol Interact* 166(1-3):63-77.
- Albrecht OE, Filser JG, Neumann HG. 1993. Biological monitoring of 1,3-butadiene: Species differences in haemoglobin binding in rat and mouse. *IARC Sci Publ* 127:135-142.
- Altman PL, Dittmer DS. 1974. *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies of Experimental Biology.
- American Chemical Society. 2007. United States synthetic rubber program, 1939-1945. American Chemical Society. <http://acswebcontent.acs.org/landmarks/landmarks/rbb/index.html>. May 29, 2009.
- Ammenheuser MM, Bechtold WE, Abdel-Rahman SZ, et al. 2001. Assessment of 1,3-butadiene exposure in polymer production workers using *HPRT* mutations in lymphocytes as a biomarker. *Environ Health Perspect* 109(12):1249-1255.
- Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl Toxicol* 3(6):272-290.
- Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, and replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- Andersen ME, Clewell HJ, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87(2):185-205.
- Anderson D, Edwards AJ, Brinkworth MH, et al. 1996. Male-mediated F₁ effects in mice exposed to 1,3-butadiene. *Toxicology* 113(1-3):120-127.
- Anderson D, Hughes JA, Edwards AJ, et al. 1998. A comparison of male-mediated effects in rats and mice exposed to 1,3-butadiene. *Mutat Res* 397(1):77-84.
- Anttinen-Klemetti T, Vaaranrinta R, Mutanen P, et al. 2006. Inhalation exposure to 1,3-butadiene and styrene in styrene-butadiene copolymer production. *Int J Hyg Environ Health* 209(2):151-158.
- Arce GT, Vincent DR, Cunningham MJ, et al. 1989. The *in vitro* and *in vivo* genotoxicity of 1,3-butadiene and metabolites. Haskell Laboratory for Toxicology and Industrial Medicine, E.I. Du Pont de Nemours and Company, Inc.
- Atkinson R. 1989. Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. *J Phys Chem Ref Data* 1:110.

9. REFERENCES

- Atkinson R, Carter WPL. 1984. Kinetics and mechanisms of gas-phase reactions of ozone with organic compounds under atmospheric conditions. *Chem Rev* 84:437-470.
- Atkinson R, Aschmann SM, Winer AM, et al. 1984. Kinetics of the gas-phase reactions of NO³ radicals with a series of dialkenes, cycloalkenes, and monoterpenes at 295 ± 1K. *Environ Sci Technol* 18:370-375.
- Au WW, Bechtold WE, Whorton EB, et al. 1995. Chromosome aberrations and response to γ -ray challenge in lymphocytes of workers exposed to 1,3-butadiene. *Mutat Res* 334:125-130.
- Austin CC, Wang D, Ecobichon DJ, et al. 2001. Characterization of volatile organic compounds in smoke at municipal structural fires. *J Toxicol Environ Health A* 63(6):437-458.
- Autio K, Renzi L, Catalan J, et al. 1994. Induction of micronuclei in peripheral blood and bone marrow erythrocytes of rats and mice exposed to 1,3-butadiene by inhalation. *Mutat Res* 309(2):315-320.
- Baker J, Arey J, Atkinson R. 2005. Formation and reaction of hydroxycarbonyls from the reaction of OH radicals with 1,3-butadiene and isoprene. *Environ Sci Technol* 39(11):4091-4099.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486.
- Bartle KD, Bergstedt L, Novotny M, et al. 1969. Tobacco chemistry II. Analysis of the gas phase of tobacco smoke by gas chromatography-mass spectrometry. *J Chromatogr* 45(2):256-263.
- Beaudouin R, Micallef S, Brochet C. 2010. A stochastic whole-body physiologically based pharmacokinetic model to assess the impact of inter-individual variability on tissue dosimetry over the human lifespan. *Regul Toxicol Pharmacol* 57(1):103-116.
- Bechtold WE, Strunk MR, Chang I, et al. 1994. Species differences in urinary butadiene metabolites: Comparisons of metabolite ratios between mice, rats, and humans. *Toxicol Appl Pharmacol* 127:44-49.
- Begemann P, Sram RJ, Neumann HG. 2001a. Hemoglobin adducts of epoxybutene in workers occupationally exposed to 1,3-butadiene. *Arch Toxicol* 74(11):680-687.
- Begemann P, Upton PB, Ranasinghe A, et al. 2001b. Hemoglobin adducts as biomarkers of 1,3-butadiene in occupationally low exposed Italian workers and a few diesel-exposed miners. *Chem Biol Interact* 135-136:675-678.
- Berger GS, ed. 1994. Epidemiology of endometriosis. In: *Endometriosis: Modern surgical management of endometriosis*. New York, NY: Springer-Verlag, 3-7.
- Bernardini S, Hirvonen A, Pelin K, et al. 1998. Induction of sister chromatid exchange by 1,2-epoxy-3-butene in cultured human lymphocytes: Influence of GSTT1 genotype. *Carcinogenesis* 19(2):377-380.
- Bevan C, Stadler JC, Elliott GS, et al. 1996. Subchronic toxicity of 4-vinylcyclohexene in rats and mice by inhalation exposure. *Fundam Appl Toxicol* 32(1):1-10.
- Biemer JJ. 1983. The preleukemic syndrome. *Ann Clin Lab Sci* 13(2):156-162.

9. REFERENCES

- Blomberg L, Widmark G. 1975. Separation of fresh tobacco on a packed polar gas chromatographic column prior to on-line analysis by gas chromatography-mass spectrometry using a non-polar capillary column. *J Chromatogr* 106(1):59-71.
- Bois FY, Smith TJ, Gelman A, et al. 1999. Optimal design for a study of butadiene toxicokinetics in humans. *Toxicol Sci* 49:213-224.
- Bolt HM, Filser JG, Stormer F. 1984. Inhalation pharmacokinetics based on gas uptake studies. V. Comparative pharmacokinetics of ethylene and 1,3-butadiene in rats. *Arch Toxicol* 55:213-218.
- Bolt HM, Schmiedel G, Filser JG, et al. 1983. Biological activation of 1,3-butadiene to vinyl oxirane by rat liver microsomes and expiration of the reactive metabolite by exposed rats. *J Cancer Res Clin Oncol* 106:112-116.
- Bond JA, Csanady GA, Leavens T, et al. 1993. Research strategy for assessing target tissue dosimetry of 1,3-butadiene in laboratory animals and humans. *IARC Sci Publ* (127):45-55.
- Bond JA, Dahl AR, Henderson RF, et al. 1986. Species differences in the disposition of inhaled butadiene. *Toxicol Appl Pharmacol* 84(3):617-627.
- Bond JA, Dahl AR, Henderson RF, et al. 1987. Species differences in the distribution of inhaled butadiene in tissues. *Am Ind Hyg Assoc J* 48(10):867-872.
- Bond JA, Himmelstein MW, Seaton M, et al. 1996. Metabolism of butadiene by mice, rats, and humans: A comparison of physiologically based toxicokinetic model predictions and experimental data. *Toxicology* 113(1-3):48-54.
- *Bond JA, Martin OS, Birnbaum LS, et al. 1988. Metabolism of 1,3-butadiene by lung and liver microsomes of rats and mice repeatedly exposed by inhalation to 1,3-butadiene. *Toxicol Lett* 44:143-151.
- Boogaard PJ, van Sittert NJ, Megens HJ. 2001a. Urinary metabolites and haemoglobin adducts as biomarkers of exposure to 1,3-butadiene: A basis for 1,3-butadiene cancer risk assessment. *Chem Biol Interact* 135-136:695-701.
- Boogaard PJ, van Sittert NJ, Watson WP, et al. 2001b. A novel DNA adduct, originating from 1,2-epoxy-3,4-butanediol, is the major DNA adduct after exposure to [2,3-¹⁴C]-1,3-butadiene, [4-¹⁴C]-1,2-epoxy-3-butane. *Chem Biol Interact* 135-136:687-693.
- Boysen G, Georgieva NI, Bordeerat NK, et al. 2012. Formation of 1,2:3,4-diepoxybutane-specific hemoglobin adducts in 1,3-butadiene exposed workers. *Toxicol Sci* 125:30-40.
- Boysen G, Georgieva NI, Upton PB, et al. 2004. Analysis of diepoxide-specific cyclic N-terminal globin adducts in mice and rats after inhalation exposure to 1,3-butadiene. *Cancer Res* 64(23):8517-8520.
- Brinkworth MH, Anderson D, Hughes JA, et al. 1998. Genetic effects of 1,3-butadiene on the mouse testis. *Mutat Res* 397(1):67-75.
- Brochot C, Bois FY. 2005. Use of a chemical probe to increase safety for human volunteers in toxicokinetic studies. *Risk Anal* 25(6):1559-1571.

9. REFERENCES

- Brochot C, Smith TJ, Bois FY. 2007. Development of a physiologically based toxicokinetic model for butadiene and four major metabolites in humans: Global sensitivity analysis for experimental design issues. *Chem Biol Interact* 167(3):168-183.
- Broderick BM, Marnane IS. 2002. A comparison of the C₂-C₉ hydrocarbon compositions of vehicle fuels and urban air in Dublin, Ireland. *Atmos Environ* 36:975-986.
- Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: C.V. Mosby Company, 226-227.
- Brunnemann KD, Kagan MR, Cox JE, et al. 1990. Analysis of 1,3-butadiene and other selected gas-phase components in cigarette mainstream and sidestream smoke by gas chromatography-mass selective detection. *Carcinogenesis* 11(10):1863-1868.
- Carmella SG, Chen M, Han S, et al. 2009. Effects of smoking cessation on eight urinary tobacco carcinogen and toxicant biomarkers. *Chem Res Toxicol* 22(4):734-741.
- Carpenter CP, Shaffer CB, Weil CS, et al. 1944. Studies on the inhalation of 1:3-butadiene; with a comparison of its narcotic effect with benzol, toluol, and styrene, and a note on the elimination of styrene by the human. *J Ind Hyg Toxicol* 26:69-78.
- Carrieri M, Bartolucci GB, Livieri M, et al. 2009. Quantitative determination of the 1,3-butadiene urinary metabolite 1,2-dihydroxybutyl mercapturic acid by high-performance liquid chromatography/tandem mass spectrometry using polynomial calibration curves. *J Chromatogr B Analyt Technol Biomed Life Sci* 877:1388-1393.
- Case RAM, Hosker ME. 1954. Tumour of the urinary bladder as an occupational disease in the rubber industry in England and Wales. *Br J Prev Soc Med* 8:39-50.
- Checkoway H, Williams TM. 1982. A hematology survey of workers at a styrene-butadiene synthetic rubber manufacturing plant. *Am Ind Hyg Assoc J* 43:164-169.
- Chemical Market Reporter. 2006. Chemical profile: Butadiene. *Chem Market Rep* May 22-28 2006:34.
- Chemical Week. 2008. Product focus: Butadiene. *Chem Week* March 10:31.
- ChemID Plus Advanced. 2009. 1,3-Butadiene. ChemIDplus. Bethesda, MD: U.S. National Library of Medicine. <http://chem.sis.nlm.nih.gov/chemidplus/>. June 1, 2009.
- Cheng H, Sathiakumar N, Graff J, et al. 2007. 1,3-Butadiene and leukemia among synthetic rubber industry workers: Exposure-response relationships. *Chem Biol Interact* 166(1-3):15-24.
- Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Cochrane JE, Skopek TR. 1993. Mutagenicity of 1,3-butadiene and its epoxide metabolites in human TK6 cells and in splenic T cells isolated from exposed B6C3F₁ mice. In: Sorsa M, Peltonen K, Vainio H, et al., eds. *Butadiene and styrene: Assessment of health hazards*. IARC Scientific Publications No. 127. Lyon, France: International Agency for Research on Cancer, 195-204.

9. REFERENCES

- Counts ME, Hsu FS, Tewes FJ. 2006. Development of a commercial cigarette "market map" comparison methodology for evaluating new or non-conventional cigarettes. *Regul Toxicol Pharmacol* 46:225-242.
- Cowles SR, Tsai SP, Snyder PJ, et al. 1994. Mortality, morbidity, and haematological results from a cohort of long-term workers involved in 1,3-butadiene monomer production. *Occup Environ Med* 51(5):323-329.
- Crouch CN, Pullinger DH, Gaunt IF. 1979. Inhalation toxicity studies with 1,3-butadiene 2. 3 month toxicity study in rats. *Am Ind Hyg Assoc J* 40:796-802.
- Csanady GA, Guengerich FP, Bond JA. 1992. Comparison of the biotransformation of 1,3-butadiene and its metabolite, butadiene monoepoxide, by hepatic and pulmonary tissues from humans, rats and mice. *Carcinogenesis* 13(7):1143-1153.
- Csanady GA, Kreuzer PE, Baur C, et al. 1996. A physiological toxicokinetic model for 1,3-butadiene in rodents and man: Blood concentrations of 1,3-butadiene, its metabolically formed epoxides, and of haemoglobin adducts—relevance of glutathione depletion. *Toxicology* 113(1-3):300-305.
- Cunningham MJ, Choy WN, Arce GT, et al. 1986. *In vivo* sister chromatid exchange and micronucleus induction studies with 1,3-butadiene in B6C3F₁ mice and Sprague-Dawley rats. *Mutagenesis* 1(6):449-452.
- Currance PL, Clements B, Bronstein AC. 2007. Aliphatic hydrocarbons and related compounds. In: Honeycutt L, ed. *Emergency care for hazardous materials exposure*. 3rd ed. St. Louis, MO: MosbyJems, 240-242.
- Curren KC, Dann TF, Wang DK. 2006. Ambient air 1,3-butadiene concentrations in Canada (1995-2003): Seasonal, day of week variations, trends, and source influences. *Atmos Environ* 40:170-181.
- Dahl AR, Bechtold WE, Bond JA, et al. 1990. Species differences in the metabolism and disposition of inhaled 1,3-butadiene and isoprene. *Environ Health Perspect* 86:65-69.
- Dahl AR, Sun JD, Birnbaum LS, et al. 1991. Toxicokinetics of inhaled 1,3-butadiene in monkeys: Comparison to toxicokinetics in rats and mice. *Toxicol Appl Pharmacol* 110(1):9-19.
- Delzell E, Macaluso M, Sathiakumar N, et al. 2001. Leukemia and exposure to 1,3-butadiene, styrene and dimethyldithiocarbamate among workers in the synthetic rubber industry. *Chem Biol Interact* 135-136:515-534.
- Delzell E, Sathiakumar N, Hovinga M, et al. 1996. A follow-up study of synthetic rubber workers. *Toxicology* 113(1-3):182-189.
- de Meester C. 1988. Genotoxic properties of 1,3-butadiene. *Mutat Res* 195(104):273-281.
- de Meester C, Poncelet F, Roberfroid M, et al. 1978. Mutagenicity of butadiene and butadiene monoxide. *Biochem Biophys Res Commun* 80(2):298-305.
- de Meester C, Poncelet F, Roberfroid M, et al. 1980. The mutagenicity of butadiene towards *Salmonella typhimurium*. *Toxicol Lett* 6(3):125-130.

9. REFERENCES

- Deutschmann S, Laib RJ. 1989. Concentration-dependent depletion of non-protein sulfhydryl (NPSH) content in lung, heart and liver tissues of rats and mice after acute inhalation exposure to butadiene. *Toxicol Lett* 45:175-183.
- Divine BJ. 1989. An update on mortality among workers at a butadiene facility—preliminary results. Report by Texaco Inc., Houston, TX.
- Divine BJ. 1990. An update on mortality among workers at a 1,3-butadiene facility — preliminary results. *Environ Health Perspect* 86:119-128.
- Divine BJ, Hartman CM. 1996. Mortality update of butadiene production workers. *Toxicology* 113(1-3):169-181.
- Divine BJ, Hartman CM. 2001. A cohort mortality study among workers at a 1,3 butadiene facility. *Chem Biol Interact* 135-136:535-553.
- Divine BJ, Wendt JK, Hartman CM. 1993. Cancer mortality among workers at a butadiene production facility. In: Sorsa M, Peltonen K, Vainio H, et al., eds. *Butadiene and styrene: Assessment of health hazards*. IARC Scientific Publications No. 127. Lyon, France: International Agency for Research on Cancer, 345-362.
- DOE/NTP. 1987a. Inhalation developmental toxicology studies of 1,3-butadiene in the rat. Final report. Richland, WA: U.S. Department of Energy. National Toxicology Program. PNL6414. DE88004186.
- DOE/NTP. 1987b. Inhalation developmental toxicology studies: Teratology study of 1,3-butadiene in mice. Final report. U.S. Department of Energy. National Toxicology Program. PNL6412. DE88004187.
- DOE/NTP. 1988a. Sperm-head morphology study in B6C3F₁ mice following inhalation exposure to 1,3-butadiene. Final technical report. Richland, WA: U.S. Department of Energy. National Toxicology Program. PNL6459. DE88008620.
- DOE/NTP. 1988b. Dominant lethal study in CD-1 mice following inhalation exposure to 1,3-butadiene: Final technical report. Richmond, WA: U.S. Department of Energy. National Toxicology Program. PNL6545. DE88010185.
- Doerr JK, Hollis EA, Sipes IG. 1996. Species difference in the ovarian toxicity of 1,3-butadiene epoxides in B6C3F₁ mice and Sprague-Dawley rats. *Toxicology* 113:128-136.
- Dolnick AA, Potash M. 1948. Butadiene. In: Kirk RE, Othmer DF, eds. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 2. New York, NY: Interscience Encyclopedias, Inc., 669-674.
- Downs TD, Crane MM, Kim KW. 1987. Mortality among workers at a butadiene facility. *Am J Ind Med* 12:311-329.
- Duescher RJ, Elfarra AA. 1994. Human liver microsomes are efficient catalysts of 1,3-butadiene oxidation: Evidence for major roles by cytochromes P450 2A6 and 2E1. *Arch Biochem Biophys* 311(2):342-349.
- Elfarra AA, Krause RJ, Kemper RA. 2001. Cellular and molecular basis for species, sex and tissue differences in 1,3-butadiene metabolism. *Chem Biol Interact* 135-136:239-248.

9. REFERENCES

Elfarra AA, Krause RJ, Selzer RR. 1996. Biochemistry of 1,3-butadiene metabolism and its relevance to 1,3-butadiene-induced carcinogenicity. *Toxicology* 113(1-3):23-30.

EPA. 1978. Interim primary drinking water regulations. U.S. Environmental Protection Agency. *Fed Regist* 43:29135-29150.

EPA. 1982. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. EPA6001482057.

EPA. 1985. Mutagenicity and carcinogenicity assessment of 1,3-butadiene. Washington, DC: U.S. Environmental Protection Agency. EPA600885004F.

EPA. 1986. Methods for the determination of organic compounds in finished drinking water and raw source water. Cincinnati, OH: U.S. Environmental Protection Agency, Physical and Chemical Methods Branch.

EPA. 1988a. Guidelines establishing test procedures for the analysis of pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 1:36, 249-267.

*EPA 1988b. Protection of environment. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355:182-191.

EPA. 1994. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. Washington, DC: U.S. Environmental Protection Agency. EPA600890066F.

EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

EPA. 1999a. Compendium of methods for the determination of toxic organic compounds in ambient air. Second edition. Compendium method TO-15. Determination of volatile organic compounds (VOCs) in air collected in specially-prepared canisters and analyzed by gas chromatography/mass spectrometry (GC/MS). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA625R96010b.

EPA. 1999b. Compendium of methods for determination of toxic organic compounds in ambient air. Second edition. Compendium method TO-14A. Determination of volatile organic compounds (VOCs) in ambient air using specially prepared canisters with subsequent analysis by gas chromatography. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA625R96010b

EPA. 2002. Health assessment of 1,3-butadiene. Washington, DC: U.S. Environmental Protection Agency. EPA600P98001F.

EPA. 2003a. Estimate background concentrations for the national-scale air toxics assessment. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards.

9. REFERENCES

- EPA. 2003b. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency. Office of Ground Water and Drinking Water, <http://www.epa.gov/safewater/contaminants/index.html>. May 19, 2009.
- EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.
- EPA. 2006a. Drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA822R04005. <http://epa.gov/waterscience/criteria/drinking/>. May 19, 2009.
- EPA. 2006b. National recommended water quality criteria. Washington, DC: U.S. Environmental Protection Agency. Office of Water, Office of Science and Technology, <http://www.epa.gov/waterscience/criteria/wqcriteria.html>. May 11, 2009.
- EPA. 2008. 2005 National emissions inventory data & documentation. National Emissions Inventory. U.S. Environmental Protection Agency. <http://www.epa.gov/ttn/chief/net/2005inventory.html>. May 26, 2009.
- EPA. 2009a. Acute exposure guideline levels (AEGLs). Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/oppt/aegl/>. May 19, 2009.
- EPA. 2009b. Hazardous air pollutants. Clean Air Act. U.S. Environmental Protection Agency. United States Code. 42 USC 7412. <http://www.epa.gov/ttn/atw/orig189.html>. May 19, 2009.
- EPA. 2009c. Regulated toxic substances and threshold quantities for accidental release prevention. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 68.130. <http://www.epa.gov/lawsregs/search/40cfr.html>. May 20, 2009.
- EPA. 2009d. Superfund, emergency planning, and community right-to-know programs. Designation, reportable quantities, and notifications. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. <http://www.epa.gov/lawsregs/search/40cfr.html>. May 20, 2009.
- EPA. 2009e. Superfund, emergency planning, and community right-to-know programs. Toxic chemical release reporting. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. <http://www.epa.gov/lawsregs/search/40cfr.html>. May 11, 2009.
- Evelo CTA, Oostendorp JGM, ten Berge WF, et al. 1993. Physiologically based toxicokinetic modeling of 1,3-butadiene lung metabolism in mice becomes more important at low doses. *Environ Health Perspect* 101(6):496-502.
- FDA. 2008. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. <http://vm.cfsan.fda.gov/~dms/eafus.html>. May 19, 2009.
- FEDRIP. 2009. Federal Research in Progress Database. Springfield, VA: National Technical Information Service.

9. REFERENCES

- Filser JG, Bolt HM. 1984. Inhalation pharmacokinetics based on gas uptake studies. VI. Comparative evaluation of ethylene oxide and butadiene monoxide as exhaled reactive metabolites of ethylene and 1,3-butadiene in rats. *Arch Toxicol* 55(4):219-223.
- Filser JG, Bhowmik S, Faller TH, et al. 2010. Quantitative investigation on the metabolism of 1,3-butadiene and of its oxidized metabolites in once-through perfused livers of mice and rats. *Toxicol Sci* 114(1):25-37.
- Filser JG, Faller TH, Bhowmik S, et al. 2001. First-pass metabolism of 1,3-butadiene in once-through perfused livers of rats and mice. *Chem Biol Interact* 135-136:249-265.
- Filser JG, Hutzler C, Meischner V, et al. 2007. Metabolism of 1,3-butadiene to toxicologically relevant metabolites in single-exposed mice and rats. *Chem Biol Interact* 166(1-3):93-103.
- Filser JG, Johanson G, Kessler W, et al. 1993. A pharmacokinetic model to describe toxicokinetic interactions between 1,3-butadiene and styrene in rats: Predictions for human exposure. In: Sorsa M, Peltonen K, Vainio H, et al., eds. *Butadiene and styrene: Assessment of health hazards*. IARC Scientific Publications No. 127. Lyon, France: International Agency for Research on Cancer, 65-78.
- Fomon SJ. 1966. Body composition of the infant: Part I: The male reference infant. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35(Suppl 5):1169-1175.
- Fox AJ, Lindars DC, Owen R. 1974. A survey of occupational cancer in the rubber and cablemaking industries: Results of five-year analysis, 1976-71. *Br J Ind Med* 31(2):140-151.
- Fustinoni S, Perbellini L, Soleo L, et al. 2004. Biological monitoring in occupational exposure to low levels of 1,3-butadiene. *Toxicol Lett* 149(1-3):353-360.
- Georgieva NI, Boysen G, Bordeerat N, et al. 2010. Exposure-response of 1,2,3,4-diepoxybutane-specific N-terminal valine adducts in mice and rats after inhalation exposure to 1,3-butadiene. *Toxicol Sci* 115(2):322-329.
- Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect* 101(Suppl 2):65-71.
- Goggin M, Swenberg JA, Walker VE, et al. 2009. Molecular dosimetry of 1,2,3,4-diepoxybutane-induced DNA — DNA cross-links in B6C3F₁ mice and F344 rats exposed to 1,3-butadiene by inhalation. *Cancer Res* 69(6):2479-2486.
- Graff JJ, Sathlakumar N, Macaluso M, et al. 2005. Chemical exposures in the synthetic rubber industry and lymphohematopoietic cancer mortality. *J Occup Med* 47:916-932.
- Graff JJ, Sathlakumar N, Macaluso M, et al. 2009. The effect of uncertainty in exposure estimation on the exposure-response relation between 1,3-butadiene and leukemia. *Int J Environ Res Public Health* 6(9):2436-2455.
- Graham LA, Noseworthy L, Fugler D, et al. 2004. Contribution of vehicle emissions from an attached garage to residential indoor air pollution levels. *J Air Waste Manage Assoc* 54(5):563-584.

9. REFERENCES

- Grant RL, Haney J, Curry AL, et al. 2010. A chronic reference value for 1,3-butadiene based on an updated noncancer toxicity assessment. *J Toxicol Environ Health B Crit Rev* 13(6):460-475.
- Grant RL, Leopold V, McCant D, et al. 2007. Spatial and temporal trend evaluation of ambient concentrations of 1,3-butadiene and chloroprene in Texas. *Chem Biol Interact* 166(1-3):44-51.
- Green T, Toghil A, Moore R. 2001. The influence of co-exposure to dimethyldithiocarbamate on butadiene metabolism. *Chem Biol Interact* 135-136:585-598.
- Grub J, Loser E. 2005. Butadiene. In: Ullmann's encyclopedia of industrial chemistry, 1-17. http://mrw.interscience.wiley.com/emrw/9783527306732/ueic/article/a04_431/current/pdf. May 31, 2009.
- Gustafson P, Barregard L, Strandberg B, et al. 2007. The impact of domestic wood burning on personal, indoor and outdoor levels of 1,3-butadiene, benzene, formaldehyde and acetaldehyde. *J Environ Monit* 9(1):23-32.
- Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences and Press Institute Press.
- Hallberg LM, Bechtold WE, Grady J, et al. 1997. Abnormal DNA repair activities in lymphocytes of workers exposed to 1,3-butadiene. *Mutat Res* 383(3):213-221.
- Hansch C, Leo A, Hoekman D. 1995. Exploring QSAR hydrophobic, electronic, and steric constants. Washington, DC: American Chemical Society, 8.
- Hayes RB, Xi L, Bechtold WE, et al. 1996. *hprt* Mutation frequency among workers exposed to 1,3-butadiene in China. *Toxicology* 113(1-3):100-105.
- Hayes RB, Zhang L, Swenberg JA, et al. 2001. Markers for carcinogenicity among butadiene-polymer workers in China. *Chem Biol Interact* 135-136:455-464.
- Hayes RB, Zhang L, Yin S, et al. 2000. Genotoxic markers among butadiene polymer workers in China. *Carcinogenesis* 21(1):55-62.
- HazDat. 2007. 1,3-Butadiene. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- Health Canada. 2000. Canadian Environmental Protection Act, 1999. Priority substances list health assessment: 1,3-Butadiene. Health Canada. Environment Canada. Minister of Public Works and Government Services. http://www.hc-sc.gc.ca/ewh-semtpubs/contaminants/psl2-lsp2/1_3_butadiene/index-eng.php. July 9, 2009.
- HEI. 2000. 1,3-Butadiene: cancer, mutations, and adducts. Number 92. Cambridge, MA: Health Effects Institute.
- HEI. 2003. Biomarkers in Czech workers exposed to 1,3-butadiene: A transitional epidemiologic study. Number 116. Boston, MA: Health Effects Institute.
- HEI. 2006. An updated study of mortality among North American synthetic rubber industry workers. Number 132. Boston, MA: Health Effects Institute.

9. REFERENCES

- Henderson RF, Thornton-Manning JR, Bechtold WE, et al. 1996. Metabolism of 1,3-butadiene: Species differences. *Toxicology* 113(1-3):17-22.
- Hendricks WD, Schultz GR. 1986. A sampling and analytical method for monitoring low ppm air concentrations of 1,3-butadiene. *Appl Ind Hyg* 1:186-189.
- Higashino H, Mita K, Yoshikado H, et al. 2007. Exposure and risk assessment of 1,3-butadiene in Japan. *Chem Biol Interact* 166(1-3):52-62.
- Himmelstein MW, Acquavella JF, Recio L, et al. 1997. Toxicology and epidemiology of 1,3-butadiene. *Crit Rev Toxicol* 27(1):1-108.
- Himmelstein MW, Asgharian B, Bond JA. 1995. High concentrations of butadiene epoxides in livers and lungs of mice compared to rats exposed to 1,3-butadiene. *Toxicol Appl Pharmacol* 132(2):281-288.
- Himmelstein MW, Turner MJ, Asgharian B, et al. 1994. Comparison of blood concentrations of 1,3-butadiene and butadiene epoxides in mice and rats exposed to 1,3-butadiene by inhalation. *Carcinogenesis* 15(8):1479-1486.
- Himmelstein MW, Turner MJ, Asgharian B, et al. 1996. Metabolism of 1,3-butadiene: Inhalation pharmacokinetics and tissue dosimetry of butadiene epoxides in rats and mice. *Toxicology* 113(1-3):306-309.
- Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- Hong HH, Devereux TR, Melnick RL, et al. 2000. Mutations of *ras* protooncogenes and *p53* tumor suppressor gene in cardiac hemangiosarcomas from B6C3F₁ mice exposed to 1,3-butadiene for 2 years. *Toxicol Pathol* 28(4):529-534.
- Hou CT, Patel R, Laskin AI, et al. 1979. Microbial oxidation of gaseous hydrocarbons: Epoxidation of C₂ to C₄ n-alkenes by methylotrophic bacteria. *Appl Environ Microbiol* 38:127-134.
- Hou CT, Patel R, Laskin AI, et al. 1983. Epoxidation of short-chain alkenes by resting-cell suspensions of propane-grown bacteria. *Appl Environ Microbiol* 46:171-177.
- HSDB. 2009. 1,3-butadiene. Hazardous Substances Data Bank. <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>. April 7, 2009.
- Hughes K, Meek ME, Walker M, et al. 2003. 1,3-Butadiene: Exposure estimation, hazard characterization, and exposure-response analysis. *J Toxicol Environ Health B Crit Rev* 6(1):55-83.
- Hurst HE. 2007. Toxicology of 1,3-butadiene, chloroprene, and isoprene. *Rev Environ Contam Toxicol* 189:131-179.
- IARC. 2009. Agents reviewed by the IARC Monographs. Volumes 1-99. Lyon, France: International Agency for Research on Cancer. <http://monographs.iarc.fr/ENG/Classification/index.php>. May 19, 2009.
- ICIS. 2009. Butadiene uses and market data. <http://www.icis.com/v2/chemicals/9075172/butadiene/uses.html>. June 1, 2009.

9. REFERENCES

- IRIS. 2012. 1,3-Butadiene. Washington, DC: Integrated Risk Information System. <http://www.epa.gov/iris/subst/index.html>. September 5, 2012.
- Irons RD, Pyatt DW. 1998. Dithiocarbamates as potential confounders in butadiene epidemiology. *Carcinogenesis* 19(4):539-542.
- Irons RD, Oshimura M, Barrett JC. 1987b. Chromosome aberrations in mouse bone marrow cells following *in vivo* exposure to 1,3-butadiene. *Carcinogenesis* 8(11):1711-1714.
- Irons RD, Smith CN, Stillman WS, et al. 1986a. Macrocytic-megaloblastic anemia in male B6C3F₁ mice following chronic exposure to 1,3-butadiene. *Toxicol Appl Pharmacol* 83(1):95-100.
- Irons RD, Smith CN, Stillman WS, et al. 1986b. Macrocytic-megaloblastic anemia in male NIH Swiss mice following repeated exposure to 1,3-butadiene. *Toxicol Appl Pharmacol* 85(3):450-455.
- *Irons RD, Stillman WS, Cloyd MW. 1987a. Selective activation of endogenous ecotropic retrovirus in hematopoietic tissues of B6C3F₁ mice during the preleukemic phase of 1,3-butadiene exposure. *Virology* 161(2):457-462.
- Irons RD, Stillman WS, Pyatt DW, et al. 2001. Comparative toxicity of dithiocarbamates and butadiene metabolites in human lymphoid and bone marrow cells. *Chem Biol Interact* 135-136:615-625.
- Irvine LFH. 1981. 1,3-Butadiene: Inhalation teratogenicity study in the rat. Final report. Harrogate, England: Hazleton Laboratories Europe Ltd. OTS050545.
- *Jackson MA, Stack HF, Rice JM, et al. 2000a. A review of the genetic and related effects of 1,3-butadiene in rodents and humans. *Mutat Res* 463(3):181-213.
- Jackson TE, Lilly PD, Recio L, et al. 2000b. Inhibition of cytochrome P450 2E1 decreases, but does not eliminate, genotoxicity mediated by 1,3-butadiene. *Toxicol Sci* 55(2):266-273.
- Jauhar PP, Henika PR, Macgregor JT, et al. 1988. 1,3-Butadiene: Induction of micronucleated erythrocytes in the peripheral blood of B6C3F₁ mice exposed by inhalation for 13 weeks. *Mutat Res* 209(3-4):171-176.
- Jelitto B, Vangala RR, Laib RJ. 1989. Species differences in DNA damage by butadiene: Role of diepoxybutane. *Arch Toxicol Suppl* 13:246-249.
- Johanson G, Filser JG. 1993. A physiologically based pharmacokinetic model for butadiene and its metabolite butadiene monoxide in rat and mouse and its significance for risk extrapolation. *Arch Toxicol* 67(3):151-163.
- Johanson G, Filser JG. 1996. PBPK model for butadiene metabolism to epoxides: Quantitative species differences in metabolism. *Toxicology* 113(1-3):40-47.
- Jones B, Harris RL. 1983. Calculation of time-weighted average concentrations: A computer mapping application. *Am Ind Hyg Assoc J* 44:795-801.
- Junk GA, Ford CS. 1980. A review of organic emissions from selected combustion processes. *Chemosphere* 9:187-230.

9. REFERENCES

- Kelsey KT, Wiencke JK, Ward J, et al. 1995. Sister-chromatid exchanges, glutathione S-transferase θ deletion and cytogenetic sensitivity to diepoxybutane in lymphocytes from butadiene monomer production workers. *Mutat Res* 335(3):267-273.
- Kennedy CH, Catallo WJ, Wilson VL, et al. 2009. Combustion products of 1,3-butadiene inhibit catalase activity and induce expression of oxidative DNA damage repair enzymes in human bronchial epithelial cells. *Cell Biol Toxicol* 25(5):457-470.
- *Khalil M, Abudiab M, Ahmed AE. 2007. Clinical evaluation of 1,3-butadiene neurotoxicity in humans. *Toxicol Ind Health* 23(3):141-146.
- Kim SR, Dominici F, Buckley TJ. 2007. Concentrations of vehicle-related air pollutants in an urban parking garage. *Environ Res* 105(3):291-299.
- Kim Y, Hong HH, Lachat Y, et al. 2005. Genetic alterations in brain tumors following 1,3-butadiene exposure in B6C3F₁ mice. *Toxicol Pathol* 33(3):307-312.
- Kim YM, Harrad S, Harrison RM. 1999. An improved method for the determination of 1,3-butadiene in nonoccupational environments. *Environ Sci Technol* 33:4342-4345.
- Kim YM, Harrad S, Harrison RM. 2001. Concentrations and sources of VOCs in urban domestic and public microenvironments. *Environ Sci Technol* 35(6):997-1004.
- Kim YM, Harrad S, Harrison RM. 2002. Levels and sources of personal inhalation exposure to volatile organic compounds. *Environ Sci Technol* 36(24):5405-5410.
- Kirman CR, Grant RL. 2012. Quantitative human health risk assessment for 1,3-butadiene based upon ovarian effects in rodents. *Regul Toxicol Pharmacol* 62(2):371-384.
- Kirman CR, Albertini RA, Gargas ML. 2010b. 1,3-Butadiene: III. Assessing carcinogenic modes of action. *Crit Rev Toxicol* 40(Suppl 1):74-92.
- Kirman CR, Albertini RJ, Sweeney LM, et al. 2010a. 1,3-Butadiene: I. Review of metabolism and the implications to human health risk assessment. *Crit Rev Toxicol* 40(Suppl 1):1-11.
- Kirshenbaum I. 1978. Butadiene. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 4. New York, NY: John Wiley & Sons, 313-337.
- Kligerman AD, DeMarini DM, Doerr CL, et al. 1999. Comparison of cytogenetic effects of 3,4-epoxy-1-butene and 1,2:3, 4-diepoxybutane in mouse, rat and human lymphocytes following *in vitro* G₀ exposures. *Mutat Res* 439(1):13-23.
- Knox EG. 2005. Childhood cancers and atmospheric carcinogens. *J Epidemiol Community Health* 59:101-105.
- Knox EG. 2006. Roads, railways, and childhood cancers. *J Epidemiol Community Health* 60(2):136-141.
- Kohn MC. 1997. The importance of anatomical realism for validation of physiological models of disposition of inhaled toxicants. *Toxicol Appl Pharmacol* 147:448-458.

9. REFERENCES

- Kohn MC, Melnick RL. 1993. Species differences in the production and clearance of 1,3-butadiene metabolites: A mechanistic model indicates predominantly physiological, not biochemical, control. *Carcinogenesis* 14(4):619-628.
- Kohn MC, Melnick RL. 1996. Effects of the structure of a toxicokinetic model of butadiene inhalation exposure on computed production of carcinogenic intermediates. *Toxicology* 113(1-3):31-39.
- Kohn MC, Melnick RL. 2000. The privileged access model of 1,3-butadiene disposition. *Environ Health Perspect* 108(Suppl 5):911-917.
- Kohn MC, Melnick RL. 2001. Physiological modeling of butadiene disposition in mice and rats. *Chem Biol Interact* 135-136:285-301.
- Koivisto P, Peltonen K. 2001. N7-guanine adducts of the epoxy metabolites of 1,3-butadiene in mice lung. *Chem Biol Interact* 135-136:363-372.
- Koturbash I, Scherhag A, Sorrentino J, et al. 2011b. Epigenetic alterations in liver of C57BL/6J mice after short-term inhalational exposure to 1,3-butadiene. *Environ Health Perspect* 119(5):635-640.
- Koturbash I, Scherhag A, Sorrentino J, et al. 2011a. Epigenetic mechanisms of mouse inter-strain variability in genotoxicity of the environmental toxicant 1,3-butadiene. *Toxicol Sci* 122(2):448-456.
- Krause RJ, Elfarra AA. 1997. Oxidation of butadiene monoxide to *meso*- and (+/-)-diepoxybutane by cDNA-expressed human cytochrome P450s and by mouse, rat, and human liver microsomes: evidence for preferential hydration of *meso*-diepoxybutane in rat and human liver microsomes. *Arch Biochem Biophys* 337(2):176-184.
- Kraybill HF. 1980. Evaluation of public health aspects of carcinogenic/mutagenic biorefractories in drinking water. *Prev Med* 9:212-218.
- Kreiling R, Laib RJ, Bolt HM. 1986a. Alkylation of nuclear proteins and DNA after exposure of rats and mice to carbon-14 1,3-butadiene. *Toxicol Lett* 30(2):131-136.
- Kreiling R, Laib RJ, Bolt HM. 1988. Depletion of hepatic non-protein sulfhydryl content during exposure of rats and mice to butadiene. *Toxicol Lett* 41(3):209-214.
- Kreiling R, Laib RJ, Filser JG, et al. 1986b. Species differences in butadiene metabolism between mice and rats evaluated by inhalation pharmacokinetics. *Arch Toxicol* 58(4):235-238.
- Kreiling R, Laib RJ, Filser JG, et al. 1987. Inhalation pharmacokinetics of 1,2-epoxybutene-3 reveal species differences between rats and mice sensitive to butadiene-induced carcinogenesis. *Arch Toxicol* 61(1):7-11.
- Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.

9. REFERENCES

- Lahdetie J, Peltonen K, Sjoblom T. 1997. Germ cell mutagenicity of three metabolites of 1,3-butadiene in the rat: Induction of spermatid micronuclei by butadiene mono-, di-, and diepoxides *in vivo*. *Environ Mol Mutagen* 29(3):230-239.
- Laib RJ, Filser JG, Kreiling R. 1988. Species differences in butadiene metabolism between mouse and rat. *Ann N Y Acad Sci* 534:663-670.
- Laib RJ, Filser JG, Kreiling R, et al. 1990. Inhalation pharmacokinetics of 1,3-butadiene and 1,2-epoxybutene-3 in rats and mice. *Environ Health Perspect* 86:57-63.
- Laib RJ, Tucholski M, Filser JG, et al. 1992. Pharmacokinetic interaction between 1,3-butadiene and styrene in Sprague-Dawley rats. *Arch Toxicol* 66(5):310-314.
- Leavens TL, Bond JA. 1996. Pharmacokinetic model describing the disposition of butadiene and styrene in mice. *Toxicology* 113(1-3):310-313.
- Leavens TL, Farris GM, James RA, et al. 1997. Genotoxicity and cytotoxicity in male B6C3F₁ mice following exposure to mixtures of 1,3-butadiene and styrene. *Environ Mol Mutagen* 29(4):335-345.
- Leavens TL, Moss OR, Turner MJ, et al. 1996. Metabolic interactions of 1,3-butadiene and styrene in male B6C3F₁ mice. *Toxicol Appl Pharmacol* 141(2):628-636.
- Leber AP. 2001. Human exposures to monomers resulting from consumer contact with polymers. *Chem Biol Interact* 135-136:215-220.
- Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- Leiderman LJ, Stillman WS, Shah RS, et al. 1986. Altered hematopoietic stem cell development in male B6C3F₁ mice following exposure to 1,3-butadiene. *Exp Mol Pathol* 44(1):50-56.
- Leikin JB, Paloucek FP. 2002. Leikin & Paloucek's poisoning & toxicology handbook. 3rd ed. Hudson, OH: Lexi-Comp, Inc., 306.
- Leung H. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantyne B, Marrs T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- Lewis RJ. 2007. 1,3-Butadiene. In: Lewis RJ, ed. *Hawley's condensed chemical dictionary*. 5th ed. New York, NY: John Wiley & Sons, Inc., 190.
- Lide DR. 2008. Physical constants of organic compounds. In: Lide DR, ed. *CRC handbook of chemistry and physics*. 88th ed. New York, NY: CRC Press, 3-72.
- Lin YS, Smith TJ, Kelsey KT, et al. 2001. Human physiologic factors in respiratory uptake of 1,3-butadiene. *Environ Health Perspect* 109(9):921-926.
- Lin YS, Smith TJ, Wypij D, et al. 2002. Association of the blood/air partition coefficient of 1,3-butadiene with blood lipids and albumin. *Environ Health Perspect* 110(2):165-168.

9. REFERENCES

- Liu S, Ao L, Du B, et al. 2008. *HPRT* mutations in lymphocytes from 1,3-butadiene-exposed workers in China. *Environ Health Perspect* 116:203-208.
- Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4(2-3):301-324.
- Lofroth G, Burton RM, Forehand L, et al. 1989. Characterization of environmental tobacco smoke. *Environ Sci Technol* 23(5):610-614.
- Lonneman WA, Namie GR, Bufalini JJ. 1979. Hydrocarbons in Houston air. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600379018, 36.
- Loprieno N, Presciuttini S, Sbrana I, et al. 1978. Mutagenicity of industrial compounds. VII. Styrene and styrene oxide: II. Point mutations, chromosome aberrations and DNA repair induction analyses. *Scand J Work Environ Health* 4:169-178.
- Lovreglio P, Bukvic N, Fustinoni S, et al. 2006. Lack of genotoxic effect in workers exposed to very low doses of 1,3-butadiene. *Arch Toxicol* 80(6):378-381.
- Lunsford RA. 1987. Comments on sampling and analytical method for monitoring low ppm air concentrations of 1,3-butadiene. *Appl Ind Hyg* 2:93-94.
- Lunsford RA, Gagnon YT. 1987. Use of a backflushable pre-column to maintain the performance of an aluminum oxide porous-layer open-tubular fused silica column for the determination of 1,3-butadiene in air. *J High Resolut Chromatogr* 10:102-104.
- Lyman WJ, Reehl WF, Rosenblatt DH. 1990. In: Handbook of chemical property estimation methods. Washington, DC: American Chemical Society, 15-15 to 15-17.
- Ma H, Wood TG, Ammenheuser MM, et al. 2000. Molecular analysis of *hprt* mutant lymphocytes from 1,3-butadiene-exposed workers. *Environ Mol Mutagen* 36(1):59-71.
- Macaluso M, Larson R, Delzell E, et al. 1996. Leukemia and cumulative exposure to butadiene, styrene and benzene among workers in the synthetic rubber industry. *Toxicology* 113(1-3):190-202.
- Macaluso M, Larson R, Lynch J, et al. 2004. Historical estimation of exposure to 1,3-butadiene, styrene, and dimethyldithiocarbamate among synthetic rubber workers. *J Occup Environ Hyg* 1(6):371-390.
- Madhusree B, Goto S, Ohkubo T, et al. 2002. Mutagenicity testing of 1,3-butadiene, 1,4-pentadiene-3-ol, isoprene, 2,4-hexadiene, cis- and trans-piperlylene. *J Health Sci* 48(1):73-78.
- Malvoisin E, Roberfroid M. 1982. Hepatic microsomal metabolism of 1,3-butadiene. *Xenobiotica* 12(2):137-144.
- Malvoisin E, Lhoest G, Poncelet F, et al. 1979. Identification and quantitation of 1,2-epoxybutene-3 as the primary metabolite of 1,3-butadiene. *J Chromatogr* 178(2):419-425.
- Marshall JD, Granvold PW, Hoats AS, et al. 2006. Inhalation intake of ambient air pollution in California's South Coast Air Basin. *Atmos Environ* 40(23):4381-4392.
- Matanoski GM, Schwartz L. 1987. Mortality of workers in styrene-butadiene polymer production. *J Occup Med* 29(8):675-680.

9. REFERENCES

- Matanoski GM, Santos-Burgoa C, Schwartz L. 1988. Mortality of a cohort of workers in the styrene-butadiene polymer manufacturing industry 1943-1982 (final report prepared under contract to International Institute of Synthetic Rubber Producers, Inc.). Baltimore, MD: The Johns Hopkins University, School of Hygiene and Public Health.
- Matanoski GM, Santos-Burgoa C, Schwartz L. 1990. Mortality of a cohort of workers in the styrene-butadiene polymer manufacturing industry (1943-1982). *Environ Health Perspect* 86:107-117.
- Matanoski GM, C. S-B, Zeger SL, et al. 1989a. Epidemiologic data related to health effects of 1,3-butadiene. In: Mohn U, ed. *Assessment of inhalation hazards: Integration and extrapolation using diverse data*. New York, NY: Springer-Verlag, 201-214.
- Matanoski GM, Santos-Burgoa C, Zeger SL, et al. 1989b. Nested case-control study of lymphopoietic cancers in workers in the styrene-butadiene polymer manufacturing industry (final report prepared under contract to International Institute of Synthetic Rubber Producers, Inc.). Baltimore, MD: The Johns Hopkins University, School of Hygiene and Public Health.
- Matanoski GM, Schwartz L, Sperrazza J, et al. 1982. Mortality of workers in the styrene-butadiene rubber polymer manufacturing industry. Baltimore, MD: Johns Hopkins University School of Hygiene and Public Health.
- Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74(2-3):135-149.
- MCA. 1974. Chemical safety data sheet SD-55. Properties and essential information for safe handling and use of butadiene. Washington, DC: Manufacturing Chemicals Association.
- McAuliffe C. 1966. Solubility in water of paraffin, cycloparaffin, olefin, acetylene, cycloolefin, and aromatic hydrocarbons. *J Phys Chem* 7(4):1267-1275.
- McCarthy MC, Hafner HR, Montzka SA. 2006. Background concentrations of 18 air toxics for North America. *J Air Waste Manag Assoc* 56(1):3-11.
- McDonald JD, Bechtold WE, Krone JR et al. 2004. Analysis of butadiene urinary metabolites by liquid chromatography-triple quadrupole mass spectrometry. *J Anal Toxicol* 28:168-173.
- McMichael AJ, Spirtas R, Gamble JF, et al. 1976. Mortality among rubber workers: Relationship to specific jobs. *J Occup Med* 18:178-185.
- McMichael AJ, Spirtas R, Kupper LL. 1974. An epidemiologic study of mortality within a cohort of rubber workers, 1964-1972. *J Occup Med* 16:458-464.
- McMichael AJ, Spirtas R, Kupper LL, et al. 1975. Solvent exposure and leukemia among rubber workers: An epidemiologic study. *J Occup Med* 17:234-239.
- McNeal TP, Breder CV. 1987. Headspace gas chromatographic determination of residual 1,3-butadiene in rubber-modified plastics and its migration from plastic containers into selected foods. *J Assoc Off Anal Chem* 70:18-21.

9. REFERENCES

- Meinhardt TJ, Lemen RA, Crandall MS, et al. 1982. Environmental epidemiologic investigation of the styrene-butadiene rubber industry. *Scand J Work Environ Health* 8:250-259.
- Melnick R, Huff J, Miller R. 1989. Toxicology and carcinogenicity of 1,3-butadiene. In: Mohn U, ed. *Assessment of inhalation hazards: Integration and extrapolation using diverse data*. New York, NY: Springer-Verlag, 177-188.
- Melnick RL, Huff J, Chou BJ, et al. 1990a. Carcinogenicity of 1,3-butadiene in C57BL/6 x C3H F₁ mice at low exposure concentrations. *Cancer Res* 50(20):6592-6599.
- Melnick RL, Huff JE, Roycroft JH, et al. 1990b. Inhalation toxicology and carcinogenicity of 1,3-butadiene in B6C3F₁ mice following 65 weeks of exposure. *Environ Health Perspect* 86:27-36.
- Meng Q, Henderson RF, Chen T, et al. 1999. Mutagenicity of 1,3-butadiene at the *Hprt* locus of T-lymphocytes following inhalation exposures of female mice and rats. *Mutat Res* 429(1):107-125.
- Meng Q, Singh N, Heflich RH, et al. 2000. Comparison of the mutations at *Hprt* exon 3 of T-lymphocytes from B6C3F₁ mice and F344 rats exposed by inhalation to 1,3-butadiene or the racemic mixture of 1,2:3,4-diepoxybutane. *Mutat Res* 464(2):169-184.
- Meng Q, Walker DM, McDonald JD, et al. 2007. Age-, gender-, and species-dependent mutagenicity in T cells of mice and rats exposed by inhalation to 1,3-butadiene. *Chem Biol Interact* 166(1-3):121-131.
- Meng Q, Walker DM, Scott BR, et al. 2004. Characterization of *Hprt* mutations in cDNA and genomic DNA of T-cell mutants from control and 1,3-butadiene-exposed male B6C3F₁ mice and F344 rats. *Environ Mol Mutagen* 43(2):75-92.
- Miller LM. 1978. Investigation of selected potential environmental contaminants: Butadiene and its oligomers. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA560278008. PB291684.
- Morrissey RE, Schwetz BA, Hackett PL, et al. 1990. Overview of reproductive and developmental toxicity studies of 1,3-butadiene in rodents. *Environ Health Perspect* 86:79-84.
- Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokinet* 5(6):485-527.
- NAS/NRC. 1989. Report of the oversight committee. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press. *Biologic markers in reproductive toxicology*.
- Nazaroff WW, Singer BC. 2004. Inhalation of hazardous air pollutants from environmental tobacco smoke in U.S. residences. *J Expo Anal Environ Epidemiol* 14(Suppl 1):S71-S77.
- Nieusma JL, Claffey DJ, Maniglier-Poulet C, et al. 1997. Stereochemical aspects of 1,3-butadiene metabolism and toxicity in rat and mouse liver microsomes and freshly isolated rat hepatocytes. *Chem Res Toxicol* 10:450-456.
- Neligan RE. 1962. Hydrocarbons in the Los Angeles atmosphere. *Arch Environ Health* 5:581-591.
- NIOSH. 1989. National Occupational Exposure Survey (NOES). Cincinnati, OH: U.S. Department of Health and Human Services CfDC, National Institute for Occupational Safety and Health.

9. REFERENCES

- NIOSH. 1994. NIOSH Manual of analytical methods. 1,3-Butadiene. Method 1024. <http://www.cdc.gov/NIOSH/nmam/pdfs/1024.pdf>. June 1, 2009.
- NIOSH. 2005. 1,3-Butadiene. In: NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, <http://www.cdc.gov/niosh/npg/>. May 19, 2009.
- Norppa H, Sorsa M, Vainio H. 1980. Chromosomal aberrations in bone marrow of Chinese hamsters exposed to styrene and ethanol. *Toxicol Lett* 5:241-244.
- NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Research Council. National Academy Press.
- NTP. 1984. NTP toxicology and carcinogenesis studies of 1,3-butadiene (CAS No. 106-99-0) in B6C3F₁ mice (inhalation studies). Research Triangle Park, NC: National Toxicology Program.
- NTP. 1993. NTP technical report on the toxicology and carcinogenesis studies of 1,3-butadiene (CAS No. 106-99-0) in B6C3F₁ mice (inhalation studies). Research Triangle Park, NC: National Toxicology Program. NTP TR 434.
- NTP. 2005. 1,3-Butadiene. In: Report on carcinogens. 11th ed. Research Triangle Park, NC: National Toxicology Program, <http://ntp-server.niehs.nih.gov/ntp/roc/eleventh/profiles/s025buta.pdf>. May 19, 2009.
- NTP. 2011. 1,3-Butadiene. In: Report on carcinogens. 12th edition. U.S. Department of Health and Human Services, National Toxicology Program.
- Oguz O, Karman D, Tuncel G. 2003. Measurement of traffic related toxic air pollutants in an urban atmosphere. *Water Air Soil Pollut Focus*. 3:175-192.
- O'Neil MJ, Heckelman PE, Koch CB, et al. 2006. 1,3-Butadiene. In: O'Neil MJ, Heckelman PE, Koch CB, et al., eds. Merck index. 14th ed. Whitehouse Station, NY: Merck & Co, Inc., 248.
- OSHA. 2009a. 1,3-Butadiene. Occupational Safety & Health Administration. <http://www.osha.gov/dts/sltc/methods/organic/org056/org056.html>. June 2, 2009.
- OSHA. 2009b. Toxic and Hazardous Substances. Occupational safety and health standards. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1051. <http://www.osha.gov/comp-links.html>. May 29, 2009.
- Osterman-Golkar S, Peltonen K, Anttinen-Klemetti T, et al. 1996. Haemoglobin adducts as biomarkers of occupational exposure to 1,3-butadiene. *Mutagenesis* 11(2):145-149.
- Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.
- Owen PE, Glaister JR. 1990. Inhalation toxicity and carcinogenicity of 1,3-butadiene in Sprague-Dawley rats. *Environ Health Perspect* 86:19-25.

9. REFERENCES

- Owen PE, Glaister JR, Gaunt IF, et al. 1987. Inhalation toxicity studies with 1,3-butadiene 3 two year toxicity/carcinogenicity study in rats. *Am Ind Hyg Assoc J* 48(5):407-413.
- *Pacchierotti F, Tiveron C, Ranaldi R, et al. 1998. Reproductive toxicity of 1,3-butadiene in the mouse: Cytogenetic analysis of chromosome aberrations in first-cleavage embryos and flow cytometric evaluation of spermatogonial cell killing. *Mutat Res* 397(1):55-66.
- Pankow JF, Luo W, Tavakoli AD, et al. 2004. Delivery levels and behavior of 1,3-butadiene, acrylonitrile, benzene, and other toxic volatile organic compounds in mainstream tobacco smoke from two brands of commercial cigarettes. *Chem Res Toxicol* 17(6):805-813.
- Pankow JF, Watanabe KH, Toccalino PL, et al. 2007. Calculated cancer risks for conventional and "potentially reduced exposure product" cigarettes. *Cancer Epidemiol Biomarkers Prev* 16(3):584-592.
- Patel RN, Hou CT, Laskin AI, et al. 1979. Microbial oxidation of gaseous hydrocarbons. II. Hydroxylation of alkanes and epoxidation of alkenes by cell-free particulate fractions of methane-utilizing bacteria. *J Bacteriol* 139:675-679.
- Patel RN, Hou CT, Laskin AI. 1982a. Oxidation of gaseous hydrocarbons and related compounds by methanotrophic organisms. In: *Developments in industrial microbiology*, Vol. 23, 187-205.
- Patel RN, Hou CT, Laskin AI, et al. 1982b. Microbial oxidation of hydrocarbons: Properties of a soluble methane monooxygenase from a facultative methane utilizing organism *Methlobacterium* sp. strain CRL-26. *Appl Environ Microbiol* 44(5):1130-1137.
- Pellizzari ED, Michael LC, Thomas KW, et al. 1995. Identification of 1,3-butadiene, benzene, and other volatile organics from wok oil emissions. *J Expo Anal Environ Epidemiol* 5(1):77-87.
- Penn A, Snyder CA. 2007. 1,3-Butadiene exposure and cardiovascular disease. *Mutat Res* 621(1-2):42-49.
- Perbellini L, Princivale A, Carpelloni M, et al. 2003. Comparison of breath, blood and urine concentrations in the biomonitoring of environmental exposure to 1,3-butadiene, 2,5-dimethylfuran, and benzene. *Int Arch Occup Environ Health* 76(6):461-466.
- Péry ARR, Bois FY. 2009. Stochasticity in physiologically based kinetics models: Implications for cancer risk assessment. *Risk Anal* 29(8):1182-1191.
- Pohlova H, Rossner P, Sram RJ. 1985. Cytogenetic analysis of human peripheral blood lymphocytes in culture exposed *in vitro* to styrene and styrene oxide. *J Hyg Epidemiol Microbiol Immunol* 29:269-274.
- Preston RJ. 2007. Cancer risk assessment for 1,3-butadiene: Data integration opportunities. *Chem Biol Interact* 166(1-3):150-155.
- Recio L, Osterman-Golkar S, Csanady GA, et al. 1992. Determination of mutagenicity in tissues of transgenic mice following exposure to 1,3-butadiene and N-ethyl-N-nitrosourea. *Toxicol Appl Pharmacol* 117(1):58-64.
- Reiss R. 2006. Temporal trends and weekend-weekday differences for benzene and 1,3-butadiene in Houston, Texas. *Atmos Environ* 40(25):4711-4724.

9. REFERENCES

- Reiss R, Griffin J. 2004. Exploratory data analysis of benzene and 1,3-butadiene measurements for air toxics risk assessment in Houston. Alpharetta, GA: Coordinating Research Council.
- Reynolds P, Von Behren J, Gunier RB, et al. 2003. Childhood cancer incidence rates and hazardous air pollutants in California: An exploratory analysis. *Environ Health Perspect* 111(4):663-668.
- Santos-Burgoa C, Matanoski GM, Zeger S, et al. 1992. Lymphohematopoietic cancer in styrene-butadiene polymerization workers. *Am J Epidemiol* 136(7):843-854.
- Sapkota A, Buckley TJ. 2003. The mobile source effect on curbside 1,3-butadiene, benzene, and particle-bound polycyclic aromatic hydrocarbons assessed at a tollbooth. *J Air Waste Manag Assoc* 53(6):740-748.
- Sapkota A, Halden RU, Dominici F, et al. 2006. Urinary biomarkers of 1,3-butadiene in environmental settings using liquid chromatography isotope dilution tandem mass spectrometry. *Chem Biol Interact* 160(1):70-79.
- Sasiadek M, Jarventaus H, Sorsa M. 1991. Sister-chromatid exchanges induced by 1,3-butadiene and its epoxides in CHO cells. *Mutat Res* 263(1):47-50.
- Sathiakumar N, Delzell E. 2007. A follow-up study of women in the synthetic rubber industry: Study methods. *Chem Biol Interact* 166:25-28.
- Sathiakumar N, Delzell E, Cheng H, et al. 2007. Validation of 1,3-butadiene exposure estimates for workers at a synthetic rubber plant. *Chem Biol Interact* 166(1-3):29-43.
- Sathiakumar N, Graff J, Macaluso M, et al. 2005. An updated study of mortality among North American synthetic rubber industry workers. *Occup Environ Med* 62:822-829.
- Sax SI, Bennett DH, Chillrud SN, et al. 2004. Differences in source emission rates of volatile organic compounds in inner-city residences of New York City and Los Angeles. *J Expo Anal Environ Epidemiol* 14(Suppl 1):S95-S109.
- Schettgen T, Musiol A, Alt A, et al. 2009. A method for the quantification of biomarkers of exposure to acrylonitrile and 1,3-butadiene in human urine by column-switching liquid chromatography-tandem mass spectrometry. *Anal Bioanal Chem* 393(3):969-981.
- Schmidt V, Loeser E. 1985. Species differences in the formation of butadiene monoxide from 1,3-butadiene. *Arch Toxicol* 57:222-225.
- Schmidt V, Loeser E. 1986. Epoxidation of 1,3-butadiene in liver and lung tissue of mouse, rat, monkey and man. *Adv Exp Med Biol* 197:951-957.
- Sielken RL, Jr., Reitz RH, Hays SM. 1996. Using PBPK modeling and comprehensive realism methodology for the quantitative cancer risk assessment of butadiene. *Toxicology* 113(1-3):231-237.
- Sharief Y, Brown AM, Backer LC, et al. 1986. Sister chromatid exchange and chromosome aberration analyses in mice after *in vivo* exposure to acrylonitrile, styrene, or butadiene monoxide. *Environ Mutagen* 8:439-448.

9. REFERENCES

- Shen S, Zhang F, Zeng S, et al. 2009. An approach based on liquid chromatography/electrospray ionization-mass spectrometry to detect diol metabolites as biomarkers of exposure to styrene and 1,3-butadiene. *Anal Biochem* 386(2):186-193.
- Shugaev BB. 1969. Concentrations of hydrocarbons in tissues as a measure of toxicity. *Arch Environ Health* 18:878-882.
- Sigsby JEJ, Tejada S, Ray W. 1987. Volatile organic compound emissions from 46 in-use passenger cars. *Environ Sci Technol* 21:466-475.
- Sills RC, Hong HL, Boorman GA, et al. 2001. Point mutations of K-ras and H-ras genes in forestomach neoplasms from control B6C3F₁ mice and following exposure to 1,3-butadiene, isoprene or chloroprene for up to 2-years. *Chem Biol Interact* 135-136:373-386.
- Slikker W, Andersen ME, Bogdanffy MS, et al. 2004. Dose-dependent transitions in mechanisms of toxicity: Case studies. *Toxicol Appl Pharmacol* 201:226-294.
- Smith TJ, Lin YS, Mezzetti M, et al. 2001. Genetic and dietary factors affecting human metabolism of 1,3-butadiene. *Chem Biol Interact* 135-136:407-428.
- Sorsa M, Osterman-Golkar S, Peltonen K, et al. 1996. Assessment of exposure to butadiene in the process industry [Abstract]. *Toxicology* 113(1-3):77-83.
- Šrám RJ, Rossner P, Peltonen K, et al. 1998. Chromosomal aberrations, sister-chromatid exchanges, cells with high frequency of SCE, micronuclei and comet assay parameters in 1,3-butadiene-exposed workers. *Mutat Res* 419(1-3):145-154.
- SRI. 2008. 1,3-Butadiene. In: 2008 Directory of chemical producers. Menlo Park, CA: SRI Consulting, 457-458.
- Startin JR, Gilbert J. 1984. Single ion monitoring of butadiene in plastics and foods by coupled mass spectrometry — automatic head-space gas chromatography. *J Chromatogr* 294:427-430.
- Stephens ER, Burleson F. 1967. Analysis of the atmosphere for light hydrocarbons. *J Air Pollut Control Assoc* 17:147-153.
- Stephens ER, Burleson FR. 1969. Distribution of light hydrocarbons in ambient air. *J Air Pollut Control Assoc* 19:929-936.
- Stump FD, Dropkin DL. 1985. Gas chromatographic method for quantitative determination of C₂ to C₁₃ hydrocarbons in roadway vehicle emissions. *Anal Chem* 57:2629-2634.
- Stump FD, Tejada S, Ray W, et al. 1989. The influence of ambient temperature on tailpipe emissions from 1984-1987 model year light duty gasoline motor vehicles. *Atmos Environ* 23:307-320.
- Stutz DR, Janusz SJ. 1988. Hazardous materials injuries. A handbook for pre-hospital care 2nd ed. Beltsville, MD: Bradford Communication Corporation, 296-297.

9. REFERENCES

- Sun HN, Wristers JP. 2002. Butadiene. In: Kirk-Othmer encyclopedia of chemical technology. New York, NY: John Wiley & Sons, 365-392.
<http://mrw.interscience.wiley.com/emrw/9780471238966/kirk/article/butasun.a01/current/pdf>. June 2, 2009.
- Sun JD, Dahl AR, Bond JA, et al. 1989a. Metabolism of inhaled butadiene to monkeys: Comparison to rodents. *Exp Pathol* 37:133-135.
- Sun JD, Dahl AR, Bond JA, et al. 1989b. Characterization of hemoglobin adduct formation in mice and rats after administration of [¹⁴C]butadiene or [¹⁴C]isoprene. *Toxicol Appl Pharmacol* 100:86-95.
- Swain CM, Booth ED, Watson WP. 2003. Metabolic distribution of radioactivity in Sprague-Dawley rats and B6C3F₁ mice exposed to 1,3-[2,3-¹⁴C]-butadiene by whole body exposure. *Chem Biol Interact* 145:175-189.
- Sweeney LM, Himmelstein MW, Gargas ML. 2001. Development of a preliminary physiologically based toxicokinetic (PBTk) model for 1,3-butadiene risk assessment. *Chem Biol Interact* 135-136:303-322.
- Sweeney LM, Himmelstein MW, Schlosser PM, et al. 1996. Physiologically based pharmacokinetic modeling of blood and tissue epoxide measurements for butadiene. *Toxicology* 113(1-3):318-321.
- Sweeney LM, Schlosser PM, Medinsky Ma, et al. 1997. Physiologically based pharmacokinetic modeling of 1,3-butadiene, 1,2-epoxy-3-butene, and 1,2:3,4-diepoxybutane toxicokinetics in mice and rats. *Carcinogenesis* 18(4):611-625.
- Swenberg JA, Bordeerat NK, Boysen G, et al. 2011. 1,3-Butadiene: Biomarkers and application to risk assessment. *Chem Biol Interact* 192(1-2):150-154.
- Swenberg JA, Boysen G, Georgieva N, et al. 2007. Future directions in butadiene risk assessment and the role of cross-species internal dosimetry. *Chem Biol Interact* 166(1-3):78-83.
- Tates AD, van Dam FJ, de Zwart FA, et al. 1996. Biological effect monitoring in industrial workers from the Czech Republic exposed to low levels of butadiene [Abstract]. *Toxicology* 113(1-3):91-99.
- Texas Air Control Board. 1990. Written communication to Bill Henriques, Agency for Toxic Substances and Disease Registry, regarding 1,3-butadiene concentrations in air. Texas Air Control Board, Austin, TX.
- Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 365-394.
- Thornton-Manning JR, Dahl AR, Bechtold WE, et al. 1995a. Disposition of butadiene monoepoxide and butadiene diepoxide in various tissues of rats and mice following a low-level inhalation exposure to 1,3-butadiene. *Carcinogenesis* 16(8):1723-1731.
- Thornton-Manning JR, Dahl AR, Bechtold WE, et al. 1995b. Gender differences in the metabolism of 1,3-butadiene in Sprague-Dawley rats following a low level inhalation exposure. *Carcinogenesis* 16(11):2875-2878.

9. REFERENCES

- Thornton-Manning JR, Dahl AR, Bechtold WE, et al. 1997. Comparison of the disposition of butadiene epoxides in Sprague-Dawley rats and B6C3F₁ mice following a single and repeated exposures to 1,3-butadiene via inhalation. *Toxicology* 123(1-2):125-134.
- Thurmond LM, Lauer LD, House RV, et al. 1986. Effect of short-term inhalation exposure to 1,3-butadiene on murine immune functions. *Toxicol Appl Pharmacol* 86(2):170-179.
- Thweatt WD, Harward CN, Sr., Parrish ME. 2007. Measurement of acrolein and 1,3-butadiene in a single puff of cigarette smoke using lead-salt tunable diode laser infrared spectroscopy. *Spectrochim Acta A Mol Biomol Spectrosc* 67(1):16-24.
- Tice RR. 1988. The cytogenetic evaluation of *in vivo* genotoxic and cytotoxic activity using rodent somatic cells. *Cell Biol Toxicol* 4(4):475-486.
- Tice RR, Boucher R, Luke CA, et al. 1987. Comparative cytogenic analysis of bone marrow damage induced in male B6C3F₁ mice by multiple exposures to gaseous 1,3-butadiene. *Environ Mutagen* 9:235-250.
- Tommasi AM, de Conti S, Dobrzynska MM, et al. 1998. Evaluation and characterization of micronuclei in early spermatids of mice exposed to 1,3-butadiene. *Mutat Res* 397(1):45-54.
- TRI09. 2011. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. September 28, 2011.
- Tsai SP, Ahmed FS, Ransdell JD, et al. 2005. A hematology surveillance study of petrochemical workers exposed to 1,3 butadiene. *J Occup Environ Hyg* 2(10):508-515.
- Tsai SP, Wendt JK, Ransdell JD. 2001. A mortality, morbidity, and hematology study of petrochemical employees potentially exposed to 1,3-butadiene monomer. *Chem Biol Interact* 135-136:555-567.
- Uusküla M, Järventaus H, Hirvonen A, et al. 1995. Influence of GSTM1 genotype of sister chromatid exchange induction by styrene-7,8-oxide and 1,2-epoxy-3-butene in cultured human lymphocytes. *Carcinogenesis* 16(4):947-950.
- Vainiotalo S, Vaananen V, Vaaranrinta R. 2008. Measurement of 16 volatile organic compounds in restaurant air contaminated with environmental tobacco smoke. *Environ Res* 108(3):280-288.
- VanGinkel CG, Welten HGJ, Debont JAM. 1987. Oxidation of gaseous and volatile hydrocarbons by selected alkene-utilizing bacteria. *Appl Environ Microbiol* 53:2903-2907.
- Victorin K, Stahlberg M. 1988. A method for studying the mutagenicity of some gaseous compounds in *Salmonella typhimurium*. *Environ Mol Mutagen* 11(1):65-77.
- Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238(2):476-483.
- Vodicka P, Stetina R, Smerak P, et al. 2006. Micronuclei, DNA single-strand breaks and DNA-repair activity in mice exposed to 1,3-butadiene by inhalation. *Mutat Res* 608(1):49-57.

9. REFERENCES

- Ward EM, Fajen JM, Ruder AM, et al. 1995. Mortality study of workers in 1,3-butadiene production units identified from a chemical workers cohort. *Environ Health Perspect* 103(6):598-603
- Ward JB, Ammenheuser MM, Bechtold WE, et al. 1994. *hprt* Mutant lymphocyte frequencies in workers at a 1,3-butadiene production plant. *Environ Health Perspect* 102(Suppl 9):79-85.
- Ward JB, Ammenheuser MM, Whorton EB, et al. 1996. Biological monitoring for mutagenic effects of occupational exposure to butadiene. *Toxicology* 110:1-7.
- Ward JB, Abdel-Rahman SZ, Henderson RF, et al. 2001. Assessment of butadiene exposure in synthetic rubber manufacturing workers in Texas using frequencies of *hprt* mutant lymphocytes as a biomarker. *Chem Biol Interact* 135-136:465-483.
- Watabe T, Isobe M, Sawahata T, et al. 1978. Metabolism and mutagenicity of styrene. *Scand J Work Environ Health* 4(Suppl 2):142-155.
- Watkinson RJ, Somerville HJ. 1976. The microbial utilization of butadiene. In: Sharpley JM, Kaplan AM, eds., *Proceedings of the Third International Biodegradation Symposium* London: Applied Science Publishers, 35-42.
- West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- Whitworth KW, Symanski E, Coker AL. 2008. Childhood lymphohematopoietic cancer incidence and hazardous air pollutants in Southeast Texas, 1995-2004. *Environ Health Perspect* 116:1576-1580.
- WHO. 2000. Air quality guidelines. 2nd edition. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/air/activities/20050223_4. May 11, 2009.
- WHO. 2006. Guidelines for drinking-water quality. 3rd edition. Geneva, Switzerland: World Health Organization. http://www.who.int/water_sanitation_health/dwq/gdwq3/en/. May 11, 2009.
- Wickliffe JK, Ammenheuser MM, Adler PJ, et al. 2009. Evaluation of frequencies of *HPRT* mutant lymphocytes in butadiene polymer workers in a southeast Texas facility. *Environ Mol Mutagen* 50(2):82-87.
- Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: An advance treatise. Volume II: The elements Part A*. New York, NY: Academic Press, 1-247.
- Wilson RH. 1944. Health hazards encountered in the manufacture of synthetic rubber. *J Am Med Assoc* 124(11):701-703.
- Xiao Y, Tates AD. 1995. Clastogenic effects of 1,3-butadiene and its metabolites 1,2-epoxybutene and 1,2,3,4-diepoxybutane in splenocytes and germ cells of rats and mice *in vivo*. *Environ Mol Mutagen* 26(2):97-108.
- Zhao C, Vodicka P, Sram RJ, et al. 2000. Human DNA adducts of 1,3-butadiene, an important environmental carcinogen. *Carcinogenesis* 21(1):107-111.

9. REFERENCES

Zhao C, Vodicka P, Sram RJ, et al. 2001. DNA adducts of 1,3-butadiene in humans: Relationships to exposure, GST genotypes, single-strand breaks, and cytogenetic end points. *Environ Mol Mutagen* 37(3):226-230.

Zhou XT, Li LR, Cui MY, et al. 1986. Cytogenetic monitoring of petrochemical workers [Abstract]. *Mutat Res* 175(4):237-242.

Zhuang SM, Cochran C, Goodrow T, et al. 1997. Genetic alterations of p53 and ras genes in 1,3-butadiene- and 2',3'-dideoxycytidine-induced lymphomas. *Cancer Res* 57(13):2710-2714.

Zhuang SM, Wiseman RW, Soderkvist P. 2002. Frequent mutations of the *Trp53*, *Hras1* and β -catenin (*Catnb*) genes in 1,3-butadiene-induced mammary adenocarcinomas in B6C3F₁ mice. *Oncogene* 21(36):5643-5648.

Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12(1):29-34.