

9. REFERENCES

- *Abalis IM, Elderfrawl ME, Elderfrawl AT. 1985. High-affinity stereospecific binding of cyclodiene insecticides and γ -hexachlorocyclohexane to γ -aminobutyric acid receptors of rat brain. *Pestic Biochem Physiol* 24:95-102.
- Abou-Arab AAK, Kawther MS, El Tantawy ME, et al. 1999. Quantity estimation of some contaminants in commonly used medicinal plants in the Egyptian market. *Food Chem* 67(4):357-363.
- Abrams K, Hogan DJ, Maibach HI. 1991. Pesticide-related dermatoses in agricultural workers. *Occup Med: State of the Art Rev* 6:463-492.
- ACGIH. 1996. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *ACGIH. 2003. Lindane. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *Adamski JC, Pugh AL. 1996. Occurrence of pesticides in ground water of the Ozark Plateaus Province. *Water Res Bull* 31:97-105.
- Adhya TK, Apte SK, Raghu K, et al. 1996. Novel polypeptides induced by the insecticide lindane (γ -hexachlorocyclohexane) are required for its biodegradation by a *Sphingomonas paucimobilis* strain. *Biochem Biophys Res Commun* 221:755-761.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27:532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- Aerts L, VanAssche FA. 2001. Low taurine, GABA and carnosine levels in plasma of diabetic pregnant rats: Consequences for the offspring. *Pediatr Res* 50(1 Pt 2):17A-18A.
- Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. *Fed Regist* 54(174):37618-37634.
- Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Subcommittee on biomarkers of organ damage and dysfunction. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- *Agrawal D, Subramoniam A, Afaq F. 1995. Influence of hexachlorocyclohexane on phosphoinositides in rat erythrocyte membranes and brain. *Toxicology* 95:135-140.

* Cited in text

9. REFERENCES

- Agrawal D, Sultana P, Gupta GS D. 1991. Oxidative damage and changes in the glutathione redox system in erythrocytes from rats treated with hexachlorocyclohexane. *Food Chem Toxicol* 29:459-462.
- *Ahdaya SM, Monroe RJ, Guthrie FE. 1981. Absorption and distribution of intubated insecticides in fasted mice. *Pestic Biochem Physiol* 16:38-46.
- *Ahmed FE, Hart RW, Lewis NJ. 1977. Pesticide induced DNA damage and its repair in cultured human cells. *Mutat Res* 42:161-174.
- Akhter S, Siddiqui PM A. 1991. Degradation of DDT and BHC (technical and formulation) by soil microorganisms. *Karachi Univ J Sci* 19:131-137.
- *Aks SE, Krantz A, Hryhorczuk DO. 1995. Acute accidental lindane ingestion in toddlers. *Ann Emerg Med* 26(5):647-651.
- *Albertson TE, Joy RM, Stark LG. 1985. Facilitation of kindling in adult rats following neonatal exposure to lindane. *Dev Brain Res* 17:263-266.
- *Albright R, Johnson N, Sanderson TW, et al. 1974. Pesticide residues in the top soil of five west Alabama counties. *Bull Environ Contam Toxicol* 12:378-384.
- *Albro PW, Thomas R. 1974. Intestinal absorption of hexachlorobenzene and hexachlorocyclohexane isomers in rats. *Bull Environ Contam Toxicol* 12:289-294.
- Al-Chalabi KAK, Al-Khayat BHA. 1989. The effect of lindane on nucleic acids, protein and carbohydrate content in *Tetrahymena pyriformis*. *Environ Pollut* 57(4):281-287.
- Aldegunde M, Parafita M, Fernandez Otero M. 1983. Effect of γ -hexachlorocyclohexane on serotonin metabolism in rat brain. *Gen Pharmacol* 14:303-305.
- Aldegunde M, Miguez I, Parafita M, et al. 1986. Effect of lindane on brain monamine metabolism. *Gen Pharmacol* 17:633-635.
- Ali, SS, Shakoori AR. 1998. Studies on the toxicity of lindane in albino rat: Histopathological effects in liver. *Punjab Univ J Zool* 13:149-166.
- *Allchin CR. 1991. Concentrations of α - and γ -hexachlorocyclohexane (lindane) in the coastal waters of England and Wales. *Water Sci Technol* 24:143-146.
- *Allsup T, Walsh D. 1982. Gas chromatographic analysis of chlorophenylmercapturic acid lindane metabolites. *J Chromatogr* 236:421-428.
- Alm H, Tiemann U, Torner H. 1996. Influence of organochlorine pesticides on development of mouse embryos *in vitro*. *Reprod Toxicol* 10(4):321-326.
- *Al-Saleh I, Echeverria-Quevedo A, Al-Dgaiter S, et al. 1998. Residue levels of organochlorinated insecticides in breast milk: A preliminary report from Al-Kharj, Saudi Arabia. *J Environ Pathol Toxicol Oncol* 17(1):37-50.
- *Altman PL, Dittmer DS. 1974. *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

9. REFERENCES

*Ames SJ. 1990. Lindane: Combined oncogenicity and toxicity study by dietary administration to Wistar rats for 104 weeks. Life Science Research Limited, Suffolk, England. LSR Report No. 90/CIL002/0839.

*Anand M, Agrawa AK, Rehmani BNH, et al. 1998. Role of GABA receptor complex in low dose lindane (HCH) induced neurotoxicity: Neurobehavioural, neurochemical and electrophysiological studies. *Drug Chem Toxicol* 21(1):35-46.

Anand M, Gopal K, Khanna RN, et al. 1991a. Cadmium and lindane interaction in cardiovascular toxicity. *J Environ Biol* 12:9-14.

*Anand M, Gupta GS D, Gopal K, et al. 1991b. Influence of dietary protein deficiency on EEG neurotransmitters and neurobehavior after chronic exposure to HCH. *Toxicol Environ Chem* 34:1-11.

Anand M, Gulati A, Gopal K, et al. 1990. Hypertension and myocarditis in rabbits exposed to hexachlorocyclohexane. *Vet Hum Toxicol* 32(6):521-523.

*Anand M, Meera P, Kumar R, et al. 1995. Possible role of calcium in the cardiovascular effects of prolonged administration of Gamma-HCH (Lindane) in rats. *J Appl Toxicol* 15(4):245-248.

*Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York: Marcel Dekker, Inc., 9-25.

*Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205.

*Andrews JE, Gray LE. 1990. The effects of lindane and linuron on calcium metabolism, bone morphometry and the kidney in rats. *Toxicology* 60:99-107.

*Angerer J, Heinrich R, Laudehr H. 1981. Occupational exposure to hexachlorocyclohexane: V. Gas chromatographic determination of monohydroxychlorobenzenes (chlorophenols) in urine. *Int Arch Occup Environ Health* 48:319-324.

*Angerer J, Maass R, Heinrich R. 1983. Occupational exposure to hexachlorocyclohexane: VI. Metabolism of γ -hexachlorocyclohexane in man. *Int Arch Occup Environ Health* 52:59-67.

*Angsubhakorn S, Bhamarapravati N, Romruen K et al. 1981. Further study of α -benzene hexachloride inhibition of aflatoxin B₁ hepatocarcinogenesis in rats. *Br J Cancer* 43:881-883.

*AOAC. 1984. Lindane in soil—29.013; fish—29.029; poultry fat—29.037; and lindane residues in food—29.079, 29.080; in pesticide formulations—6.214, 6.220, 6.1221, 6.227. In: *Official methods of analysis of the Association of Official Analytical Chemists*. Association of Official Analytical Chemists, Inc. Arlington, VA.

*Arisi ACM, Simizu K, Kogake M, et al. 1994. Brain and liver lipid peroxidation levels following acute and short-term lindane administration in the rat. *Toxicol Lett* 74:61-68.

Arisoy M, Kolankaya N. 1997. Biodegradation of lindane by *Pleurotus sajor-caju* and toxic effects of lindane and its metabolites on mice. *Bull Environ Contam Toxicol* 59:352-359.

9. REFERENCES

- Arthur RD, Cain JD, Barrentine BF. 1976. Atmospheric level of pesticides in the Mississippi Delta. *Bull Environ Contam Toxicol* 15:129-134.
- *Artigas F, Martinez E, Camon L, et al. 1988a. Brain metabolites of lindane and related isomers: Identification by negative ion mass spectrometry. *Toxicology* 49:57-63.
- Artigas F, Martinez E, Gelpi E. 1988b. Organochlorine pesticides by negative ion chemical ionization: Brain metabolites of lindane. *Biomed Environ Mass Spectrom* 16:279-284.
- Aspinwall LS, Bermudez I, King A, et al. 1997. The interactions of hexachlorocyclohexane isomers with human γ -aminobutyric acid_A receptors express in *Xenopus oocytes*. *J Pharmacol Exp Ther* 282:1557-1564.
- Ataniyazova OA, Baumann RA, Liem AHD, et al. 2001. Levels of certain metals, organochlorine pesticides and dioxins in cord blood, maternal blood, human milk, and some commonly used nutrients in the surroundings of the Aral Sea (Karakalpakstan, Republic of Uzbekistan). *Acta Paediatr Scand* 90(7):801-808.
- *Atkins DHF, Eggleton AEJ. 1971. Studies of atmospheric washout and deposition of γ -BHC, dieldrin, and p,p-DDT using radiolabelled pesticides. Proceedings of the Symposium on Nuclear Techniques in Environmental Pollution, Salzburg, Austria, 1970.
- Atlas E, Giam CS. 1981. Global transport of organic pollutants: Ambient concentrations in the remote marine atmosphere. *Science* 211:163-165.
- *Atlas E, Giam CS. 1988. Ambient concentrations and precipitation scavenging of atmospheric organic pollutants. *Water Air Soil Pollut* 38:19-36.
- *Attia AM, Richardson BA, Rodriguez C, et al. 1991. Lindane may enhance nocturnal pineal *N*-acetyltransferase activity via β -adrenergic receptors. *Brain Res* 554:253-256.
- Awney HA, Amara AA, El-Masry MH, et al. 1997. Effect of 12 plant extracts on hepatic microsomal benzo[a]pyrene hydroxylation and hydrogen peroxide production in mice treated with lindane. *Environ Nutr Interact* 1:129-142.
- Awumbila B. 1996. Acaricides in tick control in Ghana and methods of application. *Trop Animal Health Prod* 28:50S-52S.
- *Azzalis LA, Junqueira VBC, Simon K, et al. 1995. Prooxidant and antioxidant hepatic factors in rats chronically fed an ethanol regimen and treated with an acute dose of lindane. *Free Radic Biol Med* 19:147-159.
- Azzalis LA, Pimentel R, Simizu K, et al. 1992. Hepatic-effects of acute lindane treatment in rats chronically fed a high ethanol regimen. *Biochem Arch* 8:45-67.
- Bachmann A, De Bruin W, Jumelet JC, et al. 1988a. Aerobic biomineralization of α -hexachlorocyclohexane in contaminated soil. *Appl Environ Microbiol* 54:548-554.
- Bachmann A, Walet P, Wijnen P, et al. 1988b. Biodegradation of α - and β -hexachlorocyclohexane in a soil slurry under different redox conditions. *Appl Environ Microbiol* 54:143-149.

9. REFERENCES

- Badiaa AB, Korany K, Mednyanszky Z, et al. 1992. Reduction of pesticide residues in foods of plant origin: I. Effect of processing on the pesticide content of tomatoes. *Elelmezési Ipar* 46:118-121.
- Bainy ACD, Silva MAS, Kogake M, et al. 1994. Influence of lindane and paraquat on oxidative stress-related parameters of erythrocytes *in vitro*. *Hum Exp Toxicol* 13:461-465.
- *Baker MT, Nelson RM, Van Dyke R. 1985. The formation of chlorobenzene and benzene by the reductive metabolism of lindane in rat liver microsomes. *Arch Biochem Biophys* 236:506-514.
- *Balaguer P, Francois F, Comunale F, et al. 1999. Reporter cell lines to study the estrogenic effects of xenoestrogens. *Sci Total Environ* 233:47-56.
- Balikova M, Kohlicek J, Rybka K. 1989. Chlorinated phenols as metabolites of lindane: Evaluation of the degree of conjugation in rat urine. *J Anal Toxicol* 13:27-30.
- *Balikova M, Novakova E, Kohlicek J. 1988. Identification of polychlorinated phenols in urine by gas and thin-layer chromatography. *J Chromatogr* 431:431-437.
- *Banerjee BD, Koner BC, Ray A, et al. 1996. Influence of subchronic exposure to lindane on humoral immunity in mice. *Indian J Exp Bio* 34:1109-1113.
- Banerjee BD, Zaidi SSA, Pasha ST, et al. 1997. Levels of HCH residues in human milk samples from Delhi, India. *Bull Environ Contam Toxicol* 59:403-406.
- *Barkatina EN, Pertsovsky AL, Murokh VI, et al. 1998. Organochlorine pesticide residues in breast milk in the Republic of Belarus. *Bull Environ Contam Toxicol* 60:231-237.
- Barkwell R, Shields S. 1997. Deaths associated with ivermectin treatment of scabies. *Lancet* 349:1144-1145.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- *Barquet A, Morgade C, Pfaffenberger CD. 1981. Determination of organochlorine pesticides and metabolites in drinking water, human blood serum, and adipose tissue. *J Toxicol Environ Health* 7:469-479.
- *Barrón S, Serratosa J, Tusell JM. 1995. Regulation of *c-fos* expression by convulsants and hexachlorocyclohexane isomers in primary cultures of cortical neurons. *J Neurochem* 64:1708-1714.
- *Barros SB, Simizu K, Junqueira VB. 1991. Liver lipid peroxidation-related parameters after short-term administration of hexachlorocyclohexane isomers to rats. *Toxicol Lett* 56:137-144.
- *Barros SB, Videla LA, Simizu K, et al. 1988. Lindane-induced oxidative stress: II. Time course of changes in hepatic glutathione status. *Xenobiotica* 18:1305-1310.
- *Baumann K, Angerer J, Heinrich R, et al. 1980. Occupational exposure to hexachlorocyclohexane: I. Body burden of HCH-isomers. *Int Arch Occup Health* 47:119-127.

9. REFERENCES

- Baumann K, Behling K, Brassow H-L, et al. 1981. Occupational exposure to hexachlorocyclohexane: III. Neurophysiological findings and neuromuscular function in chronically exposed workers. *Int Arch Occup Environ Health* 48:165-172.
- *Beard AP, Rawlings NC. 1998. Reproductive effects in mink (*Mustela vison*) exposed to the pesticides lindane, carbofuran and pentachlorophenol in a multigenerational study. *J Reprod Fertil* 113:93-104.
- *Beard AP, Rawlings NC. 1999. Thyroid function and effects on reproduction in ewes exposed to the organochlorine pesticides lindane or pentachlorophenol (PCP) from conception. *J Toxicol Environ Health A* 58:509-530.
- *Beard AP, Bartlewski PM, Chandolia RK, et al. 1999a. Reproductive and endocrine function in rams exposed to the organochlorine pesticides lindane and pentachlorophenol from conception. *J Reprod Fertil* 115:303-314.
- Beard AP, Bartlewski PM, Rawlings NC. 1999b. Endocrine and reproductive function in ewes exposed to the organochlorine pesticides lindane or pentachlorophenol. *J Toxicol Environ Health A* 56:23-46.
- *Beard AP, McRae AC, Rawlings NC. 1997. Reproductive efficiency in mink (*Mustela vison*) treated with the pesticides lindane, carbofuran and pentachlorophenol. *J Reprod Fertil* 111:21-28.
- Benfenati E, Fanelli R. 1991. A gas chromatography-mass spectrometric method for simultaneous analysis of 50 pesticides. *Acqua Aria* 7:667-669.
- *Berg GL. 1988. Farm chemicals handbook 1988. Willoughby, OH: Meister Publishing Co.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. Endometriosis: Advanced management and surgical techniques. New York, NY: Springer-Verlag.
- Berisford CW, Dalusky MJ, Bush PB, et al. 1991. Efficacy, persistence, ground deposition, and human exposure of polymer-encapsulated lindane and chloropyrifos used for control of the southern pine beetle. *Phytoprotection* 72:15-20.
- *Bernal JL, Del Nozal MJ, Jimenez JJ. 1992. Use of a high-pressure Soxhlet extractor for the determination of organochlorine residues by gas chromatography. *Chromatographia* 34:468-474.
- *Berry DH, Brewster MA, Watson R, et al. 1987. Untoward effects associated with lindane abuse [letter]. *Am J Dis Child* 141:125-126.
- *Bessar BA A, Korany K, Szabo AS. 1991. Effect of home preparative procedures and technological processes on lindane residues in tomato. *Acta Aliment* 20:25-30.
- Betoulle S, Duchiron C, Deschaux P. 2000. Lindane differently modulates intracellular calcium levels in two populations of rainbow trout (*Oncorhynchus mykiss*) immune cells: Head kidney phagocytes and peripheral blood leucocytes. *Toxicology* 145 :203-215.
- Beurskens JEM, Stams AJM, Zehnder AJB, et al. 1991. Relative biochemical reactivity of 3 hexachlorocyclohexane isomers. *Ecotoxicol Environ Safety* 21:128-136.
- *Bevenue A, Hylin JW, Kawano Y, et al. 1972. Pesticides in water: Organochlorine pesticide residues in water, sediment, algae and fish: Hawaii 1970-1971. *Pestic Monit J* 6:56-72.

9. REFERENCES

- Beyermann K, Erkirch W. 1974. Differentiation of aerosol-bound and gaseous fractions of insecticides in air. *Z Anal Chem* 269:279.
- Bhalla P, Agrawal D. 1998. Alterations in rat erythrocyte membrane due to hexachlorocyclohexane (technical) exposure. *Hum Exp Toxicol* 17:638-642.
- Bhan A, Rathore HS. 1996. Prevention of hexachlorocyclohexane (HCH) induced changes in selected reproductive organs of mice with a herbal drug "speman." I. Acute exposure. *Indian J Occup Health* 39(1):7-11.
- Bhatnagar A, Gupta A. 1998. Chlorpyrifos, quinalphos, and lindane residues in sesame seed and oil (*Sesamum indicum L.*). *Bull Environ Contam Toxicol* 60:596-600.
- *Bhatt HV, Panchal GM. 1994. Effect of lindane on gastrointestinal motility of mice and the possible mechanism of action. *J Environ Biol* 15:63-66.
- Bhunya SP, Jena GB. 1992. Genotoxic potential of the organochlorine insecticide lindane (γ -BHC) - an *in vivo* study in chicks. *Mutat Res* 272:175-181.
- Bhuyan S, Sahu SK, Adhya TK, et al. 1992. Accelerated aerobic degradation of γ -hexachlorocyclohexane in suspensions of flooded and non-flooded soils pretreated with hexachlorocyclohexane. *Biol Fertil Soils* 12:279-284.
- *Biberhofer J, Stevens RJJ. 1987. Organochlorine contaminants in ambient waters of Lake Ontario. Environment Canada: Scientific Service, Inland Waters/Land Director 159:11.
- *Bigsby RM, Caperell-Grant A, Madhukar BV. 1997. Xenobiotics released from fat during fasting produce estrogenic effects in ovariectomized mice. *Cancer Res* 57:865-869.
- Bintein S, Devillers J. 1996. Evaluating the environmental fate of lindane in France. *Chemosphere* 32(12):2427-2440.
- *Blair A, Cantor KP, Hoar Zahm S. 1998. Non-Hodgkin's lymphoma and agricultural use of the insecticide lindane. *Am J Ind Med* 33:82-87.
- Blakley EF. 1982. Lindane toxicity in pigeons. *Can Vet J* 23:267-268.
- Blessing R. 1991. Indoor air pollution by wood preservatives pentachlorophenol and lindane. *Umwelttechnik* 32:205-207.
- Bloomquist JR. 1992. Intrinsic lethality of chloride-channel-directed insecticides and convulsants in mammals. *Toxicol Lett* 60:289-298.
- Boehncke A, Martin K, Muller MG, et al. 1996. The vapor pressure of lindane (γ -1,2,3,4,5,6-hexachlorocyclohexane)-a comparison of Knudsen effusion measurements with data from other techniques. *J Chem Eng Data* 41:543-545.
- *Boffa MJ, Brough PA, Ead RD. 1995. Lindane neurotoxicity. *Br J Dermatol* 133(6):1013.

9. REFERENCES

- *Boll M, Weber LWD, Stampfl A. 1995. The effect of γ -hexachlorocyclohexane (lindane) on the activities of liver lipogenic enzymes and on serum lipids in rats. *Z Naturforsch* 50C:135-142.
- *Bosch AL. 1987a. Dermal absorption of ^{14}C -lindane in male rats. Madison, WI: Hazelton Laboratories America, Inc. HLA study no. 6188-103.
- *Bosch AL. 1987b. Dermal absorption of ^{14}C -lindane in male rabbits. Madison, WI: Hazelton Laboratories America, Inc. HLA study no. 6188-104.
- Boucher FR, Lee GF. 1972. Adsorption of lindane and dieldrin pesticides on unconsolidated aquifer sands. *Environ Sci Technol* 6:538-543.
- Boyd E, Chen C, Krijen C. 1969. Lindane and dietary protein. *Pharmacol Res Commun* 1:403-412.
- Boyle AW, Haggblom MM, Taghon GL, et al. 1997. Dehalogenation of lindane by anaerobic bacteria [Abstract]. 97th General Meeting of the American Society for Microbiology 97:520.
- Boyle AW, Haggblom MM, Young LY. 1999. Dehalogenation of lindane (gamma-hexachlorocyclohexane) in anaerobic bacteria from marine sediments and by sulfate-reducing bacteria. *FEMS Microbiol Ecol* 29:379-387.
- *Brannen KC, Devaud LL, Liu J. 1998. Prenatal exposure to neurotoxicants dieldrin or lindane alters *tert*-butylbicyclophosphorothionate binding to GABA_A receptors in fetal rat brainstem. *Dev Neurosci* 20:34-41.
- *Brassow H-L, Baumann K, Lehnert G. 1981. Occupational exposure to hexachlorocyclohexane: II. Health conditions of chronically exposed workers. *Int Arch Occup Environ Health* 48:81-87.
- Breivik K, Pacyna JM, Munch J. 1999. Use of alpha-, beta- and gamma-hexachlorocyclohexane in Europe, 1970-1996. *Sci Total Environ* 239(1-3):151-163.
- *Brilhante MO, Oliveira MR. 1996. Environmental contamination by HCH in the Cidade dos Meninos', state of Rio de Janeiro. *Int J Environ Health Res* 6:17-25.
- *Brown D. 1988. Lindane: 13 week dermal toxicity study (with interim kill and recovery period) in the rat. Hazelton UK, North Yorkshire, England. HUK report no. 5757-580/2.
- Brown MS, Hart A. 1992. Reducing the use of ozone depleting chemicals: The Irvine, California Ordinance. *J Air Waste Manage Assoc* 42(4):429-432.
- *Brubaker WW, Hites RA. 1998. Gas-phase oxidation products of biphenyl and polychlorinated biphenyls. *Environ Sci Technol* 32:3913-3918.
- Buck ED, Lachnit WG, Pessah IN. 1999. Mechanisms of δ -hexachlorocyclohexane toxicity: I. Relationship between altered ventricular myocyte contractility and ryanodine receptor function. *J Pharmacol Exp Ther* 289(1):477-485.
- *Budavari S, O'Neil MJ, Smith A, et al., eds. 1989. The Merck index. Rahway, NJ: Merck & Co., Inc., 866-867.

9. REFERENCES

- *Burse VW, Head SL, Korver MP, et al. 1990. Determination of selected organochlorine pesticides and polychlorinated biphenyls in human serum. *J Anal Toxicol* 14:137-142.
- Butler Walker J, Seddon L, McMullen E. 2003. Organochlorine levels in maternal and umbilical cord blood plasma in Arctic Canada. *Sci Total Environ* 302:27-52.
- *Butte W, Fooker C. 1990. Simultaneous determination of pentachlorophenol and neutral organochlorine compounds in human milk. *Fresenius J Anal Chem* 336:511-514.
- *Butte W, Walker G. 1992. The determination of wood preserving agents on the surface of wood by gas chromatography and gas chromatography-mass spectrometry. *Fresenius J Anal Chem* 343:144.
- *Butte W, Fox K, Zauke GP. 1991. Kinetics of bioaccumulation and clearance of isomeric hexachlorocyclohexanes. *Sci Total Environ* 109-110:377-382.
- *Caldwell GG, Cannon SB, Pratt CB, et al. 1981. Serum pesticide levels in patients with childhood colorectal carcinoma. *Cancer* 48:774-778.
- Calle EE, Frumkin H, Henley SJ, et al. 2002. Organochlorines and breast cancer risk. *CA Cancer J Clin* 52:301-309.
- Cantor KP, Blair A, Everett G, et al. 1992. Pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota. *Cancer Res* 52:2447-2455.
- Cantor KP, Strickland PT, Brock JW, et al. 2003. Risk of non-Hodgkin's lymphoma and prediagnostic serum organochlorines: B-hexachlorocyclohexane, chlordane/heptachlor-related compounds, dieldrin and hexachlorobenzene. *Environ Health Perspect* 111(2):179-183.
- *Caquet T, Thybaud E, Lebras S, et al. 1992. Fate and biological effects of lindane and deltamethrin in fresh-water mesocosms. *Aquatic Toxicol* 23:261-278.
- *Carey AE, Gowen JA, Tai H, et al. 1978. Soils: Pesticide residue levels in soils and crops, 1971—National Soils Monitoring Program (III). *Pestic Monit J* 12:117-136.
- Carrero I, Perez-Albarsanz MA, Recio MN, et al. 1992. Effects of lindane on the accumulation of cyclic AMP, induced by vasoactive intestinal peptide, in isolated rat prostatic epithelial cells. *Toxicol In Vitro* 6(1):7-10.
- Carrero I, Recio MN, Prieto JC, et al. 1996. Effect of γ -hexachlorocyclohexane in phosphoinositide synthesis in rat enterocytes is calcium-mediated. *Pest Biochem Physiol* 56:79-87.
- *Casida JE, Lawrence LJ. 1985. Structure-activity correlations for interactions of bicyclic phosphorus esters and some polychlorocycloalkane and pyrethroid insecticides with the brain-specific t-butylbicyclic phosphorothionate receptor. *Environ Health Perspect* 61:123-132.
- Castilho JAA, Fenzl N, Guillen SM, et al. 2000. Organochlorine and organophosphorus pesticide residues in the Atoya river basin, Chinangega, Nicaragua. *Environ Pollut* 2000(3):523-533.
- *Cattabeni F, Pastorell M, Eli M. 1983. Convulsions induced by lindane and the involvement of the GABAergic system. *Arch Toxicol (Suppl)* 6:244-249.

9. REFERENCES

*CDC. 2003. Second national report on human exposure to environmental chemicals. Atlanta, GA: Centers for Disease Control and Prevention, Department of Health and Human Services.

CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDC/ATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. Summary report, August 27, 1990.

CELDS. 1993. Computer Environmental Legislative Data Systems. Urbana, IL: University of Illinois. March, 1992.

*Cerón JJ, Panizo CG, Montes A. 1995. Toxicological effects in rabbits induced by endosulfan, lindane, and methylparathion representing agricultural byproducts contamination. *Bull Environ Contam Toxicol* 54:258-265.

Chadwick R, Peoples A, Cranmer M. 1972. The effects of ascorbic acid deficiency and protein quality on stimulation of hepatic microsomal enzymes in guinea pigs. *Toxicol Appl Pharmacol* 22:308-309.

*Chadwick RW, Freal JJ. 1972a. The identification of five unreported lindane metabolites recovered from rat urine. *Bull Environ Contam Toxicol* 7:137-146.

*Chadwick RW, Freal JJ. 1972b. Comparative acceleration of lindane metabolism to chlorophenols by pretreatment of rats with lindane or with DDT and lindane. *Food Cosmet Toxicol* 10:789-795.

*Chadwick RW, Cooper RL, Chang J, et al. 1988. Possible antiestrogenic activity of lindane in female rats. *J Biochem Toxicol* 3:147-158.

*Chadwick RW, Copeland MF, Chadwick C. 1978a. Enhanced pesticide metabolism: A previously unreported effect of dietary fibre in mammals. *Food Cosmet Toxicol* 16:217-225.

*Chadwick RW, Copeland MF, Mole ML, et al. 1981. Comparative effect of pretreatment with phenobarbital, Aroclor 1254, and β -naphthoflavone on the metabolism of lindane. *Pestic Biochem Physiol* 15:120-136.

*Chadwick RW, Copeland MF, Wolff GL, et al. 1985. Effects of age and obesity on the metabolism of lindane by black a/a, yellow Avy/a, and pseudoagouti Avy/a phenotypes of (YS x VY) F₁ hybrid mice. *J Toxicol Environ Health* 16:771-796.

Chadwick RW, Copeland MF, Wolff GL, et al. 1987. Saturation of lindane metabolism in chronically treated (YS x VY) F₁ hybrid mice. *J Toxicol Environ Health* 20:411-434.

*Chadwick RW, Faeder EJ, King LC, et al. 1978b. Effect of acute and chronic Cd exposure on lindane metabolism. *Ecotoxicol Environ Saf* 2:301-316.

*Chadwick RW, Freal JJ, Sovocool GW, et al. 1978c. The identification of three previously unreported lindane metabolites from mammals. *Chemosphere* 8:633-640.

*Chadwick R, Peoples A, Cranmer M. 1972c. The effect of ascorbic acid deficiency and protein quality on stimulation of hepatic microsomal enzymes in guinea pigs. *Toxicol Appl Pharmacol* 22:308-309.

9. REFERENCES

- *Chand B, Ramachandran M. 1980. Effect of dietary hexachlorocyclohexane on certain biochemical changes in albino rat. *Indian J Exp Biol* 18:735-736.
- *Chase K. 2000. Lindane carcinogenicity study by dietary administration to CD-1 mice for 78 weeks, final report (Vols 1-4). Huntingdon Life Sciences Ltd. Project Identity No CIL/021. December 20, 2000. MRID No. 45291402.
- *Chen ZM, Zabik MJ, Leavitt RA. 1984. Comparative study of thin film photodegradative rates for 36 pesticides. *Ind Eng Chem Prod Res Dev* 23:5-11.
- *Chiou CT, McGroddy SE, Kile DE. 1998. Partition characteristics of polycyclic aromatic hydrocarbons on soils and sediments. *Environ Sci Technol* 32:264-269.
- Chovelon A, Geoger L, Gulayets C, et al. 1984. Pesticide and PCB levels in fish from Alberta (Canada). *Chemosphere* 13:19-32.
- *Cifone MA. 1990. Lindane (technical): In the *in vitro* rat primary hepatocyte unscheduled DNA synthesis assay. Hazelton Laboratories America, Inc., Kensington, MD. HLA study no. 12024-0-447.
- *Clark DE, Smalley HE, Crookshank HR, et al. 1974. Residues in food and feed: Chlorinated hydrocarbon insecticide residues in feed and carcasses of feedlot cattle, Texas-1972. *Pestic Monit J* 8:180-183.
- *Clayton G, Clayton F, eds. 1981. *Patty's industrial hygiene and toxicology*. 3rd ed. New York, NY: John Wiley & Sons.
- *Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Coates, EO, Sawyer HJ, Rebeck JW, et al. 1973. Hyper sensitivity bronchitis on tungsten carbide workers. *Chest* 64(3):390.
- Cohen S. 1991. Results of the national pesticide survey. *Ground Water Monitor Rev* 11:85-87.
- Cok I, Bilgili A, Yarsan E, et al. 1998. Organochlorine pesticide residue levels in human adipose tissue of residents of Manisa (Turkey), 1995-1996. *Bull Environ Contam Toxicol* 61:311-316.
- *Colborn T, Clement C. 1992. Chemically induced alterations in sexual and functional development. *The Wildlife/Human Connection*. In: *Advances in modern environmental toxicology*. Volume XXI. Princeton, NJ: Princeton Scientific Publishing Co.
- Cole DC, Sheeshka J, Murkin EJ. 2003. Dietary intakes and plasma organochlorine contaminant levels among Great Lakes fish eaters. *Arch Environ Health* 57(5):496-509.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- *Conley BE. 1952. Health hazards of electric vaporizing devices for insecticides. *JAMA* 149:367-369.
- Connel DW, Wu RSS, Richardson BJ, et al. 1998. Fate and risk evaluation of persistence organic contaminants and related compounds in Victoria Harbour, Hong Kong. *Chemosphere* 36(9):2019-2030.

9. REFERENCES

- *Cooper RL, Chadwick RW, Rehnberg GL, et al. 1989. Effect of lindane on hormonal control of reproductive function in the female rat. *Toxicol Appl Pharmacol* 99:384-394.
- *Cornacoff JB, Lauer LD, House RV, et al. 1988. Evaluation of the immunotoxicity of β -hexachlorocyclohexane (β -HCH). *Fundam Appl Toxicol* 11:293-299.
- Cornejo P, Tapia G, Puntarulo S, et al. 2001. Iron-induced changes in nitric oxide and superoxide radical generation in rat liver after lindane or thyroid hormone treatment. *Toxicol Lett* 119(2):87-93.
- *Cortes DR, Hites RA. 2000. Detection of statistically significant trends in atmospheric concentrations of semivolatile compounds. *Environ Sci Technol* 34:2826-2829.
- Covaci A, Schepens P. 2001. Solid phase disk extraction method for the determination of persistent organochlorine pollutants in human body fluids. *Anal Lett* 34(9):1449-1460.
- Covaci A, Tutudaki M, Tsatsakis AM, et al. 2002. Hair analysis: Another approach for the assessment of human exposure to selected persistent organochlorine pollutants. *Chemosphere* 46(3):413-418.
- *CRISP. 2004. Computer Retrieval of Information on Scientific Projects. National Institutes of Health.
- *CRIS/USDA. 2003. Current Research Information System
- Cristofol RM, Rodriguezfarre E. 1991. Differential presynaptic effects of hexachlorocyclohexane isomers on noradrenaline release in cerebral-cortex. *Life Sci* 49:1111-1119.
- Criswell KA, Loch-Caruso R. 1999. Lindane-induced inhibition of spontaneous contractions of pregnant rat uterus. *Reprod Toxicol* 13(6):481-490.
- Criswell KA, Loch-Caruso R, Stuenkel EL. 1995. Lindane inhibition of gap junctional communication in myometrial myocytes is partially dependent on phosphoinositide-generated second messengers. *Toxicol Appl Pharmacol* 130:280-293.
- *Crockett AB, Wiersma GB, Tai H, et al. 1974. Pesticides in soil: Pesticide residue levels in soils and crops, FY-70—National Soils Monitoring Program (II). *Pestic Monit J* 8:69-97.
- *Currie RA, Kadis VW, Breitzkreitz WE, et al. 1979. Pesticide residues in human milk, Alberta, Canada—1966-1970, 1977-1978. *Pestic Monit J* 13:52-55.
- *Czaja K, Ludwicki JK, Goralczyk K, et al. 1997. Effect of age and number of deliveries on mean concentration of organochlorine compounds in human breast milk in Poland. *Bull Environ Contam Toxicol* 59:407-413.
- Czaja K, Ludwicki JK, Goralczyk K, et al. 2001. Relationship between two consecutive lactations and fat levels in persistent organochlorine compound concentrations in human breast milk. *Chemosphere* 43:889-893.
- *Czeglédi-Jankó G, Avar P. 1970. Occupational exposure to lindane: Clinical and laboratory findings. *Br J Ind Med* 27:283-286.

9. REFERENCES

- *Czuczwa JM, Alford-Stevens A. 1989. Optimized gel permeation chromatographic cleanup for soil, sediment wastes, and oily waste extracts for determination of semivolatile organic pollutants and PCBs. *JOAC* 72:752-759.
- Dallaire F, Dewailly E, Laliberte C, et al. 2002. Temporal trends of organochlorine concentrations in umbilical cord blood of newborns from the lower north shore of the St. Lawrence River (Quebec, Canada) *Environ Health Perspect* 110(8):835-838.
- *Dalsenter PR, Faqi AS, Chahoud I. 1997a. Serum testosterone and sexual behavior in rats after prenatal exposure to lindane. *Bull Environ Contam Toxicol* 59:360-366.
- *Dalsenter PR, Faqi AS, Webb J, et al. 1997b. Reproductive toxicity and toxicokinetics of lindane in the male offspring of rats exposed during lactation. *Hum Exp Toxicol* 16:146-153.
- *Dalsenter PR, Faqi AS, Webb J, et al. 1996. Reproductive toxicity and tissue concentrations of lindane in adult male rats. *Hum Exp Toxicol* 15:406-410.
- Dangwal SK. 1982. Determination of 1,2,3,4,5,6-hexachlorocyclohexane (BHC) in air by microdiffusion method. *Am Ind Hyg Assoc J* 43:912-914.
- *Danopoulos E, Melissinos K, Katsas G. 1953. Serious poisoning by hexachlorocyclohexane. *Arch Ind Hyg* 8:582-587.
- Davies JE. 1975. Occupational and environmental pesticide exposure study in South Florida. Report to U.S. Environmental Protection Agency, Washington, DC. Contract No. 68-02-1277.
- *Davies JE, Dedhia H, Morgade C, et al. 1983. Lindane poisonings. *Arch Dermatol* 119:142-144.
- *Davis JR, Brownson RC, Garcia R. 1992. Family pesticide use in the home, garden, orchard, and yard. *Arch Environ Contam Toxicol* 22:260-266.
- Day GM, Hart BT, McKelvie ID, et al. 1997. Influence of natural organic matter on the sorption of biocide onto goethite, I. γ -BHC and atrazine. *Environ Technol* 18:769-779.
- *DeJongh J, Blaauboer BJ. 1997. Simulation of lindane kinetics in rats. *Toxicology* 122:1-9.
- Delhoyo N, Pulido JA, Perezalbarsanz MA. 1991. Lindane impairs glucose-transport in rat-brain cortex cells. *Pflugers Arch* 418:157.
- Descampiaux B, Cotelle N, Catteau JP, et al. 1999. Cytotoxicity of lindane and paraquat to human hepatoma cell lines. *Bull Environ Contam Toxicol* 62:16-24.
- Descampiaux B, Imbenotte M, Desenclos V, et al. 1997. ^1H NMR investigation of toxic effects of lindane and paraquat on hep 3B and hep G2 human hepatoma cell lines. *Chem Res Toxicol* 10:34-40.
- *Desi I. 1974. Neurotoxicological effect of small quantities of lindane. *Int Arch Arbeitsmed* 33:153-162.
- *Desi I, Varga L, Farkas I. 1978. Studies on the immunosuppressive effect of organochlorine and organophosphoric pesticides in subacute experiments. *J Hyg Epidemiol Microbiol Immunol (Praha)* 22:115-122.

9. REFERENCES

*Dewan A, Gupta SK, Jani JP, et al. 1980. Effect of lindane on antibody response to typhoid vaccine in weanling rats. *J Environ Sci Health B15*:395-402.

DHHS. 1998. National Toxicology Program Report on Carcinogens, Eighth Edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Services, National Institute of Environmental Health Services.

*Dick IP, Blain PG, Williams FM. 1997a. The percutaneous absorption and skin distribution of lindane in man. I. *In vivo* studies. *Hum Exp Toxicol* 16:645-651.

*Dick IP, Blain PG, Williams FM. 1997b. The percutaneous absorption and skin distribution of lindane in man. II. *In vitro* studies. *Hum Exp Toxicol* 16:652-657.

Di Consiglio E, De Angelis G, Traina ME, et al. 2003. Impairment of steroid hormone metabolism after *in utero* exposure of male mice to lindane. *Toxicol Lett* 144(1):176.

*Dietrich DR, Swenberg JA. 1990. Lindane induces nephropathy and renal accumulation of $\alpha_2\mu$ -globulin in male but not in female Fischer 344 rats or male NBR rats. *Toxicol Letters* 53:179-181.

*Dietrich DR, Swenberg JA. 1991. NCI-Black-Reiter (NBR) male rats fail to develop renal disease following exposure to agents that induce $\alpha_2\mu$ -globulin ($\alpha_2\mu$) nephropathy. *Fundam Appl Toxicol* 16:749-762.

*Dikshith TSS, Datta KK. 1972. Effect of intratesticular injection of lindane and endrin on the testes of rats. *Acta Pharmacol Toxicol* 31:1-10.

*Dikshith TSS, Carrera G, Raizada RB, et al. 1989a. Interaction of hexachlorocyclohexane (HCH) and chloroprotham (CIPC) in male rats. *Toxicol Lett* 45:281-288.

*Dikshith TSS, Chandra P, Datta KK. 1973. Effect of lindane on the skin of albino rats. *Experientia* 29:684-685.

*Dikshith TSS, Datta KK, Kushwah HS, et al. 1978. Histopathological and biochemical changes in guinea pigs after repeated dermal exposure to benzene hexachloride. *Toxicology* 10:55-66.

Dikshith TSS, Raizada RB, Singh RP, et al. 1989c. Acute toxicity of hexachlorocyclohexane (HCH) in mice, rats, rabbits, pigeons and freshwater fish. *Vet Hum Toxicol* 31(2):113-116.

*Dikshith TS, Raizada RB, Singh V, et al. 1991c. Repeated dermal toxicity of technical HCH and methyl parathion (50EC) to female rats (*Rattus norvegicus*). *Indian J Exp Biol* 29:149-155.

*Dikshith TSS, Raizada RB, Srivastava MK, et al. 1989b. Dermal toxicity of hexachlorocyclohexane (HCH) in rabbit. *Indian J Exp Biol* 27:252-257.

*Dikshith T SS, Raizada RB, Srivastava MK. 1991a. Long-term dietary study and development of no-observed-effect level (NOEL) of technical hexachlorocyclohexane to rats. *J Toxicol Environ Health* 34:495-507.

*Dikshith TS, Srivastava MK, Raizada RB. 1990. Fetotoxicity of hexachlorocyclohexane (HCH) in mice: Morphological, biochemical and residue evaluations. *Vet Hum Toxicol* 32:524-527.

9. REFERENCES

- *Dikshith TS, Srivastava MK, Raizada RB. 1991b. Response of young rats to repeated oral administration of technical hexachlorocyclohexane. *Vet Hum Toxicol* 33:235-237.
- *Dikshith TSS, Srivastava MK, Raizada RB, et al. 1987. Interaction of hexachlorocyclohexane and malathion in male guinea pigs after repeated dermal application. *Vet Hum Toxicol* 29:138-143.
- *DiMuccio A, Rizzica M, Ausili A, et al. 1988. Selective on-column extraction of organochloride pesticide residues from milk. *J Chromatogr* 456:143-148.
- *Donald DB, Block H, Wood J. 1997. Role of ground water on hexachlorocyclohexane (lindane) detections in surface water in western Canada. *Environ Toxicol Chem* 16(9):1867-1872.
- *Dorfler U, Adler-Koehler R, Schneider P, et al. 1991b. A laboratory model system for determining the volatility of pesticides from soil and plant surfaces. *Chemosphere* 23:485-496.
- *Dorfler U, Schneider P, Scheunert I. 1991a. Volatilization rates of pesticides from soil and plant surfaces under controlled conditions. *Toxicol Environ Chem* 31-32:87-95.
- DOT. 1989a. Hazardous materials table. U.S. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101.
- DOT. 1989b. Hazardous materials table. U.S. Department of Transportation. Code of Federal Regulations 54(185):39501-39505.
- Drummer HL, Woolley DE. 1991. Toxicokinetics of RO 5-4864, lindane and picrotoxin compared. *Pharmacol Biochem Behav* 38:235-242.
- Dua VK, Kumari R, Sharma VP. 1996. HCH and DDT contamination of rural ponds of India. *Bull Environ Contam Toxicol* 57:568-574.
- *Dua VK, Pant CS, Sharma VP. 1997. HCH and DDT residues in human and bovine milk at Hardwar, India. *Indian J Malariol* 34:126-131.
- *Dua VK, Pant CS, Sharma VP, et al. 1998. HCH and DDT in surface extractable skin lipid as a measure of human exposure in India. *Bull Environ Toxicol* 60:238-244.
- Dubus IG, Hollis JM, Brown CD. 2000. Pesticides in rainfall in Europe. *Environ Pollut* 110(2):331-334.
- *Duff RM, Kissel JC. 1996. Effect of soil loading on dermal absorption efficiency from contaminated soil. *J Toxicol Environ Health* 48:98-106.
- *Durell GS, Sauer TC. 1990. Simultaneous dual-column, dual-detector gas chromatographic determination of chlorinated pesticides and polychlorinated biphenyls in environmental samples. *Anal Chem* 62:1867-1871.
- *Dzwonkowska A, Hubner H. 1986. Induction of chromosomal aberrations in the Syrian hamster by insecticides tested in vivo. *Arch Toxicol* 58:152-156.
- *Edgerton TR, Moseman RF, Linder RE, et al. 1979. Multi-residue method for the determination of chlorinated phenol metabolites in urine. *J Chromatogr* 170:331-342.

9. REFERENCES

- Edel J, Pietra R, Sabbioni E, et al. 1986. Trace metal lung disease: Hard metal pneumoconiosis. A case report. *Acta Pharmacol Toxicol (Copenh)* 59:52-55.
- *Egeler P, Meller RM, Knacker T, et al. 1997. Bioaccumulation of lindane and hexachlorobenzene by tubificid sludgeworms (*oligochaeta*) under standardized laboratory conditions. *Chemosphere* 35(4):835-852.
- *Eichler D, Heupt W, Paul W. 1983. Comparative study on the distribution of α - and γ -hexachlorocyclohexane in the rat with particular reference to the problem of isomerization. *Xenobiotica* 13:639-647.
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.
- *Eitzer BD, Chevalier A. 1999. Landscape care pesticide residues in residential drinking water wells. *Bull Environ Contam Toxicol* 62:420-427.
- *Ejobi F, Kanja LW, Muller P, et al. 1996. Organochlorine pesticide residues in mothers' milk in Uganda. *Bull Environ Contam Toxicol* 56:873-880.
- Elazar Z, Blum B. 1974. Interictal discharges in Tungsten foci and EEG seizure activity. *Epilepsia* 15:599-610.
- El Beit IOD, Wheelock JV, Cotton DE. 1981. Factors involved in the dynamics of pesticides in soils: The effect of temperature and period of contact on leachability and adsorption of pesticides by soils. *Int J Environ Studies* 16:189-196.
- *Ellenhorn MJ, Barceloux DG. 1988. *Medical toxicology: Diagnosis and treatment of human poisoning*. New York, NY: Elsevier, 1078-1080.
- Enan E, Matsumura F. 1998. Activation of c-neu tyrosine kinase by o,p'-DDT and β -HCH in cell-free and intact cell preparations from MCF-7 human breast cancer cells. *J Biochem Mol Toxicol* 12(2):83-92.
- *Engst R, Macholz R, Kujawa M, et al. 1976. The metabolism of lindane and its metabolites γ -2,3,4,5,6-pentachlorocyclohexene, pentachlorobenzene, and pentachlorophenol in rats and the pathways of lindane metabolism. *J Environ Sci Health B11*:95-117.
- *Engst R, Macholz RH, Kujawa H. 1979. [Metabolism of lindane in microbial organisms, warm-blooded animals and humans.] *Gig Sanit* 10:64-65. (Russian)
- EPA. 1974a. Lindane: Tolerances for residues. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.133.
- *EPA. 1974b. Lindane: Tolerances for residues. U.S. Environmental Protection Agency. *Fed Regist* 39(75):13776.
- *EPA. 1974c. Pesticide in the Illinois waters of Lake Michigan. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA660374002.

9. REFERENCES

- EPA. 1974d. Volatilization losses of pesticides from soil. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600274054.
- EPA. 1975. National primary drinking water regulations: Maximum contaminant levels. U.S. Environmental Protection Agency. Fed Regist 40(748):59570.
- EPA. 1977. Toxic pollutant effluent standards. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 129.
- *EPA. 1978. Designation of hazardous substances. U.S. Environmental Protection Agency. Fed Regist 43(49):10474-10487.
- EPA. 1979a. Toxic pollutants. U.S. Environmental Protection Agency. Fed Regist 44(147):44502-44503.
- *EPA. 1979b. Water-related environmental fate of 129 priority pollutants. Volume I: Introduction and technical background, metals and inorganics, pesticides and PCBs. Washington, DC: Environmental Protection Agency. EPA440479029a.
- EPA. 1980a. Ambient water quality criteria for hexachlorocyclohexane. Washington, DC: U.S. Environmental Protection Agency, Criteria and Standards Office. EPA440580054. PB81117657.
- EPA. 1980b. Guidelines and methodology used in the preparation of health effect assessment chapters of the consent decree water criteria documents. U.S. Environmental Protection Agency. Fed Regist 45:79347-79357.
- *EPA. 1980c. Manual of analytical methods for the analysis of pesticides in humans and environmental samples. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory, Environmental Toxicology Division. EPA600880038.
- EPA. 1981. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- *EPA. 1982. Aquatic fate process data for organic priority pollutants. Report to U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, DC, by SRI International. EPA440481014.
- *EPA. 1984. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.
- *EPA. 1985a. Drinking water criteria document for lindane. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA600X841821.
- EPA. 1985b. Guidance for the reregistration of pesticide products containing lindane as the active ingredient. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances. EPARS85027, 4-5.
- *EPA. 1985c. Baseline estimates and time trends for β -benzene hexachloride, hexachloro-benzene, and polychlorinated biphenyls in human adipose tissue—1970-1983. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances. EPA560585025.

9. REFERENCES

- *EPA. 1986a. Quality criteria for water. Washington, DC: U.S. Environmental Protection Agency. EPA440586001.
- *EPA. 1986b. Test methods for evaluating solid waste: Volume 1B: Laboratory manual: Physical/chemical methods. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. SW-846 third edition.
- *EPA. 1986c. Lindane. Quality criteria for water. Washington DC: U.S. Environmental Protection Agency, 291-295. EPA440586001
- *EPA. 1986d. Broad scan analysis of the FY82 national human adipose tissue survey specimens. Volume 1 - Executive summary. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1987a. Health advisory for lindane. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.
- EPA. 1987b. Health and environmental effects profile for hexachlorocyclohexanes. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA600X88248.
- EPA. 1987c. Emergency planning and notification: The list of extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 52(77):13395-13410.
- EPA. 1987d. List (phase 1) of hazardous constituents for ground-water monitoring. U.S. Environmental Protection Agency. Fed Regist 52(131):25942-25953.
- EPA. 1987e. Maximum concentration of constituents for ground-water protection. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.94.
- *EPA. 1988a. June quarterly update for HEA and HEED chemicals. Memorandum from Chris DeRosa, Environmental Criteria and Assessment Office, Cincinnati, OH, to Bruce Means. July 15, 1988.
- EPA. 1988b. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403 Appendix B.
- EPA. 1988c. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Fed Regist 53(200):40610-40616.
- EPA. 1988d. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Fed Regist 53(78):13382-13393.
- EPA. 1988e. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Fed Regist 53(30):4500-4554.
- *EPA. 1988f. General pretreatment regulations for existing and new sources of pollution. Fed Regist 53(200):40610-40616.
- EPA. 1989a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

9. REFERENCES

- EPA. 1989b. List of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- EPA. 1989c. List of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Fed Regist 54(155):33428-33484.
- *EPA. 1989d. Hydrolysis rate constants for enhancing property-reactivity relationships. Athens, GA: U.S. Environmental Protection Agency. EPA600389063. PB89220479.
- EPA. 1990a. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A.
- EPA. 1990b. Emergency planning and notification: The list of extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355.
- EPA. 1990c. Nonoccupational pesticide exposure study (NOPES): Final report. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Atmospheric Research and Exposure Assessment Laboratory. EPA600390003.
- EPA. 1990d. Toxicity characteristic. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.24.
- *EPA. 1990e. Toxicity characteristic. U.S. Environmental Protection Agency. Fed Regist 55(61):11863.
- EPA. 1991a. A-2 μ -globulin: Association with chemically-induced renal toxicity and neoplasia in the male rat. Final draft. Washington, DC: U.S. Environmental Protection Agency. EPA624391019A.
- EPA. 1991b. Ambient water quality criteria summary concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Science and Technology, Health and Ecological Criteria Division, Ecological Risk Assessment Branch, Human Risk Assessment Branch.
- EPA. 1991c. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.
- EPA. 1991d. National primary drinking water regulations: Maximum contaminant levels. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.12.
- EPA. 1991e. National primary drinking water regulations: Maximum contaminant level goals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50.
- EPA. 1991f. National primary drinking water regulations: Maximum contaminant level goals. U.S. Environmental Protection Agency. Fed Regist 56(20):3592-3594.
- *EPA. 1991g. Regulations for the acceptance of certain pesticides and recommended procedures for the disposal and storage of pesticides and pesticide containers. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 165.

9. REFERENCES

EPA. 1991h. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.

*EPA. 1993. Notice of receipt of requests for amendments to delete uses in certain pesticide registrations. U.S. Environmental Protection Agency. Fed Regist 58(220):60630-60631.

EPA. 1995. Drinking water regulations and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water,

EPA. 1996a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3.

EPA. 1996b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355 (Appendix A).

EPA. 1996c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4 (Table 302.4).

EPA. 1996d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

EPA. 1996e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 4.01.15.

EPA. 1996f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33(f).

EPA. 1996g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261 (Appendix VII).

EPA. 1996h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.24.

EPA. 1996i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

EPA. 1996j. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 130.

EPA. 1996k. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.133.

EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

EPA. 1997. Automated form R for Windows: User's guide (RY97). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.

EPA. 1998a. Integrated Risk Information System (IRIS), Office of Research and Development, National Center for Environmental Assessment.

*EPA. 1998b. USEPA Restricted Use Products (RUP) Report, October 1998. Office of Pesticide Programs.

*EPA. 1999. Data evaluation report: lindane (gamma HCH). Study type, acute oral (gavage) neurotoxicity- rat(91-8). Arlington, VA: U.S. Environmental Protection Agency.

9. REFERENCES

- *EPA. 2001a. Cancer assessment document. Evaluation of the carcinogenic potential of lindane. Final Report. U.S. Environmental Protection Agency. Cancer Assessment Review Committee. Health Effects Division. Office of Pesticide Programs.
- *EPA. 2001b. Revised HED risk assessment for lindane. U.S. Environmental Protection Agency, 1-50. D276619.
- *EPA. 2002a. 2002 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA822R02038.
- *EPA. 2002b. Registration eligibility decision for lindane- Case 315. U.S. Environmental Protection Agency, 1-130.
- *EPA. 2003a. Criteria for classification of solid waste disposal facilities and practices. Maximum contaminant levels (MCLs). Washington, DC: U.S. Environmental Protection Agency. 40 CFR 257, Appendix I. <http://www.epa.gov/waterscience>. June 6, 2003.
- *EPA. 2003b. Criteria for municipal solid waste landfills. List of hazardous inorganic and organic constituents. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 258, Appendix II. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003c. Designation, reportable quantities, and notification. Designation of hazardous substance. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 302.4. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003d. Emergency planning and notification. The list of extremely hazardous substances and their threshold planning quantities. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 355, Appendix A. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003e. Identification and listing of hazardous waste. Toxicity characteristic. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 261.24. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003f. Interim status standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. EPA interim primary drinking water standards. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 265, Appendix III. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003g. Land disposal restrictions. Universal treatment standards. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 268.48. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003h. National primary drinking water regulations. Maximum contaminant level goals for organic contaminants. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 141.50. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003i. National primary drinking water regulations. Maximum contaminant levels for organic contaminants. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 141.61. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.

9. REFERENCES

- *EPA. 2003j. Reportable quantities of hazardous substances designated pursuant to Section 311 of the Clean Water Act. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 117.3. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003k. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. Concentration limits. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 264.94. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003l. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. Ground-water monitoring list. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 264, Appendix IX. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003m. Standards for the management of specific hazardous wastes and specific types of hazardous waste management facilities. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 266, Appendix V. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003n. Tolerances and exemptions from tolerances for pesticide chemicals in food. Lindane; tolerances for residues. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 180.133. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003o. Toxic chemical release reporting: Community right-to-know. Chemicals and chemical categories to which this part applies. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 372.65. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003p. Water programs. Designation of hazardous substances. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 116.4. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- *EPA. 2003q. Water quality guidance for the Great Lakes system. Pollutants of initial focus in the Great Lakes water quality initiative. Washington, DC: U.S. Environmental Protection Agency. 40 CFR 132, Table 6. <http://www.epa.gov/epahome/cfr40.htm>. June 6, 2003.
- EPA. 2004. Reregistration eligibility decision for lindane. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Programs.
- *Fagan J. 1981. Henoch-Schonlein purpura and γ -benzene hexachloride [letter]. *Pediatrics* 67:310-311.
- Fairy R, Roberts C, Jacobi M, et al. 1998. Assessment of sediment toxicity and chemical concentrations in the San Diego Bay region. *Environ Toxicol Chem* 17(8):1570-1581.
- Falandyse J, Brudnowska B, Kawano M, et al. 2001. Polychlorinated biphenyls and organochlorine pesticides in soils from the southern part of Poland. *Arch Environ Contam Toxicol* 40(2):173-178.
- FAO/WHO. 1978. Pesticide residues in food—1977. FAO plant production and protection paper. Geneva, Switzerland: Food and Agriculture Organization of the United Nations/World Health Organization.
- Farkas I, Desi I, Dura G. 1976. Differences in the acute and chronic neurotoxic effects of chlorinated hydrocarbon, organophosphate and carbamate pesticides. *Adverse Effects Environ Chem Psychotrop Drugs* 2:201-213.

9. REFERENCES

- *Farm Chemicals Handbook. 1993. Pesticide dictionary. Willoughby, OH: Meister Publishing Company, C204.
- *Fazzalari FA, ed. 1978. Compilation of odor and taste threshold values data. ASTM data series DS 48A (Committee E-18). American Society for Testing and Materials, Philadelphia, PA.
- FDA. 1977. Compliance program evaluation: FY 1974 total diet studies (7320.08). Washington, DC: U.S. Food and Drug Administration, Bureau of Foods, U.S. Government Printing Office, Table 6.
- FDA. 1982. Bottled water: Quality standards. U.S. Food and Drug Administration. Fed Regist 46(157):41037.
- FDA. 1989a. Bottled water: Quality standards. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 103.35.
- *FDA. 1989b. U.S. Food and Drug Administration program residues in foods—1988. J Assoc Off Anal Chem 72:134A-152A.
- *FDA. 2003. Beverages. Bottled water. Washington, DC: Food and Drug Administration. 21 CFR 165.110. <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321>. June 6, 2003.
- *FEDRIP. 2004. Federal Research in Progress. National Technical Information Service, Springfield, VA.
- *Feldmann RJ, Maibach HI. 1974. Percutaneous penetration of some pesticides and herbicides in man. Toxicol Appl Pharmacol 28:126-132.
- *Fendinger NJ, Adams DD, Glotfelty DE. 1992. The role of gas ebullition in the transport of organic contaminants from sediments. Sci Total Environ 112:189-201.
- Fernandez M, Cuesta S, Jimenez O, et al. 2000. Organochlorine and heavy metal residues in the water/sediment system of the Southern Regional Park in Madrid, Spain. Chemosphere 41:801-812.
- Fernandez Muino M, De la Montana Miguelez J, Simal Lozano J. 1991. AGC method for chlorinated pesticides and polychlorinated biphenyls in mussels. Chromatographia 31:453-456.
- *Ferrando MD, Alarcon V, Fernandez-Casalderrey A, et al. 1992. Persistence of some pesticides in the aquatic environment. Bull Environ Contam Toxicol 48:747-755.
- Ferrer A, Bona MA, Castellano M, et al. 1992. Organochlorine residues in human adipose tissue of the population of Zaragoza, Spain. Bull Environ Contam Toxicol 48:561-566.
- Ferry T, Morabito R, Sangiorgio P, et al. 1999. Determination of As, Mo, V, W in environmental samples. Ann Chim (Rome) 89:699-710.
- Fischbein A, Abraham JL, Horowitz SF, et al. 1986. Hard metal disease: A multidisciplinary evaluation of two cases. N Y State J Med 68(11):600-603.
- Fischbein A, Luo J-C J, Solomon SJ, et al. 1992. Clinical findings among hard metal workers. Br J Ind Med 49:17-24.

9. REFERENCES

- *Fischer TF. 1994. Lindane toxicity in a 24-year-old woman. *Ann Emerg Med* 24(5):972-974.
- *Fishman BE, Gianutsos G. 1987. Differential effects of γ -hexachlorocyclohexane (lindane) on pharmacologically-induced seizures. *Arch Toxicol* 59:397-401.
- *Fishman BE, Gianutsos G. 1988. CNS biochemical and pharmacological effects of the isomers of hexachlorocyclohexane (lindane) in the mouse. *Toxicol Appl Pharmacol* 93:146-153.
- *Fitzhugh OG, Nelson AA, Frawley JP. 1950. The chronic toxicities of technical benzene hexachloride and its α , β and γ isomers. *J Pharmacol Exp Ther* 100:59-66.
- *Fitzloff JF, Pan JC. 1984. Epoxidation of the lindane metabolite, β -PCCH, by human- and rat-liver microsomes. *Xenobiotica* 14:599-604.
- *Fitzloff JF, Portig J, Stein K. 1982. Lindane metabolism by human and rat liver microsomes. *Xenobiotica* 12:197-202.
- Foerster B, Marcinkowski A, Schallnass H, et al. 1991. Environmental behavior of chemicals in a compartment of the terrestrial ecosystem. Effects on the microbial soil respiration. *Verh Ges Oekol* 19:149-56.
- Fogarty AM, Tuovinen OH. 1991. Microbiological degradation of pesticides in yard waste composting. *Microbiol Rev* 55:225-233.
- Fogg AG, Jarvis TJ, Marriot DR, et al. 1971. The spectrophotometric determination of tungsten with thiocyanate. *Analyst* 96:475-479.
- Fogg AG, Marriot DR, Thorburn Burns D. 1970. The spectrophotometric determination of tungsten with thiocyanate. *Analyst* 96:848-853.
- *Fomon SJ. 1966. Body composition of the infant: Part I: The male "reference infant". In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- *Fonseca RG, Resende LAL, Silva MD, et al. 1993. Chronic motor neuron disease possibly related to intoxication with organochlorine insecticides. *Acta Neurol Scand* 88:56-58.
- *Ford WM, Hill EP. 1991. Organochlorine pesticides in soil sediments and aquatic animals in the Upper Steele Bayou watershed of Mississippi (USA). *Arch Environ Contam Toxicol* 20:160-167.
- Forrester MB, Sievert JS, Stanley SK. 2004. Epidemiology of lindane exposures for pediculosis reported to poison centers in Texas, 1998-2002. *J Toxicol Clin Toxicol* 42(1):55-60.
- France JE, King JW, Snyder JM. 1991. Supercritical fluid-based cleanup technique for the separation of organochlorine pesticides from fats. *J Agric Food Chem* 39:1871-1874.
- Francis A, Spangord R, Ouchi G. 1975. Degradation of lindane by *Escherichia coli*. *Appl Microbiol* 29:567-568.

9. REFERENCES

- Frank A, Galgan V, Petersson LR, et al. 1992. Metal concentrations in seals from Swedish waters. *Ambio* 21(8):529-538.
- Frank R, Braun HE, Clegg BS, et al. 1990a. Survey of farm wells for pesticides, Ontario, Canada, 1986 and 1987. *Bull Environ Contam Toxicol* 44:410-419.
- *Frank R, Braun HE, Stonefield KI, et al. 1990b. Organochlorine and organophosphorus residues in the fat of domestic farm animal species, Ontario, Canada 1986–1988. *Food Addit Contam* 7:629-636.
- Frank R, Braun HE, Wilkie I, et al. 1991. A review of insecticide poisonings among domestic livestock in Southern Ontario, Canada, 1982-1989. *Can Vet J-Revue Veterinaire Canadienne* 32:219.
- Franz TJ, Lehman PA. 1996. Comparative percutaneous absorption of lindane and permethrin. *Arch Dermatol* 132:901-905.
- Freal JJ, Chadwick RW. 1973. Metabolism of hexachlorocyclohexane to chlorophenols and effect of isomer pretreatment on lindane metabolism in rat. *J Agric Food Chem* 21:424-427.
- *Friberg L, Martensson J. 1953. Case of panmyelophthisis after exposure to chlorophenothane and benzene hexachloride. *AMA Arch Ind Hyg* 8:166-169.
- Friedman G. 1997. Lindane and cancer in humans: A false alarm. *Pharmacoepidemiol Drug Saf* 6(2):129-134.
- FSTRAC. 1990. Federal-State Toxicology and Regulatory Committee. Summary of state and federal drinking water standards and guidelines. Washington, DC. March 1988.
- Fu MH, Tabatabai MA. 1988. Tungsten content of soils, plants, and sewage sludges in Iowa USA. *J Environ Biol* 17(1):146-148.
- Fuentes A, Simmons MS. 1991. Sampling and analysis of hazardous wastes to toxic pollutants. In: Simmons MS, ed. *Hazardous waste measurements*. Chelsea, Michigan: Lewis Publishers, Inc., 17-34.
- *Fytianos K, Vasilkiotis G, Weil L, et al. 1985. Preliminary study of organochlorine compounds in milk products, human milk, and vegetables. *Bull Environ Contam Toxicol* 34:504-508.
- *Gaines T. 1960. The acute toxicity of pesticides to rats. *Toxicol Appl Pharmacol* 2:88-99.
- Ganz PA. 2002. Breast cancer 2002: Where do we stand? *CA Cancer J Clin* 52:253-255.
- *Garcia-Fernandez AJ, Bayoumi AE, Perez-Peretejo Y, et al. 2002. Changes in glutathione-redox balance induced by hexachlorocyclohexane and lindane in CHO-K1 cells. *Xenobiotica* 32(11):1007-1016.
- *Garcia-Repetto R, Repetto M. 1997. HCH and DDT residues in drinking water from the South of Spain, 1991-1994. *Bull Environ Contam Toxicol* 59:875-881.
- *Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986a. Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1980-March 1982. *J AOAC* 69:123-145.

9. REFERENCES

- *Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986b. Pesticides, selected elements, and other chemicals in adult total diet samples, October 1980-March 1982. *J AOAC* 69:146-161.
- *Gautam AK, Gandhi DN, Jani JP, et al. 1989. Histological and pharmacological changes in vas deferens of rats exposed to hexachlorocyclohexane. *Res Commun Chem Pathol Pharmacol* 63:463-466.
- Geissler A, Schoeler HF. 1991. The analysis of chloropesticides and PCB in water: A statistical evaluation of four enrichment methods. *Chemosphere* 23:1029-1041.
- German P, Lift B. 1992. Organochlorine compounds in the blood of patients seen by a general practitioner in a rural area. *Klin Labor* 38:425-446.
- *Gewin HM. 1939. Benzene hexachloride and aplastic anemia. *JAMA* 14:296-297.
- Geyer H, Scheunert I, Friedhelm K. 1987. Correlation between the bioconcentration portion of organic environmental chemicals in humans and their n-octanol/water partition coefficients. *Chemosphere* 16:239-252.
- *Geyer H, Scheunert I, Bruggemann R, et al. 1997. Half-lives and bioconcentration of lindane (γ -HCH) in different fish species and relationship with their lipid content. *Chemosphere* 35(1/2):343-351.
- Ghosh SK, Doctor PB, Bhatnagar VK, et al. 1997. Response of three microbial test systems to pesticides. *Bull Environ Contam Toxicol* 58:482-488.
- *Gilbert ME. 1995. Repeated exposure to lindane leads to behavioral sensitization and facilitates electrical kindling. *Neurotoxicol Teratol* 17:131-141.
- *Gilbert ME, Mack CM. 1995. Seizure thresholds in kindled animals are reduced by the pesticides lindane and endosulfan. *Neurotoxicol Teratol* 17:143-150.
- *Gilliland CD, Summer CL, Silliland MG, et al. 2001. Organochlorine insecticides, polychlorinated biphenyls, and metals in water, sediment, and green frogs from southwestern Michigan. *Chemosphere* 44:327-339.
- Giménez-Lort L, Martínez E, Camón L, et al. 1996. Concentration of putrescine in plasma, frontal cortex and hippocampus of rats after systemic administration of the convulsants N-methyl-D-aspartate, pentylentetrazol, picrotoxinine, lindane, and 4-aminopyridine. *Neurosci Lett* 217:1-4.
- *Ginsburg CM, Lowry W, Reisch JS. 1977. Absorption of lindane (γ benzene hexachloride) in infants and children. *J Pediatrics* 91:998-1000.
- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- Gladen BC, Monaghan SC, Lukyanova EM, et al. 1999. Organochlorines in breast milk from two cities in Ukraine. *Environ Health Perspect* 107(6):459-462.
- Gladen BC, Shkiryak-Nyzhnyk ZA, Chyslovska N, et al. 2003. Persistent organochlorine compounds and birth weight. *Ann Epidemiol* 13(3):151-157.
- Glukhova LG. 1991. Changes in the activity of enzyme and electrolyte composition of blood serum under successive exposure to ethanol and organochlorine pesticides. *Gig Sanit* 2:58-59.

9. REFERENCES

- *Gold-Bouchot G, Silva-Herrera T, Zapata-Pérez O. 1995. Organochlorine pesticide residue concentrations in biota and sediments from Río Palizada, Mexico. *Bull Environ Contam Toxicol* 54:554-561.
- Goldey ES, Taylor DH. 1992. Developmental neurotoxicity following prenatally maternal exposure to hexachlorobenzene in rats. *Neurotoxicol Teratol* 14:15-21.
- Gomez-Catalan J, To-Figueras J, Rodamilans M, et al. 1991. Transport of organochlorine residues in the rat and human blood. *Arch Environ Contam Toxicol* 20:61-66.
- *Goosens EC, Bunschoten RG, Engelen V, et al. 1990. Determination of hexachlorocyclohexanes in ground water by coupled liquid-extraction and capillary gas chromatography. *J High Resolut Chromatogr* 13:438-442.
- *Gopal K, Anand M, Khanna RN, et al. 1992. Some neurotoxicological consequences of hexachlorocyclohexane (HCH) stress in rats fed on protein deficient diet. *Toxicol Environ Chem* 36:57-63.
- *Gopaldaswamy UV, Aiyar AS. 1984. Biotransformation of lindane in the rat. *Bull Environ Contam Toxicol* 32:148-156.
- Gopaldaswamy U, Aiyar A. 1986. Biotransformation and toxicity of lindane and its metabolite hexachlorobenzene in mammals. *IARC Sci Publ.* 267-276.
- Gopaldaswamy UV, Nair CKK. 1992. DNA-binding and mutagenicity of lindane and its metabolites. *Bull Environ Contam Toxicol* 49:300-305.
- Goutner V, Charalambidou I, Albanis TA. 1996. Organochlorine insecticide residues in eggs of the little tern (*Sterna albifrons*) in the Axios Delta, Greece. *Bull Environ Contam Toxicol* 58:61-66.
- *Govind R, Flaherty PA, Dobbs RA. 1991. Fate and effects of semivolatile organic pollutants during anaerobic digestion of sludge. *Water Res* 25:547-556.
- *Grabarczyk M, Kopec-Szlezak J, Szczepanska I, et al. 1990. The effect of γ -hexachlorocyclohexane (lindane) on blood cells, kidney and liver tissues in rabbits. *Haematologia* 23:171-179.
- Granier LK, Chevreuil M. 1997. Behaviour and spatial and temporal variations of polychlorinated biphenyls and lindane in the urban atmosphere of the Paris area, France. *Atmos Environ* 31(22):3787-3802.
- *Grey WE, Marthre DE, Rogers SJ. 1983. Potential exposure of commercial seed-treating applicators to the pesticides carboxin-thiram and lindane. *Bull Environ Contam Toxicol* 31:244-250.
- *Griffith FD Jr, Blanke RV. 1975. Pesticides in people: Blood organochlorine pesticide levels in Virginia residents. *Pestic Monit J* 8:219-224.
- Griffith J, Duncan RC. 1985. Serum organochlorine residues in Florida citrus workers compared to the National Health and Nutrition Examination survey sample. *Bull Environ Contam Toxicol* 35:411-417.
- Grisamore SB, Hile JP, Otten RJ. 1991. Pesticide residues on grain products. *Cereal Foods World* 36:434-437.

9. REFERENCES

- Guan X, Ruch RJ. 1996. Gap junction endocytosis and lysosomal degradation of connexin43-P2 in WB-F344 rat liver epithelial cells treated with DDT and lindane. *Carcinogenesis* 17(9):1791-1798.
- Guillette EA, Meza MM, Aquilar MG, et al. 1998. An anthropological approach to the evaluation of preschool children exposed to pesticides in Mexico. *Environ Health Perspect* 106(6):347-353.
- *Gunderson EL. 1988. FDA total diet study, April 1982–April 1984: Dietary intakes of pesticides, selected elements, and other chemicals. *J AOAC* 71:1200-1209.
- *Gunderson EL. 1995a. Dietary intakes of pesticides, selected elements, and other chemicals: FDA total diet study, June 1984–April 1986. *J AOAC Int* 78(4):910-921.
- *Gunderson EL. 1995b. FDA Total diet study, July 1986–April 1991, Dietary intakes of pesticides, selected elements, and other chemicals. *J AOAC Int* 78(6):1353-1363.
- *Gupta A, Agarwal R, Shukla GS. 1999. Functional impairment of blood–brain barrier following pesticide exposure during early development in rats. *Hum Exp Toxicol* 18(3):174-179.
- *Gupta RC, Karnik AB, Nigam SK, et al. 1978. Comparative laboratory evaluation of some reported methods for the determination of DDT and BHC insecticides in human blood. *Analyst* 103:723-727.
- *Gupta A, Parihar NS, Bhatnagar A. 2001. Lindane, chlorpyrifos, and quinalphos residues in mustard seed and oil. *Bull Environ Contam Toxicol* 67(1):122-125.
- Gutierrez-Ocana MT, Senar S, Perez-Albarsanz MA, et al. 1992. Lindane-induced modifications to membrane lipid structure: Effect on membrane fluidity after subchronic treatment. *Biosci Rep* 12:303-311.
- *Guttes S, Failing K, Neumann K, et al. 1998. Chlororganic pesticides and polychlorinated biphenyls in breast tissue of women with benign and malignant breast disease. *Arch Environ Contam Toxicol* 35:140-147.
- *Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- Haddad LM, Shannon MW, Winchester JF. 1998. Lindane. In: *Poisoning and drug overdose*. 3rd ed. Philadelphia, PA: W.B. Saunders Company, 842, 1198.
- Haider K. 1979. Degradation and metabolization of lindane and other hexachlorocyclohexane isomers by anaerobic and aerobic soil microorganisms. *Z Naturforsch* 34:1066-1069.
- *Hall RC, Hall RC. 1999. Long-term psychological and neurological complications of lindane poisoning. *Psychosomatics* 40(6):513-517.
- *Hamada M, Kawano E, Kawamura S, et al. 1981. Radiation- and photo-induced degradation of five isomers of 1,2,3,4,5,6-hexachlorocyclohexane. *Agric Biol Chem* 45:659-665.
- *Hanada M, Yutani C, Miyaji T. 1973. Induction of hepatoma in mice by benzene hexachloride. *Gann* 64:511-513.

9. REFERENCES

- Hanaoka T, Takahashi Y, Kobayashi M, et al. 2002. Residuals of beta-hexachlorocyclohexane, dichlorodiphenyltrichloroethane, and hexachlorobenzene in serum, and relations with consumption of dietary components in rural residents in Japan. *Sci Total Environ* 286:119-127.
- *Hanig JP, Yoder PD, Krop S. 1976. Convulsions in weanling rabbits after a single topical application of 1% lindane. *Toxicol Appl Pharmacol* 38:463-469.
- *Harman-Fetcho JA, McConnell LL, Baker JE. 1999. Agriculture pesticides in the Patuxent River, a tributary of the Chesapeake Bay. *J Environ Qual* 28(3):928-938.
- Hansch C, Leo A. 1979. Substituent constants for correlation analysis in chemistry and biology. New York, NY: John Wiley and Sons, 202.
- Hansen P-D. 1980. Uptake and transfer of the chlorinated hydrocarbon lindane (γ -BHC) in a laboratory freshwater food chain. *Environ Pollut (Series A)* 21:97-108.
- *Hargrave BT, Vass WP, Erickson PE, et al. 1988. Atmospheric transport of organochlorines to the Arctic Ocean. *Tellus* 40B:480-493.
- *Harner T, Wideman JL, Jantunen LMM, et al. 1999. Residues of organochlorine pesticides in Alabama soils. *Environ Pollut* 106(3):323-332.
- *Harris CJ, Williford EA, Kemberling SR, et al. 1969. Pesticide intoxications in Arizona. *Ariz Med* 26:872-876.
- Harrison MA, Nicholls T, Rousseaux CG. 1980. Lindane toxicity in lambs. *Aust Vet J* 56:42.
- *Hassoun EA, Bagchi D, Stohs SJ. 1996. TCDD, endrin, and lindane induced increases in lipid metabolites in maternal sera and amniotic fluids of pregnant C57BL/6J and DBA/2J mice. *Res Commun Mol Pathol Pharmacol* 94(2):157-169.
- *Hassoun EA, Stohs SJ. 1996a. Comparative teratological studies on TCDD, endrin, and lindane in C57BL/6J and DBA/2J mice. *Comp Biochem Physiol* 113C(3):393-398.
- *Hassoun EA, Stohs SJ. 1996b. TCDD, endrin, and lindane induced oxidative stress in fetal and placental tissues of C57BL/6J and DBA/2J mice. *Comp Biochem Physiol* 115C(1):11-18.
- Hatakeyama M, Tessier DM, Dunlap DY, et al. 2002. Estrogenic action of β -HCH through activations of c-Neu in MCF-7 breast carcinoma cells. *Environ Toxicol Pharmacol* 11(1):27-38.
- *Hatakeyama M, Zou E, Matsumura F. 2002. Comparison of the characteristic of estrogenic action patterns of β -HCH and Heregulin β 1 in MCF-7 human breast cancer cells. *J Biochem Mol Toxicol* 16(5):209-219.
- *Hauzenberger I, Perthen-Palmisano B, Hermann M. 2002. Lindane. Report presented at the Third Meeting of the POPs Expert Group in Geneva, Switzerland in June 2002.
- Hay A. 1991. A recent assessment of cocoa and pesticides in Brazil: An unhealthy blend for plantation workers. *Sci Total Environ* 106:97-109.

9. REFERENCES

- *Hayes WJ Jr. 1976. Mortality in 1969 from pesticides including aerosols. *Arch Environ Health* 31:61-72.
- *Hayes WJ Jr. 1982. Pesticides studied in man. Baltimore, MD: Williams and Wilkins, 211-228.
- Hazarika R, Das M. 1998. Toxicological impact of BHC on the ovary of the air-breathing catfish *Heteropneustes fossilis* (Bloch). *Bull Environ Contam Toxicol* 60:16-21.
- *HazDat. 2005. Hazardous Substance Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry (ATSDR).
- *Heiberg OM, Wright HN. 1955. Benzene hexachloride poisoning. *Arch Ind Health* 11:457-458.
- *Heinisch E, Jonas K, Klein S. 1993. HCH isomers in soil and vegetation from the surroundings of an industrial landfill of the former GDR, 1971-1989. *Sci Total Environ (Suppl Part 1)*:151-159.
- Hendy M, Beattue BE, Burge PS. 1985. Occupational asthma due to an emulsified oil mist. *Br J Ind Med* 42:51-54.
- Henry KS, Kannan K, Nagy BW, et al. 1998. Concentrations and hazard assessment of organochlorine contaminants and mercury in smallmouth bass from a remote lake in the upper peninsula of Michigan. *Arch Environ Contam Toxicol* 34:81-86.
- Herbst M, Weisse I, Koellmer H. 1975. A contribution to the question of the possible hepatocarcinogenic effects of lindane. *Toxicology* 4:91-96.
- Hernandez F, Pitarch E, Beltran J, et al. 2002. Headspace solid-phase microextraction in combination with gas chromatography and tandem mass spectrometry for the determination of organochlorine and organophosphorus pesticide in whole blood. *J Chromatogr* 769:65-77.
- Herron RE, Fagan JB. 2002. Lipophil-mediated reduction of toxicants in humans: An evaluation of an ayurvedic detoxification procedure. *Altern Ther Health Med* 8(5):40-51.
- *Hiskia A, Mylonas A, Tsipi D, et al. 1997. Photocatalytic degradation of lindane in aqueous solution. *Pestic Sci* 50:171-174.
- *Hitachi M, Yamada K, Takayama S. 1975. Brief communication: Cytologic changes induced in rat liver cells by short-term exposure to chemical substances. *J Natl Cancer Inst* 54(5):1245.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- *Hoff RM, Muir D CG, Grift NP. 1992a. Annual cycle of polychlorinated biphenyls and organohalogen pesticides in air in southern Ontario: 1. Air concentration data. *Environ Sci Technol* 26:266-275.
- *Hoff RM, Muir D CG, Grift NP. 1992b. Annual cycle of polychlorinated biphenyls and organohalogen pesticides in air in southern Ontario: 2. Atmospheric transport and sources. *Environ Sci Technol* 26:276-283.
- Hogue C JR, Brewster MA. 1991. The potential of exposure biomarkers in epidemiologic studies of reproductive health. *Environ Health Perspect* 90:261-270.

9. REFERENCES

- *Hollifield HC. 1979. Rapid nephelometric estimate of water solubility of highly insoluble organic chemicals of environmental interest. *Bull Environ Contam Toxicol* 23:579-586.
- Hong HL, Boorman GA. 1992. Demonstration of residual myelotoxicity in mice exposed to lindane. *FASEB Journal* 6:1912.
- *Hong HL, Boorman GA. 1993. Residual myelotoxicity of lindane in mice. *Fundam Appl Toxicol* 21:500-507.
- *Hoyer A, Grandjean P, Jorgensen T, et al. 1998. Organochlorine exposure and risk of breast cancer. *Lancet* 352:1816-1820.
- *HSDB. 1997. Hexachlorocyclohexanes. Environmental standards and regulations. Bethesda, MD: Hazardous Substances Data Bank.
- *HSDB. 2003. Hexachlorocyclohexanes. Environmental standards and regulations. Bethesda, MD: Hazardous Substances Data Bank.
- *HSDB. 2004. Hexachlorocyclohexanes. Environmental standards and regulations. Bethesda, MD: Hazardous Substances Data Bank.
- Huff B, ed. 1988. Physician's desk reference. Oradell, NJ: Medical Economics Co. Inc., 1664-1666.
- *Hughes E. 1999a. Lindane: Neurotoxicity study by a single oral gavage administration to CD rats followed by a 14-day observation period: Lab Project Number: CIL/011: CIL 011/983402. Unpublished study prepared by Huntingdon Life Sciences, Ltd. MRID No. 44769201.
- *Hughes E. 1999b. Lindane: 13 Week neurotoxicity study in rats by dietary administration: Lab Project Number: IL012: CIL/984959. Unpublished study prepared by Huntingdon Life Sciences, Ltd. MRID No 44781101.
- *Hulth L, Hoglund L, Bergman A, et al. 1978. Convulsive properties of lindane, lindane metabolites, and the lindane isomer α -hexachlorocyclohexane: Effects on the convulsive threshold for pentylenetetrazol and the brain content of γ -aminobutyric acid (GABA) in the mouse. *Toxicol Appl Pharmacol* 46:101-108.
- *Huntingdon Life Sciences Ltd. 2001. Additional histopathology investigations of female mouse lung tissues conducted by Huntingdon Life Sciences Ltd., Cambridgeshire, England for CIEL (Centre International Etudes du Lindane), Brussels, Belgium, and completed July 31, 2002. Project Identity No. CIL/021. MRID No. 45470601. (As cited in EPA 2001a)
- Hura C, Leanca M, Rusa L, et al. 1999. Risk assessment of pollution with pesticides in food in the Eastern Romania area (1996-1997). *Toxicol Lett* 107(1-3):103-107.
- Hurwitz S. 1973. Scabies in babies. *Am J Dis Child* 126:226-228.
- *IARC. 1979. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Some halogenated hydrocarbons. *IARC Monogr Eval Carcinog Risk Chem Hum* 20:195-241.

9. REFERENCES

- IARC. 1987. IARC monographs on the evaluation of the carcinogenic risk to humans: Summary table. Lyon, France: World Health Organization, International Agency for Research on Cancer. Supp 7:66.
- IARC. 1994. IARC monographs on the evaluation of carcinogenic risk of chemicals to humans: Lists of IARC evaluations. Lyon, France. World Health Organization, International Agency for Research on Cancer.
- *IARC. 2003. IARC monographs programme on the evaluation of carcinogenic risks to humans. Hexachlorocyclohexanes. Lyon, France: International Agency for Research on Cancer. <http://monographs.iarc.fr/>. June 6, 2003.
- Ichikawa H. 1972. Pathology of BHC poisoning. *Biotechnology* 3:111-116.
- *Ikegami S, Tsuchihashi F, Nishida E. 1991a. Changes in lipid components in liver and serum and production of lipid peroxide in liver by organochlorine pesticides in rats. *Shokuhin Eiseigaku Zasshi* 32:284-290.
- *Ikegami S, Tsuchihashi F, Nishida E. 1991b. Decrease in hepatic storage of vitamin A and induction of cytochrome P-450 by dietary organochlorine pesticides in rats. *J Food Hyg Soc Japan* 32:1-7.
- Imbeault P, Chevrier J, Dewailly E, et al. 2001. Increase in plasma pollutant levels in response to weight loss in humans is related to *in vitro* subcutaneous adipocyte basal lipolysis. *Int J Obesity* 25(11):1585-1591.
- Iqbal U, Dringenberg HC, Brien JF. 2002. Chronic prenatal ethanol exposure alters spatial learning and hippocampal GABA-A receptor subunit expression in the guinea pig. *Alcohol Clin Exp Res* 26:135A.
- *IRIS 2005. Hexachlorocyclohexane. Washington, DC: Integrated Risk Information System. U.S. Environmental Protection Agency. <http://www.epa.gov/iris/>. January 12, 2005.
- Isenberg KE, Moulder KL, Melbostad H. 2002. Effect of ethanol on survival of postnatal hippocampal neurons *in vitro*. *Alcohol Clin Exp Res* 26:96A.
- *Ishidate MJ, Odashima S. 1977. Chromosome tests with 134 compounds on Chinese hamster cells *in vitro*—a screening for chemical carcinogens. *Mutat Res* 49:337-354.
- *Ito N, Hananouchi M, Sugihara S, et al. 1976. Reversibility and irreversibility of liver tumors in mice induced by the α -isomer of 1,2,3,4,5,6-hexachlorocyclohexane. *Cancer Res* 36:2227-2230.
- *Ito N, Nagasaki H, Arai M, et al. 1973. Histologic and ultrastructural studies on the hepatocarcinogenicity of benzene hexachloride in mice. *J Natl Cancer Inst* 51:817-826.
- *Ito N, Nagasaki H, Aoe H, et al. 1975. Development of hepatocellular carcinomas in rats treated with benzene hexachloride. *J Natl Cancer Inst* 54:801-805.
- *Iverson F, Ryan JJ, Lizotte R, et al. 1984. *In vivo* and *in vitro* binding of α - and γ -hexachlorocyclohexane to mouse liver macromolecules. *Toxicol Lett* 20:331-335.
- *Jacobsen BN, Nyholm N, Pedersen BM, et al. 1991. Microbial degradation of pentachlorophenol and lindane in laboratory-scale activated sludge reactors. *Water Sci Technol* 23:349-356.

9. REFERENCES

- *Jaeger U, Podczeck A, Haubenstock A, et al. 1984. Acute oral poisoning with lindane-solvent mixtures. *Vet Hum Toxicol* 26:11-14.
- Jan C-R, Wang J-L, Lin M-C, et al. 2000. Ca^{2+} mobilization induced by δ -hexachlorocyclohexane in Madin Darby canine kidney cells. *Drug Dev Res* 50(2):186-192.
- Janik F, Wolf HU. 1992. The Ca^{2+} -transport-ATPase of human erythrocytes as an *in vitro* toxicity test system--acute effects of some chlorinated compounds. *J Appl Toxicol* 12:351-358.
- Jantunen LMM, Bidlemann TF, Harner T, et al. 2000. Toxaphene, chlordane, and other organochlorine pesticides in Alabama air. *Environ Sci Technol* 34(24):5097-5105.
- Javaroni Rd C, Talamoni J, Landgraf MD, et al. 1991. Degradation of lindane in aqueous solution under γ irradiation. *Quim Nova* 14:237-239.
- *Jedlicka V, Hermanska Z, Smida I, et al. 1958. Paramyeloblastic leukemia appearing simultaneously in two blood cousins after simultaneous contact with gammexane (hexachlorocyclohexane). *Acta Med Scand* 161:447-451.
- *Jenssen D, Ramel C. 1980. The micronucleus test as part of a short-term mutagenicity test program for the prediction of carcinogenicity evaluated by 143 agents tested. *Mutat Res* 75:191-202.
- Jiang X, Martens D, Schramm KW, et al. 2000. Polychlorinated organic compounds (PCOC's) in waters, suspended solids, and sediments of the Yangtse River. *Chemosphere* 41(6):901-905.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- Johri A, Yadav S, Dhawan A, et al. 2004. Effect of lindane on hepatic and brain cytochrome P450s (CYP)s and influence of CYP modulation in lindane induced neurotoxicity. *J Neurochem* 88(1):64.
- *Joseph P, Shivanandappa T, Krishnakumari MK. 1992a. Influence of vitamin A on hexachlorocyclohexane (HCH) toxicity in the rat. *J Nutr Biochem* 3:408-414.
- *Joseph P, Shivanandappa T, Narasimhamurthy K, et al. 1992b. Effect of vitamin A on hexachlorocyclohexane (HCH) toxicity in the rat. *Gen Pharmacol* 23:1159-1164.
- *Joseph P, Viswanatha S, Krishnakumari MK. 1992c. Role of vitamin A in the haematotoxicity of hexachlorocyclohexane (HCH) in the rat. *J Environ Sci Health B27*:269-280.
- *Joy R. 1982. Mode of action of lindane, dieldrin, and related insecticides in the central nervous system. *Neurobehav Toxicol Teratol* 4:813-823.
- *Joy R, Albertson T. 1985. Lindane and limbic system excitability. *Neurotoxicology* 6:193-214.
- *Joy RM, Stark LG, Albertson TE. 1982. Proconvulsant effects of lindane: Enhancement of amygdaloid kindling in the rat. *Neurobehav Toxicol Teratol* 4:347-354.
- Ju YH, Chen TC, Liu JC. 1997. A study on the biosorption of lindane. *Colloids and Surfaces B: Biointerfaces* 9:187-196.

9. REFERENCES

- *Jung D, Becher H, Edler L, et al. 1997. Elimination of β -hexachlorocyclohexane in occupationally exposed persons. *J Toxicol Environ Health* 51:23-34.
- Junge B, Carrion Y, Bosco C, et al. 2001. Effects of iron overload and lindane intoxication in relation to oxidative stress, Kupffer cell function, and liver injury in the rat. *Toxicol Appl Pharmacol* 170(1):23-28.
- *Junqueira VBC, Barros SBM, Simizu K, et al. 1993. Turnover of hepatic glutathione after acute lindane intoxication. *Toxicol Lett* 69:211-216.
- *Junqueira VB, Bairy AC, Arisi AC, et al. 1994. Acute lindane intoxication: A study of lindane tissue concentration and oxidative stress-related parameters in liver and erythrocytes. *J Biochem Toxicol* 9(1):9-15.
- *Junqueira VBC, Koch OR, Arisi ACM, et al. 1997. Regression of morphological alterations and oxidative stress-related parameters after acute lindane-induced hepatotoxicity in rats. *Toxicology* 117:199-205.
- Junqueira VB, Simizu K, Pimentel R, et al. 1991. Effect of phenobarbital and 3-methylcholanthrene on the early oxidative stress component induced by lindane in rat liver. *Xenobiotica* 21:1053-65.
- Junqueira VBC, Simizu K, Videla LA, et al. 1986. Dose-dependent study of the effects of acute lindane administration on rat liver superoxide anion production, antioxidant enzyme activities and lipid peroxidation. *Toxicology* 41:193-204.
- *Just AC, Hawker DW, Connell DW. 1990. Partitioning of lindane between sediment, water, and the crustacean *Metapenaeus macleayi*. *Aust J Marine Freshwater Res* 41:389-397.
- Kadenczki L, Arpad Z, Gardi I, et al. 1992. Column extraction of residues of several pesticides from fruits and vegetables: A simple multiresidue analysis method. *J AOAC Int* 75:53-61.
- Kalajzic T, Bianchi M, Muntau H, et al. 1998. Polychlorinated biphenyls (PCBs) and organochlorine pesticides (OCPs) in the sediments of an Italian drinking water reservoir. *Chemosphere* 36(7):1615-1625.
- *Kalantzi OI, Alcock RE, Johnston PA, et al. 2001. The global distribution of PCBs and organochlorine pesticides in butter. *Environ Sci Technol* 35:1013-1018.
- *Kalantzi OI, Hewitt R, Ford KJ, et al. 2004. Low dose induction of micronuclei by lindane. *Carcinogenesis* 25(4):613-622.
- Kalbitz K, Popp P. 1999. Seasonal impacts on β -hexachlorocyclohexane concentration in soil solution. *Environ Pollut* 106(1):139-141.
- Kalbitz K, Popp P, Geyer W, et al. 1997. β -HCH mobilization in polluted wetland soils as influenced by dissolved organic matter. *Sci Total Environ* 204:37-48.
- Kale SP, Sarma G, Goswami UC, et al. 1996. Uptake and distribution of ^{14}C -carbofuran and ^{14}C -HCH in cat fish. *Chemosphere* 33(3):449-451.
- Kalsch W, Knacker T, Robertz M, et al. 1998. Partitioning and mineralization of [^{14}C]lindane in a laboratory sediment-water system. *Environ Toxicol Chem* 17(4):662-669.

9. REFERENCES

- Kanazawa J. 1981. Measurement of the bioconcentration factors of pesticides by freshwater fish and their correlation with physicochemical properties or acute toxicities. *Pestic Sci* 12:417-424.
- KAN-DO Office and Pesticides Team. 1995. Accumulated pesticide and industrial chemical findings from a ten-year study of ready-to-eat foods. *J AOAC Int* 78:614-631.
- Kang JJ, Chen IL, Yen-Yang HF. 1998. Mediation of γ -hexachlorocyclohexane-induced DNA fragmentation in HL-60 cells through intracellular Ca^{2+} release pathway. *Food Chem Toxicol* 36:513-520.
- *Kanja LW, Skaare JU, Ojwang SBO, et al. 1992. A comparison of organochlorine pesticide-residues in maternal adipose-tissue, maternal blood, cord blood, and human-milk from mother infant pairs. *Arch Environ Contam Toxicol* 22:21-24.
- *Kapoor SK, Chawla RP, Kalra RL. 1981. Simplified method for estimation of DDT and hexachlorocyclohexane residues in milk. *J AOAC* 64:14-15.
- *Kar S, Singh PK. 1979a. Mutagenicity of pesticides carbofuran and hexachlorocyclohexane to blue-green alga *Nostoc muscorum*. *Microbios Lett* 12:79-82.
- *Kar S, Singh PK. 1979b. Detoxification of pesticides carbofuran and hexachlorocyclohexane by blue-green algae *Nostoc muscorum* and *Wollea bhavadwajae*. *Microbios Lett* 10:111-114.
- Karant NGK, Srimathi MS, Majumder SK. 1983. Insecticide fingerprinting technique for detection and location of organochlorine insecticide residues in foods. *J Environ Sci Health B18(6):745-755*.
- Karmaus W, Wolf N. 1995. Reduced birth weight and length in the offspring of females exposed to PCDFs, PCP, and lindane. *Environ Health Perspect* 103(12):1120-1125.
- Karmaus W, DeKoning EP, Kruse H, et al. 2001. Early childhood determinants of organochlorine concentrations in school-aged children. *Pediatr Res* 50(3):322-323.
- *Karnick AB, Thakore KN, Nigam SR, et al. 1981. Studies on glucose-6-phosphatase, fructose-1,2-diphosphatase activity, glycogen distribution and endoplasmic reticulum changes during hexachlorocyclohexane induced hepato-carcinogenesis in pure inbred Swiss mice. *Neoplasm* 28:575-584.
- *Kashyap SK. 1986. Health surveillance and biological monitoring of pesticide formulators in India. *Toxicol Lett* 33:107-114.
- Kashyap SK, Gupta SK, Venkatakrishna Bhatt H, et al. 1976. Acute oral toxicity of hexachlorocyclohexane (BHC) in albino rats. *Indian J Med Res* 64:768-772.
- *Kashyap SK, Nigam SK, Gupta RC, et al. 1979. Carcinogenicity of hexachlorocyclohexane (BHC) in pure inbred Swiss mice. *J Environ Sci Health B14:305-318*.
- Kassner JT, Maher TJ, Hull KM, et al. 1991. Cholestyramine as an adsorbent in acute lindane toxicity a murine model. *Pediatr Res* 29(4 PART 2):30A.
- *Katsumata K, Katsumata K. 2003. Norwegian scabies in an elderly patient who died after treatment with γ BHC. *Intern Med* 42(4):367-369.

9. REFERENCES

- *Keith LH, Garrison AW, Allen FR, et al. 1976. Identification and analysis of organic pollutants in drinking water from 13 U.S. cities. In: Keith LH, ed. Identification and analysis of organic pollutants in water. Ann Arbor, MI: Ann Arbor Science Publishers Inc., 329-373.
- *Kennedy, DW, Aust SD, Bumpus JA. 1990. Comparative biodegradation of alkyl halide insecticides by the white rot fungus, *Phanerochaete chrysosporium* (BKM-F-1767). Appl Environ Microbiol 56:2347-2353.
- Khan ZA, Misra BM, Raghu K. 1996. Thermodynamics of interaction of lindane on silty loam and silty clay loam Indian soils. J Environ Sci Health B31(5):1015-1027.
- *Khanna RN, Anband M, Gopal K, et al. 1988. Effect of repeated exposure to lindane and cadmium on lindane metabolism in rats. Toxicol Lett 42:177-182.
- *Khanna RN, Gupta R, Gupta GSD, et al. 1990. Effects of the level of dietary protein on the toxicity of hexachlorocyclohexane in rats. Toxicol Environ Chem 25:91-103.
- Khanna RN, Kunwar K, Gupta R, et al. 1991. Placental transport of lindane during early and late stages of gestation in rats. Bull Environ Contam Toxicol 47:508-514.
- *Khare S, Rizvi A, Shukla O, et al. 1977. Epidemic outbreak of neuro-ocular manifestations due to chronic BHC poisoning. J Assoc Physicians India 25:215-222.
- *Khera KS, Whalen C, Trivett G, et al. 1979. Teratogenicity studies on pesticidal formulations of dimethoate, diuron, and lindane in rats. Bull Environ Contam Toxicol 22:522-529.
- Kim JH, Smith A. 2001. Distribution of organochlorine pesticides in soils from South Korea. Chemosphere 43(2):137-140.
- *King V. 1991. Lindane: Reproductive performance study in rats treated continuously through two successive generations: Final Report: (Addendum to MRID 422210). Lab Project Number 91/0948: 91-CIL004-0948. CIL-004-LIND. Unpublished study prepared by Life Science Research, Ltd. MRID Number 42246101.
- *Kiralý J, Szentesi I, Ruzicska M, et al. 1979. Chromosome studies in workers producing organophosphate insecticides. Arch Environ Contam Toxicol 8:309-319.
- *Kirk-Othmer. 1985. Concise encyclopedia of chemical technology. New York: John Wiley & Sons, 269-270.
- *Klonne DR, Kintigh WJ. 1988. Lindane technical: Fourteen-week dust aerosol inhalation study on mice. Bushy Run Research Center, Export, PA. Report no. 51-524.
- *Knap AH, Binkley KS. 1991. Chlorinated organic compounds in the troposphere over the western North Atlantic Ocean measured by aircraft. Atmos Environ 25:1507-1516.
- *Knap AH, Binkley KS, Artz RS. 1988. The occurrence and distribution of trace organic compounds in Bermuda precipitation. Atmos Environ 22:1411-1423.
- Kniewald J, Gaurina-Sreck V, Jakominic M, et al. 2000. Cytotoxic effects of atrazine and lindane on rat ovarian and uterine primary culture cells. Toxicol Lett 116:16.

9. REFERENCES

- Koh C-H, Khim JS, Villeneuve DL, et al. 2002. Analysis of trace organic contaminants in sediment, pore water, and water samples from Onsan Bay, Korea: Instrumental analysis and *in vitro* gene expression assay. *Environ Toxicol Chem* 21(9):1796-1803.
- Kolmodin-Hedman B, Alexanderson B, Sjoqvist F. 1971. Effect of exposure to lindane on drug metabolism: Decreased hexobarbital sleeping times and increased antipyrine disappearance rate in rats. *Toxicol Appl Pharmacol* 20:299-307.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.
- *Koner BC, Banerjee BD, Ray A. 1998. Organochlorine pesticide-induced oxidative stress and immune suppression in rats. *Indian J Exp Biol* 36:395-398.
- Konje JC, Otolorin EO, Sotunmbi PT, et al. Insecticide poisoning in pregnancy—a case-report. *J Reprod Med* 37:992-994.
- *Kopec-Szlezak J, Goralczyk K, Wozniak J et al. 1989. Changes in serum and internal organs during increased accumulation of γ -hexachlorocyclohexane in adipose tissue of rabbits. *Mater Med Pol* 21:286-291.
- Kopec-Szlezak J, Szczepanska I, Grabarczyk M, et al. 1991. Late toxic effects of long-term exposure to lindane in peripheral blood cells in rabbits: I. Function impairment and structural disturbances in leucocytes. *Mater Med Pol* 22:179-183.
- Koppen G, Covaci A, Van Cleuvenbergen R, et al. 2002. Persistent organochlorine pollutants in human serum of 50-60 years old women in the Flanders Environmental and Health Study (FLEHS). Part 1: Concentrations and regional differences. *Chemosphere* 48:811-825.
- *Kramer MS, Hutchison TA, Rudnick SA, et al. 1980. Operational criteria for adverse drug reactions in evaluating suspected toxicity of a popular scabicide. *Clin Pharmacol Ther* 27:149-155.
- *Krauthacker B, Kralj M, Tkalcevic B, et al. 1986. Levels of β -HCH, HCB, p,p'-DDE, p,p'-DDT and PCBs in human milk from a continental town in Croatia, Yugoslavia. *Int Arch Occup Environ Health* 58:69-74.
- Krauthacker B, Reiner E, Votava-Raic A, et al. 1998. Organochlorine pesticides and PCBs in human milk from mothering nursing hospitalized children. *Chemosphere* 37(1):27-32.
- Kraut-Vass A, Thoma J. 1991. Performance of an extraction disk in synthetic organic chemical analysis using gas chromatography-mass spectrometry. *J Chromatogr* 538:233-240.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.

9. REFERENCES

- Kroll B, Kunz S, Klein T, et al. 1999. Effect of lindane and phenobarbital on cyclooxygenase-2 expression and prostanoid synthesis by Kupffer cells. *Carcinogenesis* 20(8):1411-1416.
- Kuhnlein HV, Receveur O, Muir DCG, et al. 1995. Arctic indigenous women consume greater than acceptable levels of organochlorines. *J Nutr* 125(10):2501-2510.
- *Kujawa M, Engst R, Macholz R. 1977. On the metabolism of lindane. *Environ Pollut Human Health Proc Internatl Symp* 1975:661-672.
- *Kumar D, Khan PK, Sinha SP. 1995. Cytogenetic toxicity and no-effect limit dose of pesticides. *Food Chem Toxicol* 33:309-314.
- Kumar R, Pant N, Srivastava SP. 1998. Hexachlorocyclohexane and its isomers: Regional brain levels in the rat after dermal exposure. *Arch Environ Contam Toxicol* 35(4):674-679.
- Kumaraswamy S, Rath AK, Bharati K, et al. 1997. Influence of pesticides on methane oxidation in a flooded tropical rice soil. *Bull Environ Contam Toxicol* 59:222-229.
- *Kuntz KW, Warry ND. 1983. Chlorinated organic contaminants in water and suspended sediments of the lower Niagara River. *J Great Lakes Res* 9:241-248.
- *Kurihara N, Tanaka K, Nakajima M. 1979. Mercapturic acid formation from lindane in rats. *Pestic Biochem Physiol* 10:137-150.
- Kurihara N, Uchida M, Fujita T, et al. 1973. Studies on BHC isomers and related compounds: V. Some physicochemical properties of BHC isomers. *Pestic Biochem Physiol* 2:383-390.
- *Kurtz DA, Atlas EL. 1990. Distribution of hexachlorocyclohexanes in the Pacific Ocean Basin, air and water, 1987. *Long Range Transp Pestic* 143-160.
- *Kutz FW, Strassman SC, Spearling JF. 1979. Survey of selected organochlorine pesticides in the general population of the United States: Fiscal years 1970-1975. *Ann NY Acad Sci* 320:60-68.
- *Kutz FW, Wood PH, Bottimore DP. 1991. Organochlorine pesticides and polychlorinated biphenyls in human adipose tissue. *Rev Environ Contam Toxicol* 120:1-82.
- *Kutz FW, Yobs AR, Yang HS. 1976. National pesticide monitoring programs. In: Lee RE, ed. *Air pollution from pesticides and agricultural processes*. Cleveland, OH: CRC Press, 95-136.
- *Labana S, Bansal RC, Mahmood A. 1997. Differential effects of lindane on intestinal functions in normal-fed and malnourished rats. *Pestic Biochem Physiol* 57:192-199.
- Labana S, Bansal RC, Mahmood A. 2001. Age related effects of organochlorine insecticide lindane on intestinal brush border membrane in rats. *Indian J Biochem* 38(4):249-252.
- Lafrance P, Villeneuve JP, Mazet M, et al. 1991. Organic compounds adsorption onto activated carbon: The effect of association between dissolved humic substances and pesticides. *Environ Pollut* 72:331-344.
- Laguex J, Pereg D, Ayotte P, et al. 1999. Cytochrome P450 CYP1A1 enzyme activity and DNA adducts in placenta of women environmentally exposed to organochlorines. *Environ Res* 80(4):369-382.

9. REFERENCES

- Lahiri P, Sircar S. 1991. Suppression of adrenocortical function in female mice by lindane (γ -HCH). *Toxicology* 66:75-79.
- *Lahiri P, Chakravarty J, Sircar S. 1990. Residue accumulation in mice chronically fed lindane (γ -BHC). *Proc Indian Natl Sci Acad Part B Biol Sci* 56:277-280.
- *Lakkad BC, Nigam SK, Karnik AB, et al. 1982. Dominant-lethal study of technical-grade hexachlorocyclohexane in Swiss mice. *Mutat Res* 101:315-320.
- Lakshmanan FL, Pommer A, Patterson O. 1979. Chlorinated hydrocarbon insecticide residues in tissues of rats before and after reduction of body fat by dietary restriction. *J Agric Food Chem* 27:720-725.
- *Lange M, Nitzche K, Zesch A. 1981. Percutaneous absorption of lindane by healthy volunteers and scabies patients: Dependency of penetration kinetics in serum upon frequency of application, time, and mode of washing. *Arch Dermatol Res* 271:387-399.
- Law SA, Diamond ML, Helm PA, et al. 2001. Factors affecting the occurrence and enantiomeric degradation of hexachlorocyclohexane isomers in northern and temperate aquatic systems. *Environ Toxicol Chem* 20(12):2690-2698.
- *Lawrence LJ, Casida JE. 1984. Interactions of lindane, toxaphene and cyclodienes with brain-specific *t*-butylbicyclophosphorothionate receptor. *Life Sci* 35:171-178.
- *Laws SC, Carey SA, Hart DW, et al. 1994. Lindane does not alter the estrogen receptor or the estrogen-dependent induction of progesterone receptors in sexually immature or ovariectomized adult rats. *Toxicology* 92:127-142.
- *LeBel GL, Williams DT. 1986. Determination of halogenated contaminants in human adipose tissue. *J AOAC* 69:451-458.
- Lee AG, East JM, Balgavy P. 1991. Interactions of insecticides with biological membranes. *Pestic Sci* 32:317-328.
- *Lee B, Groth P. 1977. Scabies: Transcutaneous poisoning during treatment [letter]. *Pediatrics* 59:643.
- Lee CH, Edwards AM. 2003. Differential expression of *c-fos* and *c-myc* protooncogenes by estrogens, xenobiotics, and other growth-stimulatory agents in primary rat hepatocytes. *Arch Toxicol* 77:150-159.
- Lee H-S, Miyauchi K, Nagata Y. 2002. Employment of the human estrogen receptor β ligand-binding domain and co-activator SRC1 nuclear receptor-binding domain for the construction of a yeast two-hybrid detection system for endocrine disrupters. *J Biochem* 131(3):399-405.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Ped Clin North America* 44:55-77.

9. REFERENCES

- *Leibold E, Schwarz LR. 1993. Inhibition of intercellular communication in rat hepatocytes by phenobarbital, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane (DDT), and γ -hexachlorocyclohexane (lindane): Modification by antioxidants and inhibitors of cyclo-oxygenase. *Carcinogenesis* 14(11):2377-2382.
- Leiker TJ, Rostad CE, Barnes CR, et al. 1991. A reconnaissance study of halogenated organic compounds in catfish from the lower Mississippi River and its major tributaries. *Chemosphere* 23:817-830.
- Lembowicz K, Sitarska E, Gorski T, et al. 1991. The effect of organic chlorine compounds and their metabolites present in human milk on newborn mice. *Toxicol Lett* 57:215-226.
- Leoni V, Cremisini C, Giovinazzo R, et al. 1992. Activated sludge biodegradation test as a screening method to evaluate persistence of pesticides in soil. *Sci Total Environ* 123-124:279-289.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modelling. In: Ballantyne B, Marro T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- Lewis RG, Fortune CR, Willis RD, et al. 1999. Distribution of pesticides and polycyclic aromatic hydrocarbons in house dust as a function of particle size. *Environ Health Perspect* 107(9):721-726.
- *Lewis RG, Lee RE Jr. 1976. Air pollution from pesticides: Sources, occurrence [sic], and dispersion. In: Lee RE, ed. *Air pollution from pesticides and agricultural processes*. Cleveland, OH: CRC Press, 5-50.
- Li FY, McMillan A, Scholtz T. 1996. Global HCH usage with $1^\circ \times 1^\circ$ longitude/latitude resolution. *Environ Sci Technol* 30:3525-3533.
- Li R, Mather JP. 1997. Lindane, an inhibitor of gap junction formation, abolishes oocyte directed follicle organizing activity *in vitro*. *Endocrinology* 138(10):4477-4480.
- Li YF, Macdonald RW, Jantunen LM, et al. 2002. The transport of β -hexachlorocyclohexane to the western Arctic Ocean: A contrast to α -HCH. *Sci Total Environ* 291:229-246.
- *Liao W, Joe T, Cusick WG. 1991. Multiresidue screening method for fresh fruits and vegetables with gas chromatographic/mass spectrometric detection. *J AOAC* 74:554-565.
- *Liao W, Smith WD, Chiang TC, et al. 1988. Rapid low-cost cleanup procedure for determination of semivolatile organic compounds in human and bovine adipose tissues. *J AOAC* 71:742-747.
- Lide DR. 1991. *CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data*. Boston, MA: CRC Press, 35-195.
- *Lifshitz M, Gavrillov V. 2002. Acute lindane poisoning in a child. *Isr Med Assoc J* 4(9):731-732.
- *Lindenau A, Fischer B, Seiler P, et al. 1994. Effects of persistent chlorinated hydrocarbons on reproductive tissues in female rabbits. *Hum Reprod* 9:772-780.
- Lindroos P, Tsai WH, Zarnegar R, et al. 1992. Plasma levels of HGF in rats treated with tumor promoters. *Carcinogenesis* 13:139-141.

9. REFERENCES

- Lindroos P, Zarnegar R, Michalopoulos G. 1991. Hepatocyte growth factor increases in plasma during treatment with liver promoters. Proc Ann Meet Am Assoc Cancer Res 32:A902.
- *Liu PT, Morgan DP. 1986. Comparative toxicity and biotransformation of lindane in C57BL/6 and DBA/2 mice. Life Sci 39:1237-1244.
- *Livingston, AL. 1978. Forage plant estrogens. J Toxicol Environ Health 4:301-324.
- Llorens J, Sunol C, Tusell JM. 1990a. Microcomputer adaptation of the wheel-shaped activity monitor effects of lindane. Pharmacol Biochem Behav 35:1003-1006.
- Llorens J, Sunol C, Tusell JM, et al. 1991. Evidence for acute tolerance to the behavioral effects of lindane: Concomitant changes in regional monoamine status. Neurotoxicology 12:697-706.
- *Llorens J, Tusell JM, Sunol C, et al. 1989. Effects of lindane on spontaneous behavior of rats analyzed by multivariate statistics. Neurotoxicol Teratol 11:145-151.
- *Llorens J, Tusell JM, Sunol C, et al. 1990b. On the effects of lindane on the plus-maze model of anxiety. Neurotoxicol Teratol 12:643-647.
- Llorens J, Tusell JM, Sunol C, et al. 1992. Repeated lindane exposure in the rat results in changes in spontaneous motor-activity at 2 weeks postexposure. Toxicol Letters 61:265-274.
- *Loch-Caruso RK, Criswell KA, Grindatti CM, et al. 2003. Sustained inhibition of rat myometrial gap junctions and contractions by lindane. Reprod Biol Endocrinol 62(1):1-13.
- Loffler G, van Bavel B. 2000. Potential pathways and exposure to explain the human body burden of organochlorine compounds: A multivariate statistical analysis of human monitoring in Wurzburg, Germany. Chemosphere 40:1075-1082.
- *Loganathan BG, Tanabe S, Hidaka Y, et al. 1993. Temporal trends of persistent organochlorine residues in human adipose tissue from Japan, 1928-1985. Environ Pollut 81:31-39.
- *Loge JP. 1965. Aplastic anemia following exposure to benzene hexachloride (lindane). JAMA 193:104-108.
- *Long AR, Crouch MD, Barker SA. 1991a. Multiresidue matrix solid phase dispersion (MSPD) extraction and gas chromatographic screening of nine chlorinated pesticides in catfish (*Ictalurus punctatus*) muscle tissue. J AOAC 74:667-670.
- *Long AR, Soliman MM, Barker SA. 1991b. Matrix solid phase dispersion (MSPD) extraction and gas chromatographic screening of nine chlorinated pesticides in beef fat. J AOAC 74:493-496.
- Lopez-Aparicio P, Recio MN, Prieto JC, et al. 1991. Effect of lindane upon the β -adrenergic stimulation of cyclic AMP accumulation in rat renal cortical tubules caused by alterations in membrane fluidity. Life Sci 49:1141-1154.
- *López-Aparicio P, Recio MN, Prieto JC, et al. 1994. Role of lindane in membranes. Effects on membrane fluidity and activity of membrane-bound proteins. Biosci Rep 14:131-138.

9. REFERENCES

- Lopez-Avila V, Benedicto J, Baldin E, et al. 1992. Analysis of classes of compounds of environmental concern: III. Organochlorine pesticides. *J High Resolut Chromatogr* 15:319-328.
- *Lopez-Avila V, Dodhiwala NS, Beckert WF. 1990a. Supercritical fluid extraction and its application to environmental analysis. *J Chromatogr Sci* 28:468-476.
- *Lopez-Avila V, Dodhiwala NS, Milanés J, et al. 1989a. Evaluation of EPA method 8120 for determination of chlorinated hydrocarbons in environmental samples. *J AOAC* 72:593-602.
- *Lopez-Avila V, Milanés J, Dodhiwala NS, et al. 1989b. Cleanup of environmental sample extracts using florisil solid-phase extraction cartridges. *J Chromatogr Sci* 27:209-215.
- *Lopez-Avila V, Wesselman R, Edgell K. 1990b. Gas chromatographic-electron capture detection method for determination of 29 organochlorine pesticides in finished drinking water: Collaborative study. *J AOAC* 73:276-286.
- *Lopez-Carrillo L, Lopez-Cervantes M, Torres-Sanchez L, et al. 2002. Serum levels of β -hexachlorocyclohexane and polychlorinated biphenyls and breast cancer in Mexican women. *Eur J Cancer* 11(2):129-135.
- Lowy R, Albrecht R, Pelissier MA, et al. 1977. Determination of the 'no-effect levels' of two pesticides, lindane and zineb, on the microsomal enzyme activities of rat liver. *Toxicol Appl Pharmacol* 42:329-338.
- Luebeck EG, Grasl-Kraupp B, Timmermann-Trosiener I, et al. 1995. Growth kinetics of enzyme-altered liver foci in rats treated with phenobarbital or α -hexachlorocyclohexane. *Toxicol Appl Pharmacol* 130:304-315.
- *Machholz RM, Kujawa M. 1985. Recent state of lindane metabolism: Part III. *Res Rev* 94:119-149.
- *Machholz RM, Knoll R, Lewerenz H-J, et al. 1982a. Metabolism of alpha-hexachlorocyclohexane: Free metabolites in urine and organs of rats. *Xenobiotica* 12:277-231.
- *Machholz RM, Knoll R, Lewerenz H-J, et al. 1982b. Biodegradation of beta-hexachlorocyclohexane: Free metabolites in rat urine and organs. *Arch Toxicol* 50:85-88.
- Mack RB. 1991. Breath mints for the dragon: Lindane toxicity. *N C Med J* 52:76-78.
- *Mackay D, Leinonen PJ. 1975. Rate of evaporation of low-solubility contaminants from water bodies to atmosphere. *Environ Sci Technol* 9:1178-1180.
- Mackay D, Shiu W. 1981. A critical review of Henry's law constants for chemicals of environmental interest. *J Phys Chem Ref Data* 10:1175-1199.
- *Malaiyandi M, Muzika K, Benoit FM. 1982. Isomerization of γ -hexachlorocyclohexane to its α -isomer by ultra-violet light irradiation. *J Environ Sci Health A17*:299-311.
- Malek MA, Rahman MM, Amin MR. 1997. Stability of [^{14}C]lindane, [^{14}C]chlorpyrifos, and coumaphos in model cattle dip. *J Agric Food Chem* 45:3279-3282.

9. REFERENCES

- Manonmani HK, Chandrashekaraiiah DH, Sreedhar RN, et al. 2000. Isolation and acclimation of a microbial consortium for improved aerobic degradation of α -hexachlorocyclohexane. *J Agric Food Chem* 48(9):4341-4351.
- Mansingh A, Ronbinson DE, Henry C, et al. 2000. Pesticide contamination of Jamaican environment. II. Insecticide residues in the rivers and shrimps of Rio Cobre basin, 1982-1996. *Environ Monit Assess* 63(3):459-480.
- Montovani A. 2002. Evaluation of developmental effects of endocrine disrupters. *Reprod Toxicol* 16(4):399.
- Mantovani A, Macri C, Ricciardi C, et al. 2000. Prenatal exposure to mouse female pups to lindane: Preliminary findings. *Reprod Toxicol* 14:545-577.
- *Maranghi F, Rescia M, Macri C, et al. 2003. Histomorphometric analysis of mouse uteri prenatally exposed to lindane. Preliminary results [Abstract]. *Reprod Toxicol* 17(4):499-500.
- *Marsalek J, Schroeter H. 1988. Annual loadings of toxic contaminants in urban runoff from the Canadian Great Lakes basin. *Water Pollut Res J Can* 23:360-378.
- *Martinez AO, Martinez-Conde E. 1995. The neurotoxic effects of lindane at acute and subchronic dosages. *Ecotoxicol Environ Saf* 30:101-105.
- *Martinez E, De Vera N, Artigas F. 1991. Differential response of rat brain polyamines to convulsant agents. *Life Sci* 48:77-84.
- Maskell PD, Wafford KA, Bermudez I. 2001. Effects of γ -HCH and δ -HCH on human recombination GABA_A receptors: dependence on GABA_A receptor subunit combination. *Br J Pharmacol* 132(1):205-212.
- Mastovska K, Lehotay SJ, Hajslova J. 2001. Optimization and evaluation of low-pressure gas chromatography-mass spectrometry for the fast analysis of multiple pesticide residues in a food commodity. *J Chromatogr A* 926(2):291-308.
- Masuda C, Wanibuchi H, Otori K, et al. 2001. Presence of no-observed effect level for enhancing effects of development of the α -isomer of benzene hexachloride (α -BHC) on diethylnitrosamine-initiated hepatic foci in rats. *Cancer Lett* 163:179-185.
- *Mathur V, Bhatnagar P, Sharma RG. 2002. Breast cancer incidence and exposure to pesticides among women originating from Jaipur. *Environ Int* 28(5):331-336.
- Mathur AK, Narang S, Gupta BN, et al. 1992. Effect of dermal exposure to LAS detergent and HCH pesticide in guinea pigs: Biochemical and histopathologic changes in liver and kidney. *J Toxicol Cutaneous Ocul Toxicol* 11:3-13.
- Mathur AK, Narang S, Gupta BN, et al. 1993. Interaction of linear alkylbenzenesulfonate and hexachlorocyclohexane in guinea pigs after dermal application. *J Toxicol Cutaneous Ocul Toxicol* 12:25-33.
- Matin MA, Khan MA, Sattar S. 1991. Central neurochemical mechanisms of lindane induced stimulatory effects and changes in body temperature. *J Neurochem* 57(Suppl):S137.

9. REFERENCES

- Matin MA, Malek MA, Amin MR, et al. 1998. Organochlorine insecticide residues in surface and underground water from different regions of Bangladesh. *Agric Ecosyst Environ* 69(1):11-15.
- *Matsumura F, Benezet HJ. 1973. Studies on the bioaccumulation and microbial degradation of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Environ Health Perspect* 5:253-258.
- *Matsuoka LY. 1981. Convulsions following application of γ -benzene hexachloride [letter]. *J Am Acad Dermatol* 5:98-99.
- Matsuura I, Iwata H, Wako Y, et al. 2001. Validation of a two-generation reproduction toxicity study adding some end points to detect the endocrine disrupting activity using lindane. *Environ Sci (Tokyo)* 8(2-3):225.
- *Mattioli F, Robbiano L, Adamo D, et al. 1996. Genotoxic effects of α -hexachlorocyclohexane in primary cultures of rodent and human hepatocytes. *Mutagenesis* 11(1):79-83.
- Mattison DR, Wohlleb J, To T, et al. 1992. Pesticide concentrations in Arkansas breast milk. *J Ark Med Soc* 88:553-557.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74:135-149.
- Mazzag E, Nagymajtenyi L, Huszta E, et al. 1991. Investigation of selected toxicological parameters of γ -pentachlorocyclohexene (γ -PCCH). *Nahrung* 35:309-316.
- *McCarthy JP, Adinolfi J, McMullin SL, et al. 1992. NCA survey of pesticide residues in brewed coffees. *Colloq Sci Int Cafe [C.R.]* 14:175-181.
- *McNamara BP, Krop S. 1948a. Observations on the pharmacology of the isomers of hexachlorocyclohexane. *J Pharmacol Exp Ther* 92:140-146.
- *McNamara B, Krop S. 1948b. The treatment of acute poisoning produced by γ hexachlorocyclohexane. *J Pharmacol Exp Ther* 92:147-152.
- McNeish AS, Johnson MS, Leah RT. 1997. Methyl lindane and other analogues of hexachlorocyclohexane in dab and plaice from the Mersey Estuary. *Aquat Toxicol* 40:11-20.
- *McNutt TL, Harris C. 1994. Lindane embryotoxicity and differential alteration of cysteine and glutathione levels in rat embryos and visceral yolk sacs. *Reprod Toxicol* 8(4):351-362.
- *McQueen EG, Brosnan C, Ferry DG. 1968. Poisoning from a rose spray containing lindane and malathion. *N Z Med J* 67:533-537.
- *McTernan WF, Pereira JA. 1991. Biotransformation of lindane and 2,4-D in batch enrichment cultures *Water Res* 25:1417-1423.
- *Meera P, Rao PR, Shanker R, et al. 1992. Immunomodulatory effects of γ -HCH (lindane) in mice. *Immunopharmacol Immunotoxicol* 14:261-282.

9. REFERENCES

- Meera P, Tripathi O, Kamboj KK, et al. 1993. Role of calcium in biphasic immunomodulation by γ -HCH (lindane) in mice. *Immunopharmacol Immunotoxicol* 15:113-129.
- *Melancon SM, Pollard JE, Hern SC. 1986. Evaluation of SESOIL, PRZM and PESTAN in a laboratory column leaching experiment. *Environ Toxicol Chem* 5:865-878.
- *Mendeloff AI, Smith DE. 1955. Exposure to insecticides, bone marrow failure, gastrointestinal bleeding, and uncontrollable infections. *Am J Med* 9:274-284.
- Menone, ML, Aizpun de Moreno JE, Moreno VJ, et al. 2001. Organochlorine pesticides and PCBs in a southern Atlantic coastal lagoon watershed, Argentina. *Arch Environ Contam Toxicol* 40(3):355-362.
- *Mes J. 1992. Organochlorine residues in human blood and biopsy fat and their relationship. *Bull Environ Contam Toxicol* 48:815-820.
- *Mes J, Malcolm S. 1992. Comparison of chlorinated hydrocarbon residues in human populations from the Great Lakes and other regions of Canada. *Chemosphere* 25:417-424.
- *Milby T, Samuels A. 1971. Human exposure to lindane: Comparison of an exposed and unexposed population. *J Occup Med* 13:256-258.
- Milby T, Samuels A, Ottoboni F. 1968. Human exposure to lindane: Blood lindane levels as a function of exposure. *J Occup Med* 10:584-587.
- *Mill T. 1999. Predicting photoreaction rates in surface waters. *Chemosphere* 38:1379-1390.
- Miller CT, Pedit JA. 1992. Use of a reactive surface-diffusion model to describe apparent sorption-desorption hysteresis and abiotic degradation of lindane in a subsurface material. *Environ Sci Technol* 26:1417-1427.
- Mills PK, Yang R. 2003. Prostate cancer risk in California farm workers. *J Occup Environ Med* 45(3):249-258.
- Minh TB, Watababe M, Shinsuke T, et al. 2001. Specific accumulation and elimination kinetics of tris(4-chlorophenyl)methanol, and other persistent organochlorines in humans from Japan. *Environ Health Perspect* 109(9):927-935.
- Minh TB, Watanabe M, Tanabe S, et al. 2000. Occurrence of tris(4-chlorophenyl)methane, tris (4-chlorophenyl)methanol, and some other persistent organochlorines in Japanese human adipose. *Environ Health Perspect* 108(7):599-603.
- Ministry of Agriculture, Fisheries and Food. 1992. Report of two cooperative trials of a gel permeation chromatographic method for the isolation of pesticide residues from oils and fats. *Analyst* 117:1451-1455.
- Minelli EV, Ribeiro ML. 1996. DDT and HCH residues in the blood serum of malaria control sprayers. *Bull Environ Contam Toxicol* 57:691-696.
- Misra V, Pandey SD, Viswanathan PN. 1996. *In vitro* photoconversion of gamma-hexachlorocyclohexane in the presence of chlorophyll. *Bull Environ Contam Toxicol* 56:809-816.

9. REFERENCES

- Miura K, Ino T, Iizuka M. 1973. Comparison of susceptibility of various strains of mice to acute toxicity of BHC. *Med Biol* 86:391-396.
- Mmochi AJ, Mberek RS. 1998. Trends in the types, amounts, and toxicity of pesticides used in Tanzania. *Ambio* 27(8):669-676.
- *Mobbs RF. 1948. Toxicity of hexachlorocyclohexane in scabies. *JAMA* 138:1253.
- *Mograbi B, Corcelle E, Defamie N, et al. 2003. Aberrant connexin of 43 endocytosis by the carcinogen lindane involves activation of the ERK/mitogen-activated protein kinase pathway. *Carcinogenesis* 24(8):1415-1423.
- Mohammad FK, Zangana IK. 1992. Use of atropine for treatment of lindane poisoning in two chickens. *Vet Rec* 130:378.
- Mohn WW, Tiedje JM. 1992. Microbial reductive dehalogenation. *Microbial Rev* 56:482-507.
- Molony DA, Kone B, Holian A, et al. 1996. Inhibitors of cysteine protease interleukin-1 β -convertin enzyme (ICE) abolish the apoptosis of ST-1 cells induced by nephrotoxicant pesticides [Abstract]. *Pathophysiology of Renal Disease: Toxic Neuropathy Volume* 1843.
- *Moreno MJ, Pellicer S, Fernández-Otero MP. 1996. Effects of in situ and systemic lindane treatment on in vivo absorption of galactose and leucine in rat jejunum. *Arch Toxicol* 70:767-772.
- *Moreno MJ, Pellicer S, Marti A, et al. 1994. Effect of lindane on galactose and leucine transport in chicken enterocytes. *Comp Biochem Physiol* 109C:159-166.
- Moreno Frias M, Garrido Frenich A, Martinez Vidal JL, et al. 2001. Analysis of lindane, vinclozolin, aldrin, p,p'-DDE, o,p'-DDT and p,p'-DDT in human serum using gas chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci* 760(1):1-15.
- *Morgan DP, Lin LL. 1978. Blood organochlorine pesticide concentrations, clinical hematology, and biochemistry in workers occupationally exposed to pesticides. *Arch Environ Contam Toxicol* 7:423-447.
- *Morgan DP, Roberts RJ, Walter AW, et al. 1980. Anemia associated with exposure to lindane. *Arch Environ Health* 35:307-310.
- Mori C. 2000. Endocrine disrupting chemicals and spermatogenesis. *Teratology* 62(3):7A.
- Mori C, Sakurai K, Iguchi T. 2001. Analysis of several endocrine disruptors detected in human umbilical cords and cord serum in Japan. *Environ Sci (Tokyo)* 8(2-3):117-118.
- *Moriya M, Ohta T, Watanabe K, et al. 1983. Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutat Res* 116:185-216.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.
- Mostafa FIY, Mostafa IY, Aly MAS, et al. 1996. Bioavailability to rats of ¹⁴C-lindane residues in stored potato tubers. *J Environ Sci Health B31(6):1241-1251.*

9. REFERENCES

- Mott HV, Weber WJ Jr. 1992. Sorption of low molecular weight organic contaminants by fly ash: Considerations for the enhancement of cutoff barrier performance. *Environ Sci Technol* 26:1234-1242.
- *Mougin C, Pericaud C, Dubroca J, et al. 1997. Enhanced mineralization of lindane in soils supplemented with the white rot basidiomycete *Phanerochaete chrysosporium*. *Soil Biol Biochem* 29(9):1321-1324.
- *Mougin C, Pericaud C, Malosse C, et al. 1996. Biotransformation of the insecticide lindane by the white rot basidiomycete *Phanerochaete chrysosporium*. *Pestic Sci* 47:51-59.
- *Muino MF, Miguez JD, Lozano JS. 1991. A GC method for chlorinated pesticides and PCB's in mussels. *Chromatographia* 31:453-456.
- Mukherjee I, Gopal M. 1998. Behavior of lindane and endosulfan on cowpea. *Bull Environ Contam Toxicol* 60:225-230.
- *Muller D, Klepel H, Macholz RM, et al. 1981. Electroneurophysiological studies on neurotoxic effects of hexachlorocyclohexane isomers and γ -pentachlorocyclohexene. *Bull Environ Contam Toxicol* 27:704-706.
- *Mullins DE, Young RW, Hetzel GH, et al. 1992. Wastewater cleanup using demulsification, sorption, and filtration followed by chemical and biological degradation. *ACS Symp Ser* 510 (Pesticide Waste Management) 166-176.
- *Munir KM, Soman CS, Bhide SV. 1983. Hexachlorocyclohexane-induced tumorigenicity in mice under different experimental conditions. *Tumori* 69:383-386.
- *Munk ZM, Nantel A. 1977. Acute lindane poisoning with development of muscle necrosis. *Can Med Assoc J* 117:1050-1054.
- Muralidhara MKK, Majumder SK. 1979. Effects of carriers on the oral toxicity of lindane (γ -BHC) to albino rats. *J Food Sci Technol* 16:105-107.
- *Murli H. 1990. Lindane (technical): In an *in vitro* cytogenetic assay measuring chromosomal aberration frequencies in Chinese Hamster Ovary (CHO) cells with multiple harvests under conditions of metabolic activation. Hazelton Laboratories America, Inc., Kensington, MD. HLA study no. 12024-0-437C.
- *Murphy R, Harvey C. 1985. Residues and metabolites of selected persistent halogenated hydrocarbons in blood specimens from a general population survey. *Environ Health Perspect* 60:115-120.
- Murthy NBK, Kukarni MG, Raghu K. 1998. Residues of ^{14}C - γ -HCH in paddy after dusting, and the fate of γ -HCH during refining process of rice bran oil. *Toxicol Environ Chem* 65:241-244.
- Muscat J, Britton J, Djordjevic M. 2003. Adipose concentrations of organochlorine compounds and breast cancer recurrence in Long Island, New York. *Cancer Epidemiol Biomarkers Prev* 12(12):1474-1478.
- Mussalo-Rauhamaa H. 1991. Partitioning and levels of neutral organochlorine compounds in human serum, blood cells, and adipose and liver tissue. *Sci Total Environ* 103:159-75.

9. REFERENCES

- Musty PR, Nickless G. 1976. Extractants for organochlorine insecticides and polychlorinated biphenyls from water. *J Chromatogr* 120:369-378.
- *Myers D. 1999. Lindane developmental neurotoxicity study in the Han Wistar rat by dietary administration: Lab project number: CIL/022: 993378. Unpublished study prepared by Huntingdon Life Sciences, Ltd. MRID Number 45073501.
- *Nagaraja TN, Desiraju T. 1994. Brain regional variations in the levels of biogenic amines, glutamate, GABA and glutamate decarboxylase activity in developing and adult rats exposed chronically to hexachlorocyclohexane. *Biogenic Amines* 10:141-149.
- Nagasaki H, Tomii S, Mega T, et al. 1971. Development of hepatomas in mice treated with benzene hexachloride. *Gann* 62:431.
- *Nagasaki H, Kawabata H, Miyata K, et al. 1975. Effect of various factors on induction of liver tumors in animals by the α -isomer of benzene hexachloride. *Gann* 66:185-191.
- Nagasaki H, Tomii S, Mega T, et al. 1972. Hepatocarcinogenic effect of α , β , γ , and δ isomers of benzene hexachloride in mice. *Gann* 63:805.
- Nagata K, Huang CS, Hamilton BJ, et al. 1996. Differential effects of hexachlorocyclohexane isomers on the GABA receptor subunits expressed in human embryonic kidney cell line. *Brain Res* 738:131-137.
- *Nagy Z, Mile I, Antoni F. 1975. The mutagenic effect of pesticides on *Escherichia coli* WP2 try-. *Acta Microbiol Acad Sci Hung* 22:309-314.
- *Nair A, Mandapati R, Dureja P, et al. 1996. DDT and HCH load in mothers and their infants in Delhi, India. *Bull Environ Contam Toxicol* 56:58-64.
- *Nakajima M. 1983. Biochemical toxicology of lindane and its analogs. *J Environ Sci Health* 18:147-172.
- Nalin R, Simonet P, Vogel TM, et al. 1999. *Rhodanobactor lindaniclasticus* gen. nov., sp. nov., a lindane-degrading bacterium. *Int J Syst Bacteriol* 49(1):19-23.
- *Nantel A, Ayotte L, Benedatti J-L, et al. 1977. A group of adults acutely poisoned by food contaminated with lindane. *Acta Pharmacol Toxicol* 41 (Suppl 2):250.
- Narahashi T. 1996. Neuronal ion channels as the target sites of insecticides. *Pharmacol Toxicol* 78:1-14.
- Narahashi T, Ginsburg KS, Nagata K, et al. 1998. Ion channels as targets for insecticides. *Neurotoxicology* 19(4-5):581-590.
- Narotsky MG, Hamby BT, Mitchell DS, et al. 1994. Effect of vehicle on the development toxicity of bromodichloromethane. *Teratology* 49(5):395.
- NAS. 1982. Drinking water and health. Volume 3. National Academy of Sciences, National Research Council. Washington, DC: National Academy Press.
- *NAS/NRC. 1989. Report of the oversight committee. In: Biologic markers in reproductive toxicology. National Academy of Sciences, National Research Council. Washington, DC: National Academy Press.

9. REFERENCES

NATICH. 1987. National Air Toxics Information Clearinghouse. Data base report on state, local, and EPA air toxics activities. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. July 1987.

NATICH. 1993. National Air Toxics Information Clearinghouse. Data base report on state, local, and EPA air toxics activities. Washington, DC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. October 21, 1993.

*Nativelle-Serpentini C, Richard S, Seralini G-E, et al. 2003. Aromatase activity modulation by lindane and bisphenol-A in human placental JEG-3 and transfected kidney E293 cells. *Toxicol in Vitro* 17(4):413-422.

Nazari Z, Imandel K, Haghighi S, et al. 2000. Assessment of the residue levels of organochlorine pesticides in the Caspian Sea and its river watersheds. *Toxicol Lett* 116:93-94.

*NCI. 1977. Bioassay of lindane for possible carcinogenicity. Bethesda, MD: National Cancer Institute, National Institutes of Health. DHEW publication no. (NIH) 77-814.

*Neidert E, Saschenbrecker PW. 1996. Occurrence of pesticide residues in selected agricultural food commodities available in Canada. *J AOAC Int* 79:549-566.

Nerin C, Martinez M, Pons B, et al. 1996. Gas-chromatographic determination of chlorobenzenes and HCH's in an urban atmosphere. *Fresenius J Anal Chem* 354:61-65.

Neugebauer-Buechler KE, Zieris FJ, Huber W. 1991. Reactions of an experimental outdoor pond to lindane application. *Z Wasser Abwasser Forsch* 24:81-92.

*Neururer H, Womastek R. 1991. Pesticides in the air. *Bodenkultur* 42:57-70.

NFPA. 1986. Fire protection guide on hazardous materials. National Fire Protection Association, Boston, MA.

Nhan D, Am N, Carvalho FP, et al. 1999. Organochlorine pesticides and PCBs along the coast of north Vietnam. *Sci Total Environ* 237-238:363-371.

*Nigam SK, Karnik AB, Majumder SK, et al. 1986. Serum hexachlorocyclohexane residues in workers engaged at a HCH manufacturing plant. *Int Arch Occup Environ Health* 57:315-320.

*Nigam SK, Lakkad BC, Karnick AB, et al. 1979. Effect of hexachlorocyclohexane feeding on testicular tissue of pure inbred Swiss mice. *Bull Environ Contam Toxicol* 23:431-437.

*NIOSH. 1984. NIOSH manual of analytical methods. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS (NIOSH) publication no. 84-100.

NIOSH. 1990. NIOSH pocket guide to chemicals hazards. Washington, DC: U.S. Department of Health and Human Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Standard Development and Technology Transfer. NIOSH publication no. 90-117.

9. REFERENCES

- NIOSH. 1994. NIOSH recommendations for occupational safety and health. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS (NIOSH) publication no. 94-116.
- *NIOSH. 2003. NIOSH pocket guide to chemical hazards. Lindane. Washington, DC: National Institute for Occupational Safety and Health.
- Noegrohati S, Hammers WE. 1992a. Bimodal distribution of organochlorine insecticide levels in soil due to emulsion spraying. *Toxicol Environ Chem* 34:207-218.
- *Noegrohati S, Hammers WE. 1992b. Cleanup by solid-phase extraction and HPLC of organochlorine insecticides and PCBs in various nonfatty and fatty samples. *Toxicol Environ Chem* 34:219-235.
- *Noegrohati S, Hammers WE. 1992c. Sorption-desorption kinetics of some organochlorine insecticides in silt-water suspensions. *Toxicol Environ Chem* 34:187-206.
- *Nordmeyer H, Pestemer W, Rahman A. 1992. Sorption and transport behavior of some pesticides in groundwater sediments. *Stygologia* 7:3-11.
- *Nordt SP, Chew G. 2000. Acute lindane poisoning in three children. *J Emerg Med* 18(1):51-53.
- Ntow WJ. 2001. Organochlorine pesticides in water, sediment, crops, and human fluids in a farming community in Ghana. *Arch Environ Contam Toxicol* 40(4):557-563.
- *NTP. 1984. National Toxicology Program Fiscal Year 1984 Annual Plan. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Environmental Health Sciences, National Toxicology Program.
- NTP. 1991. National Toxicology Program Sixth Annual Report on Carcinogens 1991 Summary. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Environmental Health Sciences, National Toxicology Program.
- *NTP. 2002. Report on Carcinogens. Research Triangle Park, NC: National Toxicology Program. <http://ehp.niehs.nih.gov/roc/tox10.html>. June 6, 2002.
- *Nybom N, Knutsson B. 1947. Investigations on C-mitosis in *Allium cepa*. *Hereditas* 33:220-234.
- *Nyholm N, Jacobsen BN, Pedersen BM, et al. 1992. Removal of organic micropollutants at ppb levels in laboratory activated-sludge reactors under various operating-conditions—biodegradation. *Water Res* 26:339-353.
- *Nyitrai G, Kekesi K, Szilagyi N, et al. 2002. Neurotoxicity of lindane and picrotoxin: Neurochemical and electrophysiological correlates in the rat hippocampus *in vivo*. *Neurochem Res* 37(1/2):139-145.
- *Oesch F, Friedberg T, Herbst M, et al. 1982. Effects of lindane treatment on drug metabolizing enzymes and liver weight of CF1 mice in which it evoked hepatomas and in non-susceptible rodents. *Chem Biol Interact* 40:1-14.
- OHM/TADS. 1988. Oil and Hazardous Materials/Technical Assistance Data System. Chemical Information Systems, Inc. (CIS), Baltimore, MD. December 1985.

9. REFERENCES

- Okeke BC, Siddique T, Arbestain MC, et al. 2002. Biodegradation of δ -hexachlorocyclohexane (lindane) and α -hexachlorocyclohexane in water and a soil slurry by a *Pandoraea* species. *J Agric Food Chem* 50(9):2548-2555.
- *Oldiges H, Hertel R, Kördel W, et al. 1983. 90-day inhalation study with lindane. Fraunhofer-Institut, Institute for Toxicology and Aerosol Research, Schmallenberg, Germany. Celamerck document no. 111AC-435-005.
- *Oldiges H, Takenaka S, Hochrainer D. 1980. Inhalation study with lindane (γ -hexachlorocyclohexane) to determine the LC₅₀. Fraunhofer-Institut, Institute for Toxicology and Aerosol Research, Schmallenberg, Germany. Celamerck document no. 111AA-423-002.
- *Oliver BG, Charlton MN. 1984. Chlorinated organic contaminants on settling particulates in the Niagara River vicinity of Lake Ontario. *Environ Sci Technol* 18:903-908.
- Oropeza-Hernandez LF, Sierra-Santoyo A, Cebrian ME, et al. 2001. Ovariectomy modulates the response to some cytochrome P450 isozymes to lindane in the rat. *Toxicol Lett* 124:91-99.
- Orr JW. 1948. Absence of carcinogenic activity of benzene hexachloride (gammexane) [letter] *Nature* 162:189.
- *Ortega P, Hayes WJ Jr, Durham WF. 1957. Pathologic changes in the liver of rats after feeding low levels of various insecticides. *AMA Arch Pathol* 64:614-622.
- Ortiz-Martinez A, Martinez-Conde E. 1995. The neurotoxic effects of lindane at acute and subchronic dosages. *Ecotoxicol Environ Safety* 30:101-105.
- OSHA. 1984. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910. Fed Regist 39:23541-23543.
- OSHA. 1987. Access to employee exposure and medical records. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.20.
- OSHA. 1988. Access to employee exposure and medical records. Occupational Safety and Health Administration. Fed Regist 53(189): 30163-30164.
- OSHA. 1989. Toxic and hazardous substances. Occupational Safety and Health Administration. Fed Regist 54(12):2920-2960.
- OSHA. 1992. Toxic and hazardous substances. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- OSHA 1996. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- *OSHA. 2003a. Occupational safety and health standards. Limits for air contaminants. Washington, DC: Occupational Safety and Health Administration. 29 CFR 1910.1000, Table Z-1. June 06, 2003.
- *OSHA. 2003b. Occupational safety and health standards for shipyard employment. Air contaminants. Washington, DC: Occupational Safety and Health Administration. 29 CFR 1915.1000. June 06, 2003.

9. REFERENCES

- *OSHA. 2003c. Safety and health regulations for construction. Gases, vapors, fumes, dusts, and mists. Washington, DC: Occupational Safety and Health Administration. 29 CFR 1926.55, Appendix A. <http://www.osha.gov/comp-links.html>. June 6, 2003.
- *Oshiba K. 1972. [Experimental studies on the fate of β - and γ -BHC in vivo following daily administration.] *J Osaka City Med Cent* 21:1-19. (Japanese)
- Ostrea E, Morales V, Tan E, et al. 1999. Detection of fetal exposure to pesticides and heavy metals by meconium analysis and its fetal effects. *Pediatr Res* 45(6):919.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress OTA-BA-436. April 1990.
- *Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- *Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environ Sci Technol* 15:1475-1481.
- *Pages N, diBlasi-Vouvet S, Schlatter J, et al. 2000. Hormone disruptive effects of residual doses of lindane in male rats exposed at prenatal and postnatal periods [Abstract]. *Hum Exp Toxicol* 19(8):479.
- Pajuelo L, Sánchez-Alonso JA, del Hoyo N, et al. 1997. Non-muscarinic- and non-adrenergic-mediated effects of lindane on phosphoinositide hydrolysis in rat brain cortex slices. *Neurochem Res* 22(1):57-62.
- *Palmer AK, Bottomley AM, Worden AN, et al. 1978a. Effect of lindane on pregnancy in the rabbit and rat. *Toxicology* 9:239-247.
- *Palmer AK, Cozens DD, Spicer EJF, et al. 1978b. Effects of lindane upon reproductive function in a 3-generation study in rats. *Toxicology* 10:45-54.
- *Pankow JF, Isabelle LM, Asher WE. 1984. Trace organic compounds in rain: 1. Sampler design and analysis by adsorption/thermal desorption (ATD). *Environ Sci Technol* 18:310-318.
- *Parmar D, Yadav S, Dayal M, et al. 2003. Effect of lindane on hepatic and brain cytochrome P450s and influence of P450 modulation in lindane induced neurotoxicity. *Food Chem Toxicol* 41:1077-1087.
- Parzefall W, Erber E, Sedivy R, et al. 1991. Testing for induction of DNA synthesis in human hepatocyte primary cultures by rat liver tumor promoters. *Cancer Res* 51:1143-1147.
- Pentreath RJ. 1999. Estimating the quantities of persistent chemicals entering coastal waters of England and Wales from land-based sources. *Sci Total Environ* 237/238:105-118.
- Philip GH, Sriraman PK, Ramamurthi R. 1989. Histopathological changes in liver and kidney of *mus booduga* following oral benzenehexachloride (BHC) feeding. *Bull Environ Contam Toxicol* 42:499-502.
- Perez-Albarsanz MA, Lopezaparcio P, Senar S, et al. 1991. Effects of lindane on fluidity and lipid-composition in rat renal-cortex membranes. *Biochimica Biophysica Acta* 1066:124-130.

9. REFERENCES

- Perocco P, Colacci A, Del Ciello C, et al. 1995. Cytotoxic and cell transforming effects of the insecticide, lindane (γ -hexachlorocyclohexane) on BALB/c 3T3 cells. *Res Commun Molecular Pathol Pharmacol* 89(3):329-339.
- Philip GH, Reddy PM, Ramamurthi R. 1991a. Alterations in the histopathology and G-6-PDH activity in tissues of *Mus booduga* after oral benzenehexachloride feeding. *Environ Ecol* 9:887-890.
- Philip GH, Reddy PM, Ramamurthi R. 1991b. Changes in the carbohydrate metabolism in the selected tissues of *Mus booduga* gray after BHC treatment. *Biochem Int* 24:1165-1171.
- *Philip GH, Sriraman PK, Ramamurthi R. 1989. Histopathological changes in liver and kidney of *Mus booduga* following oral benzenehexachloride (BHC) feeding. *Bull Environ Contam Toxicol* 42:499-502.
- Phillips LJ. 1992a. A comparison of human toxics exposure and environmental contamination by census division. *Arch Environ Contam Toxicol* 22:1-5.
- Phillips LJ. 1992b. Regional relationships between toxic releases, and environmental and human exposure to toxic substances. *Bull Environ Contam Toxicol* 48:795-802.
- *Phillips LJ, Birchard GF. 1991. Use of STORET data to evaluate variations in environmental contamination by census division. *Chemosphere* 22:835-848.
- Picard A, Palavan G, Robert S, et al. 2003. Effect of organochlorine pesticides on maturation of starfish and mouse oocytes. *Toxicol Sci* 73(1):141-148.
- *Pines A, Cucos S, Ever-Hadani P, et al. 1987. Some organochlorine insecticide and polychlorinated biphenyl blood residues in infertile males in the general Israeli population of the middle 1980's. *Arch Environ Contam Toxicol* 16:587-597.
- *Pius J, Shivanandappa T, Krishnakumari MK. 1990. Protective role of vitamin A in the male reproductive toxicity of hexachlorocyclohexane (HCH) in the rat. *Reprod Toxicol* 4:325-330.
- Podstawka U, Grabarczyk M, Kopec-Szlezak J. 1991. [Vitamin E protects human leucocytes against toxic effects of lindane in vitro.] *Mater Med Pol* 23:285-289. (Poland)
- Poissant L, Koprivnjak JF. 1996. Fate and atmospheric concentrations of α - and γ -hexachlorocyclohexane in Québec, Canada. *Environ Sci Technol* 30:845-851.
- Polishuk ZW, Ron M, Wassermann M, et al. 1977a. Pesticides in people: Organochlorine compounds in human blood plasma and milk. *Pest Monit J* 10:121-129.
- Polishuk ZW, Wassermann D, Wasserman M, et al. 1977b. Organochlorine compounds in mother and fetus during labor. *Environ Res* 13:278-284.
- *Pomés A, Frandsen A, Suñol C, et al. 1994. Lindane cytotoxicity in cultured neocortical neurons is ameliorated by GABA and flunitrazepam. *J Neurosci Res* 39:663-668.
- *Pool-Zobel BL, Lotzman N, Knoll M, et al. 1994. Detection of genotoxic effects in human gastric and nasal mucosa cells isolated from biopsy samples. *Environ Mol Mutagen* 24:23-45.

9. REFERENCES

- Popp P, Bergmann L, Keil P, et al. 2000. Chlorobenzenes and hexachlorocyclohexanes (HCHs) in the atmosphere of Bitterfeld and Leipzig (Germany). *Chemosphere* 41(6):849-855.
- *Portig J, Schnorr C. 1988. The potency of γ -1,2,3,4,5-hexachlorocyclohexane (lindane). *Toxicology* 52:309-321.
- *Portig J, Stein K, Vohland HW. 1989. Preferential distribution of α -hexachlorocyclohexane into cerebral white matter. *Xenobiotica* 19:123-130.
- *Powell GM. 1980. Toxicity of lindane [letter]. *Central Afr J Med* 26:170.
- Power M, Attili MJ, Thomas RM. 1999. Trends in agricultural pesticide (atrazine, lindane, simazine) concentrations in the Thames Estuary. *Environ Pollut* 104(1):31-39.
- Pramanik AK, Hansen RC. 1979. Transcutaneous γ benzene hexachloride absorption and toxicity in infants and children. *Arch Dermatol* 115:1224-1225.
- *Prapamontol T, Stevenson D. 1991. Rapid method for the determination of organochlorine pesticides in milk. *J Chromatogr* 552:249-257.
- *Prasad AK, Pant N, Srivastava SC, et al. 1995. Effect of dermal application of hexachlorocyclohexane (HCH) on male reproductive system of rat. *Hum Exp Toxicol* 14:484-488.
- Prest HF, Jarman WM, Burns SA, et al. 1992. Passive water sampling via semipermeable membrane devices (SPMDS) in concert with bivalves in the Sacramento San Joaquin River Delta. *Chemosphere* 25(12):1811-1823.
- Pulido JA, Del Hoyo N, Perez-Albarsanz MA. 1992. The effects of different hexachlorocyclohexanes and cyclodienes on glucose uptake and inositol phospholipid synthesis in rat brain cortex. *Life Sci* 50:1585-1596.
- *Puri S, Kohli KK. 1995. Differences in hepatic drug metabolizing enzymes and their response to lindane in rat, rabbit and monkey. *Pharmacol Toxicol* 77:136-141.
- Radomski JL, Fiserova-Bergerova V. 1967. Determination of chlorinated hydrocarbon pesticides in human and animal tissues. *Ind Med Surg (April)*:281-285.
- *Radomski JL, Astolfi E, Deichmann WB, et al. 1971a. Blood levels of organochlorine pesticides in Argentina: Occupationally and nonoccupationally exposed adults, children and newborn infants. *Toxicol Appl Pharmacol* 20:186-193.
- *Radomski JL, Deichmann WB, Rey AA, et al. 1971b. Human pesticide blood levels as a measure of body burden and pesticide exposure. *Toxicol Appl Pharmacol* 20:175-185.
- *Raizada RB, Misra P, Saxena I, et al. 1980. Weak estrogenic activity of lindane in rats. *J Toxicol Environ Health* 6:483-492.
- Raizada RB, Srivastava MK, Kaushal RA, et al. 2001. Subchronic oral toxicity of a combination of insecticides (HCH) and herbicide (ISP) in male rats. *J Appl Toxicol* 21(1):75-79.

9. REFERENCES

- *Raizada RB, Srivastava MK, Sarin S. 1993. Impact of technical hexachlorocyclohexane (HCH) on biogenic amines and locomotor activity of rat. *Natl Acad Sci Letts (India)* 16(2):73-76.
- *Raju J, Gupta VK. 1988. A new spectrophotometric method for the determination of traces of benzene hexachloride (lindane) in polluted water and cereals. *Asian Environ* 10:45-52.
- *Ramachandran M, Banerjee BD, Gulati M, et al. 1984. DDT and HCH residues in the body fat and blood samples from some Delhi hospitals. *Indian J Med Res* 80:590-593.
- *Ramamoorthy S. 1985. Competition of fate processes in the bioconcentration of lindane. *Bull Environ Contam Toxicol* 34:349-358.
- *Ramchander V, Cameron ES, Reid HF. 1991. Lindane toxicity in an infant. *West Indian Med J* 40:41-43.
- *Rao PSC, Davidson JM. 1982. Retention and transformation of selected pesticides and phosphorous in soil-water systems: A critical review. Report to Environmental Research Laboratory, Athens, GA, by Florida University, Gainesville.
- *Rasmussen JE. 1980. Lindane toxicity [letter]. *Arch Dermatol* 116:1226.
- *Rasmussen JE. 1981. The problem of lindane. *J Am Acad Dermatol* 5:507-516.
- *Rasmussen JE. 1987. Lindane: A prudent approach. *Arch Dermatol* 123:1008-1010.
- Rathore M, Bhatnager P, Mathur D, et al. 2002. Burden of organochlorine pesticides in blood and its effect on thyroid hormones in women. *Sci Total Environ* 295(1-3):207-215.
- *Rauch AE, Kowalsky SF, Lesar TS, et al. 1990. Lindane (Kwell)-induced aplastic anemia. *Arch Intern Med* 150:2393-2395.
- *Ravinder P, Srinivasan K, Radhakrishnamurty R. 1989. Biochemical toxicity of hexachlorocyclohexane and its γ -isomer in albino mice. *Indian J Exp Biol* 27:248-251.
- *Ravinder P, Srinivasan K, Radhakrishnamurty R. 1990. Dietary hexachlorocyclohexane induced changes in blood and liver lipids in albino mice. *Indian J Exp Biol* 28:155-157.
- Rawlings NC, Cook SJ, Waldbillig D. 1998. Effects of the pesticides carbofuran, chlorpyrifos, dimethoate, lindane, triallate, trifluralin, 2,4-D, and pentachlorophenol on the metabolic endocrine and reproductive endocrine system in ewes. *J Toxicol Environ Health A* 54:21-36.
- Raymer JH, Pellizzari ED. 1991. Sorbent-based method for the analysis of ambient air using supercritical fluid desorption/gas chromatography. *Int J Environ Anal Chem* 43:151-164.
- *Reding R. 1987. Chromatographic monitoring methods for organic contaminants under the Safe Drinking Water Act. *J Chromatogr Sci* 25:338-344.
- Redondo MJ, Pico Y, Server-Carrio J, et al. 1991. Organochlorine residue analysis of commercial milks by capillary gas chromatography. *J High Resolut Chromatogr* 14:597-600.

9. REFERENCES

- Regnault TR, deVrijer B, Trembler KC, et al. 2001. The umbilical uptake of glutamate in IUGR pregnancies. *J Perinat Med* 29:546.
- *Reinhart DR, Pohland FG. 1991. The assimilation of organic hazardous wastes by municipal solid waste landfills. *J Ind Microbiol* 8:193-200.
- *Reinhart DR, Pohland FG, Gould JP, et al. 1991. The fate of selected organic pollutants codisposed with municipal refuse. *Res J Water Pollut Control Fed* 63:780-788.
- Reuber M. 1979. Carcinogenicity of lindane. *Environ Res* 19:460-481.
- Ripping G. 1972. Screening of the absorption behavior of new chemicals: Natural spoils and model absorptions. *Ecotox Environ Safety* 6:236-245.
- Ribas-Fito N, Sala M, Cardo E. 2003. Organochlorine compounds and concentrations of thyroid stimulating hormone in newborns. *Occup Environ Med* 60(4):301-303.
- *Rivera S, Rosa R, Marinez E, et al. 1998. Behavioral and monoaminergic changes after lindane exposure in developing rats. *Neurotoxicol Teratol* 20(2):155-160.
- Rivera S, Sanfeliu C, Garcia M, et al. 1992a. Increase in rat pup ultrasonic isolation calls induced by lindane. *Neurotoxicology* 13:235-240.
- Rivera S, Sanfeliu C, Rodriguezfarre E. 1992b. Changes in regional brain 2[¹⁴C]deoxyglucose uptake induced in postnatal developing rats by single and repeated nonconvulsant doses of lindane. *Pestic Biochem Physiol* 43:241-252.
- *Rivera S, Sanfeliu C, Sunol C, et al. 1991. Regional effects on the cerebral concentration of noradrenaline, serotonin, and dopamine in suckling rats after a single dose of lindane. *Toxicology* 69:43-54.
- *Rivett KF, Chesterman H, Kellett DN, et al. 1978. Effects of feeding lindane to dogs for periods of up to 2 years. *Toxicology* 9:273-289.
- Robens J. 1978. Tests for possible carcinogenicity of 20 pesticides in Osborne-Mendel rats and B6C3F1 mice. *Toxicol Appl Pharmacol* 45:236.
- *Rocchi P, Perocco P, Alberghini W, et al. 1980. Effect of pesticides on scheduled and unscheduled DNA synthesis of rat thymocytes and human lymphocytes. *Arch Toxicol* 45:101-108.
- Rodger GK, Davies IM, Topping G. 1992. Retention of trace metal contaminants in the sediment at an accumulating sewage sludge disposal site. *Water Res* 26:111-120.
- Rodgers K. 1995. The immunotoxicity of pesticides in rodents. *Hum Exp Toxicol* 14:111-113.
- Rodie VA, Young A, Jordan F, et al. 2002. Localisation and expression of PPARs in placentae from pregnancies complicated by pre-eclampsia or IUGR. *Hypertens Pregnancy* 21(Suppl 1):118.
- Rodriguez OM, Desideri PG, Lepri L, et al. 1991. Simultaneous separation and determination of hydrocarbons and organochlorine compounds by using a two-step microcolumn. *J Chromatogr* 555:221-228.

9. REFERENCES

- *Roe FJC, Grant GA. 1970. Inhibition by germ-free status of development of liver and lung tumours in mice exposed neonatally to 7,12-dimethylbenz(a)-anthracene: Implications in relation to tests for carcinogenicity. *Int J Cancer* 6:133.
- Roehrig L, Puettmann M, Meisch H-U. 1998. Determination of persistent organochlorine compounds in blood by solid phase micro extraction and GC-ECD. *Fresenius J Anal Chem* 361(2):192-196.
- *Rogers WM, Kendall DC, Salmon GD, et al. 1995. Accumulated pesticide and industrial chemical findings from a ten-year study of ready-to-eat foods. *J AOAC Int* 78:614-631.
- Romero ML, Dorea JG, Granja AC. 2000. Concentrations of organochlorine pesticides in milk of Nicaraguan mothers. *Arch Environ Health* 55(4):274-278.
- Roncevic N, Pavkov S, Galetin-Smith R, et al. 1987. Serum concentrations of organochlorine compounds during pregnancy and the newborn. *Bull Environ Contam Toxicol* 38:117-124.
- *Ronco AM, Valdes K, Marcu D, et al. 2001. The mechanism for lindane-induced inhibition of steroidogenesis in cultured rat Leydig cells. *Toxicology* 159:99-106.
- Rosa R, Rodriguez-Farré E, Sanfeliu C. 1996. Cytotoxicity of hexachlorocyclohexane isomers and cyclodienes in primary cultures of cerebellar granule cells. *J Pharmacol Exp Ther* 278(1):163-169.
- *Rosa R, Sanfeliu C, Suñol C, et al. 1997. The mechanism for hexachlorocyclohexane-induced cytotoxicity and changes in intracellular Ca^{2+} homeostasis in cultured cerebellar granule neurons is different for the γ - and δ -isomers. *Toxicol Appl Pharmacol* 142:31-39.
- *Roy RR, Wilson P, Laski RR, et al. 1997. Monitoring of domestic and imported apples and rice by the US Food and Drug Administration Pesticide Program. *J AOAC Int* 80:883-894.
- *Roy Chowdhury A, Gautam AK. 1990. BHC induced testicular impairments in rats. *Indian J Physiol Pharmacol* 34:215-217.
- *Roy Chowdhury A, Venkatakrishna-Bhatt H, Gautam AK. 1987. Testicular changes of rats under lindane treatment. *Bull Environ Contam Toxicol* 38:154-156.
- RTECS. 1993. Registry of Toxic Effects of Chemical Substances. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. March 1992.
- *Rudel H. 1997. Volatilisation of pesticides from soil and plant surfaces. *Chemosphere* 38(1/2):143-152.
- *Rugman FP, Cosstick R. 1990. Aplastic anaemia associated with organochlorine pesticide: Case reports and review of evidence. *J Clin Pathol* 43:98-101.
- *Rupa DS, Reddy PP, Reddi OS. 1989a. Analysis of sister-chromatid exchanges, cell kinetics and mitotic index in lymphocytes of smoking pesticide sprayers. *Mutat Res* 223:253-258.
- *Rupa DS, Reddy PP, Reddi OS. 1989b. Chromosomal aberrations in peripheral lymphocytes of cotton field workers exposed to pesticides. *Environ Res* 49:1-6.

9. REFERENCES

- *Rupa DS, Reddy PP, Reddi OS. 1989c. Frequencies of chromosomal aberrations in smokers exposed to pesticides in cotton fields. *Mutat Res* 222:37-41.
- *Rupa DS, Reddy PP, Reddi OS. 1989d. Genotoxic effect of BHC in cultured human lymphocytes. *Hum Genet* 83:271-273.
- Rupa DS, Reddy PP, Reddi OS. 1991. Reproductive performance in population exposed to pesticides in cotton fields in India. *Environ Res* 55:123-128.
- *Rupa DS, Rita P, Reddy PP, et al. 1988. Screening of chromosomal aberrations and sister chromatid exchanges in peripheral lymphocytes of vegetable garden workers. *Hum Toxicol* 7:333-336.
- *Saady JJ, Poklis A. 1990. Determination of chlorinated hydrocarbon pesticides by solid-phase extraction and capillary GC with electron capture detection. *J Anal Toxicol* 14:301-304.
- Sabra MC, Jorgenson K, Mouritsen OG. 1996. Lindane suppresses the lipid-bilayer permeability in the main transition region. *Biochimica et Biophysica Acta* 1282:85-92.
- *Safe SH. 1993. Toxic aromatics. In: Kroschwitz JJ, Howe-Grant M, eds. *Kirk Othmer's encyclopedia of chemical technology*. New York, NY: John Wiley & Sons, 127-139.
- Sahoo A, Samanta L, Chainy GB. 2000. Mediation of oxidative stress in HCH-induced neurotoxicity in rat. *Arch Environ Contam Toxicol* 39(1):7-12.
- Sala M, Sunyer J, Otero R, et al. 1999. Organochlorine in the serum of inhabitants living near an electrochemical factory. *Occup Environ Med* 56(3):152-158.
- *Sahoo A, Chainy GBN. 1998. Acute hexachlorocyclohexane-induced oxidative stress in rat cerebral hemisphere. *Neurochem Res* 23(8):1079-1084.
- *Sahoo A, Samanta L, Das A, et al. 1999. Hexachlorocyclohexane-induced behavioral and neurochemical changes in rat. *J Appl Toxicol* 19(1):13-18.
- *Sahu SK, Patnaik KK, Bhuyan S, et al. 1993. Degradation of soil-applied isomers of hexachlorocyclohexane by a *Pseudomonas* sp. *Soil Biol Biochem* 25:387-391.
- Saint-Fort R. 1991. Ground water contamination by anthropogenic organic compounds from waste disposal sites: Transformations and behavior. *J Environ Sci Health A26*:13-62.
- Saleh ZA, Brunn H, Paetzold R, et al. 1998. Nutrients and chemical residues in an Egyptian total mixed diet. *Food Chem* 63(4):535-541.
- *Saleh FY, Dickson KL, Rodgers JH. 1982. Fate of lindane in the aquatic environment: Rate constants of physical and chemical processes. *Environ Toxicol Chem* 1:289-297.
- *Saleh FY, Lee GF, Butler JS. 1978. Kepone and other selected chlorinated hydrocarbon pesticides and PCBs behavior during hydraulic dredging of the James River near Hopewell, Virginia. *J Environ Sci Health A13*:261-294.

9. REFERENCES

- Samanta L, Chainy GBN. 1997a. Age-related differences of hexachlorocyclohexane effect on hepatic oxidative stress parameters of chicks. *Indian J Exp Biol* 35:457-461.
- *Samanta L, Chainy GBN. 1997b. Comparison of hexachlorocyclohexane-induced oxidative stress in the testis of immature and adult rats. *Comp Biochem Physiol* 118C(3):319-327.
- *Samanta L, Sahoo A, Chainy GB. 1999. Age-related changes in rat testicular oxidative stress parameters by hexachlorocyclohexane. *Arch Toxicol* 73(2):96-107.
- *Samuel T, Pillai MKK. 1990. Effect of temperature and sunlight exposure on the fate of soil-applied [¹⁴C]- γ -hexachlorocyclohexane. *Arch Environ Contam Toxicol* 19:214-20.
- *Samuels AJ, Milby TH. 1971. Human exposure to lindane: Clinical, hematological and biochemical effects. *J Occup Med* 13:147-151.
- Sanchez-Fortun S, Sanz-Barrera F, Barahona-Gomariz MV. 1995. Acute toxicities of selected insecticides to the aquatic arthropod *Artemia salina*. *Bull Environ Contam Toxicol* 54(1):76-82.
- *Sandhu SS, Warren WJ, Nelson P. 1978. Pesticidal residue in rural potable water. *J Am Water Works Assoc* 70:41-45.
- Sanfeliu C, Rosa R, Suñol C, et al. 1996. Stimulation of phosphoinositide hydrolysis by γ - and δ -hexachlorocyclohexane in primary cultures of cerebellar granule cells: Interaction with glutamate and carbachol receptor-mediated phosphoinositide response and effects of specific pharmacological agents. *Pestic Biochem Physiol* 55(1):64-76.
- Sasaki K. 2002. [Establishment of maximum residue limit of pesticide in foods and research of daily intake of chemicals by total diet study.] *J Pesticide Sci* 27(4):410-414. (Japanese)
- Sasaki K, Ishizaka T, Suzuki T, et al. 1991a. Accumulation levels of organochlorine pesticides in human adipose tissue and blood. *Bull Environ Contam Toxicol* 46(5):662-669.
- Sasaki K, Ishizaka T, Suzuki T, et al. 1991b. Organochlorine chemicals in skin lipids as an index of their accumulation in the human body. *Arch Environ Contam Toxicol* 21:190-194.
- Sasaki K, Kawasaki Y, Sekita K, et al. 1992. Disposition of β -hexachlorocyclohexane, p,p'-DDT, and *trans*-chlordane administered subcutaneously to monkeys (*Macaca fascicularis*). *Arch Environ Contam Toxicol* 22:25-29.
- Sasaki YF, Izuyama F, Nishidate E, et al. 1997. Detection of rodent liver carcinogen genotoxicity by the alkaline single-cell gel electrophoresis (Comet) assay in multiple mouse organs (liver, lung, spleen, kidney, and bone marrow). *Mutat Res* 391:201-214.
- Sato T, Taguchi M, Nagase H, et al. 1998. Augmentation of allergic reactions by several pesticides. *Toxicology* 126:41-53.
- Sauviat M-P, Pages N. 2002. [Cardiotoxicity of lindane: A gamma isomer of hexachlorohexane.] *J Soc Biol* 196(4):339-348. (French)
- *Sauviat M-P, Colas A, Pages N. 2002. Does lindane (gamma-hexachlorocyclohexane) increase the rapid delayed rectifier outward K⁺ current (I_{Kr}) in frog atrial myocytes? *BMC Pharmacology* 2:15-21.

9. REFERENCES

- *Saxena DK, Murthy RC, Chandra SV. 1986. Embryotoxic and teratogenic effects of interaction of cadmium and lindane in rats. *Acta Pharmacol Toxicol* 59:175-178.
- *Saxena MC, Siddiqui MKJ, Agarwal V, et al. 1983. A comparison of organochlorine insecticide contents in specimens of maternal blood, placenta and umbilical-cord blood from stillborn and live-born cases. *J Toxicol Environ Health* 11:71-79.
- *Saxena MC, Siddiqui MKJ, Bhargava AK, et al. 1981b. Placental transfer of pesticides in humans. *Arch Toxicol* 48:127-134.
- *Saxena MC, Siddiqui MKJ, Bhargava AK, et al. 1980. Role of chlorinated hydrocarbon pesticides in abortions and premature labour. *Toxicology* 17:323-331.
- *Saxena MC, Siddiqui MKJ, Seth TD, et al. 1981a. Organochlorine pesticides in specimens from women undergoing spontaneous abortion, premature or full-term delivery. *J Anal Toxicol* 5:6-9.
- *Scascitelli M, Pacchierotti F. 2003. Effects of lindane on oocyte maturation and preimplantation embryonic development in the mouse. *Reprod Toxicol* 17(3):299-303.
- Schade G, Heinzow B. 1998. Organochlorine pesticides and polychlorinated biphenyls in human milk of mothers living in northern Germany: Current extent of contamination, time trend from 1986 to 1997 and factors that influence the levels of contamination. *Sci Total Environ* 216:31-39.
- *Scharf J, Wiesiollek R, Baechmann K. 1992. Pesticides in the atmosphere. *Fresenius J Anal Chem* 342:813-816.
- *Schattenberg HJ II, Hsu JP. 1992. Pesticide residue survey of produce from 1989 to 1991. *J AOAC Int* 75:925-933.
- Schecter A, Fuerst P, Fuerst C, et al. 1991. Dioxins, dibenzofurans and selected chlorinated organic compounds in human milk and blood from Cambodia, Germany, Thailand, the U.S.A., the U.S.S.R., and Vietnam. *Chemosphere* 23:1903-1912.
- *Schimmel SC, Patrick JM Jr, Forester J. 1977. Toxicity and bioconcentration of BHC and lindane in selected estuarine animals. *Arch Environ Contam Toxicol* 6:355-363.
- Schinas V, Leotsinidis M, Alexopoulos A, et al. 2000. Organochlorine pesticide residues in human breast milk from Southwest Greece: Associations with weekly food consumption patterns of mothers. *Arch Environ Health* 55(6):411-417.
- *Schmidt LJ, Hesselberg RJ. 1992. A mass spectroscopic method for analysis of AHH-inducing and other polychlorinated biphenyl congeners and selected pesticides in fish. *Arch Environ Contam Toxicol* 23:37-44.
- *Schmitt CJ, Zajicek JL, Ribick MA. 1985. National pesticide monitoring program: Residues of organochlorine chemicals in freshwater fish, 1980-1981. *Arch Environ Contam Toxicol* 14:225-260.
- Schouche S, HS Rathore. 1997. Hematological effects of hexachlorocyclohexane (HCH) in mice- results and possibilities. *Indian J Med Sci* 51(4):120-122.

9. REFERENCES

- *Schoula R, Hajšlová J, Bencko V, et al. 1996. Occurrence of persistent organochlorine contaminants in human milk collected in several regions of Czech Republic. *Chemosphere* 33(8):1485-1494.
- *Schrader TJ, Cooke GM. 2000. Examination of selected food additives and organochlorine food contaminants for androgenic activity in Vitro. *Toxicol Sci* 53:278-288.
- *Schröter C, Parzefall W, Schröter H, et al. 1987. Dose-response studies on the effects of α -, β -, and γ -hexachlorocyclohexane on putative preneoplastic foci, monooxygenases, and growth in rat liver. *Cancer Res* 47:80-88.
- Schulte-Hermann R, Parzefall W. 1981. Failure to discriminate initiation from promotion of liver tumors in a long-term study with the phenobarbital-type inducer α -hexachlorocyclohexane and the role of sustained stimulation of hepatic growth and monooxygenases. *Cancer Res* 41:4140-4146.
- *Schuphan I, Ebing W, Holthoefer J, et al. 1990. Bleidner vapor phase extraction technique for the determination of organochlorine compounds in lake sediments. *Fresenius J Anal Chem* 336:564-566.
- *Seiler P, Fischer B, Lindenau A, et al. 1994. Effects of persistent chlorinated hydrocarbons on fertility and embryonic development in the rabbit. *Hum Reprod* 9:1920-1926.
- Senar S, Gutierrez-Ocana MT, Perez-Albarsanz MA, et al. 1991. Influence of lindane on the fluidity of the rat ventral prostate membranes. *Biosci Rep* 11:101-110.
- Senar S, Puente JC, López-Aparicio P, et al. 1994. Increased intracellular glycerophosphoinositol and arachidonic acid are biochemical markers for lindane toxicity. *Cell Signal* 6:915-921.
- Senoo K, Izumi K, Nishiyama M, et al. 1997. Distribution of a bacterium (γ -1,2,3,4,5,6-hexachlorocyclohexane-decomposing *Sphingomonas paucimobilis*) among soil aggregates. *Soil Sci Plant Nutr* 43(2):463-468.
- Senoo K, Nishiyama M, Matsumoto S. 1996. Bioremediation of γ -HCH -polluted field soil by inoculation with an aerocci γ -HCH-decomposing bacterium (*Sphingomonas paucimobilis* SS86). *Soil Sci Plant Nutr* 42(1):11-19.
- *Sericano JL, Atlas EL, Wade TL, et al. 1990. NOAA's status and trends mussel watch program: Chlorinated pesticides and PCBs in oysters (*Crassostrea virginica*) and sediments from the Gulf of Mexico, 1986-1987. *Mar Environ Res* 29:161-203.
- *Serrano MT, Vendrell M, Rivera S, et al. 1990a. Effect of lindane on the myelination process in the rat. *Neurotoxicol Teratol* 12:577-583.
- *Serrano MT, Vendrell M, Rivera S, et al. 1990b. Myelination in rats exposed to lindane. *Ann N Y Acad Sci* 605:456-458.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society.
- *Shahin MM, von Borstel RC. 1977. Mutagenic and lethal effects of α -benzene hexachloride, dibutyl phthalate, and trichloroethylene in *Saccharomyces cerevisiae*. *Mutat Res* 48:173-180.

9. REFERENCES

- *Sharom MS, Miles JRW, Harris CR, et al. 1980. Persistence of 12 insecticides in water. *Water Res* 14:1089-1093.
- Sheng-Nan W, Hui-Fang L, Hung-Ting C. 2000. Stimulatory effects of γ -hexachlorocyclohexane on Ca^{2+} -activated K^{+} currents in GH_3 lactotrophs. *Mol Pharmacol* 57(5):865-874.
- *Shimazu H, Shiraishi N, Akematsu T, et al. 1972. Carcinogenicity screening tests on induction of chromosomal aberrations in rat bone marrow cells *in vivo*. *Mutat Res* 38:347.
- *Shirasu Y, Moriya M, Kato K, et al. 1976. Mutagenicity screening of pesticides in the microbial system. *Mutat Res* 40:19-30.
- *Shivanandappa T, Krishnakumari MK. 1983. Hexachlorocyclohexane-induced testicular dysfunction in rats. *Acta Pharmacol Toxicol* 52:12-17.
- Siddiqui MKJ, Nigam U, Srivastava S, et al. 2002. Association of maternal blood pressure and hemoglobin level with organochlorines in human milk. *Hum Exp Toxicol* 21:1-6.
- Siddiqui MKJ, Saxena MC, Bhargava AK, et al. 1981b. Agrochemicals in maternal blood, milk, and cord blood: A source of toxicants for prenatals and neonates. *Environ Res* 24:24-32.
- *Siddiqui MKJ, Saxena M, Krishna Murti C. 1981a. Storage of DDT and BHC in adipose tissue of Indian males. *Int J Environ Anal Chem* 10:197-204.
- *Siddiqui MKJ, Srivastava S, Srivastava SP, et al. 2003. Persistent chlorinated pesticides and intra-uterine foetal growth retardation: A possible solution. *Int Arch Occup Environ Health* 76(1):75-80.
- Siglin JC, Weghorst CM, Klaunig JE. 1991. Role of hepatocyte proliferation in α -hexachlorocyclohexane and phenobarbital tumor promotion in B6C3F1 mice. *Prog Clin Biol Res* 369:407-416.
- Silgoner I, Krska R, Lombas E, et al. 1998. Microwave assisted extraction of organochlorine pesticides from sediments and its application to contaminated sediment samples. *Fresenius J Anal Chem* 362(1):120-124.
- *Silvestroni L, Palleschi S. 1999. Effects of organochlorine xenobiotics on human spermatozoa. *Chemosphere* 39(8):1249-1252.
- Silvestroni L, Fiorini R, Palleschi S. 1997. Partition of the organochlorine insecticide lindane into the human sperm surface induces membrane depolarization and Ca^{2+} influx. *Biochem J* 321:691-698.
- *Silvestroni L, Rossi F, Magnanti M, et al. 1999. A novel aspect of lindane testicular toxicity: *In vitro* effects on peritubular myoid cells. *Reprod Toxicol* 13(6):431-441.
- Simic B, Kniewald Z, Davies JE, et al. 1991. Reversibility of the inhibitory effect of atrazine and lindane on cytosol 5- α -dihydrotestosterone receptor complex-formation in rat prostate. *Bull Environ Contam Toxicol* 46:92-99.
- Singh BK, Singh BK. 1999. Biodegradation of lindane (γ -hexachlorocyclohexane) by the white-rot fungus *Trametes hirsutus*. *Lett Appl Microbiol* 28(3):238-241.

9. REFERENCES

- *Singh G, Kathpal TS, Spencer WF, et al. 1991. Dissipation of some organochlorine insecticides in cropped and uncropped soil. *Environ Pollut* 70:219-240.
- *Sipes IG, Gandolfi AJ. 1991. Ch 4, Biotransformation of toxicants. In: *Toxicology: The basic science of poisons*. 4th edition. Amdur MO, Doull J, Klaassen CD, eds. New York, NY: Pergamon Press.
- *Sircar S, Lahiri P. 1989. Lindane (γ -HCH) causes reproductive failure and fetotoxicity in mice. *Toxicology* 59:171-177.
- Sitarska E, Klucinski W, Winnicka A, et al. 1991. Residues of organochlorine pesticides in milk gland secretion of cows in perinatal period. *Bull Environ Contam Toxicol* 47:817-821.
- Sliwinski Z, Hermanowicz A, Kossmann S, et al. 1991. Neutrophil function in chemical plant workers employed in the production of dust pesticides. *Pol J Occup Med* 4:241-247.
- *Sloterdijk HH. 1991. Mercury and organochlorinated hydrocarbons in surficial sediments of the St. Lawrence River (Lake St. Francis). *Wat Pollut Res J Can* 26:41-60.
- Smeds A, Saukko P. 2001. Identification and quantification of polychlorinated biphenyls and some endocrine disrupting pesticides in human adipose tissue from Finland. *Chemosphere* 44:1463-1471.
- *Smith AG. 1991. Chlorinated hydrocarbon insecticides. In: *Handbook of Pesticide Toxicology*. Vol 2: 731-743; 791-816; 868-915.
- *Solomon BA, Haut SR, Carr EM, et al. 1995. Neurotoxic reaction to lindane in an HIV-seropositive patient: An old medication's new problem. *J Fam Pract* 40:291-295.
- *Solomon L, Faherer L, West D. 1977a. γ -Benzene hexachloride toxicity. *Arch Dermatol* 113:353-357.
- *Solomon L, West D, Fitzloff J, et al. 1977b. γ -Benzene hexachloride in guinea-pig brain after topical application. *J Invest Dermatol* 68:310-312.
- *Soto AM, Sonnenschein C, Chung KL, et al. 1995. The E-Screen assay as a tool to identify estrogens: An update on estrogenic environmental pollutants. *Environ Health Perspect* 103(Suppl 7):113-121.
- Spence SA, Dettmann EB, Wilson JM. 1992. The rate of decline of α - and β -benzene hexachloride residues in contaminated pigs. *Aust Vet J* 69:17-18.
- Spencer WF, Farmer WJ, Cliath MM. 1973. Pesticide volatilization. *Residue Rev* 49:1-47.
- *SRI. 1987. Directory of chemical producers. Menlo Park, CA: SRI International.
- *SRI. 1988. Directory of chemical producers. Menlo Park, CA: SRI International.
- *Srinivasan K, Radhakrishnamurty R. 1983a. Induction of liver mixed function oxygenase system by β - and γ -hexachlorocyclohexane. *Indian J Biochem Biophys* 20:84-91.
- *Srinivasan K, Radhakrishnamurty R. 1983b. Studies on the distribution of β - and γ -isomers of hexachlorocyclohexane in rat tissues. *J Environ Sci Health B18*:401-418.

9. REFERENCES

- *Srinivasan K, Radhakrishnamurty R. 1988. Biochemical changes produced by β - and γ -hexachlorocyclohexane isomers in albino rats. *J Environ Sci Health* 23:367-386.
- *Srinivasan K, Mahadevappa KL, Radhakrishnamurty R. 1991a. Effect of maternal dietary hexachlorocyclohexane exposure on pup survival and growth in albino rats. *J Environ Sci Health* B26:339-349.
- Srinivasan K, Mahadevappa KL, Radhakrishnamurty R. 1991b. Toxicity of β - and γ -hexachlorocyclohexane in rats of different ages. *Bull Environ Contam Toxicol* 47:623-627.
- *Srinivasan K, Ramesh HP, Radhakrishnamurty R. 1984. Renal tubular dysfunction caused by dietary hexachlorocyclohexane (HCH) isomers. *J Environ Sci Health* 19:453-466.
- Srivastava A, Shrivastava SC. 1996. Effect of r-BHC-50 ppm, on chicken egg-shell. *Proc Nat Acad Sci India* 66(B), IV.
- *Srivastava MK, Raizada RB. 2000. A limited three-generation reproduction study on hexachlorocyclohexane (HCH) in rats. *Food Chem Toxicol* 38:195-201.
- Srivastava AK, Gupta BN, Bihari V, et al. 1995a. Chronic effects of hexachlorocyclohexane exposure: Clinical, hematologic and electrocardiographic studies. *Vet Human Toxicol* 37(4):302-305.
- *Srivastava SC, Kumar R, Prasad AK, et al. 1995b. Effect of hexachlorocyclohexane (HCH) on testicular plasma membrane of rat. *Toxicol Lett* 75:153-157.
- *Stachel B, Dougherty RC, Lahl U, et al. 1989. Toxic environmental chemicals in human semen: Analytical method and case studies. *Andrologia* 21:282-291.
- *Stanley CW, Barney JE II, Helton MR, et al. 1971. Measurement of atmospheric levels of pesticides. *Environ Sci Technol* 5:430-435.
- *Staples CA, Werner A, Hoogheem T. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142.
- Stark L, Joy R, Albertson T. 1983. The persistence of kindled amygdaloid seizures in rats exposed to lindane. *Neurotoxicology* 4:221-225.
- Stark LG, Joy RM, Hollinger MA. 1987. Effects of two isomers of hexachlorocyclohexane (HCH) on cortical β -adrenoceptors in rat brain. *Exp Neurol* 98:276-284.
- *Starr HG, Aldrich FD, McDougall WD III, et al. 1974. Contribution of household dust to the human exposure to pesticides. *Pest Monit J* 8:209-212.
- *Starr HJ, Clifford NJ. 1972. Acute lindane intoxication. A case study. *Arch Environ Health* 25:374-375.
- *Stein K, Portig J, Fuhrmann H, et al. 1980. Steric factors in the pharmacokinetics of lindane and α -hexachlorocyclohexane in rats. *Xenobiotica* 10:65-77.
- *Stein VB, Amin TA, Narang RS. 1987. Simplified method for determining polychlorinated biphenyls, phthalates, and hexachlorocyclohexanes in air. *J AOAC* 70:721-723.

9. REFERENCES

- Steinmetz R, Young PCM, Caparell-Grant A, et al. 1996. Novel estrogenic action of the pesticide residue β -hexachlorocyclohexane in human breast cancer cells. *Cancer Res* 56:5403-5409.
- *Storen G. 1955. Lethal poisoning with the moth and insecticide "Jacutin." *Nord J Hyg* 36:77-81.
- *Strachan WMJ. 1988. Toxic contaminants in rainfall in Canada: 1984. *Environ Toxicol Chem* 7:871-877.
- Strandberg B, Hites RA. 2001. Concentration of organochlorine pesticides in wine corks. *Chemosphere* 44(4):729-735.
- Straube G. 1991. Microbial transformation of BHC. *Zentralbl Mikrobiol* 146:327-338.
- Sturaro A, Doretti L, Parvoli G. 1991. Use of 2,2-dimethoxypropane for the direct gas chromatographic-mass spectrometric determination of some organic compounds in water. *Anal Chim Acta* 244:9-13.
- *Sturgeon S, Broxk J, Potischman N, et al. 1998. Serum concentrations of organochlorine compounds and endometrial cancer risk (United States). *Cancer Causes Control* 9:417-424.
- *Sulik M, Deregowski K, Kemon A. 1988. Distribution and excretion of lindane-¹⁴C in acute intoxication in rats. *Mater Med Pol* 20:92-94.
- Sulik M, Szynaka B, Sulkowska M, et al. 1998. [Histological, histochemical, and ultrastructural changes in rat liver on chronic poisoning with lindane.] *Bromatol Chem Toksykol* 31(2):183-189. (Polish)
- *Sunder Ram Rao CV, Shreenivas R, Singh V, et al. 1988. Disseminated intravascular coagulation in a case of fatal lindane poisoning. *Vet Hum Toxicol* 30:132-134.
- *Sunol C, Tusell JM, Gelpi E, et al. 1988. Convulsant effect of lindane and regional brain concentration of GABA and dopamine. *Toxicology* 49:247-252.
- Sunol C, Vale C, Rodriguez-Farre E. 1998. Polychlorocycloalkane insecticide action on GABA- and glycine-dependent chloride flux. *Neurotoxicology* 19(4-5):573-580.
- *Suter P. 1983. Three months toxicity study in rats with lindane. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 005220.
- Suwalksy M, Villena F, Marcus D, et al. 2000. Plasma absorption and ultrastructural changes of rat testicular cells induced by lindane. *Hum Exp Toxicol* 19:529-533.
- *Sweeney RA. 1969. Metabolism of lindane by unicellular algae. *Proc Conf Great Lakes Res* 1969:98-102.
- *Szeto SY, Price PM. 1991. Persistence of pesticide residues in mineral and organic soils in the Fraser Valley of British Columbia (Canada). *J Agric Food Chem* 39:1679-1684.
- *Szokolay A, Rosival L, Uhnak J, et al. 1977. Dynamics of benzene hexachloride (BHC) isomers and other chlorinated pesticides in the food chain and in human fat. *Ecotoxicol Environ Safety* 1:349-359.

9. REFERENCES

- Szokolay A, Uhnak J, Sackmauerova N, et al. 1975. Analysis of HCB and BHC isomer residues in food. *J Chromatogr* 106:401-404.
- *Szymczynski GA, Waliszewski SM. 1981. Comparison of the content of chlorinated pesticide residues in human semen, testicles, and fat tissues. *Andrologia* 13:250-252.
- Szymczynski GA, Waliszewski SM. 1983. Chlorinated pesticide residues in testicular tissue samples. *Andrologia* 15:696-698.
- *Takahashi W, Saidin D, Takei G, et al. 1981. Organochlorine pesticide residues in human milk in Hawaii, 1979-1980. *Bull Environ Contam Toxicol* 27:506-511.
- *Tanabe S, Tatsukawa R, Kawano M, et al. 1982. Global distribution and atmospheric transport of chlorinated hydrocarbons: HCH (BHC) isomers and DDT compounds in the western Pacific, eastern Indian and Antarctic Oceans. *J Oceanogr Soc Jpn* 38:137-148.
- *Tanaka K, Kurihara N, Nakajima N. 1979. Oxidative metabolism of lindane and its isomers with microsomes from rat liver and house fly abdomen. *Pestic Biochem Physiol* 10:96-103.
- *Tannenbaum A, Silverstone H. 1949. The influence of the degree of calorie restriction in the formation of skin tumors and hepatomas in mice. *Cancer Res* 9:724.
- Teame G. 1997. An assessment of the efficacy of deltamethrin with HCH for the treatment of sarcoptic mange in camels. *Trop Anim Health Prod* 29:33-34.
- Telch J, Jarvis DA. 1982. Acute intoxication with lindane. *Can Med Assoc J* 127(9):821.
- *Telch J, Jarvis DA. 1982. Acute intoxication with lindane (γ -benzene hexachloride). *Can Med Assoc J* 126:662-663.
- *Tenebein M. 1991. Seizures after lindane therapy. *J Am Geriatr Soc* 39:394-395.
- Teufel M, Niessen KH, Sartoris J, et al. 1990. Chlorinated hydrocarbons in fat tissue: Analyses of residues in healthy children, tumor patients, and malformed children. *Arch Environ Contam Toxicol* 19:646-652.
- *Tezak Z, Simic B, Kniewald J. 1992. Effect of pesticides on oestradiol-receptor complex formation in rat uterus cytosol. *Food Chem Toxicol* 30:879-885.
- *Thakore KN, Karnik AB, Nigam SK, et al. 1981. Sequential changes in lactate, isocitrate, and malate dehydrogenases in mice exposed to technical grade hexachlorocyclohexane (BHC) and their possible relationship to liver tumors. *Pestic Biochem Physiol* 15:262-266.
- *Thomas JC, Berger F, Jucquier M, et al. 1996. Isolation and characterization of a novel γ -hexachlorocyclohexane-degrading bacterium. *J Bacteriol* 178(20):6049-6055.
- *Thorpe E, Walker AIT. 1973. The toxicology of dieldrin (HEOD): II. Comparative long-term oral toxicity studies in mice with dieldrin, DDT, phenobarbitone, β -BHC, and γ -BHC. *Food Cosmet Toxicol* 11:433-442.

9. REFERENCES

- *Tilson HA, Shaw S, McLamb RL. 1987. The effects of lindane, DDT, and chlordecone on avoidance responding and seizure activity. *Toxicol Appl Pharmacol* 88:57-65.
- Tisch M, Bergenthal S, Maier H. 2002. [Genotoxic effect of PCP and lindane on human epithelial tonsil cells.] *HNO* 50(10):920-927. (German)
- Toktamysova ZS, Kairakbaeva GM, Nilov VI. 1991. Accumulation and metabolism of organochlorine pesticides in the rat liver. *Gig Sanit* 9:73-4.
- *Tomatis L. 1972. International Agency for Research on Cancer Annual Report for 1971:70-85. IARC, Lyon, France.
- *Tomatis L, Turusov V, Day N, et al. 1972. The effect of long-term exposure to DDT on CF-1 mice. *Int J Cancer* 10: 489-506.
- *Tomczak S, Baumann K, Lehnert G. 1981. Occupational exposure to hexachlorocyclohexane: IV. Sex hormone alterations in HCH-exposed workers. *Int Arch Occup Environ Health* 48:283-287.
- *Tonogai Y, Hasegawa Y, Nakamura Y, et al. 1989. Simultaneous determination of ten kinds of organochlorine insecticides in beef by gas chromatography. *J Food Prot* 52:92-95.
- Torres-Arreola L, Berkowitz G, Torres-Sanchez L, et al. 2003. Preterm birth in relation to maternal organochlorine serum levels. *Ann Epidemiol* 13(3):158-162.
- *Traczyk Z, Palut D, Gorski T, et al. 1977. Blood levels of DDT and γ -HCH in patients with various hematological disorders. *Acta Med Pol* 18:139-146.
- *Traina ME, Rescia M, Urbani E, et al. 2003. Long-lasting effects of lindane on mouse spermatogenesis induced by *in utero* exposure. *Reprod Toxicol* 17(1):25-35.
- *TRI02. 2004. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access, Offices of Environmental Information, U.S. Environmental Protection Agency. Toxic Release Inventory. <http://www.epa.gov/triexplorer/>.
- Triebig G, Schaller KH. 1991. Occupational medical investigation of painters and lacquerers exposed to hazardous substances. *Staub-Reinhalt Luft* 51:1-4.
- *Tryphonas L, Iverson F. 1983. Sequential histopathologic analysis of α -hexachloro-hexane-induced hepatic megalocytosis and adenoma formation in the HPB mouse. *J Natl Cancer Inst* 71:1307-1318.
- *Tsezos M, Wang X. 1991a. Study on the kinetics of hazardous pollutants adsorption and desorption by biomass: Mechanistic considerations. *J Chem Technol Biotechnol* 50:507-521.
- *Tsezos M, Wang X. 1991b. Biosorption and biodegradation interactions—a study on lindane. *Biotech Forum Europe* 8:120-125.
- *Tsukada H, Gotoh M, Mochizuki Y, et al. 1979. Changes in peroxisomes in preneoplastic liver and hepatoma of mice induced by α -benzene hexachloride. *Cancer Res* 39:1628-1634.
- *Tu CM. 1976. Utilization and degradation of lindane by soil microorganisms. *Arch Microbiol* 108:259-263.

9. REFERENCES

- *Turner JC, Shanks V. 1980. Absorption of some organochlorine compounds by the rat small intestine—*in vivo*. *Bull Environ Contam Toxicol* 24:652-655.
- *Tusell JM, Sunol C, Gelpi E, et al. 1987. Relationship between lindane concentration in blood and brain and convulsant response in rats after oral or intraperitoneal administration. *Arch Toxicol* 60:432-437.
- *Tusell JM, Sunol C, Gelpi E, et al. 1988. Effect of lindane at repeated low doses. *Toxicology* 49:375-379.
- Tusell JM, Vendrell M, Serratosa J, et al. 1992. Lindane-induced convulsions in nmri and of 1 mice - antagonism with (+)mk-801 and voltage-dependent calcium-channel blockers. *Brain Res* 593:209-214.
- *Uchida M, Kurihara N, Fujita T, et al. 1974. Inhibitory effects of BHC isomers on Na^+K^+ -ATPase, yeast growth, and nerve conduction. *Pestic Biochem Physiol* 4:260-265.
- *Ullmann L. 1986a. Acute dermal toxicity study with lindane in rats. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061648.
- *Ullmann L. 1986b. 4-Hour acute aerosol inhalation toxicity study with lindane in rats. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061637.
- *Ullmann L. 1986c. Primary eye irritation study with lindane in rabbits. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061672.
- *Ullmann L. 1986d. Primary skin irritation study with lindane in rabbits (4-hour occlusive application). Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061661.
- Ullmann L. 1986e. Test for delayed contact hypersensitivity in the albino guinea pig with lindane: Maximization test. Research and Consulting Company AG, Itingen, Switzerland. RCC project no. 061650.
- *Ulrich EM, Caperell-Grant A, Jung S-H. 2000. Environmentally relevant xenoestrogen tissue concentrations correlated to biological responses in mice. *Environ Health Perspect* 108(10):973-977.
- *Uphouse K. 1987. Decreased rodent sexual receptivity after lindane. *Toxicol Lett* 39:7-14.
- *Uphouse L, Williams J. 1989. Diestrous treatment with lindane disrupts the female rat reproductive cycle. *Toxicol Lett* 48:21-28.
- *USC. 2003. Hazardous air pollutants. Washington, DC: United States Code. 42 USC 7412. <http://www4.law.cornell.edu/uscode/>. June 6, 2003.
- Uthe JF, Misra RK, Chou CL, et al. 1991. Temporal trend monitoring: Contaminant levels in tissues of Atlantic cod. International Council for the Exploration of the Sea, Copenhagen. *ICES Techniq Mar Environ Sci* (15). <http://www.ices.dk/products/techniques.asp>. July 3, 2003.
- Vale C, Damgaard I, Suñol C, et al. 1998a. Cytotoxic action of lindane in neocortical GABAergic neurons is primarily mediated by interaction with flunitrazepam-sensitive $GABA_A$ receptors. *J Neurosci Res* 52:276-285.

9. REFERENCES

- Vale C, Damgaard I, Suñol C, et al. 1998b. Cytotoxic action of lindane in neocortical GABAergic neurons is primarily mediated by interaction with flunitrazepam-sensitive GABA_B receptors. *J Neurosci Res* 52:286-294.
- Vale C, Fonfria E, Bujons J, et al. 2003. The organochlorine pesticides gamma-hexachlorocyclohexane (lindane), alpha-endosulfan and dieldrin differentially interact with GABA(A) and glycine-gated chloride channels in primary cultures of cerebellar granule cells. *Neuroscience* 117(2):397-403.
- Vale C, Pomés A, Rodríguez-Farré E, et al. 1997. Allosteric interactions between γ -aminobutyric acid, benzodiazepine and picrotoxinin binding sites in primary cultures of cerebellar granule cells. Differential effects induced by γ - and δ -hexachlorocyclohexane. *Eur J Pharmacol* 319:343-353.
- Valencia C, Cornejo P, Romanque P, et al. 2004. Effects of acute lindane intoxication and thyroid hormone administration in relation to nuclear factor - κ B activation, tumor necrosis factor - α expression, Kupffer cell function in the rat. *Toxicol Lett* 148(1-2):21-28.
- *Van Asperen L. 1954. Interaction of the isomers of benzene hexachloride in mice. *Arch Int Pharmacodyn Ther* 99:368-377.
- Van Den Berg KJ, Van Raaij J A GM, Bragt PC, et al. 1991. Interactions of halogenated industrial chemicals with transthyretin and effects on thyroid hormone levels *in vivo*. *Arch Toxicol* 65:15-19.
- Van Den Heuvel RL, Leppens H, Schoeters GE. 2001. Use of *in vitro* assays to assess hematotoxic effects of environmental compounds. *Cell Biol Toxicol* 17(2):107-116.
- *van der Hoff GR, Gort SM, Baumann RA, et al. 1991. Clean-up of some organochlorine and pyrethroid insecticides by automated solid-phase extraction cartridges coupled to capillary GC-ECD. *J High Resolut Chromatogr* 14:465-470.
- Van Eekert M HA, Van Ras N JP, Mentink GH, et al. 1998. Anaerobic transformation of β -hexachlorocyclohexane by methanogenic granular sludge and soil microflora. *Environ Sci Technol* 32(21):3299-3304.
- *Van Velsen FL, Danse LHJC, Van Leeuwen FXR, et al. 1986. The subchronic oral toxicity of the β -isomer of hexachlorocyclohexane in rats. *Fundam Appl Toxicol* 6:697-712.
- Vaz R. 1995. Average Swedish dietary intakes of organochlorine contaminants via foods of animal origin and their relation to levels in human milk, 1975-1990. *Food Addit Contam* 12(4):543-558.
- *Veith G, Defoe D, Bergstedt B. 1979. Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fish Res Board Can* 36:1040-1048.
- Venant A, Sery C. 1991. Lindane toxicity to one-year-old calves. *Bull Environ Contam Toxicol* 46:756-760.
- *Venant A, Borrel S, Mallet J, et al. 1989. Gel permeation chromatography as a method for the simultaneous clean-up of organochlorine, organophosphate, and polychlorinated biphenyl residues in fat extracts. *Analysis* 17:64-66.

9. REFERENCES

- *Vendrell M, Tusell JM, Serratosa J. 1992a. *C-fos* expression as a model for studying the action of hexachlorocyclohexane isomers in the CNS. *J Neurochem* 58:862-869.
- *Vendrell M, Tusell JM, Serratosa J. 1992b. Effect of γ -hexachlorocyclohexane and its isomers on proto-oncogene *c-fos* expression in brain. *Neurotoxicology* 13:301-308.
- Vendrell M, Zawia NH, Serratosa J, et al. 1991. *C-fos* and ornithine decarboxylase gene expression in brain as early markers of neurotoxicity. *Brain Res* 544:291-296.
- *Verbrugge DA, Othoudt RA, Grzyb KR, et al. 1991. Concentrations of inorganic and organic contaminants in sediments of six harbors on the North American Great Lakes. *Chemosphere* 22:809-820.
- Verderber L, Lavin P, Wesley R. 1991. Pseudotumor cerebri and chronic benzene hexachloride (lindane) exposure. *J Neurol Neurosurg Psychiatry* 54:1123.
- Verma A, Pillai MKK. 1991. Bioavailability of soil-bound residues of DDT and HCH to certain plants. *Soil Biol Biochem* 23:347-351.
- Verma SP, Rastogi A, Lin PS. 1992. Hexachlorocyclohexane pesticides reduce survival and alter plasma membrane structure of Chinese hamster V79 cells. *Arch Biochem Biophys* 298:587-593.
- *Verschueren K. 1983. Handbook of environmental data of organic chemicals. 2nd ed: New York, NY: Van Nostrand Reinhold Co., 718-725.
- Vesselinovitch S, Carlborg F. 1983. Lindane bioassay studies and human cancer risk assessment. *Toxicol Pathol* 11:12-22.
- *Vesselinovitch SD, Negri S. 1988. Induction of focal and nodular liver lesions in rodents as an indication of human carcinogenic risk. *Ann N Y Acad Sci* Vol 534: 99-105.
- Vidal JLM, Gonzalez FJE, Glass CR, et al. 1997. Analysis of lindane, alpha- and beta-endosulfan and endosulfan sulfate in greenhouse air by gas chromatography. *J Chromatogr A* 765:99-108.
- Videla LA, Arisi AC, Fuzaro AP, et al. 2000. Prolonged phenobarbital pretreatment abolishes the early oxidative stress component induced in the liver by acute lindane. *Toxicol Lett* 115(1):45-51.
- *Videla LA, Simizu K, Barros SBM, et al. 1991. Mechanisms of lindane-induced hepatotoxicity: Alterations of respiratory activity and sinusoidal glutathione efflux in the isolated perfused rat liver. *Xenobiotica* 21:1023-1032.
- Videla LA, Smok G, Troncoso P. 1995. Influence of hyperthyroidism on lindane-induced hepatotoxicity in the rat. *Biochem Pharmacol* 50(10):1557-1565.
- Videla LA, Troncoso P, Arisi ACM, et al. 1997. Dose-dependent effects of acute lindane treatment on Kupffer cell function assessed in the isolated perfused rat liver. *Xenobiotica* 27(7):747-757.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238:476-483.

9. REFERENCES

- *Viswanathan R, Ray S, Scheunert I, et al. 1988. Investigations on accumulation and biotransformation by earthworms of lindane occurring as soil contaminant. *Hazard Waste: Detect Control Treat Proc World Conf Vol (Pt A):759-765.*
- *Vodopick H. 1975. Erythropoietic hypoplasia after exposure to γ -benzene hexachloride. *JAMA* 24:850-851.
- Wahid PA, Sethunathan N. 1980. Sorption-desorption of lindane by anaerobic and aerobic soils. *J Agric Food Chem* 28:623-625.
- *Waite DT, Gurprasad NP, Sproull JF, et al. 2001. Atmospheric movements of lindane (γ -hexachlorocyclohexane) from canola fields planted with treated seed. *J Environ Qual* 30:768-775.
- *Waliszewski SM. 1993. Residues of lindane, HCH isomers and HCB in the soil after lindane application. *Environ Pollut* 82:289-292.
- *Waliszewski SM, Szymczynski GA. 1983. Determination of selected chlorinated pesticides, bound and free, in human semen. *Arch Environ Contam Toxicol* 12:577-580.
- *Waliszewski SM, Szymczynski GA. 1986. Determination of chlorinated pesticides in tobacco. *Bull Environ Contam Toxicol* 36:230-233.
- Waliszewski SM, Szymczynski GA. 1991. Persistent organochlorine pesticides in blood serum and whole blood. *Bull Environ Contam Toxicol* 46:803-809.
- *Walsh LP, Stocco DM. 2000. Effects of lindane on steroidogenesis and steroidogenic acute regulatory protein expression. *Biol Reprod* 63(4):1024-1033.
- *Wang TC, Hoffman ME, David J, et al. 1992. Chlorinated pesticide residue occurrence and distribution in mosquito control impoundments along the Florida Indian River Lagoon. *Bull Environ Contam Toxicol* 49:217-223.
- *Ward E, Sheulte P, Grajewski B, et al. 2000. Serum organochlorine levels with breast cancer: A nested case-control study of Norwegian women. *Cancer Epidemiol Biomarkers Prev* 9:1357-1367.
- Wassermann M, Nogueira D, Tomatis L, et al. 1976. Organochlorine compound in neoplastic and adjacent apparently normal breast tissue. *Bull Environ Contam Toxicol* 15:478-484.
- *Wassermann M, Ron M, Bercovici B, et al. 1982. Premature delivery and organochlorine compounds: Polychlorinated biphenyls and some organochlorine insecticides. *Environ Res* 28:106-112.
- Wassermann M, Wassermann D, Kedar E, et al. 1972. Effects of dieldrin and γ BHC on serum proteins and PBI. *Bull Environ Contam Toxicol* 8:177-185.
- Watari N, Torizawa K. 1972. Ultrastructural alterations of the mouse pancreas after prolonged administration of BHC. *J Electron Microsc* 21:334.
- *Webber MD, Wang C. 1995. Industrial organic compounds in selected Canadian soils. *Can J Soil Sci* 75:513-524.

9. REFERENCES

- *Weiss G, ed. 1986. Hazardous chemicals data book. 2nd ed. Park Ridge, NJ: Noyes Data Corporation, 153.
- Weisse I, Herbst M. 1977. Carcinogenicity study of lindane in the mouse. *Toxicology* 7:233-238.
- Wenzel-Seifert K, Grunbaum L, Seifert R. 1991. Differential inhibition of human neutrophil activation by cyclosporins A, D, and H. Cyclosporin H is a potent and effective inhibitor of formyl peptide-induced superoxide formation. *J Immunol* 147:1940-1946.
- Wessel JR, Yess NJ. 1991. Pesticide residues in food imported into the USA. In: Ware GW, ed. *Reviews of environmental contamination and toxicology*. Secaucus, NJ: Springer-Verlag New York Inc., 120:192.
- *West I. 1967. Lindane and hematologic reactions. *Arch Environ Health* 15:97-101.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- Wheatley GA, Hardman JA. 1965. Indications of the presence of organochlorine insecticides in rainwater in central England. *Nature* 207:486-487.
- *Wheeler M. 1977. Gamma benzene hexachloride (Kwell) in a child. *West J Med* 127(6):518-521.
- White-Stevens R. 1971. *Pesticides in the environment*. New York, NY: Marcel Dekker, Inc. 87.
- Whitehall JS, Ostrea EM, Bolisetty S, et al. 2000. Fetal exposure to pollutants in Townsville, Australia, detected in meconium. *Pediatr Res* 47(4 pt 2):299A.
- WHO. 1976. 1975 evaluations of some pesticide residues in food. *World Health Organization Pest Res Ser* (5):267-271, 396.
- WHO. 1993. *Guidelines for drinking water quality. Lindane*. Geneva, Switzerland: World Health Organization.
- *WHO. 1993. *Guidelines for drinking water quality. Hexachlorocyclohexane*. Geneva, Switzerland: World Health Organization.
- *WHO. 1998. *Lindane*. Geneva, Switzerland: World Health Organization.
- *Wiberg K, Brorstrom-Lunden E, Wangberg I, et al. 2001. Concentrations and fluxes of hexachlorocyclohexanes and chiral composition of alpha-HCH in environmental samples from Southern Baltic Sea. *Environ Sci Technol* 35(24):4739-4746.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: An advanced treatise. Volume II: The elements Part A*. New York: Academic Press.
- *Wild SR, Jones KC. 1992. Organic chemicals entering agricultural soils in sewage sludges: Screening for their potential to transfer to crop plants and livestock. *Sci Total Environ* 119:85-119.

9. REFERENCES

- Williams DT, Lebel GL, Junkins E. 1984. A comparison of organochlorine residues in human adipose tissue autopsy samples from two Ontario municipalities. *J Toxicol Environ Health* 13:19-29.
- *Williams DT, LeBel GL, Junkins E. 1988. Organohalogen residues in human adipose autopsy samples from six Ontario municipalities. *J Assoc Off Anal Chem* 71:410-414.
- *Wittlinger R, Ballschmiter K. 1990. Studies of the global baseline pollution. XIII. C₆-C₁₄ organohalogenes (α - and γ -HCH, HCB, PCB 4,4'-DDT, 4,4'-DDE, cis- and trans-chlordane, trans-nonachlor, anisols) in the lower troposphere of the southern Indian Ocean. *Fresenius J Anal Chem* 336:193-200.
- *Wolff G, Roberts D, Morrissey R, et al. 1987. Tumorigenic responses to lindane in mice: Potentiation by a dominant mutation. *Carcinogenesis* 8:1889-1897.
- Woodard G, Hogan EC. 1947. Toxicological studies on the isomers and mixtures of benzene hexachloride. *Fed Proc* 6:386.
- *Woodliff HJ, Connor PM, Scopa J. 1966. Aplastic anemia associated with insecticides. *Med J Aust* 1:628-629.
- Woodruff TJ, Axelrad DA, Caldwell J, et al. 1998. Public health implications of 1990 air toxics concentrations across the United States. *Environ Health Perspect* 106(5):245-251.
- Woodward RM, Polenzani L, Miledi R. 1992. Effects of hexachlorocyclohexanes on γ -aminobutyric-acid receptors expressed in xenopus oocytes by RNA from mammalian brain and retina. *Mol Pharmacol* 41:1107-1115.
- *Woolley DE, Griffith JA. 1989. Kinetics and thresholds of several indices of lindane-induced toxicity. *Pharmacol Biochem Behav* 33:787-792.
- Wu C, Maurer C, Wang Y, et al. 1999. Water pollution and human health in China. *Environ Health Perspect* 107(4):251-256.
- *Wu WZ, Xu Y, Schramm KW, et al. 1997. Study of sorption, biodegradation, and isomerization of HCH in stimulated sediment/water system. *Chemosphere* 35(9):1887-1894.
- Yang FL, Disilvestro RA. 1992. Lindane induced rat-liver lipid-peroxidation without depressed Cu-Zn superoxide-dismutase activities. *Pharmacol Toxicol* 70:392-393.
- *Yess NJ. 1991. Food and Drug Administration pesticide program - residues in foods. *J Assoc Off Anal Chem* 74:1-20.
- Yoshimoto H, Kaneko T, Horiuchi S, et al. 1972. Long-term toxicity study of β -HCH in mice. *Jpn J Pharmacol* 22 (Suppl):118.
- *Zaranski MT, Patton GW, McConnell LL, et al. 1991. Collection of nonpolar organic compounds from ambient air using polyurethane foam-granular adsorbent sandwich cartridges. *Anal Chem* 63:1228-1232.
- Zesch A. 1986. Short and long-term risks of topical drugs. *Br J Dermatol* 115 (Suppl 31):63-70.

9. REFERENCES

- *Zesch A, Nitzsche K, Lange M. 1982. Demonstration of the percutaneous resorption of a lipophilic pesticide and its possible storage in the human body. *Arch Dermatol Res* 273:43-49.
- Zheng MH, Bao ZC, Wang KO, et al. 1997. Formation of polychlorinated biphenyls from the pyrolysis of hexachlorocyclohexane in the presence of Fe₂O₃. *Bull Environ Contam Toxicol* 59:83-89.
- Zhulidov AV, Headley JV, Pavlov DF, et al. 2000. Riverine fluxes of the persistent organochlorine pesticides hexachlorocyclohexane and DDT in the Russian Federation. *Chemosphere* 41(6):829-841.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.
- Zisterer DM, Moynaugh PN, Williams DC. 1996. Hexachlorocyclohexanes inhibit steroidogenesis in Y1 cells. *Biochem Pharmacol* 51:1303-1308.
- *Zoecon Corporation. 1983. MRID No. 00128356. Available from EPA. Write to FOI, EPA, Washington, DC 20460.
- *Zoeteman BCJ, Harmsen K, Linders JBHJ, et al. 1980. Persistent organic pollutants in river water and ground water of the Netherlands. *Chemosphere* 9:231-249.
- Zou E, Matsumura F. 2003. Long-term exposure to β -hexachlorocyclohexane (β -HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells. *Biochem Pharmacol* 66(5):831-840.