

CHAPTER 8. REFERENCES

- Abe S, Sasaki M. 1977. Chromosome aberrations and sister chromatid exchanges in Chinese hamster cells exposed to various chemicals. *J Natl Cancer Inst* 58:1635-1641.
- ACGIH. 2001. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- ACGIH. 2016. Di(2-ethylhexyl)phthalate. TLVs and BEIs based on the documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 27, 77.
- Adachi K, Suemizu H, Murayama N, et al. 2015. Human biofluid concentrations of mono(2-ethylhexyl)phthalate extrapolated from pharmacokinetics in chimeric mice with humanized liver administered with di(2-ethylhexyl)phthalate and physiologically based pharmacokinetic modeling. *Environ Toxicol Pharmacol* 39(3):1067-1073. <http://doi.org/10.1016/j.etap.2015.02.011>.
- Adibi JJ, Hauser R, Williams PL, et al. 2009. Maternal urinary metabolites of di-(2-ethylhexyl) phthalate in relation to the timing of labor in a U.S. multicenter pregnancy cohort study. *Am J Epidemiol* 169(8):1015-1024. <http://doi.org/10.1093/aje/kwp001>.
- Adibi JJ, Lee MK, Naimi AI, et al. 2015. Human chorionic gonadotropin partially mediates phthalate association with male and female anogenital distance. *J Clin Endocrinol Metab* 100(9):E1216-E1224. <http://doi.org/10.1210/jc.2015-2370>.
- Adibi JJ, Whyatt RM, Williams PL, et al. 2008. Characterization of phthalate exposure among pregnant women assessed by repeat air and urine samples. *Environ Health Perspect* 116(4):467-473.
- Agarwal DK, Agarwal S, Seth PK. 1982. Interaction of di-(2-ethylhexyl) phthalate with the pharmacological response and metabolic aspects of ethanol in mice. *Biochem Pharmacol* 31(21):3419-3423.
- +Agarwal DK, Eustis S, Lamb JC, et al. 1986. Effects of di-(2-ethylhexyl)phthalate on the gonadal pathophysiology, sperm morphology, and reproductive performance of male rats. *Environ Health Perspect* 65:343-350.
- Agarwal DK, Lawrence WH, Nunez LJ, et al. 1985. Mutagenicity evaluation of phthalic acid esters and metabolites in *Salmonella typhimurium* cultures. *J Toxicol Environ Health* 16(1):61-69. <http://doi.org/10.1080/15287398509530719>.
- Agay-Shay K, Martinez D, Valvi D, et al. 2015. Exposure to endocrine-disrupting chemicals during pregnancy and weight at 7 years of age: A multi-pollutant approach. *Environ Health Perspect* 123(10):1030-1037. <http://doi.org/10.1289/ehp.1409049>.
- Ahmad S, Khan MF, Parvez S, et al. 2016. Molecular docking reveals the potential of phthalate esters to inhibit the enzymes of the glucocorticoid biosynthesis pathway. *J Appl Toxicol* 37(3):265-277. <http://doi.org/10.1002/jat.3355>.
- Ahmed RS, Price SC, Grasso P, et al. 1989. Effects of intermittent feeding of rats with di-2-ethylhexylphthalate. *Biochem Soc Trans* 17:1073-1074.
- AIHA. 2015. Current ERPG Values (2015). Fairfax, VA: American Industrial Hygiene Association. <https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Documents/2015%20ERPG%20Levels.pdf>. March 22, 2016.
- +Akingbemi BT, Ge R, Klinefelter GR, et al. 2004. Phthalate-induced Leydig cell hyperplasia is associated with multiple endocrine disturbances. *Proc Natl Acad Sci* 101(3):775-780. <http://doi.org/10.1073/pnas.0305977101>.
- +Akingbemi BT, Youker RT, Sottas CM, et al. 2001. Modulation of rat Leydig cell steroidogenic function by di(2-ethylhexyl)phthalate. *Biol Reprod* 65(4):1252-1259. <http://doi.org/10.1095/biolreprod65.4.1252>.

+ Cited in supplemental document

8. REFERENCES

- Albert O, Jégou B. 2014. A critical assessment of the endocrine susceptibility of the human testis to phthalates from fetal life to adulthood. *Hum Reprod* 20(2):231-249. <http://doi.org/10.1093/humupd/dmt050>.
- Albro PW. 1986. Absorption, metabolism and excretion of di(2-ethylhexyl)phthalate by rats and mice. *Environ Health Perspect* 65:293-298.
- Albro PW, Corbett JT. 1978. Distribution of di-mono-(II-ethylhexyl) phthalate in human plasma. *Transfusion* 18:750-755.
- Albro PW, Lavenhar SR. 1989. Metabolism of di(2-ethylhexyl)phthalate. *Drug Metab Rev* 21(1):13-34. <http://doi.org/10.3109/03602538909029953>.
- Albro PW, Thomas RO. 1973. Enzymatic hydrolysis of di-(2-ethylhexyl) phthalate by lipases. *Biochim Biophys Acta* 360(3):380-390.
- Albro PW, Corbett JT, Schroeder JL, et al. 1982a. Pharmacokinetics, interactions with macromolecules and species differences in metabolism of DEHP. *Environ Health Perspect* 45:19-25.
- Albro PW, Hass JR, Peck CC, et al. 1981. Identification of the metabolites of di(2-ethylhexyl)phthalate in urine from the African green monkey. *Drug Metab Dispos* 9:223-225.
- Albro PW, Hass JR, Peck CC, et al. 1982b. Applications of isotope differentiation for metabolic studies with di(2-ethylhexyl)phthalate. *J Environ Sci Health B* 17:701-714.
- Albro PW, Tondeur I, Marbury D, et al. 1983. Polar metabolites of di(2-ethylhexyl)phthalate in the rat. *Biochim Biophys Acta* 760:283-292.
- Alexander BM, Baxter CS. 2016. Flame-retardant contamination of firefighter personal protective clothing- a potential health risk for firefighters. *J Occup Environ Hyg* 13(9):D148-D155.
- Al-Omran LA, Preston MR. 1987. The interactions of phthalate esters with suspended particulate material in fresh and marine waters. *Environ Pollut* 46:177-186.
- Anderson SP, Cattley RC, Corton JC. 1999. Hepatic expression of acute-phase protein genes during carcinogenesis induced by peroxisome proliferators. *Mol Carcinog* 26:226-238.
- Anderson WA, Castle L, Hird S, et al. 2011. A twenty-volunteer study using deuterium labelling to determine the kinetics and fractional excretion of primary and secondary urinary metabolites of di-2-ethylhexylphthalate and di-iso-nonylphthalate. *Food Chem Toxicol* 49(9):2022-2029. <http://doi.org/10.1016/j.fct.2011.05.013>.
- Anderson WAC, Castle L, Scotter MJ, et al. 2001. A biomarker approach to measuring human dietary exposure to certain phthalate diesters. *Food Addit Contam* 18(12):1068-1074. <http://doi.org/10.1080/02652030110050113>
- +Andrade AJ, Grande SW, Talsness CE, et al. 2006a. A dose response study following *in utero* and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP): Reproductive effects on adult male offspring rats. *Toxicology* 228(1):85-97. <http://doi.org/10.1016/j.tox.2006.08.020>.
- +Andrade AJ, Grande SW, Talsness CE, et al. 2006b. A dose-response study following *in utero* and lactational exposure to di-(2-ethylhexyl)-phthalate (DEHP): Non-monotonic dose-response and low dose effects on rat brain aromatase activity. *Toxicology* 227(3):185-192. <http://doi.org/10.1016/j.tox.2006.07.022>.
- +Andrade AJ, Grande SW, Talsness CE, et al. 2006c. A dose-response study following *in utero* and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP): Effects on androgenic status, developmental landmarks and testicular histology in male offspring rats. *Toxicology* 225(1):64-74. <http://doi.org/10.1016/j.tox.2006.05.007>.
- +Arcadi FA, Costa C, Imperatore C, et al. 1998. Oral toxicity of bis(2-ethylhexyl) phthalate during pregnancy and suckling in the Long-Evans rat. *Food Chem Toxicol* 36:963-970.
- Ashley-Martin J, Dodds L, Levy AR, et al. 2015. Prenatal exposure to phthalates, bisphenol A and perfluoroalkyl substances and cord blood levels of IgE, TSLP and IL-33. *Environ Res* 140:360-368. <http://doi.org/10.1016/j.envres.2015.04.010>.
- Astill BD. 1989. Metabolism of DEHP: Effects of prefeeding and dose variation, and comparative studies in rodents and the Cynomolgus monkey (CMS studies). *Drug Metab Rev* 21:35-53.

8. REFERENCES

- +Astill D, Barber E, Lington A, et al. 1986. Chemical industry voluntary test program for phthalate esters: Health effects study. *Environ Health Perspect* 65:329-336.
- Atlas E, Giam CS. 1981. Global transport of organic pollutants: Ambient concentrations in the remote marine atmosphere. *Science* 211:163-165.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. *Fed Regist* 54(174):37618-37634.
- ATSDR. 2002. Toxicological profile for di(2-ethylhexyl)phthalate. Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/toxprofiles/tp9.pdf>. June 14, 2017.
- ATSDR. 2010. Health consultation. Evaluation of contaminants in private residential well water, Fremont County, Pavillion, Wyoming. Agency for Toxic Substances and Disease Registry. https://www.atsdr.cdc.gov/hac/pha/pavillion/pavillion_hc_well_water_08312010.pdf. June 06, 2017.
- ATSDR. 2017. Di((2-ethylhexyl)phthalate. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention. <http://www.atsdr.cdc.gov/SPL/resources/index.html>. January 16, 2018.
- Attina TM, Trasande L. 2015. Association of exposure to di-2-ethylhexylphthalate replacements with increased insulin resistance in adolescents from NHANES 2009-2012. *J Clin Endocrinol Metab* 100(7):2640-2650. <http://doi.org/10.1210/jc.2015-1686>.
- Autian J. 1982. Antifertility effects and dominant lethal assays for mutagenic effects of DEHP. *Environ Health Perspect* 45:115-118.
- Axelsson J, Rylander L, Rignell-Hydbom A, et al. 2015. Phthalate exposure and reproductive parameters in young men from the general Swedish population. *Environ Int* 85:54-60. <http://doi.org/10.1016/j.envint.2015.07.005>.
- +Barber ED, Astill BD, Moran EJ, et al. 1987. Peroxisome induction studies on seven phthalate esters. *Toxicol Ind Health* 3:7-24.
- Barber ED, Fox JA, Giordano CJ. 1994. Hydrolysis, absorption and metabolism of di(2-ethylhexyl) terephthalate in the rat. *Xenobiotica* 24(5):441-450.
- Barber ED, Teetsel NM, Kolberg KF, et al. 1992. A comparative study of the rates of *in vitro* percutaneous absorption of eight chemicals using rat and human skin. *Fundam Appl Toxicol* 19:493-497.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- Barrett ES, Parlett LE, Sathyanarayana S, et al. 2016. Prenatal stress as a modifier of associations between phthalate exposure and reproductive development: Results from a multicentre pregnancy cohort study. *Paediatr Perinat Epidemiol* 30(2):105-114. <http://doi.org/10.1111/ppe.12264>.
- Barrett ES, Parlett LE, Wang C, et al. 2014. Environmental exposure to di-2-ethylhexyl phthalate is associated with low interest in sexual activity in premenopausal women. *Horm Behav* 66(5):787-792. <http://doi.org/10.1016/j.yhbeh.2014.10.003>.
- Barrows ME, Tetrocelli SR, Macek KJ, et al. 1980. Bioconcentration and elimination of selected water pollutants by bluegill sunfish (*Lepomis macrochirus*). In: Haque R, ed. Dynamics, exposure and hazard assessment of toxic chemicals. Ann Arbor, MI: Ann Arbor Science Publishers, Inc., 379-393.
- Barry YA, Labow RS, Keon WJ, et al. 1990. Atropine inhibition of the cardiodepressive effect of mono(2-ethylhexyl)phthalate on human myocardium. *Toxicol Appl Pharmacol* 106:48-52.
- Bartles JR, Khoun S, Lin X, et al. 1990. Peroxisome proliferator-induced alterations in the expression and modification of rat hepatocyte plasma membrane proteins. *Cancer Res* 50:669-676.
- Bauer MJ, Herrmann R. 1997. Estimation of the environmental contamination by phthalic acid esters leaching from household wastes. *Sci Total Environ* 208:49-57.
- Beko G, Callesen M, Weschler CJ, et al. 2015. Phthalate exposure through different pathways and allergic sensitization in preschool children with asthma, allergic rhinoconjunctivitis and atopic dermatitis. *Environ Res* 137:432-439. <http://doi.org/10.1016/j.envres.2015.01.012>.

8. REFERENCES

- Bell FP. 1980. Effect of di-2-ethylhexyl phthalate in the female rat: Inhibition of hepatic and adrenal steroidogenesis *in vitro*. *Bull Environ Contam Toxicol* 24:54-58.
- Bell FP. 1982. Effects of phthalate esters on lipid metabolism in various tissues, cells and organelles in mammals. *Environ Health Perspect* 45:41-50.
- Bell FP, Buthala DA. 1983. Biochemical changes in liver of rats fed the plasticizer di(2-ethylhexyl)phthalate. *Bull Environ Contam Toxicol* 21:177-182.
- Bellavia A, Hauser R, Seely EW, et al. 2017. Urinary phthalate metabolite concentrations and maternal weight during early pregnancy. *Int J Hyg Environ Health* 220:1347-1355.
- Berk M, Williams LJ, Andreatza A, et al. 2014. Pop, heavy metal and the blues: Secondary analysis of persistent organic pollutants (POP), heavy metals and depressive symptoms in the NHANES National Epidemiological Survey. *Br Med J* 4(7):e005142. <http://doi.org/10.1136/bmjopen-2014-005142>.
- +Berman E, Schlicht M, Moser VC, et al. 1995. A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health* 45:127-143.
- Bertelsen RJ, Carlsen KC, Calafat AM, et al. 2013. Urinary biomarkers for phthalates associated with asthma in Norwegian children. *Environ Health Perspect* 121(2):251-256. <http://doi.org/10.1289/ehp.1205256>.
- Bloom MS, Whitcomb BW, Chen Z, et al. 2015a. Associations between urinary phthalate concentrations and semen quality parameters in a general population. *Hum Reprod* 30(11):2645-2657. <http://doi.org/10.1093/humrep/dev219>.
- Bloom MS, Whitcomb BW, Chen Z, et al. 2015b. Supplemental material: Associations between urinary phthalate concentrations and semen quality parameters in a general population. *Hum Reprod* 30(11):2645-2657. <http://doi.org/10.1093/humrep/dev219>.
- Bluthgen A. 2000. Organic migration agents into milk at farm level (illustrated with diethylhexyl phthalate). *Bull Int Dairy Fed* 356:39-42.
- +Blystone C, Kissling G, Bishop J, et al. 2010. Determination of the di-(2-ethylhexyl) phthalate NOAEL for reproductive development in the rat: Importance of the retention of extra animals to adulthood. *Toxicol Sci* 116(2):640-646. <http://doi.org/10.1093/toxsci/kfq147>.
- Boas M, Frederiksen H, Feldt-Rasmussen U, et al. 2010. Childhood exposure to phthalates: Associations with thyroid function, insulin-like growth factor I, and growth. *Environ Health Perspect* 118(10):1458-1464. <http://doi.org/10.1289/ehp.0901331>.
- Boerrigter ME. 2004. Mutagenicity of the peroxisome proliferators clofibrate, Wyeth 14,643 and di-2-ethylhexyl phthalate in the lacZ plasmid-based transgenic mouse mutation assay. *J Carcinog* 3(1):7. <http://doi.org/10.1186/1477-3163-3-7>.
- +Borch J, Metzдорff SB, Vinggaard AM, et al. 2006. Mechanisms underlying the anti-androgenic effects of diethylhexyl phthalate in fetal rat testis. *Toxicology* 223(1-2):144-155. <http://doi.org/10.1016/j.tox.2006.03.015>.
- Bornhag CG, Carlstedt F, Jonsson BA, et al. 2015. Prenatal phthalate exposures and anogenital distance in Swedish boys. *Environ Health Perspect* 123(1):101-107. <http://doi.org/10.1289/ehp.1408163>.
- Bornhag CG, Lundgren B, Weschler CJ, et al. 2005. Phthalates in indoor dust and their association with building characteristics. *Environ Health Perspect* 113(10):1399-1404.
- Braun JM, Kalkbrenner AE, Just AC, et al. 2014. Gestational exposure to endocrine-disrupting chemicals and reciprocal social, repetitive, and stereotypic behaviors in 4- and 5-year-old children: The HOME study. *Environ Health Perspect* 122(5):513-520. <http://doi.org/10.1289/ehp.1307261>.
- Braun JM, Smith KW, Williams PL, et al. 2012. Variability of urinary phthalate metabolite and bisphenol A concentrations before and during pregnancy. *Environ Health Perspect* 120(5):739-745. <http://doi.org/10.1289/ehp.1104139>.
- Brown KW, Donnelly KC. 1988. An estimation of the risk associated with the organic constituents of hazardous and municipal waste landfill leachates. *Hazard Waste Hazard Mater* 5:1-30.
- Buck Louis GM, Peterson CM, Chen Z, et al. 2013. Bisphenol A and phthalates and endometriosis: The Endometriosis: Natural history, diagnosis and outcomes study. *Fertil Steril* 100(1):162-169.e162. <http://doi.org/10.1016/j.fertnstert.2013.03.026>.

8. REFERENCES

- Buck Louis GM, Sundaram R, Sweeney AM, et al. 2014. Urinary bisphenol A, phthalates, and couple fecundity: The Longitudinal Investigation of Fertility and the Environment (LIFE) study. *Fertil Steril* 101(5):1359-1366. <http://doi.org/10.1016/j.fertnstert.2014.01.022>.
- Buckley JP, Engel SM, Braun JM, et al. 2016a. Prenatal phthalate exposures and body mass index among 4- to 7-year-old children: A Pooled Analysis. *Epidemiology* 27(3):449-458. <http://doi.org/10.1097/ede.0000000000000436>.
- Buckley JP, Engel SM, Mendez MA, et al. 2016b. Prenatal phthalate exposures and childhood fat mass in a New York City cohort. *Environ Health Perspect* 124(4):507-513. <http://doi.org/10.1289/ehp.1509788>.
- Buser MC, Murray HE, Scinicariello F. 2014. Age and sex differences in childhood and adulthood obesity association with phthalates: Analyses of NHANES 2007-2010. *Int J Hyg Environ Health* 217(6):687-694. <http://doi.org/10.1016/j.ijheh.2014.02.005>.
- Busser M-T, Lutz WK. 1987. Stimulation of DNA synthesis in rat and mouse liver by various tumor promoters. *Carcinogenesis* 8:1433-1437.
- Bustamante-Montes LP, Hernández-Valero MA, Flores-Pimentel D, et al. 2013. Prenatal exposure to phthalates is associated with decreased anogenital distance and penile size in male newborns. *J Dev Orig Health Dis* 4(4):300-306. <http://doi.org/10.1017/s2040174413000172>.
- Butterworth BE. 1984. The genetic toxicology of di(2-ethylhexyl)phthalate. *Chemical Industry Institute of Toxicology (CIIT)* 4:1-8.
- Butterworth BE, Bermudez E, Smith-Oliver T, et al. 1984. Lack of genotoxic activity of di(2-ethylhexyl)phthalate (DEHP) in rat and human hepatocytes. *Carcinogenesis* 5(10):1329-1335.
- Cadogan DF, Howick C. 2001. Plasticizers. In: Kirk-Othmer encyclopedia of chemical technology. John Wiley & Sons, 1-30. <http://doi.org/10.1002/0471238961.1612011903010415.a01>.
- Cadogan DF, Papez M, Poppe AC, et al. 1994. An assessment of the release, occurrence and possible effects of plasticisers in the environment. *Prog Rubber Plast Technol* 10:1-19.
- Cahill TM, Cousins I, Mackay D. 2003. Development and application of a generalized physiologically based pharmacokinetic model for multiple environmental contaminants. *Environ Toxicol Chem* 22(1):26-34. <http://doi.org/10.1002/etc.5620220104>.
- Cakmak S, Dales RE, Hebborn C, et al. 2014. The association between urinary phthalates and lung function. *J Occup Environ Med* 56(4):376-381. <http://doi.org/10.1097/jom.0000000000000137>.
- Calafat AM, Brock JW, Silva MJ, et al. 2006. Urinary and amniotic fluid levels of phthalate monoesters in rats after the oral administration of di(2-ethylhexyl) phthalate and di-n-butyl phthalate. *Toxicology* 217(1):22-30. <http://doi.org/10.1016/j.tox.2005.08.013>.
- Calafat AM, Longnecker MP, Koch HM, et al. 2015. Optimal exposure biomarkers for nonpersistent chemicals in environmental epidemiology. *Environ Health Perspect* 123(7):A166-A168.
- Caldwell JC. 2012. DEHP: Genotoxicity and potential carcinogenic mechanisms-A review. *Mutat Res* 751(2):82-157. <http://doi.org/10.1016/j.mrrev.2012.03.001>
- Camann DE, Schultz ST, Yau AY, et al. 2013. Acetaminophen, pesticide, and diethylhexyl phthalate metabolites, anandamide, and fatty acids in deciduous molars: Potential biomarkers of perinatal exposure. *J Expo Sci Environ Epidemiol* 23(2):190-196. <http://doi.org/10.1038/jes.2012.71>.
- Canter LW, Sabatini DA. 1994. Contamination of public ground water supplies by Superfund sites. *Int J Environ Stud* 46:35-57.
- Cantonwine D, Venkatesh KK, Ferguson KK, et al. 2016. Decreased cervical length in relation to phthalate levels during pregnancy. *Am J Obstet Gynecol* 214:S101 [Abstract].
- Cao X. 2010. Phthalate esters in foods: Sources, occurrence, and analytical methods. *Compr Rev Food Sci Food Saf* 9:21-43.
- +Carbone S, Ponzio OJ, Gobetto N, et al. 2013. Antiandrogenic effect of perinatal exposure to the endocrine disruptor di-(2-ethylhexyl) phthalate increases anxiety-like behavior in male rats during sexual maturation. *Horm Behav* 63(5):692-699. <http://doi.org/10.1016/j.yhbeh.2013.01.006>.

8. REFERENCES

- +Carbone S, Samaniego YA, Cutrera R, et al. 2012. Different effects by sex on hypothalamic-pituitary axis of prepubertal offspring rats produced by *in utero* and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP). *Neurotoxicology* 33(1):78-84. <http://doi.org/10.1016/j.neuro.2011.11.009>.
- +Carbone S, Szwarcfarb B, Ponzo O, et al. 2010. Impact of gestational and lactational phthalate exposure on hypothalamic content of amino acid neurotransmitters and FSH secretion in peripubertal male rats. *Neurotoxicology* 31(6):747-751. <http://doi.org/10.1016/j.neuro.2010.06.006>.
- +Carpenter CP, Weil CS, Smyth HF. 1953. Chronic oral toxicity of DEHP for rats, guinea pigs, and dogs. *AMA Arch Ind Hyg* 8:219-226.
- Carrara SM, Morita DM, Boscov ME. 2011. Biodegradation of di(2-ethylhexyl)phthalate in a typical tropical soil. *J Hazard Mater* 197:40-48.
- Cartwright CD, Thompson IP, Burns G. 2000. Degradation and impact of phthalate plasticizers on soil microbial communities. *Environ Toxicol Chem* 19(5):1253-1261.
- Casas M, Valvi D, Ballesteros-Gomez A, et al. 2016. Exposure to bisphenol A and phthalates during pregnancy and ultrasound measures of fetal growth in the INMA-Sabadell cohort. *Environ Health Perspect* 124(4):521-528. <http://doi.org/10.1289/ehp.1409190>.
- Caserta D, Bordi G, Ciardo F, et al. 2013. The influence of endocrine disruptors in a selected population of infertile women. *Gynecol Endocrinol* 29(5):444-447. <http://doi.org/10.3109/09513590.2012.758702>.
- Castillo M, Oubina A, Barcelo D. 1998. Evaluation of ELISA kits followed by liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry for the determination of organic pollutants in industrial effluents. *Environ Sci Technol* 32:2180-2184.
- Castle L, Mayo A, Gilbert J. 1989. Migration of plasticizers from printing inks into food. *Food Addit Contam* 6:437-443.
- Cattley RC, Glover SE. 1993. Elevated 8-hydroxydeoxyguanosine in hepatic DNA of rats following exposure to peroxisome proliferators: Relationship to carcinogenesis and nuclear localization. *Carcinogenesis* 14(12):2495-2499.
- +Cattley RC, Conway JG, Popp JA. 1987. Association of persistent peroxisome proliferation and oxidative injury with hepatocarcinogenicity in female F-344 rats fed di(2-ethylhexyl)phthalate for 2 years. *Cancer Lett* 38:15-21.
- Cattley RC, Richardson KK, Smith-Oliver T, et al. 1986. Effect of peroxisome proliferator carcinogens on unscheduled DNA synthesis in rat hepatocytes determined by autoradiography. *Cancer Lett* 33(3):269-277. [http://doi.org/10.1016/0304-3835\(86\)90066-2](http://doi.org/10.1016/0304-3835(86)90066-2).
- Cattley RC, Smith-Oliver T, Butterworth BE, et al. 1988. Failure of the peroxisome proliferator WY-14,643 to induce unscheduled DNA synthesis in rat hepatocytes following *in vivo* treatment. *Carcinogenesis* 9:1179-1183.
- CDC. 2015. Fourth national report on human exposure to environmental chemicals. February 2015. Atlanta, GA: Centers for Disease Control and Prevention, Department of Health and Human Services. https://www.cdc.gov/biomonitoring/pdf/fourthreport_updatedtables_feb2015.pdf. June 22, 2017.
- CDC. 2016. Biomonitoring summary. Phthalates overview. Centers for Disease Control and Prevention. https://www.cdc.gov/biomonitoring/DEHP_BiomonitoringSummary.html. June 06, 2017.
- CDC. 2018. Fourth national report on human exposure to environmental chemicals. Updated Tables, March 2018, Volume One. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.
- Cerbulis J, Byler DM. 1986. Isolation and detection of dialkyl phthalates from pork. *J Agric Food Chem* 34:198-200.
- Chang BV, Liao CS, Yuan SY. 2005. Anaerobic degradation of diethyl phthalate, di-n-butyl phthalate, and di-(2-ethylhexyl) phthalate from river sediment in Taiwan. *Chemosphere* 58(11):1601-1607.
- Chang WH, Li SS, Wu MH, et al. 2015. Phthalates might interfere with testicular function by reducing testosterone and insulin-like factor 3 levels. *Hum Reprod* 30(11):2658-2670. <http://doi.org/10.1093/humrep/dev225>.

8. REFERENCES

- Chang-Liao WL, Hou ML, Chang LW, et al. 2013. Determination and pharmacokinetics of di-(2-ethylhexyl) phthalate in rats by ultra performance liquid chromatography with tandem mass spectrometry. *Molecules* 18(9):11452-11466. <http://doi.org/10.3390/molecules180911452>.
- Chauvigné F, Menuet A, Lesné L, et al. 2009. Time- and dose-related effects of di-(2-ethylhexyl) phthalate and its main metabolites on the function of the rat fetal testis *in vitro*. *Environ Health Perspect* 117(4):515-521. <http://doi.org/10.1289/ehp.11870>.
- Chen J, Wu S, Wen S, et al. 2015. The mechanism of environmental endocrine disruptors (DEHP) induces epigenetic transgenerational inheritance of cryptorchidism. *PLoS ONE* 10(6):e0126403. <http://doi.org/10.1371/journal.pone.0126403>.
- +Chen S, Chen J, Cai X, et al. 2010. Perinatal exposure to di-(2-ethylhexyl) phthalate leads to restricted growth and delayed lung maturation in newborn rats. *J Perinat Med* 38(5):515-521. <http://doi.org/10.1515/jpm.2010.083>.
- Cheng HF, Lin JG. 2000. Biodegradation of di-(2-ethylhexyl)phthalate in sewage sludge. *Water Sci Technol* 41(12):1-6.
- Chevrier C, Petit C, Philippat C, et al. 2012. Maternal urinary phthalates and phenols and male genital anomalies. *Epidemiology* 23(2):353-356. <http://doi.org/10.1097/EDE.0b013e318246073e>.
- Ching NP, Jham GN, Subbarayan C, et al. 1981b. Gas chromatographic quantitation of two plasticizers contaminating IV fluids stored in plastic containers. *J Chromatogr Biomed Appl* 225:196-201.
- Choi K, Joo H, Campbell JL, et al. 2012. *In vitro* metabolism of di(2-ethylhexyl) phthalate (DEHP) by various tissues and cytochrome P450s of human and rat. *Toxicol In Vitro* 26(2):315-322. <http://doi.org/10.1016/j.tiv.2011.12.002>.
- Choi K, Joo H, Campbell JL, et al. 2013. *In vitro* intestinal and hepatic metabolism of di(2-ethylhexyl) phthalate (DEHP) in human and rat. *Toxicol In Vitro* 27(5):1451-1457. <http://doi.org/10.1016/j.tiv.2013.03.012>.
- Choi S, Park S, Jeong J, et al. 2010. Identification of toxicological biomarkers of di(2-ethylhexyl) phthalate in proteins secreted by HepG2 cells using proteomic analysis. *Proteomics* 10(9):1831-1846. <http://doi.org/10.1002/pmic.200900674>.
- +Christiansen S, Boberg J, Axelstad M, et al. 2010. Low-dose perinatal exposure to di(2-ethylhexyl) phthalate induces anti-androgenic effects in male rats. *Reprod Toxicol* 30(2):313-321. <http://doi.org/10.1016/j.reprotox.2010.04.005>.
- Christiansen S, Scholze M, Dalgaard M, et al. 2009. Synergistic disruption of external male sex organ development by a mixture of four antiandrogens. *Environ Health Perspect* 117(12):1839-1846. <http://doi.org/10.1289/ehp.0900689>.
- Chu I, Dick D, Bronaugh R, et al. 1996. Skin reservoir formation and bioavailability of dermally administered chemicals in hairless guinea pigs. *Food Chem Toxicol* 34(3):267-276.
- +Cimini AM, Sulli A, Stefanini S, et al. 1994. Effects of di-(2-ethylhexyl)phthalate on peroxisomes of liver, kidney and brain of lactating rats and their pups. *Cell Mol Biol* 40(8):1063-1076.
- Clara M, Windhofer G, Hartl W, et al. 2010. Occurrence of phthalates in surface runoff, untreated and treated wastewater and fate during wastewater treatment. *Chemosphere* 78(9):1078-1084.
- Clark KE, David RM, Guinn R, et al. 2011. Modeling human exposure to phthalate esters: A comparison of indirect and biomonitoring estimation methods. *Hum Ecol Risk Assess* 17(4):923-965.
- Clayton CG, Clayton FE, eds. 1981. Diethyl phthalate. In: *Patty's industrial hygiene and toxicology*. 3rd rev. ed. Vol. IIA. New York, NY: John Wiley and Sons, 2344-2347.
- Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Clewell RA, Campbell JL, Ross SM, et al. 2010. Assessing the relevance of *in vitro* measures of phthalate inhibition of steroidogenesis for *in vivo* response. *Toxicol In Vitro* 24(1):327-334. <http://doi.org/10.1016/j.tiv.2009.08.003>.

8. REFERENCES

- +CMA. 1984. Initial submission: A 21-day dose relationship study of di(2-ethylhexyl) phthalate in rats (project report) with cover sheets and letter dated 041492. Chemical Manufacturers Association. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8ECP. EPA Document No. 88-920002026. OTS053622. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0536220>. July 18, 2017.
- CMA. 1986. Analysis of bis(2-ethylhexyl)phthalate (DEHP) by gas chromatography-mass spectrometry in dairy and meat products. Hazleton Laboratories America, Inc., Madison, Wisconsin.
- Cobellis L, Latini G, De Felice C, et al. 2003. High plasma concentrations of di-(2-ethylhexyl)-phthalate in women with endometriosis. *Hum Reprod* 18(7):1512-1515. <http://doi.org/10.1093/humrep/deg254>.
- Cohen H, Charrier C, Sarfaty J. 1991. Extraction and identification of a plasticizer, di-(2-ethylhexyl)phthalate, from a plastic bag containing contaminated corn. *Arch Environ Contam Toxicol* 20:437-440.
- Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- Cole RS, Tocchi M, Wye E, et al. 1981. Contamination of commercial blood products by 2-diethylhexyl phthalate and mono-2-ethylhexylphthalate. *Vox Sang* 40:317-322.
- Contreras TJ, Sheibley RH, Valeri CR. 1974. Accumulation of di-2-ethylhexyl phthalate (DEHP) in whole blood, platelet concentrates and platelet-poor plasma. *Transfusion* 14:34-46.
- Conway JG, Tomaszewski KE, Olson MJ, et al. 1989. Relationship of oxidative damage to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and Wy-14,643. *Carcinogenesis* 10:513-519.
- Corton JC, Peters JM, Klaunig JE. 2018. The PPAR α -dependent rodent liver tumor response is not relevant to humans: Addressing misconceptions. *Arch Toxicol* 92:83-119.
- CPSC. 1999. CPSC releases study on phthalates in teething rings, rattles and other children's products. Consumer Product Safety Commission. <http://www.cpsc.gov/cpspub/prerel/prhtm199/99031.html>. March 19, 2000.
- CPSC. 2001. Chronic Hazard Advisory Panel on Diisononyl Phthalate (DINP). Consumer Product Safety Commission. <http://www.cpsc.gov/LIBRARY/FOIA/Foia01/os/dinp.pdf>. March 26, 2002.
- CPSC. 2010. Memorandum to Michael Babich from Kent Carlson regarding the toxicity review of di(2-ethylhexyl) phthalate (DEHP). Bethesda, MD: U.S. Consumer Product Safety Commission. <https://www.cpsc.gov/s3fs-public/ToxicityReviewOfDEHP.pdf>. June 06, 2017.
- CPSC. 2014. Report to the U.S. Consumer Product Safety Commission by the Chronic Hazard Advisory Panel on phthalates and phthalate alternatives. Bethesda, MD: U.S. Consumer Product Safety Commission.
- CPSIA. 2008. Consumer Product Safety Improvement Act of 2008. Public Law 11-314, 110th Congress. Title I- Children's product safety. <https://www.congress.gov/110/plaws/publ314/PLAW-110publ314.pdf>. June 09, 2017.
- Culty M, Thuillier R, Li W, et al. 2008. *In utero* exposure to di-(2-ethylhexyl) phthalate exerts both short-term and long-lasting suppressive effects on testosterone production in the rat. *Biol Reprod* 78(6):1018-1028. <http://doi.org/10.1095/biolreprod.107.065649>.
- +Dalgaard M, Ostergaard G, Lam HR, et al. 2000. Toxicity study of di(2-ethylhexyl)phthalate (DEHP) in combination with acetone in rats. *Pharmacol Toxicol* 86(2):92-100. <http://doi.org/10.1034/j.1600-0773.2000.pto860208.x>.
- +Dalsenter PR, Santana GM, Grande SW, et al. 2006. Phthalate affect the reproductive function and sexual behavior of male Wistar rats. *Hum Exp Toxicol* 25(6):297-303. <http://doi.org/10.1191/0960327105ht624oa>.
- Daniel JW, Bratt H. 1974. The absorption, metabolism and tissue distribution of di(2-ethylhexyl)phthalate in rats. *Toxicology* 2(1):51-65.

8. REFERENCES

- +David RM, Moore MR, Cifone MA, et al. 1999. Chronic peroxisome proliferation and hepatomegaly associated with the hepatocellular tumorigenesis of di(2-ethylhexyl)phthalate and the effects of recovery. *Toxicol Sci* 50:195-205.
- +David RM, Moore MR, Finney DC, et al. 2000a. Chronic toxicity of di(2-ethylhexyl)phthalate in rats. *Toxicol Sci* 55:433-443.
- +David RM, Moore MR, Finney DC, et al. 2000b. Chronic toxicity of di(2-ethylhexyl)phthalate in mice. *Toxicol Sci* 58:377-385.
- DeAngelo AB, Garrett CT, Manolukas LA, et al. 1986. Di-n-octyl phthalate (DOP), a relatively ineffective peroxisome-inducing straight chain isomer of the environmental contaminant di-(2-ethylhexyl)phthalate, enhances the development of putative preneoplastic lesions in rat liver. *Toxicology* 41:279-88.
- Deisinger PJ, Perry LG, Guest D. 1998. *In vivo* percutaneous absorption of [¹⁴C]DEHP from [¹⁴C]DEHP-plasticized polyvinyl chloride film in male Fischer 344 rats. *Food Chem Toxicol* 36:521-527.
- DeLeon IR, Byrne CJ, Peuler EA, et al. 1986. Trace organic and heavy metal pollutants in the Mississippi River. *Chemosphere* 15:795-805.
- Desdoits-Lethimonier C, Albert O, Le Bizec B, et al. 2012. Human testis steroidogenesis is inhibited by phthalates. *Hum Reprod* 27(5):1451-1459. <http://doi.org/10.1093/humrep/des069>.
- Desideri P, Lepri L, Checchini L, et al. 1994. Organic compounds in surface and deep Antarctic snow. *Int J Environ Anal Chem* 55:33-46.
- Desideri PG, Lepri L, Udisti R, et al. 1998. Analysis of organic compounds in Antarctic snow and their origin. *Int J Environ Anal Chem* 7(3-4):331-351.
- DeVault DS. 1985. Contaminants in fish from Great Lakes harbors and tributary mouths. *Arch Environ Contam Toxicol* 14:587-594.
- Dhanya CR, Indu AR, Deepadevi KV, et al. 2003. Inhibition of membrane Na(+)-K+ Atpase of the brain, liver and RBC in rats administered di(2-ethyl hexyl) phthalate (DEHP) a plasticizer used in polyvinyl chloride (PVC) blood storage bags. *Indian J Exp Biol* 41:814-820.
- Dine T, Luyckx M, Cazin M, et al. 1991. Rapid determination by high performance liquid chromatography of di-2-ethylhexyl phthalate in plasma stored in plastic bags. *Biomed Chromatogr* 5:94-97.
- Dine T, Luychx M, Gressier B, et al. 2000. A pharmacokinetic interpretation of increasing concentrations of DEHP in haemodialysed patients. *Med Eng Phys* 22:157-165.
- Dirinck E, Dirtu AC, Geens T, et al. 2015. Urinary phthalate metabolites are associated with insulin resistance in obese subjects. *Environ Res* 137:419-423. <http://doi.org/10.1016/j.envres.2015.01.010>.
- Dirtu AC, Geens T, Dirinck E, et al. 2013. Phthalate metabolites in obese individuals undergoing weight loss: Urinary levels and estimation of the phthalates daily intake. *Environ Int* 59:344-353. <http://doi.org/10.1016/j.envint.2013.06.023>.
- Dirven HA, Theuws JL, Jongeneelen FJ, et al. 1991. Non-mutagenicity of 4 metabolites of di(2-ethylhexyl)phthalate (DEHP) and 3 structurally related derivatives of di(2-ethylhexyl)adipate (DEHA) in the Salmonella mutagenicity assay. *Mutat Res* 260(1):121-130. [http://doi.org/10.1016/0165-1218\(91\)90088-4](http://doi.org/10.1016/0165-1218(91)90088-4).
- Diwan BA, Ward JM, Rice JM, et al. 1985. Tumor-promoting effects of di(2-ethylhexyl)phthalate in JB6 mouse epidermal cells and mouse skin. *Carcinogenesis* 6:343-397.
- +Do RP, Stahlhut RW, Ponzi D, et al. 2012. Non-monotonic dose effects of *in utero* exposure to di(2-ethylhexyl) phthalate (DEHP) on testicular and serum testosterone and anogenital distance in male mouse fetuses. *Reprod Toxicol* 34(4):614-621. <http://doi.org/10.1016/j.reprotox.2012.09.006>.

8. REFERENCES

- DOE. 2016a. Table 3: Protective Action Criteria (PAC) Rev. 29 based on applicable 60-minute AEGLs, ERPGs, or TEELs. The chemicals are listed by CASRN. May 2016. Oak Ridge, TN: U.S. Department of Energy. https://sp.eota.energy.gov/pac/docs/Revision_29_Table3.pdf. April 04, 2018.
- DOE. 2016b. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 29 for Chemicals of Concern - May 2016. Oak Ridge, TN: U.S. Department of Energy. <https://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-29-chemicals-concern-may-2016>. February 28, 2017.
- Doherty BT, Engel SM, Buckley JP, et al. 2017. Prenatal phthalate biomarker concentrations and performances on the Bayles Scales of infant development-II in a population of young urban children. *Environ Res* 152:51-58.
- +Dostal LA, Chapin RE, Stefanski SA, et al. 1988. Testicular toxicity and reduced Sertoli cell numbers in neonatal rats by di(2-ethylhexyl)phthalate and the recovery of fertility as adults. *Toxicol Appl Pharmacol* 95:104-121.
- +Dostal LA, Jenkins WL, Schwetz BA. 1987. Hepatic peroxisome proliferation and hypolipidemic effects of di(2-ethylhexyl)phthalate in neonatal and adult rats. *Toxicol Appl Pharmacol* 87:81-90.
- Douglas GR, Hugenholtz AP, Blakey DH. 1986. Genetic toxicology of phthalate esters: Mutagenic and other genotoxic effects. *Environ Health Perspect* 65:255-62.
- Doull J, Cattley R, Elcombe C, et al. 1999. A cancer risk assessment of di(2-ethylhexyl)phthalate: Application of the new U.S. EPA risk assessment guidelines. *Regul Toxicol Pharmacol* 29:327-357.
- Doyle TJ, Bowman JL, Windell VL, et al. 2013. Transgenerational effects of di-(2-ethylhexyl) phthalate on testicular germ cell associations and spermatogonial stem cells in mice. *Biol Reprod* 88(5):112. <http://doi.org/10.1095/biolreprod.112.106104>.
- Du YY, Fang YL, Wang YX, et al. 2016. Follicular fluid and urinary concentrations of phthalate metabolites among infertile women and associations with *in vitro* fertilization parameters. *Reprod Toxicol* 61:142-150. <http://doi.org/10.1016/j.reprotox.2016.04.005>.
- Duty SM, Calafat AM, Silva MJ, et al. 2005. Phthalate exposure and reproductive hormones in adult men. *Hum Reprod* 20(3):604-610. <http://doi.org/10.1093/humrep/deh656>.
- Duty SM, Silva MJ, Barr DB, et al. 2003. Phthalate exposure and human semen parameters. *Epidemiology* 14(3):269-277.
- Eckel W, Ross B, Isensee R. 1993. Pentobarbital found in ground water. *Ground Water* 31:801-803.
- Edlund C, Ericsson J, Dallner G. 1987. Changes in hepatic dolichol and dolichyl monophosphate caused by treatment of rats with inducers of the endoplasmic reticulum and peroxisomes and during ontogeny. *Chem Biol Interact* 62:191-208.
- Egestad B, Sjoberg P. 1992. Glucosidation as a new conjugation pathway for metabolites of bis(2-ethylhexyl) phthalate. *Drug Metab Dispos* 20(3):470-472.
- Egestad B, Green G, Sjoberg P, et al. 1996. Chromatographic fractionation and analysis by mass spectrometry of conjugated metabolites of bis(2-ethylhexyl)phthalate in urine. *J Chromatogr B: Biomed Sci Appl* 677(1):99-109. [http://doi.org/10.1016/0378-4347\(95\)00439-4](http://doi.org/10.1016/0378-4347(95)00439-4).
- Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.
- Ellington JJ. 1999. Octanol/water partition coefficients and water solubilities of phthalate esters. *J Chem Eng Data* 44:1414-1418.
- Elliott BM, Elcombe CR. 1987. Lack of DNA damage or lipid peroxidation measured *in vivo* in the rat liver following treatment with peroxisomal proliferators. *Carcinogenesis* 8:1213-1218.
- Elsisi AE, Carter DE, Sipes IG. 1989. Dermal absorption of phthalate diesters in rats. *Fundam Appl Toxicol* 12:70-77.
- EPA. 1979. Water-related environmental fate of 129 priority pollutants. Vol. II. Halogenated aliphatic hydrocarbons, halogenated ethers, monocyclic aromatics, phthalate esters, polycyclic aromatic hydrocarbons, nitrosamines, and miscellaneous compounds. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standards. EPA440479029a. PB80-204373.

8. REFERENCES

- EPA. 1980. Ambient water quality criteria for phthalate esters. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA440580067.
- EPA. 1981. An exposure and risk assessment for phthalate esters: Di(2-ethylhexyl) phthalate, di-n-butyl phthalate, dimethyl phthalate, diethyl phthalate, di-n-octyl phthalate, butyl benzyl phthalate. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA440481020. PB85211936.
- EPA. 1984. GC/MS analysis of organics in drinking water concentrates and advanced waste treatment concentrates: Volume I: Analysis results for 17 drinking water, 16 advanced waste treatment and 3 process blank concentrates. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600184020a. PB85128221.
- EPA. 1986. Toxic and priority organics in municipal sludge land treatment systems. Cincinnati OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA600286010. PB86150208.
- EPA. 1990. Table 1-11: Pollutant concentration estimates from the National Sewage Sludge Survey. U.S. Environmental Protection Agency: Part III. Fed Regist 55:47229-47231.
- EPA. 1994. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA600890066F.
- EPA. 1995. Method 525.2. Determination of organic compounds in drinking water by liquid-solid extraction and capillary column gas chromatography/mass spectrometry. Revision 2.0. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, National Exposure Research Laboratory.
- EPA. 1996. Method 8061A. Phthalate esters by gas chromatography with electron capture detection (GC/ECD). U.S. Environmental Protection Agency.
- EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.
- EPA. 2009a. The analysis of regulated contaminant occurrence data from public water systems in support of the second six-year review of National Primary Drinking Water Regulations. U.S. Environmental Protection Agency, Office of Water.
- EPA. 2009b. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F090004. https://www.epa.gov/sites/production/files/2016-06/documents/npwdr_complete_table.pdf. February 28, 2017.
- EPA. 2012. Phthalates action plan. Revised 3/14/2012. Washington, DC: U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2015-09/documents/phthalates_actionplan_revised_2012-03-14.pdf. July 9, 2018.
- EPA. 2016. Acute Exposure Guideline Levels (AEGLS) Values. U.S. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2016-03/documents/compiled_aegl_update_.pdf. February 28, 2017.
- EPA. 2018. Drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA822F18001. <https://www.epa.gov/sites/production/files/2018-03/documents/dwtable2018.pdf>. April 4, 2018.
- Eriksson P, Darnerud PO. 1985. Distribution and retention of some chlorinated hydrocarbons and a phthalate in the mouse brain during the preweaning period. *Toxicology* 37:189-203.

8. REFERENCES

- Erkekoglu P, Giray B, Durmaz E, et al. 2010b. Evaluation of the correlation between plasma amylase and lipase levels and phthalate exposure in pubertal gynecomastia patients. *Turk Pediatri Arsivi* 45(4):366-370. <http://doi.org/10.4274/tpa.45.366>.
- Erkekoglu P, Rachidi W, De Rosa V, et al. 2010a. Protective effect of selenium supplementation on the genotoxicity of di(2-ethylhexyl)phthalate and mono(2-ethylhexyl)phthalate treatment in LNCaP cells. *Free Radic Biol Med* 49(4):559-566. <http://doi.org/10.1016/j.freeradbiomed.2010.04.038>.
- Erythropel HC, Maric M, Nicell JA, et al. 2014. Leaching of the plasticizer di(2-ethylhexyl)phthalate (DEHP) from plastic containers and the question of human exposure. *Appl Microbiol Biotechnol* 98(24):9967-9981.
- +Exxon Chemical Americas. 1990. An investigation of the effect of di-(2-ethylhexyl) phthalate on rat hepatic peroxisomes with cover letter. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA8691000007729. OTS0530399. TSCATS/414999.
- Factor-Litvak P, Insel B, Calafat AM, et al. 2014. Persistent associations between maternal prenatal exposure to phthalates on child IQ at age 7 years. *PLoS ONE* 9(12):e114003. <http://doi.org/10.1371/journal.pone.0114003>.
- Fahrig R, Steinkamp-Zucht A. 1996. Co-recombinogenic and anti-mutagenic effects of diethylphthalate, inactiveness of pentachlorophenol in the spot test with mice. *Mutat Res* 354:59-67.
- Fallon ME, Horvath FJ. 1985. Preliminary assessment of contaminants in soft sediments of the Detroit River. *J Great Lakes Res* 11:373-378.
- Faouzi MA, Dine T, Gressier B, et al. 1999. Exposure of hemodialysis patients to di-2-ethylhexyl phthalate. *Int J Pharm* 180:113-121.
- Faouzi MA, Dine T, Luyckx M, et al. 1994. Leaching of diethylhexyl phthalate from PVC bags into intravenous teniposide solution. *Int J Pharm* 105:89-93.
- Fayad NM, Sheikheldin SY, Al-Malack MH, et al. 1997. Migration of vinyl chloride monomer (VCM) and additives into PVC bottled drinking water. *J Environ Sci Health Part A* A32(4):1065-1083.
- FDA. 1999a. Adhesives. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- FDA. 1999b. Cellophane. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.1200.
- FDA. 1999c. Acrylic and modified acrylic plastics, semirigid and rigid. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.1010.
- FDA. 1999d. Surface lubricants used in the manufacture of metallic articles. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 178.3910.
- FDA. 1999e. Defoaming agents used in the manufacture of paper and paper-board. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 176.210.
- FDA. 1999f. Plasticizers. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 181.27.
- FDA. 1999g. Resinous and polymeric coatings. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.300.
- FDA. 2001. Safety assessment of di(2-ethylhexyl)phthalate (DEHP) released from PVC medical devices. Rockville, MD: Center for Devices and Radiological Health, U.S. Food and Drug Administration. <http://www.fda.gov/cdrh/ost/dehp-pvc.pdf>.
- FDA. 2013. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. <http://www.accessdata.fda.gov/scripts/fcn/fcnavigation.cfm?rpt=eafuslisting>. February 28, 2017.
- FDA. 2016. Subpart B- Requirements for specific standardized beverages. Bottled water. U.S. Food and Drug Administration. Code of Federal Regulations 21 CFR 165.110. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title21-vol2/pdf/CFR-2016-title21-vol2-part165-subpartB.pdf>. June 06, 2017.

8. REFERENCES

- Ferguson KK, Chen YH, VanderWeele TJ, et al. 2017. Mediation of the relationship between maternal phthalate exposure and preterm birth by oxidative stress with repeated measurements across pregnancy. *Environ Health Perspect* 125(3):488-494. <http://doi.org/0.1289/ehp282>.
- Ferguson KK, Loch-Carusio R, Meeker JD. 2012. Exploration of oxidative stress and inflammatory markers in relation to urinary phthalate metabolites: NHANES 1999-2006. *Environ Sci Technol* 46(1):477-485. <http://doi.org/10.1021/es202340b>.
- Ferguson KK, McElrath TF, Chen YH, et al. 2015. Urinary phthalate metabolites and biomarkers of oxidative stress in pregnant women: A repeated measures analysis. *Environ Health Perspect* 123(3):210-216. <http://doi.org/10.1289/ehp.1307996>.
- Ferguson KK, McElrath TF, Ko YA, et al. 2014b. Variability in urinary phthalate metabolite levels across pregnancy and sensitive windows of exposure for the risk of preterm birth. *Environ Int* 70:118-124. <http://doi.org/10.1016/j.envint.2014.05.016>.
- Ferguson KK, McElrath TF, Meeker JD. 2014a. Environmental phthalate exposure and preterm birth. *JAMA Pediatr* 168:61-67. <http://doi.org/10.1001/jamapediatrics.2013.3699>.
- Ferguson KK, Meeker JD, Cantonwine DE, et al. 2016. Urinary phthalate metabolite and bisphenol A associations with ultrasound and delivery indices of fetal growth. *Environ Int* 94:531-537. <http://doi.org/10.1016/j.envint.2016.06.013>.
- Ferguson KK, Peterson KE, Lee JM, et al. 2014c. Prenatal and peripubertal phthalates and bisphenol A in relation to sex hormones and puberty in boys. *Reprod Toxicol* 47:70-76. <http://doi.org/10.1016/j.reprotox.2014.06.002>.
- Fiandanese N, Borromeo V, Berrini A, et al. 2016. Maternal exposure to a mixture of di(2-ethylhexyl) phthalate (DEHP) and polychlorinated biphenyls (PCBs) causes reproductive dysfunction in adult male mouse offspring. *Reprod Toxicol* 65:123-132. <http://doi.org/10.1016/j.reprotox.2016.07.004>.
- Fong JP, Lee FJ, Lu IS, et al. 2015. Relationship between urinary concentrations of di(2-ethylhexyl) phthalate (DEHP) metabolites and reproductive hormones in polyvinyl chloride production workers. *Occup Environ Med* 72(5):346-353. <http://doi.org/10.1136/oemed-2014-102532>.
- Friedman GM, Mukhopadhyay PK, Moch A, et al. 2000. Waters and organic-rich waste near dumping grounds in New York Bight. *Int J Coal Geol* 42:325-355.
- +Furr JR, Lambright CS, Wilson VS, et al. 2014. A short-term *in vivo* screen using fetal testosterone production, a key event in the phthalate adverse outcome pathway, to predict disruption of sexual differentiation. *Toxicol Sci* 140(2):403-424.
- Ganning AE, Brunk U, Edlund C, et al. 1987. Effects of prolonged administration of phthalate ester on the liver. *Environ Health Perspect* 73:251-258.
- +Ganning AE, Olsson MJ, Brunk U, et al. 1991. Effects of prolonged treatment with phthalate ester on rat liver. *Pharmacol Toxicol* 68:392-401.
- Ganning AE, Olsson MJ, Peterson E, et al. 1989. Fatty acid oxidation in hepatic peroxisomes and mitochondria after treatment of rats with di(2-ethylhexyl)phthalate. *Pharmacol Toxicol* 65:265-268.
- Gao HT, Xu R, Cao WX, et al. 2016. Food emulsifier glycerin monostearate increases internal exposure levels of six priority controlled phthalate esters and exacerbates their male reproductive toxicities in rats. *PLoS ONE* 11(8):e0161253. <http://doi.org/10.1371/journal.pone.0161253>.
- Gao X, Yang B, Tang Z, et al. 2014. Determination of phthalates released from paper packaging materials by solid-phase extraction-high-performance liquid chromatography. *J Chromatogr Sci* 52(5):383-389. <http://doi.org/10.1093/chromsci/bmt046>.
- Gascon M, Casas M, Morales E, et al. 2015a. Prenatal exposure to bisphenol A and phthalates and childhood respiratory tract infections and allergy. *J Allergy Clin Immunol* 135(2):370-378.e377. <http://doi.org/10.1016/j.jaci.2014.09.030>.
- Gascon M, Valvi D, Fornes J, et al. 2015b. Prenatal exposure to phthalates and neuropsychological development during childhood. *Int J Hyg Environ Health* 218(6):550-558. <http://doi.org/10.1016/j.ijheh.2015.05.006>.
- Gaunt IF, Butterworth KR. 1982. Autoradiographic study of orally administered di-(2-ethylhexyl) phthalate in the mouse. *Food Chem Toxicol* 20(2):215-217.

8. REFERENCES

- +Ge RS, Chen GR, Dong Q, et al. 2007. Biphasic effects of postnatal exposure to diethylhexylphthalate on the timing of puberty in male rats. *J Androl* 28(4):513-520. <http://doi.org/10.2164/jandrol.106.001909>.
- Gejlsbjerg B, Klinge C, Madsen T. 2001. Mineralization of organic contaminants in sludge-soil mixtures. *Environ Toxicol Chem* 20(4):698-705.
- Genuis SJ, Beesoon S, Lobo RA, et al. 2012. Human elimination of phthalate compounds: Blood, urine, and sweat (BUS) study. *Sci World J* 2012:615068. <http://doi.org/10.1100/2012/615068>.
- Gerbracht U, Einig C, Oesterle D, et al. 1990. Di(2-ethylhexyl)phthalate alters carbohydrate enzyme activities and foci incidence in rat liver. *Carcinogenesis* 11(12):2111-2115.
- Ghassemi M, Quinlivan S, Bachmaier J. 1984. Characteristics of leachates from hazardous waste landfills. *J Environ Sci Health* 19:579-620.
- Giam CS, Wong MK. 1987. Plasticizers in food. *J Food Prot* 50:769-782.
- Giam CS, Atlas E, Chan HS, et al. 1980. Phthalate esters, PCB and DDT residues in the Gulf of Mexico atmosphere. *Atmos Environ* 14:65-69.
- Giam CS, Chan HS, Neff GS. 1975. Sensitive method for determination of phthalate ester plasticizers in open-ocean biota samples. *Anal Chem* 47:2225-2228.
- Giam CS, Chan HS, Neff GS, et al. 1978. Phthalate ester plasticizers: A new class of marine pollutant. *Science* 199:419-21.
- Gong M, Zhang Y, Weschler CJ. 2014. Measurement of phthalates in skin wipes: Estimating exposure from dermal absorption. *Environ Sci Technol* 48(13):7428-7435. <http://doi.org/10.1021/es501700u>.
- Goodman M, Lakind JS, Mattison DR. 2014. Do phthalates act as obesogens in humans? A systematic review of the epidemiological literature. *Crit Rev Toxicol* 44(2):151-175. <http://doi.org/10.3109/10408444.2013.860076>.
- Gramiccioni L, Milana MR, DiMarzio S, et al. 1990. Experimental evaluation about the actual release of DEHP from caps to packaged foods. *Rass Chim* 42:3-7.
- +Grande SW, Andrade AJ, Talsness CE, et al. 2006. A dose-response study following *in utero* and lactational exposure to di(2-ethylhexyl)phthalate: Effects on female rat reproductive development. *Toxicol Sci* 91(1):247-254. <http://doi.org/10.1093/toxsci/kfj128>.
- +Grande SW, Andrade AJ, Talsness CE, et al. 2007. A dose-response study following *in utero* and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP): Reproductive effects on adult female offspring rats. *Toxicology* 229(1-2):114-122. <http://doi.org/10.1016/j.tox.2006.10.005>.
- Grasso P, Heindel JJ, Powell CJ, et al. 1993. Effects of mono(2-ethylhexyl) phthalate, a testicular toxicant, on follicle-stimulating hormone binding to membranes from cultured rat Sertoli cells. *Biol Reprod* 48:454-459.
- +Gray L, Barlow N, Howdeshell K, et al. 2009. Transgenerational effects of Di (2-ethylhexyl) phthalate in the male CRL:CD(SD) rat: Added value of assessing multiple offspring per litter. *Toxicol Sci* 110(2):411-425. <http://doi.org/10.1093/toxsci/kfp109>.
- Gray TJB, Beamand JA. 1984. Effect of some phthalate esters and other testicular toxins on primary cultures of testicular cells. *Food Chem Toxicol* 22(2):123-131.
- Gray TJ, Gangolli SD. 1986. Aspects of the testicular toxicity of phthalate esters. *Environ Health Perspect* 65:229-235.
- +Gray TJ, Butterworth KR, Gaunt IF, et al. 1977. Short-term toxicity study of di-(2-ethylhexyl) phthalate in rats. *Food Chem Toxicol* 15(5):389-399. [http://doi.org/10.1016/s0015-6264\(77\)80003-5](http://doi.org/10.1016/s0015-6264(77)80003-5).
- Greifenstein M, White DW, Stubner A, et al. 2013. Impact of temperature and storage duration on the chemical and odor quality of military packaged water in polyethylene terephthalate bottles. *Sci Total Environ* 456-457:376-383. <http://doi.org/10.1016/j.scitotenv.2013.03.092>.
- Grindler NM, Allsworth JE, Macones GA, et al. 2015. Persistent organic pollutants and early menopause in U.S. women. *PLoS ONE* 10(1):1-12. <http://doi.org/10.1371/journal.pone.0116057>.
- +Guo J, Han B, Qin L, et al. 2012. Pulmonary toxicity and adjuvant effect of di-(2-ethylhexyl) phthalate in ovalbumin-immunized BALB/c mice. *PLoS ONE* 7(6):e39008. <http://doi.org/10.1371/journal.pone.0039008>.

8. REFERENCES

- +Guo J, Li XW, Liang Y, et al. 2013. The increased number of Leydig cells by di(2-ethylhexyl) phthalate comes from the differentiation of stem cells into Leydig cell lineage in the adult rat testis. *Toxicology* 306:9-15. <http://doi.org/10.1016/j.tox.2013.01.021>.
- Gupta C, Hattori A, Shinozuka H. 1988. Suppression of EGF binding in the rat liver by the hypolipidemic peroxisome proliferators, 4-chloro-6-(2,3-xylidino)-2-pyrimidinylthio-(*n*-beta-hydroxyethyl)acetamide and di(2-ethylhexyl)phthalate. *Carcinogenesis* 9:167-170.
- Gupta RC, Goel SK, Earley K, et al. 1985. ³²P-postlabeling analysis of peroxisome proliferator-DNA adduct formation in rat liver *in vivo* and hepatocytes *in vitro*. *Carcinogenesis* 6(6):933-936.
- Guyton KZ, Chiu WA, Bateson TF, et al. 2009. A reexamination of the PPAR- α activation mode of action as a basis for assessing human cancer risks of environmental contaminants. *Environ Health Perspect* 117(11):1664-1672. <http://doi.org/10.1289/ehp.0900758>.
- Hall AP, Elcombe CR, Foster J, et al. 2012. Liver hypertrophy: A review of the adaptive (adverse and non-adverse changes- conclusions from the 3rd International ESTP Expert Workshop. *Toxicol Pathol* 40(7):971-994.
- +Han X, Cui Z, Zhou N, et al. 2014. Urinary phthalate metabolites and male reproductive function parameters in Chongqing general population, China. *Int J Hyg Environ Health* 217(2-3):271-278. <http://doi.org/10.1016/j.ijheh.2013.06.006>.
- +Hannas BR, Lambright CS, Furr J, et al. 2011. Dose-response assessment of fetal testosterone production and gene expression levels in rat testes following *in utero* exposure to diethylhexyl phthalate, diisobutyl phthalate, diisooheptyl phthalate, and diisononyl phthalate. *Toxicol Sci* 123(1):206-216. <http://doi.org/10.1093/toxsci/kfr146>.
- +Hannon PR, Peretz J, Flaws JA. 2014. Daily exposure to di(2-ethylhexyl) phthalate alters estrous cyclicity and accelerates primordial follicle recruitment potentially via dysregulation of the phosphatidylinositol 3-kinase signaling pathway in adult mice. *Biol Reprod* 90(6):136. <http://doi.org/10.1095/biolreprod.114.119032>.
- Hansen JF, Bendtzen K, Boas M, et al. 2015. Influence of phthalates on cytokine production in monocytes and macrophages: A systematic review of experimental trials. *PLoS ONE* 10(3):e0120083. <http://doi.org/10.1371/journal.pone.0120083>.
- Harley KG, Berger K, Rauch S, et al. 2017. Association of prenatal urinary phthalate metabolite concentrations and childhood BMI and obesity. *Pediatr Res* 82(3):405-415.
- Hasegawa M, Kawai K, Mitsui T, et al. 2011. The reconstituted 'humanized liver' in TK-NOG mice is mature and functional. *Biochem Biophys Res Commun* 405(3):405-410. <http://doi.org/10.1016/j.bbrc.2011.01.042>.
- Hasmall SC, James NH, Macdonald N, et al. 2000. Species differences in response to diethylhexylphthalate: Suppression of apoptosis, induction of DNA synthesis and peroxisome proliferator activated receptor alpha-mediated gene expression. *Arch Toxicol* 74:85-91.
- Hatch EE, Nelson JW, Qureshi MM, et al. 2008. Association of urinary phthalate metabolite concentrations with body mass index and waist circumference: A cross-sectional study of NHANES data, 1999-2002. *Environ Health* 7:27. <http://doi.org/10.1186/1476-069x-7-27>.
- Hauser TR, Bromberg SM. 1982. EPA's monitoring program at Love Canal 1980. *Environ Monit Assess* 2:249-271.
- Hauser R, Gaskins AJ, Souter I, et al. 2016. Urinary phthalate metabolite concentrations and reproductive outcomes among women undergoing *in vitro* fertilization: Results from the EARTH Study. *Environ Health Perspect* 124:831-839. <http://doi.org/10.1289/ehp.1509760>.
- Hauser R, Meeker JD, Duty S, et al. 2006. Altered semen quality in relation to urinary concentrations of phthalate monoester and oxidative metabolites. *Epidemiology* 17(6):682-691. <http://doi.org/10.1097/01.ede.0000235996.89953.d7>.
- Hauser R, Meeker JD, Sing NP, et al. 2007. DNA damage in human sperm is related to urinary levels of phthalate monoester and oxidative metabolites. *Human Reproduction*, 22(3):688-695

8. REFERENCES

- Hauser R, Williams P, Altshul L, et al. 2005. Evidence of interaction between polychlorinated biphenyls and phthalates in relation to human sperm motility. *Environ Health Perspect* 113(4):425-430. <http://doi.org/10.1289/ehp.7305>.
- Hayashi F, Motoki Y, Tamura H, et al. 1998. Induction of hepatic poly(ADP-ribose) polymerase by peroxisome proliferators, non-genotoxic hepatocarcinogens. *Cancer Lett* 127:1-7.
- +Hayashi F, Tamura H, Yamada J, et al. 1994. Characteristics of the hepatocarcinogenesis caused by dehydroepiandrosterone, a peroxisome proliferator, in male F-344 rats. *Carcinogenesis* 15(10):2215-2219.
- Hayashi Y, Ito Y, Yanagiba Y, et al. 2012. Differences in metabolite burden of di(2-ethylhexyl)phthalate in pregnant and postpartum dams and their offspring in relation to drug-metabolizing enzymes in mice. *Arch Toxicol* 86(4):563-569. <http://doi.org/10.1007/s00204-011-0790-2>.
- Haynes WM. 2014. Physical constants of organic compounds. Bis(2-ethylhexyl) phthalate. In: *CRC handbook of chemistry and physics*. 95th ed. Boca Raton, FL: CRC Press, 3-54.
- Health Canada. 1998. Risk assessment on diisononyl phthalate in vinyl children's products. <http://www.hc-sc.gc.ca/english/protection/warnings/1998/risk.html>. March 19, 2002.
- Heindel JJ, Powell CJ. 1992. Phthalate ester effects on rat Sertoli cell function *in vitro*: Effects of phthalate side chain and age of animal. *Toxicol Appl Pharmacol* 115(1):116-123. [http://doi.org/10.1016/0041-008x\(92\)90374-2](http://doi.org/10.1016/0041-008x(92)90374-2).
- +Hellwig J, Freudenberger H, Jäckh R. 1997. Differential prenatal toxicity of branched phthalate esters in rats. *Food Chem Toxicol* 35:501-512.
- Helmig D, Bauer A, Muller J, et al. 1990. Analysis of particulate organics in a forest atmosphere by thermodesorption GC/MS. *Atmos Environ* 24A(1):179-184.
- Herr C, zur Nieden A, Koch HM, et al. 2009. Urinary di(2-ethylhexyl)phthalate (DEHP)--metabolites and male human markers of reproductive function. *Int J Hyg Environ Health* 212(6):648-653. <http://doi.org/10.1016/j.ijheh.2009.08.001>.
- Hill SS, Shaw BR, Wu AHB. 2001. The clinical effects of plasticizers, antioxidants, and other contaminants in medical polyvinylchloride tubing during respiratory and non-respiratory exposure. *Clin Chim Acta* 304:1-8.
- Hines C, Hopf N, Deddens J, et al. 2011. Estimated daily intake of phthalates in occupationally exposed groups. *J Expo Sci Environ Epidemiol* 21(2):133-141.
- Hines CJ, Nilsen Hopf NB, Deddens JA, et al. 2009a. Urinary phthalate metabolite concentrations among workers in selected industries: A pilot biomonitoring study. *Ann Occup Hyg* 53(1):1-17.
- Hines EP, Calafat AM, Silva MJ, et al. 2009b. Concentrations of phthalate metabolites in milk, urine, saliva, and serum of lactating North Carolina women. *Environ Health Perspect* 117(1):86-92.
- Hinton RH, Mitchell FE, Mann A, et al. 1986. Effects of phthalic acid esters on the liver and thyroid. *Environ Health Perspect* 70:195-210.
- Hites RA. 1973. Analysis of trace organic compounds in New England rivers. *J Chromatogr Sci* 11:570-574.
- Hodgson JR. 1987. Results of peroxisome induction studies on tri(2-ethylhexyl)trimellitate and 2-ethylhexanol. *Toxicol Ind Health* 3:49-61.
- Hodgson JR, Myhr BC, McKeon M, et al. 1982. Evaluation of di-(2-ethylhexyl)phthalate and its major metabolites in the primary rat hepatocyte unscheduled DNA synthesis assay. *Environ Mutagen* 4:388.
- Hoff RM, Chan KW. 1987. Measurement of polycyclic aromatic hydrocarbons in the air along the Niagara River. *Environ Sci Technol* 21:556-561.
- Holahan MR, Smith CA. 2015. Phthalates and neurotoxic effects on hippocampal network plasticity. *Neurotoxicology* 48:21-34. <http://doi.org/10.1016/j.neuro.2015.02.008>.
- Holmes AK, Koller KR, Kieszak SM, et al. 2014. Case-control study of breast cancer and exposure to synthetic environmental chemicals among Alaska Native women. *Int J Circumpolar Health* 73:25760.

8. REFERENCES

- Hopf NB, Berthet A, Vernez D, et al. 2014. Skin permeation and metabolism of di(2-ethylhexyl) phthalate (DEHP). *Toxicol Lett* 224(1):47-53. <http://doi.org/10.1016/j.toxlet.2013.10.004>.
- Hoppin JA, Jaramillo R, London SJ, et al. 2013. Phthalate exposure and allergy in the U.S. population: Results from NHANES 2005-2006. *Environ Health Perspect* 121(10):1129-1134. <http://doi.org/10.1289/ehp.1206211>.
- Hoppin JA, Ulmer R, London SJ. 2004. Phthalate exposure and pulmonary function. *Environ Health Perspect* 112(5):571-574.
- Hou JW, Lin CL, Tsai YA, et al. 2015a. The effects of phthalate and nonylphenol exposure on body size and secondary sexual characteristics during puberty. *Int J Hyg Environ Health* 218(7):603-615. <http://doi.org/10.1016/j.ijheh.2015.06.004>.
- Hou JW, Lin CL, Tsai YA, et al. 2015b. Supplemental data for: The effects of phthalate and nonylphenol exposure on body size and secondary sexual characteristics during puberty. *Int J Hyg Environ Health* 218(7):603-615.
- Howard PH. 1989. Handbook of environmental fate and exposure data of environmental chemicals. Vol. 1. Large production and priority pollutants. Chelsea, MA: Lewis Publishers Inc., 279-285.
- Howard PH, Meylan WM. 1997. Handbook of physical properties of organic chemicals. Boca Raton, FL: Lewis Publishers.
- Howard PH, Banerjee S, Robillard KH. 1985. Measurement of water solubilities, octanol/water partition coefficients and vapor pressures of commercial phthalate esters. *Environ Toxicol Chem* 4:653-661.
- Howarth JA, Price SC, Dobrota M, et al. 2001. Effects on male rats of di-(2-ethylhexyl) phthalate and di-n-hexylphthalate administered alone or in combination. *Toxicol Lett* 121(1):35-43.
- Howdeshell KL, Furr J, Lambright CR, et al. 2007. Cumulative effects of dibutyl phthalate and diethylhexyl phthalate on male rat reproductive tract development: Altered fetal steroid hormones and genes. *Toxicol Sci* 99(1):190-202. <http://doi.org/10.1093/toxsci/kfm069>.
- +Howdeshell KL, Wilson VS, Furr J, et al. 2008. A mixture of five phthalate esters inhibits fetal testicular testosterone production in the Sprague-Dawley rat in a cumulative, dose-additive manner. *Toxicol Sci* 105(1):153-165. <http://doi.org/10.1093/toxsci/kfn077>.
- Hsu NY, Lee CC, Wang JY, et al. 2012. Predicted risk of childhood allergy, asthma and reported symptoms using measured phthalate exposure in dust and urine. *Indoor Air* 22(3):186-199. <http://doi.org/10.1111/j.1600-0668.2011.00753.x>.
- Huang HB, Chen HY, Su PH, et al. 2015. Fetal and childhood exposure to phthalate diesters and cognitive function in children up to 12 years of age: Taiwanese Maternal and Infant Cohort Study. *PLoS ONE* 10(6):e0131910. <http://doi.org/10.1371/journal.pone.0131910>.
- Huang HB, Kuo PL, Chang JW, et al. 2018. Longitudinal assessment of prenatal phthalate exposure on serum and cord thyroid hormones homeostasis during pregnancy- Tainan Birth Cohort Study (TBCS). *Sci Total Environ* 619-620:1058-1065.
- Huang PC, Kuo PL, Guo YL, et al. 2007. Associations between urinary phthalate monoesters and thyroid hormones in pregnant women. *Hum Reprod* 22(10):2715-2722. <http://doi.org/10.1093/humrep/dem205>.
- Huang LP, Lee CC, Fan JP, et al. 2014b. Urinary metabolites of di(2-ethylhexyl) phthalate relation to sperm motility, reactive oxygen species generation, and apoptosis in polyvinyl chloride workers. *Int Arch Occup Environ Health* 87(6):635-646. <http://doi.org/10.1007/s00420-013-0905-6>.
- Huang PC, Tsai EM, Li WF, et al. 2010. Association between phthalate exposure and glutathione S-transferase M1 polymorphism in adenomyosis, leiomyoma and endometriosis. *Human Reprod* 25(4):986-994. <http://doi.org/10.1093/humrep/deq015>.
- Huang T, Saxena AR, Isganaitis E, et al. 2014a. Gender and racial/ethnic differences in the associations of urinary phthalate metabolites with markers of diabetes risk: National Health and Nutrition Examination Survey 2001-2008. *Environ Health* 13(1):6. <http://doi.org/10.1186/1476-069x-13-6>.
- Huber WW, Grasl-Kraupp B, Schulte-Hermann R. 1996. Hepatocarcinogenic potential of di(2-ethylhexyl)phthalate in rodents and its implications on human risk. *Crit Rev Toxicol* 26(4):365-481.

8. REFERENCES

- Hunt BG, Wang Y, Chen M, et al. 2017. Maternal diethylhexyl phthalate exposure affects adiposity and insulin tolerance in offspring in a PCNA-dependent manner. *Environ Res* 159:588-594.
- Hutchins SR, Tomson MB, Ward CH. 1983. Trace organic contamination of ground water from a rapid infiltration site: A laboratory-field coordinated study. *Environ Toxicol Chem* 2:195-216.
- Iannuzzi TJ, Huntley SL, Schmidt CW, et al. 1997. Combined sewer overflows (CSOs) as sources of sediment contamination in the lower Passaic River, New Jersey. I. Priority pollutants and inorganic chemicals. *Chemosphere* 34(2):213-231.
- IARC. 1982. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Some industrial chemicals and dyestuffs. Vol. 29. International Agency for Research on Cancer, Lyon, France, 269-294.
- IARC. 2012. IARC monographs. Some chemicals present in industrial and consumer products, food and drinking-water. International Agency for Research on Cancer. Vol. 101.
- IARC. 2013. Di(2-ethylhexyl)phthalate. IARC monographs on the evaluation of carcinogenic risks to humans. Volume 101: Some chemicals present in industrial and consumer products, food and drinking-water. Lyon, France: International Agency for Research on Cancer. <http://monographs.iarc.fr/ENG/Monographs/vol101/mono101-006.pdf>. April 27, 2017.
- IARC. 2017. Agents classified by the IARC Monographs, Volumes 1–118. Lyon, France: International Agency for Research on Cancer. http://monographs.iarc.fr/ENG/Classification/List_of_Classifications.pdf. April 27, 2017.
- +ICI Amercas Inc. 1982. Bis(2-ethylhexyl)phthalate: A comparative subacute toxicity study in the rat and marmoset with cover letter dated 032283. Submitted to the U.S. Environmental Protection Agency under TSCA, Section 8DS. EPA878220040. OTS215194. TSCATS/020230.
- IJC. 1983. An inventory of chemical substances identified in the Great Lakes ecosystem. Vol 1. Summary. Report to the Great Lakes Water Quality Board by the International Joint Commission, Windsor, Ontario.
- Ikeda GJ, Sapienza PP, Couvillion JL, et al. 1980. Comparative distribution, excretion and metabolism of di-(2-ethylhexyl)phthalate in rats, dogs and miniature pigs. *Food Cosmet Toxicol* 18:637-642.
- Inoue K, Kawaguchi M, Yamanaka R, et al. 2005. Evaluation and analysis of exposure levels of di(2-ethylhexyl) phthalate from blood bags. *Clin Chim Acta* 358(1-2):159-166.
- IRIS. 1988. Di(2-ethylhexyl)phthalate (DEHP); CASRN 117-81-7. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0014_summary.pdf. April 27, 2017.
- Isenberg JS, Kamendulis LM, Ackley DC, et al. 2001. Reversibility and persistence of di-2-ethylhexyl phthalate (DEHP)- and phenobarbital-induced hepatocellular changes in rodents. *Toxicol Sci* 64(2):192-199. <http://doi.org/10.1093/toxsci/64.2.192>.
- Isenberg JS, Kamendulis LM, Smith JH, et al. 2000. Effects of di-2-ethylhexyl phthalate (DEHP) on gap-junctional intercellular communication (GJIC), DNA synthesis, and peroxisomal beta oxidation (PBOX) in rat, mouse, and hamster liver. *Toxicol Sci* 56:73-85.
- Ito Y, Kamijima M, Hasegawa C, et al. 2014. Species and inter-individual differences in metabolic capacity of di(2-ethylhexyl)phthalate (DEHP) between human and mouse livers. *Environ Health Prev Med* 19(2):117-125. <http://doi.org/10.1007/s12199-013-0362-6>.
- Ito Y, Yokota H, Wang R, et al. 2005. Species differences in the metabolism of di(2-ethylhexyl) phthalate (DEHP) in several organs of mice, rats, and marmosets. *Arch Toxicol* 79(3):147-154. <http://doi.org/10.1007/s00204-004-0615-7>.
- Itoh H, Iwasaki M, Hanaoka T, et al. 2009. Urinary phthalate monoesters and endometriosis in infertile Japanese women. *Sci Total Environ* 408(1):37-42. <http://doi.org/10.1016/j.scitotenv.2009.09.012>.
- Jaeger RJ, Rubin RJ. 1972. Migration of a phthalate ester plasticizer from polyvinyl chloride blood bags into stored human blood and its localization in human tissues. *N Engl J Med* 287:1114-1118.
- James-Todd TM, Meeker JD, Huang T, et al. 2016a. Pregnancy urinary phthalate metabolite concentrations and gestational diabetes risk factors. *Environ Int* 96:118-126. <http://doi.org/10.1016/j.envint.2016.09.009>.

8. REFERENCES

- James-Todd TM, Huang T, Seely EW, et al. 2016b. The association between phthalates and metabolic syndrome: The National Health and Nutrition Examination Survey 2001-2010. *Environ Health* 15:52. <http://doi.org/10.1186/s12940-016-0136-x>.
- James-Todd T, Stahlhut R, Meeker JD, et al. 2012. Urinary phthalate metabolite concentrations and diabetes among women in the National Health and Nutrition Examination Survey (NHANES) 2001-2008. *Environ Health Perspect* 120(9):1307-1313. <http://doi.org/10.1289/ehp.1104717>.
- Jarfelt K, Dalgaard M, Hass U, et al. 2005. Antiandrogenic effects in male rats perinatally exposed to a mixture of di(2-ethylhexyl) phthalate and di(2-ethylhexyl) adipate. *Reprod Toxicol* 19(4):505-515. <http://doi.org/10.1016/j.reprotox.2004.11.005>.
- Jeddi MZ, Janani L, Hossein Memari A, et al. 2016. The role of phthalate esters in autism development: A systematic review. *Environ Res* 151:493-504.
- Jensen TK, Frederiksen H, Kyhl HB, et al. 2016. Prenatal exposure to phthalates and anogenital distance in male infants from a low-exposed Danish cohort (2010-2012). *Environ Health Perspect* 124(7):1107-1113. <http://doi.org/10.1289/ehp.1509870>.
- Joensen UN, Frederiksen H, Blomberg Jensen M, et al. 2012. Phthalate excretion pattern and testicular function: A study of 881 healthy Danish men. *Environ Health Perspect* 120(10):1397-1403. <http://doi.org/10.1289/ehp.1205113>.
- Joensen UN, Jorgensen N, Meldgaard M, et al. 2014. Associations of filaggrin gene loss-of-function variants with urinary phthalate metabolites and testicular function in young Danish Men. *Environ Health Perspect* 122(4):345-350. <http://doi.org/10.1289/ehp.1306720>.
- Johns LE, Ferguson KK, McElrath TF, et al. 2016. Associations between repeated measures of maternal urinary phthalate metabolites and thyroid hormone parameters during pregnancy. *Environ Health Perspect* 10.1289/ehp170.
- Johns LE, Ferguson KK, Soldin OP, et al. 2015. Urinary phthalate metabolites in relation to maternal serum thyroid and sex hormone levels during pregnancy: A longitudinal analysis. *Reprod Biol Endocrinol* 13:4. <http://doi.org/10.1186/1477-7827-13-4>.
- Johnson BT, Heitkamp MA, Jones JR. 1984. Environmental and chemical factors influencing the biodegradation of phthalic acid esters in freshwater sediments. *Environ Pollut Series B* 8:101-118.
- Johnson BT, Stalling DL, Hogan JW, et al. 1977. Dynamics of phthalic acid esters in aquatic organisms. In: Suffet IH, ed. *Fate of pollutants in the air and water environments: Part 2. Chemical and biological fate of pollutants in the environment*. New York, NY: John Wiley and Sons, 283-300.
- Jones DL, Burklin CE, Seaman JC, et al. 1996. Models to estimate volatile organic hazardous air pollutant emissions from municipal sewer systems. *J Air Waste Manage Assoc* 46:657-666.
- Jones HB, Garside DA, Liu R, et al. 1993. The influence of phthalate esters on Leydig cell structure and function *in vitro* and *in vivo*. *Exp Mol Pathol* 58:179-193.
- Jones S, Boisvert A, Duong TB, et al. 2014. Disruption of rat testis development following combined *in utero* exposure to the phytoestrogen genistein and antiandrogenic plasticizer di-(2-ethylhexyl) phthalate. *Biol Reprod* 91(3):64. <http://doi.org/10.1095/biolreprod.114.120907>.
- Jones S, Boisvert A, Francois S, et al. 2015. *In utero* exposure to di-(2-ethylhexyl) phthalate induces testicular effects in neonatal rats that are antagonized by genistein cotreatment. *Biol Reprod* 93(4):92. <http://doi.org/10.1095/biolreprod.115.129098>.
- Jones S, Boisvert A, Naghi A, et al. 2016. Stimulatory effects of combined endocrine disruptors on MA-10 Leydig cell steroid production and lipid homeostasis. *Toxicology* 355-356:21-30. <http://doi.org/10.1016/j.tox.2016.05.008>.
- Jonsson BAG, Richthoff J, Rylander L, et al. 2005. Urinary phthalate metabolites and biomarkers of reproductive function in young men. *Epidemiology* 16(4):487-493. <http://doi.org/10.1097/01.ede.0000164555.19041.01>.
- Juberg DR, Alfano K, Coughlin RJ, et al. 2001. An observational study of object mouthing behavior by young children. *Pediatrics* 107:135-142.

8. REFERENCES

- Jukic AM, Calafat AM, McConnaughey DR, et al. 2016. Urinary concentrations of phthalate metabolites and bisphenol A and associations with follicular-phase length, luteal-phase length, fecundability, and early pregnancy loss. *Environ Health Perspect* 124(3):321-328. <http://doi.org/10.1289/ehp.1408164>.
- Jurewicz J, Radwan M, Sobala W, et al. 2013. Human urinary phthalate metabolites level and main semen parameters, sperm chromatin structure, sperm aneuploidy and reproductive hormones. *Reprod Toxicol* 42:232-241. <http://doi.org/10.1016/j.reprotox.2013.10.001>.
- Just AC, Whyatt RM, Miller RL, et al. 2012. Children's urinary phthalate metabolites and fractional exhaled nitric oxide in an urban cohort. *Am J Respir Crit Care Med* 186(9):830-837. <http://doi.org/10.1164/rccm.201203-0398OC>.
- Kambia K, Dine T, Gressier B, et al. 2001. High-performance liquid chromatographic method for the determination of di(2-ethylhexyl) phthalate in total parenteral nutrition and in plasma. *J Chromatogr B* 755:297-303.
- +Kamijo Y, Hora K, Nakajima T, et al. 2007. Peroxisome proliferator activated receptor α protects against glomerulonephritis induced by long-term exposure to the plasticizer di-(2-ethylhexyl)phthalate. *J Am Soc Nephrol* 18(1):176-188. <http://doi.org/10.1681/asn.2006060597>.
- Kanki K, Nishikawa A, Masumura K, et al. 2005. *In vivo* mutational analysis of liver DNA in gpt delta transgenic rats treated with the hepatocarcinogens N-nitrosopyrrolidine, 2-amino-3-methylimidazo[4,5-f]quinoline, and di(2-ethylhexyl)phthalate. *Mol Carcinog* 42(1):9-17. <http://doi.org/10.1002/mc.20061>.
- Kardas F, Bayram AK, Demirci E, et al. 2016. Increased serum phthalates (MEHP, DEHP) and bisphenol A concentrations in children with autism spectrum disorder: The role of endocrine disruptors in autism etiopathogenesis. *J Child Neurol* 31(5):629-635. <http://doi.org/10.1177/0883073815609150>.
- Karle VA, Short BL, Martin GR, et al. 1997. Extracorporeal membrane oxygenation exposes infants to the plasticizer, di(2-ethylhexyl)phthalate. *Crit Care Med* 25:696-703.
- Kato K, Silva MJ, Reidy JA, et al. 2004. Mono(2-ethyl-5-hydroxyhexyl) phthalate and mono-(2-ethyl-5-oxohexyl) phthalate as biomarkers for human exposure assessment to di-(2-ethylhexyl) phthalate. *Environ Health Perspect* 112(3):327-330. <http://doi.org/10.1289/ehp.6663>. <http://dx.doi.org/10.1289/ehp.6663>.
- Kaun-Yu L, Tseng FW, Wu CJ, et al. 2004. Suppression by phthalates of the calcium signaling of human nicotinic acetylcholine receptors in human neuroblastoma SH-SY5Y cells. *Toxicology* 200:113-121. <http://dx.doi.org/10.1016/j.tox.2004.03.018>
- Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficient of pesticides and other chemicals. *Ecotoxicol Environ Saf* 4:26-38.
- Kessler W, Numtip W, Grote K, et al. 2004. Blood burden of di(2-ethylhexyl) phthalate and its primary metabolite mono(2-ethylhexyl) phthalate in pregnant and nonpregnant rats and marmosets. *Toxicol Appl Pharmacol* 195(2):142-153. <http://doi.org/10.1016/j.taap.2003.11.014>.
- Kessler W, Numtip W, Völkel W, et al. 2012. Kinetics of di(2-ethylhexyl) phthalate (DEHP) and mono(2-ethylhexyl) phthalate in blood and of DEHP metabolites in urine of male volunteers after single ingestion of ring-deuterated DEHP. *Toxicol Appl Pharmacol* 264(2):284-291. <http://doi.org/10.1016/j.taap.2012.08.009>.
- Keys DA, Wallace DG, Kepler TB, et al. 1999. Quantitative evaluation of alternative mechanisms of blood and testes disposition of di(2-ethylhexyl) phthalate and mono(2-ethylhexyl) phthalate in rats. *Toxicol Sci* 49:172-185.
- Khedr A. 2013. Optimized extraction method for LC-MS determination of bisphenol A, melamine and di(2-ethylhexyl) phthalate in selected soft drinks, syringes, and milk powder. *J Chromatogr B, Anal Technol Biomed Life Sci* 930:98-103.
- Kickham P, Otton SV, Moore MM, et al. 2012. Relationship between biodegradation and sorption of phthalate esters and their metabolites in natural sediments. *Environ Toxicol Chem* 31(8):1730-1737.
- Kim JH, Hong YC. 2014. HSP70-hom gene polymorphisms modify the association of diethylhexyl phthalates with insulin resistance. *Environ Mol Mutagen* 55(9):727-734. <http://doi.org/10.1002/em.21884>.

8. REFERENCES

- Kim JH, Park HY, Bae S, et al. 2013. Diethylhexyl phthalates is associated with insulin resistance via oxidative stress in the elderly: A panel study. *PLoS ONE* 8(8):e71392. <http://doi.org/10.1371/journal.pone.0071392>.
- Kim JH, Park H, Lee J, et al. 2016a. Association of diethylhexyl phthalate with obesity-related markers and body mass change from birth to 3 months of age. *J Epidemiol Community Health* 70(5):466-472. <http://doi.org/10.1136/jech-2015-206315>.
- Kim KN, Choi YH, Lim YH, et al. 2016b. Urinary phthalate metabolites and depression in an elderly population: National Health and Nutrition Examination Survey 2005-2012. *Environ Res* 145:61-67. <http://doi.org/10.1016/j.envres.2015.11.021>.
- Kim SH, Park MJ. 2014. Phthalate exposure and childhood obesity. *Ann Pediatr Endocrinol Metab* 19(2):69-75. <http://doi.org/10.6065/apem.2014.19.2.69>.
- Kim SH, Cho S, Ihm HJ, et al. 2015. Possible role of phthalate in the pathogenesis of endometriosis: *In vitro*, animal, and human data. *J Clin Endocrinol Metab* 100(12):E1502E1511. <http://doi.org/10.1210/jc.2015-2478>.
- Kim Y, Ha EH, Kim EJ, et al. 2011. Prenatal exposure to phthalates and infant development at 6 months: Prospective Mothers and Children's Environmental Health (MOCEH) study. *Environ Health Perspect* 119(10):1495-1500. <http://doi.org/10.1289/ehp.1003178>.
- Kirby PE, Pizzarello RF, Lawlor TE, et al. 1983. Evaluation of di-(2-ethylhexyl)phthalate and its major metabolites in the Ames test and L5178Y mouse lymphoma mutagenicity assay. *Environ Mutagen* 5:657-663.
- +Kitaoka M, Hirai S, Terayama H, et al. 2013. Effects on the local immunity in the testis by exposure to di-(2-ethylhexyl) phthalate (DEHP) in mice. *J Reprod Dev* 59(5):485-490. <http://doi.org/10.1262/jrd.2012-180>.
- Klaunig JE, Babich MA, Baetcke KP, et al. 2003. PPAR α agonist-induced rodent tumors: Modes of action and human relevance. *Crit Rev Toxicol* 33(6):655-780. <http://doi.org/10.1080/713608372>.
- Kleinsasser NH, Harreus UA, Kastenbauer ER, et al. 2004. Mono(2-ethylhexyl)phthalate exhibits genotoxic effects in human lymphocytes and mucosal cells of the upper aerodigestive tract in the comet assay. *Toxicol Lett* 148(1-2):83-90. <http://doi.org/10.1016/j.toxlet.2003.12.013>.
- +Klimisch HJ, Gamer AO, Hellwig J, et al. 1992. Di-(2-ethylhexyl) phthalate: A short-term repeated inhalation toxicity study including fertility assessment. *Food Chem Toxicol* 30(11):915-919. [http://doi.org/10.1016/0278-6915\(92\)90175-k](http://doi.org/10.1016/0278-6915(92)90175-k).
- +Klimisch HJ, Hellwig J, Kaufmann W, et al. 1991. Di-(2-ethylhexyl)phthalate (DEHP): Investigation of inhalation toxicity in rats after repeated exposure (28 d). *Human Exp Toxicol* 10:68.
- +Klinefelter GR, Laskey JW, Winnik WM, et al. 2012. Novel molecular targets associated with testicular dysgenesis induced by gestational exposure to diethylhexyl phthalate in the rat: A role for estradiol. *Reproduction* 144(6):747-761. <http://doi.org/10.1530/rep-12-0266>.
- Klopcic I, Kolsek K, Dolenc MS. 2015. Glucocorticoid-like activity of propylparaben, butylparaben, diethylhexyl phthalate and tetramethrin mixtures studied in the MDA-kb2 cell line. *Toxicol Lett* 232(2):376-383. <http://doi.org/10.1016/j.toxlet.2014.11.019>.
- +Kluwe WM, Haseman JK, Douglas JF, et al. 1982a. The carcinogenicity of dietary di-(2-ethylhexyl)phthalate in Fischer 344 rats and B6C3F₁ mice. *J Toxicol Environ Health* 10:797-815.
- +Kluwe WM, Huff JE, Matthews HB, et al. 1985. Comparative chronic toxicities and carcinogenic potentials of 2-ethylhexyl-containing compounds in rats and mice. *Carcinogenesis* 6(11):1577-1583. <http://doi.org/10.1093/carcin/6.11.1577>.
- +Kluwe WM, McConnell EE, Huff JE, et al. 1982b. Carcinogenicity testing of phthalate esters and related compounds by the National Toxicology Program and the National Cancer Institute. *Environ Health Perspect* 45:129-134.
- +Kobayashi K, Miyagawa M, Wang RS, et al. 2006. Effects of *in utero* and lactational exposure to di-(2-ethylhexyl)phthalate on somatic and physical development in rat offspring. *Ind Health* 44(4):652-660.

8. REFERENCES

- Kobrosly RW, Evans S, Miodovnik A, et al. 2014. Prenatal phthalate exposures and neurobehavioral development scores in boys and girls at 6-10 years of age. *Environ Health Perspect* 122(5):521-528. <http://doi.org/10.1289/ehp.1307063>.
- Koch HM, Bolt HM, Angerer J. 2004. Di(2-ethylhexyl)phthalate (DEHP) metabolites in human urine and serum after a single oral dose of deuterium-labelled DEHP. *Arch Toxicol* 78(3):123-130. <http://doi.org/10.1007/s00204-003-0522-3>.
- Koch HM, Bolt HM, Preuss R, et al. 2005a. New metabolites of di(2-ethylhexyl)phthalate (DEHP) in human urine and serum after single oral doses of deuterium-labelled DEHP. *Arch Toxicol* 79(7):367-376. <http://doi.org/10.1007/s00204-004-0642-4>.
- Koch HM, Bolt HM, Preuss R, et al. 2005b. Intravenous exposure to di(2-ethylhexyl)phthalate (DEHP): Metabolites of DEHP in urine after a voluntary platelet donation. *Arch Toxicol* 79(12):689-693. <http://doi.org/10.1007/s00204-005-0004-x>.
- Koch HM, Lorber M, Christensen KLY, et al. 2013. Identifying sources of phthalate exposure with human biomonitoring: Results of a 48h fasting study with urine collection and personal activity patterns. *Int J Hyg Environ Health* 216(6):672-681. <http://doi.org/10.1016/j.ijheh.2012.12.002>.
- Kolena B, Petrovicova I, Pilka T, et al. 2014. Phthalate exposure and health-related outcomes in specific types of work environment. *Int J Environ Res Public Health* 11(6):5628-5639. <http://doi.org/10.3390/ijerph110605628>.
- Koo HJ, Lee BM. 2007. Toxicokinetic relationship between di(2-ethylhexyl) phthalate (DEHP) and mono(2-ethylhexyl) phthalate in rats. *J Toxicol Environ Health, Part A*:70(5):383-387. <http://doi.org/10.1080/15287390600882150>.
- Kornbrust DJ, Barfknecht TR, Ingram P, et al. 1984. Effect of di(2-ethylhexyl)phthalate on DNA repair and lipid peroxidation in rat hepatocytes and on metabolic cooperation in Chinese hamster V-79 cells. *J Toxicol Environ Health* 13:99-116.
- Kozumbo WJ, Kroll R, Rubin RJ. 1982. Assessment of the mutagenicity of phthalate esters. *Environ Health Perspect* 45:103-109.
- Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures. Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Ku HY, Su PH, Wen HJ, et al. 2015. Prenatal and postnatal exposure to phthalate esters and asthma: A 9-year follow-up study of a Taiwanese birth cohort. *PLoS ONE* 10(4):e0123309. <http://doi.org/10.1371/journal.pone.0123309>.
- Kuo FC, Su SW, Wu CF, et al. 2015. Relationship of urinary phthalate metabolites with serum thyroid hormones in pregnant women and their newborns: A prospective birth cohort in Taiwan. *PLoS ONE* 10(6):e0123884. <http://doi.org/10.1371/journal.pone.0123884>.
- +Kurahashi N, Kondo T, Omura M, et al. 2005. The effects of subacute inhalation of di (2-ethylhexyl) phthalate (DEHP) on the testes of prepubertal Wistar rats. *J Occup Health* 47(5):437-444.
- Kurane R. 1986. Microbial degradation of phthalate esters. *Microbiol Sci* 3:92-95.
- +Kurata Y, Kidachi F, Yokoyama M, et al. 1998. Subchronic toxicity of di(2-ethylhexyl)phthalate in common marmosets: Lack of hepatic peroxisome proliferation, testicular atrophy, or pancreatic acinar cell hyperplasia. *Toxicol Sci* 42:49-56.
- Kurata Y, Makinodan F, Shimamura N, et al. 2012a. Metabolism of di (2-ethylhexyl) phthalate (DEHP): Comparative study in juvenile and fetal marmosets and rats. *J Toxicol Sci* 37(1):33-49. <http://doi.org/10.2131/jts.37.33>.
- Kurata Y, Shimamura N, Katoh M. 2012b. Metabolite profiling and identification in human urine after single oral administration of DEHP. *J Toxicol Sci* 37(2):401-414.
- Kushman ME, Kraft AD, Guyton KZ, et al. 2013. A systematic approach for identifying and presenting mechanistic evidence in human health assessments. *Regul Toxicol Pharmacol* 67(2):266-277. <http://doi.org/10.1016/j.yrtph.2013.08.005>.

8. REFERENCES

- Lacey S, Alexander BM, Baxter CS. 2014. Plasticizer contamination of firefighter personal protective clothing--a potential factor in increased health risks in firefighters. *J Occup Environ Hyg* 11(5):D43-48. <http://doi.org/10.1080/15459624.2013.877142>.
- Lagos-Cabré R, Moreno RD. 2012. Contribution of environmental pollutants to male infertility: A working model of germ cell apoptosis induced by plasticizers. *Biol Res* 45(1):5-14. <http://doi.org/10.1590/s0716-97602012000100001>.
- +Lake BG, Brantom PG, Gangolli SD, et al. 1976. Studies on the effects of orally administered Di-(2-ethylhexyl) phthalate in the ferret. *Toxicology* 6(3):341-356.
- +Lake BG, Gray TJ, Foster JR, et al. 1984. Comparative studies on di(2-ethylhexyl)phthalate induced hepatic peroxisome proliferation in the rat and hamster. *Toxicol Appl Pharm* 72:46-60.
- Lake BG, Kozlen SL, Evans JG, et al. 1987. Effect of prolonged administration of clofibric acid and di-(2-ethylhexyl)phthalate on hepatic enzyme activities and lipid peroxidation in the rat. *Toxicology* 44:213-228.
- +Lamb JC, Chapin RE, Teague J, et al. 1987. Reproductive effects of four phthalic acid esters in the mouse. *Toxicol Appl Pharmacol* 88:255-269.
- LaRocca J, Binder AM, McElrath TF, et al. 2014. The impact of first trimester phthalate and phenol exposure on IGF2/H19 genomic imprinting and birth outcomes. *Environ Res* 133:396-406. <http://doi.org/10.1016/j.envres.2014.04.032>.
- Larranaga MD, Lewis RJ, Lewis RA. 2016. Di(2-ethylhexyl) phthalate. In: Hawley's condensed chemical dictionary. 16th ed. Hoboken, NJ: John Wiley & Sons, Inc., 470-471.
- +Larsen ST, Hansen JS, Hansen EW, et al. 2007. Airway inflammation and adjuvant effect after repeated airborne exposures to di-(2-ethylhexyl)phthalate and ovalbumin in BALB/c mice. *Toxicology* 235(1-2):119-129. <http://doi.org/10.1016/j.tox.2007.03.010>.
- Latini G. 2000. Potential hazards of exposure to di-(2-ethylhexyl)-phthalate in babies. *Biol Neonate* 78:269-276.
- Latini G, Avery GB. 1999. Materials degradation in endotracheal tubes: A potential contributor to bronchopulmonary dysplasia. *Acta Paediatr* 88:1174-1175.
- Laurenzana EM, Coslo DM, vigilar MV, et al. 2016. Activation of the constitutive androstane receptor by monophthalates. *Chem Res Toxicol* 29:1651-1661.
- Lay JO, Miller BJ. 1987. Plasticizers in pacifiers: Direct determination by FAB-MS. *Anal Chem* 59:1323-1325.
- Leboeuf RA, Kerckaert GA, Aardema MJ, et al. 1996. The pH 6.7 Syrian hamster embryo cell transformation assay for assessing the carcinogenic potential of chemicals. *Mutat Res* 356(1):85-127. [http://doi.org/10.1016/0027-5107\(95\)00199-9](http://doi.org/10.1016/0027-5107(95)00199-9).
- +Lee BM, Koo HJ. 2007. Hershberger assay for antiandrogenic effects of phthalates. *J Toxicol Environ Health, Part A* 70:(15-16):1365-1370. <http://doi.org/10.1080/15287390701432285>.
- Lee P-C, Borysewicz R, Struve M, et al. 1993. Development of lipolytic activity in gastric aspirates from premature infants. *J Pediatr Gastroenterol Nutr* 17(3):291-297.
- Le Hegarat L, Mourot A, Huet S, et al. 2014. Performance of comet and micronucleus assays in metabolic competent HepaRG cells to predict *in vivo* genotoxicity. *Toxicol Sci* 138(2):300-309. <http://doi.org/10.1093/toxsci/kfu004>.
- Letinski DJ, Connelly MJ, Jr., Peterson DR, et al. 2002. Slow-stir water solubility measurements of selected alcohols and diesters. *Chemosphere* 48(3):257-265.
- Leyder F, Boulanger P. 1983. Ultraviolet absorption, aqueous solubility, and octanol-water partition for several phthalates. *Bull Environ Contam Toxicol* 30:152-157.
- Lhuguenot JC, Mitchell AM, Elcombe CR. 1988. The metabolism of mono-(2-ethylhexyl)phthalate (MEHP) and liver peroxisome proliferation in the hamster. *Toxicol Ind Health* 4:431-441.
- Lhuguenot JC, Mitchell AM, Milner G, et al. 1985. The metabolism of di(2-ethylhexyl)phthalate (DEHP) and mono(2-ethylhexyl)phthalate (MEHP) in rats: *In vivo* and *in vitro* dose and time dependency of metabolism. *Toxicol Appl Pharmacol* 80:11-22.

8. REFERENCES

- Li H, Kim KH. 2003. Effects of mono-(2-ethylhexyl) phthalate on fetal and neonatal rat testis organ cultures. *Biol Reprod* 69(6):1964-1972. <http://doi.org/10.1095/biolreprod.103.018895>.
- Li L, Liu JC, Lai FN, et al. 2016. Di (2-ethylhexyl) phthalate exposure impairs growth of antral follicle in mice. *PLoS ONE* 11(2):e0148350. <http://doi.org/10.1371/journal.pone.0148350>.
- Li L, Zhang T, Qin XS, et al. 2014. Exposure to diethylhexyl phthalate (DEHP) results in a heritable modification of imprint genes DNA methylation in mouse oocytes. *Mol Biol Rep* 41(3):1227-1235. <http://doi.org/10.1007/s11033-013-2967-7>.
- +Li L-H, Jester WF, Laslett A, et al. 2000. A single dose of Di-(2-ethylhexyl) phthalate in neonatal rats alters gonocytes, reduces Sertoli cell proliferation, and decreases cyclin D2 expression. *Toxicol Appl Pharmacol* 166:222-229.
- Li L-H, Jester WFJ, Orth JM. 1998. Effects of relatively low levels of mono-(2-ethylhexyl) phthalate on cocultured Sertoli cells and gonocytes from neonatal rats. *Toxicol Appl Pharmacol* 153:258-265.
- Li N, Liu T, Zhou L, et al. 2012b. Di-(2-ethylhexyl) phthalate reduces progesterone levels and induces apoptosis of ovarian granulosa cell in adult female ICR mice. *Environ Toxicol Pharmacol* 34(3):869-875. <http://doi.org/10.1016/j.etap.2012.08.013>.
- Li R, Yu C, Gao R, et al. 2012c. Effects of DEHP on endometrial receptivity and embryo implantation in pregnant mice. *J Hazard Mater* 241-242:231-240. <http://doi.org/10.1016/j.jhazmat.2012.09.038>.
- +Li XW, Liang Y, Su Y, et al. 2012a. Adverse effects of di-(2-ethylhexyl) phthalate on Leydig cell regeneration in the adult rat testis. *Toxicol Lett* 215(2):84-91. <http://doi.org/10.1016/j.toxlet.2012.10.001>.
- Lien YJ, Ku HY, Su PH, et al. 2015. Prenatal exposure to phthalate esters and behavioral syndromes in children at 8 years of age: Taiwan Maternal and Infant Cohort Study. *Environ Health Perspect* 123(1):95-100. <http://doi.org/10.1289/ehp.1307154>.
- Ligoocki MP, Leuenberger C, Pankow JF. 1985a. Trace organic compounds in rain. II. Gas scavenging of neutral organic compounds. *Atmos Environ* 19:1609-1617.
- Ligoocki MP, Leuenberger C, Pankow JF. 1985b. Trace organic compounds in rain-III. Particle scavenging of neutral organic compounds. *Atmos Environ* 19(10):1619-1626.
- Lin CY, Hsieh CJ, Lo SC, et al. 2016. Positive association between concentration of phthalate metabolites in urine and microparticles in adolescents and young adults. *Environ Int* 92-93:157-164. <http://doi.org/10.1016/j.envint.2016.04.006>.
- +Lin H, Ge R, Chen G, et al. 2008. Involvement of testicular growth factors in fetal Leydig cell aggregation after exposure to phthalate *in utero*. *Proc Natl Acad Sci* 105(20):7218-7222. <http://doi.org/10.1073/pnas.0709260105>.
- +Lin H, Lian Q, Hu G, et al. 2009. *In utero* and lactational exposures to diethylhexyl-phthalate affect two populations of Leydig cells in male Long-Evans rats. *Biol Reprod* 80(5):882-888. <http://doi.org/10.1095/biolreprod.108.072975>.
- +Lin Y, Wei J, Li Y, et al. 2011. Developmental exposure to di(2-ethylhexyl) phthalate impairs endocrine pancreas and leads to long-term adverse effects on glucose homeostasis in the rat. *Am J Physiol: Endocrinol Metab* 301(3):E527-E538. <http://doi.org/10.1152/ajpendo.00233.2011>.
- Lioy PJ, Hauser R, Gennings C, et al. 2015. Assessment of phthalates/phthalate alternatives in children's toys and childcare articles: Review of the report including conclusions and recommendations of Chronic Hazard Advisory Panel of the Consumer Product Safety Commission. *J Expo Sci Environ Epidemiol* 25:343-353.
- Liss GM, Albro PW, Hartle RW, et al. 1985. Urine phthalate determinations as an index of occupational exposure to phthalic anhydride and di(2-ethylhexyl)phthalate. *Scand J Work Environ Health* 11:381-387.
- Liu L, Bao H, Liu F, et al. 2012. Phthalates exposure of Chinese reproductive age couples and its effect on male semen quality, a primary study. *Environ Int* 42:78-83. <http://doi.org/10.1016/j.envint.2011.04.005>.

8. REFERENCES

- +Liu X, He D, Zhang D, et al. 2008. Di(2-ethylhexyl) phthalate (DEHP) increases transforming growth factor- β 1 expression in fetal mouse genital tubercles. *J Toxicol Environ Health, Part A* 71(19):1289-1294. <http://doi.org/10.1080/15287390802114915>.
- Ljungvall K, Tienpont B, David F, et al. 2004. Kinetics of orally administered di(2-ethylhexyl) phthalate and its metabolite, mono(2-ethylhexyl) phthalate, in male pigs. *Arch Toxicol* 78(7):384-389. <http://doi.org/10.1007/s00204-004-0558-z>.
- Loff S, Kabs F, Witt K, et al. 2000. Polyvinylchloride infusion lines expose infants to large amounts of toxic plasticizers. *J Pediatr Surg* 35(12):1775-1781.
- Lopes TJ, Furlong T. 2001. Occurrence and potential adverse effects of semivolatile organic compounds in streambed sediment, United States, 1992-1995. *Environ Toxicol Chem* 20:727-737.
- Lopes TJ, Furlong ET, Pritt JW. 1997. Occurrence and distribution of semivolatile organic compounds in stream bed sediments, United States, 1992-95. In: Little EE, Greenberg BM, DeLonay AJ, eds. *Environmental toxicology and risk assessment: 7th volume*. West Conshohocken, PA: ASTM, 105-119.
- Lopez-Carrillo L, Hernandez-Ramirez RU, Calafat AM, et al. 2010. Exposure to phthalates and breast cancer risk in northern Mexico. *Environ Health Perspect* 118(4):539-544. <http://doi.org/10.1289/ehp.0901091>.
- Lorber M, Calafat AM. 2012. Dose reconstruction of di(2-ethylhexyl) phthalate using a simple pharmacokinetic model. *Environ Health Perspect* 120(12):1705-1710. <http://doi.org/10.1289/ehp.1205182>.
- Lorber M, Angerer J, Koch H. 2010. A simple pharmacokinetic model to characterize exposure of Americans to di-2-ethylhexyl phthalate. *J Expo Sci Environ Epidemiol* 20(1):38-53. <http://doi.org/10.1038/jes.2008.74>.
- Lovekamp-Swan T, Davis BJ. 2003. Mechanisms of phthalate ester toxicity in the female reproductive system. *Environ Health Perspect* 111(2):139-145.
- Lu Y, Wang YY, Yang N, et al. 2014. Food emulsifier polysorbate 80 increases intestinal absorption of di-(2-ethylhexyl) phthalate in rats. *Toxicol Sci* 139(2):317-327. <http://doi.org/10.1093/toxsci/kfu055>.
- Luo Q, Liu ZH, Yin H, et al. 2018. Migration and potential risk of trace phthalates in bottled water: A global situation. *Water Res* 147:362-372. <http://www.ncbi.nlm.nih.gov/pubmed/30326398>
- Lutz WK. 1986. Investigation of the potential for binding of di(2-ethylhexyl)phthalate (DEHP) to rat liver DNA *in vivo*. *Environ Health Perspect* 65:267-269.
- +Ma M, Kondo T, Ban S, et al. 2006. Exposure of prepubertal female rats to inhaled di(2-ethylhexyl)phthalate affects the onset of puberty and postpubertal reproductive functions. *Toxicol Sci* 93(1):164-171. <http://doi.org/10.1093/toxsci/kfl036>.
- Mackintosh CE, Maldonado J, Hongwu J, et al. 2004. Distribution of phthalate esters in a marine aquatic food web: Comparison to polychlorinated biphenyls. *Environ Sci Technol* 38(7):2011-2020.
- Maloney EK, Waxman DJ. 1999. Trans-activation of PPAR α and PPAR γ by structurally diverse environmental chemicals. *Toxicol Appl Pharmacol* 161:209-218.
- +Mangala Priya V, Mayilvanan C, Akilavalli N, et al. 2014. Lactational exposure of phthalate impairs insulin signaling in the cardiac muscle of F1 female albino Rats. *Cardiovasc Toxicol* 14(1):10-20. <http://doi.org/10.1007/s12012-013-9233-z>.
- Mannville Chemical Products Corp. 1990. Chemical products synopsis: Dioctyl phthalate. Mannville Chemical Products Corp., Asbury Park, NJ.
- +Maranghi F, Lorenzetti S, Tassinari R, et al. 2010. *In utero* exposure to di-(2-ethylhexyl) phthalate affects liver morphology and metabolism in post-natal CD-1 mice. *Reprod Toxicol* 29(4):427-432. <http://doi.org/10.1016/j.reprotox.2010.03.002>.
- Maresca MM, Hoepner LA, Hassoun A, et al. 2016. Prenatal exposure to phthalates and childhood body size in an urban cohort. *Environ Health Perspect* 124(4):514-520. <http://doi.org/10.1289/ehp.1408750>.

8. REFERENCES

- Marie C, Vendittelli F, Sauvart-Rochat MP. 2015. Obstetrical outcomes and biomarkers to assess exposure to phthalates: A review. *Environ Int* 83:116-136. <http://doi.org/10.1016/j.envint.2015.06.003>.
- +Marsman DS, Cattley RC, Conway JG, et al. 1988. Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylidino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res* 48:6739-6744.
- Martinez-Arguelles DB, Papadopoulos V. 2015. Mechanisms mediating environmental chemical-induced endocrine disruption in the adrenal gland. *Front Endocrinol* 6:29. <http://doi.org/10.3389/fendo.2015.00029>.
- +Martinez-Arguelles DB, Guichard T, Culty M, et al. 2011. *In utero* exposure to the antiandrogen di(2-ethylhexyl) phthalate decreases adrenal aldosterone production in the adult rat. *Biol Reprod* 85(1):51-61. <http://doi.org/10.1095/biolreprod.110.089920>.
- +Martinez-Arguelles DB, McIntosh M, Rohlicek CV, et al. 2013. Maternal *in utero* exposure to the endocrine disruptor di(2-ethylhexyl) phthalate affects the blood pressure of adult male offspring. *Toxicol Appl Pharmacol* 266(1):95-100. <http://doi.org/10.1016/j.taap.2012.10.027>.
- +Martinez-Nava GA, Burguete-Garcia AI, Lopez-Carrillo L, et al. 2013. PPAR γ and PPARGC1B polymorphisms modify the association between phthalate metabolites and breast cancer risk. *Biomarkers* 18(6):493-501. <http://doi.org/10.3109/1354750x.2013.816776>.
- Martino-Andrade AJ, Liu F, Sathyanarayana S, et al. 2016. Timing of prenatal phthalate exposure in relation to genital endpoints in male newborns. *Andrology* 4(4):585-593. <http://doi.org/10.1111/andr.12180>.
- Martino-Andrade AJ, Morais RN, Botelho GKG, et al. 2009. Coadministration of active phthalates results in disruption of foetal testicular function in rats. *Int J Androl* 32(6):704-712. <http://doi.org/10.1111/j.1365-2605.2008.00939.x>.
- Marx J. 1990. Animal carcinogen testing challenged. *Science* 250:743-745.
- Mauthe RJ, Gibson DP, Bunch RT, et al. 2001. The Syrian hamster embryo (SHE) cell transformation assay: Review of the methods and results. *Toxicol Pathol* 29 Suppl:138-146.
- McFall JA, Antoine SR, DeLeon IR. 1985a. Base-neutral extractable organic pollutants in biota and sediments from Lake Pontchartrain. *Chemosphere* 14:1561-1569.
- McFall JA, Antoine SR, DeLeon IR. 1985b. Organics in the water column of Lake Pontchartrain. *Chemosphere* 14:1253-1265.
- McKee RH. 2000. The role of inhibition of gap junctional intercellular communication in rodent tumor induction by phthalates: Review on selected phthalates and the potential relevance to man. *Regul Toxicol Pharmacol* 32:51-55.
- Meeker JD, Ferguson KK. 2011. Relationship between urinary phthalate and bisphenol A concentrations and serum thyroid measures in U.S. adults and adolescents from the National Health and Nutrition Examination Survey (NHANES) 2007-2008. *Environ Health Perspect* 119(10):1396-1402. <http://doi.org/10.1289/ehp.1103582>.
- Meeker JD, Ferguson KK. 2014. Urinary phthalate metabolites are associated with decreased serum testosterone in men, women, and children from NHANES 2011-2012. *J Clin Endocrinol Metab* 99(11):4346-4352. <http://doi.org/10.1210/jc.2014-2555>.
- Meeker JD, Calafat AM, Hauser R. 2007. Di(2-ethylhexyl) phthalate metabolites may alter thyroid hormone levels in men. *Environ Health Perspect* 115(7):1029-1034. <http://doi.org/10.1289/ehp.9852>.
- Meeker JD, Calafat AM, Hauser R. 2009a. Urinary metabolites of di(2-ethylhexyl) phthalate are associated with decreased steroid hormone levels in adult men. *J Androl* 30(3):287-297. <http://doi.org/10.2164/jandrol.108.006403>.
- Meeker JD, Hu H, Cantonwine DE, et al. 2009b. Urinary phthalate metabolites in relation to preterm birth in Mexico City. *Environ Health Perspect* 117(10):1587-1592. <http://doi.org/10.1289/ehp.0800522>.

8. REFERENCES

- Melnick RL. 2001. Is peroxisome proliferation an obligatory precursor step in the carcinogenicity of di(2-ethylhexyl) phthalate (DEHP)? *Environ Health Perspect* 109(5):437-442.
- Mendiola J, Jørgensen N, Andersson AM, et al. 2011. Associations between urinary metabolites of di(2-ethylhexyl) phthalate and reproductive hormones in fertile men. *Int J Androl* 34(4 Pt. 1):369-378. <http://doi.org/10.1111/j.1365-2605.2010.01095.x>.
- Mendiola J, Meeker JD, Jørgensen N, et al. 2012. Urinary concentrations of di(2-ethylhexyl) phthalate metabolites and serum reproductive hormones: Pooled analysis of fertile and infertile men. *J Androl* 33(3):488-198. <http://doi.org/10.2164/jandrol.111.013557>.
- Meng F, Yin X, Ma X, et al. 2013. Assessment of the value of serum cholinesterase as a liver function test for cirrhotic patients. *Biomed Rep* 1:265-268. <http://doi.org/10.3892/br.2013.60>.
- +Merkle J, Klimisch H-J, Jackh R. 1988. Developmental toxicity in rats after inhalation exposure of di-2-ethylhexylphthalate (DEHP). *Toxicol Lett* 42:215-223.
- Mes J, Coffin DE, Campbell DS. 1974. Di-n-butyl- and di-2-ethylhexyl phthalate in human adipose tissue. *Bull Environ Contam Toxicol* 12:721-725.
- Messerlian C, Mustieles V, Wylie BJ, et al. 2017. Ultrasound gel as an unrecognized source of exposure to phthalates and phenols among pregnant women undergoing routine scan. *Int J Hyg Environ Health* 220:1285-1294.
- Messerlian C, Souter I, Gaskins AJ, et al. 2016a. Urinary phthalate metabolites and ovarian reserve among women seeking infertility care. *Hum Reprod* 31(1):75-83. <http://doi.org/10.1093/humrep/dev292>.
- Messerlian C, Wylie BJ, Minguez-Alarcon L, et al. 2016b. Urinary concentrations of phthalate metabolites and pregnancy loss among women conceiving with medically assisted reproduction. *Epidemiology* 27(6):879-888. <http://doi.org/10.1097/ede.0000000000000525>.
- Meylan WM, Howard PH. 1993. Computer estimation of the atmospheric gas-phase reaction rate of organic compounds with hydroxyl radicals and ozone. *Chemosphere* 26(12):2293-2299.
- Mikalsen S-O, Holen I, Sanner T. 1990. Morphological transformation and catalase activity of Syrian hamster embryo cells treated with hepatic peroxisome proliferators, TPA and nickel sulphate. *Cell Biol Toxicol* 6(1):1-14.
- Miodovnik A, Edwards A, Bellinger DC, et al. 2014. Developmental neurotoxicity of ortho-phthalate diesters: Review of human and experimental evidence. *Neurotoxicology* 41:112-122. <http://doi.org/10.1016/j.neuro.2014.01.007>.
- Miodovnik A, Engel SM, Zhu C, et al. 2011. Endocrine disruptors and childhood social impairment. *Neurotoxicology* 32(2 (Mar 2011)):261-267. <http://doi.org/10.1016/j.neuro.2010.12.009>.
- +Mitchell FE, Price SC, Hinton RH, et al. 1985. Time and dose-response study of the effects on rats of the plasticizer di(2-ethylhexyl)phthalate. *Toxicol Appl Pharmacol* 81:371-392.
- Mittermeier A, Volkel W, Fromme H. 2016. Kinetics of the phthalate metabolites mono-2-ethylhexyl phthalate (MEHP) and mono-n-butyl phthalate (MnBP) in male subjects after a single oral dose. *Toxicol Lett* 252:22-28. <http://doi.org/10.1016/j.toxlet.2016.04.009>.
- Morelli-Cardoso MHW, Lachter ER, Tabak D, et al. 1999. Determination of the specific migration of DEHP into food stimulants using high performance liquid chromatography. *J High Resolut Chromatogr* 22(1):70-72.
- +Morrissey RE, CLJ, Schwetz BA, et al. 1988. Association of sperm, vaginal cytology, and reproductive organ weight data with results of continuous breeding reproduction studies in Swiss (CD-1) mice. *Fundam Appl Toxicol* 11(2):359-371.
- +Moser VC, Cheek BM, MacPhail RC. 1995. A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health* 45:173-210.
- +Moser VC, Macphail RC, Gennings C. 2003. Neurobehavioral evaluations of mixtures of trichloroethylene, heptachlor, and di(2-ethylhexyl)phthalate in a full-factorial design. *Toxicology* 188(2-3):125-137. [http://doi.org/10.1016/s0300-483x\(03\)00083-0](http://doi.org/10.1016/s0300-483x(03)00083-0).

8. REFERENCES

- Moss EJ, Cook MW, Thomas LV, et al. 1988. The effect of mono-(2-ethylhexyl) phthalate and other phthalate esters on lactate production by Sertoli cells *in vitro*. *Toxicol Lett* 40(1):77-84. [http://doi.org/10.1016/0378-4274\(88\)90185-3](http://doi.org/10.1016/0378-4274(88)90185-3).
- Mu X, Liao X, Chen X, et al. 2015. DEHP exposure impairs mouse oocyte cyst breakdown and primordial follicle assembly through estrogen receptor-dependent and independent mechanisms. *J Hazard Mater* 298:232-240. <http://doi.org/10.1016/j.jhazmat.2015.05.052>.
- +Muhlenkamp CR, Gill SS. 1998. A glucose-regulated protein, GRP58, is down-regulated in C57B6 mouse liver after diethylhexyl phthalate exposure. *Toxicol Appl Pharmacol* 148:101-108.
- Murphy CJ, Stermer AR, Richburg JH. 2014. Age- and species-dependent infiltration of macrophages into the testis of rats and mice exposed to mono-(2-ethylhexyl) phthalate (MEHP). *Biol Reprod* 91(1):18. <http://doi.org/10.1095/biolreprod.113.115527>.
- Murray HE, Ray LE, Giam CS. 1981. Analysis of marine sediment, water and biota for selected organic pollutants. *Chemosphere* 10:1327-1334.
- +Myers BA. 1992a. A subchronic (4-week) dietary oral toxicity study of di(2-ethylhexyl)phthalate in B6C3F1 mice (final report) with attachments and cover letter dated 040392. Eastman Kodak Company. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86920000874. OTS0535432. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0535432>. October 14, 2016.
- +Myers BA. 1992b. Subchronic (13-week) dietary oral toxicity study of di(2-ethylhexyl)phthalate in Fischer 344 rats (final report) w-attachments and letter dated 040392 (missing pages 304 to 386). Eastman Kodak Company. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86920000875. OTS0535433. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0535433>. October 14, 2016.
- Nair N, Kurup CK. 1986. Investigations on the mechanism of the hypocholesterolemic action of diethylhexylphthalate in rats. *Biochem Pharmacol* 35:3441-3448.
- Nair N, Kurup CK. 1987a. Effect of administration of diethylhexyl phthalate on the function and turnover of rat hepatic mitochondria. *Biochem Biophys Acta* 925:332-340.
- Nair N, Kurup CK. 1987b. Increase in hepatic ubiquinone on administration of diethylhexyl phthalate to the rat. *J Biosci* 11:391-397.
- +Nakamura Y, Yasuoki Y, Tomita I, et al. 1979. Teratogenicity of di(2-ethylhexyl)phthalate in mice. *Toxicol Lett* 4:113-117.
- Narotsky MG, Weller EA, Chinchilli VM, et al. 1995. Nonadditive development toxicity in mixtures of trichloroethylene, di(2-ethylhexyl)phthalate, and heptachlor in a 5x5x5 design. *Fundam Appl Toxicol* 27:203-216.
- NAS. 2008. Phthalates and cumulative risk assessment. The tasks ahead. National Academy of Sciences. http://dels.nas.edu/dels/rpt_briefs/phthalates_final.pdf. June 19, 2018.
- NAS. 2017. NAS systematic review: Application of systematic review methods in overall strategy for evaluating low-dose toxicity from endocrine active chemicals. Washington, DC: National Academy of Sciences. National Academies Press. <http://nap.edu/24758>. June 05, 2018.
- NAS/NRC. 1989. Report of the oversight committee. In: *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.
- Nasu M, Goto M, Oshima Y, et al. 2001. Study on endocrine disrupting chemicals in wastewater treatment plants. *Water Sci Technol* 43(2):101-208.
- Ng KME, Chu I, Bronaugh RL, et al. 1992. Percutaneous absorption and metabolism of pyrene, benzo[a]pyrene, and di(2-ethylhexyl) phthalate: Comparison of *in vitro* and *in vivo* results in the hairless guinea pig. *Toxicol Appl Pharmacol* 115(2):216-223. [http://doi.org/10.1016/0041-008x\(92\)90326-n](http://doi.org/10.1016/0041-008x(92)90326-n).

8. REFERENCES

- Niino T, Ishibashi T, Itho T, et al. 2001. Monoester formation by hydrolysis of dialkyl phthalate migrating from polyvinyl chloride products in human saliva. *J Health Sci* 47(3):318-322.
- NIOSH. 2001. Di-sec octyl phthalate. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npg/npgd0236.html>. December 10, 2001.
- NIOSH. 2014. Di-sec octyl phthalate. Immediately dangerous to life or health concentrations (IDLH). Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <https://www.cdc.gov/niosh/npg/npgd0236.html>. April 27, 2017.
- NIOSH. 2016. Di-sec octyl phthalate. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <https://www.cdc.gov/niosh/npg/npgd0236.html>. April 27, 2017.
- NOES. 1990. National Occupational Exposure Survey. Cincinnati, OH: National Institute of Occupational Safety and Health.
- +Noriega NC, Howdeshell KL, Furr J, et al. 2009. Pubertal administration of DEHP delays puberty, suppresses testosterone production, and inhibits reproductive tract development in male Sprague-Dawley and Long-Evans rats. *Toxicol Sci* 111(1):163-178. <http://doi.org/10.1093/toxsci/kfp129>.
- NPS. 2016. Screening for contaminants of emerging concern in waters of the Northern Colorado Plateau Network. 2015 surface water data. U.S. Department of the Interior, National Park Service. NPS 960/133371. <https://pubs.er.usgs.gov/publication/70174231>. June 7, 2017.
- +NTP. 1982. Carcinogenesis bioassay of di(2-ethylhexyl)phthalate (CAS No. 117-81-7) in F344 rats and B6C3F1 mice (feed study). National Toxicology Program Technical Report Series 217.
- +NTP. 1984. Diethylhexyl phthalate (DEHP). Reproduction and fertility assessment in CD-1 mice when administered in the feed. Research Triangle Park, NC: National Toxicology Program. PB84181734.
- NTP. 1989. Fifth annual report on carcinogens: Summary 1989. National Toxicology Program, National Institute of Environmental Health Sciences, Research Triangle Park, NC.
- NTP. 2000. NTP-CERHR expert panel report on di(2-ethylhexyl)phthalate. NTP-CERHR-DEHP-00. U.S. Department of Health and Human Services, National Toxicology Program, Center for the Evaluation of Risks to Human Reproduction. <http://cerhr.niehs.nih.gov/news/index.html>. May 11, 2000.
- +NTP. 2005. Diethylhexylphthalate: Multigenerational reproductive assessment by continuous breeding when administered to Sprague-Dawley rats in the diet. Research Triangle Park, NC: National Toxicology Program, National Institute of Environmental Health Sciences. PB2005107575.
- NTP. 2006. NTP-CERHR monograph on the potential human reproductive and developmental effects of di(2-ethylhexyl) phthalate (DEHP). National Toxicology Program, U.S. Department of Health and Human Services. NIH Publication No. 06-4476. <https://ntp.niehs.nih.gov/ntp/ohat/phthalates/dehp/dehp-monograph.pdf>. June 06, 2017.
- NTP. 2016. Report on carcinogens, Fourteenth Edition. CASRN Index in MS Excel. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/diethylhexylphthalate.pdf>. April 27, 2017.
- Nyssen GA, Miller ET, Glass TF, et al. 1987. Solubilities of hydrophobic compounds in aqueous-organic solvent mixtures. *Environ Monit Assess* 9:1-11.
- NYDEC. 2014. Water quality monitoring data for pesticides on Long Island, NY. New York State Department of Environmental Conservation. http://www.dec.ny.gov/docs/materials_minerals_pdf/suffolkdata.pdf. June 13, 2017.
- Nyssen GA, Miller EC, Glass TF, et al. 1987. Solubilities of hydrophobic compounds in aqueous-organic solvent mixtures. *Environ Monit Assess* 9:1-11.
- Oberly T, Bewsey B, Probst G. 1985. Tests for the induction of forward mutation at the thymidine kinase locus of L5178Y mouse lymphoma cells in culture. *Prog Mutat Res* 5:569-582.
- O'Connor GA. 1996. Organic compounds in sludge-amended soils and their potential for uptake by crop plants. *Sci Total Environ* 185:71-81.

8. REFERENCES

- O'Connor OA, Rivera MD, Young LY. 1989. Toxicity and biodegradation of phthalic acid esters under methanogenic conditions. *Environ Toxicol Chem* 8:569-576.
- O'Grady DP, Howard PH, Werner AF. 1985. Activated sludge biodegradation of 12 commercial phthalate esters. *Appl Environ Microbiol* 49:443-445.
- Øie L, Hersoug L-G, Madsen JO. 1997. Residential exposure to plasticizers and its possible role in the pathogenesis of asthma. *Environ Health Perspect* 105(9):972-978.
- Oishi S. 1989. Effects of co-administration of di(2-ethylhexyl)phthalate and testosterone on several parameters in the testis and pharmacokinetics of its mono-de-esterified metabolite. *Arch Toxicol* 63:289-295.
- Oishi S. 1990. Effects of phthalic acid esters on testicular mitochondrial functions in the rat. *Arch Toxicol* 64:143-147.
- Oishi S, Hiraga K. 1982. Distribution and elimination of di(2-ethylhexyl)phthalate (DEHP) and mono(2-ethylhexyl)phthalate (MEHP) after a single oral administration of DEHP in rats. *Arch Toxicol* 51:149-155.
- Okai, Y, Higashi-Okai, K. 2000. Enhancing effect of a plastic plasticizer di-2-ethylhexyl phthalate on emu C gene expression in *Salmonella typhimurium* (TA1535/pSK 1002). *J UOEH* 22(4):305-315.
- OSHA. 1994. Method 104. Dimethyl phthalate (DMP), diethyl phthalate (DEP), dibutyl phthalate (DBP), di-2-ethylhexyl phthalate (DEHP), di-n-octyl phthalate (DNOP). Sampling and analytical methods. Organic Methods Evaluation Branch, Occupational Safety and Health Administration. <https://www.osha.gov/dts/sltc/methods/organic/org104/org104.html>. June 9, 2017.
- OSHA. 2016a. Subpart D. Occupational health and environment controls. Section 1926.55 - Gases, vapors, fumes, dusts, and mists. Appendix A to Part 1926.55 - threshold limit values of airborne contaminants for construction. Occupational Safety and Health Standards. Code of Federal Regulations. 29 CFR 1926.55. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol8/pdf/CFR-2016-title29-vol8-sec1926-55.pdf>. March 6, 2017.
- OSHA. 2016b. Subpart Z. Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Standards. Code of Federal Regulations. 29 CFR 1910.1000. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol6/pdf/CFR-2016-title29-vol6-sec1910-1000.pdf>. March 6, 2017.
- OSHA. 2016c. Subpart Z. Toxic and hazardous substances. Air contaminants. Table Z - Shipyards. Occupational Safety and Health Standards. Code of Federal Regulations. 29 CFR 1915.1000. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol7/pdf/CFR-2016-title29-vol7-sec1915-1000.pdf>. March 6, 2017.
- Otake T, Yoshinaga J, Yanagisawa Y. 2001. Analysis of organic esters of plasticizer in indoor air by GC-MS and GC-FPD. *Environ Sci Technol* (35):3099-3102.
- Pan G, Hanaoka T, Yoshimura M, et al. 2006. Decreased serum free testosterone in workers exposed to high levels of di-n-butyl phthalate (DBP) and di-2-ethylhexyl phthalate (DEHP), a cross-sectional study in China. *Environ Health Perspect* 114(11):1643-1648. <http://doi.org/10.1289/ehp.9016>.
- Pan Y, Jing J, Dong F, et al. 2015. Association between phthalate metabolites and biomarkers of reproductive function in 1066 Chinese men of reproductive age. *J Hazard Mater* 300:729-736. <http://doi.org/10.1016/j.jhazmat.2015.08.011>.
- Pant K, Sly J, Bruce S, et al. 2010. Syrian hamster embryo (SHE) cell transformation assay with and without X-ray irradiation of feeder cells using di(2-ethylhexyl)phthalate (DEHP) and N-nitroso-N-methylnitroguanidine (MNNG). *Mutat Res* 698(1-2):6-10. <http://doi.org/10.1016/j.mrgentox.2010.02.017>.
- Park HY, Kim JH, Lim YH, et al. 2013. Influence of genetic polymorphisms on the association between phthalate exposure and pulmonary function in the elderly. *Environ Res* 122:18-24. <http://doi.org/10.1016/j.envres.2012.11.004>.

8. REFERENCES

- Park S, Kim BN, Cho SC, et al. 2014. Association between urine phthalate levels and poor attentional performance in children with attention-deficit hyperactivity disorder with evidence of dopamine gene-phthalate interaction. *Int J Environ Res Public Health* 11(7):6743-6756. <http://doi.org/10.3390/ijerph110706743>.
- Park SY, Choi J. 2007. Cytotoxicity, genotoxicity and ecotoxicity assay using human cell and environmental species for the screening of the risk from pollutant exposure. *Environ Int* 33(6):817-822. <http://doi.org/10.1016/j.envint.2007.03.014>.
- Parks LG, Ostby JS, Lambright CR, et al. 2000. The plasticizer diethylhexyl phthalate induces malformations by decreasing fetal testosterone synthesis during sexual differentiation in the male rat. 58:339-349.
- +Parmar D, Srivastava SP, Seth PK. 1988. Effect of di(2-ethylhexyl)phthalate (DEHP) on hepatic mixed function oxidases in different animal species. *Toxicol Lett* 40:209-217.
- +Parmar D, Srivastava SP, Seth PK. 1994. Age related effects of di(2-ethylhexyl)phthalate on hepatic cytochrome P450 monooxygenases in Wistar rats. *Pharmacol Toxicol* 75:177-180.
- +Parmar D, Srivastava SP, Singh GB, et al. 1987. Effect of testosterone on the testicular atrophy caused by di(2-ethylhexyl)phthalate (DEHP). *Toxicol Lett* 36:297-308.
- +Parmar D, Srivastava SP, Singh GB, et al. 1995. Testicular toxicity of di(2-ethylhexyl)phthalate in developing rats. *Vet Hum Toxicol* 37(4):310-313.
- Parry JM, Arni P, Brooks T, et al. 1985. Summary report on the performance of the yeast and *Aspergillus* assays. *Prog Mutat Res* 5:25-46.
- Peck J, Sweeney A, Symanski E, et al. 2010. Intra- and inter-individual variability of urinary phthalate metabolite concentrations in Hmong women of reproductive age. *J Expo Sci Environ Epidemiol* 20(1):90-100. <http://doi.org/10.1038/jes.2009.4>.
- Pegg DG. 1982. Disposition of di-2-ethylhexyl phthalate following inhalation and peroral exposure in rats. Washington, DC: General Motors Corp. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. EPA86910000683. OTS0530339.
- Percy Z, Xu Y, Sucharew H, et al. 2016. Gestational exposure to phthalates and gender-related play behaviors in 8-year-old children: An observational study. *Environ Health* 15:87. <http://doi.org/10.1186/s12940-016-0171-7>.
- Perera MI, Katyal SL, Shinozuka H. 1986. Suppression of choline-deficient diet-induced hepatocyte membrane lipid peroxidation in rats by the peroxisome proliferators 4-chloro-6-(2,3-xylidino)-2-pyrimidinylthio(N-beta-hydroxyethyl)acetamide and di(2-ethylhexyl)phthalate. *Cancer Res* 46:3304-3308.
- Peters JM, Cheung C, Gonzalez FJ. 2005. Peroxisome proliferator-activated receptor- α and liver cancer: where do we stand? *J Mol Med* 83:774-785. <http://doi.org/10.1007/s00109-005-0678-9>.
- Petersen JH, Breindahl T. 2000. Plasticizers in total diet samples, baby food and infant formulae. *Food Addit Contam* 17(2):133-141.
- Philippat C, Bennett DH, Krakowiak P, et al. 2015. Phthalate concentrations in house dust in relation to autism spectrum disorder and developmental delay in the Childhood Autism Risks from Genetics and the Environment (CHARGE) study. *Environ Health* 14:56.
- Philippat C, Mortamais M, Chevrier C, et al. 2012. Exposure to phthalates and phenols during pregnancy and offspring size at birth. *Environ Health Perspect* 120(3):464-470. <http://doi.org/10.1289/ehp.1103634>.
- Phillips BJ, Anderson D, Gangolli SD. 1986. Studies on the genetic effects of phthalic acid esters on cells in culture. *Environ Health Perspect* 65:263-266. <http://doi.org/10.2307/3430192>.
- Phillips BJ, James TE, Gangolli SD. 1982. Genotoxicity studies of di(2-ethylhexyl)phthalate and its metabolites in CHO cells. *Mutat Res* 102:297-304.
- +Piepenbrink M, Hussain I, Marsh J, et al. 2005. Developmental immunotoxicology of di-(2-ethylhexyl)phthalate (DEHP): Age-based assessment in the female rat. *J Immunotoxicol* 2(1):21-31. <http://doi.org/10.1080/15363750490429435>.

8. REFERENCES

- Plonait SL, Nau H, Maier RF, et al. 1993. Exposure of newborn infants to di-(2-ethylhexyl)-phthalate and 2-ethylhexanoic acid following exchange transfusion with polyvinylchloride catheters. *Transfusion* 33:598-605.
- Plumb RH Jr. 1987. A comparison of ground water monitoring data from CERCLA and RCRA sites. *Ground Water Monitoring Review* (Fall):94-100.
- +Pocar P, Fiandanese N, Secchi C, et al. 2012. Exposure to di(2-ethyl-hexyl) phthalate (DEHP) *in utero* and during lactation causes long-term pituitary-gonadal axis disruption in male and female mouse offspring. *Endocrinology* 153(2):937-948. <http://doi.org/10.1210/en.2011-1450>.
- Pogribny I, Tryndyak V, Boureiko A, et al. 2008. Mechanisms of peroxisome proliferator-induced DNA hypomethylation in rat liver. *Mutat Res* 644(1-2):17-23. <http://doi.org/10.1016/j.mrfmmm.2008.06.009>.
- Polanska K, Ligocka D, Sobala W, et al. 2014. Phthalate exposure and child development: The Polish Mother and Child Cohort Study. *Early Hum Dev* 90(9):477-485. <http://doi.org/10.1016/j.earlhumdev.2014.06.006>.
- Pollack AZ, Buck Louis GM, Chen Z, et al. 2015. Bisphenol A, benzophenone-type ultraviolet filters, and phthalates in relation to uterine leiomyoma. *Environ Res* 137:101-107. <http://doi.org/10.1016/j.envres.2014.06.028>.
- Pollack GM, Buchanan JF, Slaughter RL, et al. 1985a. Circulating concentrations of di(2-ethylhexyl)phthalate and its de-esterified phthalic acid products following plasticizer exposure in patients receiving hemodialysis. *Toxicol Appl Pharmacol* 79:257-267.
- Pollack GM, Li RC, Ermer JC, et al. 1985b. Effects of route of administration and repetitive dosing on the disposition kinetics of di(2-ethylhexyl)phthalate and its mono-de-esterified metabolite in rats. *Toxicol Appl Pharmacol* 79:246-256.
- +Poon R, Lecavalier P, Mueller R, et al. 1997. Subchronic oral toxicity of di-n-octyl phthalate and di(2-ethylhexyl) phthalate in the rat. *Food Chem Toxicol* 35:225-239.
- Poulin P, Theil FP. 2002. Prediction of pharmacokinetics prior to *in vivo* studies. 1. Mechanism-based prediction of volume of distribution. *J Pharm Sci* 91(1):129-156.
- Pradeep S, Josh MK, Binod P, et al. 2015. *Achromobacter denitrificans* strain SP1 efficiently remediates di(2-ethylhexyl)phthalate. *Ecotoxicol Environ Saf* 112:114-121.
- Preston MR, Al-Omran LA. 1989. Phthalate ester speciation in estuarine water, suspended particulates and sediment. *Environ Pollut* 62:183-193.
- +Price CJ, Tyl RW, Marr MC, et al. 1988b. Reproduction and fertility of diethylhexyl phthalate (CAS No. 117-81-7) in CD-1-mice exposed during gestation. Research Triangle Park, NC: National Toxicology Program. PB88204300.
- Price SC, Chescoe D, Grasso P, et al. 1988a. Alterations in the thyroids of rats treated for long periods with di-(2-ethylhexyl) phthalate or with hypolipidaemic agents. *Toxicol Lett* 40:37-46.
- +Price SC, Ochieng W, Weaver R, et al. 1987. Studies on the mechanisms of changes produced in the liver, thyroid, pancreas and kidney by hypolipidemic drugs and di-(2-ethylhexyl)phthalate. In: Reid E, Cook GM, Luzio JP, eds. *Cells, membranes, and disease, including renal*. Vol. 17(B). New York: Plenum Press, 67-78.
- Priston FA, Dean BJ. 1985. Tests for the induction of chromosome aberrations, polyploidy and sister chromatid exchanges in rat liver (RL₄) cells. *Prog Mutat Res* 5:387-95.
- Probst GS, Hill LE. 1985. Tests for the induction of DNA repair synthesis in primary cultures of adult rat hepatocytes. *Prog Mutat Res* 5:381-386.
- +Pugh G, Isenberg JS, Kamendulis LM, et al. 2000. Effects of di-isononyl phthalate, di-2-ethylhexyl phthalate, and clofibrate in cynomolgus monkeys. *Toxicol Sci* 56:181-188.
- Putman DL, Moore WA, Schechtman LM, et al. 1983. Cytogenetic evaluation of di-(2-ethylhexyl)phthalate and its major metabolites in Fischer 344 rats. *Environ Mutagen* 5:227-231.
- Quinnies KM, Doyle TJ, Kim KH, et al. 2015. Transgenerational effects of di-(2-ethylhexyl) phthalate (DEHP) on stress hormones and behavior. *Endocrinology* 156(9):3077-3083. <http://doi.org/10.1210/en.2015-1326>.

8. REFERENCES

- +Rajesh P, Balasubramanian K. 2014a. Phthalate exposure *in utero* causes epigenetic changes and impairs insulin signalling. *J Endocrinol* 223(1):47-66. <http://doi.org/10.1530/joe-14-0111>.
- +Rajesh P, Balasubramanian K. 2014b. Di(2-ethylhexyl)phthalate exposure impairs insulin receptor and glucose transporter 4 gene expression in L6 myotubes. *Hum Exp Toxicol* 33(7):685-700. <http://doi.org/10.1177/0960327113506238>.
- +Rajesh P, Sathish S, Srinivasan C, et al. 2013. Phthalate is associated with insulin resistance in adipose tissue of male rat: Role of antioxidant vitamins (C & E). *J Cell Biochem* 114(3):558-569. <http://doi.org/10.1002/jcb.24399>.
- +Rao MS, Usuda N, Subbarao V, et al. 1987. Absence of γ -glutamyl transpeptidase activity in neoplastic lesions induced in the liver of male F-344 rats by di-(2-ethylhexyl)phthalate, a peroxisome proliferator. *Carcinogenesis* 8:1347-1350.
- +Rao MS, Yeldandi AV, Subbarao V. 1990. Quantitative analysis of hepatocellular lesions induced by di(2-ethylhexyl)phthalate in F-344 rats. *J Toxicol Environ Health* 30:85-89.
- Ray LE, Murray HE, Giam CS. 1983. Organic pollutants in marine samples from Portland, Maine. *Chemosphere* 12:1031-1038.
- Reddy BS, Rozati R, Reddy BV, et al. 2006. Association of phthalate esters with endometriosis in Indian women. *BJOG* 113(5):515-520. <http://doi.org/10.1111/j.1471-0528.2006.00925.x>.
- +Reddy JK, Moody DE, Azarnoff DL, et al. 1976. Di(2-ethylhexyl)phthalate: An industrial plasticizer induces hypolipidemia and enhances hepatic catalase and carnitine acetyltransferase activities in rats and mice. *Life Sci* 18:941-946.
- RePORTER. 2018. Di(2-ethylhexyl)phthalate (DEHP). National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. October 04, 2018.
- +Rhodes C, Orton TC, Pratt IS, et al. 1986. Comparative pharmacokinetics and subacute toxicity of di(2-ethylhexyl)phthalate in rats and marmosets: Extrapolation of effects in rodents to man. *Environ Health Perspect* 65:299-308.
- Ritsemma R, Cofino WP, Frintrop PCM, et al. 1989. Trace-level analysis of phthalate esters in surface water and suspended particulate matter by means of capillary gas chromatography with electron-capture and mass-selective detection. *Chemosphere* 18(11/12):2161-2175.
- Ritter EJ, Scott WJ Jr, Randall JL, et al. 1987. Teratogenicity of di(2-ethylhexyl) phthalate, 2-ethylhexanol, 2-ethylhexanoic acid, and valproic acid, and potentiation by caffeine. *Teratology* 35:41-46.
- Roberts RA, Ganey PE, Ju C, et al. 2007. Role of the Kupffer cell in mediating hepatic toxicity and carcinogenesis. *Toxicol Sci* 96(1):2-15.
- Robledo CA, Peck JD, Stoner J, et al. 2015. Urinary phthalate metabolite concentrations and blood glucose levels during pregnancy. *Int J Hyg Environ Health* 218(3):324-330. <http://doi.org/10.1016/j.ijheh.2015.01.005>.
- Rock G, Secours NE, Franklin CA, et al. 1978. The accumulation of mono-2-ethylhexyl phthalate (MEHP) during storage of whole blood and plasma. *Transfusion* 18:553-558.
- Romani F, Tropea A, Scarinci E, et al. 2014. Endocrine disruptors and human reproductive failure: The *in vitro* effect of phthalates on human luteal cells. *Fertil Steril* 102(3):831-837. <http://doi.org/10.1016/j.fertnstert.2014.05.041>.
- Roth B, Herkenrath P, Lehmann H-J, et al. 1988. Di-(2-ethylhexyl)-phthalate as plasticizer in PVC respiratory tubing systems: Indications of hazardous effects on pulmonary function in mechanically ventilated, preterm infants. *Eur J Pediatr* 147:41-46.
- Rowland IR. 1974. Metabolism of di-(2-ethylhexyl) phthalate by the contents of the alimentary tract of the rat. *Food Cosmet Toxicol* 12(3):293-303. [http://doi.org/10.1016/0015-6264\(74\)90001-7](http://doi.org/10.1016/0015-6264(74)90001-7).
- Rowland IR, Cottrell RC, Phillips JC. 1977. Hydrolysis of phthalate esters by the gastro-intestinal contents of the rat. *Food Chem Toxicol* 15(1):17-21. [http://doi.org/10.1016/s0015-6264\(77\)80257-5](http://doi.org/10.1016/s0015-6264(77)80257-5).
- Roy WR. 1994. Groundwater contamination from municipal landfills in the USA. In: Adriano DC, Iskandar AK, Murarka IP, eds. *Contamination of groundwaters*. Northwood, England: Science Reviews, 411-446.

8. REFERENCES

- RTECS. 2013. Phthalic acid, bis(2-ethylhexyl) ester. Registry of Toxic Effects on Chemical Substances. National Institute of Occupational Safety and Health. MDL Information Systems, Inc. <https://www.cdc.gov/niosh-rtecs/TI55730.html>. June 9, 2017.
- Ruddick JA, Villeneuve DC, Chu I, et al. 1981. An assessment of the teratogenicity in the rat and mutagenicity in Salmonella of mono-2-ethylhexyl phthalate. *Bull Environ Contam Toxicol* 27(2):181-186. <http://doi.org/10.1007/bf01611005>.
- Rudel RA, Brody JG, Spengler JD, et al. 2001. Identification of selected hormonally active agents and animal mammary carcinogens in commercial and residential air and dust samples. *J Air Waste Manage* 51:499-513.
- Rushbrook CJ, Jorgenson TA, Hodgson JR. 1982. Dominant lethal study of di(2-ethylhexyl)phthalate and its major metabolites in ICR/SIM mice. *Environ Mutagen* 4:387.
- Russell DJ, McDuffie B. 1983. Analysis for phthalate esters in environmental samples: Separation from polychlorinated biphenyls and pesticides using dual column liquid chromatography. *Int J Environ Anal Chem* 15(3):165-184.
- Rusyn I, Corton JC. 2012. Mechanistic considerations for human relevance of cancer hazard of di(2-ethylhexyl) phthalate. *Mutat Res* 750(2):141-158. <http://doi.org/10.1016/j.mrrev.2011.12.004>.
- Rusyn I, Peters JM, Cunningham ML. 2006. Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver. *Crit Rev Toxicol* 36(5):459-479. <http://doi.org/10.1080/10408440600779065>.
- +Sadakane K, Ichinose T, Takano H, et al. 2014. Effects of oral administration of di-(2-ethylhexyl) and diisononyl phthalates on atopic dermatitis in NC/Nga mice. *Immunopharmacol Immunotoxicol* 36(1):61-69. <http://doi.org/10.3109/08923973.2013.866678>.
- +Saillenfait AM, Sabaté JP, Robert A, et al. 2013. Dose-dependent alterations in gene expression and testosterone production in fetal rat testis after exposure to di-n-hexyl phthalate. *J Appl Toxicol* 33(9):1027-1035. <http://doi.org/10.1002/jat.2896>.
- Sanchez JH, Abernethy DJ, Boreiko CJ. 1987. Lack of di-(2-ethylhexyl) phthalate activity in the C3H/10T1/2 cell transformation system. *Toxicol In Vitro* 1(1):49-53.
- Sanner T, Rivedal E. 1985. Tests with the Syrian hamster embryo (SHE) cell transformation assay. *Prog Mutat Res* 5:665-671.
- Sarath Josh MK, Pradeep S, Vijayalekshmy Amma KS, et al. 2016. Human ketosteroid receptors interact with hazardous phthalate plasticizers and their metabolites: An *in silico* study. *J Appl Toxicol* 36(6):836-843. <http://doi.org/10.1002/jat.3221>.
- +Sasaki T, Yoshikawa K, Harada H, et al. 2003. No immunotoxic effect on T cells with di (2-ethylhexyl) phthalate in male C57BL/6 mice. *Environ Health Prev Med* 8(2):59-63. <http://doi.org/10.1007/bf02897928>.
- +Satake S, Nakamura C, Minamide Y, et al. 2010. Effect of a large dose of di (2-ethylhexyl) phthalate (DEHP) on hepatic peroxisome in Cynomolgus monkeys (*Macaca fascicularis*). *J Toxicol Pathol* 23(2):75-83. <http://doi.org/10.1293/tox.23.75>.
- Sathyanarayana S, Barrett E, Butts S, et al. 2014. Phthalate exposure and reproductive hormone concentrations in pregnancy. *Reproduction* 147(4):401-409. <http://doi.org/10.1530/rep-13-0415>.
- Sathyanarayana S, Barrett E, Nguyen R, et al. 2016a. First trimester phthalate exposure and infant birth weight in the infant development and environment study. *Int J Environ Res Public Health* 13(10):945. <http://doi.org/10.3390/ijerph13100945>.
- Sathyanarayana S, Calafat AM, Liu F, et al. 2008. Maternal and infant urinary phthalate metabolite concentrations: Are they related? *Environ Res* 108(3):413-418. <http://doi.org/10.1016/j.envres.2008.07.002>.
- Sathyanarayana S, Grady R, Barrett ES, et al. 2016b. First trimester phthalate exposure and male newborn genital anomalies. *Environ Res* 151:777-782. <http://doi.org/10.1016/j.envres.2016.07.043>.
- Sato T, Nagase H, Sato K, et al. 1994. Enhancement of the mutagenicity of amino acid pyrolysates by phthalate esters. *Environ Mol Mutagen* 24:325-331.

8. REFERENCES

- SCENIHR. 2016. Opinion on the safety of medical devices containing DEHP-plasticized PVC or other plasticizers on neonates and other groups possibly at risk (2015 update). Revision February 2016. Scientific Committee on Emerging and Newly-Identified Health Risks. European Commission. http://ec.europa.eu/health/scientific_committees/policy/index_en.htm. June 18, 2018.
- +Schilling K, Deckardt K, Gemhardt C, et al. 1999. Support: Di-2-ethylhexyl phthalate -two-generation reproduction toxicity range-finding study in Wistar rats - continuous dietary administration, with cover letter dated 09/16/1999. Eastman Chemical Co. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. EPA89990000316. OTS0530371-6.
- +Schilling K, Deckardt K, Gemhardt C, et al. 2001. Support: Di-2-ethylhexyl phthalate -two-generation reproduction toxicity study in Wistar rats continuous dietary administration, with cover letter dated 04/2/2001. Eastman Chemical Co. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. EPA89010000147. OTS0574025-1.
- Schmeizer P, Pool BL, Komitowski D, et al. 1988. Various short-term assays and two long-term studies with the plasticizer di(2-ethylhexyl)phthalate in the Syrian golden hamster. *Carcinogenesis* 9(1):37-43.
- Schmid P, Schlatter C. 1985. Excretion and metabolism of di(2-ethylhexyl)phthalate in man. *Xenobiotica* 15:251-256.
- +Schmidt JS, Schaedlich K, Fiandanese N, et al. 2012. Effects of di(2-ethylhexyl) phthalate (DEHP) on female fertility and adipogenesis in C3H/N mice. *Environ Health Perspect* 120(8):1123-1129. <http://doi.org/10.1289/ehp.1104016>.
- Schwöpe AD, Reid RC. 1988. Migration to dry foods. *Food Addit Contam* 5(Suppl 1):445-454.
- Scott RC, Dugard PH, Ramsey JD, et al. 1987. *In vitro* absorption of some o-phthalate diesters through human and rat skin. *Environ Health Perspect* 74:223-227.
- Seed JL. 1982. Mutagenic activity of phthalate esters in bacterial liquid suspension assays. *Environ Health Perspect* 45:111-114.
- +Shaffer CB, Carpenter CP, Smyth HF. 1945. Acute and subacute toxicity of di(2-ethylhexyl)phthalate with note upon its metabolism. *J Ind Hyg Toxicol* 27:130-135.
- Shapiro GD, Dodds L, Arbuckle TE, et al. 2015. Exposure to phthalates, bisphenol A and metals in pregnancy and the association with impaired glucose tolerance and gestational diabetes mellitus: The MIREC study. *Environ Int* 83:63-71. <http://doi.org/10.1016/j.envint.2015.05.016>.
- Sharma R, Lake BG, Gibson GG. 1988. Co-induction of microsomal cytochrome P-452 and the peroxisomal fatty acid β -oxidation pathway in the rat by clofibrate and di-(2-ethylhexyl)phthalate. *Biochem Pharmacol* 37(7):1203-1206.
- Sharma RK, Lake BG, Makowski R, et al. 1989. Differential induction of peroxisomal and microsomal fatty-acid-oxidising enzymes by peroxisome proliferators in rat liver and kidney. *Eur J Biochem* 184:69-78.
- Sheikh IA, Turki RF, Abuzenadah AM, et al. 2016. Endocrine disruption: Computational perspectives on human sex hormone-binding globulin and phthalate plasticizers. *PLoS ONE* 11(3):e0151444. <http://doi.org/10.1371/journal.pone.0151444>.
- Sheldon LS, Hites RA. 1979. Sources and movement of organic chemicals in the Delaware River. *Environ Sci Technol* 13:574-579.
- Shin M, Ohnishi M, Iguchi S, et al. 1999. Peroxisome-proliferator regulates key enzymes of the tryptophan-NAD⁺ pathway. *Toxicol Appl Pharmacol* 158:71-80.
- Shintani H. 2000. Pretreatment and chromatographic analysis of phthalate esters, and their biochemical behavior in blood products. *Chromatographia* 52(11/12):721-726.
- +Shiota K, Nishimura H. 1982. Teratogenicity of di(2-ethylhexyl) phthalate (DEHP) and di-n-butyl phthalate (DBP) in mice. *Environ Health Perspect* 45(0):65-70. <http://doi.org/10.2307/3429385>.
- +Shiota K, Chou MJ, Nishimura H. 1980. Embryotoxic effects of di(2-ethylhexyl)phthalate and di-n-butyl phthalate (DB) in mice. *Environ Res* 22:245-253.

8. REFERENCES

- Shiue I. 2014a. Higher urinary heavy metal, phthalate, and arsenic but not parabens concentrations in people with high blood pressure, U.S. NHANES, 2011-2012. *Int J Environ Res Public Health* 11(6):5989-5999. <http://doi.org/10.3390/ijerph110605989>.
- Shiue I. 2014b. Higher urinary heavy metal, arsenic, and phthalate concentrations in people with high blood pressure: US NHANES, 2009-2010. *Blood Press* 23(6):363-369. <http://doi.org/10.3109/08037051.2014.925228>.
- Shiue I. 2015a. Urinary heavy metals, phthalates, perchlorate, nitrate, thiocyanate, hydrocarbons, and polyfluorinated compounds are associated with adult hearing disturbance: USA NHANES, 2011-2012. *Environ Sci Pollut Res Int* 22(24):20306-20311. <http://doi.org/10.1007/s11356-015-5546-8>.
- Shiue I. 2015b. Arsenic, heavy metals, phthalates, pesticides, hydrocarbons and polyfluorinated compounds but not parabens or phenols are associated with adult remembering condition: US NHANES, 2011-2012. *Environ Sci Pollut Res Int* 22(8):6381-6386. <http://doi.org/10.1007/s11356-015-4261-9>.
- Shiue I. 2015c. Urinary heavy metals, phthalates and polyaromatic hydrocarbons independent of health events are associated with adult depression: USA NHANES, 2011-2012. *Environ Sci Pollut Res Int* 22(21):17095-17103. <http://doi.org/10.1007/s11356-015-4944-2>.
- Shiue I, Hristova K. 2014. Higher urinary heavy metal, phthalate and arsenic concentrations accounted for 3-19% of the population attributable risk for high blood pressure: US NHANES, 2009-2012. *Hypertension Res* 37(12):1075-1081. <http://doi.org/10.1038/hr.2014.121>.
- Shneider B, Cronin J, Van Marter L, et al. 1991. A prospective analysis of cholestasis in infants supported with extracorporeal membrane oxygenation. *J Pediatr Gastroenterol Nutr* 13:285-289.
- Shoaff JR, Romano ME, Yolton K, et al. 2016. Prenatal phthalate exposure and infant size at birth and gestational duration. *Environ Res* 150:52-58. <http://doi.org/10.1016/j.envres.2016.05.033>.
- +Short RD, Robinson EC, Lington AW, et al. 1987. Metabolic and peroxisome proliferation studies with di(2-ethylhexyl)phthalate in rats and monkeys. *Toxicol Ind Health* 3:185-195.
- Silva MJ, Barr DB, Reidy JA, et al. 2003. Glucuronidation patterns of common urinary and serum monoester phthalate metabolites. *Arch Toxicol* 77(10):561-567. <http://doi.org/10.1007/s00204-003-0486-3>.
- Silva MJ, Reidy JA, Preau JL, Jr, et al. 2006. Oxidative metabolites of diisononyl phthalate as biomarkers for human exposure assessment. *Environ Health Perspect* 114(8):1158-1161. <http://doi.org/10.1289/ehp.8865>.
- Simmon VF, Kauhanen K, Tardiff RG. 1977. Mutagenic activity of chemicals identified in drinking water. Edinburgh: Elsevier/North Holland Press, 249-258.
- Simmons J, Yeatts S, Zhao J, et al. 2005. Evaluation of systemic toxicity in mixtures of trichloroethylene (TCE), heptachlor (HEPT), and di(2-ethylhexyl)phthalate (DEHP) assessed in a 5x5x5 design. Society of Toxicology Annual Meeting 84:395.
- Singh AR, Lawrence WH, Autian J. 1974. Mutagenic and antifertility sensitivities of mice to di-2-ethylhexyl phthalate (DEHP) and dimethoxyethyl phthalate (DMEP). *Toxicol Appl Pharmacol* 29:35-46.
- Singh AR, Lawrence WH, Autian J. 1975. Maternal-fetal transfer of ¹⁴C-di(2-ethylhexyl)phthalate and ¹⁴C-diethyl phthalate in rats. *J Pharm Sci* 64:1347-1350.
- Singh S, Li SS. 2011. Phthalates: Toxicogenomics and inferred human diseases. *Genomics* 97(3):148-157. <http://doi.org/10.1016/j.ygeno.2010.11.008>.
- Sjöberg P, Bondesson U, Hammarlund M. 1985a. Nonlinearities in the pharmacokinetics of di(2-ethylhexyl)phthalate and metabolites in male rats. *Arch Toxicol* 58:72-77.
- Sjöberg P, Bondesson U, Kjellen L, et al. 1985b. Kinetics of di(2-ethylhexyl)phthalate in immature and mature rats and effect on testis. *Acta Pharmacol Toxicol* 56:30-37.
- Sjöberg POJ, Bondesson UG, Sedin EG, et al. 1985c. Disposition of di(2-ethylhexyl)phthalate and mono(2-ethylhexyl)phthalate in newborn infants subjected to exchange transfusions. *Eur J Clin Invest* 15:430-436.

8. REFERENCES

- Sjöberg P, Egestad B, Klasson E, et al. 1991. Glucuronidation of mono(2-ethylhexyl)phthalate: Some enzyme characteristics and inhibition by bilirubin. *Biochem Pharmacol* 41(10):1493-1496.
- Sjöberg P, Lindquist NG, Ploen L. 1986. Age-dependent response of the rat testes to di(2-ethylhexyl)phthalate. *Environ Health Perspect* 65:237-242.
- Smith CA, Holahan MR. 2014. Reduced hippocampal dendritic spine density and BDNF expression following acute postnatal exposure to di(2-ethylhexyl) phthalate in male Long Evans rats. *PLoS ONE* 9: e109522.
- Smith CA, Macdonald A, Holahan MR. 2011. Acute postnatal exposure to di(2-ethylhexyl) phthalate adversely impacts hippocampal development in the male rat. *Neuroscience* 193:100-108. <http://dx.doi.org/10.1016/j.neuroscience.2011.06.082>
- Smith-Oliver T, Butterworth BE. 1987. Correlation of the carcinogenic potential of di(2-ethylhexyl) phthalate (DEHP) with induced hyperplasia rather than with genotoxic activity. *Mutat Res* 188:21-28.
- Sobol Z, Homiski ML, Dickinson DA, et al. 2012. Development and validation of an *in vitro* micronucleus assay platform in TK6 cells. *Mutat Res* 746(1):29-34. <http://doi.org/10.1016/j.mrgentox.2012.02.005>.
- Song Y, Hauser R, Hu FB, et al. 2014. Urinary concentrations of bisphenol A and phthalate metabolites and weight change: A prospective investigation in US women. *Int J Obes* 38(12):1532-1537. <http://doi.org/10.1038/ijo.2014.63>.
- Specht IO, Bonde JP, Toft G, et al. 2015. Serum phthalate levels and time to pregnancy in couples from Greenland, Poland and Ukraine. *PLoS ONE* 10(3):e0120070. <http://doi.org/10.1371/journal.pone.0120070>.
- Stahlhut RW, van Wijngaarden E, Dye TD, et al. 2007. Concentrations of urinary phthalate metabolites are associated with increased waist circumference and insulin resistance in adult U.S. males. *Environ Health Perspect* 115(6):876-882. <http://doi.org/10.1289/ehp.9882>.
- Stalling DL, Hogan JW, Johnson JL. 1973. Phthalate ester residues-their metabolism and analysis in fish. *Environ Health Perspect* 3:159-173.
- Staples CA, Peterson DR, Parkerton TF, et al. 1997. The environmental fate of phthalate esters: A literature review. *Chemosphere* 35(4):667-749.
- Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142.
- Stein TP, Schluter MD, Steer RA, et al. 2013. Autism and phthalate metabolite glucuronidation. *J Autism Dev Disord* 43(11):2677-2685. <http://doi.org/10.1007/s10803-013-1822-y>.
- Steiner I, Scharf L, Fiala F, et al. 1998. Migration of di-(2-ethylhexyl) phthalate from PVC child articles into saliva and saliva stimulant. *Food Addit Contam* 15(7):812-817.
- Stelmach I, Majak P, Jerzynska J, et al. 2015. The effect of prenatal exposure to phthalates on food allergy and early eczema in inner-city children. *Allergy Asthma Proc* 36(4):72-78. <http://doi.org/10.2500/aap.2015.36.3867>.
- Stenchever MA, Allen MA, Jerominski L, et al. 1976. Effects of bis(2-ethylhexyl) phthalate on chromosomes of human leukocytes and human fetal lung cells. *J Pharm Sci* 65:1648-1651.
- Stringer R, Labunska I, Santillo D, et al. 2000. Concentrations of phthalate esters and identification of other additives in PVC children's toys. *Environ Sci Pollut Res* 7(1):27-38.
- +Stroheker T, Cabaton N, Nourdin G, et al. 2005. Evaluation of anti-androgenic activity of di-(2-ethylhexyl)phthalate. *Toxicology* 208(1):115-121. <http://doi.org/10.1016/j.tox.2004.11.013>.
- Stroheker T, Regnier JF, Lassarguere J, et al. 2006. Effect of *in utero* exposure to di-(2-ethylhexyl)phthalate: distribution in the rat fetus and testosterone production by rat fetal testis in culture. *Food Chem Toxicol* 44(12):2064-2069. <http://doi.org/10.1016/j.fct.2006.07.007>.
- Stubin AI, Brosnan TM, Porter KD, et al. 1996. Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res* 68:1037-1044.

8. REFERENCES

- Su PH, Chang CK, Lin CY, et al. 2015. Prenatal exposure to phthalate ester and pubertal development in a birth cohort in central Taiwan: A 12-year follow-up study. *Environ Res* 136:324-330. <http://doi.org/10.1016/j.envres.2014.10.026>.
- Su PH, Chen JY, Lin CY, et al. 2014. Sex steroid hormone levels and reproductive development of eight-year-old children following *in utero* and environmental exposure to phthalates. *PLoS ONE* 9(9):e102788. <http://doi.org/10.1371/journal.pone.0102788>.
- Suemizu H, Sota S, Kuronuma M, et al. 2014. Pharmacokinetics and effects on serum cholinesterase activities of organophosphorus pesticides acephate and chlorpyrifos in chimeric mice transplanted with human hepatocytes. *Regul Toxicol Pharmacol* 70(2):468-473. <http://doi.org/10.1016/j.yrtph.2014.08.010>.
- Sullivan KF, Atlas EL, Giam CS. 1982. Adsorption of phthalic acid esters from seawater. *Environ Sci Technol* 16:428-432.
- Sun J, Zhang MR, Zhang LQ, et al. 2016. Phthalate monoesters in association with uterine leiomyomata in Shanghai. *Int J Environ Health Res* 26(3):306-316. <http://doi.org/10.1080/09603123.2015.1111310>.
- Sun Q, Cornelis MC, Townsend MK, et al. 2014a. Association of urinary concentrations of bisphenol A and phthalate metabolites with risk of type 2 diabetes: A prospective investigation in the Nurses' Health Study (NHS) and NHSII cohorts. *Environ Health Perspect* 122(6):616-623. <http://doi.org/10.1289/ehp.1307201>.
- Sun W, Ban JB, Zhang N, et al. 2014b. Perinatal exposure to di-(2-ethylhexyl)-phthalate leads to cognitive dysfunction and phospho-tau level increase in aged rats. *Environ Toxicol* 29:596-603. <http://dx.doi.org/10.1002/tox.21785>
- Sun X, Lin Y, Huang Q, et al. 2015. Di(2-ethylhexyl) phthalate-induced apoptosis in rat INS-1 cells is dependent on activation of endoplasmic reticulum stress and suppression of antioxidant protection. *J Cell Mol Med* 19(3):581-594. <http://doi.org/10.1111/jcmm.12409>.
- Supornsilchai V, Soder O, Svechnikov K. 2007. Stimulation of the pituitary-adrenal axis and of adrenocortical steroidogenesis *ex vivo* by administration of di-2-ethylhexyl phthalate to prepubertal male rats. *J Endocrinol* 192(1):33-39. <http://doi.org/10.1677/joe-06-0004>.
- Suzuki Y, Yoshinaga J, Mizumoto Y, et al. 2012. Foetal exposure to phthalate esters and anogenital distance in male newborns. *Int J Androl* 35(3):236-244. <http://doi.org/10.1111/j.1365-2605.2011.01190.x>.
- Swan SH. 2008. Environmental phthalate exposure in relation to reproductive outcomes and other health endpoints in humans. *Environ Res* 108(2):177-184. <http://doi.org/10.1016/j.envres.2008.08.007>.
- Swan SH, Liu F, Hines M, et al. 2010. Prenatal phthalate exposure and reduced masculine play in boys. *Int J Androl* 33(2):259-269. <http://doi.org/10.1111/j.1365-2605.2009.01019.x>.
- Swan SH, Main KM, Liu F, et al. 2005. Decrease in anogenital distance among male infants with prenatal phthalate exposure. *Environ Health Perspect* 113(8):1056-1061.
- Swan SH, Sathyanarayana S, Barrett ES, et al. 2015. First trimester phthalate exposure and anogenital distance in newborns. *Hum Reprod* 30(4):963-972. <http://doi.org/10.1093/humrep/deu363>.
- Swartz RC, Schults DW, Ditsworth GR, et al. 1985. Sediment toxicity, contamination, and macrobenthic communities near a large sewage outfall. In: Boyle TP, ed. *Validation and predictability of laboratory methods for assessing the fate and effects of contaminants in aquatic ecosystems*. Philadelphia, PA: American Society for Testing and Materials, 152-175.
- Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53:1503-1518.
- Takagi A, Sai K, Umemura T, et al. 1990. Significant increase of 8-hydroxydeoxyguanosine in liver DNA of rats following short-term exposure to the peroxisome proliferators di(2-ethylhexyl)phthalate and di(2-ethylhexyl)adipate. *Jpn J Cancer Res* 81:213-215.
- +Tamura H, Iida T, Suga T, et al. 1990. Long-term effects of hypolipidemic peroxisome proliferator administration on hepatic hydrogen peroxide metabolism in rats. *Carcinogenesis* 11:445-450.

8. REFERENCES

- Tamura H, Iida T, Watanabe T, et al. 1991. Lack of induction of hepatic DNA damage on long-term administration of peroxisome proliferators in male F-344 rats. *Toxicology* 69:55-62.
- +Tanaka T. 2002. Reproductive and neurobehavioural toxicity study of bis(2-ethylhexyl) phthalate (DEHP) administered to mice in the diet. *Food Chem Toxicol* 40(10):1499-1506. [http://doi.org/10.1016/s0278-6915\(02\)00073-x](http://doi.org/10.1016/s0278-6915(02)00073-x).
- Tanaka A, Adachi T, Takahashi T, et al. 1975. Biochemical studies on phthalic esters. I. Elimination, distribution and metabolism of di-(2-ethylhexyl)phthalate in rats. *Toxicology* 4(2):253-264. [http://doi.org/10.1016/0300-483x\(75\)90105-5](http://doi.org/10.1016/0300-483x(75)90105-5).
- Tanaka, A, Matsumoto, A, Yamaha, T. 1978. Biochemical studies on phthalic esters. III. Metabolism of dibutyl phthalate (DBP) in animals. *Toxicology* 9(1-2):109-123.
- +Tanida T, Warita K, Ishihara K, et al. 2009. Fetal and neonatal exposure to three typical environmental chemicals with different mechanisms of action: Mixed exposure to phenol, phthalate, and dioxin cancels the effects of sole exposure on mouse midbrain dopaminergic nuclei. *Toxicol Lett* 189(1):40-47. <http://doi.org/10.1016/j.toxlet.2009.04.005>.
- Tecuta L, Tomba E, Grandi S, et al. 2015. Demoralization: a systematic review on its clinical characterization. *Psychol Med* 45(4):673-691. <http://doi.org/10.1017/S0033291714001597>.
- Teirlynck OA, Belpaire F. 1985. Disposition of orally administered di(2-ethylhexyl)phthalate and mono(2-ethylhexyl)phthalate in the rat. *Arch Toxicol* 57:226-230.
- Teirlynck O, Kaufman JM, Bogaert MG, et al. 1988. Testicular toxicity induced by single dosing of di- and mono-(2-ethylhexyl) phthalate in the rat. *Toxicol Lett* 40(1):85-91. [http://doi.org/10.1016/0378-4274\(88\)90186-5](http://doi.org/10.1016/0378-4274(88)90186-5).
- Teitelbaum SL, Mervish N, Moshier EL, et al. 2012. Associations between phthalate metabolite urinary concentrations and body size measures in New York City children. *Environ Res* 112:186-193. <http://doi.org/10.1016/j.envres.2011.12.006>.
- Télez-Rojo MM, Cantoral A, Cantonwine DE, et al. 2013. Prenatal urinary phthalate metabolites levels and neurodevelopment in children at two and three years of age. *Sci Total Environ* 461-462:386-390. <http://doi.org/10.1016/j.scitotenv.2013.05.021>.
- Tennant RW, Margolin BH, Shelby MD, et al. 1987. Prediction of chemical carcinogenicity in rodents from *in vitro* genetic toxicity assays. *Science* 236:933-941.
- Testa C, Nuti F, Hayek J, et al. 2012. Di-(2-ethylhexyl) phthalate and autism spectrum disorders. *ASN Neuro* 4(4):223-229.
- Thiess AM, Fleig I. 1978. [Chromosomenuntersuchungen bei mitarbeitern mit exposition gegenüber di-2-ethylhexylphthalat (DOP)]. *Zentralbl Arbeitsmed Arbeitsschutz* 28:351-356. (German)
- Thomas JM, Yordy JR, Amador JA, et al. 1986. Rates of dissolution and biodegradation of water-insoluble organic compounds. *Appl Environ Microbiol* 52:290-296.
- Thomsen AML, Riis AH, Olsen J, et al. 2017. Female exposure to phthalates and time to pregnancy: A first pregnancy planner study. *Hum Reprod* 32(1):232-238. <http://doi.org/10.1093/humrep/dew291>.
- Thurén A, Larsson P. 1990. Phthalate esters in the Swedish atmosphere. *Environ Sci Technol* 24:554-559.
- Tickner JA, Schettler T, Guidotti T, et al. 2001. Health risks posed by use of di-2-ethylhexyl phthalate (DEHP) in PVC medical devices: A critical review. *Am J Ind Med* 39:100-111.
- Toft G, Jonsson BA, Lindh CH, et al. 2012. Association between pregnancy loss and urinary phthalate levels around the time of conception. *Environ Health Perspect* 120(3):458-463. <http://doi.org/10.1289/ehp.1103552>.
- Tomaszewski KE, Montgomery CA, Melnick RL. 1988. Modulation of 2,3,7,8-tetrachlorodibenzo -p-dioxin toxicity in F344 rats by di(2-ethylhexyl) phthalate. *Chem Biol Interact* 65:205-222.
- Tomita I, Nakamura Y, Aoki N, et al. 1982b. Mutagenic/carcinogenic potential of di(2-ethylhexyl)phthalate and mono(2-ethylhexyl)phthalate. *Environ Health Perspect* 45:119-125.
- +Tomita I, Nakamura Y, Yagi Y, et al. 1982a. Teratogenicity/fetotoxicity of DEHP in mice. *Environ Health Perspect* 45:71-75.

8. REFERENCES

- +Tomonari Y, Kurata Y, David RM, et al. 2006. Effect of di(2-ethylhexyl) phthalate (DEHP) on genital organs from juvenile common marmosets: I. Morphological and biochemical investigation in 65-week toxicity study. *J Toxicol Environ Health, Part A* 69(17):1651-1672. <http://doi.org/10.1080/15287390600630054>.
- Tonk EC, Verhoef A, Gremmer ER, et al. 2012. Relative sensitivity of developmental and immune parameters in juvenile versus adult male rats after exposure to di(2-ethylhexyl) phthalate. *Toxicol Appl Pharmacol* 260(1):48-57. <http://doi.org/10.1016/j.taap.2012.01.018>.
- +Toyosawa K, Okimoto K, Kobayashi I, et al. 2001. Di(2-ethylhexyl)phthalate induces hepatocellular adenoma in transgenic mice carrying a human prototype *c-Ha-ras* gene in a 26-week carcinogenicity study. *Toxicol Pathol* 29(4):458-466.
- Trasande L, Attina TM. 2015. Association of exposure to di-2-ethylhexylphthalate replacements with increased blood pressure in children and adolescents. *Hypertension* 66(2):301-308. <http://doi.org/10.1161/hypertensionaha.115.05603>.
- Trasande L, Sathyanarayana S, Spanier AJ, et al. 2013b. Urinary phthalates are associated with higher blood pressure in childhood. *J Pediatr* 163(3):747-753. <http://doi.org/10.1016/j.jpeds.2013.03.072>.
- Trasande L, Sathyanarayana S, Trachtman H. 2014. Dietary phthalates and low-grade albuminuria in US children and adolescents. *Clin J Am Soc Nephrol* 9(1):100-109. <http://doi.org/10.2215/cjn.04570413>.
- Trasande L, Spanier AJ, Sathyanarayana S, et al. 2013a. Urinary phthalates and increased insulin resistance in adolescents. *Pediatrics* 132(3):e646-e655. <http://doi.org/10.1542/peds.2012-4022>.
- TRI15. 2016. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. October 04, 2016.
- TRI16. 2018. TRI explorer: Providing access to EPA's toxics release inventory data. Toxics Release Inventory. Washington, DC: U.S. Environmental Protection Agency, Office of Information Analysis and Access. Office of Environmental Information. <http://www.epa.gov/triexplorer/>. March 09, 2018.
- Trosko JE. 1997. Challenge to the simplest paradigm that 'carcinogens' are 'mutagens' and to the *in vitro* and *in vivo* assays used to test the paradigm. *Mutat Res* 373:245-249.
- Trosko JE. 2001. Commentary: Is the concept of "tumor promotion" a useful paradigm? *Molec Carcinogen*. 30:131-137.
- Tsai YA, Lin CL, Hou JW, et al. 2016. Effects of high di(2-ethylhexyl) phthalate (DEHP) exposure due to tainted food intake on pre-pubertal growth characteristics in a Taiwanese population. *Environ Res* 149:197-205.
- Tsukada A, Suemizu H, Murayama N, et al. 2013. Plasma concentrations of melengestrol acetate in humans extrapolated from the pharmacokinetics established in *in vivo* experiments with rats and chimeric mice with humanized liver and physiologically based pharmacokinetic modeling. *Regul Toxicol Pharmacol* 65(3):316-324. <http://doi.org/10.1016/j.yrtph.2013.01.008>.
- Tsumura Y, Ishimitsu S, Kaihara A, et al. 2001. Di(2-ethylhexyl) phthalate contamination of retail packed lunches caused by PVC gloves in the preparation of foods. *Food Addit Contam* 18(6):569-579.
- Tsutsui T, Watanabe E, Barrett JC. 1993. Ability of peroxisome proliferators to induce cell transformation, chromosome aberrations and peroxisome proliferation in cultured Syrian hamster embryo cells. *Carcinogenesis* 14(4):611-618.
- Tully K, Kupfer D, Dopico AM, et al. 2000. A plasticizer released from IV drip chambers elevates calcium levels in neurosecretory terminals. 168:183-188.
- TURI. 2006. Five chemicals alternatives assessment study. University of Massachusetts Lowell: Toxics Use Reduction Institute.
- Turner JH, Petricciani JC, Crouch ML, et al. 1974. An evaluation of the effects of diethylhexyl phthalate (DEHP) on mitotically capable cells in blood packs. *Transfusion* 14:560-566.

8. REFERENCES

- Turunen M, Dallner G. 1998. Elevation of ubiquinone content by peroxisomal inducers in rat liver during aging. *Chem Biol Interact* 116:79-91.
- +Tyl RW, Price CJ, Marr MC, et al. 1988. Developmental toxicity evaluation of dietary di(2-ethylhexyl)phthalate in Fischer 344 rats and CD-1 mice. *Fundam Appl Toxicol* 10:395-412.
- Uhde E, Bednarek M, Fuhrmann F, et al. 2001. Phthalic esters in the indoor environment - test chamber studies on PVC-coated wallcoverings. *Indoor Air* 11:150-155.
- Upson K, Sathyanarayana S, De Roos AJ, et al. 2013. Phthalates and risk of endometriosis. *Environ Res* 126:91-97. <http://doi.org/10.1016/j.envres.2013.07.003>.
- USGS. 2006. Determination of semivolatile organic compounds and polycyclic aromatic hydrocarbons in solids by gas chromatography/mass spectrometry. U.S. Geological Survey, U.S. Department of the Interior.
- Valvi D, Casas M, Romaguera D, et al. 2015. Prenatal phthalate exposure and childhood growth and blood pressure: Evidence from the Spanish INMA-Sabadell Birth Cohort Study. *Environ Health Perspect* 123(10):1022-1029. <http://doi.org/10.1289/ehp.1408887>.
- Velez MP, Arbuckle TE, Fraser WD. 2015. Female exposure to phenols and phthalates and time to pregnancy: The Maternal-Infant Research on Environmental Chemicals (MIREC) study. *Fertil Steril* 103(4):1011-1020 e1012. <http://doi.org/10.1016/j.fertnstert.2015.01.005>.
- Velinsky DJ, Riedel G, Ashley JTF, et al. 2011. Historical contamination of the Anacostia River, Washington, D.C. *Environ Monit Assess* 183:307-328.
- Vessman J, Rietz G. 1974. Determination of di(ethylhexyl)phthalate in human plasma and plasma proteins by electron capture gas chromatography. *J Chromatogr* 100:153-163.
- +Vo T, Jung E, Dang V, et al. 2009a. Differential effects of flutamide and di-(2-ethylhexyl) phthalate on male reproductive organs in a rat model. *J Reprod Dev* 55(4):400-411.
- +Vo TTB, Jung EM, Dang VH, et al. 2009b. Di-(2 ethylhexyl) phthalate and flutamide alter gene expression in the testis of immature male rats. *Reprod Biol Endocrinol* 7:104. <http://doi.org/10.1186/1477-7827-7-104>.
- Vogel EW, Nivard MJ. 1993. Performance of 181 chemicals in a Drosophila assay predominantly monitoring interchromosomal mitotic recombination. *Mutagenesis* 8(1):57-81. <http://doi.org/10.1093/mutage/8.1.57>.
- Von Däniken A, Lutz WK, Jackh R, et al. 1984. Investigation of the potential for binding of di(2-ethylhexyl) phthalate (DEHP) and di(2-ethylhexyl)adipate (DEHA) to liver DNA *in vivo*. *Toxicol Appl Pharmacol* 73:373-387.
- +Voss C, Zerban H, Bannasch P, et al. 2005. Lifelong exposure to di-(2-ethylhexyl)-phthalate induces tumors in liver and testes of Sprague-Dawley rats. *Toxicology* 206(3):359-371. <http://doi.org/10.1016/j.tox.2004.07.016>.
- Wallin RF, Klamer B, Nicora RW, et al. 1974. Di (2-ethylhexyl) phthalate (DEHP) metabolism in animals and post-transfusion tissue levels in man. *Bull Parenter Drug Assoc* 28(6):278-287.
- Wams TJ. 1987. Diethylhexylphthalate as an environmental contaminant--a review. *Sci Total Environ* 66:1-16.
- Wang H, Zhou Y, Tang C, et al. 2013. Urinary phthalate metabolites are associated with body mass index and waist circumference in Chinese school children. *PLoS ONE* 8(2):e56800. <http://doi.org/10.1371/journal.pone.0056800>.
- Wang IJ, Karmaus WJ. 2015. The effect of phthalate exposure and filaggrin gene variants on atopic dermatitis. *Environ Res* 136:213-218. <http://doi.org/10.1016/j.envres.2014.09.032>.
- Wang IJ, Lin CC, Lin YJ, et al. 2014. Early life phthalate exposure and atopic disorders in children: A prospective birth cohort study. *Environ Int* 62:48-54. <http://doi.org/10.1016/j.envint.2013.09.002>.
- Wang W, Xu X, Fan CQ. 2015. Health hazard assessment of occupationally di-(2-ethylhexyl)-phthalate-exposed workers in China. *Chemosphere* 120:37-44. <http://doi.org/10.1016/j.chemosphere.2014.05.053>.

8. REFERENCES

- Wang YX, Zeng Q, Sun Y, et al. 2016. Phthalate exposure in association with serum hormone levels, sperm DNA damage and spermatozoa apoptosis: A cross-sectional study in China. *Environ Res* 150:557-565. <http://doi.org/10.1016/j.envres.2015.11.023>.
- +Ward JM, Peters JM, Perella CM, et al. 1998. Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor α -null mice. *Toxicol Pathol* 26(2):240-246.
- Watkins DJ, Peterson KE, Ferguson KK, et al. 2016. Relating phthalate and BPA exposure to metabolism in peripubescence: The role of exposure timing, sex, and puberty. *J Clin Endocrinol Metab* 101(1):jc20152706. <http://doi.org/10.1210/jc.2015-2706>.
- Watkins DJ, Tellez-Rojo MM, Ferguson KK, et al. 2014. *In utero* and peripubertal exposure to phthalates and BPA in relation to female sexual maturation. *Environ Res* 134:233-241. <http://doi.org/10.1016/j.envres.2014.08.010>.
- +Wei Z, Song L, Wei J, et al. 2012. Maternal exposure to di-(2-ethylhexyl)phthalate alters kidney development through the renin-angiotensin system in offspring. *Toxicol Lett* 212(2):212-221. <http://doi.org/10.1016/j.toxlet.2012.05.023>.
- Wenzel AG, Bloom MS, Butts CD, et al. 2018. Influence of race on prenatal phthalate exposure and anogenital measurements among boys and girls. *Environ Int* 110:61-70.
- Werner EF, Braun JM, Yolton K, et al. 2015. The association between maternal urinary phthalate concentrations and blood pressure in pregnancy: The HOME Study. *Environ Health* 14:75. <http://doi.org/10.1186/s12940-015-0062-3>. <http://www.ncbi.nlm.nih.gov/pubmed/26380974>.
- Wester RC, Melendres J, Sedik L, et al. 1998. Percutaneous absorption of salicylic acid, theophylline, 2,4-dimethylamine, diethyl hexyl phthalic acid, and *p*-aminobenzoic acid in the isolated perfused porcine skin flap compared to man *in vivo*. *Toxicol Appl Pharmacol* 151:159-165.
- Weuve J, Hauser R, Calafat AM, et al. 2010. Association of exposure to phthalates with endometriosis and uterine leiomyomata: Findings from NHANES, 1999-2004. *Environ Health Perspect* 118(6):825-832. <http://doi.org/10.1289/ehp.0901543>.
- White RD, Carter DE, Earnest O, et al. 1980. Absorption and metabolism of three phthalate diesters by the rat small intestine. *Food Cosmet Toxicol* 18:383-386.
- WHO. 2010. Guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf. January 08, 2014.
- WHO. 2017. Guidelines for drinking-water quality. Fourth edition incorporating the first addendum. Geneva, Switzerland: World Health Organization. <http://apps.who.int/iris/bitstream/10665/254637/1/9789241549950-eng.pdf?ua=1>. February 28, 2017.
- Whyatt RM, Adibi JJ, Calafat AM, et al. 2009. Prenatal di(2-ethylhexyl)phthalate exposure and length of gestation among an inner-city cohort. *Pediatrics* 124(6):e1213-e1220. <http://doi.org/10.1542/peds.2009-0325>.
- Whyatt RM, Liu X, Rauh VA, et al. 2012. Maternal prenatal urinary phthalate metabolite concentrations and child mental, psychomotor, and behavioral development at 3 years of age. *Environ Health Perspect* 120(2):290-295. <http://doi.org/10.1289/ehp.1103705>.
- Whyatt RM, Perzanowski MS, Just AC, et al. 2014. Asthma in inner-city children at 5-11 years of age and prenatal exposure to phthalates: The Columbia Center for Children's Environmental Health Cohort. *Environ Health Perspect* 122(10):1141-1146. <http://doi.org/10.1289/ehp.1307670>.
- Wilkinson CF, Lamb JC. 1999. The potential health effects of phthalate esters in children's toys: A review and risk assessment. *Regul Toxicol Pharmacol* 30:140-155.
- Williams DT. 1973. Dibutyl- and di-(2-ethylhexyl)phthalate in fish. *J Agric Food Chem* 21:1128-1129.
- Williams D, Blanchfield B. 1974. Retention, excretion and metabolism of phthalic acid administered orally to the rat. *Bull Environ Contam Toxicol* 12(1):109-112.
- Wirth J, Rossano M, Potter R, et al. 2008. A pilot study associating urinary concentrations of phthalate metabolites and semen quality. *Syst Biol Reprod Med* 54(3):143-154. <http://doi.org/10.1080/19396360802055921>.

8. REFERENCES

- Wofford HW, Wilsey CD, Neff GS, et al. 1981. Bioaccumulation and metabolism of phthalate esters by oysters, brown shrimp, and sheepshead minnows. *Ecotoxicol Environ Safety* 5:202-210.
- Wolfe NL, Burns LA, Steen WC. 1980a. Use of linear free energy relationships and an evaluative model to assess the fate and transport of phthalate esters in the aquatic environment. *Chemosphere* 9:393-402.
- Wolff MS, Engel SM, Berkowitz GS, et al. 2008. Prenatal phenol and phthalate exposures and birth outcomes. *Environ Health Perspect* 116(8):1092-1097. <http://doi.org/10.1289/ehp.11007>.
- Wolff MS, Teitelbaum SL, McGovern K, et al. 2014. Phthalate exposure and pubertal development in a longitudinal study of US girls. *Hum Reprod* 29(7):1558-1566. <http://doi.org/10.1093/humrep/deu081>.
- Wormuth M, Scheringer M, Vollenweider M, et al. 2006. What are the sources of exposure to eight frequently used phthalic acid esters in Europeans? *Risk Anal* 26(3):803-824. <http://doi.org/10.1111/j.1539-6924.2006.00770>.
- Wu H, Olmsted A, Cantonwine DE, et al. 2017. Urinary phthalate and phthalate alternative metabolites and isoprostane among couples undergoing fertility treatment. *Environ Res* 153:1-7. <http://doi.org/10.1016/j.envres.2016.11.003>.
- Wu MT, Wu CF, Chen BH, et al. 2013. Intake of phthalate-tainted foods alters thyroid functions in Taiwanese children. *PLoS ONE* 8(1):e55005. <http://doi.org/10.1371/journal.pone.0055005>.
- Xie C, Jin R, Zhao Y, et al. 2015. Paraoxonase 2 gene polymorphisms and prenatal phthalates' exposure in Chinese newborns. *Environ Res* 140:354-359. <http://doi.org/10.1016/j.envres.2015.03.028>.
- Xu C, Chen J, Qiu Z, et al. 2010. Ovotoxicity and PPAR-mediated aromatase downregulation in female Sprague-Dawley rats following combined oral exposure to benzo[a]pyrene and di-(2-ethylhexyl) phthalate. *Toxicol Lett* 199(3):323-332. <http://doi.org/10.1016/j.toxlet.2010.09.015>.
- Xu Y, Agrawal S, Cook TJ, et al. 2007. Di-(2-ethylhexyl)-phthalate affects lipid profiling in fetal rat brain upon maternal exposure. *Arch Toxicol* 81(1):57-62.
- Xu Y, Agrawal S, Cook TJ, et al. 2008. Maternal di-(2-ethylhexyl)-phthalate exposure influences essential fatty acid homeostasis in rat placenta. *Placenta* 29(11):962-969.
- Xu X, Yang Y, Wang R, et al. 2015. Perinatal exposure to di-(2-ethylhexyl) phthalate affects anxiety and depression-like behaviors in mice. *Chemosphere* 124:22-31.
- Yaghjian L, Ghita GL, Dumont-Driscoll M, et al. 2016. Maternal exposure to di-2-ethylhexylphthalate and adverse delivery outcomes: A systematic review. *Reprod Toxicol* 65:76-86. <http://doi.org/10.1016/j.reprotox.2016.07.002>.
- Yaghjian L, Sites S, Ruan Y, et al. 2015a. Associations of urinary phthalates with body mass index, waist circumference and serum lipids among females: National Health and Nutrition Examination Survey 1999-2004. *Int J Obes* 39(2):994-1000. <http://doi.org/10.1038/ijo.2015.8>.
- Yaghjian L, Sites S, Ruan Y, et al. 2015b. Supplemental data for: Associations of urinary phthalates with body mass index, waist circumference and serum lipids among females: National Health and Nutrition Examination Survey 1999-2004. *Int J Obes* 39(2):994-1000.
- +Yagi Y, Nakamura Y, Tomita I, et al. 1980. Teratogenic potential of di- and mono-(2-ethylhexyl)phthalate in mice. *J Environ Pathol Toxicol* 4:533-544.
- Yamashita M, Suemizu H, Murayama N, et al. 2014. Human plasma concentrations of herbicidal carbamate molinate extrapolated from the pharmacokinetics established in *in vivo* experiments with chimeric mice with humanized liver and physiologically based pharmacokinetic modeling. *Regul Toxicol Pharmacol* 70(1):214-221. <http://doi.org/10.1016/j.yrtph.2014.06.028>.
- +Yang G, Qiao Y, Li B, et al. 2008. Adjuvant effect of di-(2-ethylhexyl) phthalate on asthma-like pathological changes in ovalbumin-immunised rats. *Food Agric Immunol* 19(4):351-362. <http://doi.org/10.1080/09540100802545869>.
- Yang G, Zhou X, Wang J, et al. 2012. MEHP-induced oxidative DNA damage and apoptosis in HepG2 cells correlates with p53-mediated mitochondria-dependent signaling pathway. *Food Chem Toxicol* 50(7):2424-2431. <http://doi.org/10.1016/j.fct.2012.04.023>.

8. REFERENCES

- Yang GC, Chen YC, Yang HX, et al. 2016. Performance and mechanisms for the removal of phthalates and pharmaceuticals from aqueous solution by graphene-containing ceramic composite tubular membrane coupled with the simultaneous electrocoagulation and electrofiltration process. *Chemosphere* 155:274-282. <http://doi.org/10.1016/j.chemosphere.2016.04.060>.
- Yao HY, Han Y, Gao H, et al. 2016. Maternal phthalate exposure during the first trimester and serum thyroid hormones in pregnant women and their newborns. *Chemosphere* 157:42-48. <http://doi.org/10.1016/j.chemosphere.2016.05.023>. <http://www.ncbi.nlm.nih.gov/pubmed/27208644>.
- Yolton K, Xu Y, Strauss D, et al. 2011. Prenatal exposure to bisphenol A and phthalates and infant neurobehavior. *Neurotoxicol Teratol* 33(5):558-566. <http://doi.org/10.1016/j.ntt.2011.08.003>.
- Yoon JS, Mason JM, Valencia R, et al. 1985. Chemical mutagenesis testing in *Drosophila*. IV. Results of 45 coded compounds tested for the National Toxicology Program. *Environ Mutagen* 7:349-367.
- Yoshikawa K, Tanaka A, Yamaha T, et al. 1983. Mutagenicity study of nine monoalkyl phthalates and a dialkyl phthalate using *Salmonella typhimurium* and *Escherichia coli*. *Food Chem Toxicol* 21:221-223.
- Yu C, Chu K. 2009. Occurrence of pharmaceuticals and personal care products along the West Prong Little Pigeon River in east Tennessee, USA. *Chemosphere* 75(10):1281-1286.
- Yuwatini E, Hata N, Kuramitz H, et al. 2013. Effect of salting-out on distribution behavior of di(2-ethylhexyl) phthalate and its analogues between water and sediment. *SpringerPlus* 2: Article492. <http://doi.org/10.1186/2193-1801-2-422>.
- +Zacharewski TR, Meek MD, Clemons JH, et al. 1998. Examination of the *in vitro* and *in vivo* estrogenic activities of eight commercial phthalate esters. *Toxicol Sci* 46:282-293.
- Zeiger E, Haworth S, Mortelmans K, et al. 1985. Mutagenicity testing of di(2-ethylhexyl)phthalate and related chemicals in Salmonella. *Environ Mol Mutagen* 7(2):213-232. <http://doi.org/10.1002/em.2860070209>.
- Zhang J, Liu L, Wang X, et al. 2016. Low-level environmental phthalate exposure associates with urine metabolome alteration in a Chinese male cohort. *Environ Sci Technol* 50:5953-5960. <http://doi.org/10.1021/acs.est.6b00034>.
- +Zhang XF, Zhang T, Han Z, et al. 2015. Transgenerational inheritance of ovarian development deficiency induced by maternal diethylhexyl phthalate exposure. *Reprod Fertil Develop* 27(8):1213-1221. <http://doi.org/10.1071/rd14113>.
- Zhang XF, Zhang LJ, Li L, et al. 2013b. Diethylhexyl phthalate exposure impairs follicular development and affects oocyte maturation in the mouse. *Environ Mol Mutagen* 54(5):354-361. <http://doi.org/10.1002/em.21776>.
- Zhang XF, Zhang T, Wang L, et al. 2013a. Effects of diethylhexyl phthalate (DEHP) given neonatally on spermatogenesis of mice. *Mol Biol Rep* 40(11):6509-6517. <http://doi.org/10.1007/s11033-013-2769-y>.
- +Zhang Y, Meng X, Chen L, et al. 2014. Age and sex-specific relationships between phthalate exposures and obesity in Chinese children at puberty. *PLoS ONE* 9(8):e104852. <http://doi.org/10.1371/journal.pone.0104852>.
- Zhang YH, Lin L, Liu ZW, et al. 2008. Disruption effects of monophthalate exposures on inter-Sertoli tight junction in a two-compartment culture model. *Environ Toxicol* 23(3):302-308. <http://doi.org/10.1002/tox.20343>.
- Zhang YH, Zheng LX, Chen BH. 2006. Phthalate exposure and human semen quality in Shanghai: A cross-sectional study. *Biomed Environ Sci* 19:205-209.
- Zhao Y, Chen L, Li LX, et al. 2014. Gender-specific relationship between prenatal exposure to phthalates and intrauterine growth restriction. *Pediatr Res* 76(4):401-408. <http://doi.org/10.1038/pr.2014.103>.
- Zhou JL, Liu YP. 2000. Kinetics and equilibria of the interactions between diethylhexyl phthalate and sediment particles in simulated estuarine systems. *Mar Chem* 71:165-176.
- Zolfaghari M, Drogui P, Seyhi B, et al. 2014. Occurrence, fate and effects of di (2-ethylhexyl) phthalate in wastewater treatment plants: A review. *Environ Pollut* 194C:281-293.