

## 9. REFERENCES

- Abd-Allah AMA. 1999. Organochlorine contaminants in microlayer and subsurface water of Alexandria Coast, Egypt. *J AOAC Int* 82(2):391-398.
- Abraham K, Hille A, Ende M, et al. 1994. Intake and fecal excretion of PCDDs, PCDFs, HCB and PCBs (138,153,180) in a breast-fed and a formula-fed infant. *Chemosphere* 29(9-11):2279-2286.
- Abraham K, Papke O, Wahn U, et al. 2000. POP accumulation in infants during breast feeding. *Organohalogen Compounds* 48:25-26.
- ACGIH. 2014. Hexachlorobenzene. In: TLVs and BEIs based on the documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 33, 72-77.
- Ackerman LK, Schwindt AR, Simonich SL, et al. 2008. Atmospherically deposited PBDEs, pesticides, PCBs, and PAHs in Western U.S. National Park fish: Concentrations and consumption guidelines. *Environ Sci Technol* 42(7):2334-2341.
- Addae C, Cheng H, Martinez-Ceballos E. 2013. Effect of the environmental pollutant hexachlorobenzene (HCB) on the neuronal differentiation of mouse embryonic stem cells. *Int J Environ Res Public Health* 10(10):5244-5256.
- Adjarov DG. 1990. Decreased activity of liver coproporphyrinogen oxidase in hexachlorobenzene-induced porphyria. *Exp Pathol* 40:117-122.
- \*Adjarov DJ, Elder GH. 1986. Accumulation of uroporphyrin does not provoke further inhibition of liver uroporphyrinogen decarboxylase activity in hexachlorobenzene-induced porphyria. In: Hexachlorobenzene: Proceedings of an international symposium. IARC Sci Publ 77:467-469.
- Adjarov D, Ivanov E, Keremidchiev D. 1982. Gamma-glutamyl transferase: A sensitive marker in experimental hexachlorobenzene intoxication. *Toxicology* 23:73-77.
- Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- Adolfsson-Erici M, Akerman G, McLachlan MS. 2012. Measuring bioconcentration factors in fish using exposure to multiple chemicals and internal benchmarking to correct for growth dilution. *Environ Toxicol Chem* 31(8):1853-1860.
- Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry, Division of Toxicology. *Fed Regist* 54(174):37618-37634.

---

\* Not cited in text

## 9. REFERENCES

- \*Ahlborg UG, Larsson K, Thunberg T. 1978. Metabolism of pentachlorophenol *in vivo* and *in vitro*. *Arch Toxicol* 40:45-53.
- AIHA. 2014. Current ERPG Values (2014). Fairfax, VA: American Industrial Hygiene Association. <https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Documents/2014%20ERPG%20Values.pdf>. March 4, 2015.
- Akkina J, Reif J, Keefe T, et al. 2004. Age at natural menopause and exposure to organochlorine pesticides in Hispanic women. *J Toxicol Environ Health A* 67(18):1407-1422.
- Alawi MA, Ababneh M. 1991. Residue analysis of chlorinated pesticides in Jordanian human adipose tissue. *Anal Lett* 25(10):1897-1911.
- Alawi MA, Ammari N, Al-Shuraiki Y. 1992. Organochlorine pesticide contaminations in human milk samples from women living in Amman, Jordan. *Arch Environ Contam Toxicol* 23:235-239.
- Albro PW, Thomas R. 1974. Intestinal absorption of hexachlorobenzene and hexachlorocyclohexane isomers in rats. *Bull Environ Contam Toxicol* 12:289-294.
- \*Alleman MA, Koster JF, Wilson JHP, et al. 1985. The involvement of iron and lipid peroxidation in the pathogenesis of HCB induced porphyria. *Biochem Pharmacol* 34(2):161-166.
- Allen-Gil SM, Gubala CP, Wilson R, et al. 1997. Organochlorine pesticides and polychlorinated biphenyls (PCBs) in sediments and biota from four US arctic lakes. *Arch Environ Contam Toxicol* 33:378-387.
- Almeida-Gonzalez M, Luzardo OP, Zumbado M, et al. 2012. Levels of organochlorine contaminants in organic and conventional cheeses and their impact on the health of consumers: An independent study in the Canary Islands (Spain). *Food Chem Toxicol* 50(12):4325-4332.
- Altman PL, Dittmer DS. 1974. *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Fed Am Soc Exp Biol, 1987-2008, 2041.
- Alvarado-Hernandez DL, Montero-Montoya R, Serrano-Garcia L, et al. 2013. Assessment of exposure to organochlorine pesticides and levels of DNA damage in mother-infant pairs of an agrarian community. *Environ Mol Mutagen* 54(2):99-111.
- Alvarez L, Randi A, Alvarez P, et al. 2000. Reproductive effects of hexachlorobenzene in female rats. *J Appl Toxicol* 20:81-87.
- Álvarez-Pedrerol M, Ribas-Fito N, Torrent M, et al. 2008a. Thyroid disruption at birth due to prenatal exposure to  $\beta$ -hexachlorocyclohexane. *Environ Int* 34(6):737-740.
- Álvarez-Pedrerol M, Ribas-Fito N, Torrent M, et al. 2008b. Effects of PCBs, p,p'-DDT, p,p'-DDE, HCB and  $\beta$ -HCH on thyroid function in preschool children. *Occup Environ Med* 65(7):452-457.
- Ames A, Van Vleet E. 1996. Organochlorine residues in the Florida manatee, *Trichechus manatus latirostris*. *Mar Pollut Bull* 32:374-377.

## 9. REFERENCES

- Amodio E, Turci R, Massenti MF, et al. 2012. Serum concentrations of persistent organic pollutants (POPs) in the inhabitants of a Sicilian city. *Chemosphere* 89(8):970-974.
- Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- Andersen ME, Clewell HJ, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87(2):185-205.
- Anderson HA, Falk C, Hanrahan L, et al. 1998. Profiles of Great Lakes critical pollutants: A sentinel analysis of human blood and urine. *Environ Health Perspect* 106(5):279-289.
- Ando M, Hirano S, Itoh Y. 1985. Transfer of hexachlorobenzene (HCB) from mother to new-born baby through placenta and milk. *Arch Toxicol* 56:195-200.
- Andrews JE, Courtney KD, Donaldson WE. 1988. Impairment of calcium homeostasis by hexachlorobenzene (HCB) exposure in Fischer 344 rats. *J Toxicol Environ Health* 23:311-320.
- Andrews JE, Courtney KD, Stead AG, et al. 1989. Hexachlorobenzene- induced hyperparathyroidism and osteosclerosis in rats. *Fundam Appl Toxicol* 12:242-251.
- Andrews JE, Jackson LD, Stead AG, et al. 1990. Morphometric analysis of osteosclerotic bone resulting from hexachlorobenzene exposure. *J Toxicol Environ Health* 31:193-201.
- Anezaki K, Nagahora S. 2014. Characterization of polychlorinated biphenyls, pentachlorobenzene, hexachlorobenzene, polychlorinated dibenzo-p-dioxins, and dibenzofurans in surface sediments of Muroran Port, Japan. *Environ Sci Pollut Res Int* 21(15):9169-9181.
- Ansari GAS, James GP, Hu AL, et al. 1986. Organochlorine residues in adipose tissue of residents of the Texas gulf coast. *Bull Environ Contam Toxicol* 36:311-316.
- Antunes P, Viana P, Vinhas T, et al. 2012. Emission profiles of polychlorinated dibenzodioxins, polychlorinated dibenzofurans (PCDD/Fs), dioxin-like PCBs and hexachlorobenzene (HCB) from secondary metallurgy industries in Portugal. *Chemosphere* 88:1332-1339.
- AOAC. 1990. *Official methods of analysis of the association of official analytical chemists*. Association of Official Analytical Chemist, Inc. 15 Edition, Arlington, Virginia.
- Archibeque-Engle S, Tessari J, Winn D, et al. 1997. Comparison of organochlorine pesticide and polychlorinated biphenyl residues in human breast adipose tissue and serum. *J Toxicol Environ Health* 52:285-293.
- Arnold DL, Bryce FR, Clegg DJ, et al. 2000. Dosing via gavage or diet for reproduction studies: A pilot study using two fat-soluble compounds-hexachlorobenzene and Aroclor 1254. *Food Chem Toxicol* 38:697-706.
- Arnold DL, Moodie CA, Charbonneau SM, et al. 1985. Long-term toxicity of hexachlorobenzene in the rat and the effect of dietary vitamin A. *Food Chem Toxicol* 23:779-793.

## 9. REFERENCES

- Arnot JA, Mackay D, Parkerton TF, et al. 2010. Multimedia modeling of human exposure to chemical substances: The roles of food web biomagnification and biotransformation. *Environ Toxicol Chem* 29:(1):45-55.
- Aronson KJ, Wilson JWL, Hamel M, et al. 2010. Plasma organochlorine levels and prostate cancer risk. *J Expo Sci Environ Epidemiol* 20(5):434-445.
- Arrebola JP, Cuellar M, Claire E, et al. 2012. Concentrations of organochlorine pesticides and polychlorinated biphenyls in human serum and adipose tissue from Bolivia. *Environ Res* 112:40-47.
- Ataniyazova OA, Baumann RA, Liem AKD, et al. 2001. Levels of certain metals, organochlorine pesticides and dioxins in cord blood, maternal blood, human milk and some commonly used nutrients in the surroundings of the Aral Sea (Karakalpakstan, Republic of Uzbekistan). *Acta Paediatr* 90:801-808.
- Atlas E, Giam CS. 1981. Global transport of organic pollutants: Ambient concentrations in the remote marine atmosphere. *Science* 211:163-165.
- Avrahami M. 1975. Hexachlorobenzene: IV. Accumulation and elimination of HCB in pigs after oral dosing. *N Z J Exp Agric* 3:285-287.
- \*Avrahami M, Steele RT. 1972a. Hexachlorobenzene: I. Accumulation and elimination of HCB in sheep after oral dosing. *N Z J Agric Res* 15:476-481.
- \*Avrahami M, Steele RT. 1972b. Hexachlorobenzene: II. Residues in laying pullets fed hexachlorobenzene in their diet and the effects on egg production, egg hatchability, and on chickens. *N Z J Agric Res* 15:482-488.
- Axelson O. 1986. A review of porphyria and cancer and the missing link with human exposure to hexachlorobenzene. *IARC Sci Publ* 77:585-589.
- Babineau KA, Singh A, Jarrell, JF, et al. 1991. Surface epithelium of the ovary following oral administration of hexachlorobenzene to the monkey. *J Submicrosc Cytol Pathol* 23:457-464.
- Badia-Vila M, Ociepa M, Mateo R, et al. 2000. Comparison of residue levels of persistent organochlorine compounds in butter from Spain and from other European countries. *J Environ Sci Health B35(2):201-210.*
- Bailey J, Knauf V, Mueller W, et al. 1980. Transfer of hexachlorobenzene and polychlorinated biphenyls to nursing infant rhesus monkeys: Enhanced toxicity. *Environ Res* 21:190-196.
- Bailey RE. 2001. Global hexachlorobenzene emissions. *Chemosphere* 43:167-182.
- Ballester F, Sala M, Sunyer J, et al. 2000. Serum concentrations of hexachlorobenzene in family members of workers in an electrochemical factory. *Scand J Work Environ Health* 26(1):67-70.
- Ballschmiter K, Wittlinger R. 1991. Interhemisphere exchange of hexachlorocyclohexanes, hexachlorobenzene, polychlorobiphenyls, and 1,1-trichloro-2,2-bis(p-chlorophenyl)ethane in the lower troposphere. *Environ Sci Technol* 25(6):1103-1111.
- Barber JL, Sweetman AJ, van Wijk D, et al. 2005. Hexachlorobenzene in the global environment: Emissions, levels, distribution, trends and processes. *Sci Total Environ* 349(1-3):1-44.

## 9. REFERENCES

- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8(4):471-486.
- Barnett JB, Barfield L, Walls R, et al. 1987. The effect of *in utero* exposure to hexachlorobenzene on the developing immune response of Balb/c mice. *Toxicol Lett* 39:263-274.
- Basterrechea M, Lertxundi A, Iniguez C, et al. 2014. Prenatal exposure to hexachlorobenzene (HCB) and reproductive effects in a multicentre birth cohort in Spain. *Sci Total Environ* 466-467:770-776.
- Bates MN, Hannah DJ, Buckland SJ, et al. 1994. Chlorinated organic contaminants in breast milk of New Zealand women. *Environ Health Perspect* 102(Supp 1):211-217.
- Beall ML Jr. 1976. Persistence of aerially applied hexachlorobenzene on grass and soil. *J Environ Qual* 5:367-369.
- Bebarta VS, Phillips SD. 2004. Fungicides. In: Dart RC, ed. *Medical toxicology*. 3<sup>rd</sup> ed. Philadelphia, PA: Lippincott Williams & Wilkins, 1529-1532.
- Beck J, Hansen KE. 1974. The degradation of quintozene, pentachlorobenzene, hexachlorobenzene and pentachloraniline in soil. *Pestic Sci* 5:41-48.
- Becker K, Mussig-Zufika M, Conrad A, et al. 2008. German environmental survey for children 2003/06-Ger ES IV. Human biomonitoring. Levels of selected substances in blood and urine in children in Germany. Robert Koch-Institut (RKI), Berlin: Environment Research of the Federal Ministry of the Environment, Nature Conservation and Nuclear Safety.
- Becker PR, Mackey EA, Demiralp R, et al. 1997. Concentrations of chlorinated hydrocarbons and trace elements in marine mammal tissues archived in the U.S. National Biomonitoring Specimen Bank. *Chemosphere* 34:2067-2098.
- Behrooz RD, Sari AE, Bahramifar N, et al. 2009. Organochlorine pesticide and polychlorinated biphenyl residues in human milk from the southern coast of Caspian Sea, Iran. *Chemosphere* 74(7):931-937.
- Belfroid A. 1995. Uptake, bioavailability and elimination of hydrophobic compounds in earthworms (*Eisenia andrei*) in field-contaminated soil. *Environ Toxicol Chem* 14(4):605-612.
- Belles-Isles M, Bilrha H, Moreau B, et al. 2000. Immunological effects in newborns from Saint-Lawrence River coastal populations exposed to POPs and heavy metals. *Organohalogen Compounds* 48:227-230.
- Ben Hassine S, Hammami B, Ben Ameer W, et al. 2014. Concentrations of organochlorine pesticides and polychlorinated biphenyls in human serum and their relation with age, gender, and BMI for the general population of Bizerte, Tunisia. *Environ Sci Pollut Res Int* 21(10):6303-6313.
- Beretta M, Dick T. 1994. Organochlorine compounds in human milk, Porto Alegre, Brazil. *Environ Contam Toxicol* 53(3):357-360.
- Berger GS, ed. 1994. Epidemiology of endometriosis. In: *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag, 3-7.

## 9. REFERENCES

- Bernhoft A, Skaare JU, Wiig O, et al. 2000. Possible immunotoxic effects of organochlorines in polar bears (*Ursus maritimus*) at Svalbard. *J Toxicol Environ Health* 59(Part A):561-574.
- \*Bertram HP, Kemper FH, Muller C. 1986. Hexachlorobenzene content in human whole blood and adipose tissue: Experiences in environmental specimen banking. *IARC Sci Publ* 77:173-183.
- Beyer WN. 1996. Accumulation of chlorinated benzenes in earthworms. *Bull Environ Contam Toxicol* 57:729-736.
- Bidleman TF, Patton GW, Walla MD, et al. 1989. Toxaphene and other organochlorines in Arctic Ocean fauna: Evidence for atmospheric delivery. *Arctic* 42(4):307-313.
- Biggs ML, Davis MD, Eaton DL, et al. 2008. Serum organochlorine pesticide residues and risk of testicular germ cell carcinoma: A population-based case-control study. *Cancer Epidemiol Biomarkers Prev* 17(8):2012-2018.
- Billi de Catabbi S, Aldonatti C, San Martin de Viale LC. 2000a. Heme metabolism after discontinued hexachlorobenzene administration in rats: Possible irreversible changes and biomarker for hexachlorobenzene persistence. *Comp Biochem Physiol C* 127:165-175.
- Billi de Catabbi S, Rios de Molina MC, San Martin de Viale LC. 1991. Studies on the active center of rat liver porphyrinogen carboxylase *in vivo* effect of hexachlorobenzene. *Int J Biochem* 23:675-679.
- Billi de Catabbi S, Setton-Advruj CP, Sterin-Speziale N, et al. 2000b. Hexachlorobenzene-induced alterations on neutral and acidic sphingomyelinases and serine palmitoyltransferase activities. A time course study in two strains of rats. *Toxicology* 149:89-100.
- Bishop CA, Lean DRS, Brooks RJ, et al. 1995. Chlorinated hydrocarbons in early life stages of the common snapping turtle (*Chelydra serpentina serpentina*) from a coastal wetland on Lake Ontario, Canada. *Environ Toxicol Chem* 14(3):421-426.
- Bishop CA, Ng P, Norstrom RJ, et al. 1996. Temporal and geographic variation of organochlorine residues in eggs of the common snapping turtle (*Chelydra serpentina serpentina*) (1981-1991) and comparisons to trends in the herring gull (*Larus argentatus*) in the Great Lakes Basin in Ontario, Canada. *Arch Environ Contam Toxicol* 31:512-524.
- Bjerregaard P, Hansen JC. 2000. Organochlorines and heavy metals in pregnant women from the Disko Bay area in Greenland. *Sci Total Environ* 245:195-202.
- Björnfoth H, Hardell L, Carlberg M, et al. 2007. Decreased survival in patients with pancreatic cancer associated with concentrations of organochlorines in adipose tissue. *Organohalogen Compounds* 69:1981-1984.
- \*Bleavins MR, Breslin WJ, Aulerich RJ, et al. 1982. Excretion and placental and mammary transfer of hexachlorobenzene in the European ferret (*Mustela putorius furo*). *J Toxicol Environ Health* 10:929-940.
- Bleckenhorst GH, Pimstone NR, Weber BL, et al. 1976. Hepatic HAEM metabolism in porphyria cutanea tarda (PCT): Enzymatic studies and their relation to liver ultrastructure. *Ann Clin Res* 8(Supp 17):108-121.

## 9. REFERENCES

- Bong RL. 1975. Determination of hexachlorobenzene and mirex in fatty products. *J AOAC* 58(3):557-561.
- Booij K, van Bommel R, Jones KC, et al. 2007. Air-water distribution of hexachlorobenzene and 4,4'-DDE along a north-south Atlantic transect. *Mar Pollut Bull* 54(6):814-819.
- Booth NH, McDowell JR. 1975. Toxicity of hexachlorobenzene and associated residues in edible animal tissues. *JAVMA* 166(6):591-595.
- Bordet F, Mallet J, Maurice L, et al. 1993. Organochlorine pesticide and PCB congener content of French human milk. *Bull Environ Contam Toxicol* 50:425-432.
- Borgå K, Gabrielsen GW, Skaare JU. 2001. Biomagnification of organochlorines along a Barents Sea food chain. *Environ Pollut* 113:187-198.
- Bourque AC, Singh A, Lakhanpal N, et al. 1995. Ultrastructural changes in ovarian follicles of monkeys administered hexachlorobenzene. *Am J Vet Res* 56(12):1673-1677.
- Bouthillier L, Greselin E, Brodeur J, et al. 1991. Male rat specific nephrotoxicity resulting from subchronic administration of hexachlorobenzene. *Toxicol Appl Pharmacol* 110:315-326.
- Brady MN, Siyali DS. 1972. Hexachlorobenzene in human body fat. *Med J Aust* 1:158-161.
- Braune B, Muir D, DeMarch B, et al. 1999. Spatial and temporal trends of contaminants in Canadian Arctic freshwater and terrestrial ecosystems: A review. *Sci Total Environ* 230:145-207.
- Bristol DW, Crist HL, Lewis RG, et al. 1982. Chemical analysis of human blood for assessment of environmental exposure to semivolatile organochlorine chemical contaminants. *J Anal Toxicol* 6:269-275.
- Brock J, Melnyk L, Caudill S, et al. 1998. Serum levels of several organochlorine pesticides in farmers correspond with dietary exposure and local use history. *Toxicol Ind Health* 14(1-2):275-289.
- Brorström-Lundén E, Lindskog A, Mowrer J. 1994. Concentrations and fluxes of organic compounds in the atmosphere of the Swedish west coast. *Atmos Environ* 28(22):3605-3615.
- Brubaker WW, Hites RA. 1998. OH reaction kinetics of gas-phase  $\alpha$ - and  $\gamma$ -hexachlorocyclohexane and hexachlorobenzene. *Environ Sci Technol* 32(6):766-769.
- Bryson PD. 1989. Chlorinated hydrocarbons (organochlorines). In: *Comprehensive review in toxicology*. Rockville, MD: Aspen Publication, 527-529.
- Bucholski KA, Begerow J, Winneke G, et al. 1996. Determination of polychlorinated biphenyls and chlorinated pesticides in human body fluids and tissues. *J Chromatogr* 754:479-485.
- Burkhard LP, Sheedy BR, McCauley DJ, et al. 1997. Bioaccumulation factors for chlorinated benzenes, chlorinated butadienes and hexachloroethane. *Environ Toxicol Chem* 16(8):1677-1686.
- Burns JE, Miller FM. 1975. Hexachlorobenzene contamination: Its effects in a Louisiana population. *Arch Environ Health* 30:44-48.

## 9. REFERENCES

- Burns JE, Miller FM, Gomes ED, et al. 1974. Hexachlorobenzene exposure from contaminated DCPA in vegetable spraymen. *Arch Environ Health* 29:192-194.
- Burns JS, Williams PL, Korrick SA, et al. 2014. Association between chlorinated pesticides in the serum of prepubertal Russian boys and longitudinal biomarkers of metabolic function. *Am J Epidemiol* 180(9):909-919.
- Burns JS, Williams PL, Sergeev O, et al. 2012. Serum concentrations of organochlorine pesticides and growth among Russian boys. *Environ Health Perspect* 120(2):303-308.
- Burse VW, Head SL, Korver MP, et al. 1990. Determination of selected organochlorine pesticides and polychlorinated biphenyls in human serum. *J Anal Toxicol* 14:137-146.
- Burse VW, Najam AR, Williams CC, et al. 2000. Utilization of umbilical cords to assess *in utero* exposure to persistent pesticides and polychlorinated biphenyls. *J Expo Anal Environ Epidemiol* 10:776-788.
- Burton MA, Bennett BG. 1987. Exposure of man to environmental hexachlorobenzene (HCB)-an exposure commitment assessment. *Sci Total Environ* 66:137-146.
- Butler Walker J, Seddon L, McMullen E, et al. 2003. Organochlorine levels in maternal and umbilical cord blood plasma in arctic Canada. *Sci Total Environ* 302(1-3):27-52.
- Cabral JRP, Mollner T, Raitano F, et al. 1979. Carcinogenesis of hexachlorobenzene in mice. *Int J Cancer* 23:47-51.
- Cabral JR, Shubik P, Mollner T, et al. 1977. Carcinogenic activity of hexachlorobenzene in hamsters. *Nature* 269:510-511.
- Calamari D, Tremolada P, Guardo AD, et al. 1994. Chlorinated hydrocarbons in pine needles in Europe: Fingerprint for the past and recent use. *Environ Sci Technol* 28:429-434.
- Calaminus B, Trouve G, Delforsse L. 1993. Experimental study of the quantitative conversion of hexachlorobenzene during high temperature pyrolysis. *J Anal Appl Pyrolysis* 27(2):281-292.
- Cam C, Nigogosyan G. 1963. Acquired toxic porphyria cutanea tarda due to hexachlorobenzene: Report of 348 cases caused by this fungicide. *JAMA* 183:88-91.
- Canas A, Richter P. 2012. Solid-phase microextraction using octadecyl-bonded silica immobilized on the surface of a rotating disk: Determination of hexachlorobenzene in water. *Anal Chim Acta* 743:75-79.
- Canonero R, Campart GB, Mattioli F, et al. 1997. Testing of p-dichlorobenzene and hexachlorobenzene for their ability to induce DNA damage and micronucleus formation in primary cultures of rat and human hepatocytes. *Mutagenesis* 12(1):35-39.
- Cantoni L, Budillon G, Cuomo R, et al. 1990. Protective effect of S-adenosyl-L-methionine in hepatic uroporphyrin. Evaluation in an experimental model. *Scand J Gastroenterol* 25:1034-1040.
- Cantor KP, Strickland PT, Brock JW, et al. 2003. Risk of non-Hodgkin's lymphoma and prediagnostic serum organochlorines:  $\beta$ -hexachlorocyclohexane, chlordane/heptachlor-related compounds, dieldrin, and hexachlorobenzene. *Environ Health Perspect* 111(2):179-183.



## 9. REFERENCES

- Cao LL, Yan CH, Yu XD, et al. 2011. Relationship between serum concentrations of polychlorinated biphenyls and organochlorine pesticides and dietary habits of pregnant women in Shanghai. *Sci Total Environ* 409(16):2997-3002.
- \*Carpenter HM, Williams DE, Henderson MC, et al. 1984. Hexachlorobenzene-induced porphyria in Japanese quail: Effect of pretreatment with phenobarbital or beta-naphthoflavone. *Biochem Pharmacol* 33:3875-3881.
- Carrizo D, Grimalt JO, Ribas-Fito N, et al. 2008. Pentachlorobenzene, hexachlorobenzene, and pentachlorophenol in children's serum from industrial and rural populations after restricted use. *Ecotoxicol Environ Saf* 71(1):260-266.
- Carthew P, Smith AG. 1994. Pathological mechanisms of hepatic tumor formation in rats exposed chronically to dietary hexachlorobenzene. *J Appl Toxicol* 447-452.
- Carthew P, Edwards RE, Smith AG. 1990. Immunotoxic effects of hexachlorobenzene on the pathogenesis of systemic, pneumonic and hepatic virus infections in the mouse. *Human Exp Toxicol* 9:403-411.
- CDC. 2009. Fourth national report on human exposure to environmental chemicals. Atlanta, GA: Centers for Disease Control and Prevention, Department of Health and Human Services. <http://www.cdc.gov/exposurereport/pdf/fourthreport.pdf>. August 4, 2015.
- CDC. 2015. Fourth national report on human exposure to environmental chemicals, updated tables (February 2015). Centers for Disease Control and Prevention. [http://www.cdc.gov/biomonitoring/pdf/FourthReport\\_UpdatedTables\\_Feb2015.pdf](http://www.cdc.gov/biomonitoring/pdf/FourthReport_UpdatedTables_Feb2015.pdf). March 10, 2015.
- Cesh LS, Williams TD, Garcelon DK, et al. 2008. Patterns and trends of chlorinated hydrocarbons in nestling bald eagle (*Haliaeetus leucocephalus*) plasma in British Columbia and southern California. *Arch Environ Contam Toxicol* 55(3):496-502.
- Chaisuksant Y, Yu Q, Connell DW. 1997. Bioconcentration of bromo- and chlorobenzenes by fish (*Gambusia affinis*). *Water Res* 31(1):61-68.
- Chalouati H, Gamet-Payrastra L, Ben Saad M. 2013. Irreversible thyroid disruption induced after subchronic exposure to hexachlorobenzene in male rats. *Toxicol Ind Health*:1-10.
- Chan CH, Bruce G, Harrison B. 1994. Wet deposition of organochlorine pesticides and polychlorinated biphenyls to the great lakes. *J Great Lakes Res* 20(3):546-560.
- Charlier C, Albert A, Herman P, et al. 2003. Breast cancer and serum organochlorine residues. *Occup Environ Med* 60(5):348-351.
- Charlier C, Foidart JM, Pitance F, et al. 2004. Environmental dichlorodiphenyltrichlorethane or hexachlorobenzene exposure and breast cancer: Is there a risk? *Clin Chem Lab Med* 42(2):222-227.
- Chavez-Almazan LA, Diaz-Ortiz J, Alarcon-Romero M, et al. 2014. Organochlorine pesticide levels in breast milk in Guerrero, Mexico. *Bull Environ Contam Toxicol* 93(3):294-298.

## 9. REFERENCES

- Chen X, Panuwet P, Hunter RE, et al. 2014. Method for the quantification of current use and persistent pesticides in cow milk, human milk and baby formula using gas chromatography tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 970:121-130.
- Cheslack-Postava K, Rantakokko PV, Hinkka-Yli-Salomaki S, et al. 2013. Maternal serum persistent organic pollutants in the Finnish Prenatal Study of Autism: A pilot study. *Neurotoxicol Teratol* 38:1-5.
- Chevreuil M, Garmouma M, Teil MJ, et al. 1996. Occurrence of organochlorines (PCBs, pesticides) and herbicides (triazines, phenylureas) in the atmosphere and in the fallout from urban and rural stations of the Paris area. *Sci Total Environ* 182:25-37.
- Chevrier J, Eskenazi B, Holland N, et al. 2008. Effects of exposure to polychlorinated biphenyls and organochlorine pesticides on thyroid function during pregnancy. *Am J Epidemiol* 168(3):298-310.
- Chiappini F, Alvarez L, Lux-Lantos V, et al. 2009. Hexachlorobenzene triggers apoptosis in rat thyroid follicular cells. *Toxicol Sci* 108(2):301-310.
- Chiappini F, Pontillo C, Randi AS, et al. 2013. Reactive oxygen species and extracellular signal-regulated kinase 1/2 mediate hexachlorobenzene-induced cell death in FRTL-5 rat thyroid cells. *Toxicol Sci* 134(2):276-290.
- Chiappini F, Pontillo C, Randi A, et al. 2014. Hexachlorobenzene induces TGF- $\beta$ 1 expression, which is a regulator of p27 and cyclin D1 modifications. *Toxicol Lett* 230(1):1-9.
- Choi SD, Wania F. 2011. On the reversibility of environmental contamination with persistent organic pollutants. *Environ Sci Technol* 45(20):8834-8841.
- Choudhry GG, Webster GRB, Hutzinger O. 1986. Environmentally significant photochemistry of chlorinated benzenes and their derivatives in aquatic systems. *Toxicol Environ Chem* 13:27-81.
- Chovancová J, Drobna B, Fabisikova A, et al. 2014. Polychlorinated biphenyls and selected organochlorine pesticides in serum of Slovak population from industrial and non-industrial areas. *Environ Monit Assess* 186(11):7643-7653.
- \*Clark DE, Ivie GW, Camp BJ. 1981. Effects of dietary hexachlorobenzene on *in vivo* biotransformation, residue deposition, and elimination of certain xenobiotics by rats. *J Agric Food Chem* 29:600-608.
- Clayton GD, Clayton FE, eds. 1981. *Patty's industrial hygiene and toxicology: 3rd revised ed. Volume 2B: Toxicology.* New York, NY: Wiley-Interscience Publication, 3626-3684.
- Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Cobb GP, Norman DM, Kendall RJ. 1994. Organochlorine contaminant assessment in great blue herons using traditional nonlethal monitoring techniques. *Environ Pollut* 83(3):299-309.
- Cochon AC, San Martin de Viale LC, Billi de Catabbi S. 2001. Phospholipid alterations elicited by hexachlorobenzene in rat brain are strain-dependent and porphyria-independent. *Comp Biochem Physiol C* 130:199-207.

## 9. REFERENCES

- Codru N, Schymura MJ, Negoita S, et al. 2007. Diabetes in relation to serum levels of polychlorinated biphenyls and chlorinated pesticides in adult Native Americans. *Environ Health Perspect* 115(10):1442-1447.
- Cohn WJ, Boylan JJ, Blanke RV, et al. 1978. Treatment of chlordecone kepone toxicity with cholestyramine: Results of a controlled clinical trial. *N Engl J Med* 298:243-248.
- Çok I, Yelken C, Durmaz E, et al. 2011. Polychlorinated biphenyl and organochlorine pesticide levels in human breast milk from the Mediterranean city Antalya, Turkey. *Bull Environ Contam Toxicol* 86(4):423-427.
- Colles A, Koppen G, Hanot V, et al. 2008. Fourth WHO-coordinated survey of human milk for persistent organic pollutants (POPs): Belgian results. *Chemosphere* 73:907-914.
- Conde C, Maluenda C, Arrabal C. 1993. Organochlorine residues in human milk in Spain. Polychlorinated biphenyls (PCBs) from 1988 to 1991. *Bull Environ Contam Toxicol* 51:832-837.
- Connell DW, Bowman M, Hawker DW. 1988. Bioconcentration of chlorinated hydrocarbons from sediment by oligochaetes. *Ecotoxicol Environ Saf* 16:293-302.
- Cooney MA, Louis GMB, Hediger ML, et al. 2010. Organochlorine pesticides and endometriosis. *Reprod Toxicol* 30(3):365-369.
- Corsolini S, Focardi S, Leonzio C, et al. 1999. Heavy metals and chlorinated hydrocarbon concentrations in the red fox in relation to some biological parameters. *Environ Monit Assess* 54:87-100.
- Costa LG, Aschner M, Vitalone A, et al. 2004. Developmental neuropathology of environmental agents. *Annu Rev Pharmacol Toxicol* 44:87-110.
- Courtney KD, Andrews JE. 1985. Neonatal and maternal body burdens of hexachlorobenzene (HCB) in mice: Gestational exposure and lactational transfer. *Fundam Appl Toxicol* 5:265-277.
- Courtney KD, Andrews, JE, Svendsgaard DJ. 1979. Hexachlorobenzene (HCB) deposition in maternal and fetal tissues of rat and mouse: 1. Chemical quantification of HCB in tissues. *Environ Res* 19:1-13.
- Courtney KD, Copeland MF, Robbins A. 1976. The effects of pentachloronitrobenzene, hexachlorobenzene, and related compounds on fetal development. *Toxicol Appl Pharmacol* 35:239-256.
- Cox S, Niskar AS, Narayan KM, et al. 2007. Prevalence of self-reported diabetes and exposure to organochlorine pesticides among Mexican Americans: Hispanic Health and Nutrition Examination Survey, 1982-1984. *Environ Health Perspect* 115(12):1747-1752.
- Craan A, Haines D. 1998. Twenty-five years of surveillance for contaminants in human breast milk. *Arch Environ Contam Toxicol* 35:702-710.
- Craig SA. 1998. Herbicides and fungicides. In: Viccellio P, ed. *Emergency toxicology*. 2<sup>nd</sup> ed. Philadelphia, PA: Lippincott-Raven Publishers, 415-423.
- Cripps DJ. 1990. Transplacental and mammary absorption of hexachlorobenzene: Experimental pembe yara porphyria in neonates. *Mol Aspects Med* 11(1-2):81-82.

## 9. REFERENCES

- Cripps DJ, Peters HA, Gocmen A, et al. 1984. Porphyria turcica due to hexachlorobenzene: A 20 to 30 year follow-up study on 204 patients. *Br J Dermatol* 111:413-422.
- Croes K, Den Hond E, Bruckers L, et al. 2014a. Endocrine actions of pesticides measured in the Flemish environment and health studies (FLEHS I and II). *Environ Sci Pollut Res Int* [epub ahead of print].
- Croes K, Den Hond E, Bruckers L, et al. 2014b. Monitoring chlorinated persistent organic pollutants in adolescents in Flanders (Belgium): Concentrations, trends and dose-effect relationships (FLEHS II). *Environ Int* 71:20-28.
- Cuomo R, Rodino S, Rizzoli R, et al. 1991. Bile and biliary lipid secretion in rats with hexachlorobenzene-induced porphyria. Effect of S-adenosyl-L-methionine administration. *J Hepatol* 12:87-93.
- Cupul-Uicab LA, Klebanoff MA, Brock JW, et al. 2013. Prenatal exposure to persistent organochlorines and childhood obesity in the US collaborative perinatal project. *Environ Health Perspect* 121(9):1103-1109.
- Currier MF, McClimans CD, Barna-Lloyd G. 1980. Hexachlorobenzene blood levels and the health status of men employed in the manufacture of chlorinated solvents. *J Toxicol Environ Health* 6:367-377.
- Czaja K, Ludwicki JK, Goralczyk K, et al. 1997. Organochlorine pesticides, HCB, and PCBs in human milk in Poland. *Bull Environ Contam Toxicol* 58(5):769-775.
- Dallaire F, Dewailly E, Muckle G, et al. 2003. Time trends of persistent organic pollutants and heavy metals in umbilical cord blood of Inuit infants born in Nunavik (Quebec, Canada) between 1994 and 2001. *Environ Health Perspect* 111(13):1660-1664.
- Dallaire R, Dewailly E, Ayotte P, et al. 2008. Effects of prenatal exposure to organochlorines on thyroid hormone status in newborns from two remote coastal regions in Quebec, Canada. *Environ Res* 108(3):387-392.
- Dallaire R, Dewailly E, Pereg D, et al. 2009a. Thyroid function and plasma concentrations of polyhalogenated compounds in Inuit adults. *Environ Health Perspect* 117(9):1380-1386.
- Dallaire R, Muckle G, Dewailly E, et al. 2009b. Thyroid hormone levels of pregnant Inuit women and their infants exposed to environmental contaminants. *Environ Health Perspect* 117(6):1014-1020.
- D'Amour M, Charbonneau M. 1992. Sex-related difference in hepatic glutathione conjugation of hexachlorobenzene in the rat. *Toxicol Appl Pharmacol* 112:229-234.
- Daniel V, Huber W, Bauer K, et al. 2001. Associations of blood levels of PCB, HCHs, and HCB with numbers of lymphocyte subpopulations, *in vitro* lymphocyte response, plasma cytokine levels, and immunoglobulin autoantibodies. *Environ Health Perspect* 109(2):173-178.
- Darvill T, Lonky E, Reihman J, et al. 2000. Prenatal exposure to PCBs and infant performance on the Fagan Test of Infant Intelligence. *Neurotoxicology* 21(6):1029-1038.
- da Silva Augusto LG, Lieber SR, Ruiz MA, et al. 1997. Micronucleus monitoring to assess human occupational exposure to organochlorides. *Environ Mol Mutagen* 29:46-52.

## 9. REFERENCES

- Davis BD, Morgan RC. 1986. Hexachlorobenzene in hazardous waste sites. *IARC Sci Publ* 77:23-30.
- de Andrea MM, Papini S, Nakagawa LE. 2001. Optimizing microwave-assisted solvent extraction (MASE) of pesticides from soil. *J Environ Sci Health B* 36(1):87-93.
- \*Debets FM, Hamers WJ, Strik JJ. 1980b. Metabolism as a prerequisite for the porphyrinogenic action of polyhalogenated aromatics, with special reference to hexachlorobenzene and polybrominated biphenyls (Firemaster BP-6). *Int J Biochem* 12:1019-1025.
- \*Debets F, Reinders J-H, Koss G, et al. 1981. Effects of dietary antioxidants on the biotransformation and porphyrinogenic action of hexachlorobenzene in two strains of rats. *Chem Biol Interact* 37:77-94.
- Debets FM, Strik JJ, Olie K. 1980a. Effects of pentachlorophenol on rat liver changes induced by hexachlorobenzene, with special reference to porphyria, and alterations in mixed function oxygenases. *Toxicology* 15:181-195.
- De Felip E, di Domenico A, Miniero R, et al. 2004. Polychlorobiphenyls and other organochlorine compounds in human follicular fluid. *Chemosphere* 54(10):1445-1449.
- Dellinger B, Taylor PH, Tirey DA. 1989. Pathways of formation of chlorinated PICs from the thermal degradation of simple chlorinated hydrocarbons. *J Hazard Mater* 22:175-186.
- De Matteis F, Prior BE, Rimington C. 1961. Nervous and biochemical disturbances following hexachlorobenzene intoxication. *Nature* 191:363-366.
- Den Besten C, Bennik MHJ, Bruggeman I, et al. 1993. The role of oxidative metabolism in hexachlorobenzene-induced porphyria and thyroid hormone homeostasis: A comparison with pentachlorobenzene in a 13-week feeding study. *Toxicol Appl Pharmacol* 119:181-194.
- Den Besten C, Bennik MHJ, van Iersel M, et al. 1994. Comparison of the urinary metabolite profiles of hexachlorobenzene and pentachlorobenzene in the rat. *Chem Biol Interact* 90:121-137.
- Denham M, Schell LM, Deane G, et al. 2005. Relationship of lead, mercury, mirex, dichlorodiphenyldichloroethylene, hexachlorobenzene, and polychlorinated biphenyls to timing of menarche among Akwesasne Mohawk girls. *Pediatrics* 115(2):e127-134.
- Den Hond E, Dhooge W, Bruckers L, et al. 2011. Internal exposure to pollutants and sexual maturation in Flemish adolescents. *J Expo Sci Environ Epidemiol* 21:224-233.
- Den Tonkelaar EM, Verschuuren HG, Bankovska J, et al. 1978. Hexachlorobenzene toxicity in pigs. *Toxicol Appl Pharmacol* 43:137-145.
- Devanathan G, Subramanian A, Someya M, et al. 2009. Persistent organochlorines in human breast milk from major metropolitan cities in India. *Environ Pollut* 157(1):148-154.
- DeVault DS. 1985. Contaminants in fish from Great Lakes Harbors and tributary mouths. *Arch Environ Contam Toxicol* 14:587-594.
- Dewailly E, Ayotte P, Bruneau S, et al. 1993. Inuit exposure to organochlorines through the aquatic food chain in arctic Quebec. *Environ Health Perspect* 101(7):618-620.

## 9. REFERENCES

- Dewailly E, Ayotte P, Bruneau S, et al. 2000. Susceptibility to infections and immune status in Inuit infants exposed to organochlorines. *Environ Health Perspect* 108(3):205-211.
- Dewailly E, Dodin S, Verreault R, et al. 1994. High organochlorine body burden in women with estrogen receptor-positive breast cancer. *J Natl Cancer Inst* 86(3):232-234.
- Dewailly E, Mulvad G, Pedersen HS, et al. 1999. Concentration of organochlorines in human brain, liver, and adipose tissue autopsy samples from Greenland. *Environ Health Perspect* 107(10):823-828.
- Djordjevic MV, Hoffmann D, Fan J, et al. 1994. Assessment of chlorinated pesticides and polychlorinated biphenyls in adipose breast tissue using a supercritical fluid extraction method. *Carcinogenesis* 15(11):2581-2585.
- Dmitrovic J, Chan SC, Chan SH. 2002. Analysis of pesticides and PCB congeners in serum by GC/MS with SPE sample cleanup. *Toxicol Lett* 134(1-3):253-258.
- DOE. 2012a. Table 3: PACs by CASRN (pdf). PAC Rev 27 Tables - PAC data and chemical properties presented in pdf and excel tables. Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 27 for Chemicals of Concern - March 2012. Oak Ridge, TN: U.S. Department of Energy. <http://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-27-chemicals-concern-march-2012>. March 4, 2015.
- DOE. 2012b. Protective action criteria (PAC): Chemicals with AEGLs, ERPGs, & TEELs. Definition of PACs (AEGLs, ERPGs or TEELs). Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: Rev. 27 for Chemicals of Concern - March 2012. Oak Ridge, TN: U.S. Department of Energy. <http://energy.gov/ehss/protective-action-criteria-pac-aegls-erpgs-teels-rev-27-chemicals-concern-march-2012>. March 24, 2015.
- Dogramaci I. 1964. Porphyrins and porphyrin metabolism with special reference to porphyria in childhood. *Adv Pediatr* 13:11-63.
- Domingo JL, Schuhmacher M, Agramunt MC, et al. 2001. Levels of metals and organic substances in blood and urine of workers at a new hazardous waste incinerator. *Int Arch Occup Environ Health* 74:263-269.
- Dorgan JF, Brock JW, Rothman N, et al. 1999. Serum organochlorine pesticides and PCBs and breast cancer risk: Results from a prospective analysis (USA). *Cancer Causes Control* 10:1-11.
- Dowdle E, Mustard P, Eales L. 1967.  $\delta$ -Aminolevulinic acid synthetase activity in normal and porphyric human livers. *S Afr Med J* 41:1093-1096.
- Dreisbach RH. 1983. Dermatitis due to contact with chemicals. In: *Handbook of poisoning*. Norwalk, Connecticut: Appleton & Lange, Lange Medical Publications, 88-89.
- Driscoll MS, Hassett JP, Fish CL, et al. 1991. Extraction efficiencies of organochlorine compounds from Niagara River (New York, USA) water. *Environ Sci Technol* 25(8):1432-1439.
- Drobacheff C, Derancourt C, Van Landuyt, et al. 1998. Porphyria cutanea tarda associated with human immunodeficiency virus infection. *Eur J Dermatol* 8(7):492-496.

## 9. REFERENCES

- Dubois M, Grosse Y, Thome JP, et al. 1997. Metabolic activation and DNA-adducts detection as biomarkers of chlorinated pesticide exposures. *Biomarkers* 2:17-24.
- Ecker S, Horak O. 1994. Pathways of HCB contamination to oil pumpkin seeds. *Chemosphere* 29(9-11):2135-2145.
- Egger NG, Goeger DE, Payne DA, et al. 2002. Porphyria cutanea tarda: Multiplicity of risk factors including HFE mutations, hepatitis C, and inherited uroporphyrinogen decarboxylase deficiency. *Dig Dis Sci* 47(2):419-426.
- Eggesbø M, Stigum H, Longnecker MP, et al. 2009. Levels of hexachlorobenzene (HCB) in breast milk in relation to birth weight in a Norwegian cohort. *Environ Res* 109(5):559-566.
- Eiceman GA, Clement RE, Karasek FW. 1981. Variations in concentrations of organic compounds including polychlorinated dibenzo-p-dioxins and polynuclear aromatic hydrocarbons in fly ash from a municipal incinerator. *Anal Chem* 53:955-959.
- Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Tech* 15(1):30-38.
- Ek CJ, Dziegielewska KM, Habgood MD, et al. 2012. Barriers in the developing brain and neurotoxicology. *Neurotoxicology* 33(3):586-604. 10.1016/j.neuro.2011.12.009.
- Elder GH, Urquhart AJ. 1986. Immunochemical studies of the uroporphyrinogen decarboxylase defect caused by hexachlorobenzene. In: Morris CR, Cabral JRP, eds. *Hexachlorobenzene: Proceedings of an International Symposium*. IARC Sci Publ 77:441-448.
- Elder GH, Evans JO, Matlin S. 1976. The effect of the porphyrinogenic compound, hexachlorobenzene on the activity of hepatic uroporphyrinogen decarboxylase in rat liver. *Clin Sci Mol Med* 51:71-80.
- Elder VA, Proctor BL, Hites RA. 1981. Organic compounds found near dump sites in Niagara Falls, New York. *Environ Sci Technol* 15:1237-1243.
- Elkin BT, Bethke RW. 1995. Environmental contaminants in caribou in the Northwest Territories, Canada. *Sci Total Environ* 160-161:307-321.
- Ellenhorn MJ, Barceloux DG. 1988. *Medical toxicology: Diagnosis and treatment of human poisoning*. New York, NY: Elsevier Press, 1078-1080.
- Elliott JE. 2005. Chlorinated hydrocarbon contaminants and stable isotope ratios in pelagic seabirds from the north Pacific Ocean. *Arch Environ Contam Toxicol* 49(1):89-96.
- Elliott JE, Martin PA. 1994. Chlorinated hydrocarbons and shell thinning in eggs of (*Accipiter*) hawks in Ontario, 1986-1989. *Environ Pollut* 86(2):189-200.
- Engst R, Macholz RM, Kujawa M. 1976. The metabolism of hexachlorobenzene (HCB) in rats. *Bull Environ Contam Toxicol* 16:248-252.
- Ennaceur S, Driss MR. 2013. Time course of organochlorine pesticides and polychlorinated biphenyls in breast-feeding mothers throughout the first 10 months of lactation in Tunisia. *Environ Monit Assess* 185(2):1977-1984.

## 9. REFERENCES

- Ennaceur S, Gandoura N, Driss MR. 2007. Organochlorine pesticide residues in human milk of mothers living in northern Tunisia. *Bull Environ Contam Toxicol* 78(5):325-329.
- Ennaceur S, Gandoura N, Driss MR. 2008. Distribution of polychlorinated biphenyls and organochlorine pesticides in human breast milk from various locations in Tunisia: Levels of contamination, influencing factors, and infant risk assessment. *Environ Res* 108(1):86-93.
- EPA. 1975a. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.
- EPA. 1975b. Survey of industrial process data. Task 1. Hexachlorobenzene and hexachlorobutadiene pollution from chlorocarbon processing. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. PB 243-641.
- EPA. 1976a. An ecological study of hexachlorobenzene (HCB). Washington, DC: U.S. Environmental Protection Agency. EPA560676009. PB252651.
- EPA. 1976b. Sampling and analysis of selected toxic substances. Task 1A- Hexachlorobenzene. Washington, DC: U.S. Environmental Protection Agency. EPA560676001.
- EPA. 1980a. Ambient water quality criteria for chlorinated benzenes. Washington, DC: U.S. Environmental Protection Agency, Office of Water, Regulations and Standards. EPA440580028.
- EPA. 1980b. Manual of analytical methods for the analysis of pesticide residues in humans and environmental samples: A compilation of methods selected for use in pesticide monitoring programs. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory, Environmental Toxicology Division. EPA600880038.
- EPA. 1981. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA440481014.
- EPA. 1984. Methods for organic chemical analysis of municipal and industrial wastewater. Base/neutral and acids (Method 625). Washington, DC: U.S. Environmental Protection Agency. PB83201798.
- EPA. 1985. Standards for the management of specific hazardous wastes and specific types of hazardous waste management facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266.
- EPA. 1986a. Method 8410: Capillary column analysis of semivolatile organic compounds by gas chromatography/Fourier transform infrared (GC/FT-IR) spectrometry. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- EPA. 1986b. Exposure assessment for hexachlorobenzene. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances. EPA560586019.
- EPA. 1986c. Broad scan analysis of the FY82 national human adipose tissue survey specimens: Volume I - Executive summary. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA560586035.



## 9. REFERENCES

- EPA. 1987. Measurement of hydrolysis rate constants for evaluation of hazardous waste land disposal. Vol 2. Washington, DC: U.S. Environmental Protection Agency. EPA-6005387019.
- EPA. 1988a. Drinking water criteria document for hexachlorobenzene. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment. ECAOCIN424.
- EPA. 1988b. Compendium of methods for the determination of toxic organic compounds in ambient air. Research Triangle Park, NC: U.S. Environmental Protection Agency, Quality Assurance Division, Environmental Monitoring Systems Laboratory. EPA600489017.
- EPA. 1988c. Method 508: Method for the determination of organic compounds in drinking water. Washington, DC: U.S. Environmental Protection Agency. EPA600488039.
- EPA. 1989a. Land disposal restrictions for second third scheduled wastes; proposed rule. Part II. Fed Regist. 54(7):1056-1119.
- EPA. 1989b. Method 505. Analysis of organohalide pesticides and commercial polychlorinated biphenyl (PCB) products in water by microextraction and gas chromatography. Cincinnati, OH: U.S. Environmental Protection Agency.  
[http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007\\_11\\_06\\_methods\\_method\\_505.pdf](http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_11_06_methods_method_505.pdf).  
October 12, 2012.
- EPA. 1990a. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A.
- EPA. 1990b. Nonoccupational pesticide exposure study (NOPES). Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600390003.
- EPA. 1991. Method 525.1. Determination of organic compounds in drinking water by liquid-solid extraction and capillary column gas chromatography/mass spectrometry. U.S. Environmental Protection Agency. [http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007\\_11\\_06\\_methods\\_method\\_525\\_1.pdf](http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_11_06_methods_method_525_1.pdf). October 12, 2012.
- EPA. 1992. National study of chemical residues in fish. Vol. 1. Washington, DC: U.S. Environmental Protection Agency, Office of Science and Technology. EPA823R92008a.
- EPA. 1993. Guidance for assessing chemical contaminant data for use in fish advisories. Vol. 1. Fish sampling and analysis. Washington DC: U.S. Environmental Protection Agency, Office of Water. EPA823R93002.
- EPA. 1994. Test methods for evaluating solid waste. Volume IB: Laboratory manual physical/chemical methods. Method 8270B. U.S. Environmental Protection Agency.
- EPA. 1995a. Guidance for assessing chemical contaminant data for use in fish advisories. Vol 1: Fish sampling and analysis. Second Edition. Washington, DC: U.S. Environmental Protection Agency, Office of Science and Technology. EPA823R95007.
- EPA. 1995b. Toxic chemical release inventory. Reporting form R and instructions. Washington DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. EPA745K95051.

## 9. REFERENCES

EPA. 1997a. Listing of fish and wildlife consumption advisories. Washington, DC: U.S. Environmental Protection Agency.

EPA. 1997b. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

EPA. 1999. Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33.

EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency, Office of Environmental Information. EPA260B05001.

EPA. 2009a. Pentachloronitrobenzene (PCNB); Notice of receipt of request to amend registrations to terminate uses of certain pesticide registrations. Fed Regist 74(59):14122-14125.

EPA. 2009b. National primary drinking water regulations. Washington, DC: Office of Ground Water and Drinking Water, U.S. Environmental Protection Agency. EPA816F090004.  
<http://water.epa.gov/drink/contaminants/upload/mcl-2.pdf>. March 4, 2015.

EPA. 2012a. Method 612-Chlorinated hydrocarbons. U.S. Environmental Protection Agency. Code of Federal Regulations Pt 136 App. A. <http://www.gpo.gov/fdsys/pkg/CFR-2012-title40-vol24/pdf/CFR-2012-title40-vol24-chapI.pdf>. October 12, 2012.

EPA. 2012b. 2012 Edition of the drinking water standards and health advisories. Washington, DC: Office of Water, U.S. Environmental Protection Agency. EPA822S12001.  
<http://water.epa.gov/action/advisories/drinking/upload/dwstandards2012.pdf>. March 4, 2015.

EPA. 2012c. National ambient air quality standards (NAAQS). Washington, DC: Office of Air and Radiation, U.S. Environmental Protection Agency. <http://www.epa.gov/air/criteria.html>. January 08, 2014.

EPA. 2013a. Title 42 - The public health and welfare. Chapter 85 - Air pollution prevention and control. Subchapter I - programs and activities. Part A - Air quality and emission limitations. Hazardous air pollutants. United States Code 42 USC 7412. <http://www.gpo.gov/fdsys/pkg/USCODE-2013-title42/pdf/USCODE-2013-title42-chap85-subchapI-partA-sec7412.pdf>. April 9, 2015.

EPA. 2013b. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 116.4. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol22/pdf/CFR-2014-title40-vol22-sec116-4.pdf>. March 4, 2015.

EPA. 2013c. National recommended water quality criteria. Washington, DC: Office of Water, Office of Science and Technology, U.S. Environmental Protection Agency.  
<http://water.epa.gov/scitech/swguidance/standards/criteria/current/index.cfm>. March 4, 2015.

EPA. 2013d. Determination of reportable quantities for hazardous substances. Subpart A - General provisions. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 117.3.

## 9. REFERENCES

- <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol22/pdf/CFR-2014-title40-vol22-sec117-3.pdf>.  
March 4, 2015.
- EPA. 2013e. Appendix VIII to Part 261-Hazardous constituents. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261, Appendix VIII. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol27/pdf/CFR-2013-title40-vol27-part261-appVIII.pdf>. September 10, 2014.
- EPA. 2013f. Appendix A to Part 355—The list of extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 355. <http://www.gpo.gov/fdsys/pkg/CFR-2013-title40-vol29/pdf/CFR-2013-title40-vol29-part355-appA.pdf>. September 10, 2014.
- EPA. 2014. Draft: Updated national recommended water quality criteria - human health. Washington, DC: Office of Water, Office of Science and Technology, U.S. Environmental Protection Agency. <http://water.epa.gov/scitech/swguidance/standards/criteria/current/hhdraft.cfm>. April 9, 2015.
- EPA. 2014a. Final AEGLs (162). Washington, DC: Office of Pollution Prevention and Toxics, U.S. Environmental Protection Agency. [http://www.epa.gov/oppt/aegl/pubs/compiled\\_aegls\\_update\\_03oct2014.pdf](http://www.epa.gov/oppt/aegl/pubs/compiled_aegls_update_03oct2014.pdf). March 4, 2015.
- EPA. 2014c. InertFinder. U.S. Environmental Protection Agency. <http://iaspub.epa.gov/apex/pesticides/f?p=101:1:>. March 31, 2015.
- EPA. 2014d. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.4. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol28/pdf/CFR-2014-title40-vol28-sec302-4.pdf>. March 4, 2015.
- EPA. 2014e. Chemicals and chemical categories to which this part applies. Subpart D - Specific toxic chemical listings. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 372.65. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol28/pdf/CFR-2014-title40-vol28-sec372-65.pdf>.  
March 4, 2015.
- EPA. 2014f. Chemical lists and reporting periods. Subpart B - Manufacturers reporting - preliminary assessment information. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 712.30. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol31/pdf/CFR-2014-title40-vol31-sec712-30.pdf>. April 9, 2015.
- EPA. 2014g. Substances and listed mixtures to which this subpart applies. Subpart B - Specific chemical listings. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 716.120. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title40-vol31/pdf/CFR-2014-title40-vol31-sec716-120.pdf>. April 9, 2015.
- Erdoğan O, Covaci A, Kurtul N, et al. 2004. Levels of organohalogenated persistent pollutants in human milk from Kahramanmaraş region, Turkey. *Environ Int* 30(5):659-666.
- Ertürk E, Lambrecht RW, Peters HA, et al. 1986. Oncogenicity of hexachlorobenzene. *IARC Sci Publ* 77:417-423.
- Ezendam J, Hassing I, Bleumink R, et al. 2004a. Hexachlorobenzene-induced immunopathology in Brown Norway rats is partly mediated by T cells. *Toxicol Sci* 78(1):88-95.

## 9. REFERENCES

- Ezendam J, Staedtler F, Pennings J, et al. 2004b. Toxicogenomics of subchronic hexachlorobenzene exposure in Brown Norway rats. *Environ Health Perspect* 112(7):782-791.
- Falck F, Ricci A, Wolff MS, et al. 1992. Pesticides and polychlorinated biphenyl residues in human breast lipids and their relation to breast cancer. *Arch Environ Health* 47(2):143-146.
- Farm Chemicals Handbook. 2001. Hexachlorobenzene. Vol. 87. Willoughby, OH: Meister Publishing Company, C218.
- Farmer WT, Yank M, Letey J, et al. 1976. Land disposal of organic hazardous waste containing HCB. In: National conference of residues on land proceedings. St. Louis, MO: Environmental Protection Agency, 83-86.
- Farrar NJ, Prevedouros K, Harner T, et al. 2006. Continental scale passive air sampling of persistent organic pollutants using rapidly equilibrating thin films (POGs). *Environ Pollut* 144(2):423-433.
- Fathepure BZ, Tiedje JM, Boyd SA. 1988. Reductive dechlorination of hexachlorobenzene to tri- and dichlorobenzenes in anaerobic sewage sludge. *Appl Environ Microbiol* 54:327-330.
- FDA. 1989. Food and Drug Administration pesticide program - residues in foods 1988. *J AOAC Int* 72(5):133A-152A.
- FDA. 1990. Food and Drug Administration pesticide program - residues in foods 1989. *J Assoc Off Anal Chem* 73:127A-146A.
- FDA. 1991. Food and Drug Administration pesticide program - residues in foods 1990. *J Assoc Off Anal Chem* 74(5):121A-140A.
- FDA. 1992. Food and Drug Administration pesticide program - residues in foods 1991. *J Assoc Off Anal Chem* 75:135A-157A.
- FDA. 1994. Food and Drug Administration pesticide program - residue monitoring. Residues in food-1993. *J AOAC Int* 77(5):161A-185A.
- FDA. 1995. Residue monitoring, 1994 (8th annual FDA pesticide residue monitoring program report). *J AOAC Int* 78(5):119A-142A.
- FDA. 2006a. US Food and Drug Administration - Total diet study. Market baskets 1991-3 through 2003-4. College Park, Maryland: U.S. Food and Drug Administration, Center for Food Safety and Applied Nutrition, Office of Food Safety.  
<http://www.fda.gov/downloads/Food/FoodSafety/FoodContaminantsAdulteration/TotalDietStudy/UCM184304.pdf>. June 12, 2012.
- FDA. 2006b. U.S. Food and Drug Administration - Total diet study. Market baskets 2004-1 through 2005-4. College Park, MD: U.S. Food and Drug Administration/Center for Food Safety and Applied Nutrition, Office of Food Safety.  
<http://www.fda.gov/downloads/Food/FoodSafety/FoodContaminantsAdulteration/TotalDietStudy/UCM291686.pdf>. June 12, 2012.

## 9. REFERENCES

- FDA. 2013. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. <http://www.accessdata.fda.gov/scripts/fcn/fcnavigation.cfm?rpt=eafuslisting>. January 08, 2014.
- Feldman ES, Bacon BR. 1989. Hepatic mitochondrial oxidative metabolism and lipid peroxidation in experimental hexachlorobenzene-induced porphyria with dietary carbonyl iron overload. *Hepatology* 9:686-692.
- Fenster L, Eskenazi B, Anderson M, et al. 2006. Association of *in utero* organochlorine pesticide exposure and fetal growth and length of gestation in an agricultural population. *Environ Health Perspect* 114(4):597-602.
- Ferguson KK, Hauser R, Altshul L, et al. 2012. Serum concentrations of p, p'-DDE, HCB, PCBs and reproductive hormones among men of reproductive age. *Reprod Toxicol* 34(3):429-435.
- Fernandez-Tome M, Billi de Catabbi SC, Aldonatti C, et al. 2000. Heme metabolism and lipid peroxidation in rat kidney hexachlorobenzene-induced porphyria: A compartmentalized study of biochemical pathogenic mechanisms. *Kidney Blood Press Res* 23:20-26.
- Fitzgerald EF, Hwang S, Deres DA, et al. 2001. The association between local fish consumption and DDE, mirex, and HCB concentrations in the breast milk of Mohawk women at Akwesasne. *J Expo Anal Environ Epidemiol* 11:381-388.
- Flores-Ramirez R, Ortiz-Perez MD, Batres-Esquivel L, et al. 2014. Rapid analysis of persistent organic pollutants by solid phase microextraction in serum samples. *Talanta* 123:169-178.
- Foley RE. 1992. Organochlorine residues in New York waterfowl harvested by hunters in 1983-1984. *Environ Monit Assess* 21:37-48.
- Fomon SJ. 1966. Body composition of the infant: Part I: The male reference infant. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35(Suppl 5):1169-1175.
- Forns J, Lertxundi N, Aranbarri A, et al. 2012. Prenatal exposure to organochlorine compounds and neuropsychological development up to two years of life. *Environ Int* 45:72-77.
- Foster WG, McMahon A, Villeneuve DC, et al. 1992a. Hexachlorobenzene (HCB) suppresses circulating progesterone concentrations during the luteal phase in the cynomolgus monkey. *J Appl Toxicol* 12:13-17.
- Foster WG, McMahon A, Youngai EV, et al. 1995a. Alterations in circulating ovarian steroids in hexachlorobenzene-exposed monkeys. *Reprod Toxicol* 9(6):541-548.
- Foster WG, Mertineit C, Yagminas AL, et al. 1995b. The effects of hexachlorobenzene on circulating levels of adrenal steroids in the ovariectomized rat. *J Biochem Toxicol* 10(3):129-135.
- Foster WG, Pentick JA, McMahon A, et al. 1992b. Ovarian toxicity of hexachlorobenzene (HCB) in the superovulated female rat. *J Biochem Toxicol* 7:1-4.

## 9. REFERENCES

- Foster WG, Pentick JA, McMahon A, et al. 1993. Body distribution and endocrine toxicity of hexachlorobenzene (HCB) in the female rat. *J Appl Toxicol* 13:79-83.
- Fracanzani AL, Taioli E, Sampietro M, et al. 2001. Liver cancer risk is increased in patients with porphyria cutanea tarda in comparison to matched control patients with chronic liver disease. *J Hepatol* 35:498-503.
- Frank R, Rasper J, Smout MS, et al. 1988. Organochlorine residues in adipose tissues, blood and milk from Ontario residents, 1976-1985. *Can J Public Health* 79:150-158.
- Freeman RA, Rozman KK, Wilson AG. 1989. Physiological pharmacokinetic model of hexachlorobenzene in the rat. *Health Phys* 57(Supp 1):139-147.
- Freire C, Koifman RJ, Sarcinelli P, et al. 2012. Long term exposure to organochlorine pesticides and thyroid function in children from Cidade dos Améninos, Rio de Janeiro, Brazil. *Environ Res* 117:68-74.
- Freire C, Koifman RJ, Sarcinelli PN, et al. 2013. Long-term exposure to organochlorine pesticides and thyroid status in adults in a heavily contaminated area in Brazil. *Environ Res* 127:7-15.
- Freire C, Koifman RJ, Sarcinelli PN, et al. 2014. Association between serum levels of organochlorine pesticides and sex hormones in adults living in a heavily contaminated area in Brazil. *Int J Hyg Environ Health* 217(2-3):370-378.
- Freire C, Lopez-Espinosa MJ, Fernandez M, et al. 2011. Prenatal exposure to organochlorine pesticides and TSH status in newborns from southern Spain. *Sci Total Environ* 409(18):3281-3287.
- Fujii Y, Ito Y, Harada KH, et al. 2012. Comparative survey of levels of chlorinated cyclodiene pesticides in breast milk from some cities of China, Korea and Japan. *Chemosphere* 89(4):452-457.
- Gallo MV, Schell LM, DeCaprio AP, et al. 2011. Levels of persistent organic pollutants and their predictors among young adults. *Chemosphere* 83(10):1374-1382.
- García MA, Peña D, Alvarez L, et al. 2010. Hexachlorobenzene induces cell proliferation and IGF-1 signaling pathway in an estrogen receptor alpha-dependent manner in MCF-7 breast cancer cell line. *Toxicol Lett* 192(2):195-205.
- Garrison AW, Pellizzari ED. 1987. Application of the master analytical scheme to polar organic compounds in drinking water. In: Suffet IH, Malaiyandi M, eds. *Organic pollutants in water: Sampling, analysis, and toxicity testing*. Advances in Chemistry Series No. 214. American Chemical Society, 83-95.
- Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986. Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1980 -March 1982. *J Assoc Off Anal Chem* 69:123-145.
- Gascon M, Sunyer J, Martinez D, et al. 2014. Persistent organic pollutants and children's respiratory health: The role of cytokines and inflammatory biomarkers. *Environ Int* 69:133-140.
- Gasull M, Pumarega J, Tellez-Plaza M, et al. 2012. Blood concentrations of persistent organic pollutants and prediabetes and diabetes in the general population of Catalonia. *Environ Sci Technol* 46(14):7799-7810.

## 9. REFERENCES

- Gauthier JM, Metcalfe CD, Sears R. 1997. Chlorinated organic contaminants in blubber biopsies from northwestern Atlantic balaenopterid whales summering in the Gulf of St Lawrence. *Mar Environ Res* 44(2):201-223.
- Gebauer MB, Weseloh DV. 1993. Accumulation of organic contaminants in sentinel mallards utilizing confined disposal facilities at Hamilton Harbour, Lake Ontario, Canada. *Arch Environ Contam Toxicol* 25(2):234-243.
- Gerhard I, Daniel V, Link S, et al. 1998. Chlorinated hydrocarbons in women with repeated miscarriages. *Environ Health Perspect* 106:675-681.
- Gerstenberger SL, Gallinat MP, Dellinger JA. 1997. Polychlorinated biphenyl congeners and selected organochlorines in Lake Superior fish, USA. *Environ Toxicol Chem* 16(11):2222-2228.
- Giordano F, Abballe A, De Felip E, et al. 2010. Maternal exposures to endocrine disrupting chemicals and hypospadias in offspring. *Birth Defects Res A Clin Mol Teratol* 88(4):241-250.
- Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- Gladen BC, Monaghan SC, Lukyanova EM, et al. 1999. Organochlorines in breast milk from two cities in Ukraine. *Environ Health Perspect* 107(6):459-462.
- Gladen BC, Shkiryak-Nyzhnyk ZA, Chyslovska N, et al. 2003. Persistent organochlorine compounds and birth weight. *Ann Epidemiol* 13(3):151-157.
- Glynn AW, Granath F, Aune M, et al. 2003. Organochlorines in Swedish women: Determinants of serum concentrations. *Environ Health Perspect* 111(3):349-355.
- Glynn AW, Wolk A, Aune M, et al. 2000. Serum concentrations of organochlorines in men: A search for markers of exposure. *Sci Total Environ* 263:197-208.
- Gocmen A, Peters HA, Cripps DJ, et al. 1989. Hexachlorobenzene episode in Turkey. *Biomed Environ Sci* 2:36-43.
- Goerz G, Bolsen K, Kalofoutis A, et al. 1994. Influence of oral isotretinoin on hepatic and cutaneous P-450-dependent isozyme activities. *Arch Dermatol Res* 286:104-106.
- \*Goerz G, Bolsen K, Seuwen P, et al. 1986. Effects of chloroquine and hydroxychloroquine on the hexachlorobenzene-induced porphyria in rats. *IARC Sci Publ* 77:513-515.
- Goerz G, Vizethum W, Bolsen K, et al. 1978. [Hexachlorobenzene (HCB) induced porphyria in rats. Influence of Hexachlorobenzene-metabolites on the biosynthesis of heme]. *Arch Dermatol Res* 263:189-196. (German)
- Goldey ES, Taylor DH. 1992. Developmental neurotoxicity following prenatally maternal exposure to hexachlorobenzene in rats. *Neurotoxicol Teratol* 14:15-21.
- Goldey ES, Fisher JW, Taylor DH. 1990. Maternal transfer of hexachlorobenzene in the rat. Poster abstract-Methods in behavioral toxicology and teratology 12:562-563.

## 9. REFERENCES

- Goldstein JA, Freisen M, Linder RE, et al. 1977. Effects of pentachlorophenol on hepatic drug metabolism enzymes and porphyria related to contamination with chlorinated dibenzo-p-dioxins and dibenzofurans. *Biochem Pharmacol* 26:1549-1557.
- Goldstein JA, Freisen M, Scotti TM, et al. 1978. Assessment of the contribution of chlorinated dibenzo-p-dioxins and dibenzofurans to hexachlorobenzene-induced toxicity, porphyria, changes in mixed function oxidases and histopathological changes. *Toxicol Appl Pharmacol* 46:633-649.
- Goldstein JA, Linko P, Hahn ME, et al. 1986. Structure-activity relationships of chlorinated benzenes as inducers of hepatic cytochrome P-450 isozymes in the rat. *IARC Sci Publ* 77:519-526.
- Goncharov A, Rej R, Negoita S, et al. 2009. Lower serum testosterone associated with elevated polychlorinated biphenyl concentrations in Native American men. *Environ Health Perspect* 117(9):1454-1460.
- Gopaldaswamy UV, Aiyar AS. 1986. Biotransformation and toxicity of lindane and its metabolite hexachlorobenzene in mammals. *IARC Sci Publ* 77:267-276.
- Gopaldaswamy UV, Nair CKK. 1992. DNA binding and mutagenicity of lindane and its metabolites. *Bull Environ Contam Toxicol* 49:300-305.
- Gralla EJ, Fleischman RW, Luthra YK, et al. 1977. Toxic effects of hexachlorobenzene after daily administration to beagle dogs for one year. *Toxicol Appl Pharmacol* 40:227-239.
- Grant DL, Phillips WE, Hatina GV. 1977. Effect of hexachlorobenzene on reproduction in the rat. *Arch Environ Contam Toxicol* 5:207-216.
- \*Green JA, Francis JE, Wolf CR, et al. 1989. Sexual dimorphism of cytochrome P-450 induction by hexachlorobenzene in rats. *Biochem Soc Trans* 17:1016-1017.
- Greizerstein HB, Stinson C, Mendola P, et al. 1999. Comparison of PCB congeners and pesticide levels between serum and milk from lactating women. *Environ Res* A80:280-286.
- Grimalt JO, Sunyer J, Moreno V, et al. 1994. Risk excess of soft-tissue sarcoma and thyroid cancer in a community exposed to airborne organochlorinated compound mixtures with a high hexachlorobenzene content. *Int J Cancer* 56:200-203.
- Grinstein M. 1977. Simplified method for the determination of porphyrins in body fluids. *Anal Biochem* 77:577-580.
- Guerranti C, Palmieri M, Mariottini M, et al. 2011. Persistent organic pollutants in human milk from central Italy: Levels and time trends. *ISRN Toxicology* 2011:107514.
- Guerzoni ME, Del Cupolo L, Ponti I. 1976. Mutagenic activity of pesticides. *Riv Sci Tecnol Alimenti Nutr Um* 6:161-165.
- Gullett BK, Touati A, Hays MD. 2003. PCDD/F, PCB, HxCBz, PAH, and PM emission factors for fireplace and woodstove combustion in the San Francisco Bay region. *Environ Sci Technol* 37(9):1758-1765.



## 9. REFERENCES

- Gunderson EL. 1988. FDA total diet study, April 1982-April 1984. Dietary intakes of pesticides, selected elements, and other chemicals. *J Assoc Off Anal Chem* 71(6):1200-1209.
- Guo H, Jin Y, Cheng Y, et al. 2014. Prenatal exposure to organochlorine pesticides and infant birth weight in China. *Chemosphere* 110:1-7.
- Gustafson DL, Long ME, Thomas RS, et al. 2000. Comparative hepatocarcinogenicity of hexachlorobenzene, pentachlorobenzene, 1,2,4,5-Tetrachlorobenzene, and 1,4-Dichlorobenzene: Application of a medium-term liver focus bioassay and molecular and cellular indices. *Toxicol Sci* 53:245-252.
- Guttes S, Failing K, Neumann K, et al. 1998. Chlororganic pesticides and polychlorinated biphenyls in breast tissue of women with benign and malignant breast disease. *Arch Environ Contam Toxicol* 35:140-147.
- Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- Haddad LM, Winchester JF, eds. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Co., 1084-1085.
- Hadjab S, Maurel D, Cazals Y, et al. 2004. Hexachlorobenzene, a dioxin-like compound, disrupts auditory function in rat. *Hear Res* 191(1-2):125-134.
- Hageman KJ, Simonich SL, Campbell DH, et al. 2006. Atmospheric deposition of current-use and historic-use pesticides in snow at national parks in the western United States. *Environ Sci Technol* 40(10):3174-3180.
- Hagmar L, Bjork J, Sjodin A, et al. 2001. Plasma levels of persistent organohalogenes and hormone levels in adult male humans. *Arch Environ Health* 56(2):138-143.
- Hagmar L, Wallin E, Vessby B, et al. 2006. Intra-individual variations and time trends 1991-2001 in human serum levels of PCB, DDE and hexachlorobenzene. *Chemosphere* 64(9):1507-1513.
- Hahn ME, Gasiewicz TA, Linko P, et al. 1988. The role of the Ah locus in hexachlorobenzene-induced porphyria: Studies in congenic C57BL/6J mice. *Biochem J* 254:245-254.
- Hahn ME, Goldstein JA, Linko P, et al. 1989. Interaction of hexachlorobenzene with the receptor for 2,3,7,8-tetrachlorodibenzo-p-dioxin *in vitro* and *in vivo*. *Arch Biochem Biophys* 270:344-355.
- Hansch C, Leo A, Hoekman D. 1995. Exploring QSAR: Hydrophobic, electronic, and steric constants. Washington, DC: American Chemical Society, 15.
- Hansen LG, Simon J, Dorn SB, et al. 1979. Hexachlorobenzene distribution in tissues of swine. *Toxicol Appl Pharmacol* 51:1-7.
- Hansen S, Strom M, Olsen SF, et al. 2014. Maternal concentrations of persistent organochlorine pollutants and the risk of asthma in offspring: Results from a prospective cohort with 20 years of follow-up. *Environ Health Perspect* 122(1):93-99.

## 9. REFERENCES

- \*Hanstein WG, Heitmann TD, Sandy A, et al. 1981. Effects of hexachlorobenzene and iron loading on rat liver mitochondria. *Biochim Biophys Acta* 678:293-299.
- Haraguchi K, Koizumi A, Inoue K, et al. 2009. Levels and regional trends of persistent organochlorines and polybrominated diphenyl ethers in Asian breast milk demonstrate POPs signatures unique to individual countries. *Environ Int* 35(7):1072-1079.
- Hardell L, Andersson SO, Carlberg M, et al. 2006a. Adipose tissue concentrations of persistent organic pollutants and the risk of prostate cancer. *J Occup Environ Med* 48(7):700-707.
- Hardell L, Van Bavel B, Lindstrom G, et al. 1997. Increased age-related concentrations of polychlorinated biphenyls in four male patients with Ewing's sarcoma. *Int J Environ Health Res* 7:307-313.
- Hardell L, van Bavel B, Lindstrom G, et al. 2003. Increased concentrations of polychlorinated biphenyls, hexachlorobenzene, and chlordanes in mothers of men with testicular cancer. *Environ Health Perspect* 111(7):930-934.
- Hardell L, van Bavel B, Lindstrom G, et al. 2006b. *In utero* exposure to persistent organic pollutants in relation to testicular cancer risk. *Int J Androl* 29(1):228-234.
- Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen (suppl 1)*:3-142.
- Haynes WM, Lide DR. 2010. *CRC Handbook of chemistry and physics*. 91st ed. Boca Raton, FL: CRC Press, 3-276-3-277.
- HazDat. 2007. Hexachlorobenzene. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- \*Headley DB, Lambrecht RW, Erturk E, et al. 1981. Neuropathology and tissue levels of hexachlorobenzene (HCB) fed to rats, mice and hamsters. *Proceedings Fed Am Soc Exp Bio* 40(3P1):699. (Abstract)
- Hebert CE, Weseloh DV, Kot L, et al. 1994. Organochlorine contaminants in a terrestrial foodweb on the Niagara Peninsula, Ontario Canada 1987-1989. *Arch Environ Contam Toxicol* 26:356-366.
- Herrero C, Ozalla D, Sala M, et al. 1999. Urinary porphyrin excretion in a human population highly exposed to hexachlorobenzene. *Arch Dermatol* 135:400-404.
- Heyer NJ, Echeverria D, Woods JS. 2012. Disordered porphyrin metabolism: A potential biological marker for autism risk assessment. *Autism Res* 5:84-92.
- Hinck JE, Blazer VS, Denslow ND, et al. 2008. Chemical contaminants, health indicators, and reproductive biomarker responses in fish from rivers in the southeastern United States. *Sci Total Environ* 390(2-3):538-557.
- Hippelein M, Kaupp H, Doerr G, et al. 1993. Testing of a sampling system and analytical method for determination of semivolatile organic compounds in ambient air. *Chemosphere* 26(12):2255-2263.

## 9. REFERENCES

- Hirsch M, Hutzinger O. 1989. Naturally occurring proteins from pond water sensitize hexachlorobenzene photolysis. *Environ Sci Technol* 23(10):1306-1307.
- Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- Hoff RM, Muir DCG, Grift NP. 1992. Annual cycle of polychlorinated biphenyls and organohalogen pesticides in air in Ontario. 2. Atmospheric transport and sources. *Environ Sci Technol* 26:276-283.
- Hoff RM, Strachan MJ, Sweet CW, et al. 1996. Atmospheric deposition of toxic chemicals to the Great Lakes: A review of data through 1994. *Atmos Environ* 30(20):3505-3527.
- Hoppin JA, Tolbert PE, Holly EA, et al. 2000. Pancreatic cancer and serum organochlorine levels. *Cancer Epidemiol Biomarkers Prev* 9:199-205.
- Hosie S, Loff S, Witt K, et al. 2000. Is there a correlation between organochlorine compounds and undescended testes? *Eur J Pediatr Surg* 10:304-309.
- Hou H, Zhao L, Zhang J, et al. 2013. Organochlorine pesticides and polychlorinated biphenyls in soils surrounding the Tanggu chemical industrial district of Tianjin, China. *Environ Sci Pollut Res Int* 20(5):3366-3380.
- Houde M, Muir DC, Kidd KA, et al. 2008. Influence of lake characteristics on the biomagnification of persistent organic pollutants in lake trout food webs. *Environ Toxicol Chem* 27(10):2169-2178.
- Howard PH, ed. 1990. Handbook of environmental fate and exposure data for organic chemicals. Chelsea, MI: Lewis Publishers Vol I: 351-359.
- Howard PH, Boethling RS, Jarvis WF, et al., eds. 1991. Handbook of environmental degradation rates. Chelsea, MI: Lewis Publishers, 452-453.
- Howsam M, Grimalt JO, Guino E, et al. 2004. Organochlorine exposure and colorectal cancer risk. *Environ Health Perspect* 112(15):1460-1466.
- Høyer AP, Jorgensen T, Rank F, et al. 2001. Organochlorine exposures influence on breast cancer risk and survival according to estrogen receptor status: A Danish cohort-nested case-control study. *BMC Cancer* 1:8.
- HSDB. 2012. Hexachlorobenzene. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. May 14, 2012.
- Huang X, Wang S, Fan X. 1989. The effect of hexachlorobenzene and DDT on reproductive outcomes of rural women. *Environ Mol Mutagen* 14(Suppl. 15):92.
- Huang Y, Li J, Xu Y, et al. 2014. Polychlorinated biphenyls (PCBs) and hexachlorobenzene (HCB) in the equatorial Indian Ocean: Temporal trend, continental outflow and air-water exchange. *Mar Pollut Bull* 80(1-2):194-199.
- IARC. 1979. International Agency for Research on Cancer (IARC) monograph on the evaluation of the carcinogenic risk of chemicals to humans: Some halogenated hydrocarbons. Vol. 20. International Agency for Research on Cancer, World Health Organization, Lyon, France, 155-178.

## 9. REFERENCES

- IARC. 2015. Agents classified by the IARC monographs. Volumes 1-112. Lyon, France: International Agency for Research on Cancer.  
<http://monographs.iarc.fr/ENG/Classification/ClassificationsCASOrder.pdf>. March 31, 2015.
- Iatropoulos MJ, Bailey J, Adams HP, et al. 1978. Response of nursing infant Rhesus to clophen A-30 or hexachlorobenzene given to their lactating mothers. *Environ Res* 16:38-47.
- Iatropoulos MJ, Hobson W, Knauf V, et al. 1976. Morphological effects of hexachlorobenzene toxicity in female Rhesus monkeys. *Toxicol Appl Pharmacol* 37:433-444.
- Iatropoulos MJ, Milling A, Muller WF, et al. 1975. Absorption, transport and organotropism of dichlorobiphenyl (DCB), dieldrin, and hexachlorobenzene (HCB) in rats. *Environ Res* 10:384-389.
- Ingebrigtsen K. 1986. Comparative studies on the distribution and excretion of <sup>14</sup>C-hexachlorobenzene by whole-body autoradiography. *IARC Sci Publ* 77:277-285.
- Ingebrigtsen K, Nafstad I. 1983. Distribution and elimination of <sup>14</sup>C-hexachlorobenzene after single oral exposure in the male rat. *Acta Pharmacol Toxicol* 52:254-260.
- Ingebrigtsen K, Skaare JU, Nafstad I, et al. 1981. Studies on the biliary excretion and metabolites of hexachlorobenzene in the rat. *Xenobiotica* 11:795-800.
- Ingebrigtsen K, Skaare JU, Nafstad I, et al. 1986. Metabolism of hexachlorobenzene (HCB) in the isolated perfused rat liver. *Gen Pharmacol* 17:19-24.
- IRIS. 2003. Hexachlorobenzene. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/iris/>. April 10, 2015.
- Isensee AR, Holden ER, Woolson EA, et al. 1976. Soil persistence and aquatic bioaccumulation potential of hexachlorobenzene (HCB). *J Agric Food Chem* 24:1210-1214.
- \*Ito N, Tsuda H, Hasegawa R, et al. 1983. Comparison of the promoting effects of various agents in induction of preneoplastic lesions in rat liver. *Environ Health Perspect* 50:131-138.
- Itoh H, Iwasaki M, Hanaoka T, et al. 2009. Serum organochlorines and breast cancer risk in Japanese women: A case-control study. *Cancer Causes Control* 20(5):567-580.
- \*Ivanov E, Savov G, Adjarov D. 1986. Changes in some intestinal enzyme activities in experimental hexachlorobenzene-induced porphyria and modifying effects of diet. *IARC Sci Publ* 77:611-618.
- Iwasaki M, Inoue M, Sasazuki S, et al. 2008. Plasma organochlorine levels and subsequent risk of breast cancer among Japanese women: A nested case-control study. *Sci Total Environ* 402(2-3):176-183.
- Jackson MA, Stack HF, Waters MD. 1993. The genetic toxicology of putative nongenotoxic carcinogens. *Mutat Res* 296:241-277.
- Jandacek RJ, Anderson N, Liu M, et al. 2005. Effects of yo-yo diet, caloric restriction, and olestra on tissue distribution of hexachlorobenzene. *Am J Physiol Gastrointest Liver Physiol* 288(2):G292-G299.

## 9. REFERENCES

- Jansson B, Bergman A. 1978. Sulfur-containing derivatives of hexachlorobenzene (HCB) -metabolites in the rat. *Chemosphere* 7(3):257-268.
- Jantunen M, Jaakkola JJK, Kryzanowski M, eds. 1997. Pesticides. In: Assessment of exposure to indoor air pollutants. World Health Organization Regional Publications. European Series 78:96-98.
- Jarman WM, Burns SA, Bacon CE, et al. 1996. High levels of HCB and DDE associated with reproductive failure in prairie falcons (*Falco mexicanus*) from California. *Bull Environ Contam Toxicol* 57:8-15.
- Jarrell JF, Gocmen A, Akyol D, et al. 2002. Hexachlorobenzene exposure and the proportion of male births in Turkey 1935-1990. *Reprod Toxicol* 16(1):65-70.
- Jarrell J, Gocmen A, Foster W, et al. 1998. Evaluation of reproductive outcomes in women inadvertently exposed to hexachlorobenzene in Southeastern Turkey in the 1950s. *Reprod Toxicol* 12(4):469-476.
- Jarrell JF, McMahon A, Villeneuve D, et al. 1993. Hexachlorobenzene toxicity in the monkey primordial germ cell without induced porphyria. *Reprod Toxicol* 7:41-47.
- Johansen HR, Becher G, Polder A, et al. 1994. Congener-specific determination of polychlorinated biphenyls and organochlorine pesticides in human milk from Norwegian mothers living in Oslo. *J Toxicol Environ Health* 42:157-171.
- Johnson-Restrepo B, Addink R, Wong C, et al. 2007. Polybrominated diphenyl ethers and organochlorine pesticides in human breast milk from Massachusetts, USA. *J Environ Monit* 9(11):1205-1212.
- Julvez J, Debes F, Weihe P, et al. 2011. Thyroid dysfunction as a mediator of organochlorine neurotoxicity in preschool children and supplemental information. *Environ Health Perspect* 119(10):1429-1435.
- Kamarianos A, Karamanlis X, Goulas P, et al. 2003. The presence of environmental pollutants in the follicular fluid of farm animals (cattle, sheep, goats, and pigs). *Reprod Toxicol* 17(2):185-190.
- Kan-DO Office and Pesticide Teams. 1995. Accumulated pesticide and industrial chemical findings from a ten-year study of ready to eat foods. *J AOAC Int* 78(3):614-630.
- Karlsson H, Muir DCG, Teixeira CF, et al. 2000. Persistent chlorinated pesticides in air, water, and precipitation from the Lake Malawi area, Southern Africa. *Environ Sci Technol* 34(6):4490-4495.
- Karlsson N, Fangmark I, Haggqvist I, et al. 1991. Mutagenicity testing of condensates of smoke from titanium dioxide/hexachloroethane and zinc/hexachloroethane pyrotechnic mixtures. *Mutat Res* 260:39-46.
- Karmaus W, DeKoning EP, Kruse H, et al. 2001. Early childhood determinants of organochlorine concentrations in school-aged children. *Pediatr Res* 50(3):331-336.
- Kearns GL, Abdel-Rahman SM, Alander SW, et al. 2003. Developmental pharmacology-drug disposition, action, and therapy in infants and children. *N Engl J Med* 349(12):1157-1167.

## 9. REFERENCES

- Keczkes K, Barker DJ. 1976. Malignant hepatoma associated with acquired hepatic cutaneous porphyria. *Arch Dermatol* 112:125-129.
- Kelly TJ, Czuczwa JM, Sticksel PR, et al. 1991. Atmospheric and tributary inputs of toxic substances to Lake Erie. *J Great Lakes Res* 17(4):504-516.
- Kenaga EE, Goring GAI. 1978. Relationship between water solubility, soil sorption, octanol-water partitioning and concentration of chemicals in biota. In: *Aquatic toxicology*, 79-115.
- Kennedy SW, Wigfield DC. 1990. Dose-response relationships in hexachlorobenzene-induced porphyria. *Biochem Pharmacol* 40:1381-1388.
- Khan F, Dhan P, Jain RK. 2011. Development of an HPLC method for determination of pentachloronitrobenzene, hexachlorobenzene and their possible metabolites. *BMC Chem Biol* 11(1):2.
- \*Khanna RN, Smith AG. 1986. Distribution, excretion and *in-vivo* metabolism of <sup>14</sup>C-hexachlorobenzene and the influence of iron overload in C57BL/10 mice. *IARC Sci Publ* 77:319-321.
- Khera KS. 1974. Teratogenicity and dominant lethal studies on hexachlorobenzene in rats. *Food Cosmet Toxicol* 12:471-477.
- Kim D, Kim M, Jang J, et al. 2013. Monitoring of environmental contaminants in raw bovine milk and estimates of dietary intakes of children in South Korea. *Chemosphere* 93:561-566.
- Kimbrough RD, Linder RE. 1974. The toxicity of technical hexachlorobenzene in the Sherman strain rat: A preliminary study. *Res Comm Chem Pathol Pharmacol* 8:653-664.
- Kimbrough RD, Linder RE. 1978. The effect of technical and purified pentachlorophenol on the rat liver. *Toxicol Appl Pharmacol* 46:151-162.
- Kishima MO, Barbisan LF, Estevao D, et al. 2000. Promotion of hepatocarcinogenesis by hexachlorobenzene in energy-restricted rats. *Cancer Lett* 152:37-44.
- Kitchin KT, Brown JL. 1989. Biochemical studies of promoters of carcinogenesis in rat liver. *Teratog Carcinog Mutagen* 9:273-285.
- Kitchin KT, Linder RE, Scotti TM, et al. 1982. Offspring mortality and maternal lung pathology in female rats fed hexachlorobenzene. *Toxicology* 23:33-39.
- Klaassen CD, Amdur MO, Doull J, eds. 1995. Biotransformation of xenobiotics. In: *Casarett and Doull's Toxicology: The Basic Science of Poisons*. 5th Edition. New York, NY: McGraw Hill, 139-163.
- Kleiman de Pisarev DL, Rios de Molina MC, San Martin de Viale LC. 1990. Thyroid function and thyroxine metabolism in hexachlorobenzene-induced porphyria. *Biochem Pharmacol* 39:817-825.
- Kleiman de Pisarev DL, Sancovich HA, Ferramola de Sancovich AM. 1989. Enhanced thyroxine metabolism in hexachlorobenzene-intoxicated rats. *J Endocrinol Invest* 12:767-772.
- Kleiman de Pisarev DL, Sancovich HA, Ferramola de Sancovich AM. 1995. Hepatic indices of thyroid status in rats treated with hexachlorobenzene. *J Endocrinol Invest* 18:271-276.

## 9. REFERENCES

- Klinčić D, Romanic SH, Saric MM, et al. 2014. Polychlorinated biphenyls and organochlorine pesticides in human milk samples from two regions in Croatia. *Environ Toxicol Pharmacol* 37(2):543-552.
- Knauf V, Hobson W. 1979. Hexachlorobenzene ingestion by female Rhesus monkeys: Tissue distribution and clinical symptomatology. *Bull Environ Contam Toxicol* 21:243-248.
- Koblizkova M, Genualdi S, Lee SC, et al. 2012. Application of sorbent impregnated polyurethane foam (SIP) disk passive air samplers for investigating organochlorine pesticides and polybrominated diphenyl ethers at the global scale. *Environ Sci Technol* 46(1):391-396.
- Koizumi A. 1991. Experimental evidence for the possible exposure of workers to hexachlorobenzene by skin contamination. *Br J Ind Med* 48:622-628.
- Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29(18):4430-4433.
- Kosatsky T, Przybysz R, Shatenstein B, et al. 1999. Fish consumption and contaminant exposure among Montreal-area sportfishers: Pilot study. *Environ Res* A80:S150-S158.
- Koss G, Koransky W. 1975. Studies on the toxicology of hexachlorobenzene: I. Pharmacokinetics. *Arch Toxicol* 34:203-212.
- Koss G, Koransky W, Steinbach K. 1976. Studies on the toxicology of hexachlorobenzene: II. Identification and determination of metabolites. *Arch Toxicol* 35:107-114.
- Koss G, Koransky W, Steinbach K. 1979. Studies of the toxicology of hexachlorobenzene: IV. Sulfur-containing metabolites. *Arch Toxicol* 42:19-31.
- Koss G, Reuter A, Koransky W. 1986. Excretion of metabolites of hexachlorobenzene in the rat and in man. *IARC Sci Publ* 77:261-266.
- Koss G, Seubert S, Seubert A, et al. 1978. Studies on the toxicology of hexachlorobenzene: III. Observations in a long-term experiment. *Arch Toxicol* 40:285-294.
- Koss G, Seubert S, Seubert A, et al. 1983. Studies on the toxicology of hexachlorobenzene: V. Different phases of porphyria during and after treatment. *Arch Toxicol* 52:13-22.
- Kozani RR, Assadi Y, Shemirani F, et al. 2007. Part-per-trillion determination of chlorobenzenes in water using dispersive liquid-liquid microextraction combined gas chromatography-electron capture detection. *Talanta* 72(2):387-393.
- Kraaij H, Connell DW. 1997. Bioconcentration and uptake kinetics of chlorobenzenes in soy-bean roots. *Chemosphere* 34(12):2607-2620.
- Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.

## 9. REFERENCES

- Krishnan K, Andersen ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches. San Diego, CA: Academic Press, 399-437.
- Krishnan K, Brodeur J, Charbonneau M. 1991. Development of an experimental model for the study of hexachlorobenzene-induced hepatic porphyria in the rat. *Fundam Appl Toxicol* 17:433-441.
- Krishnan K, Brodeur J, Plaa GL, et al. 1992. Modulation of hexachlorobenzene-induced hepatic porphyria by methyl isobutyl ketone in the rat. *Toxicol Lett* 61:167-174.
- Kucklick JR, Baker JE. 1998. Organochlorines in Lake Superior's food web. *Environ Sci Technol* 32:1192-1198.
- Kuiper-Goodman T, Grant DL, Moodie CA, et al. 1977. Subacute toxicity of hexachlorobenzene in the rat. *Toxicol Appl Pharmacol* 40:529-549.
- Kutz FW, Wood PH, Bottimore DP. 1991. Organochlorine pesticides and polychlorinated biphenyls in human adipose tissue. *Rev Environ Contam Toxicol* 120:1-82.
- Kwok ESC, Atkinson R. 1995. Estimation of hydroxyl radical reaction rate constants for gas-phase organic compounds using a structure-reactivity relationship: An update. *Atmos Environ* 29:1685-1695.
- Lackmann GM. 2002. Polychlorinated biphenyls and hexachlorobenzene in full-term neonates. Reference values updated. *Biol Neonate* 81(2):82-85.
- Lackmann GM. 2004. Organochlorine compounds in breast-fed vs. bottle-fed infants: Preliminary results at six weeks of age. *Pediatr Res* 56(3):488.
- Lackmann GM, Angerer J, Salzberger U, et al. 1999. Influence of maternal age and duration of pregnancy on serum concentrations of polychlorinated biphenyls and hexachlorobenzene in full-term neonates. *Biol Neonate* 76:214-219.
- Lackmann GM, Angerer J, Tollner U. 2000. Parental smoking and neonatal serum levels of polychlorinated biphenyls and hexachlorobenzene. *Pediatr Res* 47(5):598-601.
- Lackmann GM, Goen T, Tollner U, et al. 1996. PCBs and HCB in serum full-term German neonates. *Lancet* 348:1035.
- Lahaniatis ES, Bergheim W, Kettrup A. 1992. Thermal degradation of polychlorinated bornanes. In: Proceeding International Symposium on Ecological Approaches of Environmental Chemicals. Institut fur Okologische Chemie. Debrecen, Hungary, 262-267.
- Lam T, Williams PL, Lee MM, et al. 2014. Prepubertal organochlorine pesticide concentrations and age of pubertal onset among Russian boys. *Environ Int* 73:135-142
- Lamb CW, Miller FM, Dellinger RA, et al. 1994. Detailed determination of organic emissions from a preheater cement kiln co-fired with liquid hazardous wastes. *Hazard Waste Hazard Mater* 11(1):201-216.
- \*Lambrecht RW, Erturk E, Grunden EE, et al. 1982a. Hepatotoxicity and tumorigenicity of hexachlorobenzene (HCB) in Syrian golden hamsters (H) after subchronic administration. *Fed Proc* 41:329. (Abstract)



## 9. REFERENCES

- \*Lambrecht RW, Erturk E, Grunden EE, et al. 1982b. Renal toxicity and tumorigenicity of hexachlorobenzene (HCB) in rats (R). AACR Abstracts 23:54. (Abstract)
- Lambrecht RW, Erturk E, Grunden EE, et al. 1983. Hepatocarcinogenicity of chronically administered hexachlorobenzene in rats. Fed Proc 42:786. (Abstract)
- \*Lambrecht RW, Erturk E, Peters HA, et al. 1986. Effects of ethylenediaminetetraacetic acid on hexachlorobenzene-induced changes in rats. IARC Sci Publ 77:505-506.
- Lane DA, Johnson ND, Hanely MJ, et al. 1992. Gas-and particle-phase concentrations of alpha-hexachlorocyclohexane, gamma-hexachlorocyclohexane, and hexachlorobenzene in Ontario air. Environ Sci Technol 26(1):126-133.
- Langer P, Kocan A, Tajtakova M, et al. 2003. Possible effects of polychlorinated biphenyls and organochlorinated pesticides on the thyroid after long-term exposure to heavy environmental pollution. J Occup Environ Med 45(5):526-532.
- Langer P, Tajtakova M, Kocan A, et al. 2007. Thyroid ultrasound volume, structure and function after long-term high exposure of large population to polychlorinated biphenyls, pesticides and dioxin. Chemosphere 69(1):118-127.
- Langhorst ML, Nestruck TJ. 1979. Determination of chlorobenzenes in air and biological samples by gas chromatography with photoionization detection. Anal Chem 51:2018-2025.
- Langlois C, Langis R. 1995. Presence of airborne contaminants in the wildlife of northern Quebec. Sci Total Environ (160-161), 391-402.
- Larsen BR, Turrio-Baldassarri L, Nilsson T, et al. 1994. Toxic PCB congeners and organochlorine pesticides in Italian human milk. Ecotoxicol Environ Saf 28:1-13.
- Laska AL, Baretell CK, Laseter JL. 1976. Distribution of hexachlorobenzene and hexachlorobutadiene in water, soil, and selected aquatic organisms along the lower Mississippi River, Louisiana. Bull Environ Contam Toxicol 15:535-542.
- Lecavalier PR, Chu I, Villeneuve D, et al. 1994. Combined effects of mercury and hexachlorobenzene in the rat. J Environ Sci Health B29(5):951-961.
- Lee CL, Song HJ, Fang MD. 2000a. Concentrations of chlorobenzenes, hexachlorobutadiene and heavy metals in surficial sediments of Kaohsiung coast, Taiwan. Chemosphere 41:889-899.
- Lee DH, Steffes MW, Sjodin A, et al. 2010. Low dose of some persistent organic pollutants predicts type 2 diabetes: A nested case-control study. Environ Health Perspect 118(9):1235-1242.
- Lee DH, Steffes MW, Sjodin A, et al. 2010. Low dose of some persistent organic pollutants predicts type 2 diabetes: A nested case-control study. Environ Health Perspect 118(9):1235-1242.
- Lee DH, Steffes MW, Sjodin A, et al. 2011. Low dose organochlorine pesticides and polychlorinated biphenyls predict obesity, dyslipidemia, and insulin resistance among people free of diabetes. PLoS ONE 6(1):e15977.

## 9. REFERENCES

- Lee RGM, Burnett V, Harner T, et al. 2000b. Short-term temperature-dependent air-surface exchange and atmospheric concentrations of polychlorinated naphthalenes and organochlorine pesticides. *Environ Sci Technol* 34:393-398.
- Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- Legault N, Sabik H, Cooper SF, et al. 1997. Effect of estradiol on the induction of porphyria by hexachlorobenzene in the rat. *Biochem Pharmacol* 54:19-25.
- Leger DA. 1992. Environmental concentrations of hexachlorobenzene in Atlantic Canada. Moncton, New Brunswick: Environment Canada, Conservation and Protection, Inland Waters Directorate, Water Quality Branch. IWD-AR-WQB-91-170.
- Leikin JB, Paloucek FP. 2002. Hexachlorobenzene. In: Leikin JB, Paloucek FP, eds. *Poisoning and toxicology handbook*. 3<sup>rd</sup> ed. Hudson, OH: Lexi-Comp, Inc., 647-648.
- Lelli SM, Ceballos NR, Mazzetti MB, et al. 2007. Hexachlorobenzene as hormonal disruptor-studies about glucocorticoids: Their hepatic receptors, adrenal synthesis and plasma levels in relation to impaired gluconeogenesis. *Biochem Pharmacol* 73(6):873-879.
- Leoni V, Fabiani L, Marinelli G, et al. 1986. Spontaneous abortion in relation to the presence of hexachlorobenzene in the Italian environment. *IARC Sci Publ* 77:143-146.
- Leoni V, Fabiani L, Marinelli G, et al. 1989. PCB and other organochlorine compounds in blood of women with or without miscarriage: A hypothesis of correlation. *Ecotoxicol Environ Saf* 17(1):1-11.
- Leung HW. 1993. Physiologically-based pharmacokinetic modelling. In: Ballentyne B, Marrs T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- Li J, Li N, Ma M, et al. 2008. *In vitro* profiling of the endocrine disrupting potency of organochlorine pesticides. *Toxicol Lett* 183(1-3):65-71.
- Li SM, Deuomme MA, Leece B, et al. 1989. Hexachlorobenzene: Biochemical effects and synergistic toxic interactions with 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Toxicol Environ Chem* 22:215-227.
- Li Y, Lin T, Qin Y, et al. 2013. Distribution and sources of organochlorine pesticides in sediments of the Xiangjiang River, south-central China. *Environ Monit Assess* 185(11):8861-8871.
- Lilienthal H, Benthe C, Heinzow B, et al. 1996. Impairment of schedule-controlled behavior by pre- and postnatal exposure to hexachlorobenzene in rats. *Arch Toxicol* 70:174-181.
- Liljegren G, Hardell L, Lindstrom G, et al. 1998. Case-control study on breast cancer and adipose tissue concentrations of congener specific polychlorinated biphenyls, DDE and hexachlorobenzene. *Eur J Cancer Prev* 7:135-140.
- Lim HW. 1989. Mechanisms of phototoxicity in porphyria cutanea tarda and erythropoietic protoporphyria. *Immunol Ser* 46:671-685.
- Lim HW, Cohen JL. 1999. The cutaneous porphyrias. *Semin Cutan Med Surg* 18 (4):285-292.

## 9. REFERENCES

- Linder RE, Edgerton TR, Svendsgaard DJ, et al. 1983. Long-term accumulation of hexachlorobenzene in adipose tissue of parent and filial rats. *Toxicol Lett* 15:237-243.
- Lindqvist R, Enfield CG. 1992. Biosorption of dichloro-diphenyltrichlorethane and hexachlorobenzene in groundwater and its implications for facilitated transport. *Appl Environ Microbiol* 58(7):2211-2218.
- Linnet MS, Gridley G, Nyren O, et al. 1999. Primary liver cancer, other malignancies, and mortality risks following porphyria: A cohort study in Denmark and Sweden. *Am J Epidemiol* 149 (11):1010-1015.
- Link B, Gabrio T, Zoellner I, et al. 2005. Biomonitoring of persistent organochlorine pesticides, PCDD/PCDFs and dioxin-like PCBs in blood of children from southwest Germany (Baden-Wuerttemberg) from 1993 to 2003. *Chemosphere* 58(9):1185-1201.
- Linko P, Yeowell HN, Gasiewicz TA, et al. 1986. Induction of cytochrome P-450 isozymes by hexachlorobenzene in rats and aromatic hydrocarbon (Ah)-responsive mice. *J Biochem Toxicol* 1:95-107.
- Lissner R, Goerz G, Eichenauer MG, et al. 1975. Hexachlorobenzene-induced porphyria in rats--relationship between porphyrin excretion and induction of drug metabolizing liver enzymes. *Biochem Pharmacol* 24:1729-1731.
- Liu W, Tao F, Zhang W, et al. 2012. Contamination and emission factors of PCDD/Fs, unintentional PCBs, HxCBz, PeCBz and polychlorophenols in chloranil in China. *Chemosphere* 86(3):248-251.
- Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4(2-3):301-324.
- Long PH, Herbert RA, Nyska A. 2004. Hexachlorobenzene-induced incisor degeneration in Sprague-Dawley rats. *Toxicol Pathol* 32(1):35-40.
- Loose LD, Pittman KA, Benitz KF, et al. 1977. Polychlorinated biphenyl and hexachlorobenzene induced humoral immunosuppression. *J Reticuloendothel Soc* 22(3):253-267.
- Loose LD, Silkworth JB, Charbonneau T, et al. 1981. Environmental chemical-induced macrophage dysfunction. *Environ Health Perspect* 39:79-91.
- Loose LD, Silkworth JB, Pittman KA, et al. 1978. Impaired host resistance to endotoxin and malaria in polychlorinated biphenyl- and hexachlorobenzene-treated mice. *Infect Immun* 20:30-35.
- López-Carrillo L, Lopez-Cervantes M, Torres-Sanchez L, et al. 2002. Serum levels of  $\beta$ -hexachlorocyclohexane, hexachlorobenzene and polychlorinated biphenyls and breast cancer in Mexican women. *Eur J Cancer Prev* 11(2):129-135.
- Lopez-Espinosa MJ, Murcia M, Iniguez C, et al. 2011. Prenatal exposure to organochlorine compounds and birth size. *Pediatrics* 128(1):E127-E134.
- Lordo RA, Dinh KT, Schwemberger JG. 1996. Semivolatile organic compounds in adipose tissue: Estimated averages for the US population and selected subpopulations. *Am J Public Health* 86:1253-1259.
- Lovecka P, Pacovska I, Stursa P, et al. 2014. Organochlorinated pesticide degrading microorganisms isolated from contaminated soil. *New Biotechnol* 32(1):26-31.

## 9. REFERENCES

- Lovell RA, McChesney DG, Price WD. 1996. Organohalogen and organophosphorous pesticides in mixed feed rations: Findings from FDA's domestic surveillance during fiscal years 1989-1994. *J AOAC Int* 79(2):544-548.
- Lu Y, Lohitnavy M, Reddy MB, et al. 2006. An updated physiologically based pharmacokinetic model for hexachlorobenzene: Incorporation of pathophysiological states following partial hepatectomy and hexachlorobenzene treatment. *Toxicol Sci* 91(1):29-41.
- Lui H, Sweeney GD. 1975. Hepatic metabolism of hexachlorobenzene in rats. *FEBS Lett* 51(1):137-138.
- Lui H, Sampson R, Sweeney GD. 1976. Session X. Experimental chronic hepatic porphyria. Hexachlorobenzene porphyria: Purity and metabolic fate of hexachlorobenzene. In: Doss M, Ed. *Porphyryns in human diseases, 1st International Porphyrin Meeting Freiburg/Br 1975*. Basel: S. Karger.
- Lunden A, Noren K. 1998. Polychlorinated naphthalenes and other organochlorine contaminants in Swedish human milk, 1972-1992. *Arch Environ Contam Toxicol* 34(4):414-423.
- MacBean C. 2010. Hexachlorobenzene. *The e-pesticide manual*. British Crop Protection Council. 15<sup>th</sup> ed. Version 5.1.
- MacPhee IJ, Singh A, Wright GM, et al. 1993. Ultrastructure of granulosa lutein cells from rats fed hexachlorobenzene. *Histol Histopathol* 8:35-40.
- Maervoet J, Vermeir G, Covaci A, et al. 2007. Association of thyroid hormone concentrations with levels of organochlorine compounds in cord blood of neonates. *Environ Health Perspect* 115(12):1780-1786.
- Mahalingaiah S, Missmer SA, Maity A, et al. 2012. Association of hexachlorobenzene (HCB), dichlorodiphenyltrichloroethane (DDT), and dichlorodiphenyldichloroethylene (DDE) with *in vitro* fertilization (IVF) outcomes. *Environ Health Perspect* 120(2):316-320.
- Majoros LI, Lava R, Ricci M, et al. 2013. Full method validation for the determination of hexachlorobenzene and hexachlorobutadiene in fish tissue by GC-IDMS. *Talanta* 116:251-258.
- Malarvannan G, Dirinck E, Dirtu AC, et al. 2013. Distribution of persistent organic pollutants in two different fat compartments from obese individuals. *Environ Int* 55:33-42.
- Malarvannan G, Kunisue T, Isobe T, et al. 2009. Organohalogen compounds in human breast milk from mothers living in Payatas and Malate, the Philippines: Levels, accumulation kinetics and infant health risk. *Environ Pollut* 157(6):1924-1932.
- Manes J, Font G, Pico Y. 1993. Evaluation of a solid-phase extraction system for determining pesticide residues in milk. *J Chromatogr* 642:195-204.
- Mann JB, Enos HF, Gonzalez J, et al. 1974. Development of sampling and analytical procedure for determining hexachlorobenzene and hexachloro-1,3-butadiene in air. *Environ Sci Technol* 8(6):584-585.

## 9. REFERENCES

- Mannetje A, Coakley J, Bridgen P, et al. 2013. Current concentrations, temporal trends and determinants of persistent organic pollutants in breast milk of New Zealand women. *Sci Total Environ* 458-460:399-407.
- Mannetje A, Coakley J, Bridgen P, et al. 2014. Estimated infant intake of persistent organic pollutants through breast milk in New Zealand. *N Z Med J* 127(1401):56-68.
- Martens D, Balta-Brouma K, Brotsack R, et al. 1998. Chemical impact of uncontrolled solid waste combustion to the vicinity of the Kouroupitos Ravine, Crete, Greece. *Chemosphere* 36(14):2855-2866.
- Marvin CH, Painter S, Charlton MN, et al. 2004. Trends in spatial and temporal levels of persistent organic pollutants in Lake Erie sediments. *Chemosphere* 54(1):33-40.
- Masini A, Trenti T, Ceccarelli, D, et al. 1988. The effect of iron overload on the mitochondrial porphyrin level in the hexachlorobenzene induced experimental porphyria. *Biochem Biophys Res Comm* 151:320-326.
- Masunaga S, Susarla S, Yonezawa Y. 1996. Dechlorination of chlorobenzenes in anaerobic estuarine sediment. *Water Sci Technol* 33(6):173-180.
- Mattison DR, Wohlleb J, To T, et al. 1992. Pesticide concentrations in Arkansas breast milk. *Med Soc* 88(11):553-557.
- Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74(2-3):135-149.
- McCready D, Aronson Kristan J, Chu W, et al. 2004. Breast tissue organochlorine levels and metabolic genotypes in relation to breast cancer risk Canada. *Cancer Causes Control* 15(4):399-418.
- Meeker JD, Altshul L, Hauser R. 2007. Serum PCBs, p,p'-DDE and HCB predict thyroid hormone levels in men. *Environ Res* 104(2):296-304.
- Mehendale HM, Fields M, Matthews HB. 1975. Metabolism and effects of hexachlorobenzene on hepatic microsomal enzymes in the rat. *J Agric Food Chem* 23:261-265.
- Mehmood Z, Williamson MP, Kelly DE, et al. 1996. Metabolism of organochlorine pesticides: The role of human cytochrome P450 3A4. *Chemosphere* 33(4):759-769.
- Meijer SN, Ockenden WA, Steinnes E, et al. 2003a. Spatial and temporal trends of POPs in Norwegian and UK background air: Implications for global cycling. *Environ Sci Technol* 37(3):454-461.
- Meijer SN, Ockenden WA, Sweetman A, et al. 2003b. Global distribution and budget of PCBs and HCB in background surface soils: Implications for sources and environmental processes. *Environ Sci Technol* 37(4):667-672.
- Mendez MA, Garcia-Esteban R, Guxens M, et al. 2011. Prenatal organochlorine compound exposure, rapid weight gain, and overweight in infancy. *Environ Health Perspect* 119(2):272-278.
- Mendonca GAS, Eluf-Neto J, Andrada-Serpa MJ, et al. 1999. Organochlorines and breast cancer: A case-control study in Brazil. *Int J Cancer* 83:596-600.

## 9. REFERENCES

- Mendoza CE, Shields JB. 1976. Effects of hexachlorobenzene on malathion LD50 and on cholinesterase and carboxylesterase activities in organs of the suckling albino rat. *Toxicol Appl Pharmacol* 35:447-453.
- Meola T, Lim HW. 1993. The porphyrias. *Dermatol Clin* 3(11):583-596.
- Mes J. 1992. Organochlorine residues in human blood and biopsy fat and their relationship. *Bull Environ Contam Toxicol* 48:815-820.
- Mes J, Davies DJ, Doucet J, et al. 1993. Levels of chlorinated hydrocarbon residues in Canadian human breast milk and their relationship to some characteristics of the donors. *Food Addit Contam* 10(4):429-441.
- Mes J, Davies DJ, Turton D. 1982. Polychlorinated biphenyl and other chlorinated hydrocarbon residues in adipose tissue of Canadians. *Bull Environ Contam Toxicol* 28:97-104.
- Michalowicz J, Mokra K, Rosiak K, et al. 2013. Chlorobenzenes, lindane and dieldrin induce apoptotic alterations in human peripheral blood lymphocytes (*in vitro* study). *Environ Toxicol Pharmacol* 36(3):979-988.
- Michielsen C, Boeren S, Rietjens I, et al. 2000. The mercapturic acid biotransformation pathway of hexachlorobenzene is not involved in the induction of splenomegaly, of skin and lung lesions in the Brown Norway rat. *Arch Toxicol* 74:609-617.
- Michielsen C, van Loveren H, Vos JG. 1999. The role of the immune system in hexachlorobenzene-induced toxicity. *Environ Health Perspect Suppl* 107(5):783-792.
- Michielsen C, Zeamari S, Leusink-Muis A, et al. 2002. The environmental pollutant hexachlorobenzene causes eosinophilic and granulomatous inflammation and *in vitro* airways hyperreactivity in the Brown Norway rat. *Arch Toxicol* 76(4):236-247.
- Michielsen CPPC, Bloksma N, Ultee A, et al. 1997. Hexachlorobenzene-induced immunomodulation and skin and lung lesions: A comparison between Brown Norway, Lewis, and Wistar rats. *Toxicol Appl Pharmacol* 144:12-26.
- Michielsen CPPC, Leusink-Muis A, Vos JG, et al. 2001. Hexachlorobenzene-induced eosinophilic and granulomatous lung inflammation is associated with *in vivo* airways hyperresponsiveness in the brown Norway rat. *Toxicol Appl Pharmacol* 172:11-20.
- Mikeš O, Čupr P, Kohút L, et al. 2012. Fifteen years of monitoring of POPs in the breast milk, Czech Republic, 1994-2009: Trends and factors. *Environ Sci Pollut Res Int* 19(6):1936-1943.
- Mill T, Haag W. 1986. The environmental fate of hexachlorobenzene. *IARC Sci Pub* 77:61-66
- Miskiewicz AG, Gibbs PJ. 1994. Organochlorine pesticides and hexachlorobenzene in tissues of fish and invertebrates caught near a sewage outfall. *Environ Pollut* 84:269-277.
- Miura T, Torinuki W. 1977. Thin layer chromatography and fluorescent scanning analysis of porphyrins. *Tohoku J Exp Med* 121:37-61.

## 9. REFERENCES

- Miyagawa M, Takasawa H, Sugiyama A, et al. 1995. The *in vivo-in vitro* replicative DNA synthesis (RDS) test with hepatocytes prepared from male B6C3F1 mice as an early prediction assay for putative nongenotoxic (Ames-negative) mouse hepatocarcinogens. *Mutat Res* 343(2-3):157-183.
- Mollenhauer HH, Johnson JH, Younger RL, et al. 1975. Ultrastructural changes in liver of the rat fed hexachlorobenzene. *Am J Vet Res* 36:1777-1781.
- Monheit BM, Luke BG. 1990. Pesticides in breast milk- A public health perspective. *Community Health Stud* 14(3):269-273.
- Morley A, Geary D, Harben F. 1973. Hexachlorobenzene pesticides and porphyria. *Med J Aust* 1:565.
- Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokinet* 5(6):485-527.
- Moysich KB, Ambrosone CB, Vena JE. 1998. Environmental organochlorine exposure and postmenopausal breast cancer risk. *Cancer Epidemiol Biomark Prev* 7:181-188.
- Muir DCG, Segstro MD, Welbourn PM, et al. 1993. Patterns of accumulation of airborne organochlorine contaminants in lichens from the upper Great Lakes region of Ontario. *Environ Sci Technol* 27(6):1201-1210.
- Muller WF, Hobson W, Fuller GB, et al. 1978. Endocrine effects of chlorinated hydrocarbons in Rhesus monkeys. *Ecotoxicol Environ Saf* 2:161-172.
- Munch DJ, Maxey RA, Engel TM. 1990. Methods development and implementation for the National Pesticide Survey. *Environ Sci Technol* 24(10):1446-1451.
- Mundy LJ, Jones SP, Crump D, et al. 2010. Highly purified hexachlorobenzene induces cytochrome P4501A in primary cultures of chicken embryo hepatocytes. *Toxicol Appl Pharmacol* 248:185-193.
- Murphy R, Harvey C. 1985. Residues and metabolites of selected persistent halogenated hydrocarbons in blood specimens from a general population survey. *Environ Health Perspect* 60:115-120.
- Murray HE, Neff GS, Hrung Y, et al. 1980. Determination of benzo(a)pyrene, hexachlorobenzene and pentachlorophenol in oysters from Galveston Bay, Texas. *Bull Environ Contam Toxicol* 25:663-667.
- Murray HE, Ray LE, Giam CS. 1981. Analysis of marine sediment, water and biota for selected organic pollutants. *Chemosphere* 10:1327-1334.
- Mussalo-Rauhamaa H, Hasanen E, Pyysalo H, et al. 1990. Occurrence of beta-hexachlorocyclohexane in breast cancer patients. *Cancer* 66(10):2124-2128.
- \*Mylchreest E, Charbonneau M. 1994. Ultrasound-induced epileptiform activity in rats treated with hexachlorobenzene. *Neurotoxicology* 15(2):149-155.
- Mylchreest E, Charbonneau M. 1997. Studies on the mechanism of uroporphyrinogen decarboxylase inhibition in hexachlorobenzene-induced porphyria in the female rat. *Toxicol Appl Pharmacol* 145:23-33.
- Nakashima Y, Ikegami S. 2000. Hexachlorobenzene and Pentachlorobenzene accumulated during pregnancy is transferred to pups at the accumulation ratio in dams. *J Health Sci* 46(2):89-97.

## 9. REFERENCES

- Nakashima Y, Ohsawa S, Ikegami S. 1999. High-fat diet enhances accumulation of hexachlorobenzene in rat dams and delays its transfer from rat dams to suckling pups through milk. *J Agric Food Chem* 47:1587-1592.
- Nakashima Y, Ohsawa S, Umegaki K, et al. 1997. Hexachlorobenzene accumulated by dams during pregnancy is transferred to suckling rats during early lactation. *J Nutr* 127:648-654.
- Nakata H, Kannan K, Jing L, et al. 1998. Accumulation pattern of organochlorine pesticides and polychlorinated biphenyls in southern sea otters (*Enhydra lutris nereis*) found stranded along coastal California, USA. *Environ Pollut* 103:45-53.
- Nam KS, King JW. 1994. Coupled SFE/SFC/GC for the trace analysis of pesticide residues in fatty food samples. *J High Resolut Chromatogr* 17:577-582.
- NAS/NRC. 1989. Report of the oversight committee. In: *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.
- Nash RG, Gish TJ. 1989. Halogenated pesticide volatilization and dissipation from soil under controlled conditions. *Chemosphere* 18(11/12):2353-2362.
- Nasir K, Bilto YY, Al-Shuraiki Y. 1998. Residues of chlorinated hydrocarbon insecticides in human milk of Jordanian women. *Environ Pollut* 99:141-148.
- Newsome WH, Andrews P. 1993. Organochlorine pesticides and polychlorinated biphenyl congener in commercial fish from the Great Lakes. *J AOAC Int* 76(4):707-710.
- Newsome WH, Ryan JJ. 1999. Toxaphene and other chlorinated compounds in human milk from northern and southern Canada: A comparison. *Chemosphere* 39(3):519-526.
- Newsome WH, Davies D, Doucet J. 1995. PCB and organochlorine pesticides in Canadian human milk-1992. *Chemosphere* 30(11):2143-2153.
- Newsome WH, Doucet J, Davies D, et al. 2000. Pesticide residues in the Canadian market basket survey-1992 to 1996. *Food Addit Contam* 17(10):847-854.
- Nikolaev V, Naydenova E, Kerimova M, et al. 1986. Rat liver plasma membrane damage in hexachlorobenzene intoxication and its potential by ethanol. *Toxicol Lett* 32:269-273.
- NIOSH. 2005. NIOSH Health Hazard Evaluation Report: HETA No. 2004-0169-2982, U.S. Magnesium, Rowley, Utah, October 2005. National Institute of Occupational Safety and Health, 70.
- NIOSH. 2015. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/npg/npgdcas.html>. April 10, 2015.
- NITE. 2010. Hexachlorobenzene. National Institute of Technology and Evaluation. [http://www.safe.nite.go.jp/english/kizon/KIZON\\_start\\_hazkizon.html](http://www.safe.nite.go.jp/english/kizon/KIZON_start_hazkizon.html). June 26, 2012.



## 9. REFERENCES

- NOES. 1990. National Occupational Exposure Survey 1981-1983. Cincinnati OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. <http://www.cdc.gov/noes/noes1/a1753sic.html>. June 19, 2012
- Norén K, Meironyté D. 2000. Certain organochlorine and organobromine contaminants in Swedish human milk in perspective of past 20-30 years. *Chemosphere* 40:1111-1123.
- Noren K, Weistrand C, Karpe F. 1999. Distribution of PCB congeners, DDE, hexachlorobenzene, and methylsulfonyl metabolites of PCB and DDE among various fractions of human blood plasma. *Arch Environ Contam Toxicol* 37:408-414.
- NRC. 1993. National Research Council. Pesticides in the diets of infants and children. Washington, DC: National Academy Press.
- Ntow WJ. 2001. Organochlorine pesticides in water, sediment, crops, and human fluids in a farming community in Ghana. *Bull Environ Contam Toxicol* 40:557-563.
- Ntow WJ, Tagoe LM, Drechsel P, et al. 2008. Accumulation of persistent organochlorine contaminants in milk and serum of farmers from Ghana. *Environ Res* 106(1):17-26.
- NTP. 2002. Tox-77. Toxicity report tables and curves. Pathology tables, survival and growth curves from NTP toxicity studies. TDMS study 98004-01 pathology tables. Pathology tables for peer review. National Toxicology Program. <http://ntp.niehs.nih.gov/results/path/tablelistings/shortterm/tox099/tox077/index.html>. February 2, 2015.
- NTP. 2014. Hexachlorobenzene. Report on Carcinogens, Thirteenth Edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. <http://ntp.niehs.nih.gov/ntp/roc/content/profiles/hexachlorobenzene.pdf>. April 10, 2015.
- Nuhu AA, Basheer C, Abu-Thabit NY, et al. 2011. Analytical method development using functionalized polysulfone membranes for the determination of chlorinated hydrocarbons in water. *Talanta* 87:284-289.
- Oberg T, Bergstrom JGT. 1985. Hexachlorobenzene as an indicator of dioxin production from combustion. *Chemosphere* 14:1081-1086.
- Ockner RK, Schmid R. 1961. Acquired porphyria in man and rat due to hexachlorobenzene intoxication. *Nature* 4763:499.
- Oehme M, Mano S, Mikalsen A. 1987. Formation and presence of polyhalogenated and polycyclic compounds in the emissions of small and large scale municipal waste incinerators. *Chemosphere* 16:143-153.
- Offenberg JH, Eisenreich SJ, Gigliotti CL, et al. 2004. Persistent organic pollutants in dusts that settled indoors in lower Manhattan after September 11, 2001. *J Expo Anal Environ Epidemiol* 14(2):164-172.
- Ojala M. 1993. Simultaneous separation and determination of chlorobenzenes, PCBs, and chlorophenols using silica gel fractionation and GC-ECD analysis. *J High Resolut Chromatogr* 16:679-682.
- Oliver BG, Nicol KD. 1982a. Chlorobenzenes in sediments, water, and selected fish from Lakes Superior, Huron, Erie, and Ontario. *Environ Sci Technol* 16:532-536.

## 9. REFERENCES

- Oliver BG, Nicol KD. 1982b. Gas chromatographic determination of chlorobenzenes and other chlorinated hydrocarbons in environmental samples using fused silica capillary columns. *Chromatographia* 16:336-340.
- Oliver BG, Niimi AJ. 1983. Bioconcentration of chlorobenzenes from water by rainbow trout: Correlations with partition coefficients and environmental residues. *Environ Sci Technol* 17:287-291.
- O'Neil MJ, Heckelman PE, Koch CB, et al. 2006. Hexachlorobenzene. In: *The Merck Index*. Whitehouse Station, NJ: Merck & Co., Inc., 808-809.
- Onuska FI, Terry KA. 1993. Extraction of pesticides from sediments using a microwave technique. *Chromatographia* 36:101-104.
- OSHA. 2013. Subpart Z - Toxic and hazardous substances. Air contaminants. Occupational Safety and Health Standards. Code of Federal Regulations 29 CFR 1910.1000. <http://www.gpo.gov/fdsys/pkg/CFR-2014-title29-vol6/pdf/CFR-2014-title29-vol6-sec1910-1000.pdf>. March 4, 2015.
- Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- Ozalla D, Herrero C, Ribas-Fito N, et al. 2002. Evaluation of urinary porphyrin excretion in neonates born to mothers exposed to airborne hexachlorobenzene. *Environ Health Perspect* 110(2):205-209.
- Park J, Wade TL, Sweet S. 2001. Atmospheric deposition of organochlorine contaminants to Galveston Bay, Texas. *Atmos Environ* 35:3315-3324.
- Parlar H. 1978. Organochlorine compounds and their reactions in the atmosphere. *Ecotoxicol Environ Saf* 2:219-232.
- Pavuk M, Cerhan JR, Lynch CF, et al. 2003. Case-control study of PCBs, other organochlorines and breast cancer in eastern Slovakia. *J Expo Anal Environ Epidemiol* 13(4):267-275.
- Peña D, Pontillo C, García MA, et al. 2012. Alterations in cSrc/HER1 and estrogen receptor  $\alpha$  signaling pathways in mammary gland and tumors of hexachlorobenzene-treated rats. *Toxicology* 293:68-77.
- Pereira MA, Herren SL, Britt AL, et al. 1982. Sex difference in enhancement of GGTase- positive foci by hexachlorobenzene and lindane in rat liver. *Cancer Lett* 15:95-101.
- Pereria WE, Rostad CE, Chiou CT, et al. 1988. Contamination of estuarine water, biota and sediment by halogenated organic compounds: A field study. *Environ Sci Technol* 22:772-778.
- Peters HA. 1956. Therapy of acute porphyria with BAL and other agents (a report of 19 additional cases). *Dis Nerv Syst* 17(6):351-357.
- Peters HA. 1993. Acute hepatic porphyria. In: RT Johnson, JW Griffin, eds. *Current therapy in neurologic disease*, 4th ed. Mosby-Year Book, Inc., 317-322.
- Peters H, Cripps DJ. 1985. Chelation therapy of acute, chronic, and mixed porphyria. *Plzen Lek Sborn*, suppl 49:261-264.

## 9. REFERENCES

- Peters H, Cripps D, Gocmen A, et al. 1987. Turkish epidemic hexachlorobenzene porphyria: A 30-year study. *Ann NY Acad Sci* 514:183-190.
- Peters HA, Gocmen A, Cripps DJ, et al. 1982. Epidemiology of hexachlorobenzene-induced porphyria in Turkey: Clinical and laboratory follow-up after 25 years. *Arch Neurol* 39:744-749.
- Peters HA, Gocmen A, Cripps DJ, et al. 1986. Porphyria turcica: Hexachlorobenzene-induced porphyria. Neurological manifestations and therapeutic trials of ethylenediaminetetraacetic acid in the acute syndrome. *IARC Scientific Publ* 77:581-583.
- Peters HA, Johnson SA, Cam S, et al. 1966. Hexachlorobenzene induced porphyria: Effect of chelation on the disease, porphyrin and metal metabolism. *Am J Med Sci* 251:314-322.
- Peters HA, Woods S, Eichman PL, et al. 1957. The treatment of acute porphyria with chelating agents: A report of 21 cases. *Ann Intern Med* 47(5):889-899.
- Petreas M, She J, Visita P, et al. 1998. Levels of PCDD/PCDFs, PCBs and OC pesticides in breast adipose of women enrolled in a California breast cancer study. *Organohalogen Compounds* 38:37-40.
- Petzold G, Schafer M, Benthe C, et al. 1999. Dietary exposure and human body burden to organochlorine pesticides and PCBs in children and women in northern Germany. *Organohalogen Compounds* 44:119-122.
- Pierik FH, Klebanoff MA, Brock JW, et al. 2007. Maternal pregnancy serum level of heptachlor epoxide, hexachlorobenzene, and  $\beta$ -hexachlorocyclohexane and risk of cryptorchidism in offspring. *Environ Res* 105(3):364-369.
- Pimstone NR. 1982. Porphyria cutanea tarda. *Semin Liver Dis* 2(2):132-142.
- Poissant L, Koprivnjak JF, Mattieu R. 1997. Some persistent organic pollutants and heavy metals in the atmosphere over a St. Lawrence River Valley site (Villeroy) in 1992. *Chemosphere* 34(3):567-585.
- Polder A, Thomsen C, Lindstrom G, et al. 2008. Levels and temporal trends of chlorinated pesticides, polychlorinated biphenyls and brominated flame retardants in individual human breast milk samples from northern and southern Norway. *Chemosphere* 73(1):14-23.
- Poli A, Biasi D, Diani F, et al. 1999. Presence of organic chlorine pesticides in the adipose tissue of the pregnant woman, in the placenta, and in the maternal milk. *Ig Mod* 112:861-871.
- Pontillo CA, García MA, Peña D, et al. 2011. Activation of c-Src/HER/STAT5b and HER1/ERK1/2 signaling pathways and cell migration by hexachlorobenzene in MDA-MB-231 human breast cancer cell line. *Toxicol Sci* 120(2):284-296.
- Pontillo CA, Rojas P, Chiappini F, et al. 2013. Action of hexachlorobenzene on tumor growth and metastasis in different experimental models. *Toxicol Appl Pharmacol* 268(3):331-342.
- Poole KG, Elkin BT, Bethke RW. 1998. Organochlorine and heavy metal contaminants in wild mink in western Northwest Territories, Canada. *Arch Environ Contam Toxicol* 34:406-413.

## 9. REFERENCES

- Porpora MG, Medda E, Abballe A, et al. 2009. Endometriosis and organochlorinated environmental pollutants: A case-control study on Italian women of reproductive age. *Environ Health Perspect* 117(7):1070-1075.
- Porta M, Lopez T, Gasull M, et al. 2012. Distribution of blood concentrations of persistent organic pollutants in a representative sample of the population of Barcelona in 2006, and comparison with levels in 2002. *Sci Total Environ* 423:151-161.
- Pozo K, Urrutia R, Mariottini M, et al. 2014. Levels of persistent organic pollutants (POPs) in sediments from Lenga Estuary, central Chile. *Mar Pollut Bull* 79(1-2):338-341.
- Prachar V, Veningerova M, Uhnak J, et al. 1993. Levels of polychlorinated biphenyls and some other organochlorine compounds in breast milk samples in Bratislava. *Sci Total Environ (Suppl Pt 1)*:237-242.
- Purdue MP, Engel LS, Langseth H, et al. 2009. Prediagnostic serum concentrations of organochlorine compounds and risk of testicular germ cell tumors. *Environ Health Perspect* 117(10):1514-1519.
- Pylypiw HM Jr., 1993. Rapid gas chromatographic method for the multiresidue screening of fruits and vegetables for organochlorine and organophosphate pesticides. *J AOAC Int* 76(6):1369-1373.
- Queiroz MLS, Bincoletto C, Perlingeiro RCR, et al. 1997. Defective neutrophil function in workers occupationally exposed to hexachlorobenzene. *Human Exp Toxicol* 16(6):322-326.
- Queiroz MLS, Bincoletto C, Perlingeiro RCR, et al. 1998a. Immunoglobulin levels in workers exposed to hexachlorobenzene. *Human Exp Toxicol* 17:172-175.
- Queiroz MLS, Quadros MR, Valadares MC, et al. 1998b. Polymorphonuclear phagocytosis and killing in workers occupationally exposed to hexachlorobenzene. *Immunopharmacol Immunotoxicol* 20(3):447-454.
- Quemerais B, Lemieux C, Lum KR. 1994. Concentrations and sources of PCBs and organochlorine pesticides in the St. Lawrence River (Canada) and its tributaries. *Chemosphere* 29(3):591-610.
- Quinsey PM, Donohue DC, Ahokas JT. 1995. Persistence of organochlorines in breast milk of women in Victoria, Australia. *Food Chem Toxicol* 33(1):49-56.
- Quintana PJE, Delfino RJ, Korrick S, et al. 2004. Adipose tissue levels of organochlorine pesticides and polychlorinated biphenyls and risk of non-Hodgkin's lymphoma. *Environ Health Perspect* 112(8):854-861.
- Raab U, Albrecht M, Preiss U, et al. 2013. Organochlorine compounds, nitro musks and perfluorinated substances in breast milk - results from Bavarian monitoring of breast milk 2007/8. *Chemosphere* 93(3):461-467.
- Rahman MS, Bowadt S, Larsen B. 1993. Dual-column GC analysis of Mediterranean fish for ten organochlorine pesticides and sixty two chlorobiphenyls. *J High Resolut Chromatogr* 16:731-735.
- Rajamanickam C, Padmanaban G. 1974. Biochemical effects of hexachlorobenzene. *Indian J Biochem Biophys* 11:119-122.

## 9. REFERENCES

- Rajamanickam C, Amrutavalli J, Rao MR, et al. 1972. Effect of hexachlorobenzene on haem synthesis. *Biochem J* 129:381-387.
- Randi AS, Cocca C, Carbone V, et al. 2006. Hexachlorobenzene is a tumor co-carcinogen and induces alterations in insulin-growth factors signaling pathway in the rat mammary gland. *Toxicol Sci* 89(1):83-92.
- Ray LE, Murray HE, Giam CS. 1983. Organic pollutants in marine samples from Portland, Maine. *Chemosphere* 12:1031-1038.
- Reid A, Callan A, Stasinska A, et al. 2013. Maternal exposure to organochlorine pesticides in Western Australia. *Sci Total Environ* 449:208-213.
- Renner G. 1988. Hexachlorobenzene and its metabolism. *Toxicol Environ Chem* 18:51-78.
- RePORTER. 2015. Hexachlorobenzene. National Institutes of Health, Research Portfolio Online Reporting Tools. <http://projectreporter.nih.gov/reporter.cfm>. April 09, 2015.
- Rhainds M, Levallois P, Ayotte P. 1999. Lead, mercury, and organochlorine compound levels in cord blood in Quebec, Canada. *Arch Environ Health* 54(1):40-47.
- Ribas-Fitó N, Cardo E, Sala M, et al. 2003a. Breastfeeding, exposure to organochlorine compounds, and neurodevelopment in infants. *Pediatrics* 111(5 Pt 1):e580-585.
- Ribas-Fitó N, Grimalt JO, Marco E, et al. 2005. Breastfeeding and concentrations of HCB and p,p'-DDE at the age of 1 year. *Environ Res* 98(1):8-13.
- Ribas-Fitó N, Sala M, Cardo E, et al. 2002. Association of hexachlorobenzene and other organochlorine compounds with anthropometric measures at birth. *Pediatr Res* 52(2):163-167.
- Ribas-Fitó N, Sala M, Cardo E, et al. 2003b. Organochlorine compounds and concentrations of thyroid stimulating hormone in newborns. *Occup Environ Med* 60(4):301-303.
- Ribas-Fitó N, Torrent M, Carrizo D, et al. 2007. Exposure to hexachlorobenzene during pregnancy and children's social behavior at 4 years of age. *Environ Health Perspect* 115(3):447-450.
- Richter E, Schafer SG. 1981. Intestinal excretion of hexachlorobenzene. *Arch Toxicol* 47:233-239.
- Richter E, Renner G, Bayerl J, et al. 1981. Differences in the biotransformation of hexachlorobenzene (HCB) in male and female rats. *Chemosphere* 10:779-785.
- Richter J, Landa K, Reznicek J. 1994. [Immune response in persons occupationally exposed to hexachlorobenzene]. *Pracovni Lekarstvi* 46(4):151-154. (Czech)
- Rietjens IMCM, Steensma A, Den Besten C, et al. 1995. Comparative biotransformation of hexachlorobenzene and hexafluorobenzene in relation to the induction of porphyria. *Eur J Pharmacol* 293:293-299.
- Rignell-Hydbom A, Lindh CH, Dillner J, et al. 2012. A nested case-control study of intrauterine exposure to persistent organochlorine pollutants and the risk of hypospadias. *PLoS ONE* 7(9):e44767.

## 9. REFERENCES

- \*Rios de Molina MC, Billi de Catabbi S, San Martin de Viale LC. 1991. Liver ferrochelatase from normal and hexachlorobenzene porphyric rats. Mechanism of drug action. *Int J Biochem* 23:669-673.
- Rios de Molina MC, Wainstok e Calmanovici R, San Martin de Viale LC. 1980. Investigations on the presence of porphyrinogen carboxylase inhibitors in the liver of rats intoxicated with hexachlorobenzene. *Int J Biochem* 12:1027-1032.
- Ristola T, Pellinen J, Van Hoof PL, et al. 1996. Characterization of Lake Ladoga sediments. II. Toxic chemicals. *Chemosphere* 32(6):1179-1192.
- Rizzardini M, Smith AG. 1982. Sex differences in the metabolism of hexachlorobenzene by rats and the development of porphyria in females. *Biochem Pharmacol* 31:3543-3548.
- \*Rizzardini M, Cantoni L, Villa P, et al. 1990. Biochemical, morphological and flow-cytometric evaluation of the effects of hexachlorobenzene on rat liver. *Cell Biol Toxicol* 6:185-203.
- Robinson PE, Mack GA, Remmers J, et al. 1990. Trends of PCB, hexachlorobenzene, and  $\beta$ -benzene hexachloride levels in the adipose tissue of the U.S. population. *Environ Res* 53:175-192.
- Roche P, Prados M. 1995. Removal of pesticides by use of ozone or hydrogen peroxide/ozone. *Ozone Sci Eng* 17:657-672.
- Rodrigues MA, Sanchez-Negrette M, Mantovani MS, et al. 1991. Liver response to low-hexachlorobenzene exposure in protein- or energy-restricted rats. *Food Chem Toxicol* 29: 757-764.
- Romanic SH, Krauthacker B. 2000. Organochlorine pesticides and polychlorinated biphenyls in ambient air collected in Zagreb, Croatia. *Bull Environ Contam Toxicol* 64:811-816.
- Roos V, Ronn M, Salihovic S, et al. 2013. Circulating levels of persistent organic pollutants in relation to visceral and subcutaneous adipose tissue by abdominal MRI. *Obesity* 21(2):413-418.
- Rostad CE, Pereira WE, Leiker TJ. 1988. Distribution and transport of selected anthropogenic organic compounds in Mississippi River suspended sediment USA May-June 1988. *J Contam Hydrol* 16(2):175-199.
- Rostad CE, Pereira WE, Leiker TJ. 1999. Distribution and transport of selected anthropogenic lipophilic organic compounds associated with Mississippi River suspended sediment, 1989-1990. *Arch Environ Contam Toxicol* 36:248-255.
- Rostad CE, Pereira WF, Leiker TJ. 1993. Distribution and transport of selected anthropogenic organic compounds on Mississippi River suspended sediment (U.S.A.), May/June 1988. *J Contam Hydrol* 16:175-199.
- Roth WL, Freeman RA, Wilson AGE. 1993. A physiologically based model for gastrointestinal absorption and excretion of chemicals carried by lipids. *Risk Anal* 13:531-543.
- Roy RR, Wilson P, Laski RR, et al. 1997. Monitoring of domestic and imported apples and rice by the U.S. Food and Drug Administration Pesticide Program. *J AOAC Int* 80(4):883-894.
- Rozman K, Mueller W, Coulston F, et al. 1977a. Long-term feeding study of hexachlorobenzene in Rhesus monkeys. *Chemosphere* 2/3:81-84.

## 9. REFERENCES

- Rozman K, Mueller W, Coulston F, et al. 1977b. Long-term feeding study of hexachlorobenzene in Rhesus monkeys. *Toxicol Appl Pharmacol* 41:217.
- Rozman K, Mueller WF, Coulston F, et al. 1978. Chronic low dose exposure of Rhesus monkeys to hexachlorobenzene (HCB). *Chemosphere* 2:177-184.
- Rozman K, Rozman T, Greim H. 1981. Enhanced fecal elimination of stored hexachlorobenzene from rats and Rhesus monkeys by hexadecane or mineral oil. *Toxicology* 22:33-44.
- Rumack BH, Lovejoy FH Jr. 1991. Clinical toxicology. In: Amdur MO, Doull J, Klaasen CD, eds. *Casarett and Doull's toxicology: The basic science of poisons*, 4th ed. New York, NY: Pergamon Press, 924-946.
- \*Rumsby PC, Evans JG, Phillimore HE, et al. 1992. Search for Ha-ras codon 61 mutations in liver tumours caused by hexachlorobenzene and aroclor 1254 in C57BL/10ScSn mice with iron overload. *Carcinogenesis* 13:1917-1920.
- Russell RW, Lazar R, Haffner GD. 1995. Biomagnification of Organochlorines in Lake Erie White Bass. *Environ Toxicol Chem* 14(4):719-724.
- Rutten GA, Schoots AC, Vanholder R, et al. 1988. Hexachlorobenzene and 1,1-di(4-chlorophenyl)-2,2-dichloroethene in serum of uremic patients and healthy persons: Determination by capillary gas chromatography and electron capture detection. *Nephron* 48:217-221.
- Sagiv SK, Tolbert PE, Altshul LM, et al. 2007. Organochlorine exposures during pregnancy and infant size at birth. *Epidemiology* 18(1):120-129.
- Sala M, Ribas-Fito N, Cardo E, et al. 2001a. Levels of hexachlorobenzene and other organochlorine compounds in cord blood: Exposure across placenta. *Chemosphere* 43:895-901.
- Sala M, Ribas-Fito N, de Muga ME, et al. 1999a. Hexachlorobenzene and other organochlorine compounds incorporation to the new-borns and its effects on neonatal neurological development at 6-8 weeks of life. *Organohalogen Compounds* 44:241-242.
- Sala M, Sunyer J, Herrero C, et al. 2001b. Association between serum concentrations of hexachlorobenzene and polychlorobiphenyls with thyroid hormone and liver enzymes in a sample of the general population. *Occup Environ Med* 58:172-177.
- Sala M, Sunyer J, Otero R, et al. 1999b. Health effects of chronic high exposure to hexachlorobenzene in a general population sample. *Arch Environ Health* 54(2):102-109.
- Sala M, Sunyer J, Otero R, et al. 1999c. Organochlorine in the serum of inhabitants living near an electrochemical factory. *Occup Environ Med* 56:152-158.
- Salata H, Cortes JM, Enriquez de Salamanca R, et al. 1985. Porphyria cutanea tarda and hepatocellular carcinoma: Frequency of occurrence and related factors. *J Hepatol* 1:477-487.
- Salihovic S, Mattioli L, Lindstrom G, et al. 2012. A rapid method for screening of the Stockholm Convention POPs in small amounts of human plasma using SPE and HRGC/HRMS. *Chemosphere* 86:747-753.

## 9. REFERENCES

- Sandberg S, Romslo I, Hovding G, et al. 1982. Porphyrin-induced photodamage as related to the subcellular localization of the porphyrins. *Acta Derm Venereol (Stockh)* 100:75-80.
- Saoudi A, Frery N, Zeghnoun A, et al. 2014. Serum levels of organochlorine pesticides in the French adult population: The French National Nutrition and Health Study (ENNS), 2006-2007. *Sci Total Environ* 472:1089-1099.
- Sasaki YF, Izumiyama F, Nishidate E, et al. 1997. Detection of rodent liver carcinogen genotoxicity by the alkaline single-cell gel electrophoresis (Comet) assay in multiple mouse organs (liver, lung, spleen, kidney, and bone marrow). *Mutat Res* 391:201-214.
- Saunders NR, Ek CJ, Habgood MD, et al. 2008. Barriers in the brain: A renaissance? *Trends Neurosci* 31(6):279-286. 10.1016/j.tins.2008.03.003.
- Saunders NR, Liddelow SA, Dziegielewska KM. 2012. Barrier mechanisms in the developing brain. *Front Pharmacol* 3:Article 46. 10.3389/fphar.2012.00046.
- Sawada N, Iwasaki M, Inoue, M, et al. 2010. Plasma organochlorines and subsequent risk of prostate cancer in Japanese men: A nested case-control study. *Environ Health Perspect* 18(5):659-665.
- Schauerte W, Lay JP, Klein W, et al. 1982. Long-term fate of organochlorine xenobiotics in aquatic ecosystems. Distribution, residual behavior, and metabolism of hexachlorobenzene, pentachloronitrobenzene, and 4-chloroaniline in small experimental ponds. *Ecotox Environ Saf* 6:560-569.
- Schechter A, Ryan JJ, Papke O. 1998. Decrease in levels and body burden of dioxins, dibenzofurans, PCBs, DDE, and HCB in blood and milk in a mother nursing twins over a thirty-eight month period. *Chemosphere* 37(9-12):1807-1816.
- Scheele J, Teufel M, Niessen KH. 1995. A comparison of the concentrations of certain chlorinated hydrocarbons and polychlorinated biphenyls in bone marrow and fat tissue of children and their concentrations in breast milk. *J Environ Pathol Toxicol Oncol* 14:11-14.
- Scheele J, Teufel M, Niessen K-H. 1996. Chlorinated hydrocarbons in human bone marrow of healthy individuals and leukemia patients. *Arch Environ Health* 51(1):22-25.
- Schell LM, Gallo MV. 2010. Relationships of putative endocrine disruptors to human sexual maturation and thyroid activity in youth. *Physiol Behav* 99(2):246-253.
- Schell LM, Gallo MV, Decaprio AP, et al. 2004. Thyroid function in relation to burden of PCBs, p,p'-DDE, HCB, mirex and lead among Akwesasne Mohawk youth: A preliminary study. *Environ Toxicol Pharmacol* 18(2):91-99.
- Schell LM, Gallo MV, Denham M, et al. 2008. Relationship of thyroid hormone levels to levels of polychlorinated biphenyls, lead, p,p'-DDE, and other toxicants in Akwesasne Mohawk youth. *Environ Health Perspect* 116(6):806-813.
- Schell LM, Gallo MV, Ravenscroft J, et al. 2009. Persistent organic pollutants and anti-thyroid peroxidase levels in Akwesasne Mohawk young adults. *Environ Res* 109(1):86-92.



## 9. REFERENCES

- Schettgen T, Gube M, Alt A, et al. 2011. Pilot study on the exposure of German general population to non-dioxin-like and dioxin-like PCBs. *Int J Hyg Environ Health* 214:319-325.
- Scheufler E, Rozman K. 1984a. Comparative decontamination of hexachlorobenzene exposed rats and rabbits by hexadecane. *J Toxicol Environ Health* 14:353-362.
- Scheufler E, Rozman K. 1984b. Effect of hexadecane on the pharmacokinetics of hexachlorobenzene. *Toxicol Appl Pharmacol* 75:190-197.
- Scheunert I, Marra C, Viswanathan R, et al. 1983. Fate of hexachlorobenzene-<sup>14</sup>C in wheat plants and soils under outdoor conditions. *Chemosphere* 12(6):843-858.
- Scheuplein R, Charnley G, Dourson M. 2002. Differential sensitivity of children and adults to chemical toxicity. I. Biological basis. *Regul Toxicol Pharmacol* 35(3):429-447.
- Schielen P, Den Besten C, Vos JG, et al. 1995a. Immune effects of hexachlorobenzene in the rat: Role of metabolism in a 13-week feeding study. *Toxicol Appl Pharmacol* 131:37-43.
- Schielen P, Schoo W, Tekstra J, et al. 1993. Autoimmune effects of hexachlorobenzene in the rat. *Toxicol Appl Pharmacol* 122:233-243.
- Schielen P, Van Rodijnen W, Pieters RHH, et al. 1995b. Hexachlorobenzene treatment increases the number of splenic B-1 like cells and serum autoantibody levels in the rat. *Immunology* 86:568-574.
- Schlummer M, Moser GA, McLachlan MS. 1998. Digestive tract absorption of PCDD/Fs, PCBs, and HCB in humans: Mass balances and mechanistic considerations. *Toxicol Appl Pharmacol* 152:128-137.
- Schmitt CJ, Zajicek JL, Peterman PH. 1990. National contaminant biomonitoring program: Residues of organochlorine chemicals in U.S. freshwater fish, 1976-1984. *Arch Environ Contam Toxicol* 19:748-781.
- Schoula R, Hajslova J, Bencko V, et al. 1996. Occurrence of persistent organochlorine contaminants in human milk collected in several regions of Czech Republic. *Chemosphere* 33(8):1485-1494.
- Schrank CS, Cormier SM, Blazer VS. 1997. Contaminant exposure, biochemical, and histopathological biomarkers in white suckers from contaminated and reference sites in the Sheboygan River, Wisconsin. *J Great Lakes Res* 23(2):119-130.
- Schroll R, Bierling B, Cao B, et al. 1994. Uptake pathways of organic chemicals from soil by agricultural plants. *Chemosphere* 28(2):297-303.
- Schuhmacher M, Domingo JL, Agramunt MC, et al. 2002. Biological monitoring of metals and organic substances in hazardous-waste incineration workers. *Int Arch Occup Environ Health* 75(7):500-506.
- Seidel V, Linder W. 1993. Universal sample enrichment technique for organochlorine pesticides in environmental and biological samples using a redesigned simultaneous steam distillation- solvent extraction apparatus. *Anal Chem* 65:3677-3683.
- Selden AI, Floderus Y, Bodin LS, et al. 1999. Porphyrin status in aluminum foundry workers exposed to hexachlorobenzene and octachlorostyrene. *Arch Environ Health* 54(4):248-253.

## 9. REFERENCES

- Selden A, Jacobson G, Berg P, et al. 1989. Hepatocellular carcinoma and exposure to hexachlorobenzene: A case report. *Br J Ind Med* 46:138-140.
- Selden AS, Westberg HB, Hanberg A, et al. 1997. Congener-specific monitoring of PCB and hexachlorobenzene in hazardous waste incineration workers. *Organohalogen Compounds* 33:398-401.
- Shan TH, Hopple JA, Foster GD. 1994. Alternative tissue analysis method developed for organochlorine contaminants in aquatic organisms. *Bull Environ Contam Toxicol* 53:382-389.
- Shaw SD, Berger ML, Harris JH, et al. 2013. Persistent organic pollutants including polychlorinated and polybrominated dibenzo-p-dioxins and dibenzofurans in firefighters from Northern California. *Chemosphere* 91(10):1386-1394.
- Shen H, Main KM, Virtanen HE, et al. 2007. From mother to child: Investigation of prenatal and postnatal exposure to persistent bioaccumulating toxicants using breast milk and placenta biomonitoring. *Chemosphere* 67(9):S256-262.
- Sherwood RL, Thomas PT, O'Shea WJ, et al. 1989. Effects of inhaled hexachlorobenzene aerosols on rat pulmonary host defenses. *Toxicol Ind Health* 5:451-461.
- Shirai T, Miyata Y, Nakanishi K, et al. 1978. Hepatocarcinogenicity of polychlorinated terphenyl (PCT) in ICR mice and its enhancement by hexachlorobenzene (HCB). *Cancer Lett* 4:271-275.
- Siekel P, Chalupa I, Beno J, et al. 1991. A genotoxicological study of hexachlorobenzene and pentachloroanisole. *Teratog Carcinog Mutagen* 11:55-60.
- Siersema PD, ten Kate FJW, Mulder PGH, et al. 1992. Hepatocellular carcinoma in porphyria cutanea tarda: Frequency and factors related to its occurrence. *Liver* 12:56-61.
- Siersema PD, Van Helvoirt RP, Ketelaars DAM, et al. 1991. Iron and uroporphyrin in hepatocytes of inbred mice in experimental porphyria: A biochemical and morphological study. *Hepatology* 14:1179-1188.
- Silkworth JB, Loose LD. 1981. Assessment of environmental contaminant-induced lymphocyte dysfunction. *Environ Health Perspect* 39:105-128.
- Simon GS, Tardiff RG, Borzelleca JF. 1979. Failure of hexachlorobenzene to induce dominant lethal mutations in the rat. *Toxicol Appl Pharmacol* 47:415-419.
- Simonich SL, Hites RA. 1995. Organic pollutant accumulation in vegetation. *Environ Sci Technol* 29(12):2905-2914.
- Sims DE, Singh A, Donald A, et al. 1991. Alteration of primate ovary surface epithelium by exposure to hexachlorobenzene: A quantitative study. *Histol Histopathol* 6:525-529.
- Sinclair PR, Gorman N, Sinclair JF, et al. 1995. Ascorbic acid inhibits chemically induced uroporphyrin in ascorbate requiring rats. *Hepatology* 22(2):565-572.
- Sinkkonen S, Rantio T, Vattulainen A, et al. 1995. Chlorohydrocarbons, PCB congeners, polychlorodioxins, furans and dibenzothiophenes in pine needles in the vicinity of a metal reclamation plant. *Chemosphere* 30(12):2227-2239.

## 9. REFERENCES

- Sinkkonen S, Welling L, Vattulainen A, et al. 1996. Short chain aliphatic halocarbons and polychlorinated biphenyls in pine needles: Effects of metal scrap plant emissions. *Chemosphere* 32(10):1971-1982.
- Sioen I, Den Hond E, Nelen V, et al. 2013. Prenatal exposure to environmental contaminants and behavioural problems at age 7-8 years. *Environ Int* 59:225-231.
- Sitarska E, Klucinski W, Faundez R, et al. 1995. Concentration of PCBs, HCB, DDT, and HCH isomers in the ovaries, mammary gland, and liver of cows. *Bull Environ Contam Toxicol* 55:865-869.
- Siyali DS. 1972. Hexachlorobenzene and other organochloride pesticides in human blood. *Med J Aust* 2:1063-1066.
- Skaare JU, Bernhoft A, Wiig O, et al. 2001. Relationships between plasma levels of organochlorines, retinol and thyroid hormones from polar bears (*Ursus maritimus*) at Svalbard. *J Toxicol Environ Health* 62(part A):227-241.
- Smelt JH, Leistra M. 1974. Hexachlorobenzene in soils and crops after soil treatment with pentachloronitrobenzene. *Agric Environ* 1:65-71.
- Smink A, Ribas-Fito N, Garcia R, et al. 2008. Exposure to hexachlorobenzene during pregnancy increases the risk of overweight in children aged 6 years. *Acta Paediatr* 97(10):1465-1469.
- Smith AG. 1989. Iron-mediated mechanisms of liver injury by polyhalogenated aromatic chemicals. *Human Toxicol* 8:149-150. (Abstract)
- Smith AG. 1991. Chlorinated hydrocarbon insecticides. In: Hayes Jr WJ, Laws Jr ER, eds. *Handbook of pesticide toxicology*. Vol. 2: Classes of pesticides. San Diego, CA: Academic Press, 731-915.
- Smith AG, Cabral JR. 1980. Liver-cell tumors in rats fed hexachlorobenzene. *Cancer Lett* 11:169-172.
- Smith AG, De Matteis F. 1990. Oxidative injury mediated by the hepatic cytochrome P-450 system in conjunction with cellular iron: Effects on the pathway of haem biosynthesis. *Xenobiotica* 20:865-877.
- Smith AG, Francis JE. 1983. Synergism of iron and hexachlorobenzene inhibits hepatic uroporphyrinogen decarboxylase in inbred mice. *Biochem J* 214:909-913.
- Smith AG, Francis JE. 1987. Chemically-induced formation of an inhibitor of hepatic uroporphyrinogen decarboxylase in inbred mice with iron overload. *Biochem J* 246:221-226.
- Smith AG, Cabral JR, Carthew P, et al. 1989. Carcinogenicity of iron in conjunction with a chlorinated environmental chemical, hexachlorobenzene, in C57BL/10ScSn mice. *Int J Cancer* 43:492-496.
- Smith AG, Cabral JRP, De Matteis F. 1979. A difference between two strains of rats in their liver non-haem iron content and in their response to the porphyrogenic effect of hexachlorobenzene. *Chem Biol Interact* 27:353-363.
- Smith AG, Carthew P, Francis JE, et al. 1993. Enhancement by iron of hepatic neoplasia in rats caused by hexachlorobenzene. *Carcinogenesis* 14(7):1381-1387.

## 9. REFERENCES

- Smith AG, Dinsdale D, Cabral JR, et al. 1987. Goitre and wasting induced in hamsters by hexachlorobenzene. *Arch Toxicol* 60:343-349.
- Smith AG, Francis JE, Bird I. 1986d. Distinction between octachlorostyrene and hexachlorobenzene in their potential to induce ethoxyphenoxazone deethylase and cause porphyria in rats and mice. *J Biochem Toxicol* 1:105-117.
- Smith AG, Francis JE, Dinsdale D, et al. 1985. Hepatocarcinogenicity of hexachlorobenzene in rats and the sex difference in hepatic iron status and development of porphyria. *Carcinogenesis* 6(4):631-636.
- Smith AG, Francis JE, Green JA, et al. 1990. Sex-linked hepatic uroporphyrin and the induction of cytochromes P450IA in rats caused by hexachlorobenzene and polyhalogenated biphenyls. *Biochem Pharmacol* 40:2059-2068.
- Smith AG, Francis JE, Kay SJE, et al. 1986a. Mechanistic studies of the inhibition of hepatic uroporphyrinogen decarboxylase in C57BL/10 mice by iron-hexachlorobenzene synergism. *Biochem J* 238:871-878.
- \*Smith AG, Stewart FP, Francis JE. 1986c. Genetic, iron status and sex factors of porphyria induced by hexachlorobenzene. *IARC Sci Publ* 77:433-439.
- Smith AG, Wright AL, Cabral JRP. 1986b. Influence of hexachlorobenzene on thyroids of male hamsters. *IARC Sci Publ* 77:357-359.
- Somers JD, Goski BC, Barbeau JM, et al. 1993. Accumulation of organochlorine contaminants in double-crested cormorants. *Environ Pollut* 80(1):17-23.
- Son HK, Kim SA, Kang JH, et al. 2010. Strong associations between low-dose organochlorine pesticides and type 2 diabetes in Korea. *Environ Int* 36(5):410-414.
- Song S, Ma J, Tian Q, et al. 2013. Hexachlorobenzene in human milk collected from Beijing, China. *Chemosphere* 91(2):145-149.
- Sopena de Kracoff YE, Ferramola de Sancovich AM, Sancovich HA, et al. 1994. Effect of thyroidectomy and thyroxine on hexachlorobenzene induced porphyria. *J Endocrinol Invest* 17:301-305.
- Sopena de Kracoff YE, Ferramola de Sancovich AM, Sancovich HA. 2008. Hexachlorobenzene treatment on hepatic mitochondrial function parameters and intracellular coproporphyrinogen oxidase location. *Int J Toxicol* 27(6):455-465.
- Spinelli JJ, Ng CH, Weber JP, et al. 2007. Organochlorines and risk of non-Hodgkin lymphoma. *Int J Cancer* 121(12):2767-2775.
- Stachel B, Dougherty RC, Lahl U, et al. 1989. Toxic environmental chemicals in human semen: Analytical method and case studies. *Andrologia* 21:282-291.
- Stewart FP, Smith AG. 1986. Metabolism of hexachlorobenzene by rat-liver microsomes. *IARC Sci Publ* 77:325-327.

## 9. REFERENCES

- \*Stewart FP, Manson MM, Cabral JR, et al. 1989. Hexachlorobenzene as a promoter of diethylnitrosamine-initiated hepatocarcinogenesis in rats and comparison with induction of porphyria. *Carcinogenesis* 10:1225-1230.
- Strandberg B, Bandh C, van Bavel R, et al. 2000. Organochlorine compounds in the Gulf of Bothnia: Sediment and benthic species. *Chemosphere* 40:1205-1211.
- Strøm M, Hansen S, Olsen SF, et al. 2014. Persistent organic pollutants measured in maternal serum and offspring neurodevelopmental outcomes. A prospective study with long-term follow-up. *Environ Int* 68:41-48.
- Stuetz W, Prapamontol T, Erhardt JG, et al. 2001. Organochlorine pesticide residues in human milk of a Hmong hill tribe living in Northern Thailand. *Sci Total Environ* 273:53-60.
- Sufit RL, Hodach R, Arends R, et al. 1986. Decreased conduction velocity and pseudomyotonia in hexachlorobenzene-fed rats. *IARC Sci Publ* 77:379-380.
- Sugiura-Ogasawara M, Ozaki Y, Sonta S, et al. 2003. PCBs, hexachlorobenzene and DDE are not associated with recurrent miscarriage. *Am J Reprod Immunol* 50(6):485-489.
- Sundlof SF, Hansen LG, Koritz GD, et al. 1982. The pharmacokinetics of hexachlorobenzene in male beagles: Distribution, excretion, and pharmacokinetics model. *Drug Metab Dispos* 10:371-381.
- Sundlof SM, Parker AJ, Simon J, et al. 1981. Sub-acute toxicity of hexachlorobenzene in female beagles, including electroencephalographic changes. *Vet Hum Toxicol* 23:92-96.
- Sunyer J, Alvarez-Pedrerol M, To-Figueras J, et al. 2008. Urinary porphyrin excretion in children is associated with exposure to organochlorine compounds. *Environ Health Perspect* 116(10):1407-1410.
- Sunyer J, Herrero C, Ozalla D, et al. 2002. Serum organochlorines and urinary porphyrin pattern in a population highly exposed to hexachlorobenzene. *Environ Health* 1(1):1.
- Susarla S, Yonezawa Y, Masunaga S. 1997. Transformation kinetics and pathways of chlorophenols and hexachlorobenzene in fresh water lake sediment under anaerobic conditions. *Environ Technol* 18:903-911.
- Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Residue Rev* 85:17-28.
- Sweeney GD, Basford D, Drestynski F. 1986. The role of contaminants in hexachlorobenzene toxicity. *IARC Sci Publ* 77:363-370.
- Swift BL, Foley RE, Batcheller GR. 1993. Organochlorines in common Goldeneyes wintering in New York. *Wildl Soc Bull* 21(1):52-56.
- Szymczynski GA, Waliszewski SM. 1981. Comparison of the content of chlorinated pesticide residues in human semen, testicles and fat tissues. *Andrologia* 13:250-252.
- Szyrwinska K, Lulek J. 2007. Exposure to specific polychlorinated biphenyls and some chlorinated pesticides via breast milk in Poland. *Chemosphere* 66(10):1895-1903.

## 9. REFERENCES

- Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53:1503-1518.
- Takei GH, Kauahikaua SM, Leong GH. 1983. Analyses of human milk samples collected in Hawaii for residues of organochlorine pesticides and polychlorobiphenyls. *Bull Environ Contam Toxicol* 30:606-613.
- Takser L, Mergler D, Baldwin M, et al. 2005. Thyroid hormones in pregnancy in relation to environmental exposure to organochlorine compounds and mercury. *Environ Health Perspect* 113(8):1039-1045.
- Tate CM, Heiny JS. 1996. Organochlorine compounds in bed sediment and fish tissue in the South Platte River Basin, USA, 1992-1993. *Arch Environ Contam Toxicol* 30:62-78.
- Taylor DH, Goldey E. 1990. Assessment of the behavioral and neurotoxic effects of hexachlorobenzene (HCB) in the developing rat. Wright Patterson Air Force Base, OH: Harry G. Armstrong Aerospace Medical Research Laboratory. AAMRL-TR-90-076. ADA243658.
- Tchounwou PB, Abdelghani AA, Pramar YV, et al. 1998. Health risk assessment of hexachlorobenzene and hexachlorobutadiene residues in fish collected from a hazardous waste contaminated wetland in Louisiana, USA. In: Little EE, Greenberg BM, DeLonay AJ, eds. *Environmental toxicology and risk assessment*. 7th Vol., 368-382.
- ten Hulscher TEM, Van Der Velde LE, Bruggeman WA. 1992. Temperature dependence of Henry's law constants for selected chlorobenzenes, polychlorinated biphenyls and polycyclic aromatic hydrocarbons. *Environ Toxicol Chem* 11:1595-1603.
- Teufel M, Niessen KH, Sartoris J, et al. 1990. Chlorinated hydrocarbons in fat tissue: Analyses of residues in healthy children, tumor patients, and malformed children. *Arch Environ Contam Toxicol* 19(5):646-652.
- Thier H-P, Zeumer H. 1987a. Organochlorine, organophosphorus nitrogen-containing and other pesticides. Deutsche Forschungsgemeinschaft: Manual of pesticide residue analysis. Vol. 1. Weinheim, Germany: VCH, 383-400.
- Thier H-P, Zeumer H. 1987b. Organochlorine and organophosphorus pesticides. Deutsche Forschungsgemeinschaft: Manual of pesticide residue analysis. Vol. 1. Weinheim, Germany: VCH, 298-307.
- Thomas RG. 1990. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds., *Handbook of chemical property estimation methods. Environmental behavior of organic compounds*. Washington DC: American Chemical Society, 15-1-15-34.
- Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 365-394.
- Thomsen C, Liane VH, Becher G. 2007. Automated solid-phase extraction for the determination of polybrominated diphenyl ethers and polychlorinated biphenyls in serum--application on archived

## 9. REFERENCES

- Norwegian samples from 1977 to 2003. *J Chromatogr B Analyt Technol Biomed Life Sci* 846(1-2):252-263.
- Tiernan TO, Solch JG, Garrett JG, et al. 1990. A concerted analytical method for determination of various halogenated and related bioaccumulating compounds in fish and sediments. *Organohalogen Compounds* 2:225-228.
- Tiernan TO, Taylor ML, Garrett JH, et al. 1985. Sources and fate of polychlorinated dibenzodioxins, dibenzofurans and related compounds in human environments. *Environ Health Perspect* 59:145-158.
- Tobin P. 1986. Known and potential sources of hexachlorobenzene. *IARC Sci Publ* 77:3-11.
- To-Figueras J, Barrot C, Sala M, et al. 2000. Excretion of hexachlorobenzene and metabolites in feces in a highly exposed human population. *Environ Health Perspect* 108(7):595-598.
- To-Figueras J, Gomez-Catalan J, Rodamilans M, et al. 1991. Studies on sex differences in excretion of sulphur derivatives of hexachlorobenzene and pentachloronitrobenzene by rats. *Toxicol Lett* 56:87-94.
- To-Figueras J, Gomez-Catalan J, Rodamilans M, et al. 1992. Sulphur derivative of hexachlorobenzene in human urine. *Human Exp Toxicol* 11:271-273.
- To-Figueras J, Sala M, Otero R, et al. 1997. Metabolism of hexachlorobenzene in humans: Association between serum levels and urinary metabolites in a highly exposed population. *Environ Health Perspect* 105(1):78-83.
- Tong M, Youn S. 2012. Physiochemical technologies for HCB remediation and disposal: A review. *J Hazard Mater* 229-230:1-14.
- Topi GC, D'Alessandro Gandolfo L, Griso D, et al. 1980. Porphyria cutanea tarda and hepatocellular carcinoma. *Int J Biochem* 12:883-885.
- Torinuki W, Kumai N, Miura T. 1981. Histopathological studies on sun-exposed hexachlorobenzene-induced porphyric rat skin. *Tohoku J Exp Med* 134:425-430.
- Torres-Arreola L, Berkowitz G, Torres-Sanchez L, et al. 2003. Preterm birth in relation to maternal organochlorine serum levels. *Ann Epidemiol* 13(3):158-162.
- \*Trenti T, Ventura E, Ceccarelli D, et al. 1986. Functional derangement of liver mitochondria from hexachlorobenzene-treated rats. *IARC Sci Publ* 77:329-331.
- TRI13. 2014. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. November 12, 2014.
- Trotter WJ, Dickerson R. 1993. Pesticide residues in composited milk collected through the U.S. Pasteurized Milk Network. *J AOAC Int* 76(6):1220-1225.
- Tsuda H, Matsumoto K, Ogino H, et al. 1993. Demonstration of initiation potential of carcinogens by induction of preneoplastic glutathione S transferase P-form-positive liver cell foci: Possible *in vivo* assay system for environmental carcinogens. *Jpn J Cancer Res* 84:230-236.

## 9. REFERENCES

- Tsydenova OV, Sudaryanto A, Kajiwara N, et al. 2007. Organohalogen compounds in human breast milk from Republic of Buryatia, Russia. *Environ Pollut* 146(1):225-232.
- Uhlik O, Strejcek M, Vondracek J, et al. 2014. Bacterial acquisition of hexachlorobenzene-derived carbon in contaminated soil. *Chemosphere* 113:141-145.
- Umegaki K, Ikegami S. 1998. Feeding fish oil to rats accelerates the metabolism of hexachlorobenzene. *J Nutr Sci Vitaminol* 44:301-311.
- UNEP. 1996. UNEP survey on sources of POPs: A report prepared for an IFCS expert meeting on persistent organic pollutants: Manila, the Philippines, 17-19 June 1996. United Nations Environment Programme. <http://www.chem.unep.ch/pops/indxhtmls/manexp3.html>.
- Vafeiadi M, Vrijheid M, Fthenou E, et al. 2014. Persistent organic pollutants exposure during pregnancy, maternal gestational weight gain, and birth outcomes in the mother-child cohort in Crete, Greece (RHEA study). *Environ Int* 64:116-123.
- Valvi D, Mendez MA, Garcia-Esteban R, et al. 2014. Prenatal exposure to persistent organic pollutants and rapid weight gain and overweight in infancy. *Obesity* 22(2):488-496.
- Vampre TM, Fuccillo R, deAndrea MM. 2010. Oligoqueta eisenai andrei como bioindicador de contaminacao de solo por hexaclorobenzeno. *Revista Brasileira de Ciencia do Solo* 34:59-66.
- Van Den Berg KJ. 1990. Interaction of chlorinated phenols with thyroxine binding sites of human transthyretin, albumin and thyroid binding globulin. *Chem Biol Interact* 76:63-75.
- Van Loveren H, Kranjnc EI, Rombout PJA, et al. 1990. Effects of ozone, hexachlorobenzene, and bis(tri-n-butyltin)oxide on natural killer activity in the rat lung. *Toxicol Appl Pharmacol* 102:21-33.
- van Ommen B, Hendriks W, Bessems JGM, et al. 1989. The relation between the oxidative biotransformation of hexachlorobenzene and its porphyrinogenic activity. *Toxicol Appl Pharmacol* 100:517-528.
- van Ommen B, Van Bladeren PJ, Temmink JHM, et al. 1985. Formation of pentachlorophenol as the major product of microsomal oxidation of hexachlorobenzene. *Biochem Biophys Res Comm* 126:25-32.
- van Raaij JAGM, Frijters CMG, van den Berg KJ. 1993a. Hexachlorobenzene-induced hypothyroidism: Involvement of different mechanism by parent compound and metabolite. *Biochem Pharmacol* 46(8):1385-1391.
- van Raaij JAGM, Frijters CMG, Wong Yen kong L, et al. 1994. Reduction of thyroxine uptake into cerebrospinal fluid and rat brain by hexachlorobenzene and pentachlorophenol. *Toxicology* 94:197-208.
- van Raaij JAGM, Kaptein E, Visser TJ, et al. 1993b. Increased glucuronidation of thyroid hormone in hexachlorobenzene-treated rat. *Biochem Pharmacol* 45(3):627-631.
- van Raaij JA, van den Berg KJ, Engel R, et al. 1991a. Effects of hexachlorobenzene and its metabolites pentachlorophenol and tetrachlorohydroquinone on serum thyroid hormone levels in rats. *Toxicology* 67:107-116.



## 9. REFERENCES

- \*van Raaij JA, van den Berg KJ, Notten WR. 1991b. Hexachlorobenzene and its metabolites pentachlorophenol and tetrachlorohydroquinone: Interaction with thyroxine binding sites of rat thyroid hormone carriers *ex vivo* and *in vitro*. *Toxicol Lett* 59:101-107.
- Veith GD, DeFoe DL, Bergstedt BV, et al. 1979. Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fish Res Board Can* 36:1040-1048.
- Verschueren K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York, NY: Van Nostrand Reinhold Company, 712-717.
- Verschueren K. 1996. Handbook of environmental data on organic chemicals. 3rd ed. New York, NY: Van Nostrand Reinhold Company, 1064-1069.
- Verschueren K. 2001. Hexachlorobenzene. In: Handbook of environmental data on organic chemicals. Vol. 2. New York, NY: John Wiley & Sons, Inc., 1226-1231.
- Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238(2):476-483.
- Vilanova R, Fernandez P, Martinez C, et al. 2001. Organochlorine pollutants in remote mountain lake waters. *J Environ Qual* 30:1286-1295.
- Villeneuve DC, Hierlihy SL. 1975. Placental transfer of hexachlorobenzene in the rat. *Bull Environ Contam Toxicol* 13:489-491.
- \*Villeneuve DC, Newsome WH. 1975. Toxicity and tissue levels in the rat and guinea pig following acute hexachlorobenzene administration. *Bull Environ Contam Toxicol* 14:297-300.
- Villeneuve DC, Panopio LG, Grant DL. 1974a. Placental transfer of hexachlorobenzene in the rabbit. *Environ Physiol Biochem* 4:112-115.
- \*Villeneuve DC, Phillips WEJ, Panopio LG, et al. 1974b. The effects of phenobarbital and carbon tetrachloride on the rate of decline of body burdens of hexachlorobenzene in the rat. *Arch Environ Contam Toxicol* 2:243-252.
- Villeneuve DC, Van Logten MJ, Den Tonkelaar EM, et al. 1977. Effect of food deprivation on low level hexachlorobenzene exposure in rats. *Sci Total Environ* 8:179-186.
- Vincent SH, Smith AG, Muller-Eberhard U. 1989. Modulation of hepatic heme-binding Z protein in mice by the porphyrogenic carcinogens griseofulvin and hexachlorobenzene. *Cancer Lett* 45:109-114.
- Visser O, Van den Berg JW, Edixhoven-Bosdisk A, et al. 1989. Development of hexachlorobenzene porphyrin in rats: Time sequence and relationship with lipid peroxidation. *Food Chem Toxicol* 27:317-321.
- Vos JG, Brouwer GMJ, van Leeuwen FXR, et al. 1983. Toxicity of hexachlorobenzene in the rat following combined pre- and post-natal exposure: Comparison of effects on immune system, liver and lung. In: Gibson GG, Hubbard R, Parke DV, eds. *Immunotoxicology*. London, England: Academic Press, 219-235.

## 9. REFERENCES

- Vos JG, van Logten MJ, Kreeftenberg JG, et al. 1979a. Effect of hexachlorobenzene on the immune system of rats following combined pre- and postnatal exposure. *Drug Chem Toxicol* 2:61-76.
- Vos JG, van Logten MJ, Kreeftenberg JG, et al. 1979b. Hexachlorobenzene-induced stimulation of the humoral immune response in rats. *Ann NY Acad Sci* 320:535-550.
- Vos RME, Snoek MC, Van Berkel WJH, et al. 1988. Differential induction of rat hepatic glutathione S-transferase isoenzymes by hexachlorobenzene and benzyl isothiocyanate: Comparison with induction by phenobarbital and 3-methylcholanthrene. *Bio Chem Pharmacol* 37:1077-1082.
- Wada O, Yano Y, Urata G, et al. 1968. Behavior of hepatic microsomal cytochromes after treatment of mice with drugs known to disturb porphyrin metabolism in liver. *Biochem Pharmacol* 17:595-603.
- Waddington RT. 1972. Short notes of rare or obscure cases. A case of primary liver tumour associated with porphyria. *Brit J Surg* 59:653-654.
- \*Wagner U, Schlebusch H, Van der Ven H, et al. 1990. Accumulation of pollutants in the genital tract of sterility patients. *J Clin Chem Clin Biochem* 28:683-688.
- Wainstok de Calmanovici R, San Martin de Viale LC. 1980. Effect of chlorophenols on porphyrin metabolism in rats and chicken embryo. *Int J Biochem* 12:1039-1044.
- \*Wainstok de Calmanovici R, Billi de Catabbi SC, Aldonatti CA. 1989. Influence of the strain of rats on the induction of hexachlorobenzene induced porphyria. *Int J Biochem* 21:377-381.
- \*Wainstok de Calmanovici R, Cochon AC, Aldonatti C, et al. 1990. Synergistic effect of mammary tumors on hexachlorobenzene-induced porphyria in rats. *Cancer Lett* 55:67-73.
- Wainstok de Calmanovici R, Cochon AC, Aldonatti C, et al. 1991. Sex comparison of heme pathway in rats bearing hepatic tumors. *Tumori* 77:379-384.
- \*Wainstok de Calmanovici R, Rios de Molina MDC, Taira de Yamasato MC, et al. 1984. Mechanism of hexachlorobenzene-induced porphyria in rats: Effect of phenobarbitone pretreatment. *Biochem J* 218:753-763.
- Waliszewski SM, Szymczynski GA. 1985. Inexpensive, precise method for the determination of chlorinated pesticide residues in soil. *J Chromatogr* 321:480-483.
- Waliszewski SM, Aguirre AA, Benitez A, et al. 1999a. Organochlorine pesticide residues in human blood serum of inhabitants of Veracruz, Mexico. *Bull Environ Contam Toxicol* 62(4):397-402.
- Waliszewski SM, Aguirre AA, Infanzon RM, et al. 1998. Time trend of organochlorine pesticide residues in human adipose tissue in Veracruz, Mexico: 1988-1997 survey. *Sci Total Environ* 221:201-204.
- Waliszewski SM, Aguirre AA, Infanzon RM, et al. 1999b. Comparison of organochlorine pesticide levels in adipose tissue and human milk of mothers living in Veracruz, Mexico. *Bull Environ Contam Toxicol* 62(6):685-690.
- Waliszewski SM, Aguirre AA, Infanzon RM. 1999c. Levels of organochlorine pesticides in blood serum and umbilical blood serum of mothers living in Veracruz, Mexico. *Fresenius Environ Bull* 8:171-178.

## 9. REFERENCES

- Waliszewski SM, Aguirre AA, Infanzon RM, et al. 2000a. Comparison of organochlorine pesticide levels in adipose tissue and blood serum from mothers living in Veracruz, Mexico. *Bull Environ Contam Toxicol* 64:8-15.
- Waliszewski SM, Aguirre AA, Infanzon RM, et al. 2000b. Partitioning coefficients of organochlorine pesticides between mother blood serum and umbilical blood serum. *Bull Environ Contam Toxicol* 65:293-299.
- Waliszewski SM, Aguirre AA, Infanzon RM, et al. 2001. Organochlorine pesticide levels in maternal adipose tissue, maternal blood serum, umbilical blood serum, and milk from inhabitants of Veracruz, Mexico. *Arch Environ Contam Toxicol* 40:432-438.
- Waliszewski SM, Meza Hernandez MV, Infanzon RM, et al. 2003. [Persistent organochlorine pesticide levels in women with breast cancer in Veracruz, Mexico]. *Revista Internacional de Contaminacion Ambiental* 19(2):59-65. (Spanish)
- Waliszewski SM, Pardio Sedas VT, Chantiri JN, et al. 1996. Organochlorine pesticide residues in human breast milk from tropical areas in Mexico. *Bull Environ Contam Toxicol* 57:22-28.
- Wania F, Mackay D. 1993. Global fractionation and cold condensation of low volatility organochlorine compounds in polar regions. *Ambio* 22(1):10-18.
- Wania F, Mackay D. 1995. A global distribution model for persistent organic chemicals. *Sci Total Environ* 160/161:211-232.
- Wegiel M, Chrzaszcz R, Maslanka A, et al. 2011. Study on the determination of PCDDs/Fs and HCB in exhaust gas. *Chemosphere* 85:481-486.
- Weiderpass E, Adami HO, Baron JA, et al. 2000. Organochlorines and endometrial cancer risk. *Cancer Epidemiol Biomarkers Prev* 9:487-493.
- Weisenberg E. 1986. Hexachlorobenzene in human milk: A polyhalogenated risk. *IARC Sci Publ* 77:193-200.
- Weisenberg E, Arad I, Grauer F, et al. 1985. Polychlorinated biphenyls and organochlorine insecticides in human milk in Israel. *Arch Environ Contam Toxicol* 14:517-521.
- Weistrand C, Noren K. 1998. Polychlorinated naphthalenes and other organochlorine contaminants in human adipose and liver tissue. *J Toxicol Environ Health* 53:293-311.
- Weldon RH, Barr DB, Trujillo C, et al. 2011. A pilot study of pesticides and PCBs in the breast milk of women residing in urban and agricultural communities of California. *J Environ Monit* 13(11):3136-3144.
- West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- Whitmore RW, Immerman FW, Camann DE, et al. 1994. Non occupational exposures to pesticides for residents of two U.S. cities. *Arch Environ Contam Toxicol* 26(1):47-59.

## 9. REFERENCES

- WHO. 2010. Guidelines for indoor air quality: Selected pollutants. Geneva, Switzerland: World Health Organization. [http://www.euro.who.int/\\_\\_data/assets/pdf\\_file/0009/128169/e94535.pdf](http://www.euro.who.int/__data/assets/pdf_file/0009/128169/e94535.pdf). September 9, 2014.
- WHO. 2011. Guidelines for drinking-water quality. Geneva, Switzerland: World Health Organization. [http://whqlibdoc.who.int/publications/2011/9789241548151\\_eng.pdf?ua=1](http://whqlibdoc.who.int/publications/2011/9789241548151_eng.pdf?ua=1). September 9, 2014.
- Wickstrom K, Pyysalo H, Siimes MA. 1983. Levels of chlordane, hexachlorobenzene, PCB and DDT compounds in Finnish human milk in 1982. *Bull Environ Contam Toxicol* 31:251-256.
- Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: An advanced treatise. Volume II: The elements Part A*. New York, NY: Academic Press, 1-247.
- Williams PL, Burson JL. 1985. Biotransformation: A basic liver action upon exogenous chemicals. In: *Industrial toxicology safety and health applications in the workplace*. New York, NY: Van Nostrand Reinhold Company, 83-88.
- Wolfe GW, Pepperl SG. 2005. Hexachlorobenzene: Reproductive assessment by continuous breeding when administered to Sprague-Dawley rats by oral gavage. Gaithersburg, MD: TherImmune Research Corporation.
- Woods JS, Armel SE, Fulton DI, et al. 2010. Urinary porphyrin excretion in neurotypical and autistic children. *Environ Health Perspect* 118(10):1450-1457.
- Wu C, Luo Y, Gui T, et al. 2014. Concentrations and potential health hazards of organochlorine pesticides in (shallow) groundwater of Taihu Lake region, China. *Sci Total Environ* 470-471:1047-1055.
- Wu H, Bertrand KA, Choi AL, et al. 2013. Persistent organic pollutants and type 2 diabetes: A prospective analysis in the Nurses' Health Study and meta-analysis. *Environ Health Perspect* 121(2):153-161.
- Yalkowsky SH. 1992. *Aquasol database of aqueous solubility. 5th edition*. Tucson, AR: University of Arizona, College of Pharmacy.
- Yamaguchi Y, Kawano M, Tatsukawa R. 1986. Tissue distribution and excretion of hexabromobenzene (HBB) and hexachlorobenzene (HCB) administered to rats. *Chemosphere* 15(4):453-459.
- Yamashita N, Tanabe S, Ludwig JP, et al. 1992. Embryonic abnormalities and organochlorine contamination in double crested Cormorants (*Phalacrocorax auritus*) and Caspian terns (*Hydroprogne caspia*) from the upper Great Lakes in 1988. *Environ Pollut* 79(2):163-173.
- Yang RSH, Pittman KA, Rourke DR, et al. 1978. Pharmacokinetics and metabolism of hexachlorobenzene in the rat and the Rhesus monkey. *J Agric Food Chem* 26:1076-1083.
- Yasuhara A, Shiraishi H, Nishikawa M, et al. 1999. Organic components in leachates from hazardous waste disposal sites. *Waste Manage Res* 17:186-197.
- Yesair DW, Feder PI, Chin AE, et al. 1986. Development, evaluation and use of a pharmacokinetic model for hexachlorobenzene. *IARC Sci Publ* 77:297-318.

## 9. REFERENCES

- Yess NJ, Gunderson EL, Roy RR. 1993. U.S. Food and Drug Administration monitoring of pesticide residues in infant foods and adult foods eaten by infants/children. *J AOAC Int* 76:492-507.
- Youn S, Jin S, Kim S, et al. 2010. Porphyrinuria in Korean children with autism: Correlation with oxidative stress. *J Toxicol Environ Health A* 73:701-710.
- Yu B, Zeng J, Gong L, et al. 2007. Investigation of the photocatalytic degradation of organochlorine pesticides on a nano-TiO<sub>2</sub> coated film. *Talanta* 72(5):1667-1674.
- Yuan GL, Qin JX, Li J, et al. 2014. Persistent organic pollutants in soil near the Changwengluozha glacier of the Central Tibetan Plateau, China: Their sorption to clays and implication. *Sci Total Environ* 472:309-315.
- Yuan SY, Su CJ, Chang BV. 1999. Microbial dechlorination of hexachlorobenzene in anaerobic sewage sludge. *Chemosphere* 38(5):1015-1023.
- Zabik ME, Schemmel R. 1980. Influence of diet on hexachlorobenzene accumulation in Osborne Mendel rats. *J Environ Pathol Toxicol* 4:97-103.
- Zabik ME, Zabik MJ, Booren AM, et al. 1995. Pesticides and total polychlorinated biphenyls in Chinook salmon and carp harvested from the Great Lakes effects of skin on and skin off processing and selected cooking methods. *J Agric Food Chem* 43(4):993-1001.
- Zhang L, Huang Y, Dong L, et al. 2011. Levels, seasonal patterns, and potential sources of organochlorine pesticides in the urban atmosphere of Beijing, China. *Arch Environ Contam Toxicol* 61(2):159-165.
- Zhang L, Zhang T, Dong L, et al. 2013. Assessment of halogenated POPs and PAHs in three cities in the Yangtze River Delta using high-volume samplers. *Sci Total Environ* 454-455:619-626.
- Zheng T, Holford TR, Mayne ST, et al. 1999. Environmental exposure to hexachlorobenzene (HCB) and risk of female breast cancer in Connecticut. *Cancer Epidemiol Biomarkers Prev* 8:407-411.
- Zhong G, Tang J, Zhao Z, et al. 2011. Organochlorine pesticides in sediments of Laizhou Bay and its adjacent rivers, North China. *Mar Pollut Bull* 62(11):2543-2547.
- Zhou J, Zeng X, Zheng K, et al. 2012. Musks and organochlorine pesticides in breast milk from Shanghai, China: Levels, temporal trends and exposure assessment. *Ecotoxicol Environ Saf* 84:325-333.
- Zhou P, Wu Y, Yin S, et al. 2011. National survey of the levels of persistent organochlorine pesticides in the breast milk of mothers in China. *Environ Pollut* 159(2):524-531.
- Zhou Q, Wang J, Meng B, et al. 2013. Distribution and sources of organochlorine pesticides in agricultural soils from central China. *Ecotoxicol Environ Saf* 93:163-170.
- Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12(1):29-34.
- Zietz BP, Hoopmann M, Funcke M, et al. 2008. Long-term biomonitoring of polychlorinated biphenyls and organochlorine pesticides in human milk from mothers living in northern Germany. *Int J Hyg Environ Health* 211(5-6):624-638.